






CONDITIONS OF USE

- BACKFILL = NONE
- NO MANURE STACKING OR PONDING OF WATER
- ONLY LIGHT SCRAPPING ALLOWED



NOTES:

1. DIMENSIONS ARE TO THE REINFORCING BAR SURFACE UNLESS OTHERWISE NOTED.
2. THE EXISTING SLAB SURFACE MUST BE THOROUGHLY CLEANED WITH WATER. THE SURFACE OF EXISTING SLAB SHALL BE KEPT MOIST FOR AT LEAST 1 HOUR PRIOR TO PLACEMENT OF NEW CONCRETE.
3. GRADE 40 OR 60 BARS ARE PERMITTED.
4. STEEL QUANTITY DOES NOT INCLUDE SPLICE LENGTHS.

STEEL SCHEDULE

MARK	SIZE	QUAN	TYPE	R	S	LENGTH	TOTAL LENGTH
A	4		STR	---	---	8"	
B	4		STR	---	---		
L	4		2	2'-0"	2'-0"	4'-0"	
#4 BARS, TOTAL LENGTH							

LINEAL FT. OF WALL- _____ FT.

QUANTITIES	
CONCRETE (W.C.S.* 4) .0093 CU. YDS. PER LIN. FT.	CU. YD.
#4 REBAR 1.444 FT. PER LIN. FT.	FT.

*WIS. CONSTRUCTION SPECIFICATION



United States
Department of
Agriculture

Natural Resources
Conservation Service

6" CURB ON EXISTING SLAB

CLIENT: _____
COUNTY: _____

Date _____

Designed _____
Drawn _____
Checked _____
Approved _____

File Name
WI-921

Date
08/14

Sheet of _____