





**CONDITIONS OF USE**

- BACKFILL = NONE
- NO MANURE STACKING OR PONDING OF WATER
- ONLY LIGHT SCRAPPING ALLOWED




5 1/4" TO CENTER OF BAR  
1 FT. MIN. LAP SPLICE

CORNER DETAIL (PLAN VIEW)



SIDE VIEW



SECTION A-A

**NOTES:**

1. DIMENSIONS ARE TO THE REINFORCING BAR SURFACE UNLESS OTHERWISE NOTED.
2. THE EXISTING SLAB SURFACE MUST BE THOROUGHLY CLEANED WITH WATER. THE SURFACE OF EXISTING SLAB SHALL BE KEPT MOIST FOR AT LEAST 1 HOUR PRIOR TO PLACEMENT OF NEW CONCRETE.
3. GRADE 40 OR 60 BARS ARE PERMITTED.
4. STEEL QUANTITY DOES NOT INCLUDE SPLICE LENGTHS.

LINEAL FT. OF WALL- \_\_\_\_\_ FT.

STEEL SCHEDULE

MARK	SIZE	QUAN	TYPE	R	S	LENGTH	TOTAL LENGTH
A	4		STR	---	---	1'-2"	
B	4		STR	---	---		
L	4		2	2'-0"	2'-0"	4'-0"	
#4 BARS, TOTAL LENGTH							

QUANTITIES	
CONCRETE (W.C.S.* 4) .0309 CU. YDS. PER LIN. FT.	CU. YD.
#4 REBAR 3.167 FT. PER LIN. FT.	FT.

\*WI. CONSTRUCTION SPECIFICATION

United States Department of Agriculture  
Natural Resources Conservation Service

**1 FT. WALL ON EXISTING SLAB**

CLIENT: \_\_\_\_\_  
COUNTY: \_\_\_\_\_

Date \_\_\_\_\_

Designed \_\_\_\_\_  
Drawn \_\_\_\_\_  
Checked \_\_\_\_\_  
Approved \_\_\_\_\_

File Name  
WI-923

Date  
08/14

Sheet of \_\_\_\_\_