


ISOMETRIC VIEW



SECTION

QUANTITY ESTIMATES

CONCRETE WCS #4 _____ CU. YDS.
 (WISCONSIN CONSTRUCTION SPECIFICATION)
 STEEL _____ LBS.
 SAND/GRAVEL _____ CU. YDS.

NOTES:

1. SEE SHEET ____ OF ____ FOR JOINT DETAILS.

GRADE 40 STEEL
 3500 psi 28-DAY CONCRETE STRENGTH

BAR SIZE	SPLICE LENGTH
3	12"
4	12"
5	13"
6	16"

CIRCLE TABLE
 THAT APPLIES

GRADE 60 STEEL
 3500 psi 28-DAY CONCRETE STRENGTH

BAR SIZE	SPLICE LENGTH
3	12"
4	16"
5	20"
6	24"



United States
 Department of
 Agriculture

Natural Resources
 Conservation Service

CONCRETE SLAB REINFORCEMENT
 DEFORMED STEEL

CLIENT: _____
 COUNTY: _____

Date _____
 Designed _____
 Drawn _____
 Checked _____
 Approved _____

File Name
 WI-565

Date
 06/14

Sheet of