



# MARYLAND STANDARDS FOR AGRICULTURAL BMPS

## DETAIL 382 - A1 - WOVEN

### WOVEN WIRE FENCE



WOVEN WIRE

ASTM CLASS 3 GALVANIZED,  
TOP AND BOTTOM WIRES MIN. 12 GAUGE.  
INTERMEDIATE AND STAY WIRES MIN.  
12 1/2 GAUGE.

### WOVEN WIRE WITH ONE BARB DETAIL

LINE POSTS (WOODEN): MIN. 4 IN. DIAM. OR 4 IN. SQUARE.

LINE POSTS (STEEL): STUDDED OR PUNCHED T, U, OR Y SHAPED, WITH ANCHOR PLATES.  
MIN. WEIGHT 1.3 LBS./FT. (EXCLUDING ANCHOR PLATE).

**SPECIES AND TREATMENT FOR ALL WOOD:** USE UNTREATED DURABLE POSTS OF SPECIES SUCH AS RED CEDAR, BLACK LOCUST OR OSAGE-ORANGE WITH BARK REMOVED, OR NON-DURABLE WOOD THAT IS PRESERVATIVE PRESSURE TREATED (0.40 LBS./CUBIC FOOT CCA, OR EQUIVALENT NON-CCA TREATMENT). DO NOT USE RED PINE.

**SPECIAL INSTRUCTIONS**

---



---



---

DRAWING NOT TO SCALE. STANDARDIZED DRAWING MUST BE ADAPTED TO THE SPECIFIC SITE.