

Table 10.--Engineering Index Properties

(The symbol < means less than; > means more than. Absence of an entry indicates that data were not estimated)

Soil name and map symbol	Depth	USDA texture	Classification		Frag- ments 3-10 inches	Percentage passing sieve number--				Liquid limit Pct	Plas- ticity index
			Unified	AASHTO		4	10	40	200		
	In				Pct					Pct	
1*: Acrelane-----	0-6	Very gravelly sandy loam.	SM	A-1	0-5	60-90	35-50	20-35	10-20	---	NP
	6-12	Very gravelly sandy clay loam.	SC, SC-SM, GC, GM-GC	A-2	0-5	50-80	30-50	30-45	15-30	20-30	5-15
	12	Weathered bedrock	---	---	---	---	---	---	---	---	---
Rock outcrop.											
2----- Alzola	0-4	Silt loam-----	CL-ML	A-4	0-5	85-100	80-95	75-90	60-75	20-30	5-10
	4-9	Cobbly silty clay loam, cobbly clay loam.	CL, GC	A-6	15-30	65-85	60-80	55-70	40-65	30-40	10-20
	9-14	Very cobbly clay loam, extremely cobbly clay loam.	GC	A-2, A-6	30-50	30-65	25-60	20-55	15-45	30-40	10-20
	14-60	Extremely cobbly sandy loam, very cobbly sandy loam, extremely cobbly loamy sand.	GP-GM, GM	A-1	30-50	25-50	20-45	10-30	5-15	15-20	NP-5
3*: Alzola-----	0-4	Stony loam-----	SM, SC-SM, GM, GM-GC	A-4	10-25	65-80	60-75	50-65	40-50	25-35	5-10
	4-15	Cobbly silty clay loam.	CL, ML	A-6, A-7	15-35	75-90	70-85	65-80	60-75	35-45	10-20
	15-22	Very cobbly clay loam.	GC, GM-GC, CL-ML, CL	A-4, A-6	15-35	60-85	55-80	45-70	35-60	25-40	5-15
	22-60	Very cobbly sandy loam, extremely cobbly loamy sand.	GP-GM, GM	A-1	30-50	25-50	20-45	10-30	5-15	15-20	NP-5
Troughs-----	0-6	Stony loam-----	ML, CL-ML, SM, SC-SM	A-4	10-25	75-90	70-85	60-75	40-60	25-35	5-10
	6-18	Very cobbly loam, very gravelly loam.	GM, GM-GC	A-4	30-50	55-75	50-70	40-60	35-50	25-35	5-10
	18-40	Indurated-----	---	---	---	---	---	---	---	---	---
	40	Unweathered bedrock.	---	---	---	---	---	---	---	---	---
Bigflat-----	0-7	Stony loam-----	CL, ML, SC, SM	A-4, A-6	5-15	80-95	75-90	60-80	40-65	30-40	5-15
	7-20	Cobbly clay, cobbly clay loam, clay.	CL, CH	A-7	5-15	85-95	80-90	75-85	60-80	40-60	15-30
	20-44	Cobbly loam, cobbly fine sandy loam, gravelly fine sandy loam.	SM, SC-SM, GM, GM-GC	A-4	5-20	65-85	60-80	45-70	35-50	20-30	NP-10
	44-60	Cemented-----	---	---	---	---	---	---	---	---	---

See footnote at end of table.