

TABLE 12.--CONSTRUCTION MATERIALS

(Some terms that describe restrictive soil features are defined in the "Glossary." See text for definitions of "good," "fair," and other terms. Absence of an entry indicates that the soil was not rated. The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation)

Soil name and map symbol	Roadfill	Sand	Gravel	Topsail
AGB----- Aguilares	Fair: low strength, shrink-swell.	Improbable: excess fines.	Improbable: excess fines.	Moderate: small stones.
ARB----- Arroyada	Poor: low strength, wetness, shrink-swell.	Improbable: excess fines.	Improbable: excess fines.	Poor: too clayey, excess salt, excess sodium.
BKA, BKB, BOB----- Bookout	Poor: low strength.	Improbable: excess fines.	Improbable: excess fines.	Fair: too clayey.
BrB----- Brundage	Fair: low strength, shrink-swell.	Improbable: excess fines.	Improbable: excess fines.	Poor: excess salt, excess sodium.
ByB, BZB----- Brystal	Good-----	Improbable: excess fines.	Improbable: excess fines.	Fair: too clayey.
CaA, CaB, CBB----- Caid	Poor: low strength.	Improbable: excess fines.	Improbable: excess fines.	Fair: too clayey.
CCA----- Catarina	Poor: low strength, shrink-swell.	Improbable: excess fines.	Improbable: excess fines.	Poor: too clayey, excess salt, excess sodium.
CdA, CDB----- Chacon	Poor: low strength, shrink-swell.	Improbable: excess fines.	Improbable: excess fines.	Poor: too clayey, excess salt.
CEB*: Charco-----	Poor: low strength, shrink-swell.	Improbable: excess fines.	Improbable: excess fines.	Poor: too clayey.
Altita-----	Poor: low strength, shrink-swell.	Improbable: excess fines.	Improbable: excess fines.	Poor: too clayey, excess salt.
Ch, Cn----- Cochina	Poor: low strength, shrink-swell.	Improbable: excess fines.	Improbable: excess fines.	Poor: too clayey.
CPB----- Copita	Poor: area reclaim.	Improbable: excess fines.	Improbable: excess fines.	Fair: area reclaim, small stones.
Cq----- Coquat	Poor: low strength, shrink-swell.	Improbable: excess fines.	Improbable: excess fines.	Poor: too clayey.

See footnote at end of table.

TABLE 12.--CONSTRUCTION MATERIALS--Continued

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
CtA, CUA----- Cotulla	Poor: low strength, shrink-swell.	Improbable: excess fines.	Improbable: excess fines.	Poor: too clayey, excess salt, excess sodium.
DLC----- Dilley	Poor: depth to rock.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, small stones.
Dm, Dn----- Divot	Poor: shrink-swell, low strength.	Improbable: excess fines.	Improbable: excess fines.	Poor: too clayey.
DsC, DVA, DVB, DVC--- Duval	Fair: depth to rock, thin layer.	Improbable: excess fines.	Improbable: excess fines.	Fair: too clayey.
GDD----- Goldfinch	Poor: depth to rock.	Improbable: excess fines.	Improbable: excess fines.	Poor: depth to rock, small stones, thin layer.
HYD*: Hindes-----	Fair: thin layer.	Improbable: excess fines.	Improbable: excess fines.	Poor: too clayey, small stones.
Yologo-----	Poor: thin layer.	Improbable: excess fines.	Improbable: excess fines.	Poor: cemented pan, small stones, thin layer.
Im----- Imogene	Fair: shrink-swell, low strength.	Improbable: excess fines.	Improbable: excess fines.	Poor: excess salt, excess sodium.
LaA, LAB----- Lasalle	Poor: low strength, shrink-swell.	Improbable: excess fines.	Improbable: excess fines.	Poor: too clayey, excess salt, excess sodium.
MAC----- Mata	Fair: depth to rock, thin layer.	Improbable: excess fines.	Improbable: excess fines.	Poor: small stones, area reclaim.
MCC----- Maverick	Poor: depth to rock, low strength, shrink-swell.	Improbable: excess fines.	Improbable: excess fines.	Poor: too clayey, excess salt.
MGC----- Moglia	Poor: low strength.	Improbable: excess fines.	Improbable: excess fines.	Poor: too clayey, excess salt.
MNA, Mn----- Montell	Poor: low strength, shrink-swell.	Improbable: excess fines.	Improbable: excess fines.	Poor: too clayey, excess salt.
MTC----- Monteola	Poor: low strength, shrink-swell.	Improbable: excess fines.	Improbable: excess fines.	Poor: too clayey, excess salt.

See footnote at end of table.

TABLE 12.--CONSTRUCTION MATERIALS--Continued

Soil name and map symbol	Roadfill	Sand	Gravel	Topsoil
Pt----- Poteet	Fair: shrink-swell.	Improbable: excess fines.	Improbable: excess fines.	Fair: thin layer.
Ta----- Tela	Fair: low strength.	Improbable: excess fines.	Improbable: excess fines.	Fair: too clayey.
Tc----- Tiocono	Poor: shrink-swell, low strength, wetness.	Improbable: excess fines.	Improbable: excess fines.	Poor: too clayey, wetness.
VBB----- Viboras	Poor: depth to rock, low strength, shrink-swell.	Improbable: excess fines.	Improbable: excess fines.	Poor: too clayey, excess salt.
WbA, WbB, WCB----- Webb	Fair: low strength.	Improbable: excess fines.	Improbable: excess fines.	Poor: too clayey.
ZVB----- Zavco	Fair: low strength, shrink-swell.	Improbable: excess fines.	Improbable: excess fines.	Poor: too clayey.

* See description of the map unit for composition and behavior characteristics of the map unit.