



United States
Department of
Agriculture

In cooperation with
Illinois Agricultural
Experiment Station



Natural
Resources
Conservation
Service

Soil Survey of Massac County, Illinois


How To Use This Soil Survey

The detailed soil maps can be useful in planning the use and management of small areas.

To find information about your area of interest, locate that area on the **Index to Map Sheets**. Note the number of the map sheet and go to that sheet.

Locate your area of interest on the map sheet. Note the map unit symbols that are in that area. Go to the **Contents**, which lists the map units by symbol and name and shows the page where each map unit is described.

The **Contents** shows which table has data on a specific land use for each detailed soil map unit. Also see the **Contents** for sections of this publication that may address your specific needs.



National Cooperative Soil Survey

This soil survey is a publication of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (formerly the Soil Conservation Service) has leadership for the Federal part of the National Cooperative Soil Survey.

Major fieldwork for this soil survey was completed in 2000. Soil names and descriptions were approved in 2002. Unless otherwise indicated, statements in this publication refer to conditions in the survey area in 2002. This survey was made cooperatively by the Natural Resources Conservation Service and the Illinois Agricultural Experiment Station. The survey is part of the technical assistance furnished to the Massac County Soil and Water Conservation District. Financial assistance was provided by the Massac County Board, the Illinois Department of Agriculture, and the United States Department of Agriculture, Forest Service. Soil maps in this survey may be copied without permission. Enlargement of these maps, however, could cause misunderstanding of the detail of mapping. If enlarged, maps do not show the small areas of contrasting soils that could have been shown at a larger scale.

Nondiscrimination Statement

The United States Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, or, where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, or political beliefs, as a means of reprisal, or because all or part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, SW, Washington, DC 20250-9410 or call 800-795-3272 (voice) or 202-720-6382 (TDD). USDA is an equal opportunity provider and employer.

Additional information about the Nation's natural resources is available online from the Natural Resources Conservation Service at <http://www.nrcs.usda.gov>.

Contents

Cover	i
How To Use This Soil Survey	iii
Contents	v
Foreword	xi
Introduction	1
General Nature of the County	3
How This Soil Survey Was Made	5
Detailed Soil Map Units	7
99G—Sandstone and Limestone Rock Land, 35 to 90 percent slopes	8
131B—Alvin fine sandy loam, 2 to 5 percent slopes	9
131C—Alvin fine sandy loam, 5 to 10 percent slopes	9
131C2—Alvin fine sandy loam, 5 to 10 percent slopes, eroded	10
131D2—Alvin fine sandy loam, 10 to 18 percent slopes, eroded	11
131F—Alvin fine sandy loam, 25 to 35 percent slopes	12
164A—Stoy silt loam, 0 to 2 percent slopes	12
164B—Stoy silt loam, 2 to 5 percent slopes	13
164C2—Stoy silt loam, 5 to 10 percent slopes, eroded	14
165A—Weir silt loam, 0 to 2 percent slopes	15
175B—Lamont fine sandy loam, 2 to 5 percent slopes	15
175C2—Lamont fine sandy loam, 5 to 10 percent slopes, eroded	16
175D2—Lamont fine sandy loam, 10 to 18 percent slopes, eroded	17
214B—Hosmer silt loam, 2 to 5 percent slopes	18
214C2—Hosmer silt loam, 5 to 10 percent slopes, eroded	18
214C3—Hosmer silt loam, 5 to 10 percent slopes, severely eroded	19
214D2—Hosmer silt loam, 10 to 18 percent slopes, eroded	20
214D3—Hosmer silt loam, 10 to 18 percent slopes, severely eroded	21
308B—Alford silt loam, 2 to 5 percent slopes	22
308C2—Alford silt loam, 5 to 10 percent slopes, eroded	22
308C3—Alford silt loam, 5 to 10 percent slopes, severely eroded	23
308D2—Alford silt loam, 10 to 18 percent slopes, eroded	24
308D3—Alford silt loam, 10 to 18 percent slopes, severely eroded	25
308E—Alford silt loam, 18 to 25 percent slopes	26
308E2—Alford silt loam, 18 to 25 percent slopes, eroded	27
308E3—Alford silt loam, 18 to 25 percent slopes, severely eroded	27
308F—Alford silt loam, 25 to 35 percent slopes	28
339C—Wellston silt loam, 5 to 10 percent slopes	29
339C2—Wellston silt loam, 5 to 10 percent slopes, eroded	30
339D—Wellston silt loam, 10 to 18 percent slopes	30
339D2—Wellston silt loam, 10 to 18 percent slopes, eroded	31
339D3—Wellston silt loam, 10 to 18 percent slopes, severely eroded	32
339F—Wellston silt loam, 18 to 35 percent slopes	33
340C2—Zanesville silt loam, 5 to 10 percent slopes, eroded	34
340C3—Zanesville silt loam, 5 to 10 percent slopes, severely eroded	34
340D—Zanesville silt loam, 10 to 18 percent slopes	35
340D2—Zanesville silt loam, 10 to 18 percent slopes, eroded	36

340D3—Zanesville silt loam, 10 to 18 percent slopes, severely eroded	37
453C2—Muren silt loam, 5 to 10 percent slopes, eroded	38
453D2—Muren silt loam, 10 to 18 percent slopes, eroded	39
691D—Beasley silt loam, 10 to 18 percent slopes	39
691F—Beasley silt loam, 18 to 35 percent slopes	40
691G—Beasley silt loam, 35 to 70 percent slopes	41
801B—Orthents, silty, undulating	42
802D—Orthents, loamy, hilly	42
864—Pits, quarries	43
865—Pits, gravel	43
955D—Muskingum and Berks soils, 10 to 18 percent slopes	44
955D2—Muskingum and Berks soils, 10 to 18 percent slopes, eroded	45
955F—Muskingum and Berks soils, 18 to 35 percent slopes	46
955G—Muskingum and Berks soils, 35 to 70 percent slopes	47
956B—Brandon-Saffell complex, 2 to 5 percent slopes	48
956C2—Brandon-Saffell complex, 5 to 10 percent slopes, eroded	49
956C3—Brandon-Saffell complex, 5 to 10 percent slopes, severely eroded	50
956D—Brandon-Saffell complex, 10 to 18 percent slopes	51
956D2—Brandon-Saffell complex, 10 to 18 percent slopes, eroded	52
956D3—Brandon-Saffell complex, 10 to 18 percent slopes, severely eroded	54
956E2—Brandon-Saffell complex, 18 to 25 percent slopes, eroded	55
956F—Brandon-Saffell complex, 25 to 35 percent slopes	56
986D—Wellston-Berks complex, 10 to 18 percent slopes	57
986D2—Wellston-Berks complex, 10 to 18 percent slopes, eroded	58
986F—Wellston-Berks complex, 18 to 35 percent slopes	59
986G—Wellston-Berks complex, 35 to 70 percent slopes	60
1843A—Bonnie and Petrolia soils, undrained, 0 to 2 percent slopes, frequently flooded	61
1846A—Karnak and Cape silty clays, undrained, 0 to 2 percent slopes, frequently flooded	63
3070A—Beaucoup silty clay loam, 0 to 2 percent slopes, frequently flooded	64
3071A—Darwin silty clay, 0 to 2 percent slopes, frequently flooded	65
3071L—Darwin silty clay, 0 to 2 percent slopes, frequently flooded, long duration	65
3072A—Sharon silt loam, 0 to 3 percent slopes, frequently flooded	66
3072L—Sharon silt loam, 0 to 3 percent slopes, frequently flooded, long duration	67
3108A—Bonnie silt loam, 0 to 2 percent slopes, frequently flooded	68
3108L—Bonnie silt loam, 0 to 2 percent slopes, frequently flooded, long duration	69
3180A—Dupo silt loam, 0 to 2 percent slopes, frequently flooded	69
3288A—Petrolia silty clay loam, 0 to 2 percent slopes, frequently flooded	70
3288L—Petrolia silty clay loam, 0 to 2 percent slopes, frequently flooded, long duration	71
3382A—Belknap silt loam, 0 to 2 percent slopes, frequently flooded	72

3382L—Belknap silt loam, 0 to 2 percent slopes, frequently flooded, long duration	73
3422A—Cape silty clay loam, 0 to 2 percent slopes, frequently flooded	74
3422A+—Cape silt loam, overwash, 0 to 2 percent slopes, frequently flooded	74
3426A—Karnak silty clay, 0 to 2 percent slopes, frequently flooded	75
3426A+—Karnak silt loam, overwash, 0 to 2 percent slopes, frequently flooded	76
3426L—Karnak silty clay, 0 to 2 percent slopes, frequently flooded, long duration	77
3449L—Armiesburg-Sarpy complex, 0 to 2 percent slopes, frequently flooded, long duration	78
3597A—Armiesburg silty clay loam, 0 to 2 percent slopes, frequently flooded	79
3597L—Armiesburg silty clay loam, 0 to 2 percent slopes, frequently flooded, long duration	80
7131A—Alvin fine sandy loam, 0 to 2 percent slopes, rarely flooded	80
7131B—Alvin fine sandy loam, 2 to 5 percent slopes, rarely flooded	81
7131C2—Alvin fine sandy loam, 5 to 10 percent slopes, eroded, rarely flooded	82
7131D2—Alvin fine sandy loam, 10 to 18 percent slopes, eroded, rarely flooded	83
7460A—Ginat silt loam, 0 to 2 percent slopes, rarely flooded	84
7462A—Sciotoville silt loam, 0 to 2 percent slopes, rarely flooded	85
7462B—Sciotoville silt loam, 2 to 5 percent slopes, rarely flooded	85
7462C2—Sciotoville silt loam, 5 to 10 percent slopes, eroded, rarely flooded	86
7462C3—Sciotoville silt loam, 5 to 10 percent slopes, severely eroded, rarely flooded	87
7462D2—Sciotoville silt loam, 10 to 18 percent slopes, eroded, rarely flooded	88
7462D3—Sciotoville silt loam, 10 to 18 percent slopes, severely eroded, rarely flooded	89
7463A—Wheeling silt loam, 0 to 2 percent slopes, rarely flooded	90
7463B—Wheeling silt loam, 2 to 5 percent slopes, rarely flooded	90
7463C2—Wheeling silt loam, 5 to 10 percent slopes, eroded, rarely flooded	91
7463D2—Wheeling silt loam, 10 to 18 percent slopes, eroded, rarely flooded	92
7463E2—Wheeling silt loam, 18 to 25 percent slopes, eroded, rarely flooded	93
7483A—Henshaw silt loam, 0 to 3 percent slopes, rarely flooded	94
7711A—Hatfield silt loam, 0 to 2 percent slopes, rarely flooded	94
7711B—Hatfield silt loam, 2 to 5 percent slopes, rarely flooded	95
7711B2—Hatfield silt loam, 2 to 5 percent slopes, eroded, rarely flooded	96
8070A—Beaucoup silty clay loam, 0 to 2 percent slopes, occasionally flooded	97
8071A—Darwin silty clay, 0 to 2 percent slopes, occasionally flooded	98
8072A—Sharon silt loam, 0 to 3 percent slopes, occasionally flooded	98
8108A—Bonnie silt loam, 0 to 2 percent slopes, occasionally flooded	99
8109A—Raccoon silt loam, 0 to 2 percent slopes, occasionally flooded	100
8180A—Dupo silt loam, 0 to 2 percent slopes, occasionally flooded	101
8288A—Petrolia silty clay loam, 0 to 2 percent slopes, occasionally flooded	102
8382A—Belknap silt loam, 0 to 2 percent slopes, occasionally flooded	102

8420A—Piopolis silty clay loam, 0 to 2 percent slopes, occasionally flooded	103
8422A—Cape silty clay loam, 0 to 2 percent slopes, occasionally flooded	104
8422A+—Cape silt loam, overwash, 0 to 2 percent slopes, occasionally flooded	105
8426A—Karnak silty clay, 0 to 2 percent slopes, occasionally flooded	106
8426A+—Karnak silt loam, overwash, 0 to 2 percent slopes, occasionally flooded	107
8427B—Burnside silt loam, 1 to 4 percent slopes, occasionally flooded	107
8469A—Emma silty clay loam, 0 to 2 percent slopes, occasionally flooded	108
8469B—Emma silty clay loam, 2 to 5 percent slopes, occasionally flooded	109
8469C2—Emma silty clay loam, 5 to 10 percent slopes, eroded, occasionally flooded	110
8597A—Armiesburg silty clay loam, 0 to 2 percent slopes, occasionally flooded	111
8693A—Hurst silty clay loam, 0 to 2 percent slopes, occasionally flooded	111
MW—Miscellaneous water	112
W—Water	112
Use and Management of the Soils	113
Interpretive Ratings	113
Agronomy	114
Limitations and Hazards Affecting Cropland	114
Limitations and Hazards Affecting Pastureland	116
Yields per Acre	118
Land Capability Classification	119
Prime Farmland	120
Hydric Soils	121
Forestland Management	122
Forestland Productivity	123
Windbreaks and Environmental Plantings	123
Recreation	124
Wildlife Habitat	125
Engineering	127
Building Site Development	128
Sanitary Facilities	129
Construction Materials	131
Water Management	133
Soil Properties	135
Engineering Index Properties	135
Physical Properties	136
Chemical Properties	138
Water Features	139
Soil Features	140
Classification of the Soils	143
Soil Series and Their Morphology	143
Alford Series	144

Alvin Series	145
Armiesburg Series	146
Beasley Series	147
Beaucoup Series	149
Belknap Series	150
Berks Series	151
Bonnie Series	152
Brandon Series	153
Burnside Series	155
Cape Series	156
Darwin Series	157
Dupo Series	158
Emma Series	160
Ginat Series	161
Hatfield Series	163
Henshaw Series	165
Hosmer Series	167
Hurst Series	168
Karnak Series	170
Lamont Series	172
Muren Series	173
Muskingum Series	174
Petrolia Series	176
Piopolis Series	177
Racoon Series	178
Saffell Series	180
Sarpy Series	182
Sciotoville Series	182
Sharon Series	184
Stoy Series	186
Weir Series	188
Wellston Series	189
Wheeling Series	191
Zanesville Series	192
Formation of the Soils	195
Factors of Soil Formation	195
Processes of Soil Formation	197
References	199
Glossary	201
Tables	217
Table 1.—Temperature and Precipitation	218
Table 2.—Freeze Dates in Spring and Fall	219
Table 3.—Growing Season	219
Table 4.—Acreage and Proportionate Extent of the Soils	220
Table 5.—Cropland and Pastureland Limitations and Hazards	223

Table 6.—Land Capability and Yields per Acre of Crops and Pasture	233
Table 7.—Prime Farmland	240
Table 8.—Map Units With Major Components of Hydric Soils	241
Table 9.—Map Units With Minor Components of Hydric Soils	245
Table 10.—Forestland Management, Part I	247
Table 10.—Forestland Management, Part II	260
Table 10.—Forestland Management, Part III	268
Table 11.—Forestland Productivity	281
Table 12.—Windbreaks and Environmental Plantings	295
Table 13.—Recreational Development, Part I	332
Table 13.—Recreational Development, Part II	347
Table 14.—Wildlife Habitat	361
Table 15.—Building Site Development, Part I	370
Table 15.—Building Site Development, Part II	385
Table 16.—Sanitary Facilities, Part I	403
Table 16.—Sanitary Facilities, Part II	422
Table 17.—Construction Materials, Part I	439
Table 17.—Construction Materials, Part II	451
Table 18.—Water Management, Part I	469
Table 18.—Water Management, Part II	483
Table 18.—Water Management, Part III	500
Table 19.—Engineering Index Properties	520
Table 20.—Physical Properties of the Soils	572
Table 21.—Chemical Properties of the Soils	589
Table 22.—Water Features	603
Table 23.—Soil Features	615
Table 24.—Classification of the Soils	623

Issued 2009

Foreword

This soil survey contains information that affects land use planning in Massac County. It contains predictions of soil behavior for selected land uses. The survey also highlights soil limitations, improvements needed to overcome the limitations, and the impact of selected land uses on the environment.

This soil survey is designed for many different users. Farmers, foresters, and agronomists can use it to evaluate the potential of the soil and the management needed for maximum food and fiber production. Planners, community officials, engineers, developers, builders, and home buyers can use the survey to plan land use, select sites for construction, and identify special practices needed to ensure proper performance. Conservationists, teachers, students, and specialists in recreation, wildlife management, waste disposal, and pollution control can use the survey to help them understand, protect, and enhance the environment.

Various land use regulations of Federal, State, and local governments may impose special restrictions on land use or land treatment. The information in this report is intended to identify soil properties that are used in making various land use or land treatment decisions. Statements made in this report are intended to help the land users identify and reduce the effects of soil limitations that affect various land uses. The landowner or user is responsible for identifying and complying with existing laws and regulations.

Great differences in soil properties can occur within short distances. Some soils are seasonally wet or subject to flooding. Some are shallow to bedrock. Some are too unstable to be used as a foundation for buildings or roads. Clayey or wet soils are poorly suited to use as septic tank absorption fields. A high water table makes a soil poorly suited to basements or underground installations.

These and many other soil properties that affect land use are described in this soil survey. The location of each soil is shown on the detailed soil maps. Each soil in the survey area is described. Information on specific uses is given for each soil. Help in using this publication and additional information are available at the local office of the Natural Resources Conservation Service or the Cooperative Extension Service.

William J. Gradle
State Conservationist
Natural Resources Conservation Service

Soil Survey of Massac County, Illinois

By Dwayne R. Williams, Bryan C. Fitch, and Samuel J. Indorante, Natural Resources Conservation Service

Original fieldwork by Walter D. Parks, B.J. Weiss, C.C. Miles, and R.D. Busby, Soil Conservation Service

Update fieldwork by Dwayne R. Williams, Edward C. Workman, Samuel J. Indorante, and W. Matt McCauley, Natural Resources Conservation Service

Other fieldwork by Leon R. Follmer, Illinois State Geological Survey, and Bryan Fitch, United States Department of Agriculture, Forest Service

Map compilation and geographic information assistance by Jon D. Bathgate and Edward C. Workman, Natural Resources Conservation Service, and Dana R. Grantham, Private Contractor

Map digitizing completed by the Natural Resources Conservation Service Digitizing Center in Salina, Kansas

United States Department of Agriculture, Natural Resources Conservation Service, in cooperation with Illinois Agricultural Experiment Station

MASSAC COUNTY is near the southern tip of Illinois, near the confluence of the Mississippi and Ohio Rivers (fig. 1). The Ohio River flows along the southern and southwestern boundaries of Massac County. Metropolis is the county seat and the largest city in the county. Farming, in combination with forestry, contributes a major part to the total income of the county. Corn, soybeans, wheat, hogs, and beef cattle are the leading farm products. Mermet Lake Conservation Area and Fort Massac State Park in Massac County provide outdoor recreation in the area.


Massac County has an area of 242 square miles. A significant part of the acreage consists of bottom land and low terraces along the Cache and Ohio Rivers. These areas are used mainly for the production of corn, soybeans, and wheat. The distinctly steep uplands of Massac County are used principally for woodland.

Massac County is a subset of Major Land Resource Areas 120A (Kentucky and Indiana Sandstone and Shale Hills and Valleys, Southern Part) and 134 (Southern Mississippi Valley Loess) (18). See figure 1.

Massac County was established in 1843 out of Johnson and Pope Counties. The area was settled by people from the southern states and families of German and Scotch descent. The population density is approximately 63 people per square mile (22). Approximately 125,000 acres are in farmland and 29,000 acres are timberland.

Massac County is in the southeastern corner of Illinois. This area has a variety of

Soil Survey of Massac County, Illinois



- 95B--Southern Wisconsin and Northern Illinois Drift Plain
- 97--Southwestern Michigan Fruit and Truck Crop Belt
- 98--Southern Michigan and Northern Indiana Drift Plain
- 105--Northern Mississippi Valley Loess Hills
- 108A--Illinois and Iowa Deep Loess and Drift, Eastern Part
- 108B--Illinois and Iowa Deep Loess and Drift, East-Central Part
- 110--Northern Illinois and Indiana Heavy Till Plain
- 113--Central Claypan Areas
- 114B--Southern Illinois and Indiana Thin Loess and Till Plain,
Western Part
- 115A--Central Mississippi Valley Wooded Slopes, Eastern Part
- 115B--Central Mississippi Valley Wooded Slopes, Western Part
- 115C--Central Mississippi Valley Wooded Slopes, Northern Part
- 120A--Kentucky and Indiana Sandstone and Shale Hills and
Valleys, Southern Part
- 131A--Southern Mississippi Valley Alluvium
- 134--Southern Mississippi Valley Loess

Figure 1.—Location of Massac County and major land resource areas (MLRAs) in Illinois.

landforms and relief. A large part of the county consists of alluvial plains and terraces along the Ohio River and the eastern part of the Cache River Valley. The Ohio River forms the southern and southwestern boundary. Massac County is bounded by Pulaski County on the west, by Johnson County on the north, by Pope County on the northwest, and by McCracken County, Kentucky, on the south. Massac County consists of small towns, forests, barrens, wetlands, orchards, vineyards, pasture, and cropland. The county has an area of approximately 242 square miles and has a population of about 15,000. Metropolis is the county seat and has a population of about 6,300. Other towns and villages are New Columbia, Mermet, Big Bay, and Brookport. Massac County was established in 1843. Metropolis is at the site of Fort Massac, established originally by the French in 1757.

Massac County is served by three State highways, one interstate highway, and a number of hard-surfaced county roads. Crossing the Ohio River to Kentucky is a bridge at Brookport. Several railroads cross Massac County. Barge traffic on the Ohio River is an important method of commercial and industrial transportation.

There are approximately 434 farms in Massac County (22). The average farm is 287 acres in size (22). Most farm owners or operators, however, supplement their income by working off the farm. Along with agriculture, a number of small businesses and industries provide employment in the county. The top five crop commodities, by acres, are soybeans, hay, corn, wheat, and orchards (22). The top three livestock commodities, by number, are hogs, cattle, and sheep (22). The Shawnee National Forest occupies about 2,785 acres.

The range in elevation for the county is about 300 feet, from the lowest elevation along the Ohio River near the western boundary of Pulaski County to the highest elevation on a hill near Barnes Creek in the eastern part of the county near the Pope County line (fig. 2).

General Nature of the County

This section gives general information about the survey area. It discusses physiography, relief, drainage, and geology and climate.

Physiography, Relief, Drainage, and Geology

Most of Massac County is in the Cretaceous Hills subsection of the Upper Gulf Coastal Plains section of the Coastal Plains Province, which is a northern extension of the coastal plains of the southeastern part of the United States. This loess-covered upland is underlain with Cretaceous-age and Tertiary-age sands and gravel. Part of Massac County is in the Lesser Shawnee Hills subsection, Shawnee Hills section of the Interior Low Plateaus Province (7). This dissected upland is underlain by Mississippian-age limestone, sandstone, and shale (23). Massac County is in Major Land Resource Areas 120A (Kentucky and Indiana Sandstone and Shale Hills and Valleys, Southern Part) and 134 (Southern Mississippi Valley Loess).

The northern and eastern parts of Massac County have a general elevation between 500 and 580 feet above sea level, with an average relief of 300 feet between creek bottom lands and ridgetops. A gently rolling area across central Massac County has a general elevation between 360 and 440 feet and a relief of 40 to 100 feet. The Ohio River and Cache River bottom lands are between 300 and 330 feet above sea level, and the Ohio River terraces are between 310 and 360 feet above sea level.

During at least a part of the glacial age, the Ohio River flowed more or less from east to west from present-day Golconda, Illinois, to the northern part of the survey area, and then southwestward through the valley now occupied by the Cache River. The present Ohio River Valley along the southern and southwestern parts of Massac County was originally the Tennessee River Valley until the silting of the older Ohio




Figure 2.—A generalized relief map of Massac County showing the highest point, more than 590 feet above sea level (orange dot), and lowest the point, less than 300 feet above sea level (blue dot), in the county.

Valley caused the Ohio River to cut through and divide east of Paducah, Kentucky, and to claim the lower Tennessee Valley. During the glacial age, the older Ohio Valley was an important source of loess.

Massac County is drained by a number of creeks that flow south and east into the Ohio River. A part of eastern and northern Massac County drains west to the Cache River.

Ground-water supplies in Massac County vary from good or excellent on bottom lands and terraces, where aquifers of sand and gravel occur at various depths, to poor on the uplands of Massac County, where consolidated bedrock occurs (11).

Climate

Table 1 gives data on temperature and precipitation for the survey area as recorded at Brookport, Illinois, in the period 1971 to 2000. Table 2 shows probable dates of the first freeze in fall and the last freeze in spring. Table 3 provides data on the length of the growing season.

In winter, the average temperature is 36.7 degrees F and the average daily minimum temperature is 27.6 degrees. The lowest temperature on record, which occurred at Brookport on December 2, 1982, was -21 degrees. In summer, the average temperature is 77.0 degrees and the average daily maximum temperature is 87.9 degrees. The highest temperature, which occurred at Brookport on July 14, 1966, was 105 degrees.

Growing degree days are shown in table 1. They are equivalent to “heat units.” During the month, growing degree days accumulate by the amount that the average temperature each day exceeds a base temperature (50 degrees F). The normal monthly accumulation is used to schedule single or successive plantings of a crop between the last freeze in spring and the first freeze in fall.

The total annual precipitation is 48.17 inches. Of this, 27.36 inches, or about 57 percent, usually falls in April through October. The growing season for most crops falls within this period. The heaviest 1-day rainfall during the period of record was 5.32 inches, recorded at Brookport on February 14, 1989. Thunderstorms occur on about 60 days each year, and most occur between May and August.

The average seasonal snowfall is 8.3 inches. The most snowfall during a winter was

35.3 inches in 1984-85. The heaviest 1-day snowfall on record was 10 inches, recorded on March 9, 1994.

The average relative humidity in mid-afternoon is about 58 percent. Humidity is higher at night, and the average at dawn is about 86 percent. The sun shines 68 percent of the time possible in summer and 47 percent in winter. The prevailing wind is from the southwest. Average windspeed is highest, around 9 miles per hour, from November to April.

How This Soil Survey Was Made

This survey was made to update and digitize the 1975 soil survey of Massac County (20). Major land resource areas (MLRAs) are geographically associated land resource units that share a common land use, elevation, topography, climate, water, soils, and vegetation (18). Massac County is a subset of MLRA 120A (Kentucky and Indiana Sandstone and Shale Hills and Valleys, Southern Part) and MLRA 134 (Southern Mississippi Valley Loess) (fig. 1). Map unit design is based on each soil's occurrence throughout the MLRA. In some cases a soil component may be referred to that does not occur in the Massac County subset but that has been mapped within the MLRA.

This soil survey includes a description of the soils and miscellaneous areas and their location and a discussion of their properties and the subsequent effects on suitability, limitations, and management for specified uses. During the 1975 soil survey and as part of this update, soil scientists observed the steepness, length, and shape of the slopes; the general pattern of drainage; the kinds of crops and native plants; and the kinds of soil parent materials. Soil scientists also studied and described soil profiles with the aid of a soil probe or spade. A soil profile is a sequence of natural layers, or horizons, and extends from the soil surface to the unconsolidated material at a depth of about 6 feet. The unconsolidated material is devoid of roots and other living organisms and has not been changed by other biological activity. Soil scientists described new soil profile descriptions and studied profile descriptions from previous fieldwork.

The soils and miscellaneous areas in the county occur in an orderly pattern that is related to the geology, landforms, relief, climate, and natural vegetation of the county. Each kind of soil and miscellaneous area is associated with a particular kind or segment of the landscape. By observing the soils and miscellaneous areas in the survey area and relating their position to specific segments of the landscape, soil scientists develop a concept, or soil-landscape model, of how the soils were formed and the geographic distribution of the soils. Thus, during mapping, this model enables the soil scientists to predict with considerable accuracy the kind of soil or soils at a specific location on the landscape.

Individual soils on the landscape commonly merge into one another as their characteristics gradually change. To construct an accurate map, however, soil scientists must determine the boundaries between the soils. They can observe only a limited number of soil profiles. Nevertheless, these observations, supplemented by an understanding of the soil-landscape relationship, are sufficient to verify predictions of the kinds of soil in an area and to determine the boundaries.

Soil scientists recorded the characteristics of the soil profiles that they observed. The maximum depth of observation was about 80 inches (6.7 feet). Soil scientists noted soil color, texture, size and shape of soil aggregates, kind and amount of rock fragments, distribution of plant roots, soil reaction, and other features that enable them to identify soils. After describing the soils in the survey area and determining their properties, the soil scientists assigned the soils to taxonomic classes (units). Taxonomic classes are concepts. Each taxonomic class has a set of soil characteristics with precisely defined limits. The classes are used as a basis for

Soil Survey of Massac County, Illinois

comparison to classify and interpret soils systematically. Soil taxonomy, the system of taxonomic classification used in the United States, is based mainly on the kind and character of soil properties and the arrangement of horizons within the profile. After the soil scientists classified and named the soils in the survey area, they compared the individual soils with similar soils in the same taxonomic class in other areas so that they could confirm data and assemble additional data based on experience and research.

While a soil survey is in progress, samples of some of the soils in the survey area generally are collected for laboratory analyses and for engineering tests. Field observations and measurements are also made on selected soils. Soil scientists interpret the data from these analyses and tests, as well as the field-observed characteristics and the soil properties, to estimate the expected behavior of the soils under different uses. Information from other soil surveys and soil studies are also used to develop soil interpretations.

Soils vary across the landscape and with time. Predictions about soil behavior are based not only on how soils occur on the landscape but also on such variables as climate, biological activity, and local land use. Some soil conditions are very stable and predictable over long periods of time. Examples are clay content in the subsoil and cation-exchange capacity. Some soil conditions change rapidly over the course of a year but are still predictable. Examples are monthly soil moisture status within certain depths of the soil profile and monthly depth and duration of ponding in a detailed soil map unit.

Interpretations for some of the soils are field tested through observation of the soils in different uses and under different levels of management. National and regional soil interpretations are modified as necessary to fit local conditions, and some new interpretations are developed to meet local needs. Map unit descriptions, interpretations, and tables for this soil survey were generated using the National Soil Survey Information System (NASIS), Version 5.0.

Aerial photographs were taken in 1993. Soil scientists also used U.S. Geological Survey topographic maps enlarged to a scale of 1:12,000 and orthophotographs to relate land and image features. Selected areas of the county were reinvestigated to update and refine local soil-landscape models. Soil boundaries from the 1975 published soil maps were drawn on the orthophotographs. Adjustments of soil boundary lines were made to coincide with the U.S. Geological Survey topographic map contour lines, Digital Elevation Models (DEMs), and tonal patterns on aerial photographs.

The descriptions, names, and delineations of the soils in this survey area may not fully agree with those of the soils in adjacent survey areas. Differences are the result of a better knowledge of soils, modifications in series concepts, or variations in the intensity of mapping or in the extent of the soils in the survey areas.

Detailed Soil Map Units

The map units on the detailed maps represent the soils or miscellaneous areas in the survey area. The map unit descriptions in this section, along with the maps, can be used to determine the suitability and potential of a unit for specific uses. They also can be used to plan the management needed for those uses. More information about each map unit is given under the headings "Use and Management of the Soils" and "Soil Properties."

A map unit delineation on a map represents an area dominated by one or more major kinds of soil or miscellaneous areas. A map unit is identified and named according to the taxonomic classification of the dominant soils or miscellaneous areas. Within a taxonomic class there are precisely defined limits for the properties of the soils. On the landscape, however, the soils and miscellaneous areas are natural phenomena, and they have the characteristic variability of all natural phenomena. Thus, the range of some observed properties may extend beyond the limits defined for a taxonomic class. Areas of soils of a single taxonomic class rarely, if ever, can be mapped without including areas of other taxonomic classes. Consequently, every map unit is made up of the soils or miscellaneous areas for which it is named and some minor components that belong to other taxonomic classes.

Most minor soils have properties similar to those of the dominant soil or soils in the map unit, and thus they do not affect use and management. These are called noncontrasting, or similar, components. They may or may not be mentioned in the map unit description. Other minor components, however, have properties and behavioral characteristics divergent enough to affect use or to require different management. These are called contrasting, or dissimilar, components. They generally are in small areas and could not be mapped separately because of the scale used. The contrasting components are mentioned in the map unit descriptions. A few areas of minor components may not have been observed, and consequently they are not mentioned in the descriptions, especially where the pattern was so complex that it was impractical to make enough observations to identify all the soils and miscellaneous areas on the landscape.

The presence of minor components in a map unit in no way diminishes the usefulness or accuracy of the data. The objective of mapping is not to delineate pure taxonomic classes but rather to separate the landscape into landforms or landform segments that have similar use and management requirements. The delineation of such segments on the map provides sufficient information for the development of resource plans, but if intensive use of small areas is planned, onsite investigation is needed to define and locate the soils and miscellaneous areas.

An identifying symbol precedes the map unit name in the map unit descriptions. Each description includes general facts about the unit and gives the principal hazards and limitations to be considered in planning for specific uses.

Soils that have profiles that are almost alike make up a *soil series*. All the soils of a series have major horizons that are similar in composition, thickness, and arrangement. The soils of one series can differ in texture of the surface layer, slope, stoniness, salinity, degree of erosion, and other characteristics that affect their use. On the basis of such differences, a soil series is divided into *soil phases*. Most of the areas shown on the detailed soil maps are phases of soil series. The name of a soil

phase commonly indicates a feature that affects use or management. For example, Alford silt loam, 2 to 5 percent slopes, eroded, is a phase of the Alford series.

Some map units are made up of two or more major soils or miscellaneous areas. These map units are undifferentiated groups or complexes.

An *undifferentiated group* is made up of two or more soils or miscellaneous areas that could be mapped individually but are mapped as one unit because similar interpretations can be made for use and management. The pattern and proportion of the soils or miscellaneous areas in a mapped area are not uniform. An area can be made up of only one of the major soils or miscellaneous areas, or it can be made up of all of them. Bonnie and Petrolia soils, undrained, 0 to 2 percent slopes, frequently flooded, is an undifferentiated group in this survey area.

A *complex* consists of two or more soils or miscellaneous areas in such an intricate pattern or in such small areas that they cannot be shown separately on the maps. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas. Wellston-Berks complex, 35 to 70 percent slopes, is an example.

This survey includes *miscellaneous areas*. Such areas have little or no soil material and support little or no vegetation. Pits, quarries, is an example.

Table 4 gives the acreage and proportionate extent of each map unit. Other tables (see "Contents") give properties of the soils and the limitations, capabilities, and potentials for many uses. The Glossary defines many of the terms used in describing the soils or miscellaneous areas.

99G—Sandstone and Limestone Rock Land, 35 to 90 percent slopes

General Description

This map unit consists of rock outcrops of sandstone and limestone interspersed with very stony or bouldery soils and vertical bluffs.

Setting

Landform on landscape: Escarpment on upland

Composition

Sandstone Rock Land and similar inclusions: 45 percent

Limestone Rock Land and similar inclusions: 40 percent

Dissimilar inclusions: 15 percent

Inclusions

Similar inclusions:

- Soils that have lesser slope or greater slope

Dissimilar inclusions:

- Well drained Alford soils and moderately well drained Zanesville soils on the upper part of backslopes

Interpretive Groups

Land capability classification: 7e

Prime farmland: Not prime farmland

Hydric soils: No

131B—Alvin fine sandy loam, 2 to 5 percent slopes

Setting

Landform on landscape: Hillside in valley

Position on landform: Summit and shoulder

Composition

Alvin and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Well drained Lamont and Wheeling soils in similar slope positions
- Somewhat poorly drained Roby soils in less sloping areas

Soil Properties and Qualities

Parent material: Loamy alluvium and/or eolian sands

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderately rapid

Permeability below a depth of 60 inches: Moderately rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 7.6 inches to a depth of 60 inches

Organic matter content of surface layer: 0.5 to 1.0 percent

Shrink-swell potential: Low

Potential frost action: Moderate

Corrosivity: Low for steel and high for concrete

Potential for surface runoff: Very low

Water erosion susceptibility: Low

Wind erosion susceptibility: Moderately high

Interpretive Groups

Land capability classification: 2e

Prime farmland: All areas are prime farmland

Hydric soil: No

131C—Alvin fine sandy loam, 5 to 10 percent slopes

Setting

Landform on landscape: Hillside in valley

Position on landform: Backslope and shoulder

Composition

Alvin and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Well drained Lamont and Wheeling soils in similar slope positions
- Somewhat poorly drained Roby soils in less sloping areas

Soil Properties and Qualities

Parent material: Loamy alluvium and/or eolian sands

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderately rapid

Permeability below a depth of 60 inches: Moderately rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 7.6 inches to a depth of 60 inches

Organic matter content of surface layer: 0.5 to 1.0 percent

Shrink-swell potential: Low

Potential frost action: Moderate

Corrosivity: Low for steel and high for concrete

Potential for surface runoff: Low

Water erosion susceptibility: Moderate

Wind erosion susceptibility: Moderately high

Interpretive Groups

Land capability classification: 3e

Prime farmland: All areas are prime farmland

Hydric soil: No

**131C2—Alvin fine sandy loam, 5 to 10 percent slopes,
eroded**

Setting

Landform on landscape: Hillside in valley

Position on landform: Backslope and shoulder

Composition

Alvin and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface horizons
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Well drained Lamont and Wheeling soils in similar slope positions
- Somewhat poorly drained Roby soils in less sloping areas

Soil Properties and Qualities

Parent material: Loamy alluvium and/or eolian sands

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderately rapid

Permeability below a depth of 60 inches: Moderately rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 7.6 inches to a depth of 60 inches

Organic matter content of surface layer: 0.5 to 1.0 percent

Shrink-swell potential: Low

Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: Moderate
Corrosivity: Low for steel and high for concrete
Potential for surface runoff: Low
Water erosion susceptibility: Moderate
Wind erosion susceptibility: Moderately high

Interpretive Groups

Land capability classification: 3e
Prime farmland: All areas are prime farmland
Hydric soil: No

131D2—Alvin fine sandy loam, 10 to 18 percent slopes, eroded

Setting

Landform on landscape: Hillside in valley
Position on landform: Backslope and shoulder

Composition

Alvin and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface horizons
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Well drained Lamont and Wheeling soils in similar slope positions
- Somewhat poorly drained Roby soils in less sloping areas

Soil Properties and Qualities

Parent material: Loamy alluvium and/or eolian sands
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderately rapid
Permeability below a depth of 60 inches: Moderately rapid
Depth to restrictive feature: More than 80 inches
Available water capacity: About 7.6 inches to a depth of 60 inches
Organic matter content of surface layer: 0.5 to 1.0 percent
Shrink-swell potential: Low
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: Moderate
Corrosivity: Low for steel and high for concrete
Potential for surface runoff: Low
Water erosion susceptibility: High
Wind erosion susceptibility: Moderately high

Interpretive Groups

Land capability classification: 4e
Prime farmland: Farmland of statewide importance
Hydric soil: No

131F—Alvin fine sandy loam, 25 to 35 percent slopes

Setting

Landform on landscape: Hillside in valley
Position on landform: Backslope

Composition

Alvin and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Well drained Lamont and Wheeling soils in similar slope positions

Soil Properties and Qualities

Parent material: Loamy alluvium and/or eolian sands
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderately rapid
Permeability below a depth of 60 inches: Moderately rapid
Depth to restrictive feature: More than 80 inches
Available water capacity: About 7.6 inches to a depth of 60 inches
Organic matter content of surface layer: 0.5 to 1.0 percent
Shrink-swell potential: Low
Potential frost action: Moderate
Corrosivity: Low for steel and high for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: High
Wind erosion susceptibility: Moderately high

Interpretive Groups

Land capability classification: 6e
Prime farmland: Not prime farmland
Hydric soil: No

164A—Stoy silt loam, 0 to 2 percent slopes

Setting

Landform on landscape: Loess hill on upland
Position on landform: Summit

Composition

Stoy and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons

Dissimilar inclusions:

- Moderately well drained Hosmer soils in shoulder and backslope positions
- Poorly drained Weir soils on summits

Soil Properties and Qualities

Parent material: Loess

Drainage class: Somewhat poorly drained

Slowest permeability within a depth of 40 inches: Slow

Permeability below a depth of 60 inches: Slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 10.0 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 2.0 percent

Shrink-swell potential: Moderate

Highest perched seasonal high water table (depth, months): 1.0 foot; January to May

Potential frost action: High

Corrosivity: High for steel and high for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: Low

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 2w

Prime farmland: All areas are prime farmland

Hydric soil: No

164B—Stoy silt loam, 2 to 5 percent slopes

Setting

Landform on landscape: Loess hill on upland

Position on landform: Summit and shoulder

Composition

Stoy and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons

Dissimilar inclusions:

- Moderately well drained Hosmer soils in shoulder and backslope positions

Soil Properties and Qualities

Parent material: Loess

Drainage class: Somewhat poorly drained

Slowest permeability within a depth of 40 inches: Slow

Permeability below a depth of 60 inches: Slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 10.0 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 2.0 percent

Shrink-swell potential: Moderate

Highest perched seasonal high water table (depth, months): 1.0 foot; January to May

Potential frost action: High

Corrosivity: High for steel and high for concrete
Potential for surface runoff: High
Water erosion susceptibility: Moderate
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 2e
Prime farmland: All areas are prime farmland
Hydric soil: No

164C2—Stoy silt loam, 5 to 10 percent slopes, eroded

Setting

Landform on landscape: Loess hill on upland
Position on landform: Backslope and shoulder

Composition

Stoy and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thicker or thinner surface horizons

Dissimilar inclusions:

- Moderately well drained Hosmer soils in shoulder and backslope positions

Soil Properties and Qualities

Parent material: Loess
Drainage class: Somewhat poorly drained
Slowest permeability within a depth of 40 inches: Slow
Permeability below a depth of 60 inches: Slow
Depth to restrictive feature: More than 80 inches
Available water capacity: About 9.2 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 2.0 percent
Shrink-swell potential: Moderate
Highest perched seasonal high water table (depth, months): 1.0 foot; January to May
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: High
Corrosivity: High for steel and high for concrete
Potential for surface runoff: Very high
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 3e
Prime farmland: Farmland of statewide importance
Hydric soil: No

165A—Weir silt loam, 0 to 2 percent slopes

Setting

Landform on landscape: Flat on upland
Position on landform: Summit

Composition

Weir and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons
- Soils that have darker surface horizons

Dissimilar inclusions:

- Moderately well drained Hosmer soils in shoulder and backslope positions
- Somewhat poorly drained Stoy soils in shoulder and footslope positions

Soil Properties and Qualities

Parent material: Loess
Drainage class: Poorly drained
Slowest permeability within a depth of 40 inches: Very slow
Permeability below a depth of 60 inches: Slow
Depth to restrictive feature: More than 80 inches
Available water capacity: About 9.1 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 2.5 percent
Shrink-swell potential: High
Highest perched seasonal high water table (depth, months): At the surface; January to June
Ponding (average depth during wettest periods or after heavy rainfall): 0.2 foot
Flooding: None
Potential frost action: High
Corrosivity: High for steel and high for concrete
Potential for surface runoff: High
Water erosion susceptibility: Low
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 3w
Prime farmland: Farmland of statewide importance
Hydric soil: Yes

175B—Lamont fine sandy loam, 2 to 5 percent slopes

Setting

Landform on landscape: Dune in valley
Position on landform: Summit and shoulder

Composition

Lamont and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Somewhat poorly drained Roby soils in lower areas
- Well drained Alvin and Landes soils in similar slope positions

Soil Properties and Qualities

Parent material: Eolian deposits

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderately rapid

Permeability below a depth of 60 inches: Rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 7.6 inches to a depth of 60 inches

Organic matter content of surface layer: 0.8 to 1.5 percent

Shrink-swell potential: Low

Potential frost action: Moderate

Corrosivity: Low for steel and moderate for concrete

Potential for surface runoff: Negligible

Water erosion susceptibility: Low

Wind erosion susceptibility: Moderately high

Interpretive Groups

Land capability classification: 2e

Prime farmland: All areas are prime farmland

Hydric soil: No

175C2—Lamont fine sandy loam, 5 to 10 percent slopes, eroded

Setting

Landform on landscape: Dune in valley

Position on landform: Shoulder and backslope

Composition

Lamont and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that have thinner or thicker surface horizons
- Areas that are occasionally flooded

Dissimilar inclusions:

- Somewhat poorly drained Roby soils in lower areas
- Well drained Alvin soils in similar slope positions

Soil Properties and Qualities

Parent material: Eolian deposits

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderately rapid

Soil Survey of Massac County, Illinois

Permeability below a depth of 60 inches: Rapid
Depth to restrictive feature: More than 80 inches
Available water capacity: About 7.3 inches to a depth of 60 inches
Organic matter content of surface layer: 0.5 to 1.0 percent
Shrink-swell potential: Low
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: Moderate
Corrosivity: Low for steel and moderate for concrete
Potential for surface runoff: Low
Water erosion susceptibility: Moderate
Wind erosion susceptibility: Moderately high

Interpretive Groups

Land capability classification: 3e
Prime farmland: Farmland of statewide importance
Hydric soil: No

175D2—Lamont fine sandy loam, 10 to 18 percent slopes, eroded

Setting

Landform on landscape: Dune in valley
Position on landform: Backslope

Composition

Lamont and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that have thinner or thicker surface horizons
- Areas that are occasionally flooded
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Somewhat poorly drained Roby soils in lower areas
- Well drained Alvin soils in similar slope positions

Soil Properties and Qualities

Parent material: Eolian deposits
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderately rapid
Permeability below a depth of 60 inches: Rapid
Depth to restrictive feature: More than 80 inches
Available water capacity: About 7.3 inches to a depth of 60 inches
Organic matter content of surface layer: 0.5 to 1.0 percent
Shrink-swell potential: Low
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: Moderate
Corrosivity: Low for steel and moderate for concrete
Potential for surface runoff: Low
Water erosion susceptibility: Moderate
Wind erosion susceptibility: Moderately high

Interpretive Groups

Land capability classification: 4e
Prime farmland: Farmland of statewide importance
Hydric soil: No

214B—Hosmer silt loam, 2 to 5 percent slopes

Setting

Landform on landscape: Loess hill on upland
Position on landform: Summit and shoulder

Composition

Hosmer and similar soils: 85 percent
Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons
- Well developed fragipan soils that have a thinner loess cap
- Soils that have a seasonal high water table at a depth of less than 1.5 feet

Dissimilar inclusions:

- Somewhat poorly drained Stoy soils in summit and shoulder slope positions
- Well drained Alford soils in shoulder and summit positions

Soil Properties and Qualities

Parent material: Loess
Drainage class: Moderately well drained
Slowest permeability within a depth of 40 inches: Very slow
Permeability below a depth of 60 inches: Very slow to moderate
Depth to restrictive feature: 20 to 36 inches to a fragipan
Available water capacity: About 8.0 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 2.0 percent
Shrink-swell potential: Moderate
Highest perched seasonal high water table (depth, months): 1.5 feet; January to April
Potential frost action: High
Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: Very high
Water erosion susceptibility: Moderate
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 2e
Prime farmland: All areas are prime farmland
Hydric soil: No

214C2—Hosmer silt loam, 5 to 10 percent slopes, eroded

Setting

Landform on landscape: Loess hill on upland
Position on landform: Backslope and shoulder

Composition

Hosmer and similar soils: 85 percent
Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface horizons
- Well developed fragipan soils that have a thinner loess cap
- Soils that have a seasonal high water table at a depth of less than 1.5 feet

Dissimilar inclusions:

- Somewhat poorly drained Stoy soils in summit and shoulder slope positions
- Well drained Alford soils in shoulder and backslope positions

Soil Properties and Qualities

Parent material: Loess

Drainage class: Moderately well drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Very slow to moderate

Depth to restrictive feature: 20 to 36 inches to a fragipan

Available water capacity: About 7.5 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 2.0 percent

Shrink-swell potential: Moderate

Highest perched seasonal high water table (depth, months): 1.5 feet; January to April

Accelerated erosion: Surface layer has been thinned by erosion

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: Very high

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 3e

Prime farmland: Farmland of statewide importance

Hydric soil: No

214C3—Hosmer silt loam, 5 to 10 percent slopes, severely eroded

Setting

Landform on landscape: Loess hill on upland

Position on landform: Backslope and shoulder

Composition

Hosmer and similar soils: 85 percent

Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Soils that have thicker surface horizons
- Well developed fragipan soils that have a thinner loess cap
- Soils that have a seasonal high water table at a depth of less than 1.5 feet

Soil Survey of Massac County, Illinois

Dissimilar inclusions:

- Somewhat poorly drained Stoy soils in summit and shoulder slope positions
- Well drained Alford soils in shoulder and backslope positions

Soil Properties and Qualities

Parent material: Loess

Drainage class: Moderately well drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Very slow to moderate

Depth to restrictive feature: 20 to 36 inches to a fragipan

Available water capacity: About 7.2 inches to a depth of 60 inches

Organic matter content of surface layer: 0.5 to 1.0 percent

Shrink-swell potential: Moderate

Highest perched seasonal high water table (depth, months): 1.5 feet; January to April

Accelerated erosion: Surface layer is mostly subsoil material

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: Very high

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e

Prime farmland: Farmland of statewide importance

Hydric soil: No

214D2—Hosmer silt loam, 10 to 18 percent slopes, eroded

Setting

Landform on landscape: Loess hill on upland

Position on landform: Backslope

Composition

Hosmer and similar soils: 85 percent

Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Soils that have thicker or thinner surface horizons
- Well developed fragipan soils that have a thinner loess cap
- Soils that have a seasonal high water table at a depth of less than 1.5 feet

Dissimilar inclusions:

- Somewhat poorly drained Stoy soils in summit and shoulder slope positions
- Well drained Alford soils in backslope positions

Soil Properties and Qualities

Parent material: Loess

Drainage class: Moderately well drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Very slow to moderate

Depth to restrictive feature: 20 to 36 inches to a fragipan

Available water capacity: About 7.5 inches to a depth of 60 inches

Soil Survey of Massac County, Illinois

Organic matter content of surface layer: 1.0 to 2.0 percent
Shrink-swell potential: Moderate
Highest perched seasonal high water table (depth, months): 1.5 feet; January to April
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: High
Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: Very high
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e
Prime farmland: Farmland of statewide importance
Hydric soil: No

214D3—Hosmer silt loam, 10 to 18 percent slopes, severely eroded

Setting

Landform on landscape: Loess hill on upland
Position on landform: Backslope

Composition

Hosmer and similar soils: 85 percent
Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons
- Well developed fragipan soils that have a thinner loess cap
- Soils that have a seasonal high water table at a depth of less than 1.5 feet

Dissimilar inclusions:

- Somewhat poorly drained Stoy soils in summit and shoulder slope positions
- Well drained Alford soils in backslope positions

Soil Properties and Qualities

Parent material: Loess
Drainage class: Moderately well drained
Slowest permeability within a depth of 40 inches: Very slow
Permeability below a depth of 60 inches: Very slow to moderate
Depth to restrictive feature: 20 to 36 inches to a fragipan
Available water capacity: About 7.2 inches to a depth of 60 inches
Organic matter content of surface layer: 0.5 to 1.0 percent
Shrink-swell potential: Moderate
Highest perched seasonal high water table (depth, months): 1.5 feet; January to April
Accelerated erosion: Surface layer is mostly subsoil material
Potential frost action: High
Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: Very high
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 6e
Prime farmland: Not prime farmland
Hydric soil: No

308B—Alford silt loam, 2 to 5 percent slopes

Setting

Landform on landscape: Loess hill on upland
Position on landform: Summit and shoulder

Composition

Alford and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons
- Soils that have less clay in the subsoil
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Moderately well drained Hosmer and Zanesville soils that have fragipans; in similar positions

Soil Properties and Qualities

Parent material: Loess
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Moderate
Depth to restrictive feature: More than 80 inches
Available water capacity: About 12.2 inches to a depth of 60 inches
Organic matter content of surface layer: 0.5 to 2.0 percent
Shrink-swell potential: Moderate
Potential frost action: High
Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: Low
Water erosion susceptibility: Moderate
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 2e
Prime farmland: All areas are prime farmland
Hydric soil: No

308C2—Alford silt loam, 5 to 10 percent slopes, eroded

Setting

Landform on landscape: Loess hill on upland
Position on landform: Backslope and shoulder

Composition

Alford and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface horizons
- Soils that have less clay in the subsoil
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Moderately well drained Hosmer and Zanesville soils that have fragipans; in similar positions

Soil Properties and Qualities

Parent material: Loess

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Moderate

Depth to restrictive feature: More than 80 inches

Available water capacity: About 12.2 inches to a depth of 60 inches

Organic matter content of surface layer: 0.5 to 2.0 percent

Shrink-swell potential: Moderate

Accelerated erosion: Surface layer has been thinned by erosion

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 3e

Prime farmland: Farmland of statewide importance

Hydric soil: No

308C3—Alford silt loam, 5 to 10 percent slopes, severely eroded

Setting

Landform on landscape: Loess hill on upland

Position on landform: Backslope and shoulder

Composition

Alford and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thicker surface horizons
- Soils that have less clay in the subsoil
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Moderately well drained Hosmer and Zanesville soils that have fragipans; in similar positions

Soil Properties and Qualities

Parent material: Loess

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Moderate

Depth to restrictive feature: More than 80 inches

Available water capacity: About 12.1 inches to a depth of 60 inches

Organic matter content of surface layer: 0.5 to 1.0 percent

Shrink-swell potential: Moderate

Accelerated erosion: Surface layer is mostly subsoil material

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e

Prime farmland: Farmland of statewide importance

Hydric soil: No

308D2—Alford silt loam, 10 to 18 percent slopes, eroded

Setting

Landform on landscape: Loess hill on upland

Position on landform: Backslope

Composition

Alford and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface horizons
- Soils that have less clay in the subsoil
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Moderately well drained Hosmer and Zanesville soils that have fragipans; in similar positions
- Well drained Wellston soils in lower slope positions
- Areas where sandstone, limestone, or material weathered from cherty limestone outcrops

Soil Properties and Qualities

Parent material: Loess

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Moderate

Depth to restrictive feature: More than 80 inches
Available water capacity: About 12.1 inches to a depth of 60 inches
Organic matter content of surface layer: 0.5 to 2.0 percent
Shrink-swell potential: Moderate
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: High
Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e
Prime farmland: Farmland of statewide importance
Hydric soil: No

308D3—Alford silt loam, 10 to 18 percent slopes, severely eroded

Setting

Landform on landscape: Loess hill on upland
Position on landform: Backslope

Composition

Alford and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thicker surface horizons
- Soils that have less clay in the subsoil
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Moderately well drained Hosmer and Zanesville soils that have fragipans; in similar positions
- Well drained Wellston soils in lower slope positions
- Areas where sandstone, limestone, or material weathered from cherty limestone outcrops

Soil Properties and Qualities

Parent material: Loess
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Moderate
Depth to restrictive feature: More than 80 inches
Available water capacity: About 12.1 inches to a depth of 60 inches
Organic matter content of surface layer: 0.5 to 1.0 percent
Shrink-swell potential: Moderate
Accelerated erosion: Surface layer is mostly subsoil material
Potential frost action: High

Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e
Prime farmland: Farmland of statewide importance
Hydric soil: No

308E—Alford silt loam, 18 to 25 percent slopes

Setting

Landform on landscape: Loess hill on upland
Position on landform: Backslope

Composition

Alford and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons
- Soils that have less clay in the subsoil
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Well drained Wellston soils in lower slope positions
- Areas where sandstone, limestone, or material weathered from cherty limestone outcrops

Soil Properties and Qualities

Parent material: Loess
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Moderate
Depth to restrictive feature: More than 80 inches
Available water capacity: About 12.2 inches to a depth of 60 inches
Organic matter content of surface layer: 0.5 to 2.0 percent
Shrink-swell potential: Moderate
Potential frost action: High
Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 6e
Prime farmland: Not prime farmland
Hydric soil: No

308E2—Alford silt loam, 18 to 25 percent slopes, eroded

Setting

Landform on landscape: Loess hill on upland
Position on landform: Backslope

Composition

Alford and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface horizons
- Soils that have less clay in the subsoil
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Well drained Baxter soils in lower slope positions
- Areas where sandstone, limestone, or material weathered from cherty limestone outcrops

Soil Properties and Qualities

Parent material: Loess
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Moderate
Depth to restrictive feature: More than 80 inches
Available water capacity: About 12.1 inches to a depth of 60 inches
Organic matter content of surface layer: 0.5 to 2.0 percent
Shrink-swell potential: Moderate
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: High
Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 6e
Prime farmland: Not prime farmland
Hydric soil: No

308E3—Alford silt loam, 18 to 25 percent slopes, severely eroded

Setting

Landform on landscape: Loess hill on upland
Position on landform: Backslope

Composition

Alford and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thicker surface horizons
- Soils that have less clay in the subsoil
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Well drained Baxter soils in lower slope positions
- Areas where sandstone, limestone, or material weathered from cherty limestone outcrops

Soil Properties and Qualities

Parent material: Loess

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Moderate

Depth to restrictive feature: More than 80 inches

Available water capacity: About 12.1 inches to a depth of 60 inches

Organic matter content of surface layer: 0.5 to 2.0 percent

Shrink-swell potential: Moderate

Accelerated erosion: Surface layer is mostly subsoil material

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 6e

Prime farmland: Not prime farmland

Hydric soil: No

308F—Alford silt loam, 25 to 35 percent slopes

Setting

Landform on landscape: Loess hill on upland

Position on landform: Backslope

Composition

Alford and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons
- Soils that have less clay in the subsoil
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Well drained Baxter soils in lower slope positions
- Areas where sandstone, limestone, or material weathered from cherty limestone outcrops

Soil Properties and Qualities

Parent material: Loess
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Moderate
Depth to restrictive feature: More than 80 inches
Available water capacity: About 12.2 inches to a depth of 60 inches
Organic matter content of surface layer: 0.5 to 2.0 percent
Shrink-swell potential: Moderate
Potential frost action: High
Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: High
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 6e
Prime farmland: Not prime farmland
Hydric soil: No

339C—Wellston silt loam, 5 to 10 percent slopes

Setting

Landform on landscape: Hillslope on upland
Position on landform: Summit and shoulder

Composition

Wellston and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons
- Areas that have thicker or thinner loess

Dissimilar inclusions:

- Well drained Muskingum soils in similar slope positions
- Moderately well drained Hosmer and Zanesville soils in similar slope positions

Soil Properties and Qualities

Parent material: Loess over residuum
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Moderately slow or moderate
Depth to restrictive feature: 40 to 72 inches to paralithic or lithic bedrock
Available water capacity: About 8.7 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Low
Potential frost action: High
Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 3e

Prime farmland: Farmland of statewide importance

Hydric soil: No

339C2—Wellston silt loam, 5 to 10 percent slopes, eroded

Setting

Landform on landscape: Hillslope on upland

Position on landform: Summit and shoulder

Composition

Wellston and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface horizons
- Areas that have thicker or thinner loess

Dissimilar inclusions:

- Well drained Muskingum soils in similar slope positions
- Moderately well drained Hosmer and Zanesville soils in similar slope positions

Soil Properties and Qualities

Parent material: Loess over residuum

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Very slow to moderate

Depth to restrictive feature: 40 to 72 inches to paralithic or lithic bedrock

Available water capacity: About 8.1 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Accelerated erosion: Surface layer has been thinned by erosion

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 3e

Prime farmland: Farmland of statewide importance

Hydric soil: No

339D—Wellston silt loam, 10 to 18 percent slopes

Setting

Landform on landscape: Hillslope on upland

Position on landform: Backslope

Composition

Wellston and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons
- Areas that have thicker or thinner loess

Dissimilar inclusions:

- Well drained Muskingum soils in similar slope positions
- Moderately well drained Hosmer and Zanesville soils in similar slope positions

Soil Properties and Qualities

Parent material: Loess over residuum

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Very slow to moderate

Depth to restrictive feature: 40 to 72 inches to paralithic or lithic bedrock

Available water capacity: About 8.7 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e

Prime farmland: Farmland of statewide importance

Hydric soil: No

339D2—Wellston silt loam, 10 to 18 percent slopes, eroded

Setting

Landform on landscape: Hillslope on upland

Position on landform: Backslope

Composition

Wellston and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface horizons
- Areas that have thicker or thinner loess

Dissimilar inclusions:

- Well drained Muskingum soils in similar slope positions
- Moderately well drained Hosmer and Zanesville soils in similar slope positions

Soil Properties and Qualities

Parent material: Loess over residuum
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Very slow to moderate
Depth to restrictive feature: 40 to 72 inches to paralithic or lithic bedrock
Available water capacity: About 8.1 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Low
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: High
Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e
Prime farmland: Farmland of statewide importance
Hydric soil: No

339D3—Wellston silt loam, 10 to 18 percent slopes, severely eroded

Setting

Landform on landscape: Hillslope on upland
Position on landform: Backslope

Composition

Wellston and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons
- Areas that have thicker or thinner loess

Dissimilar inclusions:

- Well drained Muskingum soils in similar slope positions
- Moderately well drained Hosmer and Zanesville soils in similar slope positions

Soil Properties and Qualities

Parent material: Loess over residuum
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Very slow to moderate
Depth to restrictive feature: 40 to 72 inches to paralithic or lithic bedrock
Available water capacity: About 7.7 inches to a depth of 60 inches
Organic matter content of surface layer: 0.5 to 1.0 percent
Shrink-swell potential: Low
Accelerated erosion: Surface layer is mostly subsoil material

Potential frost action: High
Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e
Prime farmland: Not prime farmland
Hydric soil: No

339F—Wellston silt loam, 18 to 35 percent slopes

Setting

Landform on landscape: Hillslope on upland
Position on landform: Backslope

Composition

Wellston and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons
- Areas that have thicker or thinner loess

Dissimilar inclusions:

- Well drained Muskingum soils in similar slope positions
- Moderately well drained Hosmer and Zanesville soils in less sloping positions

Soil Properties and Qualities

Parent material: Loess over residuum
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Very slow to moderate
Depth to restrictive feature: 40 to 72 inches to paralithic or lithic bedrock
Available water capacity: About 8.7 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Low
Potential frost action: High
Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: High
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 6e
Prime farmland: Not prime farmland
Hydric soil: No

340C2—Zanesville silt loam, 5 to 10 percent slopes, eroded

Setting

Landform on landscape: Hillslope on upland

Position on landform: Shoulder and backslope

Composition

Zanesville and similar soils: 85 percent

Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface horizons
- Soils that formed in thinner loess
- Soils that are brittle within a depth of 20 inches
- Soils that are more than 80 inches deep over bedrock

Dissimilar inclusions:

- Moderately well drained Hosmer soils in similar positions

Soil Properties and Qualities

Parent material: Loess over residuum

Drainage class: Moderately well drained

Slowest permeability within a depth of 40 inches: Slow

Permeability below a depth of 60 inches: Very slow or slow

Depth to restrictive feature: 19 to 32 inches to a fragipan; 40 to 80 inches to paralithic or lithic bedrock

Available water capacity: About 7.6 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 2.0 percent

Shrink-swell potential: Low

Highest perched seasonal high water table (depth, months): 1.5 feet; January to April

Accelerated erosion: Surface layer has been thinned by erosion

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: High

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 3e

Prime farmland: Farmland of statewide importance

Hydric soil: No

340C3—Zanesville silt loam, 5 to 10 percent slopes, severely eroded

Setting

Landform on landscape: Hillslope on upland

Position on landform: Shoulder and backslope

Composition

Zanesville and similar soils: 85 percent
Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Soils that have thicker surface horizons
- Soils that formed in thinner loess
- Soils that are brittle within a depth of 20 inches
- Soils that are more than 80 inches deep over bedrock

Dissimilar inclusions:

- Moderately well drained Hosmer soils in similar positions

Soil Properties and Qualities

Parent material: Loess over residuum

Drainage class: Moderately well drained

Slowest permeability within a depth of 40 inches: Slow

Permeability below a depth of 60 inches: Very slow or slow

Depth to restrictive feature: 17 to 32 inches to a fragipan; 40 to 80 inches to paralithic or lithic bedrock

Available water capacity: About 7.2 inches to a depth of 60 inches

Organic matter content of surface layer: 0.5 to 1.0 percent

Shrink-swell potential: Low

Highest perched seasonal high water table (depth, months): 1.5 feet; January to April

Accelerated erosion: Surface layer is mostly subsoil material

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: High

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e

Prime farmland: Farmland of statewide importance

Hydric soil: No

340D—Zanesville silt loam, 10 to 18 percent slopes

Setting

Landform on landscape: Hillslope on upland

Position on landform: Shoulder and backslope

Composition

Zanesville and similar soils: 85 percent
Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Soils that have thicker surface horizons
- Soils that formed in thinner loess
- Soils that are brittle within a depth of 20 inches
- Soils that are more than 80 inches deep over bedrock

Dissimilar inclusions:

- Moderately well drained Hosmer soils in similar positions

Soil Properties and Qualities

Parent material: Loess over residuum

Drainage class: Moderately well drained

Slowest permeability within a depth of 40 inches: Slow

Permeability below a depth of 60 inches: Very slow to moderate

Depth to restrictive feature: 20 to 32 inches to a fragipan; 40 to 80 inches to paralithic or lithic bedrock

Available water capacity: About 8.3 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 2.0 percent

Shrink-swell potential: Low

Highest perched seasonal high water table (depth, months): 1.5 feet; January to April

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: Very high

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e

Prime farmland: Farmland of statewide importance

Hydric soil: No

**340D2—Zanesville silt loam, 10 to 18 percent slopes,
eroded**

Setting

Landform on landscape: Hillslope on upland

Position on landform: Shoulder and backslope

Composition

Zanesville and similar soils: 85 percent

Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface horizons
- Soils that formed in thinner loess
- Soils that are brittle within a depth of 20 inches
- Soils that are more than 80 inches deep over bedrock

Dissimilar inclusions:

- Moderately well drained Hosmer soils in similar positions

Soil Properties and Qualities

Parent material: Loess over residuum

Drainage class: Moderately well drained

Slowest permeability within a depth of 40 inches: Slow

Permeability below a depth of 60 inches: Very slow or slow

Soil Survey of Massac County, Illinois

Depth to restrictive feature: 19 to 32 inches to a fragipan; 40 to 80 inches to paralithic or lithic bedrock

Available water capacity: About 7.6 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 2.0 percent

Shrink-swell potential: Low

Highest perched seasonal high water table (depth, months): 1.5 feet; January to April

Accelerated erosion: Surface layer has been thinned by erosion

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: High

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e

Prime farmland: Farmland of statewide importance

Hydric soil: No

340D3—Zanesville silt loam, 10 to 18 percent slopes, severely eroded

Setting

Landform on landscape: Hillslope on upland

Position on landform: Backslope

Composition

Zanesville and similar soils: 85 percent

Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Soils that have thicker surface horizons
- Soils that formed in thinner loess
- Soils that are brittle within a depth of 20 inches
- Soils that are more than 80 inches deep over bedrock

Dissimilar inclusions:

- Moderately well drained Hosmer soils in similar positions

Soil Properties and Qualities

Parent material: Loess over residuum

Drainage class: Moderately well drained

Slowest permeability within a depth of 40 inches: Slow

Permeability below a depth of 60 inches: Very slow or slow

Depth to restrictive feature: 17 to 32 inches to a fragipan; 40 to 80 inches to paralithic or lithic bedrock

Available water capacity: About 7.2 inches to a depth of 60 inches

Organic matter content of surface layer: 0.5 to 1.0 percent

Shrink-swell potential: Low

Highest perched seasonal high water table (depth, months): 1.5 feet; January to April

Soil Survey of Massac County, Illinois

Accelerated erosion: Surface layer is mostly subsoil material
Potential frost action: High
Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: High
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 6e
Prime farmland: Farmland of statewide importance
Hydric soil: No

453C2—Muren silt loam, 5 to 10 percent slopes, eroded

Setting

Landform on landscape: Loess hill on upland
Position on landform: Backslope and shoulder

Composition

Muren and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons
- Soils that have a seasonal high water table at a depth of more than 3.5 feet

Dissimilar inclusions:

- Moderately well drained Hosmer soils in similar slope positions

Soil Properties and Qualities

Parent material: Loess
Drainage class: Moderately well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Moderate
Depth to restrictive feature: More than 80 inches
Available water capacity: About 12.0 inches to a depth of 60 inches
Organic matter content of surface layer: 0.5 to 2.0 percent
Shrink-swell potential: Moderate
Highest apparent seasonal high water table (depth, months): 1.0 foot; January to April
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: High
Corrosivity: High for steel and moderate for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 3e
Prime farmland: Farmland of statewide importance
Hydric soil: No

453D2—Muren silt loam, 10 to 18 percent slopes, eroded

Setting

Landform on landscape: Loess hill on upland
Position on landform: Backslope

Composition

Muren and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface horizons
- Soils that have a seasonal high water table at a depth of more than 3.5 feet

Dissimilar inclusions:

- Moderately well drained Hosmer soils in similar slope positions

Soil Properties and Qualities

Parent material: Loess

Drainage class: Moderately well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Moderate

Depth to restrictive feature: More than 80 inches

Available water capacity: About 12.0 inches to a depth of 60 inches

Organic matter content of surface layer: 0.5 to 2.0 percent

Shrink-swell potential: Moderate

Highest apparent seasonal high water table (depth, months): 1.0 foot; January to April

Accelerated erosion: Surface layer has been thinned by erosion

Potential frost action: High

Corrosivity: High for steel and moderate for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e

Prime farmland: Farmland of statewide importance

Hydric soil: No

691D—Beasley silt loam, 10 to 18 percent slopes

Setting

Landform on landscape: Hillslope on upland
Position on landform: Backslope

Composition

Beasley and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons

Dissimilar inclusions:

- Well drained Muskingum and Wellston soils in similar positions
- Moderately well drained Zanesville soils in similar and more sloping positions

Soil Properties and Qualities

Parent material: Loess over shale residuum

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderately slow

Permeability below a depth of 60 inches: Very slow to moderately slow

Depth to restrictive feature: 40 to 60 inches to paralithic bedrock

Available water capacity: About 5.7 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Moderate

Potential frost action: None

Corrosivity: Moderate for steel and moderate for concrete

Potential for surface runoff: High

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e

Prime farmland: Farmland of statewide importance

Hydric soil: No

691F—Beasley silt loam, 18 to 35 percent slopes

Setting

Landform on landscape: Hillslope on upland

Position on landform: Backslope

Composition

Beasley and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons

Dissimilar inclusions:

- Well drained Muskingum and Wellston soils in similar slope positions
- Moderately well drained Zanesville soils in less sloping positions

Soil Properties and Qualities

Parent material: Loess over shale residuum

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderately slow

Permeability below a depth of 60 inches: Very slow to moderately slow

Soil Survey of Massac County, Illinois

Depth to restrictive feature: 40 to 60 inches to paralithic bedrock
Available water capacity: About 5.7 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Moderate
Potential frost action: None
Corrosivity: Moderate for steel and moderate for concrete
Potential for surface runoff: Very high
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 6e
Prime farmland: Not prime farmland
Hydric soil: No

691G—Beasley silt loam, 35 to 70 percent slopes

Setting

Landform on landscape: Hillslope on upland
Position on landform: Backslope

Composition

Beasley and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thicker surface horizons
- Soils that formed in thinner loess
- Soils that are brittle within a depth of 20 inches
- Soils that are more than 80 inches deep over bedrock

Dissimilar inclusions:

- Well drained Muskingum and Wellston soils in similar slope positions
- Moderately well drained Zanesville soils in less sloping positions

Soil Properties and Qualities

Parent material: Loess over shale residuum
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderately slow
Permeability below a depth of 60 inches: Very slow to moderately slow
Depth to restrictive feature: 40 to 60 inches to paralithic bedrock
Available water capacity: About 5.7 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Moderate
Potential frost action: None
Corrosivity: Moderate for steel and moderate for concrete
Potential for surface runoff: Very high
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 7e

Prime farmland: Not prime farmland
Hydric soil: No

801B—Orthents, silty, undulating

General Description

This map unit consists of areas where soil material has been excavated and redeposited during sand and gravel mining operations, road construction, dam building, or other activities requiring mass disturbance of earthy material. The slopes are generally less than 7 percent. Typically, the surface layer is silt loam or silty clay loam. The underlying material is silty clay loam, silt loam, loam, or clay loam. The soil properties and qualities listed below are average values. The values may be significantly different at any given site.

Setting

Landform on landscape: Cut (road, railroad, etc.), fill, borrow pit, and/or reclaimed land on uplands, terraces, lake plains, or flood plains

Composition

Orthents and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have a seasonal high water table within a depth of 6 feet

Dissimilar inclusions:

- Areas of natural or undisturbed soils

Soil Properties and Qualities

Parent material: Earthy fill

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderately slow

Permeability below a depth of 60 inches: Moderately slow or moderate

Depth to restrictive feature: More than 80 inches

Available water capacity: About 10.0 inches to a depth of 60 inches

Organic matter content of surface layer: 0.0 to 1.0 percent

Shrink-swell potential: Moderate

Potential frost action: High

Corrosivity: High for steel and moderate for concrete

Potential for surface runoff: Low

Water erosion susceptibility: Moderate

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 2e

Prime farmland: Not prime farmland

Hydric soils: No

802D—Orthents, loamy, hilly

General Description

This map unit consists of areas where soil material has been excavated from

borrow areas and redeposited as a result of mining operations, road and levee construction, dam building, or other activities requiring mass disturbance of earthy material. Slopes generally range from 0 to 20 percent. Typically, the surface layer is silt loam or loam. The underlying material is silt loam, loam, clay loam, or fine sandy loam. The soil properties and qualities listed below are average values. The values may be significantly different at any given site.

Setting

Landform on landscape: Constructed levee, cut (road, railroad, etc.), fill, and/or borrow pit

Composition

Orthents and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have a seasonal high water table within a depth of 6 feet

Dissimilar inclusions:

- Areas of natural or undisturbed soils

Soil Properties and Qualities

Parent material: Earthy fill

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderately slow

Permeability below a depth of 60 inches: Moderately slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 10.9 inches to a depth of 60 inches

Organic matter content of surface layer: 0.1 to 1.0 percent

Shrink-swell potential: Moderate

Potential frost action: Moderate

Corrosivity: Moderate for steel and moderate for concrete

Potential for surface runoff: High

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 3e

Prime farmland: Not prime farmland

Hydric soils: No

864—Pits, quarries

This map unit consists of open excavations from which limestone has been removed or is being removed.

This map unit is not assigned any interpretive groups.

865—Pits, gravel

This map unit consists of nearly level or gently sloping areas from which gravel has been extracted. The pits have nearly vertical sidewalls. Some pits are active, and others have been abandoned. Some contain water.

This map unit is not assigned any interpretive groups.

955D—Muskingum and Berks soils, 10 to 18 percent slopes

Setting

Landform on landscape: Hillslope on upland

Position on landform: Backslope

Composition

Muskingum and similar soils: 55 percent

Berks and similar soils: 40 percent

Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons

Dissimilar inclusions:

- Moderately well drained Sharon soils on flood plains
- Moderately well drained Grantsburg soils in similar and lesser sloping positions
- Well drained Burnside soils on narrow flood plains

Soil Properties and Qualities

Muskingum

Parent material: Residuum weathered from interbedded siltstone, sandstone, and shale

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Unspecified

Depth to restrictive feature: 20 to 40 inches to paralithic or lithic bedrock

Available water capacity: About 4.5 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Potential frost action: Moderate

Corrosivity: Low for steel and high for concrete

Potential for surface runoff: High

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Berks

Parent material: Residuum

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderately slow

Permeability below a depth of 60 inches: Unspecified

Depth to restrictive feature: 20 to 40 inches to lithic bedrock

Available water capacity: About 2.1 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Potential frost action: Low

Corrosivity: Low for steel and high for concrete

Potential for surface runoff: Low

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e
Prime farmland: Not prime farmland
Hydric soils: No

955D2—Muskingum and Berks soils, 10 to 18 percent slopes, eroded

Setting

Landform on landscape: Hillslope on upland
Position on landform: Backslope

Composition

Muskingum and similar soils: 55 percent
Berks and similar soils: 40 percent
Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker horizons

Dissimilar inclusions:

- Moderately well drained Sharon soils on flood plains
- Moderately well drained Grantsburg soils in similar and lesser sloping positions
- Well drained Burnside soils on narrow flood plains

Soil Properties and Qualities

Muskingum

Parent material: Residuum weathered from interbedded siltstone, sandstone, and shale

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Unspecified

Depth to restrictive feature: 20 to 40 inches to paralithic or lithic bedrock

Available water capacity: About 4.1 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Accelerated erosion: Surface layer has been thinned by erosion

Potential frost action: Moderate

Corrosivity: Low for steel and high for concrete

Potential for surface runoff: Very high

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Berks

Parent material: Residuum

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderately slow

Permeability below a depth of 60 inches: Unspecified

Depth to restrictive feature: 20 to 40 inches to lithic bedrock

Available water capacity: About 1.8 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Accelerated erosion: Surface layer has been thinned by erosion

Potential frost action: Low

Corrosivity: Low for steel and high for concrete

Potential for surface runoff: Low

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e

Prime farmland: Not prime farmland

Hydric soils: No

955F—Muskingum and Berks soils, 18 to 35 percent slopes

Setting

Landform on landscape: Hillslope on upland

Position on landform: Backslope

Composition

Muskingum and similar soils: 55 percent

Berks and similar soils: 40 percent

Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons

Dissimilar inclusions:

- Moderately well drained Sharon soils on flood plains
- Moderately well drained Grantsburg soils in less sloping positions
- Well drained Burnside soils on narrow flood plains

Soil Properties and Qualities

Muskingum

Parent material: Residuum weathered from interbedded siltstone, sandstone, and shale

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Unspecified

Depth to restrictive feature: 20 to 40 inches to paralithic or lithic bedrock

Available water capacity: About 4.5 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Potential frost action: Moderate

Corrosivity: Low for steel and high for concrete

Potential for surface runoff: High

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Berks

Parent material: Residuum

Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderately slow
Permeability below a depth of 60 inches: Unspecified
Depth to restrictive feature: 20 to 40 inches to lithic bedrock
Available water capacity: About 2.1 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Low
Potential frost action: Low
Corrosivity: Low for steel and high for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 6e
Prime farmland: Not prime farmland
Hydric soils: No

955G—Muskingum and Berks soils, 35 to 70 percent slopes

Setting

Landform on landscape: Hillslope on upland
Position on landform: Backslope

Composition

Muskingum and similar soils: 55 percent
Berks and similar soils: 40 percent
Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons

Dissimilar inclusions:

- Moderately well drained Grantsburg soils in less sloping positions
- Moderately well drained Sharon soils on flood plains
- Well drained Burnside soils on narrow flood plains

Soil Properties and Qualities

Muskingum

Parent material: Residuum weathered from interbedded siltstone, sandstone, and shale
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Very slow
Permeability below a depth of 60 inches: Unspecified
Depth to restrictive feature: 20 to 40 inches to paralithic or lithic bedrock
Available water capacity: About 4.5 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Low
Potential frost action: Moderate
Corrosivity: Low for steel and high for concrete

Potential for surface runoff: High
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Berks

Parent material: Residuum
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderately slow
Permeability below a depth of 60 inches: Unspecified
Depth to restrictive feature: 20 to 40 inches to lithic bedrock
Available water capacity: About 2.1 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Low
Potential frost action: Low
Corrosivity: Low for steel and high for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 7e
Prime farmland: Not prime farmland
Hydric soils: No

956B—Brandon-Saffell complex, 2 to 5 percent slopes

Setting

Landform on landscape: Coastal Plain on upland
Position on landform: Summit and shoulder

Composition

Brandon and similar soils: 55 percent
Saffell and similar soils: 40 percent
Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Soils that have thicker surface layers
- Soils that do not contain gravel to a depth of more than 40 inches

Dissimilar inclusions:

- Moderately well drained Hosmer soils in similar slope positions
- Soils that have very firm or hard cemented gravelly layers in the subsoil

Soil Properties and Qualities

Brandon

Parent material: Loess over very gravelly or extremely gravelly fluviomarine deposits
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Moderately rapid or rapid
Depth to restrictive feature: More than 80 inches
Available water capacity: About 8.3 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 2.0 percent

Shrink-swell potential: Low
Potential frost action: High
Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: Low
Water erosion susceptibility: Moderate
Wind erosion susceptibility: Low

Saffell

Parent material: Very gravelly or extremely gravelly fluviomarine deposits
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Slow
Permeability below a depth of 60 inches: Moderate or moderately rapid
Depth to restrictive feature: More than 80 inches
Available water capacity: About 5.7 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 2.0 percent
Shrink-swell potential: Low
Potential frost action: Low
Corrosivity: Low for steel and moderate for concrete
Potential for surface runoff: Low
Water erosion susceptibility: Low
Wind erosion susceptibility: Moderately high

Interpretive Groups

Land capability classification: 2e
Prime farmland: Farmland of statewide importance
Hydric soils: No

956C2—Brandon-Saffell complex, 5 to 10 percent slopes, eroded

Setting

Landform on landscape: Coastal Plain on upland
Position on landform: Shoulder and backslope

Composition

Brandon and similar soils: 55 percent
Saffell and similar soils: 40 percent
Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface layers
- Soils that do not contain gravel to a depth of more than 40 inches
- Areas that have very firm or hard cemented gravelly layers in the subsoil

Dissimilar inclusions:

- Moderately well drained Hosmer soils in similar slope positions
- Soils that have very firm or hard cemented gravelly layers in the subsoil

Soil Properties and Qualities

Brandon

Parent material: Loess over very gravelly or extremely gravelly fluviomarine deposits
Drainage class: Well drained

Soil Survey of Massac County, Illinois

Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Moderately rapid or rapid
Depth to restrictive feature: More than 80 inches
Available water capacity: About 7.9 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 2.0 percent
Shrink-swell potential: Low
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: High
Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: Moderate
Wind erosion susceptibility: Low

Saffell

Parent material: Very gravelly or extremely gravelly fluviomarine deposits
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Slow
Permeability below a depth of 60 inches: Moderate or moderately rapid
Depth to restrictive feature: More than 80 inches
Available water capacity: About 5.4 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 2.0 percent
Shrink-swell potential: Low
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: Low
Corrosivity: Low for steel and moderate for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: Moderate
Wind erosion susceptibility: Moderately high

Interpretive Groups

Land capability classification: 3e
Prime farmland: Farmland of statewide importance
Hydric soils: No

956C3—Brandon-Saffell complex, 5 to 10 percent slopes, severely eroded

Setting

Landform on landscape: Coastal Plain on upland
Position on landform: Backslope and shoulder

Composition

Brandon and similar soils: 55 percent
Saffell and similar soils: 40 percent
Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Soils that have thicker surface layers
- Soils that do not contain gravel to a depth of more than 40 inches

Dissimilar inclusions:

- Moderately well drained Hosmer soils in similar slope positions
- Soils that have very firm or hard cemented gravelly layers in the subsoil

Soil Properties and Qualities

Brandon

Parent material: Loess over very gravelly or extremely gravelly fluviomarine deposits

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Moderately rapid or rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 7.7 inches to a depth of 60 inches

Organic matter content of surface layer: 0.5 to 1.0 percent

Shrink-swell potential: Low

Accelerated erosion: Surface layer is mostly subsoil material

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: Moderate

Wind erosion susceptibility: Low

Saffell

Parent material: Very gravelly or extremely gravelly fluviomarine deposits

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Moderate or moderately rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 5.3 inches to a depth of 60 inches

Organic matter content of surface layer: 0.5 to 1.0 percent

Shrink-swell potential: Low

Accelerated erosion: Surface layer is mostly subsoil material

Potential frost action: Low

Corrosivity: Low for steel and moderate for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: Moderate

Wind erosion susceptibility: Moderately high

Interpretive Groups

Land capability classification: 4e

Prime farmland: Farmland of statewide importance

Hydric soils: No

956D—Brandon-Saffell complex, 10 to 18 percent slopes

Setting

Landform on landscape: Coastal Plain on upland

Position on landform: Backslope

Composition

Brandon and similar soils: 55 percent

Saffell and similar soils: 40 percent

Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Soils that have thicker surface layers
- Soils that do not contain gravel to a depth of more than 40 inches

Dissimilar inclusions:

- Moderately well drained Hosmer soils in similar slope positions
- Soils that have very firm or hard cemented gravelly layers in the subsoil

Soil Properties and Qualities

Brandon

Parent material: Loess over very gravelly or extremely gravelly fluviomarine deposits

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Moderately rapid or rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 8.3 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 2.0 percent

Shrink-swell potential: Low

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Saffell

Parent material: Very gravelly or extremely gravelly fluviomarine deposits

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Slow

Permeability below a depth of 60 inches: Moderate or moderately rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 5.7 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 2.0 percent

Shrink-swell potential: Low

Potential frost action: Low

Corrosivity: Low for steel and moderate for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: High

Wind erosion susceptibility: Moderately high

Interpretive Groups

Land capability classification: 4e

Prime farmland: Not prime farmland

Hydric soils: No

956D2—Brandon-Saffell complex, 10 to 18 percent slopes, eroded

Setting

Landform on landscape: Coastal Plain on upland

Position on landform: Backslope

Composition

Brandon and similar soils: 55 percent
Saffell and similar soils: 40 percent
Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface layers
- Soils that do not contain gravel to a depth of more than 40 inches

Dissimilar inclusions:

- Moderately well drained Hosmer soils in similar slope positions
- Soils that have very firm or hard cemented gravelly layers in the subsoil

Soil Properties and Qualities

Brandon

Parent material: Loess over very gravelly or extremely gravelly fluviomarine deposits

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Moderately rapid or rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 7.9 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 2.0 percent

Shrink-swell potential: Low

Accelerated erosion: Surface layer has been thinned by erosion

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Saffell

Parent material: Very gravelly or extremely gravelly fluviomarine deposits

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Slow

Permeability below a depth of 60 inches: Moderate or moderately rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 5.4 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 2.0 percent

Shrink-swell potential: Low

Accelerated erosion: Surface layer has been thinned by erosion

Potential frost action: Low

Corrosivity: Low for steel and moderate for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: High

Wind erosion susceptibility: Moderately high

Interpretive Groups

Land capability classification: 4e

Prime farmland: Not prime farmland

Hydric soils: No

956D3—Brandon-Saffell complex, 10 to 18 percent slopes, severely eroded

Setting

Landform on landscape: Coastal Plain on upland

Position on landform: Backslope

Composition

Brandon and similar soils: 55 percent

Saffell and similar soils: 40 percent

Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface layers
- Soils that have thicker surface layers
- Soils that do not contain gravel to a depth of more than 40 inches

Dissimilar inclusions:

- Moderately well drained Hosmer soils in similar slope positions
- Soils that have very firm or hard cemented gravelly layers in the subsoil

Soil Properties and Qualities

Brandon

Parent material: Loess over very gravelly or extremely gravelly fluviomarine deposits

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Moderately rapid or rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 7.7 inches to a depth of 60 inches

Organic matter content of surface layer: 0.5 to 1.0 percent

Shrink-swell potential: Low

Accelerated erosion: Surface layer is mostly subsoil material

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Saffell

Parent material: Very gravelly or extremely gravelly fluviomarine deposits

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Moderate or moderately rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 5.3 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 2.0 percent

Shrink-swell potential: Low

Accelerated erosion: Surface layer is mostly subsoil material

Potential frost action: Low

Corrosivity: Low for steel and moderate for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: High
Wind erosion susceptibility: Moderately high

Interpretive Groups

Land capability classification: 6e
Prime farmland: Not prime farmland
Hydric soils: No

956E2—Brandon-Saffell complex, 18 to 25 percent slopes, eroded

Setting

Landform on landscape: Coastal Plain on upland
Position on landform: Backslope

Composition

Brandon and similar soils: 55 percent
Saffell and similar soils: 40 percent
Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface layers
- Soils that do not contain gravel to a depth of more than 40 inches

Dissimilar inclusions:

- Well drained Alford soils in similar slope positions
- Soils that have very firm or hard cemented gravelly layers in the subsoil

Soil Properties

Brandon

Parent material: Loess over very gravelly or extremely gravelly fluviomarine deposits
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Moderately rapid or rapid
Depth to restrictive feature: More than 80 inches
Available water capacity: About 7.9 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 2.0 percent
Shrink-swell potential: Low
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: High
Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: High
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Saffell

Parent material: Very gravelly or extremely gravelly fluviomarine deposits
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Slow
Permeability below a depth of 60 inches: Moderate or moderately rapid
Depth to restrictive feature: More than 80 inches

Soil Survey of Massac County, Illinois

Available water capacity: About 5.4 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 2.0 percent
Shrink-swell potential: Low
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: Low
Corrosivity: Low for steel and moderate for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 6e
Prime farmland: Not prime farmland
Hydric soils: No

956F—Brandon-Saffell complex, 25 to 35 percent slopes

Setting

Landform on landscape: Coastal Plain on upland
Position on landform: Backslope

Composition

Brandon and similar soils: 55 percent
Saffell and similar soils: 40 percent
Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface layers
- Soils that do not contain gravel to a depth of more than 40 inches

Dissimilar inclusions:

- Well drained Alford soils in less sloping positions
- Soils that have very firm or hard cemented gravelly layers in the subsoil

Soil Properties and Qualities

Brandon

Parent material: Loess over very gravelly or extremely gravelly fluviomarine deposits
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Moderately rapid or rapid
Depth to restrictive feature: More than 80 inches
Available water capacity: About 8.3 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 2.0 percent
Shrink-swell potential: Low
Potential frost action: High
Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: High
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Saffell

Parent material: Very gravelly or extremely gravelly fluviomarine deposits

Soil Survey of Massac County, Illinois

Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Slow
Permeability below a depth of 60 inches: Moderate or moderately rapid
Depth to restrictive feature: More than 80 inches
Available water capacity: About 5.7 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 2.0 percent
Shrink-swell potential: Low
Potential frost action: Low
Corrosivity: Low for steel and moderate for concrete
Potential for surface runoff: High
Water erosion susceptibility: High
Wind erosion susceptibility: Moderately high

Interpretive Groups

Land capability classification: 6e
Prime farmland: Not prime farmland
Hydric soils: No

986D—Wellston-Berks complex, 10 to 18 percent slopes

Setting

Landform on landscape: Hillslope on upland
Position on landform: Backslope

Composition

Wellston and similar soils: 50 percent
Berks and similar soils: 45 percent
Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons
- Areas that have thicker or thinner loess

Dissimilar inclusions:

- Well drained Muskingum soils in similar slope positions
- Moderately well drained Grantsburg and Hosmer soils in similar slope positions
- Well drained Burnside soils on narrow flood plains

Soil Properties and Qualities

Wellston

Parent material: Loess over residuum
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Moderately slow or moderate
Depth to restrictive feature: 40 to 72 inches to paralithic or lithic bedrock
Available water capacity: About 8.7 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Low
Potential frost action: High
Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: Medium

Water erosion susceptibility: High
Wind erosion susceptibility: Low

Berks

Parent material: Residuum
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderately slow
Permeability below a depth of 60 inches: Unspecified
Depth to restrictive feature: 20 to 40 inches to lithic bedrock
Available water capacity: About 2.1 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Low
Potential frost action: Low
Corrosivity: Low for steel and high for concrete
Potential for surface runoff: Low
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e
Prime farmland: Farmland of statewide importance
Hydric soils: No

986D2—Wellston-Berks complex, 10 to 18 percent slopes, eroded

Setting

Landform on landscape: Hillslope on upland
Position on landform: Backslope

Composition

Wellston and similar soils: 50 percent
Berks and similar soils: 45 percent
Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface horizons
- Areas that have thicker or thinner loess

Dissimilar inclusions:

- Well drained Muskingum soils in similar slope positions
- Moderately well drained Grantsburg and Hosmer soils in similar slope positions
- Well drained Burnside soils on narrow flood plains

Soil Properties and Qualities

Wellston

Parent material: Loess over residuum
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Moderately slow or moderate
Depth to restrictive feature: 40 to 72 inches to paralithic or lithic bedrock

Soil Survey of Massac County, Illinois

Available water capacity: About 8.1 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Low
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: High
Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Berks

Parent material: Residuum
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderately slow
Permeability below a depth of 60 inches: Unspecified
Depth to restrictive feature: 20 to 40 inches to lithic bedrock
Available water capacity: About 1.8 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Low
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: Low
Corrosivity: Low for steel and high for concrete
Potential for surface runoff: Low
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e
Prime farmland: Not prime farmland
Hydric soils: No

986F—Wellston-Berks complex, 18 to 35 percent slopes

Setting

Landform on landscape: Hillslope on upland
Position on landform: Backslope

Composition

Wellston and similar soils: 50 percent
Berks and similar soils: 45 percent
Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons
- Areas that have thicker or thinner loess

Dissimilar inclusions:

- Well drained Muskingum soils in similar slope positions
- Well drained Burnside soils on narrow flood plains

Soil Properties and Qualities

Wellston

Parent material: Loess over residuum

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Moderately slow or moderate

Depth to restrictive feature: 40 to 72 inches to paralithic or lithic bedrock

Available water capacity: About 8.7 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: High

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Berks

Parent material: Residuum

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderately slow

Permeability below a depth of 60 inches: Unspecified

Depth to restrictive feature: 20 to 40 inches to lithic bedrock

Available water capacity: About 2.1 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Potential frost action: Low

Corrosivity: Low for steel and high for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 6e

Prime farmland: Not prime farmland

Hydric soils: No

986G—Wellston-Berks complex, 35 to 70 percent slopes

Setting

Landform on landscape: Hillslope on upland

Position on landform: Backslope

Composition

Wellston and similar soils: 50 percent

Berks and similar soils: 45 percent

Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Soils that have thinner surface horizons
- Areas that have thicker or thinner loess

Dissimilar inclusions:

- Well drained Muskingum and soils in similar slope positions
- Well drained Burnside soils on narrow flood plains

Soil Properties and Qualities

Wellston

Parent material: Loess over residuum

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Moderately slow or moderate

Depth to restrictive feature: 40 to 72 inches to paralithic or lithic bedrock

Available water capacity: About 8.7 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: High

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Berks

Parent material: Residuum

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderately slow

Permeability below a depth of 60 inches: Unspecified

Depth to restrictive feature: 20 to 40 inches to lithic bedrock

Available water capacity: About 2.1 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Potential frost action: Low

Corrosivity: Low for steel and high for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: High

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 7e

Prime farmland: Not prime farmland

Hydric soils: No

1843A—Bonnie and Petrolia soils, undrained, 0 to 2 percent slopes, frequently flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Bonnie and similar soils: 40 percent

Petrolia and similar soils: 40 percent

Dissimilar soils: 20 percent

Inclusions

Similar inclusions:

- Areas that are not ponded

Dissimilar inclusions:

- Somewhat poorly drained Belknap soils in slightly higher positions of the flood plain

Soil Properties and Qualities

Bonnie

Parent material: Alluvium

Drainage class: Poorly drained

Slowest permeability within a depth of 40 inches: Moderately slow

Permeability below a depth of 60 inches: Moderately slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 12.6 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Highest apparent seasonal high water table (depth, months): At the surface; January to June

Ponding (average depth during wettest periods or after heavy rainfall): 1.0 foot

Most likely flooding (frequency, months): Frequent; January to June

Potential frost action: High

Corrosivity: High for steel and high for concrete

Potential for surface runoff: Low

Water erosion susceptibility: Low

Wind erosion susceptibility: Low

Petrolia

Parent material: Alluvium

Drainage class: Poorly drained

Slowest permeability within a depth of 40 inches: Moderately slow

Permeability below a depth of 60 inches: Moderately slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 11.6 inches to a depth of 60 inches

Organic matter content of surface layer: 2.0 to 3.0 percent

Shrink-swell potential: Moderate

Highest apparent seasonal high water table (depth, months): At the surface; January to June

Ponding (average depth during wettest periods or after heavy rainfall): 1.0 foot

Most likely flooding (frequency, months): Frequent; January to June

Potential frost action: High

Corrosivity: High for steel and low for concrete

Potential for surface runoff: Low

Water erosion susceptibility: Low

Wind erosion susceptibility: Very low

Interpretive Groups

Land capability classification: 5w

Prime farmland: Not prime farmland

Hydric soils: Yes

1846A—Karnak and Cape silty clays, undrained, 0 to 2 percent slopes, frequently flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Karnak and similar soils: 55 percent

Cape and similar soils: 35 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that have short steep slopes
- Areas that are not ponded
- Overflow channels where silty overwash is evident

Dissimilar inclusions:

- Soils on slight rises that are coarser textured and better drained
- Recently flooded and scoured areas that have sandy deposits

Soil Properties and Qualities

Karnak

Parent material: Clayey alluvium

Drainage class: Very poorly drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 7.0 inches to a depth of 60 inches

Organic matter content of surface layer: 2.0 to 3.0 percent

Shrink-swell potential: High

Highest apparent seasonal high water table (depth, months): At the surface; January to June

Ponding (average depth during wettest periods or after heavy rainfall): 1.0 foot

Most likely flooding (frequency, months): Frequent; January to June

Potential frost action: High

Corrosivity: High for steel and moderate for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: Low

Wind erosion susceptibility: Very low

Cape

Parent material: Clayey alluvium

Drainage class: Poorly drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Very slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 8.3 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: High

Highest apparent seasonal high water table (depth, months): At the surface; January to June

Ponding (average depth during wettest periods or after heavy rainfall): 1.0 foot

Most likely flooding (frequency, months): Frequent; January to June
Potential frost action: High
Corrosivity: High for steel and high for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: Low
Wind erosion susceptibility: Very low

Interpretive Groups

Land capability classification: 5w
Prime farmland: Not prime farmland
Hydric soils: Yes

3070A—Beaucoup silty clay loam, 0 to 2 percent slopes, frequently flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Beaucoup and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Soils that have a seasonal high water table at a depth of more than 3.5 feet

Dissimilar inclusions:

- Well drained Armiesburg soils in higher positions of the flood plain

Soil Properties and Qualities

Parent material: Alluvium
Drainage class: Poorly drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Moderate
Depth to restrictive feature: More than 80 inches
Available water capacity: About 11.3 inches to a depth of 60 inches
Organic matter content of surface layer: 5.0 to 6.0 percent
Shrink-swell potential: Moderate
Highest apparent seasonal high water table (depth, months): At the surface; January to June
Ponding (average depth during wettest periods or after heavy rainfall): 0.5 foot
Most likely flooding (frequency, months): Frequent; January to June
Potential frost action: High
Corrosivity: High for steel and low for concrete
Potential for surface runoff: Negligible
Water erosion susceptibility: Low
Wind erosion susceptibility: Very low

Interpretive Groups

Land capability classification: 3w

Prime farmland: Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season

Hydric soil: Yes

3071A—Darwin silty clay, 0 to 2 percent slopes, frequently flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Darwin and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Areas that have sandy or silty overwash on the surface

Dissimilar inclusions:

- Recently flooded and scoured areas that have sandy deposits

Soil Properties and Qualities

Parent material: Clayey alluvium

Drainage class: Poorly drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 7.9 inches to a depth of 60 inches

Organic matter content of surface layer: 4.0 to 5.0 percent

Shrink-swell potential: Very high

Highest apparent seasonal high water table (depth, months): At the surface; January to June

Ponding (average depth during wettest periods or after heavy rainfall): 0.5 foot

Most likely flooding (frequency, months): Frequent; January to June

Potential frost action: Moderate

Corrosivity: High for steel and low for concrete

Potential for surface runoff: Very low

Water erosion susceptibility: Low

Wind erosion susceptibility: Moderate

Interpretive Groups

Land capability classification: 4w

Prime farmland: Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season

Hydric soil: Yes

3071L—Darwin silty clay, 0 to 2 percent slopes, frequently flooded, long duration

Setting

Landform on landscape: Flood plain in valley

Composition

Darwin and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded and/or flooded for shorter durations
- Areas that have sandy or silty overwash on the surface

Dissimilar inclusions:

- Recently flooded and scoured areas that have sandy deposits

Soil Properties and Qualities

Parent material: Clayey alluvium

Drainage class: Poorly drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 7.9 inches to a depth of 60 inches

Organic matter content of surface layer: 4.0 to 5.0 percent

Shrink-swell potential: Very high

Highest apparent seasonal high water table (depth, months): At the surface; January to June

Ponding (average depth during wettest periods or after heavy rainfall): 0.5 foot

Most likely flooding (frequency, months): Frequent; January to June

Potential frost action: Moderate

Corrosivity: High for steel and low for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: Low

Wind erosion susceptibility: Moderate

Interpretive Groups

Land capability classification: 5w

Prime farmland: Not prime farmland

Hydric soil: Yes

3072A—Sharon silt loam, 0 to 3 percent slopes, frequently flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Sharon and similar soils: 85 percent

Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Areas where thin layers of sandy, gravelly, or stony material are present
- Areas that are rarely flooded or frequently flooded

Dissimilar inclusions:

- Somewhat poorly drained Belknap soils in shallow depressions

Soil Properties and Qualities

Parent material: Silty alluvium
Drainage class: Moderately well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Moderate
Depth to restrictive feature: More than 80 inches
Available water capacity: About 11.0 inches to a depth of 60 inches
Organic matter content of surface layer: 0.5 to 3.0 percent
Shrink-swell potential: Low
Highest apparent seasonal high water table (depth, months): 3.0 feet; January to April
Most likely flooding (frequency, months): Frequent; January to May
Potential frost action: High
Corrosivity: Low for steel and high for concrete
Potential for surface runoff: Very low
Water erosion susceptibility: Low
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 2w
Prime farmland: Prime farmland if protected from flooding or not frequently flooded during the growing season
Hydric soil: No

3072L—Sharon silt loam, 0 to 3 percent slopes, frequently flooded, long duration

Setting

Landform on landscape: Flood plain in valley

Composition

Sharon and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas of sandy soil
- Areas where thin layers of sandy, gravelly, or stony material are present
- Areas that are occasionally flooded and/or flooded for shorter durations

Dissimilar inclusions:

- Somewhat poorly drained Belknap soils in shallow depressions

Soil Properties and Qualities

Parent material: Silty alluvium
Drainage class: Moderately well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Moderate
Depth to restrictive feature: More than 80 inches
Available water capacity: About 11.0 inches to a depth of 60 inches
Organic matter content of surface layer: 0.5 to 3.0 percent
Shrink-swell potential: Low
Highest apparent seasonal high water table (depth, months): 3.0 feet; January to April

Most likely flooding (frequency, months): Frequent; January to May
Potential frost action: High
Corrosivity: Low for steel and high for concrete
Potential for surface runoff: Very low
Water erosion susceptibility: Low
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 5w
Prime farmland: Not prime farmland
Hydric soil: Yes

3108A—Bonnie silt loam, 0 to 2 percent slopes, frequently flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Bonnie and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded

Dissimilar inclusions:

- Somewhat poorly drained Karnak soils in slightly higher positions of the flood plain

Soil Properties and Qualities

Parent material: Alluvium
Drainage class: Poorly drained
Slowest permeability within a depth of 40 inches: Moderately slow
Permeability below a depth of 60 inches: Moderately slow
Depth to restrictive feature: More than 80 inches
Available water capacity: About 12.6 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Low
Highest apparent seasonal high water table (depth, months): At the surface; January to June
Ponding (average depth during wettest periods or after heavy rainfall): 0.5 foot
Most likely flooding (frequency, months): Frequent; January to June
Potential frost action: High
Corrosivity: High for steel and high for concrete
Potential for surface runoff: Low
Water erosion susceptibility: Low
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 3w
Prime farmland: Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Hydric soil: Yes

3108L—Bonnie silt loam, 0 to 2 percent slopes, frequently flooded, long duration

Setting

Landform on landscape: Flood plain in valley

Composition

Bonnie and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Areas that flood for shorter durations

Dissimilar inclusions:

- Poorly drained Karnak soils on similar portions of the flood plain

Soil Properties and Qualities

Parent material: Alluvium

Drainage class: Poorly drained

Slowest permeability within a depth of 40 inches: Moderately slow

Permeability below a depth of 60 inches: Moderately slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 12.6 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Highest apparent seasonal high water table (depth, months): At the surface; January to June

Ponding (average depth during wettest periods or after heavy rainfall): 0.5 foot

Most likely flooding (frequency, months): Frequent; January to June

Potential frost action: High

Corrosivity: High for steel and high for concrete

Potential for surface runoff: Low

Water erosion susceptibility: Low

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 5w

Prime farmland: Not prime farmland

Hydric soil: Yes

3180A—Dupo silt loam, 0 to 2 percent slopes, frequently flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Dupo and similar soils: 85 percent

Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Areas that are flooded for shorter duration

Dissimilar inclusions:

- Poorly drained Darwin soils in slightly depressional areas
- Somewhat poorly drained Wakeland soils in slightly higher areas

Soil Properties and Qualities

Parent material: Silty alluvium over clayey alluvium

Drainage class: Somewhat poorly drained

Slowest permeability within a depth of 40 inches: Slow

Permeability below a depth of 60 inches: Slow

Depth to restrictive feature: 20 to 40 inches to a strongly contrasting textural change

Available water capacity: About 10.3 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 2.0 percent

Shrink-swell potential: High

Highest perched seasonal high water table (depth, months): 0.5 foot; January to May

Ponding: None

Most likely flooding (frequency, months): Frequent; January to June

Potential frost action: High

Corrosivity: High for steel and moderate for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: Low

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 2w

Prime farmland: Prime farmland if protected from flooding or not frequently flooded during the growing season

Hydric soil: No

3288A—Petrolia silty clay loam, 0 to 2 percent slopes, frequently flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Petrolia and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that have received silty overwash
- Areas that are occasionally flooded

Dissimilar inclusions:

- Depressional areas of poorly drained and very poorly drained Jacob and Karnak soils
- Recently flooded and scoured areas that have sandy deposits

Soil Properties and Qualities

Parent material: Alluvium
Drainage class: Poorly drained
Slowest permeability within a depth of 40 inches: Moderately slow
Permeability below a depth of 60 inches: Moderately slow
Depth to restrictive feature: More than 80 inches
Available water capacity: About 11.6 inches to a depth of 60 inches
Organic matter content of surface layer: 2.0 to 3.0 percent
Shrink-swell potential: Moderate
Highest apparent seasonal high water table (depth, months): At the surface; January to June
Ponding (average depth during wettest periods or after heavy rainfall): 0.5 foot
Most likely flooding (frequency, months): Frequent; January to June
Potential frost action: High
Corrosivity: High for steel and low for concrete
Potential for surface runoff: Low
Water erosion susceptibility: Low
Wind erosion susceptibility: Very low

Interpretive Groups

Land capability classification: 3w
Prime farmland: Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season
Hydric soil: Yes

3288L—Petrolia silty clay loam, 0 to 2 percent slopes, frequently flooded, long duration

Setting

Landform on landscape: Flood plain in valley

Composition

Petrolia and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that have received silty overwash
- Areas that are occasionally flooded and/or flooded for shorter durations

Dissimilar inclusions:

- Soils that are not ponded and are better drained
- Recently flooded and scoured areas that have sandy deposits

Soil Properties and Qualities

Parent material: Alluvium
Drainage class: Poorly drained
Slowest permeability within a depth of 40 inches: Moderately slow
Permeability below a depth of 60 inches: Moderately slow
Depth to restrictive feature: More than 80 inches
Available water capacity: About 11.6 inches to a depth of 60 inches
Organic matter content of surface layer: 2.0 to 3.0 percent

Soil Survey of Massac County, Illinois

Shrink-swell potential: Moderate

Highest apparent seasonal high water table (depth, months): At the surface; January to June

Ponding (average depth during wettest periods or after heavy rainfall): 0.5 foot

Most likely flooding (frequency, months): Frequent; January to June

Potential frost action: High

Corrosivity: High for steel and low for concrete

Potential for surface runoff: Low

Water erosion susceptibility: Low

Wind erosion susceptibility: Very low

Interpretive Groups

Land capability classification: 5w

Prime farmland: Not prime farmland

Hydric soil: Yes

3382A—Belknap silt loam, 0 to 2 percent slopes, frequently flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Belknap and similar soils: 85 percent

Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Soils that have a seasonal high water table at a depth of more than 2.0 feet
- Soils that are moderately acid to slightly alkaline

Dissimilar inclusions:

- Moderately well drained Sharon soils in slightly higher areas of the flood plain
- Poorly drained Bonnie soils on toeslopes
- Poorly drained Piopolis soils on toeslopes

Soil Properties and Qualities

Parent material: Silty alluvium

Drainage class: Somewhat poorly drained

Slowest permeability within a depth of 40 inches: Moderately slow

Permeability below a depth of 60 inches: Moderately slow or moderate

Depth to restrictive feature: More than 80 inches

Available water capacity: About 12.5 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Highest apparent seasonal high water table (depth, months): 0.5 foot; January to May

Ponding: None

Most likely flooding (frequency, months): Frequent; January to June

Potential frost action: High

Corrosivity: High for steel and high for concrete

Potential for surface runoff: Very low

Water erosion susceptibility: Low

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 3w

Prime farmland: Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season

Hydric soil: No

3382L—Belknap silt loam, 0 to 2 percent slopes, frequently flooded, long duration

Setting

Landform on landscape: Flood plain in valley

Composition

Belknap and similar soils: 95 percent

Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Soils that have a seasonal high water table at a depth of more than 2.0 feet
- Soils that are moderately acid to slightly alkaline
- Areas that flood for shorter durations

Dissimilar inclusions:

- Moderately well drained Sharon soils in slightly higher areas of the flood plain

Soil Properties and Qualities

Parent material: Silty alluvium

Drainage class: Somewhat poorly drained

Slowest permeability within a depth of 40 inches: Moderately slow

Permeability below a depth of 60 inches: Moderately slow or moderate

Depth to restrictive feature: More than 80 inches

Available water capacity: About 12.5 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Highest apparent seasonal high water table (depth, months): 0.5 foot; January to May

Ponding: None

Most likely flooding (frequency, months): Frequent; January to June

Potential frost action: High

Corrosivity: High for steel and high for concrete

Potential for surface runoff: Very low

Water erosion susceptibility: Low

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 5w

Prime farmland: Not prime farmland

Hydric soil: Yes

3422A—Cape silty clay loam, 0 to 2 percent slopes, frequently flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Cape and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Areas that have short steep slopes

Dissimilar inclusions:

- Soils on slight rises that are coarser textured and better drained
- Recently flooded and scoured areas that have sandy deposits

Soil Properties and Qualities

Parent material: Clayey alluvium

Drainage class: Poorly drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Very slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 8.3 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: High

Highest apparent seasonal high water table (depth, months): At the surface; January to June

Ponding (average depth during wettest periods or after heavy rainfall): 0.5 foot

Most likely flooding (frequency, months): Frequent; January to June

Potential frost action: High

Corrosivity: High for steel and high for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: Low

Wind erosion susceptibility: Very low

Interpretive Groups

Land capability classification: 3w

Prime farmland: Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season

Hydric soil: Yes

3422A+—Cape silt loam, overwash, 0 to 2 percent slopes, frequently flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Cape and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that are rarely flooded or occasionally flooded
- Areas that have thin or no overwash
- Areas that have short steep slopes

Dissimilar inclusions:

- Soils on slight rises that are coarser textured and better drained
- Recently flooded and scoured areas that have sandy deposits

Soil Properties and Qualities

Parent material: Silty alluvium over clayey alluvium

Drainage class: Poorly drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Very slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 9.4 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: High

Highest apparent seasonal high water table (depth, months): At the surface; January to June

Ponding (average depth during wettest periods or after heavy rainfall): 0.5 foot

Most likely flooding (frequency, months): Frequent; January to June

Potential frost action: High

Corrosivity: High for steel and high for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: Low

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 3w

Prime farmland: Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season

Hydric soil: Yes

3426A—Karnak silty clay, 0 to 2 percent slopes, frequently flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Karnak and similar soils: 85 percent

Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Overflow channels where silty overwash is evident
- Areas that are occasionally flooded

Dissimilar inclusions:

- Soils that are more acid

Soil Survey of Massac County, Illinois

- Soils on slight rises that are coarser textured and better drained
- Recently flooded and scoured areas that have sandy deposits

Soil Properties and Qualities

Parent material: Clayey alluvium

Drainage class: Poorly drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 7.0 inches to a depth of 60 inches

Organic matter content of surface layer: 2.0 to 3.0 percent

Shrink-swell potential: High

Highest apparent seasonal high water table (depth, months): At the surface; January to June

Ponding (average depth during wettest periods or after heavy rainfall): 0.5 foot

Most likely flooding (frequency, months): Frequent; January to June

Potential frost action: High

Corrosivity: High for steel and moderate for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: Low

Wind erosion susceptibility: Moderate

Interpretive Groups

Land capability classification: 3w

Prime farmland: Farmland of statewide importance

Hydric soil: Yes

3426A+—Karnak silt loam, overwash, 0 to 2 percent slopes, frequently flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Karnak and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas where there is no silty overwash
- Areas that are occasionally flooded

Dissimilar inclusions:

- Soils that are more acid
- Soils on slight rises that are coarser textured and better drained

Soil Properties and Qualities

Parent material: Silty alluvium over clayey alluvium

Drainage class: Poorly drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Very slow or slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 8.2 inches to a depth of 60 inches

Soil Survey of Massac County, Illinois

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: High

Highest apparent seasonal high water table (depth, months): At the surface; January to June

Ponding (average depth during wettest periods or after heavy rainfall): 0.5 foot

Most likely flooding (frequency, months): Frequent; January to June

Potential frost action: High

Corrosivity: High for steel and moderate for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: Low

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 3w

Prime farmland: Farmland of statewide importance

Hydric soil: Yes

3426L—Karnak silty clay, 0 to 2 percent slopes, frequently flooded, long duration

Setting

Landform on landscape: Flood plain in valley

Composition

Karnak and similar soils: 85 percent

Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Overflow channels where silty overwash is evident
- Areas that are occasionally flooded and/or flooded for shorter durations

Dissimilar inclusions:

- Soils that are more acid
- Soils on slight rises that are coarser textured and better drained
- Recently flooded and scoured areas that have sandy deposits

Soil Properties and Qualities

Parent material: Clayey alluvium

Drainage class: Very poorly drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 7.0 inches to a depth of 60 inches

Organic matter content of surface layer: 2.0 to 3.0 percent

Shrink-swell potential: High

Highest apparent seasonal high water table (depth, months): At the surface; January to June

Ponding (average depth during wettest periods or after heavy rainfall): 0.5 foot

Most likely flooding (frequency, months): Frequent; January to June

Potential frost action: High

Corrosivity: High for steel and moderate for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: Low
Wind erosion susceptibility: Moderate

Interpretive Groups

Land capability classification: 5w
Prime farmland: Not prime farmland
Hydric soil: Yes

3449L—Armiesburg-Sarpy complex, 0 to 2 percent slopes, frequently flooded, long duration

Setting

Landform on landscape: Flood plain in valley

Composition

Armiesburg and similar soils: 45 percent
Sarpy and similar soils: 35 percent
Dissimilar soils: 20 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded and/or flooded for shorter durations
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Well drained Ware soils in similar slope positions
- Moderately well drained Medway soils in similar slope positions
- Recently flooded and scoured areas that have sandy deposits

Soil Properties and Qualities

Armiesburg

Parent material: Alluvium
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Moderate
Depth to restrictive feature: More than 80 inches
Available water capacity: About 11.8 inches to a depth of 60 inches
Organic matter content of surface layer: 2.0 to 4.0 percent
Shrink-swell potential: Moderate
Most likely flooding (frequency, months): Frequent; January to May
Potential frost action: High
Corrosivity: Moderate for steel and low for concrete
Potential for surface runoff: Very low
Water erosion susceptibility: Low
Wind erosion susceptibility: Very low

Sarpy

Parent material: Sandy alluvium
Drainage class: Excessively drained
Slowest permeability within a depth of 40 inches: Rapid
Permeability below a depth of 60 inches: Rapid
Depth to restrictive feature: More than 80 inches

Soil Survey of Massac County, Illinois

Available water capacity: About 4.2 inches to a depth of 60 inches
Organic matter content of surface layer: 0.5 to 1.0 percent
Shrink-swell potential: Low
Most likely flooding (frequency, months): Frequent; January to May
Potential frost action: Low
Corrosivity: Low for steel and low for concrete
Potential for surface runoff: Negligible
Water erosion susceptibility: Low
Wind erosion susceptibility: High

Interpretive Groups

Land capability classification: 5w
Prime farmland: Not prime farmland
Hydric soils: Yes

3597A—Armiesburg silty clay loam, 0 to 2 percent slopes, frequently flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Armiesburg and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Poorly drained Beaucoup soils in lower-lying or depressional areas
- Recently flooded and scoured areas that have sandy deposits

Soil Properties and Qualities

Parent material: Alluvium
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Moderate
Depth to restrictive feature: More than 80 inches
Available water capacity: About 11.8 inches to a depth of 60 inches
Organic matter content of surface layer: 2.0 to 4.0 percent
Shrink-swell potential: Moderate
Most likely flooding (frequency, months): Frequent; January to May
Potential frost action: High
Corrosivity: Moderate for steel and low for concrete
Potential for surface runoff: Very low
Water erosion susceptibility: Low
Wind erosion susceptibility: Very low

Interpretive Groups

Land capability classification: 3w

Prime farmland: Prime farmland if protected from flooding or not frequently flooded during the growing season

Hydric soil: No

3597L—Armiesburg silty clay loam, 0 to 2 percent slopes, frequently flooded, long duration

Setting

Landform on landscape: Flood plain in valley

Composition

Armiesburg and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded and/or flooded for shorter durations
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Poorly drained Beaucoup soils in lower-lying or depressional areas
- Recently flooded and scoured areas that have sandy deposits

Soil Properties and Qualities

Parent material: Alluvium

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Moderate

Depth to restrictive feature: More than 80 inches

Available water capacity: About 11.8 inches to a depth of 60 inches

Organic matter content of surface layer: 2.0 to 4.0 percent

Shrink-swell potential: Moderate

Most likely flooding (frequency, months): Frequent; January to May

Potential frost action: High

Corrosivity: Moderate for steel and low for concrete

Potential for surface runoff: Very low

Water erosion susceptibility: Low

Wind erosion susceptibility: Very low

Interpretive Groups

Land capability classification: 5w

Prime farmland: Not prime farmland

Hydric soil: Yes

7131A—Alvin fine sandy loam, 0 to 2 percent slopes, rarely flooded

Setting

Landform on landscape: Terrace in valley

Position on landform: Summit

Composition

Alvin and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface horizons
- Soils that have a seasonal high water table at a depth of less than 3.5 feet
- Areas that are occasionally flooded

Dissimilar inclusions:

- Well drained Lamont and Wheeling soils in similar slope positions
- Somewhat poorly drained Roby soils in less sloping areas

Soil Properties and Qualities

Parent material: Loamy alluvium and/or eolian sands

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderately rapid

Permeability below a depth of 60 inches: Moderately rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 7.6 inches to a depth of 60 inches

Organic matter content of surface layer: 0.5 to 1.0 percent

Shrink-swell potential: Low

Most likely flooding (frequency, months): Rare; January to May

Potential frost action: Moderate

Corrosivity: Low for steel and high for concrete

Potential for surface runoff: Negligible

Water erosion susceptibility: Low

Wind erosion susceptibility: Moderately high

Interpretive Groups

Land capability classification: 2s

Prime farmland: All areas are prime farmland

Hydric soil: No

7131B—Alvin fine sandy loam, 2 to 5 percent slopes, rarely flooded

Setting

Landform on landscape: Terrace in valley

Position on landform: Shoulder and summit

Composition

Alvin and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface horizons
- Soils that have a seasonal high water table at a depth of less than 3.5 feet
- Areas that are occasionally flooded

Dissimilar inclusions:

- Well drained Lamont and Wheeling soils in similar slope positions
- Somewhat poorly drained Roby soils in less sloping areas

Soil Properties and Qualities

Parent material: Loamy alluvium and/or eolian sands

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderately rapid

Permeability below a depth of 60 inches: Moderately rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 7.6 inches to a depth of 60 inches

Organic matter content of surface layer: 0.5 to 1.0 percent

Shrink-swell potential: Low

Most likely flooding (frequency, months): Rare; January to May

Potential frost action: Moderate

Corrosivity: Low for steel and high for concrete

Potential for surface runoff: Very low

Water erosion susceptibility: Low

Wind erosion susceptibility: Moderately high

Interpretive Groups

Land capability classification: 2e

Prime farmland: All areas are prime farmland

Hydric soil: No

**7131C2—Alvin fine sandy loam, 5 to 10 percent slopes,
eroded, rarely flooded**

Setting

Landform on landscape: Terrace in valley

Position on landform: Summit and shoulder

Composition

Alvin and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface horizons
- Soils that have a seasonal high water table at a depth of less than 3.5 feet
- Areas that are occasionally flooded

Dissimilar inclusions:

- Well drained Lamont and Wheeling soils in similar slope positions
- Somewhat poorly drained Roby soils in less sloping areas

Soil Properties and Qualities

Parent material: Loamy alluvium and/or eolian sands

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderately rapid

Permeability below a depth of 60 inches: Moderately rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 7.4 inches to a depth of 60 inches

Soil Survey of Massac County, Illinois

Organic matter content of surface layer: 0.5 to 1.0 percent
Shrink-swell potential: Low
Most likely flooding (frequency, months): Rare; January to May
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: Moderate
Corrosivity: Low for steel and high for concrete
Potential for surface runoff: Low
Water erosion susceptibility: Moderate
Wind erosion susceptibility: Moderately high

Interpretive Groups

Land capability classification: 3e
Prime farmland: All areas are prime farmland
Hydric soil: No

7131D2—Alvin fine sandy loam, 10 to 18 percent slopes, eroded, rarely flooded

Setting

Landform on landscape: Terrace in valley
Position on landform: Backslope

Composition

Alvin and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface horizons
- Soils that have a seasonal high water table at a depth of less than 3.5 feet
- Areas that are occasionally flooded

Dissimilar inclusions:

- Well drained Lamont and Wheeling soils in less sloping positions
- Somewhat poorly drained Roby soils in less sloping areas

Soil Properties and Qualities

Parent material: Loamy alluvium and/or eolian sands
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderately rapid
Permeability below a depth of 60 inches: Moderately rapid
Depth to restrictive feature: More than 80 inches
Available water capacity: About 7.4 inches to a depth of 60 inches
Organic matter content of surface layer: 0.5 to 1.0 percent
Shrink-swell potential: Low
Most likely flooding (frequency, months): Rare; January to May
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: Moderate
Corrosivity: Low for steel and high for concrete
Potential for surface runoff: Low

Water erosion susceptibility: High
Wind erosion susceptibility: Moderately high

Interpretive Groups

Land capability classification: 4e
Prime farmland: Farmland of statewide importance
Hydric soil: No

7460A—Ginat silt loam, 0 to 2 percent slopes, rarely flooded

Setting

Landform on landscape: Terrace in valley
Position on landform: Summit

Composition

Ginat and similar soils: 95 percent
Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Areas where the surface layer is loam or very fine sandy loam

Dissimilar inclusions:

- Somewhat poorly drained Roby soils in similar slope positions

Soil Properties and Qualities

Parent material: Silty alluvium over clayey alluvium and/or loamy alluvium
Drainage class: Poorly drained
Slowest permeability within a depth of 40 inches: Very slow
Permeability below a depth of 60 inches: Moderately slow
Depth to restrictive feature: More than 80 inches
Available water capacity: About 9.1 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Moderate
Highest perched seasonal high water table (depth, months): At the surface; January to June
Ponding (average depth during wettest periods or after heavy rainfall): 0.2 foot
Most likely flooding (frequency, months): Rare; January to June
Potential frost action: High
Corrosivity: High for steel and high for concrete
Potential for surface runoff: High
Water erosion susceptibility: Low
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 3w
Prime farmland: Prime farmland if drained
Hydric soil: Yes

7462A—Sciotoville silt loam, 0 to 2 percent slopes, rarely flooded

Setting

Landform on landscape: Terrace in valley

Position on landform: Summit

Composition

Sciotoville and similar soils: 95 percent

Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Soils that have thinner surface horizons
- Areas where the subsoil is loam

Dissimilar inclusions:

- Well drained Alvin soils in similar slope positions
- Poorly drained Ginat soils on summits

Soil Properties and Qualities

Parent material: Alluvium

Drainage class: Moderately well drained

Slowest permeability within a depth of 40 inches: Slow

Permeability below a depth of 60 inches: Moderately rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 8.9 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Highest perched seasonal high water table (depth, months): 1.5 feet; January to April

Most likely flooding (frequency, months): Rare; January to May

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: Low

Water erosion susceptibility: Low

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 2w

Prime farmland: All areas are prime farmland

Hydric soil: No

7462B—Sciotoville silt loam, 2 to 5 percent slopes, rarely flooded

Setting

Landform on landscape: Terrace in valley

Position on landform: Summit and shoulder

Composition

Sciotoville and similar soils: 95 percent
Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Soils that have thinner surface horizons
- Areas where the subsoil is loam

Dissimilar inclusions:

- Well drained Alvin soils in more sloping positions

Soil Properties and Qualities

Parent material: Alluvium

Drainage class: Moderately well drained

Slowest permeability within a depth of 40 inches: Slow

Permeability below a depth of 60 inches: Moderately rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 8.9 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Highest perched seasonal high water table (depth, months): 1.5 feet; January to April

Most likely flooding (frequency, months): Rare; January to May

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: Moderate

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 2e

Prime farmland: All areas are prime farmland

Hydric soil: No

7462C2—Sciotoville silt loam, 5 to 10 percent slopes, eroded, rarely flooded

Setting

Landform on landscape: Terrace in valley

Position on landform: Backslope

Composition

Sciotoville and similar soils: 95 percent
Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Soils that have thinner or thicker surface horizons
- Areas where the subsoil is loam

Soil Survey of Massac County, Illinois

Dissimilar inclusions:

- Well drained Alvin soils in similar slope positions

Soil Properties and Qualities

Parent material: Alluvium

Drainage class: Moderately well drained

Slowest permeability within a depth of 40 inches: Slow

Permeability below a depth of 60 inches: Moderately rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 8.7 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Highest perched seasonal high water table (depth, months): 1.5 feet; January to April

Most likely flooding (frequency, months): Rare; January to May

Accelerated erosion: Surface layer has been thinned by erosion

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: High

Water erosion susceptibility: Moderate

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 3e

Prime farmland: Farmland of statewide importance

Hydric soil: No

7462C3—Sciotoville silt loam, 5 to 10 percent slopes, severely eroded, rarely flooded

Setting

Landform on landscape: Terrace in valley

Position on landform: Backslope

Composition

Sciotoville and similar soils: 95 percent

Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Soils that have thicker surface horizons
- Areas where the subsoil is loam

Dissimilar inclusions:

- Well drained Alvin soils in similar slope positions

Soil Properties and Qualities

Parent material: Alluvium

Drainage class: Moderately well drained

Slowest permeability within a depth of 40 inches: Slow

Permeability below a depth of 60 inches: Moderately rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 8.5 inches to a depth of 60 inches

Soil Survey of Massac County, Illinois

Organic matter content of surface layer: 0.5 to 1.0 percent

Shrink-swell potential: Low

Highest perched seasonal high water table (depth, months): 1.5 feet; January to April

Most likely flooding (frequency, months): Rare; January to May

Accelerated erosion: Surface layer is mostly subsoil material

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: High

Water erosion susceptibility: Moderate

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e

Prime farmland: Farmland of statewide importance

Hydric soil: No

7462D2—Sciotoville silt loam, 10 to 18 percent slopes, eroded, rarely flooded

Setting

Landform on landscape: Terrace in valley

Position on landform: Backslope

Composition

Sciotoville and similar soils: 95 percent

Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Soils that have thinner or thicker surface horizons
- Areas where the subsoil is loam

Dissimilar inclusions:

- Well drained Alvin soils in similar slope positions

Soil Properties and Qualities

Parent material: Alluvium

Drainage class: Moderately well drained

Slowest permeability within a depth of 40 inches: Slow

Permeability below a depth of 60 inches: Moderately rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 8.7 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Highest perched seasonal high water table (depth, months): 1.5 feet; January to April

Most likely flooding (frequency, months): Rare; January to May

Accelerated erosion: Surface layer has been thinned by erosion

Potential frost action: High

Corrosivity: Moderate for steel and high for concrete

Potential for surface runoff: High

Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e
Prime farmland: Farmland of statewide importance
Hydric soil: No

7462D3—Sciotoville silt loam, 10 to 18 percent slopes, severely eroded, rarely flooded

Setting

Landform on landscape: Terrace in valley
Position on landform: Backslope

Composition

Sciotoville and similar soils: 95 percent
Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Soils that have thicker surface horizons
- Areas where the subsoil is loam

Dissimilar inclusions:

- Well drained Alvin soils in similar slope positions

Soil Properties and Qualities

Parent material: Alluvium
Drainage class: Moderately well drained
Slowest permeability within a depth of 40 inches: Slow
Permeability below a depth of 60 inches: Moderately rapid
Depth to restrictive feature: More than 80 inches
Available water capacity: About 8.5 inches to a depth of 60 inches
Organic matter content of surface layer: 0.5 to 1.0 percent
Shrink-swell potential: Low
Highest perched seasonal high water table (depth, months): 1.5 feet; January to April
Most likely flooding (frequency, months): Rare; January to May
Accelerated erosion: Surface layer is mostly subsoil material
Potential frost action: High
Corrosivity: Moderate for steel and high for concrete
Potential for surface runoff: High
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e
Prime farmland: Farmland of statewide importance
Hydric soil: No

7463A—Wheeling silt loam, 0 to 2 percent slopes, rarely flooded

Setting

Landform on landscape: Terrace in valley

Position on landform: Summit

Composition

Wheeling and similar soils: 95 percent

Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Areas that are sandy
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Well drained Alvin soils in similar slope positions
- Poorly drained Ginat soils on summits

Soil Properties and Qualities

Parent material: Loamy alluvium and/or silty alluvium

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 6.8 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Most likely flooding (frequency, months): Rare; January to May

Potential frost action: Moderate

Corrosivity: Low for steel and moderate for concrete

Potential for surface runoff: Very low

Water erosion susceptibility: Low

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 2s

Prime farmland: All areas are prime farmland

Hydric soil: No

7463B—Wheeling silt loam, 2 to 5 percent slopes, rarely flooded

Setting

Landform on landscape: Terrace in valley

Position on landform: Summit and shoulder

Composition

Wheeling and similar soils: 95 percent

Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Areas that have thinner surface horizons
- Areas that are sandy
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Well drained Alvin soils in similar slope positions

Soil Properties and Qualities

Parent material: Loamy alluvium and/or silty alluvium

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Rapid

Depth to restrictive feature: More than 80 inches

Available water capacity: About 6.8 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Most likely flooding (frequency, months): Rare; January to May

Potential frost action: Moderate

Corrosivity: Low for steel and moderate for concrete

Potential for surface runoff: Low

Water erosion susceptibility: Moderate

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 2e

Prime farmland: All areas are prime farmland

Hydric soil: No

7463C2—Wheeling silt loam, 5 to 10 percent slopes, eroded, rarely flooded

Setting

Landform on landscape: Terrace in valley

Position on landform: Backslope

Composition

Wheeling and similar soils: 95 percent

Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Areas that have thinner or thicker surface horizons
- Areas that are sandy
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Well drained Alvin soils in similar slope positions

Soil Properties and Qualities

Parent material: Loamy alluvium and/or silty alluvium
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Rapid
Depth to restrictive feature: More than 80 inches
Available water capacity: About 6.6 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Low
Most likely flooding (frequency, months): Rare; January to May
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: Moderate
Corrosivity: Low for steel and moderate for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: Moderate
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 3e
Prime farmland: Farmland of statewide importance
Hydric soil: No

7463D2—Wheeling silt loam, 10 to 18 percent slopes, eroded, rarely flooded

Setting

Landform on landscape: Terrace in valley
Position on landform: Backslope

Composition

Wheeling and similar soils: 95 percent
Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Areas with thicker surface horizons
- Areas that are sandy
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Well drained Alvin soils in similar slope positions

Soil Properties and Qualities

Parent material: Loamy alluvium and/or silty alluvium
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Rapid
Depth to restrictive feature: More than 80 inches
Available water capacity: About 6.6 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Low

Most likely flooding (frequency, months): Rare; January to May
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: Moderate
Corrosivity: Low for steel and moderate for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 4e
Prime farmland: Farmland of statewide importance
Hydric soil: No

7463E2—Wheeling silt loam, 18 to 25 percent slopes, eroded, rarely flooded

Setting

Landform on landscape: Terrace in valley
Position on landform: Backslope

Composition

Wheeling and similar soils: 95 percent
Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Areas with thicker or thinner surface horizons
- Areas that are sandy
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Well drained Alvin soils in similar slope positions

Soil Properties and Qualities

Parent material: Loamy alluvium and/or silty alluvium
Drainage class: Well drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Rapid
Depth to restrictive feature: More than 80 inches
Available water capacity: About 6.6 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Low
Most likely flooding (frequency, months): Rare; January to May
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: Moderate
Corrosivity: Low for steel and moderate for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: High
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 6e

Prime farmland: Not prime farmland
Hydric soil: No

7483A—Henshaw silt loam, 0 to 3 percent slopes, rarely flooded

Setting

Landform on landscape: Flood-plain step in valley
Position on landform: Summit

Composition

Henshaw and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that are occasionally flooded
- Soils that are more acid in the lower subsoil
- Soils that have a seasonal high water table at a depth of less than 1.0 foot

Dissimilar inclusions:

- Somewhat poorly drained Hatfield soils in similar slope positions
- Poorly drained Petrolia soils on toeslopes

Soil Properties and Qualities

Parent material: Calcareous alluvium
Drainage class: Somewhat poorly drained
Slowest permeability within a depth of 40 inches: Moderately slow
Permeability below a depth of 60 inches: Moderately slow
Depth to restrictive feature: More than 80 inches
Available water capacity: About 11.5 inches to a depth of 60 inches
Organic matter content of surface layer: 0.5 to 2.0 percent
Shrink-swell potential: Low
Highest apparent seasonal high water table (depth, months): 0.5 foot; January to May
Ponding: None
Most likely flooding (frequency, months): Rare; January to May
Potential frost action: None
Corrosivity: High for steel and moderate for concrete
Potential for surface runoff: Low
Water erosion susceptibility: Low
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 2w
Prime farmland: All areas are prime farmland
Hydric soil: No

7711A—Hatfield silt loam, 0 to 2 percent slopes, rarely flooded

Setting

Landform on landscape: Terrace in valley
Position on landform: Summit

Composition

Hatfield and similar soils: 95 percent
Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface horizons

Dissimilar inclusions:

- Somewhat poorly drained Roby soils in similar slope positions
- Poorly drained Ginat soils on summits

Soil Properties and Qualities

Parent material: Alluvium

Drainage class: Somewhat poorly drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Very slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 10.7 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Moderate

Highest perched seasonal high water table (depth, months): 0.5 foot; January to May

Ponding: None

Most likely flooding (frequency, months): Rare; January to June

Potential frost action: High

Corrosivity: High for steel and high for concrete

Potential for surface runoff: High

Water erosion susceptibility: Low

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 2w

Prime farmland: Prime farmland if drained

Hydric soil: No

7711B—Hatfield silt loam, 2 to 5 percent slopes, rarely flooded

Setting

Landform on landscape: Terrace in valley

Position on landform: Summit and shoulder

Composition

Hatfield and similar soils: 95 percent

Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface horizons

Dissimilar inclusions:

- Somewhat poorly drained Roby soils in similar slope positions

Soil Properties and Qualities

Parent material: Alluvium

Drainage class: Somewhat poorly drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Very slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 10.7 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Moderate

Highest perched seasonal high water table (depth, months): 0.5 foot; January to May

Ponding: None

Most likely flooding (frequency, months): Rare; January to June

Potential frost action: High

Corrosivity: High for steel and high for concrete

Potential for surface runoff: Very high

Water erosion susceptibility: Moderate

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 2e

Prime farmland: Prime farmland if drained

Hydric soil: No

7711B2—Hatfield silt loam, 2 to 5 percent slopes, eroded, rarely flooded

Setting

Landform on landscape: Terrace in valley

Position on landform: Summit and shoulder

Composition

Hatfield and similar soils: 95 percent

Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Soils that have thinner or thicker surface horizons

Dissimilar inclusions:

- Somewhat poorly drained Roby soils in similar slope positions

Soil Properties and Qualities

Parent material: Alluvium

Drainage class: Somewhat poorly drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Very slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 10.5 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Moderate

Highest perched seasonal high water table (depth, months): 0.5 foot; January to May

Ponding: None

Most likely flooding (frequency, months): Rare; January to June
Accelerated erosion: Surface layer has been thinned by erosion
Potential frost action: High
Corrosivity: High for steel and high for concrete
Potential for surface runoff: Very high
Water erosion susceptibility: Moderate
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 2e
Prime farmland: Prime farmland if drained
Hydric soil: No

8070A—Beaucoup silty clay loam, 0 to 2 percent slopes, occasionally flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Beaucoup and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that are rarely flooded or frequently flooded
- Soils that have a seasonal high water table at a depth of more than 3.5 feet

Dissimilar inclusions:

- Well drained Armiesburg soils in higher-lying areas

Soil Properties and Qualities

Parent material: Alluvium
Drainage class: Poorly drained
Slowest permeability within a depth of 40 inches: Moderate
Permeability below a depth of 60 inches: Moderate
Depth to restrictive feature: More than 80 inches
Available water capacity: About 11.3 inches to a depth of 60 inches
Organic matter content of surface layer: 5.0 to 6.0 percent
Shrink-swell potential: Moderate
Highest apparent seasonal high water table (depth, months): At the surface; January to June
Ponding (average depth during wettest periods or after heavy rainfall): 0.2 foot
Most likely flooding (frequency, months): Occasional; January to June
Potential frost action: High
Corrosivity: High for steel and low for concrete
Potential for surface runoff: Low
Water erosion susceptibility: Low
Wind erosion susceptibility: Very low

Interpretive Groups

Land capability classification: 2w

Prime farmland: Prime farmland if drained
Hydric soil: Yes

8071A—Darwin silty clay, 0 to 2 percent slopes, occasionally flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Darwin and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that are rarely flooded or frequently flooded
- Areas that have sandy or silty overwash on the surface

Dissimilar inclusions:

- Somewhat poorly drained soils on slight ridges

Soil Properties and Qualities

Parent material: Clayey alluvium

Drainage class: Poorly drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 7.9 inches to a depth of 60 inches

Organic matter content of surface layer: 4.0 to 5.0 percent

Shrink-swell potential: Very high

Highest apparent seasonal high water table (depth, months): At the surface; January to June

Ponding (average depth during wettest periods or after heavy rainfall): 0.2 foot

Most likely flooding (frequency, months): Occasional; January to June

Potential frost action: Moderate

Corrosivity: High for steel and low for concrete

Potential for surface runoff: High

Water erosion susceptibility: Low

Wind erosion susceptibility: Moderate

Interpretive Groups

Land capability classification: 3w

Prime farmland: Prime farmland if drained

Hydric soil: Yes

8072A—Sharon silt loam, 0 to 3 percent slopes, occasionally flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Sharon and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas where thin layers of sandy, gravelly, or stony material are present
- Areas that are rarely flooded or frequently flooded

Dissimilar inclusions:

- Somewhat poorly drained Belknap soils in shallow depressions

Soil Properties and Qualities

Parent material: Silty alluvium

Drainage class: Moderately well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Moderate

Depth to restrictive feature: More than 80 inches

Available water capacity: About 11.0 inches to a depth of 60 inches

Organic matter content of surface layer: 0.5 to 3.0 percent

Shrink-swell potential: Low

Highest apparent seasonal high water table (depth, months): 3.0 feet; January to April

Most likely flooding (frequency, months): Occasional; January to May

Potential frost action: High

Corrosivity: Low for steel and high for concrete

Potential for surface runoff: Very low

Water erosion susceptibility: Low

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 2w

Prime farmland: All areas are prime farmland

Hydric soil: No

8108A—Bonnie silt loam, 0 to 2 percent slopes, occasionally flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Bonnie and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that are rarely flooded or frequently flooded

Dissimilar inclusions:

- Poorly drained Karnak soils on similar portions of the flood plain

Soil Properties and Qualities

Parent material: Alluvium

Soil Survey of Massac County, Illinois

Drainage class: Poorly drained
Slowest permeability within a depth of 40 inches: Moderately slow
Permeability below a depth of 60 inches: Moderately slow
Depth to restrictive feature: More than 80 inches
Available water capacity: About 12.6 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Low
Highest apparent seasonal high water table (depth, months): At the surface; January to June
Ponding (average depth during wettest periods or after heavy rainfall): 0.2 foot
Most likely flooding (frequency, months): Occasional; January to June
Potential frost action: High
Corrosivity: High for steel and high for concrete
Potential for surface runoff: Low
Water erosion susceptibility: Low
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 3w
Prime farmland: Prime farmland if drained
Hydric soil: Yes

8109A—Raccoon silt loam, 0 to 2 percent slopes, occasionally flooded

Setting

Landform on landscape: Fan on upland
Position on landform: Footslope

Composition

Raccoon and similar soils: 85 percent
Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Areas that are rarely flooded or frequently flooded
- Areas where the surface layer is loam or very fine sandy loam

Dissimilar inclusions:

- Well drained Alvin soils in higher slope positions

Soil Properties and Qualities

Parent material: Mixture of loess over local silty colluvium
Drainage class: Poorly drained
Slowest permeability within a depth of 40 inches: Slow
Permeability below a depth of 60 inches: Moderately slow
Depth to restrictive feature: More than 80 inches
Available water capacity: About 11.8 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 2.5 percent
Shrink-swell potential: Moderate
Highest apparent seasonal high water table (depth, months): At the surface; January to June
Ponding (average depth during wettest periods or after heavy rainfall): 0.2 foot

Most likely flooding (frequency, months): Occasional; January to June
Potential frost action: High
Corrosivity: High for steel and high for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: Low
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 3w
Prime farmland: Prime farmland if drained
Hydric soil: Yes

8180A—Dupo silt loam, 0 to 2 percent slopes, occasionally flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Dupo and similar soils: 85 percent
Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Areas that are rarely flooded or frequently flooded

Dissimilar inclusions:

- Somewhat poorly drained Wakeland soils in slightly higher areas
- Poorly drained Darwin soils on toeslopes

Soil Properties and Qualities

Parent material: Silty alluvium over clayey alluvium
Drainage class: Somewhat poorly drained
Slowest permeability within a depth of 40 inches: Slow
Permeability below a depth of 60 inches: Slow
Depth to restrictive feature: 20 to 40 inches to a strongly contrasting textural change
Available water capacity: About 10.3 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 2.0 percent
Shrink-swell potential: High
Highest perched seasonal high water table (depth, months): 0.5 foot; January to May
Ponding: None
Most likely flooding (frequency, months): Occasional; January to June
Potential frost action: High
Corrosivity: High for steel and moderate for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: Low
Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 2w
Prime farmland: All areas are prime farmland
Hydric soil: No

8288A—Petrolia silty clay loam, 0 to 2 percent slopes, occasionally flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Petrolia and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that have received silty overwash
- Areas that are rarely flooded or frequently flooded

Dissimilar inclusions:

- Soils that are not ponded and are better drained

Soil Properties and Qualities

Parent material: Alluvium

Drainage class: Poorly drained

Slowest permeability within a depth of 40 inches: Moderately slow

Permeability below a depth of 60 inches: Moderately slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 11.6 inches to a depth of 60 inches

Organic matter content of surface layer: 2.0 to 3.0 percent

Shrink-swell potential: Moderate

Highest apparent seasonal high water table (depth, months): At the surface; January to June

Ponding (average depth during wettest periods or after heavy rainfall): 0.2 foot

Most likely flooding (frequency, months): Occasional; January to June

Potential frost action: High

Corrosivity: High for steel and low for concrete

Potential for surface runoff: Low

Water erosion susceptibility: Low

Wind erosion susceptibility: Very low

Interpretive Groups

Land capability classification: 3w

Prime farmland: Prime farmland if drained

Hydric soil: Yes

8382A—Belknap silt loam, 0 to 2 percent slopes, occasionally flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Belknap and similar soils: 95 percent

Dissimilar soils: 5 percent

Inclusions

Similar inclusions:

- Areas that are rarely flooded or frequently flooded
- Soils that have a seasonal high water table at a depth of more than 2.0 feet
- Soils that are moderately acid to slightly alkaline

Dissimilar inclusions:

- Moderately well drained Sharon soils in slightly higher areas of the flood plain
- Poorly drained Bonnie soils on toeslopes
- Poorly drained Piopolis soils on toeslopes

Soil Properties and Qualities

Parent material: Silty alluvium

Drainage class: Somewhat poorly drained

Slowest permeability within a depth of 40 inches: Moderately slow

Permeability below a depth of 60 inches: Moderately slow or moderate

Depth to restrictive feature: More than 80 inches

Available water capacity: About 12.5 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Low

Highest apparent seasonal high water table (depth, months): 0.5 foot; January to May

Ponding: None

Most likely flooding (frequency, months): Occasional; January to June

Potential frost action: High

Corrosivity: High for steel and high for concrete

Potential for surface runoff: Very low

Water erosion susceptibility: Low

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 2w

Prime farmland: Prime farmland if drained

Hydric soil: No

8420A—Piopolis silty clay loam, 0 to 2 percent slopes, occasionally flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Piopolis and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that are rarely flooded or frequently flooded
- Areas that have silty overwash

Dissimilar inclusions:

- Somewhat poorly drained Belknap soils in higher positions of the flood plain

Soil Properties and Qualities

Parent material: Alluvium
Drainage class: Poorly drained
Slowest permeability within a depth of 40 inches: Slow
Permeability below a depth of 60 inches: Slow
Depth to restrictive feature: More than 80 inches
Available water capacity: About 11.6 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Moderate
Highest apparent seasonal high water table (depth, months): At the surface; January to June
Ponding (average depth during wettest periods or after heavy rainfall): 0.2 foot
Most likely flooding (frequency, months): Occasional; January to June
Potential frost action: High
Corrosivity: High for steel and high for concrete
Potential for surface runoff: Medium
Water erosion susceptibility: Low
Wind erosion susceptibility: Very low

Interpretive Groups

Land capability classification: 3w
Prime farmland: Prime farmland if drained
Hydric soil: Yes

8422A—Cape silty clay loam, 0 to 2 percent slopes, occasionally flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Cape and similar soils: 90 percent
Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that are rarely flooded or frequently flooded
- Areas that have short steep slopes

Dissimilar inclusions:

- Soils on slight rises that are coarser textured and better drained
- Recently flooded and scoured areas that have sandy deposits

Soil Properties and Qualities

Parent material: Clayey alluvium
Drainage class: Poorly drained
Slowest permeability within a depth of 40 inches: Very slow
Permeability below a depth of 60 inches: Very slow
Depth to restrictive feature: More than 80 inches
Available water capacity: About 8.3 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: High

Soil Survey of Massac County, Illinois

Highest apparent seasonal high water table (depth, months): At the surface; January to June

Ponding (average depth during wettest periods or after heavy rainfall): 0.5 foot

Most likely flooding (frequency, months): Occasional; January to June

Potential frost action: High

Corrosivity: High for steel and high for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: Low

Wind erosion susceptibility: Very low

Interpretive Groups

Land capability classification: 3w

Prime farmland: Prime farmland if drained

Hydric soil: Yes

8422A+—Cape silt loam, overwash, 0 to 2 percent slopes, occasionally flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Cape and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that are rarely flooded or frequently flooded
- Areas that have thin or no overwash
- Areas that have short steep slopes

Dissimilar inclusions:

- Soils on slight rises that are coarser textured and better drained
- Recently flooded and scoured areas that have sandy deposits

Soil Properties and Qualities

Parent material: Silty alluvium over clayey alluvium

Drainage class: Poorly drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Very slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 9.4 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: High

Highest apparent seasonal high water table (depth, months): At the surface; January to June

Ponding (average depth during wettest periods or after heavy rainfall): 0.5 foot

Most likely flooding (frequency, months): Occasional; January to June

Potential frost action: High

Corrosivity: High for steel and high for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: Low

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 3w

Prime farmland: Prime farmland if drained

Hydric soil: Yes

8426A—Karnak silty clay, 0 to 2 percent slopes, occasionally flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Karnak and similar soils: 85 percent

Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Overflow channels where silty overwash is evident
- Areas that are rarely flooded or frequently flooded

Dissimilar inclusions:

- Soils on slight rises that are coarser textured and better drained
- Recently flooded and scoured areas that have sandy deposits

Soil Properties and Qualities

Parent material: Clayey alluvium

Drainage class: Poorly drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 7.0 inches to a depth of 60 inches

Organic matter content of surface layer: 2.0 to 3.0 percent

Shrink-swell potential: High

Highest apparent seasonal high water table (depth, months): At the surface; January to June

Ponding (average depth during wettest periods or after heavy rainfall): 0.2 foot

Most likely flooding (frequency, months): Occasional; January to June

Potential frost action: High

Corrosivity: High for steel and moderate for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: Low

Wind erosion susceptibility: Moderate

Interpretive Groups

Land capability classification: 3w

Prime farmland: Farmland of statewide importance

Hydric soil: Yes

8426A+—Karnak silt loam, overwash, 0 to 2 percent slopes, occasionally flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Karnak and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas where there is no silty overwash
- Areas that are rarely flooded or frequently flooded

Dissimilar inclusions:

- Soils on slight rises that are coarser textured and better drained
- Recently flooded and scoured areas that have sandy deposits

Soil Properties and Qualities

Parent material: Silty alluvium over clayey alluvium

Drainage class: Poorly drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Very slow or slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 8.2 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: High

Highest apparent seasonal high water table (depth, months): At the surface; January to June

Ponding (average depth during wettest periods or after heavy rainfall): 0.2 foot

Most likely flooding (frequency, months): Occasional; January to June

Potential frost action: High

Corrosivity: High for steel and moderate for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: Low

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 3w

Prime farmland: Farmland of statewide importance

Hydric soil: Yes

8427B—Burnside silt loam, 1 to 4 percent slopes, occasionally flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Burnside and similar soils: 90 percent

Dissimilar soils: 10 percent

Inclusions

Similar inclusions:

- Areas that are rarely flooded or frequently flooded
- Areas where a loamy or silty surface layer is more than 24 inches thick
- Areas where bedrock is within a depth of 40 inches
- Areas along overflow channels where the surface layer is stony

Dissimilar inclusions:

- Somewhat poorly drained Wakeland soils in depressional areas

Soil Properties and Qualities

Parent material: Loamy alluvium over fragmental loamy alluvium

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Very slow to moderate

Depth to restrictive feature: 40 to 80 inches to lithic bedrock

Available water capacity: About 7.8 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 2.0 percent

Shrink-swell potential: Low

Most likely flooding (frequency, months): Occasional; January to May

Potential frost action: Moderate

Corrosivity: Low for steel and high for concrete

Potential for surface runoff: Low

Water erosion susceptibility: Low

Wind erosion susceptibility: Low

Interpretive Groups

Land capability classification: 2s

Prime farmland: All areas are prime farmland

Hydric soil: No

8469A—Emma silty clay loam, 0 to 2 percent slopes, occasionally flooded

Setting

Landform on landscape: Flood-plain step in valley

Position on landform: Summit

Composition

Emma and similar soils: 85 percent

Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Areas that are rarely flooded or frequently flooded
- Soils that have a seasonal high water table at a depth of less than 2.0 feet

Dissimilar inclusions:

- Somewhat poorly drained Hurst soils in adjacent lower areas
- Poorly drained Cape soils on toeslopes

Soil Properties and Qualities

Parent material: Acid lacustrine deposits

Soil Survey of Massac County, Illinois

Drainage class: Moderately well drained
Slowest permeability within a depth of 40 inches: Moderately slow
Permeability below a depth of 60 inches: Moderately slow
Depth to restrictive feature: More than 80 inches
Available water capacity: About 12.0 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Moderate
Highest apparent seasonal high water table (depth, months): 2.5 feet; January to April
Ponding: None
Most likely flooding (frequency, months): Occasional; January to May
Potential frost action: High
Corrosivity: High for steel and high for concrete
Potential for surface runoff: Low
Water erosion susceptibility: Low
Wind erosion susceptibility: Very low

Interpretive Groups

Land capability classification: 1
Prime farmland: All areas are prime farmland
Hydric soil: No

8469B—Emma silty clay loam, 2 to 5 percent slopes, occasionally flooded

Setting

Landform on landscape: Flood-plain step in valley
Position on landform: Summit and shoulder

Composition

Emma and similar soils: 85 percent
Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Areas that are rarely flooded or frequently flooded
- Areas that have thinner surface horizons
- Soils that have a seasonal high water table at a depth of less than 2.0 feet

Dissimilar inclusions:

- Somewhat poorly drained Hurst soils in adjacent lower areas
- Poorly drained Cape soils on toeslopes

Soil Properties and Qualities

Parent material: Acid lacustrine deposits
Drainage class: Moderately well drained
Slowest permeability within a depth of 40 inches: Moderately slow
Permeability below a depth of 60 inches: Moderately slow
Depth to restrictive feature: More than 80 inches
Available water capacity: About 12.0 inches to a depth of 60 inches
Organic matter content of surface layer: 1.0 to 3.0 percent
Shrink-swell potential: Moderate
Highest apparent seasonal high water table (depth, months): 2.5 feet; January to April

Ponding: None

Most likely flooding (frequency, months): Occasional; January to May

Potential frost action: High

Corrosivity: High for steel and high for concrete

Potential for surface runoff: Medium

Water erosion susceptibility: Moderate

Wind erosion susceptibility: Very low

Interpretive Groups

Land capability classification: 2e

Prime farmland: All areas are prime farmland

Hydric soil: No

8469C2—Emma silty clay loam, 5 to 10 percent slopes, eroded, occasionally flooded

Setting

Landform on landscape: Flood-plain step in valley

Position on landform: Summit and shoulder

Composition

Emma and similar soils: 85 percent

Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Areas that are rarely flooded or frequently flooded
- Areas that have thinner or thicker surface horizons
- Soils that have a seasonal high water table at a depth of less than 2.0 feet

Dissimilar inclusions:

- Somewhat poorly drained Hurst soils in adjacent lower areas

Soil Properties and Qualities

Parent material: Acid lacustrine deposits

Drainage class: Moderately well drained

Slowest permeability within a depth of 40 inches: Moderately slow

Permeability below a depth of 60 inches: Moderately slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 12.0 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 3.0 percent

Shrink-swell potential: Moderate

Highest apparent seasonal high water table (depth, months): 2.5 feet; January to April

Ponding: None

Most likely flooding (frequency, months): Occasional; January to May

Accelerated erosion: Surface layer has been thinned by erosion

Potential frost action: High

Corrosivity: High for steel and high for concrete

Potential for surface runoff: High

Water erosion susceptibility: Moderate

Wind erosion susceptibility: Very low

Interpretive Groups

Land capability classification: 3e

Prime farmland: Farmland of statewide importance

Hydric soil: No

8597A—Armiesburg silty clay loam, 0 to 2 percent slopes, occasionally flooded

Setting

Landform on landscape: Flood plain in valley

Composition

Armiesburg and similar soils: 85 percent

Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Areas that are rarely flooded or frequently flooded
- Soils that have a seasonal high water table at a depth of less than 3.5 feet

Dissimilar inclusions:

- Poorly drained Beaucoup soils in lower-lying or depressional areas

Soil Properties and Qualities

Parent material: Alluvium

Drainage class: Well drained

Slowest permeability within a depth of 40 inches: Moderate

Permeability below a depth of 60 inches: Moderate

Depth to restrictive feature: More than 80 inches

Available water capacity: About 11.8 inches to a depth of 60 inches

Organic matter content of surface layer: 2.0 to 4.0 percent

Shrink-swell potential: Moderate

Most likely flooding (frequency, months): Occasional; January to May

Potential frost action: High

Corrosivity: Moderate for steel and low for concrete

Potential for surface runoff: Very low

Water erosion susceptibility: Low

Wind erosion susceptibility: Very low

Interpretive Groups

Land capability classification: 2w

Prime farmland: All areas are prime farmland

Hydric soil: No

8693A—Hurst silty clay loam, 0 to 2 percent slopes, occasionally flooded

Setting

Landform on landscape: Flood-plain step in valley

Position on landform: Summit

Composition

Hurst and similar soils: 85 percent
Dissimilar soils: 15 percent

Inclusions

Similar inclusions:

- Areas that are rarely flooded or frequently flooded
- Soils that have a seasonal high water table at a depth of more than 3.5 feet
- Soils that have calcareous subsoils
- Soils that have stratified coarser subsoil material

Dissimilar inclusions:

- Moderately well drained Colp soils in more sloping areas
- Poorly drained Cape soils on toeslopes
- Poorly drained Karnak soils on toeslopes

Soil Properties and Qualities

Parent material: Lacustrine deposits

Drainage class: Somewhat poorly drained

Slowest permeability within a depth of 40 inches: Very slow

Permeability below a depth of 60 inches: Very slow

Depth to restrictive feature: More than 80 inches

Available water capacity: About 9.3 inches to a depth of 60 inches

Organic matter content of surface layer: 1.0 to 2.0 percent

Shrink-swell potential: High

Highest apparent seasonal high water table (depth, months): 1.0 foot; January to May

Ponding: None

Most likely flooding (frequency, months): Occasional; January to June

Potential frost action: Moderate

Corrosivity: High for steel and high for concrete

Potential for surface runoff: High

Water erosion susceptibility: Low

Wind erosion susceptibility: Very low

Interpretive Groups

Land capability classification: 3w

Prime farmland: Farmland of statewide importance

Hydric soil: No

MW—Miscellaneous water

This map unit consists of water bodies that are not available for recreational or wildlife uses. They are mainly associated with water supply systems or waste disposal systems.

This map unit is not assigned any interpretive groups.

W—Water

This map unit consists of natural water bodies and impoundments generally used for livestock water supplies, as wetland wildlife habitat, or for recreational purposes.

This map unit is not assigned any interpretive groups.

Use and Management of the Soils

This survey is an inventory and evaluation of the soils in the survey area. It can be used to adjust land uses to the limitations and potentials of natural resources and the environment. Also, it can help to prevent soil-related failures in land uses.

In preparing a soil survey, soil scientists, conservationists, engineers, and others collect extensive field data about the nature and behavioral characteristics of the soils. They collect data on erosion, droughtiness, flooding, and other factors that affect various soil uses and management. Field experience and collected data on soil properties and performance are used as a basis in predicting soil behavior.

Information in this section can be used to plan the use and management of soils for crops and pasture; as forestland; as sites for buildings, sanitary facilities, highways and other transportation systems, and parks and other recreational facilities; and as wildlife habitat. It can be used to identify the potentials and limitations of each soil for specific land uses and to help prevent construction failures caused by unfavorable soil properties.

Planners and others using soil survey information can evaluate the effect of specific land uses on productivity and on the environment in all or part of the survey area. The survey can help planners to maintain or create a land use pattern in harmony with the natural soil.

Contractors can use this survey to locate sources of sand and gravel, roadfill, and topsoil. They can use it to identify areas where bedrock, wetness, or very firm soil layers can cause difficulty in excavation.

Health officials, highway officials, engineers, and others may also find this survey useful. The survey can help them plan the safe disposal of wastes and locate sites for pavements, sidewalks, campgrounds, playgrounds, lawns, and trees and shrubs.

Interpretive Ratings

The interpretive tables in this survey rate the soils in the survey area for various uses. Many of the tables identify the limitations that affect specified uses and indicate the severity of those limitations. The ratings in these tables are both verbal and numerical.

Rating Class Terms

Rating classes are expressed in the tables in terms that indicate the extent to which the soils are limited by all of the soil features that affect a specified use or in terms that indicate the suitability of the soils for the use. Thus, the tables may show limitation classes or suitability classes. Terms for the limitation classes are not limited, somewhat limited, and very limited. The suitability ratings are expressed as well suited, moderately suited, poorly suited, and unsuited or as good, fair, and poor.

Numerical Ratings

Numerical ratings in the tables indicate the relative severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.00 to 1.00. They indicate

gradations between the point at which a soil feature has the greatest negative impact on the use and the point at which the soil feature is not a limitation. The limitations appear in order from the most limiting to the least limiting. Thus, if more than one limitation is identified, the most severe limitation is listed first and the least severe one is listed last.

Agronomy

General management needed for crops and pasture is suggested in this section. The system of land capability classification used by the Natural Resources Conservation Service is explained, the estimated yields of the main crops and pasture plants are listed for each soil, and prime farmland is described.

Planners of management systems for individual fields or farms should consider obtaining specific information from the local office of the Natural Resources Conservation Service or the Cooperative Extension Service.

The soils in Massac County have good potential for continued crop production, especially if the latest crop production technology is applied. This soil survey can be used as a guide for applying the latest crop production technology.

The demand for food and fiber has increased in recent years. As a result, some land of marginal quality has been used for crops. Much of this land is more susceptible to erosion than the more productive land. In addition, the number of residential tracts has increased throughout the county. These tracts commonly are in areas of prime farmland. If these trends continue, they could result in a significant decline in the quality and quantity of the land used for food and fiber.

Limitations and Hazards Affecting Cropland

The management concerns affecting the use of the detailed soil map units in the survey area for crops are shown in table 5. The main concerns include crusting, flooding, ponding, poor tilth, water erosion, and wetness. Excessive permeability, high pH, limited available water capacity, very gravelly surface-equipment limitation, and wind erosion are additional concerns.

Crusting occurs when flowing water or raindrops break down soil structural units, moving clay downward and leaving a concentration of sand and silt particles on the surface layer. Crusts can reduce the rate of water infiltration, increase the runoff rate, inhibit seedling emergence and proper growth, and reduce oxygen diffusion to seedlings.

Practices that minimize surface crusting protect the surface from the impact of raindrops and flowing water. Incorporating green manure crops, manure, or crop residue into the soil and using a system of conservation tillage help to prevent crusting by improving tilth.

Flooding occurs in unprotected areas along major rivers and their tributaries. Levees or diversions reduce the extent of crop damage caused by floodwater. Surface drainage ditches can remove floodwater if suitable outlets are available. Management of drainage in conformance with regulations influencing wetlands may require special permits and extra planning. Selecting crop varieties adapted to a shorter growing season and wetter conditions can also reduce the extent of damage caused by flooding.

Ponding is a hazard in areas where the seasonal high water table is above the surface. Land grading helps to control ponding. Surface ditches and surface inlet tile also help to remove excess water if suitable outlets are available. Management of drainage in conformance with regulations influencing wetlands may require special permits and extra planning.

Poor tilth can occur in soils when part of the subsoil is incorporated into the plow

layer, typically as a result of the thinning of the surface layer by erosion. The incorporation of subsoil material into the plow layer decreases the amount of organic matter and increases the clay content in the surface soil. Intensive rainfall can result in the formation of a crust on the surface. Poor tilth also occurs in poorly drained soils that have a high clay content, regardless of organic matter content, and in soils that have been excessively tilled. Poor tilth reduces the rate of water infiltration and increases the runoff rate and the hazard of erosion in the more sloping areas. Soils with poor tilth generally have a surface layer that is sticky when wet and hard and cloddy when dry. Because they can be tilled only within a narrow range of moisture content, seedbed preparation is difficult. Regularly returning crop residue to the soil, adding other organic material to the soil, minimizing tillage, and timing conservation tillage operations to near optimal soil moisture conditions can improve tilth.

Water erosion can occur if the surface soil is not protected against the impact of raindrops. Erosion leads to a reduction in soil aggregate stability, which reduces the rate of water infiltration and increases the rate of surface runoff. Soils with long or steep slopes are more susceptible than other soils to water erosion. Erosion, primarily sheet and rill erosion, removes the surface soil, which commonly has the highest amount of biological activity and the highest content of organic matter. The productivity of the soil is reduced as the content of organic matter and the level of natural fertility are lowered. Poor tilth and crusting can occur when the subsoil, which generally has a higher content of clay than the surface soil, is incorporated through tillage into the plow layer. Excessive runoff can impact the quality of surface water through sedimentation and contamination by pesticides.

Erosion can be controlled by a conservation tillage system that leaves crop residue on the surface after planting or by a cropping system that rotates grasses and legumes in the cropping sequence. On soils with long, uniform slopes, contour farming and/or terraces in combination with a conservation tillage system can help to control erosion.

Wetness is a limitation when the seasonal high water table is at or near the surface. Subsurface tile drains can lower the seasonal high water table if suitable outlets are available. In soils that have a high content of clay and restricted permeability, subsurface drainage may not be practical. In these soils, surface ditches can reduce the wetness. Management of drainage in conformance with regulations influencing wetlands may require special permits and extra planning.

Additional management concerns are as follows:

Excessive permeability can occur in soils that have a high content of sand, which has many large pores. The capacity of these soils to retain moisture for plant use is limited. Deep leaching of nutrients and pesticides is possible and increases the risk of ground-water pollution. Irrigation can supply the moisture needed for crops. Also, frequent applications of a small amount of fertilizer are needed; one application of a large amount of fertilizer can result in excessive leaching of plant nutrients.

High pH is a limitation if the pH is more than 8.3. This limitation can affect the availability of many plant nutrients and influences the effectiveness of herbicides. More frequent applications of a small amount of fertilizer are needed to correct nutrient imbalances. Crops may respond well to additions of phosphate fertilizer in areas where the soils are limited by a high pH. The applications of herbicides should be adjusted as the level of alkalinity increases. Incorporating green manure crops, manure, or crop residue into the soil, applying a system of conservation tillage, and using conservation cropping systems also help to overcome this limitation.

Limited available water capacity can occur in soils that have a high content of sand, a low content of clay, and a low content of organic matter. Reducing the evaporation and runoff rates and increasing the rate of water infiltration can conserve soil moisture. Measures that conserve soil moisture include applying conservation tillage and

conservation cropping systems, establishing field windbreaks, and leaving crop residue on the surface.

Very gravelly surface-equipment limitation occurs in areas that have 35 percent or more rock fragments in the surface layer. Rock fragments can cause rapid wear of equipment and can present problems with fertilization, harvest, and seedbed preparation. Equipment limitations cannot be easily overcome.

Wind erosion can occur when the surface of the soil is not protected. Wind erosion can be controlled by applying a system of conservation tillage that leaves crop residue on the surface after planting, by using tillage systems that leave the surface rough, by establishing field windbreaks, and by regularly adding organic material to the soil.

Following are explanations of the criteria used to determine the limitations listed in the table.

Crusting.—The average content of organic matter in the surface layer is less than or equal to 2.5 percent, and the content of clay is between 20 and 35 percent.

Excessive permeability.—The lower limit of the permeability rate is more than 6 inches per hour within the soil profile.

Flooding.—The soil is subject to occasional or frequent flooding.

High pH.—The upper limit of pH within a depth of 40 inches is more than 8.3.

Limited available water capacity.—The available water capacity calculated to a depth of 60 inches or to a root-limiting layer is 6 inches or less.

Ponding.—Water is above the surface. The upper limit of the ponding depth is more than 0 inches.

Poor tilth.—The content of clay in the surface layer is 27 percent or more.

Very gravelly surface-equipment limitation.—The content of rock fragments in the surface layer is 35 percent or more.

Water erosion.—The K_w factor multiplied by the slope is more than 0.8, and the slope is 3 percent or more.

Wetness.—The seasonal high water table is within a depth of 1.5 feet at some time during the growing season during normal years.

Wind erosion.—The wind erodibility group is 1 or 2.

Erosion factors (e.g., K_w factor) and wind erodibility groups are described under the heading “Physical Properties.”

Limitations and Hazards Affecting Pastureland

Management concerns affecting the use of the detailed soil map units in the survey area for pasture are shown in table 5. The main concerns in managing pastureland are low fertility, low pH, water erosion, and wetness. Additional management concerns include equipment limitations, excessive permeability, flooding, frost heave, high pH, limited available water capacity, ponding, poor tilth, and wind erosion.

Low fertility occurs in soils that have a low content of organic matter and a low cation-exchange capacity. The capacity of the soil to retain nutrients for plant use is limited. Frequent applications of small amounts of fertilizer help to prevent excessive loss of plant nutrients through leaching. Including legumes as part of a seeding mixture can provide nitrogen to the grass varieties. Timely deferment of grazing helps to maintain a vegetative cover on the surface and maintains the content of organic matter, a source of nutrients in the soil.

Low pH occurs when soils have a pH of 5.5 or less. This limitation can reduce solubility and availability of nutrients for plant growth. Selecting adapted forage and hay varieties and applying lime according to the results of soil tests can help to overcome this limitation.

Water erosion can occur in overgrazed areas or during pasture establishment and renovation, when the surface soil is not protected against raindrop impact. It results in poor tilth, which reduces the rate of water infiltration and increases the runoff rate.

Soils with long or steep slopes also are susceptible to water erosion. Erosion can be controlled by deferred grazing, which prevents overgrazing and thus also helps to prevent surface compaction and excessive runoff and erosion. Tilling on the contour, using a no-till system of seeding when a seedbed is prepared or the pasture is renovated, and selecting adapted forage and hay varieties also help to control erosion.

Wetness occurs when the seasonal high water table is at or near the surface. Subsurface tile drains help to lower the seasonal high water table if suitable outlets are available. Management of drainage in conformance with regulations may require special permits and extra planning. Selecting forage and hay varieties adapted to wet conditions can improve forage production. Restricting use during wet periods helps to keep the pasture in good condition.

Additional management concerns are as follows:

Equipment limitations occur in areas that have slopes of more than 18 percent or have 35 percent or more rock fragments in the surface layer. They can cause rapid wear of equipment and can present problems with fertilization, harvest, pasture renovation, and seedbed preparation. Equipment limitations cannot be easily overcome.

Excessive permeability can occur in soils that have a high content of sand and thus have many large pores. The capacity of these soils to retain moisture for plant use is limited. The deep leaching of nutrients and pesticides that can result can increase the risk of ground-water pollution. Irrigation can be used to supply the moisture needed for plant growth. Frequent applications of a small amount of fertilizer are needed; a single application of a large amount of fertilizer can result in excessive leaching of plant nutrients.

Flooding occurs in unprotected areas along the major rivers and their tributaries. Surface drainage ditches can help to remove floodwater if suitable outlets are available. Management of drainage in conformance with regulations may require special permits and extra planning. Selecting forage and hay varieties adapted to a shorter growing season and wetter conditions also reduces the extent of flood damage. Restricted use during wet periods helps to keep the pasture in good condition.

Frost heave occurs when ice lenses or bands develop in the soil and drive an ice wedge between two layers of soil near the surface layer. The ice wedges heave the overlying soil layer upward, snapping the roots. Soils in which the texture is low in sand have small pores that hold water and enable ice lenses to form. Selecting adapted forage and hay varieties can reduce the effects of frost heave. Timely deferment of grazing helps to maintain a vegetative cover on the surface to insulate the soil and thus reduces the effects of frost heave.

High pH is a limitation if the pH is more than 8.3. This limitation affects the availability of many nutrients for plant growth. More frequent applications of a small amount of fertilizer are needed to correct nutrient imbalances. Selecting adapted forage and hay varieties helps to overcome this limitation.

Limited available water capacity can occur in soils that have a high content of sand, a low content of clay, and a low content of organic matter. Reducing the evaporation and runoff rates and increasing the rate of water infiltration can conserve soil moisture. Measures that conserve soil moisture include applying conservation tillage and conservation cropping systems, establishing field windbreaks, and leaving crop residue on the surface.

Ponding occurs when the seasonal high water table is above the surface. Land grading helps to control ponding. Surface ditches and surface inlet tile also help to remove excess water if suitable outlets are available. Management of drainage in conformance with regulations may require special permits and extra planning. Selecting forage and hay varieties adapted to wet conditions can improve forage

production. Restricting use during wet periods helps to keep the pasture in good condition.

Poor tilth can occur in soils when part of the subsoil is incorporated into the plow layer, typically as a result of the thinning of the surface layer by erosion. Poor tilth reduces the content of organic matter and increases the clay content in the surface soil. Intensive rainfall often results in the formation of a crust on the surface. Poor tilth also occurs in poorly drained soils that have a high content of clay, regardless of organic matter content, and in soils that have been excessively tilled. Poor tilth reduces the rate of water infiltration and increases the runoff rate and the hazard of erosion in the more sloping areas. Soils with poor tilth generally have a surface layer that is sticky when wet and hard and cloddy when dry. Because they can be tilled only within a narrow range of moisture content, seedbed preparation is difficult. Minimizing tillage and timing conservation tillage operations to near optimal soil moisture conditions during pasture establishment or pasture renovation can improve tilth.

Wind erosion can occur in overgrazed areas or during pasture establishment and renovation if the surface of the soil is not protected. Wind erosion can be controlled by applying a system of conservation tillage that leaves residue on the surface after planting, by using tillage systems that leave the surface rough, by establishing field windbreaks, and by regularly adding organic material to the soil.

Following are explanations of the criteria used to determine the limitations listed in the table.

Equipment limitation.—The slope is more than 18 percent.

Excessive permeability.—The lower limit of the permeability rate is more than 6 inches per hour within the soil profile.

Flooding.—The soil is subject to occasional or frequent flooding.

Frost heave.—The potential for frost action is moderate or high, and the soil is poorly drained or very poorly drained.

High pH.—The upper limit of pH within a depth of 40 inches is more than 8.3.

Limited available water capacity.—The available water capacity calculated to a depth of 60 inches or to a root-limiting layer is 6 inches or less.

Low fertility.—The average content of organic matter in the surface layer is less than 1 percent, or the cation-exchange capacity is 7 or less.

Low pH.—The lower limit of pH within a depth of 40 inches is less than or equal to 5.5.

Ponding.—Water is above the surface. The upper limit of the ponding depth is more than 0 inches.

Poor tilth.—The content of clay in the surface layer is 27 percent or more.

Very gravelly surface-equipment limitation.—The content of rock fragments in the surface layer is 35 percent or more.

Water erosion.—The Kw factor multiplied by the slope is more than 1, and the slope is 3 percent or more.

Wetness.—The seasonal high water table is within a depth of 1.5 feet.

Wind erosion.—The wind erodibility group is 1 or 2.

Erosion factors (e.g., Kw factor) and wind erodibility groups are described under the heading “Physical Properties.”

Yields per Acre

The average yields per acre that can be expected of the principal crops and pasture plants under a high level of management are shown in table 6. In any given year, yields may be higher or lower than those indicated in the table because of variations in rainfall and other climatic factors. The land capability classification of map units in the survey area also is shown in the table.

The yields are based mainly on the experience and records of farmers,

conservationists, and extension agents. Available yield data from nearby counties and results of field trials and demonstrations are also considered. The yields in this soil survey for corn, soybeans, wheat, grain sorghum, and hay represent high levels of management and are from the University of Illinois (10). The yields in this soil survey for pasture represent average levels of management and are from the University of Illinois (9).

The management needed to obtain the indicated yields of the various crops and pasture plants depends on the kind of soil and the plant species. Management can include drainage, erosion control, and protection from flooding; the proper planting and seeding rates; suitable high-yielding plant varieties; appropriate and timely tillage; control of weeds, plant diseases, and harmful insects; favorable soil reaction and optimum levels of nitrogen, phosphorus, potassium, and trace elements for each species; effective use of crop residue, barnyard manure, and green manure crops; and harvesting that ensures the smallest possible loss.

The estimated yields reflect the productive capacity of each soil for each of the principal crops and pasture plants. Yields are likely to increase as new production technology is developed. The productivity of a given soil compared with that of other soils, however, is not likely to change.

Crops and pasture plants other than those shown in the table are grown in the survey area, but estimated yields are not listed because the acreage of such crops is small. The local office of the Natural Resources Conservation Service or of the Cooperative Extension Service can provide information about the management and productivity of the soils for those crops.

Land Capability Classification

Land capability classification shows, in a general way, the suitability of soils for most kinds of field crops. The capability classification of map units in the survey area is given in table 6. Crops that require special management are excluded. The soils are grouped according to their limitations for field crops, the risk of damage if they are used for crops, and the way they respond to management. The criteria used in grouping the soils do not take into account major and generally expensive landforming that would change slope, depth, or other characteristics of the soils, nor do they include possible but unlikely major reclamation projects. Capability classification is not a substitute for interpretations designed to show suitability and limitations of groups of soils for woodland or for engineering purposes.

In the capability system, soils generally are grouped at three levels—capability class, subclass, and unit (19). These categories indicate the degree and kinds of limitations affecting mechanized farming systems that produce the more commonly grown field crops, such as corn, small grain, cotton, hay, and field-grown vegetables. Only class and subclass are used in this survey.

Capability classes, the broadest groups, are designated by the numbers 1 through 8. The numbers indicate progressively greater limitations and narrower choices for practical use.

If properly managed, soils in classes 1, 2, 3, and 4 are suitable for the mechanized production of commonly grown field crops and for pasture and woodland. The degree of the soil limitations affecting the production of cultivated crops increases progressively from class 1 to class 4. The limitations can affect levels of production and the risk of permanent soil deterioration caused by erosion and other factors.

Soils in classes 5, 6, and 7 are generally not suited to the mechanized production of commonly grown field crops without special management, but they are suitable for plants that provide a permanent cover, such as grasses and trees. The severity of the soil limitations affecting crops increases progressively from class 5 to class 7. Areas in class 8 are generally not suitable for crops, pasture, or woodland without a level of

management that is impractical. These areas may have potential for other uses, such as recreational facilities and wildlife habitat.

Capability subclasses identify the dominant kind of limitation in the class. They are designated by adding a small letter, *e*, *w*, *s*, or *c*, to the class numeral, for example, 2e. The letter *e* shows that the main hazard is the risk of erosion unless a close-growing plant cover is maintained; *w* shows that water in or on the soil interferes with plant growth or cultivation (in some soils the wetness can be partly corrected by artificial drainage); *s* shows that the soil is limited mainly because it is shallow, droughty, or stony; and *c*, used in only some parts of the United States, shows that the chief limitation is climate that is very cold or very dry.

There are no subclasses in class 1 because the soils of this class have few limitations. Class 5 contains only the subclasses indicated by *w*, *s*, or *c* because the soils in class 5 are subject to little or no erosion. They have other limitations that restrict their use mainly to pasture, woodland, wildlife habitat, or recreation.

Prime Farmland

Prime farmland is of major importance in meeting the Nation's short- and long-range needs for food and fiber. The acreage of high-quality farmland is limited, and the U.S. Department of Agriculture recognizes that government at local, State, and Federal levels, as well as individuals, must encourage and facilitate the wise use of our Nation's prime farmland.

Prime farmland soils, as defined by the U.S. Department of Agriculture, are soils that are best suited to food, feed, forage, fiber, and oilseed crops. Such soils have properties that favor the economic production of sustained high yields of crops. The soils need only to be treated and managed by acceptable farming methods. An adequate moisture supply and a sufficiently long growing season are required. Prime farmland soils produce the highest yields with minimal expenditure of energy and economic resources, and farming these soils results in the least damage to the environment.

Prime farmland soils may presently be used as cropland, pasture, or woodland or for other purposes. They either are used for food and fiber or are available for these uses. Urban or built-up land, public land, and water areas cannot be considered prime farmland. Urban or built-up land is any contiguous unit of land 10 acres or more in size that is used for such purposes as housing, industrial, and commercial sites, sites for institutions or public buildings, small parks, golf courses, cemeteries, railroad yards, airports, sanitary landfills, sewage treatment plants, and water-control structures. Public land is land not available for farming in National forests, National parks, military reservations, and State parks.

Prime farmland soils commonly receive an adequate and dependable supply of moisture from precipitation or irrigation. The temperature and growing season are favorable, and the level of acidity or alkalinity and the content of salts and sodium are acceptable. The soils have few, if any, rocks and are permeable to water and air. They are not excessively erodible or saturated with water for long periods, and they are not frequently flooded during the growing season or are protected from flooding. Slopes range mainly from 0 to 6 percent.

Soils that have a zone high in the profile in which the soil moisture status is wet or soils that are subject to flooding may qualify as prime farmland where these limitations are overcome by drainage measures or flood control. Onsite evaluation is necessary to determine the effectiveness of corrective measures. More information about the criteria for prime farmland can be obtained at the local office of the Natural Resources Conservation Service.

A recent trend in land use has been the conversion of prime farmland to urban and

industrial uses. The loss of prime farmland to other uses puts pressure on lands that are less productive than prime farmland.

The map units in the survey area that meet the requirements for prime farmland are listed in table 7. This list does not constitute a recommendation for a particular land use. On some soils included in the table, measures that overcome limitations are needed. The need for these measures is indicated in parentheses after the map unit name. The location of each map unit is shown on the detailed soil maps. The soil qualities that affect use and management are described in the section "Detailed Soil Map Units."

Hydric Soils

In this section, hydric soils are defined and described and the hydric soils in the survey area are listed.

The three essential characteristics of wetlands are hydrophytic vegetation, hydric soils, and wetland hydrology (3, 8, 13, 14). Criteria for each of the characteristics must be met for areas to be identified as wetlands. Undrained hydric soils that have natural vegetation should support a dominant population of ecological wetland plant species. Hydric soils that have been converted to other uses should be capable of being restored to wetlands.

Hydric soils are defined by the National Technical Committee for Hydric Soils (NTCHS) as soils that formed under conditions of saturation, flooding, or ponding long enough during the growing season to develop anaerobic conditions in the upper part (4). These soils are either saturated or inundated long enough during the growing season to support the growth and reproduction of hydrophytic vegetation.

The NTCHS definition identifies general soil properties that are associated with wetness. In order to determine whether a specific soil is a hydric soil or nonhydric soil, however, more specific information, such as information about the depth and duration of the water table, is needed. Thus, criteria that identify those estimated soil properties unique to hydric soils have been established (5). These criteria are used to identify a phase of a soil series that normally is associated with wetlands. The criteria used are selected estimated soil properties that are described in "Soil Taxonomy" (15) and "Keys to Soil Taxonomy" (17) and in the "Soil Survey Manual" (21).

If soils are wet enough for a long enough period to be considered hydric, they should exhibit certain properties that can be easily observed in the field. These visible properties are indicators of hydric soils. The indicators used to make onsite determinations of hydric soils in this survey area are specified in "Field Indicators of Hydric Soils in the United States" (16).

Hydric soils are identified by examining and describing the soil to a depth of about 20 inches. This depth may be greater if determination of an appropriate indicator so requires. It is always recommended that soils be excavated and described to the depth necessary for an understanding of the redoximorphic processes. Then, using the completed soil descriptions, soil scientists can compare the soil features required by each indicator and specify which indicators have been matched with the conditions observed in the soil. The soil can be identified as a hydric soil if at least one of the approved indicators is present.

The map units in table 8 meet the definition of hydric soils and, in addition, have at least one of the hydric soil indicators. This list can help in planning land uses; however, onsite investigation is recommended to determine the hydric soils on a specific site (8).

Map units that are made up of hydric soils may have small areas, or inclusions, of nonhydric soils in the higher positions on the landform, and map units made up of nonhydric soils may have inclusions of hydric soils in the lower positions on the landform.

The map units in table 9, in general, do not meet the definition of hydric soils because they do not have one of the hydric soil indicators. A portion of these map units, however, may include hydric soils. Onsite investigation is recommended to determine whether hydric soils occur and the location of the included hydric soils.

Forestland Management

In table 10, parts I, II, and III, interpretive ratings and information are given for various aspects of forest management.

Some rating class terms indicate the degree to which the soils are suited to a specified forest management practice. *Well suited* indicates that the soil has features that are favorable for the specified practice and has no limitations. Good performance can be expected, and little or no maintenance is needed. *Moderately suited* indicates that the soil has features that are moderately favorable for the specified practice. One or more soil properties are less than desirable and fair performance can be expected. Some maintenance is needed. *Poorly suited* indicates that the soil has one or more properties that are unfavorable for the specified practice. Overcoming the unfavorable properties requires special design, extra maintenance, and costly alteration. *Unsuited* indicates that the expected performance of the soil is unacceptable for the specified practice or that extreme measures are needed to overcome the undesirable soil properties.

Some rating class terms indicate the degree of limitation that restricts the use of a soil for a specific purpose. A *slight* rating is given to soils that have properties favorable for the use. Good performance and low maintenance can be expected. A *moderate* rating is given to soils that have properties that are moderately favorable for the use, and the limitation can be overcome or modified by special planning, design, or maintenance. The expected performance is somewhat less desirable than for soils rated slight. A *severe* rating is given to soils that have one or more properties unfavorable for the rated use. This degree of limitation generally requires major soil reclamation, special design, or intensive maintenance.

Numerical ratings in the table indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.00 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the specified forest management practice (1.00) and the point at which the soil feature is not a limitation (0.00).

The paragraphs that follow indicate the soil properties considered in rating the soils for forest management practices. More detailed information about the criteria used in the ratings is available in the "National Forestry Manual," which is available at the local office of the Natural Resources Conservation Service or on the Internet.

For *limitations affecting construction of haul roads and log landings*, the ratings are based on slope, flooding, permafrost, plasticity index, the hazard of soil slippage, content of sand, the Unified classification, rock fragments on or below the surface, depth to a restrictive layer that is indurated, depth to a water table, and ponding. The limitations are described as slight, moderate, or severe. A rating of slight indicates that no significant limitations affect construction activities, moderate indicates that one or more limitations can cause some difficulty in construction, and severe indicates that one or more limitations can make construction very difficult or very costly.

The ratings of *suitability for log landings* are based on slope, rock fragments on the surface, plasticity index, content of sand, the Unified classification, depth to a water table, ponding, flooding, and the hazard of soil slippage. The soils are described as well suited, moderately suited, or poorly suited.

The ratings of *suitability for equipment operability* for logging areas are based on slope, landscape stability, water table duration, stoniness, boulder content, soil texture,

and flooding. The soils are described as well suited, moderately suited, or poorly suited.

The ratings for *suitability for mechanized site preparation* are based on soil erodibility, soil texture, soil depth, drainage, water table duration, flooding, and the amount of cobbles, stones, or boulders on the surface. The soils are described as well suited, moderately suited, or poorly suited.

For limitations affecting *prescribed burning*, the ratings are based on slope, soil texture, drainage class, and rooting depth. Soils rated slight have few limitations that affect the reestablishment of vegetation. Soils that have moderate limitations require post-burning practices to achieve the desired results. Soils that have severe limitations require post-burning practices to achieve the desired erosion control.

Ratings in the column *erosion hazard on roads and trails* are based on the soil erodibility factor K, slope, and content of rock fragments. The ratings apply to unsurfaced roads and trails. The hazard is described as slight, moderate, or severe. A rating of slight indicates that little or no erosion is likely; moderate indicates that some erosion is likely, that the roads or trails may require occasional maintenance, or that simple erosion-control measures are needed; and severe indicates that significant erosion is expected, that the roads or trails require frequent maintenance, and that costly erosion-control measures are needed.

Ratings in the column *suitability for roads (natural surface)* are based on slope, rock fragments on the surface, plasticity index, content of sand, the Unified classification, depth to a water table, ponding, flooding, and the hazard of soil slippage. The ratings indicate the suitability for using the natural surface of the soil for roads. The soils are described as well suited, moderately suited, or poorly suited.

Forestland Productivity

Information about the *potential productivity* of map unit components for merchantable or *common trees* is provided in table 11. The four common tree species are white oak, northern red oak, eastern cottonwood, and pin oak. Site indices are listed for soils where the species are commonly grown. The site indices in this soil survey are from the University of Illinois (9).

The potential productivity of a component is expressed as a *site index*. The site index is the average height, in feet, that dominant and codominant trees of a given species attain in a specified number of years. The site index applies to fully stocked, even-aged, unmanaged stands. Commonly grown trees are those that woodland managers generally favor in intermediate or improvement cuttings. They are selected on the basis of growth rate, quality, value, and marketability.

Suggested trees to plant are those that are preferred for planting, seeding, or natural regeneration and those that remain in the stand after thinning or partial harvest.

Windbreaks and Environmental Plantings

Windbreaks protect livestock, buildings, and yards from wind and snow. They also protect fruit trees and gardens, and they furnish habitat for wildlife. Several rows of low- and high-growing broadleaf and coniferous trees and shrubs provide the most protection.

Field windbreaks are narrow plantings made at right angles to the prevailing wind and at specific intervals across the field. The interval depends on the erodibility of the soil. Field windbreaks protect cropland and crops from wind, help to keep snow on the fields, and provide food and cover for wildlife.

Environmental plantings help to beautify and screen houses and other buildings and to abate noise. The plants, mostly evergreen shrubs and trees, are closely spaced. To

ensure plant survival, a healthy planting stock of suitable species should be planted properly on a well prepared site and maintained in good condition.

Windbreaks are often planted on land that did not originally support trees. Knowledge of how trees perform on such land can be gained only by observing and recording the performance of trees that have been planted and have survived. Many popular windbreak species are not indigenous to the areas in which they are planted.

Each tree or shrub species has certain climatic and physiographic limits. Within these parameters, a tree or shrub may grow well or grow poorly, depending on the characteristics of the soil. Each tree or shrub has definable potential heights in a given physiographic area and under a given climate. Accurate definitions of potential heights are necessary when a windbreak is planned and designed.

Table 12 shows the height that locally grown trees and shrubs are expected to reach in 20 years on various soils. The estimates in this table are based on measurements and observation of established plantings that have been given adequate care. They can be used as a guide in planning windbreaks and screens. Additional information on planning windbreaks and screens and planting and caring for trees and shrubs can be obtained from the local office of the Natural Resources Conservation Service or the Cooperative Extension Service or from a nursery.

Recreation

The soils in the survey area are rated in table 13, parts I and II, according to limitations that affect their suitability for recreation. The ratings are both verbal and numerical. Rating class terms indicate the extent to which the soils are limited by all of the soil features that affect the recreational uses. *Not limited* indicates that the soil has features that are very favorable for the specified use. Good performance and very low maintenance can be expected. *Somewhat limited* indicates that the soil has features that are moderately favorable for the specified use. The limitations can be overcome or minimized by special planning, design, or installation. Fair performance and moderate maintenance can be expected. *Very limited* indicates that the soil has one or more features that are unfavorable for the specified use. The limitations generally cannot be overcome without major soil reclamation, special design, or expensive installation procedures. Poor performance and high maintenance can be expected.

Numerical ratings in the table indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.01 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the use (1.00) and the point at which the soil feature is not a limitation (0.00).

The ratings in the table are based on restrictive soil features, such as wetness, slope, and texture of the surface layer. Susceptibility to flooding is considered. Not considered in the ratings, but important in evaluating a site, are the location and accessibility of the area, the size and shape of the area and its scenic quality, vegetation, access to water, potential water impoundment sites, and access to public sewer lines. The capacity of the soil to absorb septic tank effluent and the ability of the soil to support vegetation also are important. Soils that are subject to flooding are limited for recreational uses by the duration and intensity of flooding and the season when flooding occurs. In planning recreational facilities, onsite assessment of the height, duration, intensity, and frequency of flooding is essential.

The information in table 13 can be supplemented by other information in this survey, for example, interpretations for building site development, construction materials, sanitary facilities, and water management.

Camp areas require site preparation, such as shaping and leveling the tent and parking areas, stabilizing roads and intensively used areas, and installing sanitary facilities and utility lines. Camp areas are subject to heavy foot traffic and some vehicular traffic. The ratings are based on the soil properties that affect the ease of

developing camp areas and the performance of the areas after development. Slope, stoniness, and depth to bedrock or a cemented pan are the main concerns affecting the development of camp areas. The soil properties that affect the performance of the areas after development are those that influence trafficability and promote the growth of vegetation, especially in heavily used areas. For good trafficability, the surface of camp areas should absorb rainfall readily, remain firm under heavy foot traffic, and not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Picnic areas are subject to heavy foot traffic. Most vehicular traffic is confined to access roads and parking areas. The ratings are based on the soil properties that affect the ease of developing picnic areas and that influence trafficability and the growth of vegetation after development. Slope and stoniness are the main concerns affecting the development of picnic areas. For good trafficability, the surface of picnic areas should absorb rainfall readily, remain firm under heavy foot traffic, and not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Playgrounds require soils that are nearly level, are free of stones, and can withstand intensive foot traffic. The ratings are based on the soil properties that affect the ease of developing playgrounds and that influence trafficability and the growth of vegetation after development. Slope and stoniness are the main concerns affecting the development of playgrounds. For good trafficability, the surface of the playgrounds should absorb rainfall readily, remain firm under heavy foot traffic, and not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Paths and trails for hiking and horseback riding should require little or no slope modification through cutting and filling. The ratings are based on the soil properties that affect trafficability and erodibility. These properties are stoniness, depth to a seasonal high water table, ponding, flooding, slope, and texture of the surface layer.

Off-road motorcycle trails require little or no site preparation. They are not covered with surfacing material or vegetation. Considerable compaction of the soil material is likely. The ratings are based on the soil properties that influence erodibility, trafficability, dustiness, and the ease of revegetation. These properties are stoniness, slope, depth to a water table, ponding, flooding, and texture of the surface layer.

Golf fairways are subject to heavy foot traffic and some light vehicular traffic. Cutting or filling may be required. Irrigation is not considered in the ratings. The ratings are based on the soil properties that affect plant growth and trafficability after vegetation is established. The properties that affect plant growth are reaction; depth to a water table; ponding; depth to bedrock or a cemented pan; the available water capacity in the upper 40 inches; the content of salts, sodium, or calcium carbonate; and sulfidic materials. The properties that affect trafficability are flooding, depth to a water table, ponding, slope, stoniness, and the amount of sand, clay, or organic matter in the surface layer. The suitability of the soil for traps, tees, roughs, and greens is not considered in the ratings.

Wildlife Habitat

Pulaski County provides a variety of habitat for wildlife, including forests, pastureland, extensive bottom-land areas, bluffs, and wetlands. The wildlife is also

varied. There are populations of white-tailed deer, red-tailed hawks, bald eagles, wild turkey, snakes, gray squirrels, rabbits, bobwhite quail, and furbearers and many other nongame birds, mammals, amphibians, and reptiles. Wetland areas and streams support waterfowl, wading birds, shore birds, mink, muskrat, and a few river otters. Local conservation officials can assist in the selection of plants and the planning of wildlife habitat areas.

Soils affect the kind and amount of vegetation that is available to wildlife as food and cover. They also affect the construction of water impoundments. The kind and abundance of wildlife depend largely on the amount and distribution of food, cover, and water. Wildlife habitat can be created or improved by planting the appropriate vegetation, by maintaining the existing plant cover, or by promoting the natural establishment of desirable plants.

In table 14, the soils in the survey area are rated according to their potential for providing habitat for various kinds of wildlife. This information can be used in planning parks, wildlife refuges, nature study areas, and other developments for wildlife; in selecting soils that are suitable for establishing, improving, or maintaining specific elements of wildlife habitat; and in determining the intensity of management needed for each element of the habitat.

The potential of the soil is rated good, fair, poor, or very poor. A rating of *good* indicates that the element or kind of habitat is easily established, improved, or maintained. Few or no limitations affect management, and satisfactory results can be expected. A rating of *fair* indicates that the element or kind of habitat can be established, improved, or maintained in most places. Moderately intensive management is required for satisfactory results. A rating of *poor* indicates that limitations are severe for the designated element or kind of habitat. Habitat can be created, improved, or maintained in most places, but management is difficult and must be intensive. A rating of *very poor* indicates that restrictions for the element or kind of habitat are very severe and that unsatisfactory results can be expected. Creating, improving, or maintaining habitat is impractical or impossible.

The elements of wildlife habitat are described in the following paragraphs.

Grain and seed crops are domestic grains and seed-producing herbaceous plants. Soil properties and features that affect the growth of grain and seed crops are depth of the root zone, texture of the surface layer, available water capacity, wetness, slope, surface stoniness, and flooding. Soil temperature and soil moisture also are considerations. Examples of grain and seed crops are corn, wheat, sorghum, and soybeans.

Grasses and legumes are domestic perennial grasses and herbaceous legumes. Soil properties and features that affect the growth of grasses and legumes are depth of the root zone, texture of the surface layer, available water capacity, wetness, surface stoniness, flooding, and slope. Soil temperature and soil moisture also are considerations. Examples of grasses and legumes are fescue, orchardgrass, bromegrass, clover, and alfalfa.

Wild herbaceous plants are native or naturally established grasses and forbs, including weeds. Soil properties and features that affect the growth of these plants are depth of the root zone, texture of the surface layer, available water capacity, wetness, surface stoniness, and flooding. Soil temperature and soil moisture also are considerations. Examples of wild herbaceous plants are bluestem, ragweed, beggarticks, broomsedge, and grama.

Hardwood trees and woody understory produce nuts or other fruit, buds, catkins, twigs, bark, and foliage. Soil properties and features that affect the growth of hardwood trees and shrubs are depth of the root zone, available water capacity, and wetness. Examples of these plants are oak, poplar, cherry, sweetgum, apple, hawthorn, dogwood, hickory, blackberry, and blueberry.

Coniferous plants furnish browse and seeds. Soil properties and features that affect

the growth of coniferous trees, shrubs, and ground cover are depth of the root zone, available water capacity, and wetness. Examples of coniferous plants are pine, spruce, fir, cedar, and juniper.

Wetland plants are annual and perennial wild herbaceous plants that grow on moist or wet sites. Submerged or floating aquatic plants are excluded. Soil properties and features affecting wetland plants are texture of the surface layer, wetness, reaction, salinity, slope, and surface stoniness. Examples of wetland plants are smartweed, wild millet, wildrice, cattail, cordgrass, rushes, sedges, and reeds.

Shallow water areas have an average depth of less than 5 feet. Some are naturally wet areas. Others are created by dams, levees, or other water-control structures. Soil properties and features affecting shallow water areas are depth to bedrock, wetness, surface stoniness, slope, and permeability. Examples of shallow water areas are marshes, waterfowl feeding areas, and ponds.

The habitat for various kinds of wildlife is described in the following paragraphs.

Habitat for openland wildlife consists of cropland, pasture, meadows, and areas that are overgrown with grasses, herbs, shrubs, and vines. These areas produce grain and seed crops, grasses and legumes, and wild herbaceous plants. Wildlife attracted to these areas include bobwhite quail, pheasant, meadowlark, field sparrow, cottontail, and red fox.

Habitat for woodland wildlife consists of areas of deciduous and/or coniferous plants and associated grasses, legumes, and wild herbaceous plants. Wildlife attracted to these areas include wild turkey, woodcock, thrushes, woodpeckers, squirrels, gray fox, raccoon, and deer.

Habitat for wetland wildlife consists of open, marshy or swampy shallow water areas. Some of the wildlife attracted to such areas are ducks, geese, herons, shore birds, muskrat, mink, and beaver.

Engineering

This section provides information for planning land uses related to urban development and to water management. Soils are rated for various uses, and the most limiting features are identified. Ratings are given for building site development, sanitary facilities, construction materials, and water management. The ratings are based on observed performance of the soils and on the estimated data and test data in the "Soil Properties" section.

Information in this section is intended for land use planning, for evaluating land use alternatives, and for planning site investigations prior to design and construction. The information, however, has limitations. For example, estimates and other data generally apply only to that part of the soil between the surface and a depth of 5 to 7 feet. Because of the map scale, small areas of different soils may be included within the mapped areas of a specific soil.

The information is not site specific and does not eliminate the need for onsite investigation of the soils or for testing and analysis by personnel experienced in the design and construction of engineering works.

Government ordinances and regulations that restrict certain land uses or impose specific design criteria were not considered in preparing the information in this section. Local ordinances and regulations should be considered in planning, in site selection, and in design.

Soil properties, site features, and observed performance were considered in determining the ratings in this section. During the fieldwork for this soil survey, determinations were made about particle-size distribution, liquid limit, plasticity index, soil reaction, depth to bedrock, hardness of bedrock within 5 to 7 feet of the surface, soil wetness, depth to a water table, ponding, slope, likelihood of flooding, natural soil structure aggregation, and soil density. Data were collected about kinds of clay

minerals, mineralogy of the sand and silt fractions, and the kinds of adsorbed cations. Estimates were made for erodibility, permeability, corrosivity, shrink-swell potential, available water capacity, and other behavioral characteristics affecting engineering uses.

This information can be used to evaluate the potential of areas for residential, commercial, industrial, and recreational uses; make preliminary estimates of construction conditions; evaluate alternative routes for roads, streets, highways, pipelines, and underground cables; evaluate alternative sites for sanitary landfills, septic tank absorption fields, and sewage lagoons; plan detailed onsite investigations of soils and geology; locate potential sources of gravel, sand, earthfill, and topsoil; plan drainage systems, irrigation systems, ponds, terraces, and other structures for soil and water conservation; and predict performance of proposed small structures and pavements by comparing the performance of existing similar structures on the same or similar soils.

The information in the tables, along with the soil maps, the soil descriptions, and other data provided in this survey, can be used to make additional interpretations.

Some of the terms used in this soil survey have a special meaning in soil science and are defined in the Glossary.

Building Site Development

Soil properties influence the development of building sites, including the selection of the site, the design of the structure, construction, performance after construction, and maintenance. Table 15, parts I and II, show the degree and kind of soil limitations that affect dwellings with and without basements, small commercial buildings, local roads and streets, shallow excavations, and lawns and landscaping.

The ratings in the table are both verbal and numerical. Rating class terms indicate the extent to which the soils are limited by all of the soil features that affect building site development. *Not limited* indicates that the soil has features that are very favorable for the specified use. Good performance and very low maintenance can be expected. *Slightly limited* indicates that the soil has features that are favorable for the specified use. The limitations are minor and can be easily overcome. Good performance and low maintenance can be expected. *Somewhat limited* indicates that the soil has features that are moderately favorable for the specified use. The limitations can be overcome or minimized by special planning, design, or installation. Fair performance and moderate maintenance can be expected. *Very limited* indicates that the soil has one or more features that are unfavorable for the specified use. The limitations generally cannot be overcome without major soil reclamation, special design, or expensive installation procedures. Poor performance and high maintenance can be expected.

Numerical ratings in the table indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.00 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the use (1.00) and the point at which the soil feature is not a limitation (0.00).

Dwellings are single-family houses of three stories or less. For dwellings without basements, the foundation is assumed to consist of spread footings of reinforced concrete built on undisturbed soil at a depth of 2 feet or at the depth of maximum frost penetration, whichever is deeper. For dwellings with basements, the foundation is assumed to consist of spread footings of reinforced concrete built on undisturbed soil at a depth of about 7 feet. The ratings for dwellings are based on the soil properties that affect the capacity of the soil to support a load without movement and on the properties that affect excavation and construction costs. The properties that affect the load-supporting capacity include depth to a water table, ponding, flooding, subsidence, linear extensibility (shrink-swell potential), and compressibility. Compressibility is inferred from the Unified classification. The properties that affect the ease and amount

of excavation include depth to a water table, ponding, flooding, slope, depth to bedrock or a cemented pan, hardness of bedrock or a cemented pan, and the amount and size of rock fragments.

Small commercial buildings are structures that are less than three stories high and do not have basements. The foundation is assumed to consist of spread footings of reinforced concrete built on undisturbed soil at a depth of 2 feet or at the depth of maximum frost penetration, whichever is deeper. The ratings are based on the soil properties that affect the capacity of the soil to support a load without movement and on the properties that affect excavation and construction costs. The properties that affect the load-supporting capacity include depth to a water table, ponding, flooding, subsidence, linear extensibility (shrink-swell potential), and compressibility (which is inferred from the Unified classification). The properties that affect the ease and amount of excavation include flooding, depth to a water table, ponding, slope, depth to bedrock or a cemented pan, hardness of bedrock or a cemented pan, and the amount and size of rock fragments.

Local roads and streets have an all-weather surface and carry automobile and light truck traffic all year. They have a subgrade of cut or fill soil material; a base of gravel, crushed rock, or soil material stabilized by lime or cement; and a surface of flexible material (asphalt), rigid material (concrete), or gravel with a binder. The ratings are based on the soil properties that affect the ease of excavation and grading and the traffic-supporting capacity. The properties that affect the ease of excavation and grading are depth to bedrock or a cemented pan, hardness of bedrock or a cemented pan, depth to a water table, ponding, flooding, the amount of large stones, and slope. The properties that affect the traffic-supporting capacity are soil strength (as inferred from the AASHTO group index number), subsidence, linear extensibility (shrink-swell potential), the potential for frost action, depth to a water table, and ponding.

Shallow excavations are trenches or holes dug to a maximum depth of 5 or 6 feet for graves, utility lines, open ditches, or other purposes. The ratings are based on the soil properties that influence the ease of digging and the resistance to sloughing. Depth to bedrock or a cemented pan, hardness of bedrock or a cemented pan, the amount of large stones, and dense layers influence the ease of digging, filling, and compacting. Depth to the seasonal high water table, flooding, and ponding may restrict the period when excavations can be made. Slope influences the ease of using machinery. Soil texture, depth to the water table, and linear extensibility (shrink-swell potential) influence the resistance to sloughing.

Lawns and landscaping require soils on which turf and ornamental trees and shrubs can be established and maintained. Irrigation is not considered in the ratings. The ratings are based on the soil properties that affect plant growth and trafficability after vegetation is established. The properties that affect plant growth are reaction; depth to a water table; ponding; depth to bedrock or a cemented pan; the available water capacity in the upper 40 inches; the content of salts, sodium, or calcium carbonate; and sulfidic materials. The properties that affect trafficability are flooding, depth to a water table, ponding, slope, stoniness, and the amount of sand, clay, or organic matter in the surface layer.

Sanitary Facilities

Table 16, parts I and II, show the degree and kind of soil limitations that affect septic tank absorption fields, sewage lagoons, sanitary landfills, and daily cover for landfill. The ratings are both verbal and numerical. Rating class terms indicate the extent to which the soils are limited by all of the soil features that affect these uses. *Not limited* indicates that the soil has features that are very favorable for the specified use. Good performance and very low maintenance can be expected. *Slightly limited* indicates that the soil has features that are favorable for the specified use. The limitations are minor

and can be easily overcome. Good performance and low maintenance can be expected. *Somewhat limited* indicates that the soil has features that are moderately favorable for the specified use. The limitations can be overcome or minimized by special planning, design, or installation. Fair performance and moderate maintenance can be expected. *Very limited* indicates that the soil has one or more features that are unfavorable for the specified use. The limitations generally cannot be overcome without major soil reclamation, special design, or expensive installation procedures. Poor performance and high maintenance can be expected.

Numerical ratings in the table indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.00 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the use (1.00) and the point at which the soil feature is not a limitation (0.00).

Septic tank absorption fields are areas in which effluent from a septic tank is distributed into the soil through subsurface tiles or perforated pipe. Only that part of the soil between depths of 24 and 60 inches is evaluated. The ratings are based on the soil properties that affect absorption of the effluent, construction and maintenance of the system, and public health. Permeability, depth to a water table, ponding, depth to bedrock or a cemented pan, and flooding affect absorption of the effluent. Stones and boulders, ice, and bedrock or a cemented pan interfere with installation. Subsidence interferes with installation and maintenance. Excessive slope may cause lateral seepage and surfacing of the effluent in downslope areas.

Some soils are underlain by loose sand and gravel or fractured bedrock at a depth of less than 4 feet below the distribution lines. In these soils the absorption field may not adequately filter the effluent, particularly when the system is new. As a result, the ground water may become contaminated.

Sewage lagoons are shallow ponds constructed to hold sewage while aerobic bacteria decompose the solid and liquid wastes. Lagoons should have a nearly level floor surrounded by cut slopes or embankments of compacted soil. Nearly impervious soil material for the lagoon floor and sides is required to minimize seepage and contamination of ground water. Considered in the ratings are slope, permeability, depth to a water table, ponding, depth to bedrock or a cemented pan, flooding, large stones, and content of organic matter.

Soil permeability is a critical property affecting the suitability for sewage lagoons. Most porous soils eventually become sealed when they are used as sites for sewage lagoons. Until sealing occurs, however, the hazard of pollution is severe. Soils that have a permeability rate of more than 2 inches per hour are too porous for the proper functioning of sewage lagoons. In these soils, seepage of the effluent can result in contamination of the ground water. Ground-water contamination is also a hazard if fractured bedrock is within a depth of 40 inches, if the water table is high enough to raise the level of sewage in the lagoon, or if floodwater overtops the lagoon.

A high content of organic matter is detrimental to proper functioning of the lagoon because it inhibits aerobic activity. Slope, bedrock, and cemented pans can cause construction problems, and large stones can hinder compaction of the lagoon floor. If the lagoon is to be uniformly deep throughout, the slope must be gentle enough and the soil material must be thick enough over bedrock or a cemented pan to make land smoothing practical.

A trench sanitary landfill is an area where solid waste is placed in successive layers in an excavated trench. The waste is spread, compacted, and covered daily with a thin layer of soil excavated at the site. When the trench is full, a final cover of soil material at least 2 feet thick is placed over the landfill. The ratings in the table are based on the soil properties that affect the risk of pollution, the ease of excavation, trafficability, and revegetation. These properties include permeability, depth to bedrock or a cemented pan, depth to a water table, ponding, slope, flooding, texture, stones and boulders, highly organic layers, soil reaction, and content of salts and sodium. Unless otherwise

stated, the ratings apply only to that part of the soil within a depth of about 6 feet. For deeper trenches, onsite investigation may be needed.

Hard, nonrippable bedrock, creviced bedrock, or highly permeable strata in or directly below the proposed trench bottom can affect the ease of excavation and the hazard of ground-water pollution. Slope affects construction of the trenches and the movement of surface water around the landfill. It also affects the construction and performance of roads in areas of the landfill.

Soil texture and consistence affect the ease with which the trench is dug and the ease with which the soil can be used as daily or final cover. They determine the workability of the soil when dry and when wet. Soils that are plastic and sticky when wet are difficult to excavate, grade, or compact and are difficult to place as a uniformly thick cover over a layer of refuse.

The soil material used as the final cover for a trench landfill should be suitable for plants. It should not have excess sodium or salts and should not be too acid. The surface layer generally has the best workability, the highest content of organic matter, and the best potential for plants. Material from the surface layer should be stockpiled for use as the final cover.

In an *area sanitary landfill*, solid waste is placed in successive layers on the surface of the soil. The waste is spread, compacted, and covered daily with a thin layer of soil from a source away from the site. A final cover of soil material at least 2 feet thick is placed over the completed landfill. The ratings in the table are based on the soil properties that affect trafficability and the risk of pollution. These properties include flooding, permeability, depth to a water table, ponding, slope, and depth to bedrock or a cemented pan.

Flooding is a serious problem because it can result in pollution in areas downstream from the landfill. If permeability is too rapid or if fractured bedrock, a fractured cemented pan, or the water table is close to the surface, the leachate can contaminate the water supply. Slope is a consideration because of the extra grading required to maintain roads in the steeper areas of the landfill. Also, leachate may flow along the surface of the soils in the steeper areas and cause difficult seepage problems.

Daily cover for landfill is the soil material that is used to cover compacted solid waste in an area sanitary landfill. The soil material is obtained offsite, transported to the landfill, and spread over the waste. The ratings in the table also apply to the final cover for a landfill. They are based on the soil properties that affect workability, the ease of digging, and the ease of moving and spreading the material over the refuse daily during wet and dry periods. These properties include soil texture, depth to a water table, ponding, rock fragments, slope, depth to bedrock or a cemented pan, reaction, and content of salts, sodium, or lime.

Loamy or silty soils that are free of large stones and excess gravel are the best cover for a landfill. Clayey soils may be sticky and difficult to spread; sandy soils are subject to wind erosion.

Slope affects the ease of excavation and of moving the cover material. Also, it can influence runoff, erosion, and reclamation of the borrow area.

After soil material has been removed, the soil material remaining in the borrow area must be thick enough over bedrock, a cemented pan, or the water table to permit revegetation. The soil material used as the final cover for a landfill should be suitable for plants. It should not have excess sodium, salts, or lime and should not be too acid.

Construction Materials

Table 17, parts I and II, give information about the soils as potential sources of gravel, sand, topsoil, reclamation material, and roadfill. Normal compaction, minor processing, and other standard construction practices are assumed.

Soil Survey of Massac County, Illinois

Sand and *gravel* are natural aggregates suitable for commercial use with a minimum of processing. They are used in many kinds of construction. Specifications for each use vary widely. In table 17, only the likelihood of finding material in suitable quantity is evaluated. The suitability of the material for specific purposes is not evaluated, nor are factors that affect excavation of the material. The properties used to evaluate the soil as a source of sand or gravel are gradation of grain sizes (as indicated by the Unified classification of the soil), the thickness of suitable material, and the content of rock fragments. If the bottom layer of the soil contains sand or gravel, the soil is considered a likely source regardless of thickness. The assumption is that the sand or gravel layer below the depth of observation exceeds the minimum thickness.

The soils are rated *good*, *fair*, or *poor* as potential sources of sand and gravel. A rating of *good* or *fair* means that the source material is likely to be in or below the soil. The bottom layer and the thickest layer of the soils are assigned numerical ratings. These ratings indicate the likelihood that the layer is a source of sand or gravel. The number 0.00 indicates that the layer is an unlikely source. A number between 0.00 and 1.00 indicates the degree to which the layer is a likely source.

The soils are rated *good*, *fair*, or *poor* as potential sources of reclamation material, roadfill, and topsoil. The features that limit the soils as sources of these materials are specified in the table. The numerical ratings given after the specified features indicate the degree to which the features limit the soils as sources of reclamation material, roadfill, or topsoil. The lower the number, the greater the limitation.

Reclamation material is used in areas that have been drastically disturbed by surface mining or similar activities. When these areas are reclaimed, layers of soil material or unconsolidated geological material, or both, are replaced in a vertical sequence. The reconstructed soil favors plant growth. The ratings in the table do not apply to quarries and other mined areas that require an offsite source of reconstruction material. The ratings are based on the soil properties that affect erosion and stability of the surface and the productive potential of the reconstructed soil. These properties include the content of sodium, salts, and calcium carbonate; reaction; available water capacity; erodibility; texture; content of rock fragments; and content of organic matter and other features that affect fertility.

Roadfill is soil material that is excavated in one place and used in road embankments in another place. In this table, the soils are rated as a source of roadfill for low embankments, generally less than 6 feet high and less exacting in design than higher embankments.

The ratings are for the whole soil, from the surface to a depth of about 5 feet. It is assumed that soil layers will be mixed when the soil material is excavated and spread.

The ratings are based on the amount of suitable material and on soil properties that affect the ease of excavation and the performance of the material after it is in place. The thickness of the suitable material is a major consideration. The ease of excavation is affected by large stones, depth to a water table, and slope. How well the soil performs in place after it has been compacted and drained is determined by its strength (as inferred from the AASHTO classification of the soil) and linear extensibility (shrink-swell potential).

Topsoil is used to cover an area so that vegetation can be established and maintained. The upper 40 inches of a soil is evaluated for use as topsoil. Also evaluated is the reclamation potential of the borrow area. The ratings are based on the soil properties that affect plant growth; the ease of excavating, loading, and spreading the material; and reclamation of the borrow area. Toxic substances, soil reaction, and the properties that are inferred from soil texture, such as available water capacity and fertility, affect plant growth. The ease of excavating, loading, and spreading is affected by rock fragments, slope, depth to a water table, soil texture, and thickness of suitable

material. Reclamation of the borrow area is affected by slope, depth to a water table, rock fragments, depth to bedrock or a cemented pan, and toxic material.

The surface layer of most soils is generally preferred for topsoil because of its organic matter content. Organic matter greatly increases the absorption and retention of moisture and nutrients for plant growth.

Water Management

Table 18, parts I, II, and III, give information on the soil properties and site features that affect water management. The degree and kind of soil limitations are given for pond reservoir areas; embankments, dikes, and levees; and aquifer-fed excavated ponds. The limitations are considered *slight* if soil properties and site features are generally favorable for the indicated use and limitations are minor and are easily overcome; *moderate* if soil properties or site features are not favorable for the indicated use and special planning, design, or maintenance is needed to overcome or minimize the limitations; and *severe* if soil properties or site features are so unfavorable or so difficult to overcome that special design, significant increase in construction costs, and possibly increased maintenance are required.

Numerical ratings in the table indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.00 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the use (1.00) and the point at which the soil feature is not a limitation (0.00).

This table also gives for each soil the restrictive features that affect grassed waterways and surface drains, terraces and diversions, tile drains and underground outlets, and irrigation.

Pond reservoir areas hold water behind a dam or embankment. Soils best suited to this use have low seepage potential in the upper 60 inches. The seepage potential is determined by the permeability of the soil and the depth to fractured bedrock or other permeable material. Excessive slope can affect the storage capacity of the reservoir area.

Embankments, dikes, and levees are raised structures of soil material, generally less than 20 feet high, constructed to impound water or to protect land against overflow. In this table, the soils are rated as a source of material for embankment fill. The ratings apply to the soil material below the surface layer to a depth of about 5 feet. It is assumed that soil layers will be uniformly mixed and compacted during construction.

The ratings do not indicate the ability of the natural soil to support an embankment. Soil properties to a depth even greater than the height of the embankment can affect performance and safety of the embankment. Generally, deeper onsite investigation is needed to determine these properties.

Soil material in embankments must be resistant to seepage, piping, and erosion and have favorable compaction characteristics. Unfavorable features include less than 5 feet of suitable material and a high content of stones or boulders, organic matter, or salts or sodium. A high water table affects the amount of usable material. It also affects trafficability.

Aquifer-fed excavated ponds are pits or dugouts that extend to a ground-water aquifer or to a depth below a permanent water table. Excluded are ponds that are fed only by surface runoff and embankment ponds that impound water 3 feet or more above the original surface. Excavated ponds are affected by depth to a permanent water table, permeability of the aquifer, and quality of the water as inferred from the salinity of the soil. Depth to bedrock and the content of large stones affect the ease of excavation.

Grassed waterways and surface drains are natural or constructed channels, generally broad and shallow, that conduct surface water to outlets at a nonerosive

velocity. Large stones, wetness, slope, and depth to bedrock or a cemented pan affect the construction of grassed waterways. A hazard of wind erosion, low available water capacity, restricted rooting depth, toxic substances such as salts and sodium, and restricted permeability adversely affect the growth and maintenance of the grass after construction.

Terraces and diversions are embankments or a combination of channels and ridges constructed across a slope to control erosion and conserve moisture by intercepting runoff. Slope, wetness, large stones, and depth to bedrock or a cemented pan affect the construction of terraces and diversions. A restricted rooting depth, a severe hazard of wind erosion or water erosion, an excessively coarse texture, and restricted permeability adversely affect maintenance.

Tile drains and underground outlets remove excess surface and subsurface water from the soil. How easily and effectively the soil is drained depends on the depth to bedrock or other layers that affect the rate of water movement; permeability; depth to a high water table or depth of standing water if the soil is subject to ponding; slope; susceptibility to flooding; subsidence of organic layers; and the potential for frost action. Excavating and grading and the stability of ditchbanks are affected by depth to bedrock, large stones, slope, and the hazard of cutbanks caving. The productivity of the soil after drainage is adversely affected by extreme acidity or by toxic substances in the root zone, such as salts, sodium, and sulfur.

Irrigation is the controlled application of water to supplement rainfall and support plant growth. The design and management of an irrigation system are affected by depth to the water table, the need for drainage, flooding, available water capacity, intake rate, permeability, erosion hazard, and slope. The construction of a system is affected by large stones and depth to bedrock or a cemented pan. The performance of a system is affected by the depth of the root zone, the amount of salts or sodium, and soil reaction.

Sprinkler irrigation is a method of irrigation in which water is pumped through nozzles and sprayed, or sprinkled, through the air to the ground surface.

Drip or trickle irrigation is a method of irrigation in which water is applied to the soil surface as drops or small streams through emitters.

Soil Properties

Data relating to soil properties are collected during the course of the soil survey.

Soil properties are ascertained by field examination of the soils and by laboratory index testing of some benchmark soils. Established standard procedures are followed. During the survey, many shallow borings are made and examined to identify and classify the soils and to delineate them on the soil maps. Samples are taken from some typical profiles and tested in the laboratory to determine particle-size distribution, plasticity, and compaction characteristics.

Estimates of soil properties are based on field examinations, on laboratory tests of samples from the survey area, and on laboratory tests of samples of similar soils in nearby areas. Tests verify field observations, verify properties that cannot be estimated accurately by field observation, and help to characterize key soils.

The estimates of soil properties are shown in the tables. They include engineering index properties, physical and chemical properties, and pertinent soil and water features.

Engineering Index Properties

Table 19 gives the engineering classifications and the range of index properties for the layers of each soil in the survey area.

Depth to the upper and lower boundaries of each layer is indicated.

Texture is given in the standard terms used by the U.S. Department of Agriculture. These terms are defined according to percentages of sand, silt, and clay in the fraction of the soil that is less than 2 millimeters in diameter. "Loam," for example, is soil that is 7 to 27 percent clay, 28 to 50 percent silt, and less than 52 percent sand. If the content of particles coarser than sand is 15 percent or more, an appropriate modifier is added, for example, "gravelly." Textural terms are defined in the Glossary.

Classification of the soils is determined according to the Unified soil classification system (2) and the system adopted by the American Association of State Highway and Transportation Officials (1).

The Unified system classifies soils according to properties that affect their use as construction material. Soils are classified according to particle-size distribution of the fraction less than 3 inches in diameter and according to plasticity index, liquid limit, and organic matter content. Sandy and gravelly soils are identified as GW, GP, GM, GC, SW, SP, SM, and SC; silty and clayey soils as ML, CL, OL, MH, CH, and OH; and highly organic soils as PT. Soils exhibiting engineering properties of two groups can have a dual classification, for example, CL-ML.

The AASHTO system classifies soils according to those properties that affect roadway construction and maintenance. In this system, the fraction of a mineral soil that is less than 3 inches in diameter is classified in one of seven groups from A-1 through A-7 on the basis of particle-size distribution, liquid limit, and plasticity index. Soils in group A-1 are coarse grained and low in content of fines (silt and clay). At the other extreme, soils in group A-7 are fine grained. Highly organic soils are classified in group A-8 on the basis of visual inspection.

If laboratory data are available, the A-1, A-2, and A-7 groups are further classified

as A-1-a, A-1-b, A-2-4, A-2-5, A-2-6, A-2-7, A-7-5, or A-7-6. As an additional refinement, the suitability of a soil as subgrade material can be indicated by a group index number. Group index numbers range from 0 for the best subgrade material to 20 or higher for the poorest.

Rock fragments larger than 10 inches in diameter and 3 to 10 inches in diameter are indicated as a percentage of the total soil on a dry-weight basis. The percentages are estimates determined mainly by converting volume percentage in the field to weight percentage.

Percentage (of soil particles) passing designated sieves is the percentage of the soil fraction less than 3 inches in diameter based on an oven-dry weight. The sieves, numbers 4, 10, 40, and 200 (USA Standard Series), have openings of 4.76, 2.00, 0.420, and 0.074 millimeters, respectively. Estimates are based on laboratory tests of soils sampled in the survey area and in nearby areas and on estimates made in the field.

Liquid limit and plasticity index (Atterberg limits) indicate the plasticity characteristics of a soil. The estimates are based on test data from the survey area or from nearby areas and on field examination.

The estimates of particle-size distribution, liquid limit, and plasticity index are generally rounded to the nearest 5 percent. Thus, if the ranges of gradation and Atterberg limits extend a marginal amount (1 or 2 percentage points) across classification boundaries, the classification in the marginal zone is generally omitted in the table.

Physical Properties

Table 20 shows estimates of some physical characteristics and features that affect soil behavior. These estimates are given for the layers of each soil in the survey area. The estimates are based on field observations and on test data for these and similar soils.

Depth to the upper and lower boundaries of each layer is indicated.

Particle size is the effective diameter of a soil particle as measured by sedimentation, sieving, or micrometric methods. Particle sizes are expressed as classes with specific effective diameter class limits. The broad classes are sand, silt, and clay, ranging from the larger to the smaller.

Sand as a soil separate consists of mineral soil particles that are 0.05 millimeter to 2 millimeters in diameter. In table 20, the estimated sand content of each soil layer is given as a percentage, by weight, of the soil material that is less than 2 millimeters in diameter.

Silt as a soil separate consists of mineral soil particles that are 0.002 to 0.05 millimeter in diameter. The estimated silt content of each soil layer is given as a percentage, by weight, of the soil material that is less than 2 millimeters in diameter.

Clay as a soil separate consists of mineral soil particles that are less than 0.002 millimeter in diameter. The estimated clay content of each soil layer is given as a percentage, by weight, of the soil material that is less than 2 millimeters in diameter.

The content of sand, silt, and clay affects the physical behavior of a soil. Particle size is important for engineering and agronomic interpretations, for determination of soil hydrologic qualities, and for soil classification.

The amount and kind of clay affect the fertility and physical condition of the soil and the ability of the soil to adsorb cations and to retain moisture. They influence shrink-swell potential, permeability, plasticity, the ease of soil dispersion, and other soil properties. The amount and kind of clay in a soil also affect tillage and earthmoving operations.

Moist bulk density is the weight of soil (oven-dry) per unit volume. Volume is

measured when the soil is at field moisture capacity, that is, the moisture content at $1/3$ - or $1/10$ -bar (33kPa or 10kPa) moisture tension. Weight is determined after the soil is dried at 105 degrees C. In the table, the estimated moist bulk density of each soil horizon is expressed in grams per cubic centimeter of soil material that is less than 2 millimeters in diameter. Bulk density data are used to compute shrink-swell potential, available water capacity, total pore space, and other soil properties. The moist bulk density of a soil indicates the pore space available for water and roots. Depending on soil texture, a bulk density of more than 1.4 can restrict water storage and root penetration. Moist bulk density is influenced by texture, kind of clay, content of organic matter, and soil structure.

Permeability (K_{sat}) refers to the ability of a soil to transmit water or air. The term “permeability,” as used in soil surveys, indicates saturated hydraulic conductivity (K_{sat}). The estimates in the table indicate the rate of water movement, in inches per hour, when the soil is saturated. They are based on soil characteristics observed in the field, particularly structure, porosity, and texture. Permeability is considered in the design of soil drainage systems and septic tank absorption fields.

Available water capacity refers to the quantity of water that the soil is capable of storing for use by plants. The capacity for water storage is given in inches of water per inch of soil for each soil layer. The capacity varies, depending on soil properties that affect retention of water. The most important properties are the content of organic matter, soil texture, bulk density, and soil structure. Available water capacity is an important factor in the choice of plants or crops to be grown and in the design and management of irrigation systems. Available water capacity is not an estimate of the quantity of water actually available to plants at any given time.

Linear extensibility refers to the change in length of an unconfined clod as moisture content is decreased from a moist to a dry state. It is an expression of the volume change between the water content of the clod at $1/3$ - or $1/10$ -bar tension (33kPa or 10kPa tension) and oven dryness. The volume change is reported in the table as percent change for the whole soil. Volume change is influenced by the amount and type of clay minerals in the soil.

Linear extensibility is used to determine the shrink-swell potential of soils. The shrink-swell potential is low if the soil has a linear extensibility of less than 3 percent; moderate if 3 to 6 percent; high if 6 to 9 percent; and very high if more than 9 percent. If the linear extensibility is more than 3, shrinking and swelling can cause damage to buildings, roads, and other structures and to plant roots. Special design commonly is needed.

Organic matter is the plant and animal residue in the soil at various stages of decomposition. In table 20, the estimated content of organic matter is expressed as a percentage, by weight, of the soil material that is less than 2 millimeters in diameter.

The content of organic matter in a soil can be maintained by returning crop residue to the soil. Organic matter has a positive effect on available water capacity, water infiltration, soil organism activity, and tilth. It is a source of nitrogen and other nutrients for crops and soil organisms.

Erosion factors are shown in table 20 as the K factor (K_w and K_f) and the T factor. Erosion factor K indicates the susceptibility of a soil to sheet and rill erosion by water. Factor K is one of six factors used in the Universal Soil Loss Equation (USLE) and the Revised Universal Soil Loss Equation (RUSLE) to predict the average annual rate of soil loss by sheet and rill erosion in tons per acre per year. The estimates are based primarily on percentage of silt, sand, and organic matter and on soil structure and permeability. Values of K range from 0.02 to 0.69. Other factors being equal, the higher the value, the more susceptible the soil is to sheet and rill erosion by water.

Erosion factor K_w indicates the erodibility of the whole soil. The estimates are modified by the presence of rock fragments.

Erosion factor Kf indicates the erodibility of the fine-earth fraction, or the material less than 2 millimeters in size.

Erosion factor T is an estimate of the maximum average annual rate of soil erosion by wind or water that can occur without affecting crop productivity over a sustained period. The rate is in tons per acre per year.

Wind erodibility groups are made up of soils that have similar properties affecting their susceptibility to wind erosion in cultivated areas. The soils assigned to group 1 are the most susceptible to wind erosion, and those assigned to group 8 are the least susceptible. The groups are as follows:

1. Coarse sands, sands, fine sands, and very fine sands.
2. Loamy coarse sands, loamy sands, loamy fine sands, loamy very fine sands, ash material, and sapric soil material.
3. Coarse sandy loams, sandy loams, fine sandy loams, and very fine sandy loams.
- 4L. Calcareous loams, silt loams, clay loams, and silty clay loams.
4. Clays, silty clays, noncalcareous clay loams, and silty clay loams that are more than 35 percent clay.
5. Noncalcareous loams and silt loams that are less than 20 percent clay and sandy clay loams, sandy clays, and hemic soil material.
6. Noncalcareous loams and silt loams that are more than 20 percent clay and noncalcareous clay loams that are less than 35 percent clay.
7. Silts, noncalcareous silty clay loams that are less than 35 percent clay, and fibric soil material.
8. Soils that are not subject to wind erosion because of coarse fragments on the surface or because of surface wetness.

Wind erodibility index is a numerical value indicating the susceptibility of soil to wind erosion, or the tons per acre per year that can be expected to be lost to wind erosion. There is a close correlation between wind erosion and the texture of the surface layer, the size and durability of surface clods, rock fragments, organic matter, and a calcareous reaction. Soil moisture and frozen soil layers also influence wind erosion.

Chemical Properties

Table 21 shows estimates of some chemical characteristics and features that affect soil behavior. These estimates are given for the layers of each soil in the survey area. The estimates are based on field observations and on test data for these and similar soils.

Depth to the upper and lower boundaries of each layer is indicated.

Soil reaction is a measure of acidity or alkalinity. The pH of each soil horizon is based on many field tests. For many soils, values have been verified by laboratory analyses. Soil reaction is important in selecting crops and other plants, in evaluating soil amendments for fertility and stabilization, and in determining the risk of corrosion.

Cation-exchange capacity is the total amount of extractable bases that can be held by the soil, expressed in terms of milliequivalents per 100 grams of soil at neutrality (pH 7.0) or at some other stated pH value. Soils having a low cation-exchange capacity hold fewer cations and may require more frequent applications of fertilizer than soils having a high cation-exchange capacity. The ability to retain cations reduces the hazard of ground-water pollution.

Effective cation-exchange capacity refers to the sum of extractable bases plus aluminum expressed in terms of milliequivalents per 100 grams of soil. It is determined for soils that have a pH of less than 5.5.

Calcium carbonate equivalent is the percent of carbonates, by weight, in the fraction of the soil less than 2 millimeters in size. The availability of plant nutrients is influenced

by the amount of carbonates in the soil. Incorporating nitrogen fertilizer into calcareous soils helps to prevent nitrite accumulation and ammonium-N volatilization.

Water Features

Table 22 gives estimates of various water features. The estimates are used in land use planning that involves engineering considerations.

Hydrologic soil groups are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The four hydrologic soil groups are:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group, the first letter is for drained areas and the second is for undrained areas.

The *months* in the table indicate the portion of the year in which the water table is most likely to be a concern.

Water table refers to a saturated zone in the soil. Table 22 indicates, by month, depth to the top (*upper limit*) and base (*lower limit*) of the saturated zone in most years. Estimates of the upper and lower limits are based mainly on observations of the water table at selected sites and on evidence of a saturated zone, namely grayish colors or mottles (redoximorphic features) in the soil. A saturated zone that lasts for less than a month is not considered a water table.

Also indicated in the table is the *kind of water table*. An *apparent* water table is a thick zone of free water in the soil. It is indicated by the level at which water stands in an uncased borehole after adequate time is allowed for adjustment in the surrounding soil. A *perched* water table is water standing above an unsaturated zone. In places, an upper, or perched, water table is separated from a lower one by a dry zone.

Ponding is standing water in a closed depression. Unless a drainage system is installed, the water is removed only by percolation, transpiration, or evaporation. Table 22 indicates *surface water depth* and the *duration* and *frequency* of ponding. Duration is expressed as *very brief* if less than 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, rare, occasional, and frequent. *None* means that ponding is not probable; *rare* that it is unlikely but possible under unusual weather conditions (the chance of ponding is nearly 0 percent to 5 percent in any year); *occasional* that it occurs, on the average, once or less in 2 years (the chance of ponding is 5 to 50 percent in any year); and *frequent* that it occurs, on the average, more than once in 2 years (the chance of ponding is more than 50 percent in any year).

Flooding is the temporary inundation of an area caused by overflowing streams, by runoff from adjacent slopes, or by tides. Water standing for short periods after rainfall or snowmelt is not considered flooding, and water standing in swamps and marshes is considered ponding rather than flooding.

Duration and frequency are estimated. Duration is expressed as *extremely brief* if 0.1 hour to 4 hours, *very brief* if 4 hours to 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, very rare, rare, occasional, frequent, and very frequent. *None* means that flooding is not probable; *very rare* that it is very unlikely but possible under extremely unusual weather conditions (the chance of flooding is less than 1 percent in any year); *rare* that it is unlikely but possible under unusual weather conditions (the chance of flooding is 1 to 5 percent in any year); *occasional* that it occurs infrequently under normal weather conditions (the chance of flooding is 5 to 50 percent in any year); *frequent* that it is likely to occur often under normal weather conditions (the chance of flooding is more than 50 percent in any year but is less than 50 percent in all months in any year); and *very frequent* that it is likely to occur very often under normal weather conditions (the chance of flooding is more than 50 percent in all months of any year).

The information is based on evidence in the soil profile, namely thin strata of gravel, sand, silt, or clay deposited by floodwater; irregular decrease in organic matter content with increasing depth; and little or no horizon development.

Also considered are local information about the extent and levels of flooding and the relation of each soil on the landscape to historic floods. Information on the extent of flooding based on soil data is less specific than that provided by detailed engineering surveys that delineate flood-prone areas at specific flood frequency levels.

Soil Features

Table 23 gives estimates of various soil features. The estimates are used in land use planning that involves engineering considerations.

A *restrictive layer* is a nearly continuous layer that has one or more physical, chemical, or thermal properties that significantly impede the movement of water and air through the soil or that restrict roots or otherwise provide an unfavorable root environment. Examples are bedrock, cemented layers, dense layers, and frozen layers. The table indicates the hardness of the restrictive layer, which significantly affects the ease of excavation. *Depth to top* is the vertical distance from the soil surface to the upper boundary of the restrictive layer.

Potential for frost action is the likelihood of upward or lateral expansion of the soil caused by the formation of segregated ice lenses (frost heave) and the subsequent collapse of the soil and loss of strength on thawing. Frost action occurs when moisture moves into the freezing zone of the soil. Temperature, texture, density, permeability, content of organic matter, and depth to the water table are the most important factors considered in evaluating the potential for frost action. It is assumed that the soil is not insulated by vegetation or snow and is not artificially drained. Silty and highly structured, clayey soils that have a high water table in winter are the most susceptible to frost action. Well drained, very gravelly, or very sandy soils are the least susceptible. Frost heave and low soil strength during thawing cause damage to pavements and other rigid structures.

Risk of corrosion pertains to potential soil-induced electrochemical or chemical action that corrodes or weakens uncoated steel or concrete. The rate of corrosion of uncoated steel is related to such factors as soil moisture, particle-size distribution, acidity, and electrical conductivity of the soil. The rate of corrosion of concrete is based mainly on the sulfate and sodium content, texture, moisture content, and acidity of the soil. Special site examination and design may be needed if the combination of factors results in a severe hazard of corrosion. The steel or concrete in installations that

Soil Survey of Massac County, Illinois

intersect soil boundaries or soil layers is more susceptible to corrosion than the steel or concrete in installations that are entirely within one kind of soil or within one soil layer.

For uncoated steel, the risk of corrosion, expressed as low, moderate, or high, is based on soil drainage class, total acidity, electrical resistivity near field capacity, and electrical conductivity of the saturation extract.

For concrete, the risk of corrosion also is expressed as low, moderate, or high. It is based on soil texture, acidity, and amount of sulfates in the saturation extract.

Classification of the Soils

The system of soil classification used by the National Cooperative Soil Survey has six categories (15, 17). Beginning with the broadest, these categories are the order, suborder, great group, subgroup, family, and series. Classification is based on soil properties observed in the field or inferred from those observations or from laboratory measurements. Table 24 shows the classification of the soils in the survey area. The categories are defined in the following paragraphs.

ORDER. Twelve soil orders are recognized. The differences among orders reflect the dominant soil-forming processes and the degree of soil formation. Each order is identified by a word ending in *sol*. An example is Alfisol.

SUBORDER. Each order is divided into suborders primarily on the basis of properties that influence soil genesis and are important to plant growth or properties that reflect the most important variables within the orders. The last syllable in the name of a suborder indicates the order. An example is Udalf (*Ud*, meaning humid, plus *alf*, from Alfisol).

GREAT GROUP. Each suborder is divided into great groups on the basis of close similarities in kind, arrangement, and degree of development of pedogenic horizons; soil moisture and temperature regimes; and base status. Each great group is identified by the name of a suborder and by a prefix that indicates a property of the soil. An example is Hapludalfs (*Hapl*, meaning simple, plus *udalf*, the suborder of the Alfisols that has an udic moisture regime).

SUBGROUP. Each great group has a typic subgroup. Other subgroups are intergrades or extragrades. The typic is the central concept of the great group; it is not necessarily the most extensive. Intergrades are transitions to other orders, suborders, or great groups. Extragrades have some properties that are not representative of the great group but do not indicate transitions to any other known kind of soil. Each subgroup is identified by one or more adjectives preceding the name of the great group. The adjective *Typic* identifies the subgroup that typifies the great group. An example is Typic Hapludalfs.

FAMILY. Families are established within a subgroup on the basis of physical and chemical properties and other characteristics that affect management. Generally, the properties are those of horizons below plow depth where there is much biological activity. Among the properties and characteristics considered are particle-size class, mineralogy class, cation-exchange activity class, soil temperature regime, soil depth, and reaction class. A family name consists of the name of a subgroup preceded by terms that indicate soil properties. An example is coarse-loamy, mixed, superactive, mesic Typic Hapludalfs.

SERIES. The series consists of soils that have similar horizons in their profile. The horizons are similar in color, texture, structure, reaction, consistence, mineral and chemical composition, and arrangement in the profile. The texture of the surface layer or of the substratum can differ within a series.

Soil Series and Their Morphology

In this section, arranged in alphabetical order, each soil series recognized in the survey area is described. Characteristics of the soil and the material in which it formed

are identified for each series. A pedon, a small three-dimensional area of soil, that is typical of the series in the survey area is described. The detailed description of each soil horizon follows standards in the "Soil Survey Manual" (21). Many of the technical terms used in the descriptions are defined in "Soil Taxonomy" (15) and in "Keys to Soil Taxonomy" (17). Unless otherwise indicated, colors in the descriptions are for moist soil. Following the pedon description is the range of important characteristics of the soils in the series.

Alford Series

Taxonomic classification: Fine-silty, mixed, superactive, mesic Ultic Hapludalfs

Typical Pedon

Alford silt loam; on a gently sloping, convex, east-facing slope in a cultivated field at an elevation of about 560 feet above mean sea level, approximately 2,200 feet southwest and 1,200 feet southeast of the northwest corner of Donation 162, T. 2 N., R. 9 W.; in Knox County, Indiana; USGS Fritchton, IN-IL topographic quadrangle; lat. 38 degrees 37 minutes 46 seconds N. and long. 87 degrees 26 minutes 06 seconds W.; UTM Zone 16, Easting 462146, Northing 4275764, NAD 83:

- Ap—0 to 6 inches; brown (10YR 4/3) silt loam, light yellowish brown (10YR 6/4) dry; weak medium granular structure; friable; few fine roots; moderately acid; abrupt smooth boundary.
- Bt1—6 to 9 inches; brown (7.5YR 5/4) silty clay loam; weak medium subangular blocky structure; friable; common distinct brown (7.5YR 4/4) clay films on faces of ped; few fine roots; very strongly acid; clear smooth boundary.
- Bt2—9 to 22 inches; brown (7.5YR 4/4) silty clay loam; moderate medium subangular blocky structure; firm; few fine roots; many distinct reddish brown (5YR 4/4) clay films on faces of peds; very strongly acid; clear wavy boundary.
- Bt3—22 to 32 inches; brown (7.5YR 4/4) silty clay loam; moderate coarse subangular blocky structure; firm; few fine roots; many distinct reddish brown (5YR 4/4) clay films on faces of peds; common medium black (10YR 2/1) iron-manganese concretions; very strongly acid; clear wavy boundary.
- Bt4—32 to 72 inches; brown (7.5YR 4/4) silt loam; weak coarse subangular blocky structure; friable; common distinct reddish brown (5YR 4/4) clay films on faces of peds; 1 percent sand; strongly acid; gradual wavy boundary.
- 2BC—72 to 80 inches; brown (7.5YR 4/4) silt loam; weak coarse subangular blocky structure; friable; 22 percent sand; moderately acid.

Range in Characteristics

The depth to the base of the argillic horizon: 44 to 80 inches

The particle-size control section averages: 25 to 32 percent clay and 1 to 5 percent sand

Ap or A horizon:

Hue—10YR

Value—4

Chroma—2 or 3

Texture—silt loam; silty clay loam in some severely eroded pedons

Reaction—very strongly acid or strongly acid in unlimed areas

Bt horizon:

Hue—10YR or 7.5YR

Value—4 or 5

Chroma—4 to 6

Soil Survey of Massac County, Illinois

Texture—silt loam or silty clay loam
Reaction—very strongly acid or strongly acid

BC horizon (if it occurs):

Hue—10YR or 7.5YR
Value—4 or 5
Chroma—4 to 6
Texture—silt loam
Clay content—12 to 22 percent
Sand content—3 to 8 percent
Reaction—strongly acid to slightly acid

2BC horizon:

Hue—10YR or 7.5YR
Value—4 or 5
Chroma—4 to 6
Texture—silt loam
Clay content—12 to 22 percent
Sand content—15 to 30 percent
Reaction—strongly acid to slightly acid

Alvin Series

Taxonomic classification: Coarse-loamy, mixed, superactive, mesic Typic Hapludalfs

Typical Pedon

Alvin fine sandy loam; on a terrace in a wooded area at an elevation of about 340 feet above mean sea level, 1,070 feet west of a north-south field lane and 20 feet south of the centerline of an east-west field lane in the SW1/4 SW1/4 NE1/4 SW1/4 of sec. 11, T. 14 S., R. 3 E.; in Massac County, Illinois; USGS Mermet, IL topographic quadrangle; lat. 37 degrees 18 minutes 37 seconds N. and long. 88 degrees 51 minutes 07 seconds W.; UTM Zone 16, Easting 335884, Northing 4130908, NAD 83:

- A—0 to 2 inches; very dark grayish brown (10YR 3/2) fine sandy loam, grayish brown (10YR 5/2) dry; weak fine granular structure; friable; very strongly acid; abrupt smooth boundary.
- E—2 to 10 inches; 80 percent dark yellowish brown (10YR 4/4) and 20 percent yellowish brown (10YR 5/4) fine sandy loam; weak fine granular structure; friable; few very fine black (N 2.5/0) iron-manganese concretions; very strongly acid; clear smooth boundary.
- BE—10 to 16 inches; dark yellowish brown (10YR 4/4) very fine sandy loam; weak medium subangular blocky structure; friable; strongly acid; clear smooth boundary.
- Bt1—16 to 28 inches; brown (7.5YR 4/4) very fine sandy loam; moderate medium subangular blocky structure; friable; few faint reddish brown (5YR 4/4) clay films on faces of peds; very strongly acid; gradual smooth boundary.
- Bt2—28 to 42 inches; brown (7.5YR 4/4) very fine sandy loam; weak medium subangular blocky structure; friable; few faint reddish brown (5YR 4/4) clay films on faces of peds; very strongly acid; gradual smooth boundary.
- BC—42 to 58 inches; brown (7.5YR 4/4) loamy fine sand; weak coarse subangular blocky structure; friable; very strongly acid; clear smooth boundary.
- C—58 to 80 inches; brown (7.5YR 4/4) loamy fine sand; massive; friable; strongly acid.

Range in Characteristics

Depth to the base of the argillic horizon: 40 to more than 80 inches

Ap or A horizon:

Hue—10YR

Value—3 or 4

Chroma—1 to 4

Texture—commonly very fine sandy loam, fine sandy loam, or sandy loam; less commonly loamy sand or loamy fine sand

E, EB, or BE horizon:

Hue—10YR or 7.5YR

Value—4 to 6

Chroma—2 to 4

Texture—very fine sandy loam, fine sandy loam, sandy loam, or loamy fine sand

Bt horizon:

Hue—10YR or 7.5YR

Value—4 to 6

Chroma—3 to 6

Texture—very fine sandy loam, fine sandy loam, loam, or sandy loam with thin layers of sandy clay loam

BC or C horizon:

Hue—10YR or 7.5YR

Value—4 to 6

Chroma—3 to 6

Texture—fine sandy loam, loamy fine sand, very fine sand, or fine sand

Armiesburg Series

Taxonomic classification: Fine-silty, mixed, superactive, mesic Fluventic Hapludolls

Typical Pedon

Armiesburg silty clay loam; on a flood plain in a cultivated field at an elevation of about 325 feet above mean sea level, approximately 360 feet north of an east-west gravel road and 310 feet east of the center of a north-south gravel road in the NE1/4 SW1/4 NE1/4 SW1/4 of sec. 28, T. 16 S., R. 6 E.; in Massac County, Illinois; USGS Paducah East, IL topographic quadrangle; lat. 37 degrees 05 minutes 27 seconds N. and long. 88 degrees 33 minutes 35 seconds W.; UTM Zone 16, Easting 361383, Northing 4106087, NAD 83:

Ap—0 to 6 inches; very dark grayish brown (10YR 3/2) silty clay loam, grayish brown (10YR 5/2) dry; weak fine granular structure; friable; neutral; abrupt smooth boundary.

A—6 to 15 inches; dark brown (10YR 3/3) silty clay loam, brown (10YR 5/3) dry; weak coarse subangular blocky structure; firm; many worm channels; slightly alkaline; gradual smooth boundary.

BA—15 to 30 inches; brown (10YR 4/3) silty clay loam; weak very coarse to medium subangular blocky structure; firm; common distinct dark grayish brown (10YR 4/2) organic coatings on faces of peds; few distinct very dark brown (10YR 2/2) and very dark grayish brown (10YR 3/2) clay bridging in root channels; slightly alkaline; diffuse smooth boundary.

Bw1—30 to 42 inches; dark yellowish brown (10YR 4/4) silty clay loam that contains few sand grains; weak coarse to fine subangular blocky structure; firm; fine pores; few distinct dark grayish brown (10YR 4/2) organic coatings on faces of peds; few fine prominent black (N 2.5/0) iron-manganese concretions; few fine shiny particles, possibly mica; slightly alkaline; diffuse smooth boundary.

Bw2—42 to 67 inches; dark yellowish brown (10YR 4/4) silty clay loam that contains

Soil Survey of Massac County, Illinois

some fine sand; weak medium and fine subangular blocky structure; firm; fine pores in peds; few distinct dark grayish brown (10YR 4/2) wormcasts and organo-clay films in worm channels; fine shiny grains, possibly mica; few fine prominent black (N 2.5/0) iron-manganese concretions; slightly alkaline; gradual wavy boundary.

C—67 to 80 inches; dark yellowish brown (10YR 4/4) silt loam that contains some very fine sand; massive; friable; few distinct dark grayish brown (10YR 4/2) wormcasts and organo-clay films in worm channels; few fine prominent black (N 2.5/0) iron-manganese concretions; more shiny particles than horizons above, possibly mica; slightly alkaline.

Range in Characteristics

Thickness of the mollic epipedon: 10 to 20 inches

Depth to the base of diagnostic horizon: More than 38 inches

Ap or A horizon:

Hue—10YR

Value—2 or 3

Chroma—1 to 3

Texture—silt loam or silty clay loam

BA horizon:

Hue—10YR

Value—3 to 5

Chroma—3 or 4

Texture—silt loam or silty clay loam

Bw horizon:

Hue—10YR

Value—4 or 5

Chroma—3 or 4

Texture—silt loam or silty clay loam; clay loam in the lower part

C horizon:

Hue—10YR

Value—3 to 5

Chroma—3 or 4

Texture—silt loam, silty clay loam, or loam

Beasley Series

Taxonomic classification: Fine, mixed, active, mesic Typic Hapludalfs

Typical Pedon

Beasley silt loam; in a moderately steep, wooded area at an elevation of about 530 feet above mean sea level, approximately 460 feet along a gravel road northeast from the centerline of Illinois Route 146, about 125 feet southwest from the centerline of a gravel road in the SE1/4 NW1/4 NW1/4 SW1/4 of sec. 18, T. 13 S., R. 7 E.; in Pope County, Illinois; USGS Shelterville, IL topographic quadrangle; lat. 37 degrees 23 minutes 09 seconds N. and long. 88 degrees 29 minutes 19 seconds W.; UTM Zone 16 Easting 368211, Northing 4138712, NAD 83:

A—0 to 1 inch; brown (10YR 4/3) silt loam, pale brown (10YR 6/3) dry; moderate fine granular structure; friable; many roots; neutral; abrupt smooth boundary.

E—1 to 7 inches; yellowish brown (10YR 5/4) silt loam; weak thin platy structure

Soil Survey of Massac County, Illinois

- parting to weak fine granular; friable; many roots; moderately acid; clear smooth boundary.
- Bt1—7 to 14 inches; strong brown (7.5YR 5/6) silty clay; common fine distinct light yellowish brown (10YR 6/4) mottles; weak medium angular blocky structure parting to moderate very fine angular blocky; very firm; common roots; few faint yellowish red (5YR 5/6) clay films on faces of peds; 5 percent sandstone fragments; few very fine black (N 2.5/0) iron-manganese concretions; moderately acid; gradual wavy boundary.
- Bt2—14 to 22 inches; yellowish brown (10YR 5/6) clay; common fine faint yellowish brown (10YR 5/4), light olive brown (2.5Y 5/4), and strong brown (7.5YR 5/6) mottles; weak fine and very fine angular blocky structure; very firm; few roots; few faint strong brown (7.5YR 5/6) clay films on faces of peds; common very fine black (N 2.5/0) iron-manganese concretions; neutral; clear wavy boundary.
- C—22 to 36 inches; light brownish gray (2.5Y 6/2) gravelly clay; common very fine and fine distinct yellowish brown (10YR 5/6) and light olive brown (2.5Y 5/6) mottles; massive; very firm; gray (5Y 6/1) and light olive gray (5Y 6/2) slickensides; 15 to 30 percent olive (5Y 5/6) and olive gray (5Y 5/2) fine shale fragments; shale fragments are strongly effervescent; slightly alkaline; gradual wavy boundary.
- Cr—36 to 80 inches; olive (5Y 5/3), olive gray (5Y 5/2), and greenish gray (5G 6/1) soft calcareous shale.

Range in Characteristics

Thickness of loess: 0 to 24 inches

Thickness of the solum: 20 to 40 inches

Depth to calcareous shale bedrock: 36 to 60 inches

Content of rock fragments: 0 to 10 percent in the solum and 0 to 35 percent in the C horizon

Reaction: Very strongly acid to neutral in the upper solum, moderately acid to moderately alkaline in the BC horizon, and neutral to moderately alkaline in the C and Cr horizons

Other characteristics: Some pedons do not have an E horizon; some pedons have a silty clay loam or silty clay BA horizon that is 3 to 8 inches thick; some pedons have a BC horizon

A, Ap, and E horizons:

Hue—2.5Y or 10YR

Value—3 to 5

Chroma—2 to 4

Texture—silt loam or silty clay loam

Bt or 2Bt horizon:

Hue—2.5Y, 10YR, or 7.5YR

Value—4 or 5

Chroma—3 to 8

Texture—silty clay or clay

C, Cr, 2C, or 2Cr horizon:

Hue—10Y, 5GY, 10GY, 5G, 5Y, 2.5Y, 10YR, or 7.5YR

Value—4 to 6

Chroma—2 to 6

Texture—clay, silty clay, or silty clay loam

Other features—the C horizons may be in either the residuum from the soft calcareous rocks or in colluvium derived from these rocks; the soft bedrock has clay beds that are 1 inch to more than 12 inches thick in some pedons

Beaucoup Series

Taxonomic classification: Fine-silty, mixed, superactive, mesic Fluvaquentic Endoaquolls

Typical Pedon

Beaucoup silty clay loam; on a flood plain in a cultivated field at an elevation of about 396 feet above mean sea level, approximately 2,120 feet west and 2,140 feet south of the northeast corner of sec. 17, T. 2 S., R. 11 W.; in Monroe County, Illinois; USGS Valmeyer, IL topographic quadrangle; lat. 38 degrees 21 minutes 53 seconds N. and long. 90 degrees 20 minutes 22 seconds W.; UTM Zone 15, Easting 732454, Northing 4249641, NAD 83:

- Ap—0 to 11 inches; very dark gray (10YR 3/1) silty clay loam, grayish brown (10YR 5/2) dry; moderate fine granular structure; friable; common fine roots; neutral; abrupt smooth boundary.
- AB—11 to 16 inches; very dark grayish brown (10YR 3/2) silty clay loam, grayish brown (10YR 5/2) dry; moderate fine angular blocky structure; friable; common fine roots; common fine distinct dark yellowish brown (10YR 4/4) masses of oxidized iron and manganese; neutral; clear smooth boundary.
- Bg1—16 to 24 inches; dark grayish brown (2.5Y 4/2) silty clay loam; moderate medium prismatic structure parting to moderate fine angular blocky; friable; few fine roots; few faint very dark grayish brown (2.5Y 3/2) organic coatings on faces of peds; common fine prominent reddish brown (5YR 4/4) masses of oxidized iron and manganese; slightly alkaline; clear smooth boundary.
- Bg2—24 to 35 inches; dark grayish brown (2.5Y 4/2) silty clay loam; moderate medium prismatic structure parting to moderate fine angular blocky; friable; few very fine roots; common faint very dark grayish brown (2.5Y 3/2) organic coatings on faces of peds; thin band with dark grayish brown (2.5Y 4/2) silt coats, light brownish gray (2.5Y 6/2) dry, at a depth of 32 inches; common fine prominent dark red (2.5YR 3/6) masses of oxidized iron; slightly alkaline; clear smooth boundary.
- Bg3—35 to 46 inches; dark grayish brown (2.5Y 4/2) silty clay loam; moderate medium prismatic structure parting to moderate medium angular blocky; friable; few very fine roots; many faint very dark grayish brown (2.5Y 3/2) organic coatings on faces of peds; common medium prominent brown (7.5YR 4/4) and few fine prominent dark red (2.5YR 3/6) masses of oxidized iron; slightly alkaline; clear smooth boundary.
- BC—46 to 80 inches; stratified yellowish brown (10YR 5/6) and gray (10YR 5/1) silty clay loam; moderate medium prismatic structure; friable; common faint dark grayish brown (2.5Y 4/2) organic coatings on faces of peds; few medium prominent reddish brown (5YR 4/3) masses of oxidized iron and manganese; slightly alkaline.

Range in Characteristics

Thickness of the mollic epipedon: 10 to 18 inches

Reaction: Moderately acid to slightly alkaline throughout the particle-size control section

Ap or A horizon:

Hue—10YR or neutral

Value—2 or 3 (4 or 5 dry)

Chroma—0 to 2

Texture—silty clay loam or silt loam

AB horizon:

Hue—10YR or neutral

Soil Survey of Massac County, Illinois

Value—3
Chroma—0 to 2
Texture—silty clay loam or silt loam

B_g horizon:

Hue—10YR, 2.5Y, 5Y, or neutral
Value—3 to 6
Chroma—0 to 2
Texture—silty clay loam

BC, BC_g, C, or C_g horizon (if it occurs):

Hue—10YR, 2.5Y, 5Y, or neutral
Value—4 to 6
Chroma—0 to 6
Texture—stratified silt loam, loam, very fine sandy loam, and silty clay loam

Belknap Series

Taxonomic classification: Coarse-silty, mixed, active, acid, mesic Fluvaquentic Endoaquepts

Typical Pedon

Belknap silt loam; on a flood plain in a cultivated field at an elevation of about 430 feet above mean sea level, approximately 350 feet north of the center of the road on the west side of the stream, 1,000 feet east and 1,000 feet north of the center of sec. 33, T. 2 N., R. 12 W.; in Wabash County, Illinois; USGS Saint Francisville, IL-IN topographic quadrangle; lat. 38 degrees 33 minutes 52 seconds N. and long. 87 degrees 44 minutes 50.5 seconds W.; UTM Zone 16, Easting 434889, Northing 4268709, NAD 83:

Ap—0 to 7 inches; dark grayish brown (10YR 4/2) silt loam, light brownish gray (10YR 6/2) dry; weak fine and medium granular structure; friable; strongly acid; abrupt smooth boundary.

A—7 to 13 inches; dark grayish brown (10YR 4/2) silt loam; weak thin platy structure parting to weak fine granular; friable; slightly compact as a plow pan; few medium faint brown (10YR 5/3) and few fine prominent yellowish brown (10YR 5/6) masses of oxidized iron in the matrix; strongly acid; gradual smooth boundary.

B_g—13 to 27 inches; dark grayish brown (10YR 4/2), grayish brown (10YR 5/2), and brown (10YR 5/3) silt loam; weak medium granular structure with a tendency toward subangular blocky; friable; few medium faint light brownish gray (10YR 6/2) iron depletions and common fine distinct yellowish brown (10YR 5/6) masses of oxidized iron in the matrix; few iron-manganese concretions; strongly acid; gradual smooth boundary.

C_g1—27 to 59 inches; light brownish gray (10YR 6/2) silt loam; massive; friable; common fine prominent dark reddish brown (2.5YR 3/4) and yellowish brown (10YR 5/8) masses of oxidized iron in the matrix; many iron-manganese concretions increasing in number and size as depth increases; strongly acid; gradual smooth boundary.

C_g2—59 to 80 inches; dark gray (10YR 4/1) silt loam; massive; friable; common medium faint gray (10YR 6/1) iron depletions and few medium prominent brown (7.5YR 5/4) masses of oxidized iron in the matrix; many iron-manganese concretions; moderately acid.

Range in Characteristics

Depth to base of soil development: Dominantly 12 to 40 inches; ranging to 60 inches
Reaction: Strongly acid or very strongly acid in the particle-size control section

Soil Survey of Massac County, Illinois

Ap or A horizon:

Hue—10YR

Value—4 to 6 (6 or 7 dry); 3 in some uncultivated areas

Chroma—2 or 3

Texture—silt loam

Reaction—very strongly acid to moderately acid, except in limed areas

Bg or Bw horizon:

Hue—10YR or 2.5Y

Value—4 to 6

Chroma—2 to 4

Texture—silt loam to a depth of at least 40 inches; some pedons contain strata of loam or silty clay loam at a depth below 40 inches

Cg or C horizon:

Hue—10YR or 2.5Y

Value—4 to 6

Chroma—1 to 4

Texture—silt loam or silt to a depth of at least 40 inches; some pedons contain strata of loam or silty clay loam at a depth below 40 inches

Berks Series

Taxonomic classification: Loamy-skeletal, mixed, active, mesic Typic Dystrudepts

Typical Pedon

Berks channery loam; in a steep or very steep, wooded area at an elevation of about 578 feet above mean sea level, approximately 200 feet west of a drainageway entering from the south in the SE1/4 NW1/4 SE1/4 of sec. 7, T. 14 S., R. 4 E.; in Massac County, Illinois; USGS Mermet, IL topographic quadrangle; lat. 37 degrees 18 minutes 44 seconds N. and long. 88 degrees 48 minutes 20 seconds W.; UTM Zone 16, Easting 339994, Northing 4131045, NAD 83:

A1—0 to 2 inches; very dark grayish brown (10YR 3/2) channery loam, brown (10YR 5/3) dry; moderate fine granular structure; friable; many roots; about 35 percent sandstone fragments; moderately acid; abrupt smooth boundary.

A2—2 to 4 inches; brown (10YR 4/3) very channery loam, pale brown (10YR 6/3) dry; weak fine granular structure; friable; many roots; about 50 percent sandstone fragments; moderately acid; abrupt smooth boundary.

Bw—4 to 20 inches; dark yellowish brown (10YR 4/4) extremely channery loam; weak fine subangular blocky structure; friable; many roots; about 66 percent sandstone fragments; very strongly acid; gradual smooth boundary.

C—20 to 28 inches; strong brown (7.5YR 5/6) extremely channery loam; massive; friable; common roots; about 75 percent sandstone fragments; very strongly acid; clear smooth boundary.

R—28 inches; sandstone bedrock.

Range in Characteristics

Depth to the top of the cambic horizon: 3 to 12 inches

Thickness of the solum: 12 to 40 inches

Depth to bedrock: 20 to 40 inches

Reaction: Extremely acid to slightly acid

A horizon:

Hue—10YR

Soil Survey of Massac County, Illinois

Value—3 to 5
Chroma—2 to 4
Fine-earth texture—loam or silt loam
Content of rock fragments—10 to 50 percent

Bw horizon:

Hue—5YR, 7.5YR, 10YR, or 2.5Y
Value—4 to 6
Chroma—3 to 8
Fine-earth texture—loam, silt loam, or silty clay loam
Content of rock fragments—15 to 75 percent

C horizon:

Hue—5YR, 7.5YR, 10YR, or 2.5Y
Value—4 to 6
Chroma—2 to 8
Fine-earth texture—loam or silt loam
Content of rock fragments—35 to 90 percent

R horizon:

Bedrock—shale, siltstone, or sandstone

Bonnie Series

Taxonomic classification: Fine-silty, mixed, active, acid, mesic Typic Fluvaquents

Typical Pedon

Bonnie silt loam; on a flood plain in a cultivated field at an elevation of about 419 feet above mean sea level, approximately 2,660 feet north and 1,920 feet east of the southwest corner of sec. 21, T. 5 S., R. 4 E.; in Franklin County, Illinois; USGS Ewing, IL topographic quadrangle; lat. 38 degrees 04 minutes 32 seconds N. and long. 88 degrees 46 minutes 17 seconds W.; UTM Zone 16, Easting 344630, Northing 4215680, NAD 83:

- Ap1—0 to 5 inches; brown (10YR 5/3) silt loam; weak fine granular structure; friable; common fine and medium roots throughout; common fine spherical extremely weakly cemented iron-manganese accumulations; slightly acid; abrupt smooth boundary.
- Ap2—5 to 10 inches; light brownish gray (10YR 6/2) and dark grayish brown (10YR 4/2) silt loam; weak medium angular blocky structure parting to weak medium platy; friable; common fine and medium roots throughout; common fine and medium faint brown (10YR 4/3) masses of oxidized iron and manganese in the matrix; common fine spherical extremely weakly cemented iron-manganese accumulations; moderately acid; abrupt smooth boundary.
- Cg1—10 to 27 inches; gray (10YR 6/1) and light gray (10YR 7/1) silt loam; massive; friable; few very fine roots throughout; common fine and medium prominent yellowish brown (10YR 5/4 and 5/6) masses of oxidized iron and common medium faint grayish brown (10YR 5/2) iron depletions in the matrix; common fine spherical extremely weakly cemented iron-manganese accumulations; very strongly acid; clear smooth boundary.
- Cg2—27 to 80 inches; gray (10YR 6/1) silt loam; massive; friable; common fine and medium prominent yellowish brown (10YR 5/4 and 5/6) masses of oxidized iron; common fine spherical extremely weakly cemented iron-manganese accumulations; very strongly acid.

Range in Characteristics

Particle-size control section: Average of 18 and 27 percent clay and less than 10 percent sand

Reaction: Strongly acid or very strongly acid at a depth of 10 to 40 inches and very strongly acid to slightly alkaline below a depth of 40 inches

Other characteristics: An irregular decrease in organic carbon with increasing depth

A or Ap horizon:

Hue—10YR or 2.5Y

Value—4 to 6

Chroma—1 to 3

Texture—silt loam

Cg horizon:

Hue—10YR, 2.5Y, 5Y, or neutral

Value—5 to 7

Chroma—0 to 2

Texture—commonly silt loam; less commonly silty clay loam below a depth of 40 inches

Brandon Series

Taxonomic classification: Fine-silty, mixed, semiactive, thermic Typic Hapludults

Typical Pedon

Brandon silt loam; along a ridgetop in a wooded area at an elevation of about 560 feet above mean sea level, approximately 95 feet south of a gravel road to the south bank of a bulldozer cut in the SW1/4 NE1/4 NW1/4 NW1/4 of sec. 35, T. 15 S., R. 6 E.; in Massac County, Illinois; USGS Paducah NE, IL topographic quadrangle; lat. 37 degrees 10 minutes 21 seconds N. and long. 88 degrees 31 minutes 37 seconds W.; UTM Zone 16, Easting 364426, Northing 4115090, NAD 83:

Ap—0 to 2 inches; very dark grayish brown (10YR 3/2) silt loam, light brownish gray (10YR 6/2) dry; weak fine granular structure; friable; strongly acid; abrupt smooth boundary.

E—2 to 7 inches; light yellowish brown (10YR 6/4) silt loam; weak fine subangular blocky structure; friable; few fine faint dark yellowish brown (10YR 4/4) and yellowish brown (10YR 5/4) masses of oxidized iron in the matrix; very strongly acid; clear smooth boundary.

Bt1—7 to 14 inches; brown (7.5YR 4/4) silty clay loam; moderate fine and medium subangular blocky structure; friable; few distinct yellowish red (5YR 4/6) clay films on faces of peds; very strongly acid; clear smooth boundary.

Bt2—14 to 24 inches; brown (7.5YR 4/4) silty clay loam; weak fine prismatic structure parting to moderate medium to very fine subangular blocky; firm; few distinct yellowish red (5YR 4/6) clay films on faces of peds; strongly acid; gradual smooth boundary.

2Bt3—24 to 32 inches; brown (7.5YR 4/4) extremely gravelly clay loam; moderate fine subangular blocky structure; friable; few distinct yellowish red (5YR 4/6) clay films; few prominent light gray (10YR 7/2) silt coats on faces of peds; about 70 percent gravel; strongly acid; gradual smooth boundary.

2Bt4—32 to 50 inches; brown (7.5YR 4/4) extremely gravelly clay loam; weak fine angular blocky structure; friable; few distinct yellowish red (5YR 4/6) clay films on faces of peds; about 80 percent gravel; strongly acid; gradual smooth boundary.

Soil Survey of Massac County, Illinois

2Bt5—50 to 80 inches; dark red (2.5YR 3/6) and red (2.5YR 4/6) extremely gravelly clay loam and clay; moderate fine angular blocky structure; firm; few distinct yellowish red (5YR 4/6) clay films on faces of peds; about 80 percent gravel; very strongly acid.

Range in Characteristics

Thickness of loess: 20 to 40 inches

Thickness of the solum: 20 to more than 80 inches

Reaction: Strongly acid or very strongly acid, except in limed areas

Content of rock fragments: 0 to 5 percent in the silty mantle (A, E, BE, and Bt horizons) and 30 to 80 percent in the fluviomarine deposits (2Bt and 2C horizons)

Other characteristics: Some pedons have mottles and redoximorphic depletions in shades of brown or gray below a depth of 24 inches from the top of the argillic horizon

Ap or A horizon:

Hue—10YR or 7.5YR

Value—3 to 5

Chroma—1 to 4

Texture—silt loam or silty clay loam in severely eroded pedons

E horizon:

Hue—10YR

Value—4 to 6

Chroma—2 to 4

Texture—silt loam

BE horizon (if it occurs):

Hue—10YR or 7.5YR

Value—3 to 5

Chroma—4 to 6

Texture—silt loam

Bt horizon:

Hue—7.5YR, 5YR, or 2.5YR

Value—4 or 5

Chroma—4 to 6

Texture—silt loam or silty clay loam

2Bt or 2C horizon:

Color—variable; commonly in shades of red, brown, or yellow

Texture—silt loam, loam, clay loam, sandy clay loam, or fine sandy loam or their gravelly, very gravelly, or extremely gravelly analogues; many pedons have sandy or clayey strata; many pedons have horizons that have thin seams of ironstone or sandstone

Other features—some pedons have redoximorphic depletions and variegated parent material colors and/or silt coats in shades of gray or brown; horizon can vary from 20 to 40 percent brittleness to strongly cemented in some strata and pockets

The Brandon soils in this survey area are considered a taxadjunct to the series because they do not decrease in clay content within a depth of 60 inches. This difference, however, does not significantly affect the use and management of the soils. The taxadjunct classifies as fine-silty, mixed, semiactive, thermic Typic Paleudults.

Burnside Series

Taxonomic classification: Loamy-skeletal, mixed, active, mesic Fluventic Dystrudepts

Typical Pedon

Burnside silt loam; in a nearly level to undulating, narrow flood plain in a bedrock-controlled upland in a hayfield at an elevation of about 475 feet above sea level, approximately 4 miles southeast of Vienna, about 1,280 feet east and 1,100 feet south of the center of sec. 14, T. 13 S., R. 3 E.; in Johnson County, Illinois; USGS Bloomfield, IL topographic quadrangle; lat. 37 degrees 23 minutes 18 seconds N. and long. 88 degrees 50 minutes 46 seconds W.; UTM Zone 16, Easting 336576, Northing 4139536, NAD 83:

- A1—0 to 4 inches; brown (10YR 4/3) silt loam; weak fine granular structure; friable; common gravel and cobbles; very strongly acid; clear smooth boundary.
- A2—4 to 8 inches; dark yellowish brown (10YR 4/4) silt loam; weak thin platy structure; friable; few gravel and sandstone flagstones; very strongly acid; clear smooth boundary.
- Bw1—8 to 17 inches; dark yellowish brown (10YR 4/4) silt loam; weak very fine and fine granular and weak very fine subangular blocky structure; friable; few sandstone flagstones and gravel; very strongly acid; abrupt smooth boundary.
- 2Bw2—17 to 33 inches; dark yellowish brown (10YR 4/4) extremely flaggy loam; common medium faint light yellowish brown (10YR 6/4) mottles; weak fine subangular blocky structure; friable; about 75 percent of this layer is larger than 2 mm and consists of sandstone flagstones and some iron-manganese concretions; strongly acid; clear smooth boundary.
- 2C—33 to 57 inches; dark yellowish brown (10YR 4/4) extremely flaggy loam; common medium faint light yellowish brown (10YR 6/4) mottles; massive; friable; about 80 percent of this layer is larger than 2 mm and consists of sandstone flagstones and some iron-manganese concretions; somewhat cemented when dry; strongly acid; abrupt smooth boundary.
- 2R—57 to 60 inches; sandstone bedrock.

Range in Characteristics

Thickness of loamy alluvium: 12 to 24 inches

Thickness of the solum: 16 to 40 inches

Depth to bedrock: 40 to 80 inches

Reaction: Strongly acid or very strongly acid in the particle-size control section

A and Bw horizons:

Hue—10YR

Value—4 to 6

Chroma—2 to 4

Fine-earth texture—silt loam or loam

Content of rock fragments—0 to 35 percent

2Bw horizon:

Hue—10YR

Value—4 to 6

Chroma—2 to 4

Fine-earth texture—silt loam or loam

Content of rock fragments—25 to 80 percent

2C horizon:

Hue—10YR

Value—4 or 5

Chroma—3 or 4
Fine-earth texture—loam, silt loam, or sandy loam
Content of rock fragments—50 to 90 percent

2Cr horizon (if it occurs):

Bedrock—soft sandstone (rippable)

2R horizon:

Bedrock—hard sandstone

Cape Series

Taxonomic classification: Fine, smectitic, acid, mesic Vertic Endoaquepts

Typical Pedon

Cape silty clay loam; on a nearly level or depressional flood plain in a cultivated field at an elevation of about 375 feet above mean sea level, approximately 2 miles southwest of Carrier Mills, about 1,290 feet north and 660 feet west of the center of sec. 10, T. 10 S., R. 5 E.; in Saline County, Illinois; USGS Carrier Mills, IL topographic quadrangle; lat. 37 degrees 40 minutes 08 seconds N. and long. 88 degrees 38 minutes 45 seconds W.; UTM Zone 16, Easting 354838, Northing 4170366, NAD 83:

Ap—0 to 10 inches; dark gray (10YR 4/1) silty clay loam; weak medium angular blocky structure; very firm; neutral; abrupt smooth boundary.

Bg1—10 to 22 inches; dark gray (10YR 4/1) silty clay loam; moderate coarse prismatic structure parting to weak medium angular blocky; very firm; common medium distinct brown (10YR 4/3) masses of oxidized iron and manganese in the matrix; common prominent threadlike extremely weakly cemented iron-manganese accumulations on surfaces along root channels; strongly acid; clear smooth boundary.

Bg2—22 to 28 inches; gray (10YR 5/1) silty clay; weak coarse prismatic structure parting to weak medium angular blocky; very firm; common medium distinct brown (10YR 4/3) masses of oxidized iron and manganese in the matrix; prominent threadlike extremely weakly cemented iron-manganese accumulations on surfaces along root channels; strongly acid; clear smooth boundary.

Bg3—28 to 35 inches; gray (10YR 5/1), dark gray (10YR 4/1), and gray (10YR 6/1) silty clay; weak coarse prismatic structure parting to weak medium and coarse angular blocky; very firm; common medium prominent dark reddish brown (5YR 3/3) masses of oxidized iron and manganese in the matrix; few prominent threadlike extremely weakly cemented iron-manganese accumulations on surfaces along root channels; strongly acid; clear smooth boundary.

Bg4—35 to 45 inches; gray (10YR 5/1) and grayish brown (10YR 5/2) silty clay; weak coarse angular blocky structure; firm; common medium distinct pale brown (10YR 6/3) and faint dark grayish brown (10YR 4/2) masses of oxidized iron and manganese in the matrix; common prominent threadlike extremely weakly cemented iron-manganese accumulations on surfaces along root channels; strongly acid; gradual smooth boundary.

Cg—45 to 80 inches; gray (10YR 6/1), light gray (10YR 7/1), and grayish brown (10YR 5/2) silty clay loam; massive; firm; common medium distinct pale brown (10YR 6/3) masses of oxidized iron and manganese in the matrix; common prominent threadlike extremely weakly cemented iron-manganese accumulations on surfaces along root channels; strongly acid.

Range in Characteristics

Depth to the base of the cambic horizon: 40 to more than 60 inches

Particle-size control section: Average of 40 to 55 percent clay

Ap or A horizon:

Hue—10YR or 2.5Y

Value—4 or 5 (5 or 6 dry)

Chroma—1 or 2

Texture—silty clay loam, silty clay, or clay; silt loam in overwash phases

Bg horizon:

Hue—10YR, 2.5Y, or neutral

Value—4 to 6 (5 to 7 dry)

Chroma—0 to 2

Texture—silty clay or clay; silty clay loam in the upper part of some pedons

Cg horizon:

Hue—10YR, 2.5Y, or neutral

Value—4 to 7

Chroma—0 to 2

Texture—silty clay loam, silty clay, or clay

Darwin Series

Taxonomic classification: Fine, smectitic, mesic Fluvaquentic Vertic Endoaquolls

Typical Pedon

Darwin silty clay; on a nearly level flood plain in a cultivated field at an elevation of about 433 feet above mean sea level, approximately 2.5 miles west of Russellville, 2,320 feet north and 110 feet east of the center of sec. 6, T. 4 N., R. 10 W.; in Lawrence County, Illinois; USGS Russellville, IL topographic quadrangle; lat. 38 degrees 49 minutes 14.5 seconds N. and long. 87 degrees 33 minutes 59.5 seconds W., UTM Zone 16, Easting 450817, Northing 4297036, NAD 83:

Ap—0 to 7 inches; very dark gray (10YR 3/1) silty clay, dark gray (10YR 4/1) dry; weak very fine granular structure in the upper part and moderate fine and medium angular blocky structure in the lower part; very firm; slightly acid; abrupt smooth boundary.

A—7 to 14 inches; very dark gray (N 3/0) silty clay, dark gray (10YR 4/1) dry; weak medium prismatic structure parting to moderate medium angular blocky; firm; few fine prominent dark yellowish brown (10YR 3/4) masses of oxidized iron and manganese in the matrix; neutral; gradual smooth boundary.

Bg1—14 to 24 inches; dark gray (5Y 4/1) silty clay; weak medium prismatic structure parting to moderate medium and coarse angular blocky; firm; common fine and medium prominent yellowish brown (10YR 5/6) masses of oxidized iron in the matrix; neutral; gradual smooth boundary.

Bg2—24 to 33 inches; dark gray (5Y 4/1) silty clay; weak coarse prismatic structure parting to moderate medium angular blocky; firm; common fine and medium prominent yellowish brown (10YR 5/4 and 5/6) masses of oxidized iron in the matrix; few fine dark olive brown (2.5Y 3/3) iron-manganese concretions throughout; neutral; gradual smooth boundary.

Bg3—33 to 46 inches; gray (5Y 5/1) silty clay; weak coarse prismatic structure parting to weak medium angular blocky; firm; few medium carbonate concretions increasing in number in the lower part of the horizon; common fine and medium prominent yellowish brown (10YR 5/6) masses of oxidized iron in the matrix; few

Soil Survey of Massac County, Illinois

fine dark olive brown (2.5Y 3/3) iron-manganese concretions throughout; slightly alkaline; abrupt wavy boundary.

BCg—46 to 56 inches; gray (5Y 5/1) silty clay loam; weak medium and coarse angular blocky structure; very firm; many fine prominent brown (7.5YR 4/4) and strong brown (7.5YR 5/6) masses of oxidized iron in the matrix; slightly alkaline; gradual smooth boundary.

Cg—56 to 80 inches; gray (5Y 5/1) silty clay loam; massive; firm; many fine and medium prominent yellowish brown (10YR 5/6 and 5/8) masses of oxidized iron in the matrix; slightly alkaline.

Range in Characteristics

Thickness of the mollic epipedon: 10 to 24 inches

Depth to the base of the cambic horizon: 40 to 60 inches

Particle-size control section: Average of 45 to 60 percent clay

Series control section: Average of 5 percent or less sand

Ap or A horizon:

Hue—10YR, 2.5Y, or neutral

Value—2 or 3

Chroma—0 to 2

Texture—silty clay; silty clay loam or clay in some pedons

Clay content—average of 40 to 45 percent; ranging from 35 to 60 percent

Reaction—slightly acid to slightly alkaline

Bg horizon:

Hue—10YR, 2.5Y, 5Y, or neutral

Value—3 to 6

Chroma—0 to 2

Texture—silty clay; some pedons contain horizons of clay

Clay content—45 to 60 percent

Reaction—slightly acid to slightly alkaline; carbonates occur in the lower part in some pedons

BCg or Cg horizon:

Hue—10YR, 2.5Y, 5Y, or neutral

Value—4 to 6

Chroma—0 to 2

Texture—silty clay loam, silty clay, or clay

Clay content—30 to 55 percent

Reaction—neutral to moderately alkaline; carbonates occur in some pedons

Dupo Series

Taxonomic classification: Coarse-silty over clayey, mixed over smectitic, superactive, nonacid, mesic Aquic Udifluvents

Typical Pedon

Dupo silt loam; on a nearly level flood plain in a cultivated field at an elevation of about 390 feet above mean sea level, approximately 2½ miles west of Modoc at State Plane Coordinates 506,150 feet north and 526,600 feet east (Illinois West Zone), T. 5 S., R. 9 W.; in Randolph County, Illinois; USGS Prairie Du Rocher, IL-MO topographic quadrangle; lat. 38 degrees 03 minutes 20 seconds N. and long. 90 degrees 04 minutes 28 seconds W.; UTM Zone 15, Easting 756679, Northing 4216026, NAD 83:

Ap—0 to 9 inches; brown (10YR 4/3) silt loam, pale brown (10YR 6/3) dry; weak fine granular structure; very friable; many very fine and fine roots; few very fine

Soil Survey of Massac County, Illinois

- continuous tubular pores; few fine prominent strong brown (7.5YR 5/6) spherical masses of oxidized iron in the matrix; slightly alkaline; abrupt smooth boundary.
- C1—9 to 17 inches; brown (10YR 5/3) silt loam; massive; very friable; common very fine and fine roots; few very fine continuous tubular pores; common fine faint grayish brown (10YR 5/2) iron depletions and common fine faint yellowish brown (10YR 5/4) and few fine prominent strong brown (7.5YR 5/6) irregular masses of oxidized iron in the matrix; slightly alkaline; clear smooth boundary.
- C2—17 to 25 inches; brown (10YR 5/3) silt loam; massive; very friable; common very fine and fine roots; common very fine and fine continuous tubular pores; common very dark grayish brown (10YR 3/2) wormcasts; many medium faint grayish brown (10YR 5/2) iron depletions in the matrix; many medium faint dark yellowish brown (10YR 4/4) and few fine prominent strong brown (7.5YR 5/6) irregular masses of oxidized iron in the matrix; neutral; abrupt smooth boundary.
- 2Ab1—25 to 39 inches; very dark gray (10YR 3/1) silty clay; moderate medium prismatic structure parting to strong fine angular blocky; very firm; few very fine and fine roots; common fine constricted tubular pores; common distinct dark yellowish brown (10YR 4/4) clay depletions on vertical faces of prisms; common fine distinct dark yellowish brown (10YR 4/4) and common medium prominent yellowish red (5YR 4/6) masses of oxidized iron and manganese in the matrix; neutral; clear smooth boundary.
- 2Ab2—39 to 59 inches; very dark gray (10YR 3/1) silty clay; moderate coarse prismatic structure parting to moderate medium angular blocky; very firm; few very fine and fine roots; few fine and medium constricted tubular pores; few faint dark yellowish brown (10YR 4/4) clay depletions on vertical faces of prisms; common faint very dark gray (10YR 3/1) pressure faces on faces of peds; common fine distinct dark yellowish brown (10YR 4/4) and few medium prominent strong brown (7.5YR 4/6) masses of oxidized iron and manganese in the matrix; neutral; gradual smooth boundary.
- 2Bgb—59 to 75 inches; dark gray (10YR 4/1) silty clay; weak coarse prismatic structure; very firm; few very fine and fine roots; common distinct dark gray (10YR 4/1) pressure faces on faces of peds; common fine distinct dark yellowish brown (10YR 4/4) masses of oxidized iron and manganese in the matrix; slightly alkaline; gradual smooth boundary.
- 2C_{ssg}—75 to 80 inches; gray (2.5Y 5/1) clay; massive; very firm; common shiny dark gray (2.5Y 4/1) nonintersecting slickensides; common fine medium prominent yellowish brown (10YR 5/6) masses of oxidized iron in the matrix; neutral.

Range in Characteristics

Depth to a buried soil: 20 to 40 inches

Particle-size control section: Average of 10 to 18 percent clay in the silty alluvium, 35 to 55 percent clay in the buried horizons, and less than 10 percent sand throughout the profile

Ap or A horizon:

Hue—10YR

Value—typically 4 or 5; strata with value of 3 occur in some undisturbed pedons

Chroma—1 to 3

Texture—silt loam or silt; horizon is stratified in many undisturbed pedons

C horizon:

Hue—10YR

Value—4 to 6

Chroma—1 to 3

Texture—dominantly silt loam; horizon is stratified with thin lenses of other textures in some pedons

2Ab horizon:

Hue—10YR or neutral
Value—2 to 4
Chroma—0 to 2
Texture—silty clay, clay, or silty clay loam

2Bgb, 2Csg, and 2Cg horizons (if they occur):

Hue—10YR or yellower
Value—3 to 6
Chroma—1 or 2
Texture—silty clay, clay, or silty clay loam

Emma Series

Taxonomic classification: Fine-silty, mixed, active, mesic Oxyaquic Dystrudepts

Typical Pedon

Emma silty clay loam; in a nearly level wooded area at an elevation of about 350 feet above mean sea level, approximately 8 miles northeast of Shawneetown, about 2,040 feet south and 850 feet east of the northwest corner of sec. 27, T. 8 S., R. 10 E.; in Gallatin County, Illinois; USGS Wabash Island, KY-IL-IN topographic quadrangle; lat. 37 degrees 47 minutes 51 seconds N. and long. 88 degrees 05 minutes 46 seconds W.; UTM Zone 16, Easting 403266, Northing 4183914, NAD 83:

- A1—0 to 4 inches; very dark grayish brown (10YR 3/2) silty clay loam; moderate medium granular structure; friable; slightly acid; abrupt smooth boundary.
- A2—4 to 8 inches; mixed dark grayish brown (10YR 4/2) and brown (10YR 4/3 and 5/3) silty clay loam; weak medium granular structure; friable; strongly acid; clear smooth boundary.
- BA—8 to 14 inches; mixed brown (10YR 4/3) and dark yellowish brown (10YR 4/4) silty clay loam; weak medium subangular blocky structure; friable; few medium distinct yellowish brown (10YR 5/6) masses of oxidized iron; strongly acid; clear smooth boundary.
- Bw1—14 to 23 inches; yellowish brown (10YR 5/4) silty clay loam; moderate medium and coarse subangular blocky structure; firm; many faint dark yellowish brown (10YR 4/4) clay films and many distinct brown (10YR 5/3) silt coats in the upper part; common medium faint dark yellowish brown (10YR 4/4) masses of oxidized iron throughout; very strongly acid; clear smooth boundary.
- Bw2—23 to 28 inches; yellowish brown (10YR 5/4) silty clay loam; weak and moderate medium subangular blocky structure; firm; common faint pale brown (10YR 6/3) silt coats throughout; few fine faint brown (7.5YR 4/4) masses of oxidized iron in the matrix; very strongly acid; clear smooth boundary.
- Bw3—28 to 44 inches; yellowish brown (10YR 5/4) silty clay loam; weak coarse prismatic structure parting to weak medium subangular blocky; firm; common distinct light brownish gray (10YR 6/2) silt coats throughout; few fine faint brown (7.5YR 4/4) masses of oxidized iron in the matrix; very strongly acid; clear smooth boundary.
- BC—44 to 58 inches; yellowish brown (10YR 5/4) silty clay loam; weak coarse prismatic structure; firm; many distinct light brownish gray (10YR 6/2) silt coats in the upper part becoming few in the lower part; many medium distinct light brownish gray (10YR 6/2) iron depletions in the matrix; very strongly acid; diffuse smooth boundary.
- C—58 to 80 inches; light brownish gray (10YR 6/2) silty clay loam; massive; firm; many medium distinct yellowish brown (10YR 5/4) masses of oxidized iron in the matrix; very strongly acid.

Range in Characteristics

Thickness of the solum: Commonly 54 to 60 inches; ranging from 48 to 66 inches

Reaction: Strongly acid to extremely acid throughout the solum, except in the A or Ap horizon

Other characteristics: Base saturation is less than 60 percent by ammonium acetate

Ap or A horizon:

Hue—10YR

Value—3 to 5

Chroma—2 or 3

Texture—silty clay loam

Other features—A1 horizon commonly is 3 to 4 inches thick; Ap horizon in cultivated areas commonly is 6 to 9 inches thick with A2 horizon incorporated

BA or Bw horizon:

Hue—10YR or 7.5YR

Value—4 or 5

Chroma—3 to 6

Texture—silty clay loam

BC or C horizon:

Hue—10YR or 7.5YR

Value—4 to 6

Chroma—2 to 6

Texture—silt loam or silty clay loam

Ginat Series

Taxonomic classification: Fine-silty, mixed, active, mesic Typic Endoaqualfs

Typical Pedon

Ginat silt loam; on a terrace in a cultivated field at an elevation of about 332 feet above mean sea level, approximately 300 feet north and 120 feet east of the southwest corner of the NE1/4 SE1/4 of sec. 3, T. 14 S., R. 5 E.; in Pope County, Illinois; USGS Reevesville, IL topographic quadrangle; lat. 37 degrees 19 minutes 32 seconds N. and long. 88 degrees 38 minutes 27 seconds W.; UTM Zone 16, Easting 354620, Northing 4132245, NAD 83:

Ap—0 to 6 inches; brown (10YR 5/3) silt loam, light gray (10YR 7/2) dry; moderate medium and coarse granular structure; friable; common fine and very fine black (N 2.5/0), strong brown (7.5YR 5/8), and dark brown (7.5YR 3/2) iron-manganese concretions; very strongly acid; clear smooth boundary.

E1—6 to 11 inches; pale brown (10YR 6/3) silt loam; weak medium platy structure; firm to friable; common fine vesicular pores; few fine faint light gray (10YR 7/1) iron depletions; many fine and very fine black (N 2.5/0), dark brown (7.5YR 3/2), and brown (7.5YR 4/4) iron-manganese concretions; very strongly acid; clear smooth boundary.

E2—11 to 19 inches; light gray (10YR 7/2) silt loam; weak medium subangular blocky structure; friable; common fine vesicular pores; common medium distinct yellowish brown (10YR 5/4) and few fine faint pale brown (10YR 6/3) masses of oxidized iron; many fine and very fine black (N 2.5/0), strong brown (7.5YR 5/8), and dark brown (7.5YR 3/2) iron-manganese concretions; very strongly acid; clear smooth boundary.

BEg—19 to 24 inches; light brownish gray (10YR 6/2) silty clay loam; weak medium

Soil Survey of Massac County, Illinois

- subangular blocky structure; friable to firm; common fine vesicular pores; few fine prominent yellowish brown (10YR 5/8) and few fine faint brown (10YR 5/3) masses of oxidized iron; many fine black (N 2.5/0) and strong brown (7.5YR 5/8) iron-manganese concretions; very strongly acid; clear smooth boundary.
- Btg—24 to 34 inches; light brownish gray (2.5Y 6/2) silty clay loam; weak medium prismatic structure parting to weak medium subangular blocky; firm; few faint grayish brown (2.5Y 5/2) clay films on faces of peds; common fine faint light gray (2.5Y 7/2) iron depletions; few fine yellowish red (5YR 5/6) and many fine black (N 2.5/0), brown (7.5YR 4/4), and strong brown (7.5YR 5/8) iron-manganese concretions; very strongly acid; clear smooth boundary.
- Btxg1—34 to 43 inches; grayish brown (2.5Y 5/2) silty clay loam; weak medium prismatic structure parting to moderate fine and medium subangular blocky; very firm; few faint grayish brown (2.5Y 5/2) clay films and few faint light brownish gray (10YR 6/2) silt coats on faces of peds; few fine distinct dark yellowish brown (10YR 4/4) masses of oxidized iron and manganese; common fine black (N 2.5/0) and strong brown (7.5YR 5/6) iron-manganese concretions; brittle; very strongly acid; clear smooth boundary.
- Btxg2—43 to 49 inches; grayish brown (2.5Y 5/2) silty clay loam; moderate fine subangular blocky structure; very firm; few faint grayish brown (2.5Y 5/2) clay films on faces of peds; common fine prominent light olive brown (2.5Y 5/6) and common fine distinct dark yellowish brown (10YR 4/4) masses of oxidized iron and manganese; few fine faint light gray (10YR 7/2) iron depletions; brittle; very strongly acid; clear smooth boundary.
- B'tg—49 to 55 inches; grayish brown (10YR 5/2) silty clay loam; weak fine subangular blocky structure; firm; few faint grayish brown (10YR 5/2) clay films on faces of peds; common fine faint light gray (10YR 7/2) iron depletions and few medium distinct dark yellowish brown (10YR 4/4) masses of oxidized iron and manganese; few fine black (N 2.5/0) iron-manganese concretions; very strongly acid; clear smooth boundary.
- 2Bt1—55 to 65 inches; dark yellowish brown (10YR 4/4) silty clay loam; weak coarse subangular blocky structure; firm; few prominent gray (10YR 6/1) and brown (7.5YR 5/2) clay films on faces of peds; many fine distinct and common medium distinct grayish brown (10YR 5/2) iron depletions; few fine distinct black (10YR 2/1) manganese coatings on faces of peds; very strongly acid; clear smooth boundary.
- 2Bt2—65 to 80 inches; dark yellowish brown (10YR 4/4) silt loam; weak coarse subangular blocky structure; friable; few distinct gray (10YR 6/1) clay films in root and worm channels and pores; few fine distinct yellowish brown (10YR 5/6) masses of oxidized iron; common medium distinct light brownish gray (10YR 6/2) iron depletions; few very fine distinct black (10YR 2/1) manganese coatings on faces of peds; strongly acid.

Range in Characteristics

Depth to the base of the argillic horizon: More than 60 inches

Ap or A horizon:

Hue—10YR

Value—4 or 5

Chroma—1 to 3

Texture—silt loam

Reaction—strongly acid or very strongly acid; ranging to neutral in limed areas

E horizon:

Hue—10YR

Value—5 to 7

Chroma—1 to 3

Soil Survey of Massac County, Illinois

Texture—silt loam

Reaction—strongly acid or very strongly acid; ranging to neutral in limed areas

BEg and Btg horizons:

Hue—10YR or 2.5Y

Value—5 to 7

Chroma—1 or 2

Texture—silt loam or silty clay loam

Reaction—very strongly acid to moderately acid

Btxg or B'tg horizon:

Hue—10YR, 2.5Y, or 5Y

Value—5 to 7

Chroma—1 or 2

Texture—silt loam or silty clay loam

Reaction—very strongly acid or strongly acid

2Bt or 2Btg horizon:

Hue—10YR, 2.5Y, or 5Y

Value—4 to 7

Chroma—1 to 4

Texture—silt loam or silty clay loam; less commonly, silty clay, clay loam, or loam

Clay content—21 to 42 percent

Sand content—5 to 25 percent

Content of rock fragments—0 to 5 percent pebbles

Reaction—strongly acid to slightly alkaline

The Ginat soils in this survey area are considered a taxadjunct to the series because they have fragic soil properties in the lower part of the control section that are not defined for the series. This difference, however, does not significantly affect the use and management of the soils. The taxadjunct classifies as fine-silty, mixed, active, mesic Fragic Epiaqualfs.

Hatfield Series

Taxonomic classification: Fine-silty, mixed, active, mesic Aeric Fragic Epiaqualfs

Typical Pedon

Hatfield silt loam; in a nearly level, brushy wildlife area on the east side of Mermet Lake at an elevation of about 430 feet above mean sea level, approximately 235 feet along the access lane southwest of the gravel road, 15 feet southeast of the lane in SE1/4 SW1/4 NW1/4 SW1/4 of sec. 36, T. 14 S., R. 3 E.; in Massac County, Illinois; USGS Mermet, IL topographic quadrangle; lat. 37 degrees 15 minutes 17 seconds N. and long. 88 degrees 50 minutes 14 seconds W.; UTM Zone 16, Easting 337069, Northing 4124701, NAD 83:

Ap—0 to 7 inches; brown (10YR 4/3) silt loam, pale brown (10YR 6/3) dry and brown (10YR 4/3) crushed; moderate medium granular structure; friable; strongly acid; abrupt smooth boundary.

E—7 to 14 inches; yellowish brown (10YR 5/4) silt loam; weak very thick platy structure parting to weak coarse granular; friable; many medium distinct light gray (10YR 7/2) iron depletions and few fine distinct brownish yellow (10YR 6/6) masses of oxidized iron in the matrix; common very fine black (N 2.5/0) and very dark grayish brown (10YR 3/2) iron-manganese concretions; very strongly acid; clear smooth boundary.

Btg1—14 to 25 inches; light brownish gray (10YR 6/2) silty clay loam; moderate

Soil Survey of Massac County, Illinois

medium prismatic structure parting to moderate medium subangular blocky and weak fine angular blocky; very firm; many faint brown (10YR 5/3) clay films on faces of peds; many fine prominent strong brown (7.5YR 5/6) masses of oxidized iron in the matrix; common very fine dark brown (7.5YR 3/2) and strong brown (7.5YR 5/6) iron-manganese concretions; very strongly acid; clear smooth boundary.

Btg2—25 to 36 inches; light brownish gray (10YR 6/2) silty clay loam; weak medium prismatic structure parting to moderate medium subangular blocky and moderate fine angular blocky; very firm; common faint brown (10YR 5/3) clay films on faces of peds; many very fine faint light gray (10YR 7/2) iron depletions and many fine prominent yellowish brown (10YR 5/6) masses of oxidized iron in the matrix; many fine black (N 2.5/0), dark brown (7.5YR 3/2), and strong brown (7.5YR 5/6) iron-manganese concretions; very strongly acid; clear smooth boundary.

Btx—36 to 45 inches; yellowish brown (10YR 5/4) silt loam; weak fine and medium subangular blocky structure; firm; few faint light yellowish brown (10YR 6/4) clay films on faces of peds; common fine distinct light gray (10YR 7/2) and light brownish gray (10YR 6/2) iron depletions; many fine dark brown (7.5YR 3/2) and strong brown (7.5YR 5/6) iron-manganese concretions; slightly brittle; very strongly acid; gradual smooth boundary.

BC1—45 to 59 inches; brown (7.5YR 4/4) silt loam; weak coarse subangular blocky structure; firm to friable; common fine and medium distinct light brownish gray (10YR 6/2) and pale brown (10YR 6/3) iron depletions; common fine dark brown (7.5YR 3/2) and black (N 2.5/0) iron-manganese concretions; slightly acid; gradual wavy boundary.

BC2—59 to 80 inches; dark yellowish brown (10YR 4/4) silt loam containing silty clay loam lenses; weak coarse subangular blocky structure; friable; common fine distinct yellowish brown (10YR 5/6) masses of oxidized iron; common very fine dark brown (7.5YR 3/2) iron-manganese concretions; moderately acid.

Range in Characteristics

Depth to fragic soil properties: 30 to 45 inches

Depth to the base of soil development: More than 80 inches

Ap or A horizon:

Hue—10YR

Value—4 or 5

Chroma—2 to 4

Texture—silt loam

Reaction—strongly acid to neutral

E horizon:

Hue—10YR or 7.5YR

Value—4 or 5

Chroma—2 to 4

Texture—silt loam

Reaction—strongly acid to neutral

Bt horizon (if it occurs):

Hue—10YR or 7.5YR

Value—5 or 6

Chroma—4 to 6

Texture—silt loam or silty clay loam

Reaction—strongly acid or moderately acid

Btg horizon:

Hue—10YR or 2.5Y

Soil Survey of Massac County, Illinois

Value—5 to 7
Chroma—1 or 2
Texture—silt loam or silty clay loam
Reaction—very strongly acid or strongly acid

Btx horizon:

Hue—10YR or 7.5YR
Value—4 to 6
Chroma—2 to 6
Texture—commonly silt loam or silty clay loam; less commonly loam or clay loam
Reaction—very strongly acid or strongly acid in the upper part; ranging to slightly acid in the lower part

BC horizon:

Hue—10YR or 7.5YR
Value—4 or 5
Chroma—2 to 6
Texture—horizon is silt loam, silty clay loam, clay loam, or loam or is stratified with these textures
Reaction—strongly acid to slightly alkaline

Henshaw Series

Taxonomic classification: Fine-silty, mixed, active, mesic Aquic Hapludalfs

Typical Pedon

Henshaw silt loam; on a nearly level lake plain in a cultivated field at an elevation of about 380 feet above mean sea level, approximately 2,160 feet west and 120 feet south of the northeast corner of sec. 4, T. 4 S., R. 10 E.; in White County, Illinois; USGS Crossville, IL topographic quadrangle; lat. 38 degrees 12 minutes 43 seconds N. and long. 88 degrees 06 minutes 10 seconds W.; UTM Zone 16, Easting 403462, Northing 4229917, NAD 83:

- Ap—0 to 6 inches; brown (10YR 4/3) silt loam, pale brown (10YR 6/3) dry; weak fine granular structure; very friable; few very fine roots; slightly acid; abrupt smooth boundary.
- E—6 to 11 inches; brownish yellow (10YR 6/6) silt loam; weak medium platy structure; very friable; few very fine roots; few fine spherical iron-manganese concretions; strongly acid; clear smooth boundary.
- Bt1—11 to 17 inches; yellowish brown (10YR 5/4) silty clay loam; moderate fine subangular blocky structure; friable; few very fine roots; few distinct dark yellowish brown (10YR 4/4) clay films on faces of peds; many prominent white (10YR 8/1, dry) silt coats on faces of peds; common fine distinct yellowish brown (10YR 5/6) masses of oxidized iron in the matrix; few fine spherical iron-manganese concretions; strongly acid; gradual smooth boundary.
- Bt2—17 to 31 inches; yellowish brown (10YR 5/4) silty clay loam; moderate medium prismatic structure parting to moderate fine and medium subangular blocky; firm; few very fine roots; common distinct grayish brown (10YR 5/2) and dark yellowish brown (10YR 4/6) clay films on faces of peds; many prominent white (10YR 8/1, dry) silt coats on faces of peds; common medium distinct yellowish brown (10YR 5/6) masses of oxidized iron in the matrix; few fine spherical iron-manganese concretions; strongly acid; gradual smooth boundary.
- Btg—31 to 44 inches; grayish brown (2.5Y 5/2) silty clay loam; moderate medium subangular blocky structure; friable; few very fine roots; common distinct grayish brown (2.5Y 5/2) clay films on faces of peds; common prominent white (10YR 8/1,

Soil Survey of Massac County, Illinois

dry) silt coats on faces of peds; common medium prominent yellowish brown (10YR 5/6) masses of oxidized iron in the matrix; common fine spherical iron-manganese concretions; moderately acid; gradual smooth boundary.

Cg—44 to 60 inches; grayish brown (10YR 5/2) silty clay loam; massive; friable; few very fine roots; common medium distinct yellowish brown (10YR 5/6) masses of oxidized iron in the matrix; few fine spherical iron-manganese concretions; slightly effervescent; slightly alkaline.

Range in Characteristics:

Depth to carbonates: 30 to 60 inches

Thickness of the solum: 40 to 60 inches or more

Depth to bedrock: More than 10 feet

Ap or A horizon:

Hue—10YR or 2.5Y

Value—4 to 6

Chroma—2 to 4

Texture—silt loam

Reaction—strongly acid to slightly alkaline

E horizon:

Hue—10YR or 2.5Y

Value—4 to 6

Chroma—2 to 4

Texture—silt loam

Reaction—strongly acid to slightly alkaline

Bt horizon:

Hue—10YR or 2.5Y

Value—4 to 6

Chroma—3 to 6

Texture—silt loam or silty clay loam

Reaction—strongly acid to slightly alkaline

Btg horizon:

Hue—10YR, 2.5Y, 5Y, or neutral

Value—4 to 6

Chroma—0 to 2

Texture—silt loam or silty clay loam

Reaction—moderately acid to moderately alkaline

BC or BCg horizon (if it occurs):

Hue—10YR, 2.5Y, or 5Y

Value—4 to 6

Chroma—1 to 3

Texture—silt loam or silty clay loam

Reaction—moderately acid to moderately alkaline

Cg horizon:

Hue—10YR, 2.5Y, 5Y, or neutral

Value—4 to 6

Chroma—0 to 2

Texture—silt loam or silty clay loam; some pedons have stratified layers of loam or clay loam

Reaction—moderately acid to moderately alkaline

Hosmer Series

Taxonomic classification: Fine-silty, mixed, active, mesic Oxyaquic Fragiudalfs

Typical Pedon

Hosmer silt loam; in a nearly level to rolling open area at an elevation of about 790 feet above mean sea level, approximately 3¹/₄ miles northwest of Lick Creek, about 1,200 feet north and 2,225 feet east of the southwest corner of sec. 16, T. 11 S., R. 1 E.; in Union County, Illinois; USGS Lick Creek, IL topographic quadrangle; lat. 37 degrees 33 minutes 35 seconds N. and long. 89 degrees 06 minutes 32 seconds W.; UTM Zone 16, Easting 313716, Northing 4159068, NAD 83:

- Ap—0 to 7 inches; brown (10YR 4/3) silt loam; moderate thin platy structure parting to weak fine granular and weak very fine subangular blocky; friable; common krotovinas; many roots; neutral; abrupt smooth boundary.
- Bt1—7 to 18 inches; brown (10YR 5/3) silty clay loam; moderate fine and medium subangular blocky structure; firm; common distinct dark yellowish brown (10YR 4/4) clay films on faces of peds; few krotovinas; common vesicular pores; common fine iron-manganese concretions; strongly acid; gradual smooth boundary.
- Bt2—18 to 25 inches; yellowish brown (10YR 5/4) silt loam; moderate fine and medium subangular blocky structure; firm; common distinct dark yellowish brown (10YR 4/4) clay films on faces of peds; few medium prominent strong brown (7.5YR 5/8) masses of oxidized iron in the matrix; few fine distinct light brownish gray (10YR 6/2) iron depletions; few fine extremely weakly cemented iron-manganese accumulations; strongly acid; abrupt smooth boundary.
- Bt/E—25 to 28 inches; yellowish brown (10YR 5/6) silt loam (Bt part); moderate fine and medium subangular blocky structure; firm; common distinct dark yellowish brown (10YR 4/4) clay films on faces of peds; many distinct thin to thick clay depletions of light brownish gray (10YR 6/2) silt (E part); common fine iron-manganese concretions; strongly acid; abrupt smooth boundary.
- Btx1—28 to 35 inches; yellowish brown (10YR 5/6), dark yellowish brown (10YR 4/4), and light brownish gray (2.5Y 6/2) silty clay loam; moderate very coarse and medium prismatic structure; very firm; many prominent grayish brown (2.5Y 5/2) clay films on faces of peds; many distinct light brownish gray (2.5Y 6/2) clay depletions on faces of peds; common extremely weakly cemented iron-manganese accumulations; common manganese coatings on vertical faces of peds; brittle; strongly acid; gradual smooth boundary.
- Btx2—35 to 55 inches; yellowish brown (10YR 5/6), dark yellowish brown (10YR 4/4), and light brownish gray (2.5Y 6/2) silty clay loam; moderate very coarse and medium prismatic structure; very firm; many distinct grayish brown (2.5Y 5/2) and brown (10YR 5/3) clay films on vertical and horizontal faces of peds; few manganese coatings on vertical faces of peds; brittle; strongly acid; gradual smooth boundary.
- Btx3—55 to 67 inches; yellowish brown (10YR 5/4) silt loam; weak very coarse prismatic structure; very firm; few distinct grayish brown (2.5Y 5/2) clay films on faces of peds; many coarse distinct light brownish gray (2.5Y 6/2) iron depletions; common manganese coatings on vertical faces of peds; brittle; moderately acid; gradual smooth boundary.
- Btx4—67 to 80 inches; yellowish brown (10YR 5/4) silt loam; weak very coarse prismatic structure; firm; common medium prominent light olive gray (5Y 6/2) iron depletions; common manganese coatings in some vertical cracks and in old root channels; brittle; moderately acid.

Range in Characteristics

Depth to the fragipan: 20 to 36 inches

Soil Survey of Massac County, Illinois

Depth to the base of the argillic horizon: 50 to more than 80 inches

Thickness of loess: 7 to more than 12 feet

Particle-size control section: Average of 18 to 33 percent clay and 2 to 10 percent sand

Ap horizon:

Hue—10YR

Value—4 or 5 (6 or 7 dry)

Chroma—2 to 4

Texture—typically silt loam; silty clay loam in some severely eroded pedons

E horizon (if it occurs):

Hue—10YR

Value—4 or 5 (6 or 7 dry)

Chroma—2 to 6

Texture—silt loam

Bt horizon:

Hue—10YR or 7.5YR

Value—4 to 6

Chroma—3 to 6

Texture—silt loam or silty clay loam

Bt/E horizon:

Hue—10YR or 7.5YR

Value—4 to 6

Chroma—2 to 6

Texture—silt loam in Bt part; silt in E part

Btx horizon:

Hue—10YR, 7.5YR, or 2.5Y

Value—4 to 6

Chroma—2 to 6

Texture—silt loam or silty clay loam

Hurst Series

Taxonomic classification: Fine, smectitic, mesic Aeric Chromic Vertic Epiaqualfs

Typical Pedon

Hurst silt loam; in a nearly level cultivated field at an elevation of about 385 feet above mean sea level, approximately 3 miles east of Hurst, about 1,490 feet north and 1,200 feet west of the southeast corner of sec. 10, T. 8 S., R. 1 E.; in Williamson County, Illinois; USGS Herrin, IL topographic quadrangle; lat. 37 degrees 50 minutes 16 seconds N. and long. 89 degrees 04 minutes 59 seconds W; UTM Zone 16, Easting 316695, Northing 4189855, NAD 83:

Ap—0 to 7 inches; dark grayish brown (10YR 4/2) silt loam, light brownish gray (10YR 6/2) dry; weak medium granular structure; friable; many very fine roots; common fine and medium spherical black (7.5YR 2.5/1) iron-manganese nodules with sharp boundaries; about 21 percent clay; slightly acid; abrupt smooth boundary.

E—7 to 12 inches; brown (10YR 5/3) silt loam, very pale brown (10YR 7/3) dry; moderate medium platy structure parting to weak fine subangular blocky; friable; common very fine roots; many fine faint light brownish gray (10YR 6/2) iron depletions and common medium faint yellowish brown (10YR 5/4) masses of oxidized iron in the matrix; common fine and medium spherical black (7.5YR 2.5/1)

Soil Survey of Massac County, Illinois

- iron-manganese nodules with sharp boundaries; about 22 percent clay; strongly acid; clear smooth boundary.
- Bt1—12 to 18 inches; yellowish brown (10YR 5/4) silty clay loam; moderate fine and medium subangular blocky structure; firm; common very fine roots; common distinct brown (10YR 4/3) clay films on faces of peds; many prominent very pale brown (10YR 8/2) clay depletions on faces of peds; many fine and medium distinct light brownish gray (10YR 6/2) iron depletions and common medium distinct strong brown (7.5YR 5/6) masses of oxidized iron in the matrix; few fine spherical very dark brown (7.5YR 2.5/2) iron-manganese nodules with clear strong brown (7.5YR 4/6) boundaries; about 30 percent clay; very strongly acid; clear smooth boundary.
- 2Bt2—18 to 28 inches; brown (10YR 5/3) silty clay; weak fine prismatic structure parting to weak medium angular blocky; very firm; common very fine roots; common distinct dark grayish brown (10YR 4/2) clay films on faces of peds; many fine faint grayish brown (10YR 5/2) iron depletions and common fine prominent strong brown (7.5YR 5/6) masses of oxidized iron in the matrix; common fine irregular strong brown (7.5YR 4/6) extremely weakly cemented iron-manganese accumulations with clear boundaries; about 43 percent clay; very strongly acid; gradual smooth boundary.
- 2Btg1—28 to 40 inches; grayish brown (2.5Y 5/2) silty clay loam; weak fine prismatic structure parting to weak medium angular blocky; very firm; few very fine roots; common distinct dark grayish brown (10YR 4/2) clay films on faces of peds and few prominent brown (10YR 4/3) clay films lining large channels; few fine and medium prominent strong brown (7.5YR 5/6) masses of oxidized iron in the matrix; few fine irregular strong brown (7.5YR 4/6) extremely weakly cemented iron-manganese accumulations with clear boundaries; about 38 percent clay; very strongly acid; clear smooth boundary.
- 2Btg2—40 to 53 inches; grayish brown (2.5Y 5/2) silty clay; weak medium prismatic structure parting to weak medium angular blocky; very firm; few very fine roots; common distinct dark grayish brown (10YR 4/2) clay films on faces of peds; common prominent black (N 2.5/0) manganese coatings on faces of peds and lining large channels; few fine prominent yellowish brown (10YR 5/6) masses of oxidized iron and common fine distinct dark brown (10YR 3/3) masses of oxidized iron and manganese in the matrix; about 46 percent clay; moderately acid; clear smooth boundary.
- 2Btg3—53 to 62 inches; grayish brown (2.5Y 5/2) silty clay loam; weak medium prismatic structure parting to weak coarse angular blocky; firm; few very fine roots; common distinct dark grayish brown (10YR 4/2) clay films on faces of peds; common medium prominent yellowish brown (10YR 5/6) masses of oxidized iron in the matrix; many coarse irregular black (7.5YR 2.5/1) extremely weakly cemented iron-manganese accumulations with clear strong brown (7.5YR 5/6) boundaries; about 37 percent clay; slightly effervescent; slightly alkaline; clear smooth boundary.
- 2BCkg—62 to 76 inches; olive gray (5Y 4/2) silty clay; weak medium prismatic structure parting to moderate medium angular blocky; very firm; few very fine roots; common distinct olive gray (5Y 4/2) pressure faces on faces of peds; common distinct very dark brown (7.5YR 2.5/3) masses of oxidized iron and manganese on faces of peds and lining large channels; few fine prominent yellowish brown (10YR 5/4) masses of oxidized iron in the matrix; few fine irregular black (7.5YR 2.5/1) and strong brown (7.5YR 5/6) extremely weakly cemented iron-manganese accumulations with diffuse boundaries; common fine and medium irregular white (10YR 8/1, dry) carbonate concretions; about 45 percent clay; strongly effervescent; slightly alkaline; clear smooth boundary.

Soil Survey of Massac County, Illinois

2Cg—76 to 80 inches; grayish brown (2.5Y 5/2) silty clay loam; massive; firm; few distinct dark grayish brown (10YR 4/2) clay films lining vertical channels; common medium prominent strong brown (7.5YR 4/6) masses of oxidized iron along vertical channels; few fine distinct yellowish brown (10YR 5/4) masses of oxidized iron in the matrix; common fine irregular very dark brown (7.5YR 2.5/2) extremely weakly cemented iron-manganese accumulations with diffuse strong brown (7.5YR 5/6) boundaries; about 33 percent clay; slightly alkaline.

Range in Characteristics

Thickness of loess or other silty material: 0 to 24 inches

Depth to carbonates: More than 40 inches

Depth to the base of the argillic horizon: 44 to more than 80 inches

Ap or A horizon:

Hue—10YR

Value—4 or 5 (6 or 7 dry)

Chroma—2 or 3

Texture—commonly silt loam; less commonly silty clay loam

E horizon (if it occurs):

Hue—10YR

Value—5 or 6 (6 to 8 dry)

Chroma—2 or 3

Texture—commonly silt loam; less commonly silty clay loam

BE or Bt horizon:

Hue—10YR

Value—4 to 6

Chroma—3 or 4

Texture—silt loam or silty clay loam

2Bt and 2Btg horizons:

Hue—10YR, 2.5Y, or 5Y

Value—4 to 6

Chroma—1 to 4

Texture—silty clay loam, silty clay, or clay

2BCkg, 2BC, 2BCg, 2Cg, or 2C horizon:

Hue—10YR, 2.5Y, or 5Y

Value—4 to 6

Chroma—1 to 4

Texture—silty clay loam or silty clay; horizon is stratified in some pedons

Karnak Series

Taxonomic classification: Fine, smectitic, nonacid, mesic Vertic Endoaquepts

Typical Pedon

Karnak silty clay; in a nearly level cultivated field at an elevation of about 350 feet above mean sea level, approximately 3 miles east of Karnak, about 230 feet north and 2,800 feet west of the southeast corner of sec. 18, T. 14 S., R. 3 E.; in Massac County, Illinois; USGS Karnak, IL topographic quadrangle; lat. 37 degrees 17 minutes 28 seconds N. and long. 88 degrees 55 minutes 20 seconds W.; UTM Zone 16, Easting 329612, Northing 4128909, NAD 83:

Ap—0 to 5 inches; very dark grayish brown (10YR 3/2) silty clay, gray (10YR 6/1) and

Soil Survey of Massac County, Illinois

light brownish gray (10YR 6/2) dry; weak fine granular structure; firm; slightly acid; abrupt smooth boundary.

- Bg1—5 to 12 inches; dark gray (5Y 4/1) silty clay; weak medium and fine subangular blocky structure; firm; few faint dark gray (5Y 4/1) pressure faces on faces of peds; few fine distinct olive (5Y 5/4) masses of oxidized iron and manganese in the matrix; few prominent yellowish brown (10YR 5/6 and 5/8) masses of oxidized iron on surfaces in root channels; slightly acid; clear smooth boundary.
- Bg2—12 to 20 inches; dark gray (5Y 4/1) silty clay; weak very fine and fine prismatic structure parting to weak medium and fine subangular blocky; firm; few faint dark gray (5Y 4/1) pressure faces on faces of peds; few faint dark gray (5Y 4/1) clay films on surfaces in root channels; common fine prominent light olive brown (2.5Y 5/6) masses of oxidized iron in the matrix; common fine black (N 2.5/0) and yellowish brown (10YR 5/8) iron-manganese concretions; slightly acid; clear smooth boundary.
- Bg3—20 to 33 inches; dark gray (5Y 4/1) silty clay; moderate medium prismatic structure parting to weak very fine angular blocky; firm; few distinct gray (N 5/0) clay films on surfaces in root channels; common fine prominent light olive brown (2.5Y 5/6) and few fine prominent yellowish brown (10YR 5/6) masses of oxidized iron in the matrix; common fine yellowish brown (10YR 5/8) iron-manganese concretions; slightly acid; clear smooth boundary.
- Bg4—33 to 50 inches; dark gray (N 4/0) silty clay; weak fine prismatic structure parting to weak fine subangular blocky; firm; few distinct gray (N 5/0) pressure faces on faces of peds; few fine prominent light olive brown (2.5Y 5/6) and few fine prominent yellowish brown (10YR 5/6) masses of oxidized iron in the matrix; slightly acid; clear smooth boundary.
- Cg—50 to 80 inches; gray (5Y 5/1) silty clay loam; massive; firm; many fine prominent yellowish brown (10YR 5/6 and 5/8) and common fine prominent light olive brown (2.5Y 5/6) masses of oxidized iron in the matrix; few fine faint light gray (5Y 7/1) iron depletions; slightly alkaline.

Range in Characteristics

Depth to the base of the cambic horizon: Typically 45 to 55 inches; ranging from 30 to 60 inches

Particle-size control section: Average of 40 to 60 percent clay

A or Ap horizon:

Hue—10YR

Value—3 to 6 (4 to 6 dry)

Chroma—1 to 3

Texture—silty clay, clay, or silty clay loam; silt loam in overwash map units

Bg horizon:

Hue—10YR, 2.5Y, 5Y, or neutral

Value—4 to 7

Chroma—0 to 2

Texture—clay or silty clay

BCg and Cg horizons:

Hue—10YR, 2.5Y, 5Y, or neutral

Value—4 to 7

Chroma—0 to 2

Texture—silty clay or silty clay loam; some pedons have strata with more sand and less clay

Lamont Series

Taxonomic classification: Coarse-loamy, mixed, superactive, mesic Typic Hapludalfs

Typical Pedon

Lamont fine sandy loam; on a moderately steep slope in a cultivated field at an elevation of about 350 feet above mean sea level, approximately 140 feet west of a north-south fence and 165 feet north of an east-west fence in the NE1/4 NE1/4 SW1/4 SW1/4 of sec. 19, T. 14 S., R. 4 E.; in Massac County, Illinois; USGS Mermet, IL topographic quadrangle; lat. 37 degrees 17 minutes 01 second N. and long. 88 degrees 48 minutes 59 seconds W.; UTM Zone 16, Easting 338972, Northing 4127875, NAD 83:

- Ap—0 to 6 inches; brown (10YR 4/3) fine sandy loam; weak very fine granular structure; friable; neutral; clear smooth boundary.
- E—6 to 11 inches; dark yellowish brown (10YR 4/4) fine sandy loam; weak very thick platy structure; friable; slightly acid; clear smooth boundary.
- BE—11 to 17 inches; 80 percent dark yellowish brown (10YR 4/4) and 20 percent yellowish brown (10YR 5/6) fine sandy loam; weak medium prismatic structure; friable; few faint brown (7.5YR 4/4) coatings on faces of peds and in root and worm channels; few fine and very fine pores; moderately acid; clear smooth boundary.
- Bt—17 to 27 inches; dark yellowish brown (10YR 4/4) fine sandy loam; weak coarse prismatic structure; friable; common faint brown (7.5YR 4/4) clay films on faces of peds; moderately acid; abrupt smooth boundary.
- C—27 to 80 inches; strong brown (7.5YR 5/6) loamy fine sand; single grain; very friable; strongly acid.

Range in Characteristics

Depth to carbonates: More than 60 inches

Particle-size control section: Average of 10 to 15 percent clay and 60 to 80 percent sand

Rock fragment content: 0 percent throughout the profile

A or Ap horizon:

Hue—10YR

Value—3 in uneroded areas; 3 or 4 in cultivated or eroded areas

Chroma—1 or 2 in uneroded areas; 2 or 3 in cultivated or eroded areas

Texture—fine sandy loam

Clay content—5 to 20 percent

Sand content—50 to 80 percent

Reaction—strongly acid to neutral

E horizon:

Hue—10YR

Value—4 or 5

Chroma—2 or 3

Texture—fine sandy loam, sandy loam, or loamy fine sand

Clay content—5 to 20 percent

Sand content—50 to 80 percent

Reaction—strongly acid to neutral

BE horizon:

Hue—10YR or 7.5YR

Value—4 to 6

Chroma—3 to 6

Soil Survey of Massac County, Illinois

Texture—fine sandy loam, sandy loam, or loamy fine sand
Clay content—5 to 20 percent
Sand content—50 to 80 percent
Reaction—strongly acid to neutral

Bt horizon:

Hue—10YR or 7.5YR
Value—4 to 6
Chroma—3 to 6
Texture—fine sandy loam, sandy loam, loam, or sandy clay loam
Clay content—5 to 24 percent
Sand content—35 to 80 percent
Reaction—strongly acid to slightly acid

E and Bt, BC, or C horizon (if it occurs):

Hue—10YR or 7.5YR
Value—3 to 6
Chroma—3 to 6
Texture—fine sandy loam, sandy loam, loamy fine sand, loamy sand, fine sand, or sand
Clay content—2 to 10 percent
Sand content—70 to 95 percent
Reaction—strongly acid to neutral

Muren Series

Taxonomic classification: Fine-silty, mixed, superactive, mesic Aquic Hapludalfs

Typical Pedon

Muren silt loam; on a gently sloping cultivated field at an elevation of about 455 feet above mean sea level, approximately 300 feet north and 240 feet east of the center of sec. 35, T. 6 S., R. 9 E.; in White County, Illinois; USGS New Haven, IL topographic quadrangle; lat. 37 degrees 57 minutes 35 seconds N. and long. 88 degrees 10 minutes 47 seconds W.; UTM 16, Easting 396358, Northing 4201991, NAD 83:

- Ap—0 to 9 inches; brown (10YR 5/3) silt loam, very pale brown (10YR 7/3) dry; moderate fine granular structure; friable; common very fine roots; slightly acid; abrupt smooth boundary.
- E—9 to 14 inches; yellowish brown (10YR 5/4) silt loam; moderate thin platy structure; friable; few very fine roots; many distinct white (10YR 8/1, dry) silt coats on faces of peds; few fine spherical extremely weakly cemented iron-manganese accumulations; slightly acid; abrupt smooth boundary.
- Bt1—14 to 23 inches; strong brown (7.5YR 5/6) silty clay loam; moderate medium prismatic structure parting to moderate fine subangular blocky; firm; few very fine roots; many faint brown (7.5YR 5/4) clay films on faces of peds; common distinct white (10YR 8/1, dry) silt coats on faces of peds; few fine spherical extremely weakly cemented iron-manganese accumulations; moderately acid; clear smooth boundary.
- Bt2—23 to 35 inches; yellowish brown (10YR 5/6) silty clay loam; moderate medium prismatic structure parting to moderate fine subangular blocky; firm; few very fine roots; common distinct yellowish brown (10YR 5/4) clay films on faces of peds; common distinct white (10YR 8/1, dry) silt coats on faces of peds; few fine distinct yellowish brown (10YR 5/8) masses of oxidized iron; common fine prominent grayish brown (10YR 5/2) iron depletions; few fine spherical extremely weakly cemented iron-manganese accumulations; strongly acid; clear smooth boundary.

- Bt3—35 to 51 inches; yellowish brown (10YR 5/6) silty clay loam; weak medium prismatic structure; firm; few distinct yellowish brown (10YR 5/4) clay films on faces of peds; very few distinct white (10YR 8/1, dry) silt coats on faces of peds; common fine prominent light brownish gray (10YR 6/2) iron depletions; common fine distinct yellowish brown (10YR 5/8) masses of oxidized iron; common fine and medium spherical iron-manganese concretions; moderately acid; gradual smooth boundary.
- C—51 to 80 inches; yellowish brown (10YR 5/6) silt loam; massive; friable; many medium prominent light brownish gray (10YR 6/2) iron depletions and common medium distinct strong brown (7.5YR 5/8) masses of oxidized iron; common fine and medium spherical iron-manganese concretions; slightly acid.

Range in Characteristics

Depth to the base of the argillic horizon: 30 to 70 inches

Depth to carbonates: More than 80 inches

Series control section: Average of less than 7 percent sand with no rock fragments

Ap horizon:

Hue—10YR

Value—4 or 5

Chroma—2 to 4

Texture—silt loam; silty clay loam in some severely eroded pedons

Reaction—strongly acid to slightly acid in unlimed areas; ranging to neutral in limed areas

E horizon:

Hue—10YR

Value—4 to 6

Chroma—2 to 4

Texture—silt loam or silt

Reaction—strongly acid to slightly acid

Bt horizon:

Hue—10YR or 7.5YR

Value—4 to 6

Chroma—3 to 6

Texture—silty clay loam or silt loam

Reaction—very strongly acid to moderately acid

C horizon:

Hue—10YR or 7.5YR

Value—4 to 7

Chroma—3 to 6

Texture—silt loam or silt

Reaction—very strongly acid to neutral

Muskingum Series

Taxonomic classification: Fine-loamy, mixed, semiactive, mesic Typic Dystrudepts

Typical Pedon

Muskingum channery silt loam; in a steep or very steep, wooded area at an elevation of about 860 feet above mean sea level, about 2,112 feet east and 2,376 feet north of the southwest corner of sec. 7, T. 11 S., R. 7 E.; in Pope County, Illinois; USGS Herod, IL topographic quadrangle; lat. 37 degrees 34 minutes 35 seconds N. and long. 88

Soil Survey of Massac County, Illinois

degrees 28 minutes 47 seconds W.; UTM Zone 16, Easting 369339, Northing 4159849, NAD 83:

- A1—0 to 1 inch; very dark grayish brown (10YR 3/2) channery silt loam; moderate fine and medium granular structure; friable; about 20 percent rock fragments; moderately acid; clear wavy boundary.
- A2—1 to 3 inches; mixed dark grayish brown (10YR 4/2) and yellowish brown (10YR 5/4) channery silt loam; weak fine subangular blocky structure parting to weak fine granular; friable; about 20 percent rock fragments; strongly acid; clear smooth boundary.
- Bw1—3 to 7 inches; yellowish brown (10YR 5/4) channery silt loam with a few dark grayish brown (10YR 4/2) areas; weak fine subangular blocky structure parting to weak very fine subangular blocky; friable; many roots; about 20 percent rock fragments; very strongly acid; clear wavy boundary.
- Bw2—7 to 13 inches; dark yellowish brown (10YR 4/4) channery silt loam; common fine faint yellowish brown (10YR 5/4) mottles on faces of peds; moderate fine subangular blocky structure between channers; friable; about 30 percent rock fragments; very strongly acid; clear wavy boundary.
- Bw3—13 to 20 inches; dark yellowish brown (10YR 4/4) channery silt loam; common fine faint yellowish brown (10YR 5/4) mottles on faces of peds; moderate fine subangular blocky structure; friable; about 25 percent rock fragments; very strongly acid; clear wavy boundary.
- Bw4—20 to 34 inches; dark yellowish brown (10YR 4/4) channery loam; strong medium subangular blocky structure parting to strong fine subangular blocky; firm; about 25 percent rock fragments; very strongly acid; clear wavy boundary.
- R—34 inches; sandstone bedrock.

Range in Characteristics

Thickness of the solum: 20 to 40 inches

Depth to bedrock: 20 to 40 inches

Rock fragments: 5 to 30 percent in the solum and 35 to 80 percent in the C horizon; consisting of sandstone, shale, or siltstone fragments

Reaction: Very strongly acid or strongly acid throughout the profile, except in the upper layers in limed areas

Other characteristics: A Cr horizon occurs in many pedons and is more common in areas of shale or siltstone bedrock; lithochromic mottles in shades of brown, yellow, red, or gray are common in some pedons

A or Ap horizon:

Hue—10YR or 7.5YR

Value—3 to 5

Chroma—2 to 6

Fine-earth texture—silt loam or loam

E horizon (if it occurs):

Hue—10YR

Value—4 to 6

Chroma—2 to 4

Fine-earth texture—silt loam or loam

Bw horizon:

Hue—10YR or 7.5YR

Value—4 or 5

Chroma—4 to 6

Fine-earth texture—silt loam or loam

Other features—a few faint clay films occur in some pedons

C horizon (if it occurs):

Hue—10YR or 7.5YR
Value—4 or 5
Chroma—4 to 6
Fine-earth texture—silt loam or loam

R horizon:

Texture—commonly hard sandstone, siltstone, or shale; grading to a more fractured and rippable condition in some areas

Petrolia Series

Taxonomic classification: Fine-silty, mixed, superactive, nonacid, mesic Fluvaquentic Endoaquepts

Typical Pedon

Petrolia silty clay loam; in a nearly level cultivated field at an elevation of about 412 feet above mean sea level, approximately 3 miles south of Bartelso, about 400 feet south and 800 feet west of the center of sec. 29, T. 1 N., R. 3 W.; in Clinton County, Illinois; USGS Addieville, IL topographic quadrangle; lat. 38 degrees 29 minutes 56 seconds N. and long. 89 degrees 27 minutes 28 seconds W.; UTM Zone 16, Easting 285659, Northing 4263792, NAD 83:

- Ap—0 to 8 inches; dark grayish brown (2.5Y 4/2) silty clay loam, light brownish gray (2.5Y 6/2) dry; moderate fine granular structure; friable; common very fine roots; few fine spherical black (N 2.5/0) and strong brown (7.5YR 4/6) extremely weakly cemented iron-manganese accumulations throughout; about 34 percent clay; neutral; abrupt smooth boundary.
- Bg—8 to 15 inches; dark gray (2.5Y 4/1) silty clay loam; weak medium subangular blocky structure; friable; few very fine roots; few faint dark gray (2.5Y 4/1) pressure faces on faces of peds; common fine prominent dark yellowish brown (10YR 4/4) and common fine faint dark grayish brown (2.5Y 4/2) masses of oxidized iron and manganese in the matrix; few fine spherical black (N 2.5/0) and strong brown (7.5YR 4/6) extremely weakly cemented iron-manganese accumulations throughout; about 32 percent clay; slightly acid; clear smooth boundary.
- Btg1—15 to 26 inches; gray (2.5Y 5/1) silty clay loam; weak fine prismatic structure parting to moderate medium subangular blocky; firm; few very fine roots; common distinct dark gray (2.5Y 4/1) clay films on faces of peds; common fine and medium prominent dark yellowish brown (10YR 4/4) masses of oxidized iron and manganese in the matrix; few fine and medium spherical black (N 2.5/0) iron-manganese nodules with sharp strong brown (7.5YR 4/6) boundaries and few fine irregular strong brown (7.5YR 5/6) extremely weakly cemented iron-manganese accumulations throughout; about 33 percent clay; slightly acid; clear smooth boundary.
- Btg2—26 to 42 inches; gray (2.5Y 5/1) silty clay loam; weak medium prismatic structure parting to weak medium and coarse subangular blocky; firm; few very fine roots; few distinct dark gray (2.5Y 4/1) clay films on faces of peds; common fine and medium prominent yellowish brown (10YR 5/6) masses of oxidized iron in the matrix; few fine and medium spherical black (N 2.5/0) iron-manganese nodules with sharp strong brown (7.5YR 4/6) boundaries and common fine irregular strong brown (7.5YR 5/6) extremely weakly cemented iron-manganese accumulations throughout; about 34 percent clay; slightly acid; gradual smooth boundary.
- Btg3—42 to 55 inches; gray (2.5Y 5/1) silty clay loam; weak medium prismatic structure; firm; few very fine roots; few distinct dark gray (2.5Y 4/1) clay films lining root channels and pores; common medium prominent yellowish brown (10YR 5/6)

masses of oxidized iron in the matrix; few medium spherical black (7.5YR 2.5/1) iron-manganese nodules with clear strong brown (7.5YR 5/6) boundaries and common fine and medium irregular strong brown (7.5YR 4/6) extremely weakly cemented iron-manganese accumulations throughout; about 35 percent clay; slightly acid; gradual smooth boundary.

Cg1—55 to 73 inches; gray (2.5Y 6/1) silty clay loam; massive; firm; few very fine roots in old channels; few distinct dark gray (2.5Y 4/1) clay films lining root channels and pores; many fine and medium prominent yellowish brown (10YR 5/6) masses of oxidized iron in the matrix; few medium spherical black (7.5YR 2.5/1) iron-manganese nodules with clear strong brown (7.5YR 5/6) boundaries and common fine and medium irregular strong brown (7.5YR 4/6) extremely weakly cemented iron-manganese accumulations throughout; about 33 percent clay; neutral; diffuse smooth boundary.

Cg2—73 to 80 inches; gray (2.5Y 6/1) silty clay loam; massive; firm; common medium and coarse prominent yellowish brown (10YR 5/6) masses of oxidized iron in the matrix; few fine irregular black (7.5YR 2.5/1) iron-manganese nodules with clear strong brown (7.5YR 5/6) boundaries and few fine and medium irregular strong brown (7.5YR 4/6) extremely weakly cemented iron-manganese accumulations throughout; dark gray (2.5Y 4/1) krotovinas; about 36 percent clay; neutral.

Range in Characteristics

Depth to the base of the cambic horizon: 30 to 80 inches

Particle-size control section: Average of 27 to 35 percent clay and less than 20 percent fine sand or coarser material

Ap or A horizon:

Hue—10YR or 2.5Y

Value—typically 4 to 6; 3 in some uncultivated areas

Chroma—1 or 2

Texture—silty clay loam

Reaction—moderately acid to slightly alkaline

Bg or Btg horizon:

Hue—10YR, 2.5Y, 5Y, or neutral

Value—4 to 6

Chroma—0 to 2

Texture—silty clay loam

Reaction—moderately acid to neutral

Cg horizon:

Hue—10YR, 2.5Y, 5Y, or neutral

Value—4 to 6

Chroma—0 to 2

Texture—dominantly silty clay loam; silt loam in some pedons; strata of silty clay, silt loam, loam, or fine sandy loam in other pedons

Reaction—strongly acid to slightly alkaline

Piopolis Series

Taxonomic classification: Fine-silty, mixed, active, acid, mesic Fluvaquentic Endoaquepts

Typical Pedon

Piopolis silty clay loam; on a nearly level flood plain in a cultivated field at an elevation of about 384 feet above mean sea level, approximately 10 miles north of McLeansboro, about 1,340 feet south and 1,300 feet west of the center of sec. 26, T. 3

Soil Survey of Massac County, Illinois

S., R. 6 E.; in Hamilton County, Illinois; USGS Belle Prairie City, IL topographic quadrangle; lat. 38 degrees 13 minutes 47 seconds N. and long. 88 degrees 30 minutes 55 seconds W.; UTM Zone 16, Easting 367380, Northing 4232385, NAD 83:

Ap—0 to 7 inches; grayish brown (10YR 5/2) silty clay loam, light grayish brown (10YR 6/2) dry; weak medium granular structure; friable; slightly acid; abrupt smooth boundary.

Bg1—7 to 14 inches; light brownish gray (10YR 6/2) silty clay loam; weak coarse subangular blocky structure; firm; common medium prominent strong brown (7.5YR 5/6) masses of oxidized iron in the matrix; common medium faint gray (10YR 6/1) iron depletions in the matrix; strongly acid; gradual smooth boundary.

Bg2—14 to 23 inches; gray (10YR 6/1) silty clay loam; weak coarse subangular blocky structure; firm; many medium prominent strong brown (7.5YR 5/6) masses of oxidized iron in the matrix; few black (N 2.5/0) iron-manganese concretions; strongly acid; gradual smooth boundary.

Bg3—23 to 37 inches; gray (10YR 6/1) silty clay loam; weak coarse subangular blocky structure; firm; many medium prominent strong brown (7.5YR 5/6) and common medium distinct yellowish brown (10YR 5/4) masses of oxidized iron in the matrix; common black (N 2.5/0) iron-manganese concretions; strongly acid; gradual smooth boundary.

Cg—37 to 80 inches; gray (10YR 6/1) silty clay loam; massive; firm; few coarse prominent strong brown (7.5YR 5/6) masses of oxidized iron in the matrix; strongly acid.

Range in Characteristics

Depth to the base of the cambic horizon: 20 to 60 inches

Particle-size control section: Average of 27 to 35 percent clay and less than 15 percent fine sand or coarser material

Other characteristics: An irregular decrease in organic carbon content as depth increases

Ap or A horizon:

Hue—10YR, 2.5Y, or 5Y

Value—typically 4 to 6; 3 in some uncultivated areas

Chroma—1 to 3

Texture—commonly silty clay loam; less commonly silt loam

Bg horizon:

Hue—10YR, 2.5Y, 5Y, or neutral

Value—4 to 6

Chroma—0 to 2

Texture—silty clay loam

Cg horizon:

Hue—10YR, 2.5Y, 5Y, or neutral

Value—4 to 6

Chroma—0 to 2

Texture—dominantly silty clay loam or silt loam; thin strata of fine sandy loam, loam, or silty clay occur in some pedons

Raccoon Series

Taxonomic classification: Fine-silty, mixed, superactive, mesic Typic Endoaqualfs

Typical Pedon

Raccoon silt loam; in a nearly level cultivated field at an elevation of about 425 feet

Soil Survey of Massac County, Illinois

above mean sea level, about 1 mile east of West End, approximately 135 feet north and 2,095 feet east of the center of sec. 30, T. 7 S., R. 5 E.; in Saline County, Illinois; USGS Akin, IL topographic quadrangle; lat. 37 degrees 53 minutes 08 seconds N. and long. 88 degrees 41 minutes 23 seconds W.; UTM Zone 16, Easting 351411, Northing 4194463, NAD 83:

- Ap—0 to 6 inches; dark grayish brown (10YR 4/2) silt loam, light brownish gray (10YR 6/2) dry; moderate fine granular structure; friable; common fine very dark grayish brown (10YR 3/2) extremely weakly cemented iron-manganese accumulations throughout; neutral; abrupt smooth boundary.
- Eg1—6 to 10 inches; dark grayish brown (10YR 4/2) silt loam; weak thin platy structure; firm, dense as if compacted like a plow sole; common fine very dark grayish brown (10YR 3/2) extremely weakly cemented iron-manganese accumulations throughout; neutral; abrupt smooth boundary.
- Eg2—10 to 14 inches; dark grayish brown (10YR 4/2) silt loam; weak medium platy structure parting to weak fine granular; friable; common fine faint grayish brown (10YR 5/2) and few fine distinct light gray (10YR 7/1) iron depletions in the matrix; common fine very dark grayish brown (10YR 3/2) extremely weakly cemented iron-manganese accumulations throughout; strongly acid; clear smooth boundary.
- Eg3—14 to 30 inches; gray (10YR 6/1) silt loam; weak medium platy structure parting to weak fine granular; friable; common very fine constricted tubular pores; common medium prominent yellowish brown (10YR 5/6) and brownish yellow (10YR 6/6) masses of oxidized iron in the matrix; many fine black (10YR 2/1) extremely weakly cemented manganese masses throughout; few grayish brown (10YR 5/2) krotovinas; very strongly acid; clear smooth boundary.
- Btg1—30 to 37 inches; gray (10YR 6/1) silty clay loam; weak medium prismatic structure parting to weak fine subangular blocky; firm; few very fine tubular pores; common distinct dark grayish brown (10YR 4/2) clay films on faces of pedis; common fine prominent yellowish brown (10YR 5/6) and brownish yellow (10YR 6/6) masses of oxidized iron in the matrix; common fine black (10YR 2/1) iron-manganese concretions; very strongly acid; clear smooth boundary.
- Btg2—37 to 47 inches; gray (10YR 6/1) silty clay loam; moderate medium prismatic structure parting to weak medium subangular blocky; firm; common distinct dark grayish brown (10YR 4/2) clay films on faces of pedis; few fine faint light gray (10YR 7/1) iron depletions and many fine prominent yellowish brown (10YR 5/6) masses of oxidized iron in the matrix; common fine black (10YR 2/1) iron-manganese concretions; very strongly acid; clear smooth boundary.
- Btg3—47 to 59 inches; gray (10YR 6/1) silty clay loam; weak medium prismatic structure parting to weak medium subangular blocky; firm; few faint gray (10YR 5/1) clay films and common prominent dark olive gray (5Y 3/2) organo-clay films on faces of pedis; common medium prominent strong brown (7.5YR 5/6) and brown (7.5YR 4/4) masses of oxidized iron and manganese in the matrix; few fine black (10YR 2/1) iron-manganese concretions; strongly acid; clear smooth boundary.
- Cg—59 to 80 inches; gray (5Y 6/1 and 10YR 6/1) silt loam; massive; friable; many coarse distinct grayish brown (10YR 5/2) and prominent brown (7.5YR 4/4) masses of oxidized iron and manganese in the matrix; slightly acid increasing to neutral in the lower part.

Range in Characteristics

Depth to the top of the argillic horizon: 24 to 36 inches

Depth to the base of the argillic horizon: 40 to 75 inches

Particle-size control section: Average of 27 to 35 percent clay, less than 10 percent sand, and less than 2 percent gravel

Soil Survey of Massac County, Illinois

Ap or A horizon:

Hue—10YR

Value—3 to 6 (5 to 7 dry)

Chroma—2 or 3

Texture—silt loam

Eg horizon:

Hue—10YR or 2.5Y

Value—4 to 7 (6 to 8 dry)

Chroma—1 or 2

Texture—silt loam

Btg horizon:

Hue—10YR, 2.5Y, 5Y, or neutral

Value—4 to 7

Chroma—0 to 2

Texture—dominantly silty clay loam; silt loam in upper or lower subhorizons in some pedons

Cg horizon:

Hue—10YR, 2.5Y, or 5Y

Value—4 to 7

Chroma—1 or 2

Texture—dominantly silt loam or loam; stratified loamy fine sand to silty clay in some pedons

Saffell Series

Taxonomic classification: Loamy-skeletal, siliceous, semiactive, thermic Typic Hapludults

Typical Pedon

Saffell very gravelly silt loam; in a moderately steep, wooded area at an elevation of about 560 feet above mean sea level, approximately 200 feet south of a gravel road in the north bank of a bulldozer cut in the NW1/4 SE1/4 NW1/4 of sec. 35, T. 15 S., R. 6 E.; in Massac County, Illinois; USGS Paducah NE, IL topographic quadrangle; lat. 37 degrees 10 minutes 20 seconds N. and long. 88 degrees 31 minutes 33 seconds W.; UTM Zone 16, Easting 364547, Northing 4115065, NAD 83:

A—0 to 2 inches; very dark grayish brown (10YR 3/2) very gravelly silt loam, grayish brown (10YR 5/2) dry; weak fine granular structure; friable; 50 percent gravel; moderately acid; abrupt smooth boundary.

E—2 to 10 inches; yellowish brown (10YR 5/4) extremely gravelly silt loam; weak fine subangular blocky structure; friable; 60 percent gravel; moderately acid; abrupt smooth boundary.

Bt1—10 to 24 inches; brown (7.5YR 4/4) extremely gravelly clay loam; weak fine angular blocky structure; friable; many distinct dark yellowish brown (10YR 3/4) clay films; 80 percent gravel; strongly acid; abrupt smooth boundary.

Bt2—24 to 50 inches; red (2.5YR 4/6 and 4/8) extremely gravelly clay loam; weak fine angular blocky structure; firm; many distinct dark yellowish brown (10YR 3/4) clay films; 80 percent gravel; strongly acid; gradual smooth boundary.

Bt3—50 to 80 inches; red (2.5YR 4/6) and dark red (2.5YR 3/6) extremely gravelly clay; moderate fine angular blocky structure; firm; common distinct

Soil Survey of Massac County, Illinois

dark yellowish brown (10YR 3/4) clay films; 80 percent gravel; very strongly acid.

Range in Characteristics

Thickness of the solum: 35 to more than 80 inches

Particle-size control section: 15 to 35 percent clay

Other characteristics: Gravel generally contains bands 1 to 10 inches thick, cemented with iron oxides, but such bands are generally below a depth of 40 inches

A horizon:

Hue—10YR or 7.5YR

Value—3 to 5

Chroma—2 to 4

Texture—silt loam, fine sandy loam, sandy loam, loam, loamy sand, or loamy fine sand or their gravelly or very gravelly analogues

Rock fragments—1 to 60 percent, by volume; dominantly less than 3 inches in diameter

Reaction—strongly acid or very strongly acid, except in limed areas

E horizon:

Hue—10YR

Value—5 to 7

Chroma—2 to 4

Texture—silt loam, fine sandy loam, sandy loam, loam, loamy sand, or loamy fine sand or their gravelly or very gravelly analogues

Rock fragments—1 to 60 percent, by volume; dominantly less than 3 inches in diameter

Reaction—strongly acid or very strongly acid, except in limed areas

BE horizon (if it occurs):

Hue—10YR, 7.5YR, or 5YR

Value—4 or 5

Chroma—4 to 6

Texture—fine sandy loam, sandy loam, or loam or their gravelly or very gravelly analogues

Rock fragments—15 to 60 percent, by volume; dominantly less than 3 inches in diameter

Reaction—strongly acid or very strongly acid

Bt horizon:

Hue—7.5YR, 5YR, or 2.5YR

Value—3 to 6

Chroma—4 to 8

Texture—clay, clay loam, sandy loam, sandy clay loam, loam, or fine sandy loam or their very gravelly or extremely gravelly analogues

Rock fragments—35 to 80 percent, by volume; dominantly less than 3 inches in diameter

Reaction—strongly acid or very strongly acid

The Saffell soils in this survey area are considered a taxadjunct to the series because they do not have a decrease in clay content within a depth of 60 inches and have a solum that is thicker than typical for the series. These differences, however, do not significantly affect the use and management of the soils. The taxadjunct classifies as loamy-skeletal, siliceous, semiactive, thermic Typic Paleudults.

Sarpy Series

Taxonomic classification: Mixed, mesic Typic Udipsamments

Typical Pedon

Sarpy fine sand; on a nearly level or gently sloping natural levee in a cultivated field at an elevation of about 393 feet above mean sea level, on Meissner Island, approximately 2 miles northwest of Valmeyer, about 2,060 feet west and 2,280 feet south of the northeast corner of sec. 6, T. 3 S., R. 11 W.; in Monroe County, Illinois; USGS Valmeyer, IL-MO topographic quadrangle; lat. 38 degrees 18 minutes 23 seconds N. and long. 90 degrees 21 minutes 50 seconds W.; UTM Zone 15, Easting 730496, Northing 4242892, NAD 83:

- Ap—0 to 9 inches; dark grayish brown (10YR 4/2) fine sand, light brownish gray (10YR 6/2) dry; weak fine granular structure; very friable; common very fine roots; slightly effervescent; slightly alkaline; abrupt smooth boundary.
- C1—9 to 19 inches; dark grayish brown (10YR 4/2) fine sand; single grain; loose; few very fine roots; strongly effervescent; slightly alkaline; gradual smooth boundary.
- C2—19 to 29 inches; dark grayish brown (10YR 4/2) fine sand; single grain; loose; few very fine roots; few coarse faint brown (10YR 4/3) masses of oxidized iron and manganese in the matrix; few fine dark brown (10YR 3/3) extremely weakly cemented iron-manganese accumulations; strongly effervescent; slightly alkaline; gradual smooth boundary.
- C3—29 to 56 inches; dark grayish brown (10YR 4/2) fine sand; single grain; loose; few very fine roots; common medium faint brown (10YR 4/3) masses of oxidized iron and manganese in the matrix; common fine dark brown (10YR 3/3) extremely weakly cemented iron-manganese accumulations; strongly effervescent; slightly alkaline; gradual smooth boundary.
- C4—56 to 80 inches; dark grayish brown (10YR 4/2) fine sand; single grain; loose; common medium faint brown (10YR 4/3) masses of oxidized iron and manganese in the matrix; strongly effervescent; slightly alkaline.

Range in Characteristics

Depth to carbonates: 0 to 60 inches

Particle-size control section: Less than 10 percent silt plus clay and less than 40 percent silt plus clay plus very fine sand

Ap or A horizon:

Hue—10YR or 2.5Y

Value—3 to 5 (4 to 6 dry)

Chroma—1 to 3

Texture—sand, loamy sand, loamy fine sand, sandy loam, or fine sand

C horizon:

Hue—10YR or 2.5Y

Value—4 to 6

Chroma—2 to 4

Texture—stratified loamy fine sand, loamy sand, fine sand, or sand

Sciotoville Series

Taxonomic classification: Fine-silty, mixed, active, mesic Aquic Fragiudalfs

Typical Pedon

Sciotoville silt loam; in a nearly level cultivated field at an elevation of about 342 feet

Soil Survey of Massac County, Illinois

above mean sea level, approximately 180 feet south of a railroad track and 120 feet east of an old lane in the SE1/4 NW1/4 NE1/4 NW1/4 of sec. 8, T. 16 S., R. 5 E.; in Massac County, Illinois; USGS Metropolis, IL topographic quadrangle; lat. 37 degrees 08 minutes 38 seconds N. and long. 88 degrees 41 minutes 16 seconds W.; UTM Zone 16, Easting 354620, Northing 4132245, NAD 83:

- Ap—0 to 8 inches; brown (10YR 4/3) silt loam, pale brown (10YR 6/3) dry; moderate fine granular structure; friable; many very fine very dark grayish brown (10YR 3/2) iron-manganese concretions; strongly acid; abrupt smooth boundary.
- BE—8 to 14 inches; yellowish brown (10YR 5/6) silt loam; weak fine subangular blocky structure; friable; common very fine black (N 2.5/0) and very dark grayish brown (10YR 3/2) iron-manganese concretions; very dark grayish brown (10YR 3/2) films in root channels; very strongly acid; clear smooth boundary.
- Bt—14 to 24 inches; dark yellowish brown (10YR 4/4) silt loam; few fine faint pale brown (10YR 6/3) mottles; weak medium subangular blocky structure; friable; few faint yellowish brown (10YR 5/4) clay films on faces of pedis; common fine black (N 2.5/0) and very dark grayish brown (10YR 3/2) iron-manganese concretions; very strongly acid; clear smooth boundary.
- Btx1—24 to 32 inches; brown (7.5YR 4/4) silt loam; moderate coarse prismatic structure; very firm; few prominent light brownish gray (10YR 6/2) silt coats and few distinct yellowish brown (10YR 5/4) clay films on faces of pedis; few fine prominent gray (10YR 6/1) iron depletions; few fine distinct yellowish brown (10YR 5/6) masses of oxidized iron; few very fine very dark grayish brown (10YR 3/2) iron-manganese concretions; brittle; very strongly acid; gradual smooth boundary.
- Btx2—32 to 42 inches; brown (7.5YR 4/4) silt loam; moderate very coarse prismatic structure; very firm; common prominent light gray (10YR 7/2) silt coats and few prominent light brownish gray (10YR 6/2) clay films on faces of pedis; common fine distinct light gray (10YR 7/2) iron depletions; common very fine black (N 2.5/0) and very dark grayish brown (10YR 3/2) iron-manganese concretions; brittle; very strongly acid; gradual smooth boundary.
- BC—42 to 52 inches; brown (7.5YR 4/4) clay loam; weak medium prismatic structure; firm; few prominent grayish brown (10YR 5/2) clay films on faces of pedis; common medium distinct light brownish gray (10YR 6/2) iron depletions; common very fine black (N 2.5/0) and very dark grayish brown (10YR 3/2) iron-manganese concretions; very strongly acid; gradual smooth boundary.
- C—52 to 80 inches; dark yellowish brown (10YR 4/4) silty clay loam; massive; firm; common fine distinct light brownish gray (10YR 6/2) iron depletions; common very fine black (N 2.5/0) and very dark grayish brown (10YR 3/2) iron-manganese concretions; strongly acid.

Range in Characteristics

Depth to the fragic soil properties: 18 to 38 inches

Thickness of the solum: 45 to 80 inches

Rock fragment content, mainly waterworn fine sandstone or quartzite: 0 to 2 percent, by volume, in the Ap, A, and E horizons, 0 to 5 percent in the Bt and Btx horizons, and 0 to 15 percent in the C horizon

Other characteristics: Some pedons have an E horizon

Ap or A horizon:

Hue—10YR or 7.5YR

Value—4 or 5

Chroma—2 or 3

Texture—silt loam

Reaction—slightly acid to strongly acid

BE horizon:

Hue—10YR or 7.5YR
Value—4 or 5
Chroma—3 to 6
Texture—silt loam or loam
Reaction—strongly acid or very strongly acid

Bt horizon:

Hue—10YR, 7.5YR, or 5YR
Value—4 or 5
Chroma—3 to 6
Texture—silt loam, silty clay loam, or loam with a high percentage of very fine sand
Reaction—strongly acid or very strongly acid

Btx horizon:

Hue—10YR, 7.5YR, or 5YR
Value—4 to 6
Chroma—3 to 6
Texture—silt loam, silty clay loam, or loam
Reaction—strongly acid or very strongly acid in the upper part and moderately acid to very strongly acid in the lower part

BC horizon:

Hue—10YR or 7.5YR
Value—4 or 5
Chroma—3 to 6
Texture—silt loam, silty clay loam, clay loam, or loam
Reaction—moderately acid to very strongly acid

C horizon:

Hue—10YR or 7.5YR
Value—4 or 5
Chroma—3 to 6
Texture—horizon is stratified or has dominant textures of loam, silt loam, silty clay loam, or sandy loam with thin lenses of loamy sand in some pedons
Reaction—slightly acid to strongly acid

The Sciotoville soils in this survey area are considered a taxadjunct to the series because they do not have the coarseness of structure and degree of brittleness in the fragic layer as defined for the series. Also, they have a slightly higher sand content in the particle-size control section. These differences, however, do not significantly affect the use and management of the soils. The taxadjunct classifies as fine-loamy, mixed, active, mesic Fragiaquic Hapludalfs.

Sharon Series

Taxonomic classification: Coarse-silty, mixed, active, acid, mesic Oxyaquic Udifluvents

Typical Pedon

Sharon silt loam; on a frequently flooded flood plain in a cultivated field at an elevation of about 424 feet above mean sea level, approximately 1,800 feet west and 140 feet south of the northeast corner of sec. 25, T. 7 S., R. 4 E.; in Franklin County, Illinois; USGS Akin, IL topographic quadrangle; lat. 37 degrees 53 minutes 32 seconds N. and long. 88 degrees 42 minutes 45 seconds W.; UTM Zone 16, Easting 349425, Northing 4195221, NAD 83:

Soil Survey of Massac County, Illinois

- Ap—0 to 3 inches; 60 percent brown (10YR 4/3) and 40 percent dark brown (10YR 3/3) silt loam, light brownish gray (10YR 6/2) dry; strong fine and medium granular structure; friable; common fine and medium roots throughout; slightly acid; abrupt smooth boundary.
- A1—3 to 9 inches; 60 percent brown (10YR 4/3) and 40 percent dark brown (10YR 3/3) silt loam, light brownish gray (10YR 6/2) dry; strong medium granular structure; friable; common fine and medium roots throughout; strongly acid; abrupt smooth boundary.
- A2—9 to 13 inches; very dark grayish brown (10YR 3/2) silt loam, grayish brown (10YR 5/2) dry; strong fine granular structure; friable; common fine and medium roots throughout; strongly acid; clear smooth boundary.
- CA—13 to 17 inches; 60 percent yellowish brown (10YR 5/6) and 40 percent brown (10YR 4/3) silt loam; massive; friable; few fine roots throughout; strongly acid; clear smooth boundary.
- C1—17 to 23 inches; yellowish brown (10YR 5/6) silt loam; weak medium subangular blocky structure; friable; few fine roots throughout; very strongly acid; clear smooth boundary.
- C2—23 to 29 inches; yellowish brown (10YR 5/4) silt loam; massive; friable; strongly acid; clear smooth boundary.
- C3—29 to 40 inches; yellowish brown (10YR 5/4) silt loam; massive; friable; very few faint brown (10YR 4/3) organic coats in root channels and pores; common fine distinct grayish brown (10YR 5/2) iron depletions; few fine spherical extremely weakly cemented iron-manganese accumulations; strongly acid; clear smooth boundary.
- C4—40 to 80 inches; yellowish brown (10YR 5/4) silt loam; massive; friable; few faint very dark grayish brown (10YR 3/2) organic coats in root channels and pores; common fine distinct grayish brown (10YR 5/2) iron depletions; few fine spherical extremely weakly cemented iron-manganese accumulations; moderately acid.

Range in Characteristics

Particle-size control section: Average of less than 18 percent clay and less than 15 percent fine or coarser sand

Reaction: Strongly acid or very strongly acid from below the surface layer to a depth of 40 inches and very strongly acid to neutral below a depth of 40 inches

Other characteristics: Some pedons contain a buried A horizon below a depth of 40 inches

Ap and A horizons:

Hue—10YR

Value—4 or 5; 2 or 3 in some uncultivated areas

Chroma—3 or 4; 2 in some uncultivated areas

Texture—silt loam

CA or Bw horizon (if it occurs):

Hue—10YR

Value—4 or 5

Chroma—3 to 6

Texture—silt loam

C horizon:

Hue—10YR, 7.5YR, or 2.5Y

Value—4 to 7

Chroma—2 to 6

Texture—silt loam; stratified loam, sandy loam, loamy sand, or sand in some pedons

Stoy Series

Taxonomic classification: Fine-silty, mixed, superactive, mesic Fragiaquic Hapludalfs

Typical Pedon

Stoy silt loam; in a nearly level cultivated field at an elevation of about 389 feet above mean sea level, approximately 2 miles southwest of Omaha, about 1,320 feet east of the southwest corner of sec. 28, T. 7 S., R. 8 E.; in Gallatin County, Illinois; USGS Norris City, IL topographic quadrangle; lat. 37 degrees 52 minutes 45 seconds N. and long. 88 degrees 19 minutes 58 seconds W.; UTM Zone 16, Easting 382795, Northing 4193237, NAD 83:

- Ap—0 to 6 inches; brown (10YR 4/3) silt loam; weak fine granular structure; friable; many roots; few fine iron-manganese concretions throughout; very strongly acid; abrupt smooth boundary.
- E1—6 to 9 inches; mixed light yellowish brown (10YR 6/4) and yellowish brown (10YR 5/4) silt loam; weak thin platy structure parting to weak fine granular; friable; common roots; common very dark grayish brown (10YR 3/2) organic stains; few medium distinct light brownish gray (10YR 6/2) iron depletions in the matrix; many fine iron-manganese concretions throughout; very strongly acid; clear smooth boundary.
- E2—9 to 13 inches; yellowish brown (10YR 5/4) silt loam; weak fine and medium granular structure; friable; common roots; common medium distinct light brownish gray (10YR 6/2) iron depletions and yellowish brown (10YR 5/6) masses of oxidized iron in the matrix; many fine iron-manganese concretions throughout; very strongly acid; clear smooth boundary.
- BE—13 to 16 inches; yellowish brown (10YR 5/6) silty clay loam; weak fine and medium subangular blocky structure; friable; common roots; few medium prominent light brownish gray (10YR 6/2) iron depletions in the matrix; many fine iron-manganese concretions throughout; very strongly acid; clear smooth boundary.
- Bt1—16 to 24 inches; yellowish brown (10YR 5/8) silty clay loam; moderate fine subangular blocky structure; firm; common roots; common prominent brown (10YR 4/3) clay films on faces of peds; common prominent light brownish gray (10YR 6/2) clay depletions on faces of peds, light gray (10YR 7/1) dry; few fine prominent light brownish gray (10YR 6/2) and brown (10YR 5/3) iron depletions in the matrix; many fine iron-manganese concretions throughout; very strongly acid; clear smooth boundary.
- Bt2—24 to 27 inches; yellowish brown (10YR 5/8 and 5/4) silty clay loam; moderate coarse subangular blocky structure parting to moderate fine and very fine angular blocky; firm; common roots; many prominent light brownish gray (10YR 6/2) clay depletions on faces of larger peds and many distinct brown (10YR 4/3) clay films on faces of smaller angular peds; few fine prominent light gray (10YR 7/1) iron depletions in the matrix; many medium iron-manganese concretions throughout; many black (10YR 2/1) threadlike manganese coatings and spherical manganese masses; very strongly acid; clear smooth boundary.
- Bt3—27 to 32 inches; yellowish brown (10YR 5/8 and 5/4) silty clay loam; moderate medium subangular blocky structure; very firm; common roots; many distinct brown (10YR 4/3) clay films on faces of peds; few fine prominent light gray (10YR 7/1) and light brownish gray (10YR 6/2) iron depletions in the matrix; many fine iron-manganese concretions throughout; common black (10YR 2/1) threadlike manganese coatings and spherical manganese masses; very strongly acid; gradual smooth boundary.
- Btx1—32 to 36 inches; mottled grayish brown (10YR 5/2), brown (10YR 5/3), and yellowish brown (10YR 5/8) silty clay loam; weak coarse subangular blocky

Soil Survey of Massac County, Illinois

structure; firm; common roots; common distinct brown (10YR 4/3) clay films on faces of pedis; few fine distinct light gray (10YR 7/1) iron depletions in the matrix; many fine iron-manganese concretions throughout; brittle; very strongly acid; gradual smooth boundary.

Btx2—36 to 45 inches; mottled grayish brown (10YR 5/2), brown (10YR 5/3), and yellowish brown (10YR 5/8) silty clay loam; weak coarse prismatic structure; extremely firm; few roots; few distinct brown (10YR 4/3) clay films on faces of pedis; common fine and medium distinct light gray (10YR 7/1) iron depletions in the matrix; many fine iron-manganese concretions throughout; brittle; very strongly acid; gradual smooth boundary.

Bx—45 to 80 inches; mottled grayish brown (10YR 5/2), pale brown (10YR 6/3), yellowish brown (10YR 5/8), and light gray (10YR 7/1) silt loam; weak medium prismatic structure; extremely firm; few very dark grayish brown (10YR 3/2) threadlike manganese coatings and spherical manganese masses; many fine iron-manganese concretions throughout; brittle; very strongly acid.

Range in Characteristics

Depth to the fragic soil properties: 25 to about 45 inches

Depth to the base of the argillic horizon: 35 to 65 inches

Particle-size control section: Average of 27 to 35 percent clay

Series control section: Less than 10 percent fine sand or coarser material throughout the profile

Ap horizon:

Hue—10YR

Value—4 or 5

Chroma—2 or 3

Texture—silt loam

A horizon (in undisturbed areas):

Hue—10YR

Value—2 or 3

Chroma—1 or 2

Texture—commonly silt loam; less commonly silty clay loam

E, BE, and B/E horizons:

Hue—10YR

Value—5 or 6

Chroma—3 or 4

Texture—commonly silt loam; silty clay loam in some BE horizons

Bt horizon:

Hue—10YR or 2.5Y

Value—4 to 6

Chroma—2 to 8

Texture—silty clay loam or silt loam

Btx and Bx horizons:

Hue—10YR

Value—5 to 7

Chroma—2 to 8

Texture—silty clay loam or silt loam

Clay content—24 to 35 percent

C horizon (if it occurs):

Hue—10YR

Value—5 to 7

Chroma—1 to 8
Texture—silt loam
Clay content—20 to 27 percent

Weir Series

Taxonomic classification: Fine, smectitic, mesic Typic Endoaqualfs

Typical Pedon

Weir silt loam; in a nearly level cultivated field at an elevation of about 495 feet above mean sea level, approximately 2 miles west of Lawrenceville, about 200 feet south and 50 feet east of the northwest corner of sec. 2, T. 3 N., R. 12 W.; in Lawrence County, Illinois; USGS Lawrenceville, IL topographic quadrangle; lat. 38 degrees 43 minutes 53 seconds N. and long. 87 degrees 43 minutes 18 seconds W.; UTM 16, Easting 437271, Northing 4287222, NAD 83:

- Ap—0 to 8 inches; dark grayish brown (10YR 4/2) silt loam, light brownish gray (10YR 6/2) dry; weak fine granular structure; friable; moderately acid; abrupt smooth boundary.
- Eg—8 to 17 inches; light brownish gray (10YR 6/2) silt loam; weak thin platy structure; friable; few medium distinct light yellowish brown (10YR 6/4) masses of oxidized iron in the matrix; very strongly acid; clear smooth boundary.
- Btg1—17 to 21 inches; gray (10YR 5/1) silty clay loam; weak medium prismatic structure parting to moderate medium angular blocky; firm; common distinct grayish brown (10YR 5/2) clay films on faces of peds; common medium distinct brown (10YR 5/3) and yellowish brown (10YR 5/4) masses of oxidized iron in the matrix; very strongly acid; clear smooth boundary.
- Btg2—21 to 30 inches; gray (10YR 5/1) silty clay loam; moderate medium prismatic structure parting to moderate medium angular blocky; firm; common distinct grayish brown (10YR 5/2) clay films on faces of peds; many medium distinct yellowish brown (10YR 5/4) masses of oxidized iron in the matrix; very strongly acid; gradual smooth boundary.
- Btg3—30 to 39 inches; gray (10YR 5/1) silty clay loam; moderate medium subangular blocky structure; firm; common distinct dark grayish brown (10YR 4/2) clay films on faces of peds; many medium distinct yellowish brown (10YR 5/4) masses of oxidized iron in the matrix; very strongly acid; gradual smooth boundary.
- BCg—39 to 46 inches; gray (10YR 6/1) silt loam; weak coarse subangular blocky structure; firm; few faint dark grayish brown (10YR 4/2) clay films on faces of peds; many medium distinct yellowish brown (10YR 5/4) masses of oxidized iron in the matrix; strongly acid; gradual smooth boundary.
- Cg—46 to 80 inches; light brownish gray (10YR 6/2) silt loam; massive; friable; many medium prominent yellowish brown (10YR 5/6) masses of oxidized iron in the matrix; moderately acid.

Range in Characteristics

Depth to the base of the argillic horizon: 35 to more than 60 inches

Particle-size control section: Average of 35 to 40 percent clay; individual subhorizons contain as much as 45 percent

Series control section: Less than 10 percent fine sand or coarser material

Other characteristics: Some pedons have a BE horizon

Ap or A horizon:

Hue—10YR

Value—4 or 5

Chroma—1 or 2

Soil Survey of Massac County, Illinois

Texture—silt loam

Reaction—very strongly acid to moderately acid; ranging to neutral in pedons that have been limed

Eg horizon:

Hue—10YR or 2.5Y

Value—5 to 7

Chroma—2

Texture—silt loam

Reaction—very strongly acid to moderately acid; ranging to neutral in pedons that have been limed

Btg horizon:

Hue—10YR, 2.5Y, or 5Y

Value—4 to 6

Chroma—1 or 2

Texture—silty clay loam or silty clay

Reaction—very strongly acid or strongly acid

BCg horizon:

Hue—10YR, 2.5Y, or 5Y

Value—4 to 6

Chroma—1 or 2

Texture—silt loam or silty clay loam

Clay content—20 to 30 percent

Reaction—very strongly acid to moderately acid

Cg horizon:

Hue—10YR, 2.5Y, 5Y, or neutral

Value—4 to 6

Chroma—0 to 2

Texture—silt loam

Clay content—20 to 27 percent

Reaction—very strongly acid to slightly acid

Wellston Series

Taxonomic classification: Fine-silty, mixed, active, mesic Ultic Hapludalfs

Typical Pedon

Wellston silt loam; on a shoulder slope in mixed hardwoods at an elevation of about 485 feet above mean sea level, approximately 4.5 miles southeast of Chester, about 1,835 feet west and 785 feet north of the center of sec. 26, T. 7 S., R. 6 W.; in Randolph County, Illinois; USGS Welge, IL topographic quadrangle; lat. 37 degrees 53 minutes 38 seconds N. and long. 89 degrees 44 minutes 25 seconds W.; UTM Zone 16, Easting 259030, Northing 4197589, NAD 83:

A—0 to 3 inches; dark brown (10YR 3/3) silt loam, brown (10YR 5/3) dry; moderate medium granular structure; friable; about 5 percent sandstone channers; slightly acid; abrupt smooth boundary.

E—3 to 8 inches; yellowish brown (10YR 5/4) silt loam, very pale brown (10YR 7/4) dry; weak medium platy structure; friable; about 3 percent sandstone channers; moderately acid; clear smooth boundary.

Bt1—8 to 17 inches; strong brown (7.5YR 5/6) silt loam; moderate fine and medium subangular blocky structure; friable; many distinct brown (7.5YR 4/4) clay films on

Soil Survey of Massac County, Illinois

faces of peds; about 3 percent sandstone channers; strongly acid; clear smooth boundary.

Bt2—17 to 31 inches; strong brown (7.5YR 5/6) silt loam; moderate and strong medium subangular blocky structure; firm; common distinct brown (7.5YR 4/4) clay films and many distinct pinkish gray (7.5YR 6/2) silt coats on faces of peds; about 5 percent sandstone channers; strongly acid; gradual smooth boundary.

Bt3—31 to 43 inches; strong brown (7.5YR 5/6) silt loam; moderate medium and coarse subangular blocky structure; hard; common distinct brown (7.5YR 4/4) clay films on faces of peds and common distinct pinkish gray (7.5YR 6/2) silt coats on vertical faces of peds; about 10 percent sandstone channers; moderately acid; gradual smooth boundary.

2BCt—43 to 49 inches; strong brown (7.5YR 5/6) channery silt loam; weak coarse subangular blocky structure; hard; few faint brown (7.5YR 4/4) clay films on faces of peds and common distinct pinkish gray (7.5YR 6/2) silt coats on vertical faces of peds; few very dark gray (N 3/0) organo-clay films lining root channels; about 20 percent sandstone channers; moderately acid; clear irregular boundary.

2C—49 to 60 inches; brown (7.5YR 5/4) very channery loam; massive; friable; about 55 percent sandstone and siltstone channers and flagstones; strongly acid; clear wavy boundary.

2R—60 inches; unweathered sandstone bedrock.

Range in Characteristics

Depth to the base of soil development: 32 to 55 inches

Depth to a lithic or paralithic contact: 40 to 72 inches

Other characteristics: Some pedons have a B/E horizon

Ap horizon:

Hue—7.5YR or 10YR

Value—4 or 5 (6 or 7 dry)

Chroma—typically 2 or 3; 4 to 6 in eroded pedons

Texture—silt loam or silty clay loam in severely eroded areas

A horizon (in uncultivated areas):

Hue—10YR

Value—2 to 4 (4 to 6 dry)

Chroma—1 to 3

Texture—silt loam

E horizon:

Hue—10YR

Value—4 to 6 (6 to 8 dry)

Chroma—3 or 4

Texture—silt loam

Bt horizon:

Hue—7.5YR or 10YR

Value—4 or 5

Chroma—3 to 8

Texture—silty clay loam or silt loam

2Bt, 2BCt, and 2BC horizons (if they occur):

Hue—7.5YR, 10YR, or 2.5Y

Value—4 or 5

Chroma—3 to 6

Texture—silt loam, silty clay loam, clay loam, or loam or their channery, very channery, gravelly, or very gravelly analogues

2C or 2Cr horizon:

Hue—7.5YR, 10YR, or 2.5Y

Value—4 or 5

Chroma—3 to 6

Texture—gravelly or channery to extremely gravelly or extremely channery loam, silt loam, clay loam, sandy clay loam, or sandy loam

2R horizon:

Texture—dominantly unweathered sandstone or siltstone; shale in some pedons

Wheeling Series

Taxonomic classification: Fine-loamy, mixed, active, mesic Ultic Hapludalfs

Typical Pedon

Wheeling silt loam; in a gently sloping wooded area at an elevation of about 341 feet above mean sea level, approximately 170 feet north of the north end of a bridge and 105 feet west of the centerline of a blacktop road in the NE1/4 SE1/4 NE1/4 SW1/4 of sec. 32, T. 14 S., R. 4 E.; in Massac County, Illinois; USGS Mermet, IL topographic quadrangle; lat. 37 degrees 15 minutes 20 seconds N. and long. 88 degrees 47 minutes 39 seconds W.; UTM 16, Easting 340886, Northing 4124732, NAD 83:

- Ap—0 to 5 inches; dark brown (10YR 3/3) silt loam, very dark grayish brown (10YR 3/2) crushed and brown (10YR 5/3) dry; moderate fine granular structure; friable; many roots; strongly acid; abrupt smooth boundary.
- E—5 to 7 inches; yellowish brown (10YR 5/4) silt loam; weak fine granular structure; friable; many roots; moderately acid; clear smooth boundary.
- BE—7 to 10 inches; yellowish brown (10YR 5/4) silt loam to loam; weak fine subangular blocky structure; friable; many roots; common very fine and fine pores; few faint brown (7.5YR 4/4) clay films in root and worm channels; strongly acid; clear smooth boundary.
- Bt1—10 to 23 inches; brown (7.5YR 4/4) clay loam; strong fine and medium prismatic structure parting to strong fine and medium angular blocky; friable; common roots; common faint brown (7.5YR 4/4) clay films on faces of peds; few very fine black (N 2.5/0) manganese coatings on faces of peds; strongly acid; clear smooth boundary.
- Bt2—23 to 30 inches; brown (7.5YR 4/4) clay loam; moderate medium prismatic structure parting to moderate fine and medium subangular blocky; friable; common roots; few very fine pores; many faint brown (7.5YR 4/4) clay films on faces of peds; few very fine black (N 2.5/0) manganese coatings on faces of peds; strongly acid; clear smooth boundary.
- Bt3—30 to 38 inches; brown (7.5YR 4/4) sandy clay loam; weak medium prismatic structure parting to moderate medium subangular blocky; friable; few roots; few very fine pores; common faint brown (7.5YR 4/4) clay films on faces of peds; few very fine black (N 2.5/0) masses of oxidized iron and manganese that are 1 to 2 inches in diameter; strongly acid; clear smooth boundary.
- BC—38 to 49 inches; brown (7.5YR 4/4) sandy clay loam; weak medium prismatic structure parting to weak medium subangular blocky; friable; few roots; few very fine pores; few faint brown (7.5YR 4/4) clay films on faces of peds; few fine distinct light yellowish brown (10YR 6/4) masses of oxidized iron; very strongly acid; clear smooth boundary.
- C—49 to 80 inches; brown (7.5YR 4/4) sandy loam; massive; friable; strongly acid.

Range in Characteristics

Thickness of the solum: 40 to 60 inches or more

Soil Survey of Massac County, Illinois

Content of rock fragments: 0 to 35 percent

Particle-size control section: Average of 18 to 30 percent clay

Reaction: Very strongly acid to moderately acid throughout the profile in unlimed pedons

Other characteristics: Some areas have noticeable mica flakes throughout the profile

Ap or A horizon:

Hue—10YR or 7.5YR

Value—3 to 5

Chroma—2 to 4

Texture—fine sandy loam, sandy loam, loam, or silt loam

E horizon:

Hue—10YR or 7.5YR

Value—5 or 6

Chroma—2 to 4

Texture—fine sandy loam, sandy loam, loam, or silt loam

BE horizon (if it occurs):

Hue—10YR or 7.5YR

Value—4 or 5

Chroma—3 to 6

Texture—commonly loam or silt loam; less commonly fine sandy loam or sandy loam

Bt horizon:

Hue—10YR or 7.5YR

Value—4 or 5

Chroma—3 to 6

Texture—loam, silt loam, clay loam, silty clay loam, or sandy clay loam

BC horizon:

Hue—10YR or 7.5YR

Value—4 or 5

Chroma—3 to 6

Texture—very fine sandy loam, sandy loam, or sandy clay loam

C horizon:

Hue—10YR or 7.5YR

Value—4 or 5

Chroma—3 to 6

Texture—horizon is stratified in textures of sandy loam, fine sandy loam, loamy sand, and loamy fine sand

Zanesville Series

Taxonomic classification: Fine-silty, mixed, active, mesic Oxyaquic Fragiudalfs

Typical Pedon

Zanesville silt loam; on a smooth, convex ridgetop in a cultivated field at an elevation of about 571 feet above mean sea level, approximately $\frac{1}{4}$ mile north of Needmore, along the west side of Kentucky Highway 293, about 300 feet south of Liberty Church; in Caldwell County, Kentucky; USGS Olney, KY 7.5' topographic quadrangle; lat. 37 degrees 13 minutes 34 seconds N. and long. 87 degrees 50 minutes 42 seconds W; UTM Zone 16, Easting 425044, Northing 4120291, NAD 83:

Soil Survey of Massac County, Illinois

- Ap—0 to 7 inches; brown (10YR 4/3) silt loam; weak fine granular structure; very friable; many fine roots; moderately acid; abrupt smooth boundary.
- Bt—7 to 28 inches; strong brown (7.5YR 5/6) silt loam; moderate medium subangular blocky structure; friable; common fine roots; common faint brown (10YR 5/3) and reddish brown (5YR 5/4) clay films on faces of peds; few fine black (N 2.5/0) iron-manganese concretions; very strongly acid; clear wavy boundary.
- Btx—28 to 39 inches; yellowish brown (10YR 5/4) silt loam; many medium distinct gray (10YR 6/1) and strong brown (7.5YR 5/6) mottles; moderate very coarse prismatic structure parting to weak medium subangular blocky; very firm; few fine roots between prisms; many distinct gray (10YR 6/1) silt coats and clay films on vertical faces of peds and common faint brown (10YR 5/3) and common distinct reddish brown (5YR 5/4) clay films on faces of peds; few fine black (N 2.5/0) iron-manganese concretions; brittle; very strongly acid; gradual wavy boundary.
- 2C—39 to 60 inches; yellowish brown (10YR 5/4) sandy clay loam; common medium distinct light brownish gray (2.5Y 6/2) and light yellowish brown (10YR 6/4) mottles; weak thick platy structure; firm; few fine black (N 2.5/0) iron-manganese concretions; 10 percent weathered brown sandstone and siltstone fragments; very strongly acid; clear wavy boundary.
- 2R—60 inches; gray and brown acid sandstone and siltstone.

Range in Characteristics

Depth to the fragipan: 20 to 32 inches

Thickness of the solum: 35 to 70 inches

Depth to bedrock: 40 to 80 inches

Reaction: Moderately acid to very strongly acid, except in limed areas

Ap horizon:

Hue—10YR or 7.5YR

Value—4 or 5

Chroma—2 to 4

Texture—typically silt loam; silty clay loam in some severely eroded areas

A horizon (in uncultivated areas):

Hue—10YR or 7.5YR

Value—3 to 5

Chroma—1 to 4

Texture—silt loam

Thickness—1 to 3 inches

E horizon (if it occurs):

Hue—10YR or 7.5YR

Value—4 to 6

Chroma—3 to 6

Texture—silt loam

Bt horizon:

Hue—10YR, 7.5YR, or 5YR

Value—4 or 5

Chroma—4 to 6

Texture—silt loam or silty clay loam

Btx or 2Btx horizon:

Hue—10YR or 7.5YR

Value—4 or 5

Chroma—3 to 6

Soil Survey of Massac County, Illinois

Texture—commonly silt loam or silty clay loam; less commonly loam, clay loam, sandy clay loam, or fine sandy loam

Content of rock fragments—0 to 15 percent

2C, 3C, 2BC, or 3BC horizon:

Hue—10YR or 7.5YR

Value—4 to 6

Chroma—3 to 6

Texture—silty clay loam, silt loam, loam, clay loam, sandy clay loam, or fine sandy loam or their gravelly, channery, or very channery analogues

Content of rock fragments—5 to 50 percent

2Cr or 3Cr horizon (if it occurs):

Texture—interbedded sandstone, siltstone, or shale; paralithic (rippable)

2R or 3R horizon:

Texture—sandstone or siltstone; lithic (hard)

Formation of the Soils

This section relates the soils in the survey area to the major factors of soil formation and describes the processes of soil formation.

Factors of Soil Formation

A soil is a three-dimensional natural body consisting of mineral and organic material that can support plant growth. The nature of any soil at a given site is the result of the interaction of the factors of soil formation and their influence on the processes of soil formation.

The following paragraphs describe the factors of soil formation and their effect on the soils in Massac County. Soil-forming processes act on deposited or accumulated geologic material. They slowly change the material into a soil. The characteristics of the soil at any given point are determined by (1) the physical and mineralogical composition of the parent material; (2) the plant and animal life on and in the soil; (3) the topography, or lay of the land; (4) the climate under which the soil material has accumulated and existed since accumulation; and (5) the length of time that the forces of soil formation have acted on the soil material (6).

Soil is formed by weathering and other geologic processes that act on the soil's parent material. The characteristics of the soil at any given point on the landscape depend upon parent material, climate, living organisms, relief, and time.

Climate and living organisms are the active forces of soil formation. They act on the parent material that has accumulated through the weathering of rocks and slowly change it into soil. All five factors come into play in the formation of every soil. The relative importance of each differs from place to place; sometimes one is more important and sometimes another. In extreme cases one factor may dominate in the formation of a soil and fix most of its properties. In general, however, it is the combined action of the five factors that determines the present character of each soil.

Parent Material

Parent material is derived mainly from the weathering of rock, but it may have been sorted and moved from place to place by glaciers, wind, and water. The soils of Massac County formed mostly in loess, residuum, alluvium, lacustrine deposits, Coastal Plain gravel of Tertiary age, and silt, clay, and sand of Cretaceous age.

In Massac County, the soils on uplands formed mainly in loess or wind-blown silt. The loess ranges from 8 feet thick on the east side of the county to more than 12 feet thick on the west side. The large Pleistocene alluvial plains, which included the Mississippi River Valley, the Ohio River Valley, and the ancient Ohio River Valley, are now occupied by the Cache River and Lower Bay Creek. They are the main sources of the loess deposits in the county. In some places there are three layers of loess. In many places however, the lowest layer—the Loveland loess—is lacking because the soil that developed in this material was removed by erosion before new material was deposited. Where the Loveland loess does occur in Massac County, it overlies bedrock residuum, bedrock, or Cretaceous-age and Tertiary-age deposits of gravel, sand, silt, or clay. The second layer—the Farmdale or Roxana loess—generally makes up from a

third to a half of the total thickness of the loess. The uppermost layer—the Peorian loess—ordinarily is the thickest and is the material in which most of the modern soils developed. Alford, Muren, and Hosmer are examples of soils that formed mainly in loess.

In areas of thinner loess, soils formed in both loess and residuum. The loess is commonly 10 to 60 inches in thickness and overlies thick-bedded Mississippian sandstone and thin-bedded Mississippian shale and limestone. Wellston, Muskingum, and Berks are examples of soils that formed in thinner loess over residuum.

Alluvium is material such as sand, silt, or clay deposited on land by streams. Petrolia and Karnak are examples of soils that formed in relatively young alluvium. Sciotoville, Ginat, and Wheeling are examples of soils that formed in relatively older alluvium. Lacustrine deposits are materials deposited in lake water and exposed when the water level is lowered or the elevation of the land is raised. Hurst soils are an example of a soil that formed in these sediments.

In the southern part of Massac County, thick loess overlies Cretaceous-age and Tertiary-age sands and gravel. Alford, Muren, and Hosmer soils developed in the thick loess and overlie the Coastal Plain sands and gravel. Brandon and Saffell are examples of soils that developed in the thinner loess that overlies the Coastal Plain sands and gravel.

Climate and Vegetation

Climate largely determines the rate of weathering. It also influences the type of vegetation that grows on soils. The humid temperate climate of Massac County is conducive to the relatively rapid breakdown of minerals, to the formation of clay, and to the translocation of these materials downward in the soil profile. It is also conducive to the growth of deciduous forest, which for a significant period prior to settlement covered all of the uplands and most of the terraces and bottom lands in the survey area. As a result, most of the soils have a relatively light-colored surface horizon. Examples of these soils are Alford and Sciotoville. Beaucoup and Darwin soils on flood plains are examples of soils that formed predominantly under herbaceous vegetation, in a wet environment. Armiesburg soils, also occurring on a flood plain, are an example of a soil that was influenced by grass to some extent but that likely developed under mixed stands of grass and forest.

Relief

Under given climatic conditions and in uniform parent material, relief largely controls the amount of moisture in the soil. It influences the seasonal water table, the amount of runoff, the amount of infiltration, and the degree of erosion. In uniform materials, such as loess, differences in natural soil drainage (seasonal water table) generally are closely associated to slope, or relief. Examples are the well drained Alford soils and the moderately well drained Muren soils, which both formed in thick loess and are commonly adjacent on the landscape.

Time

The length of time necessary for a soil to develop depends on the other factors of soil formation. Soil development generally is faster in a humid climate that supports good vegetation than in a dry climate that supports little vegetation. Soils normally become more strongly developed with increased time of exposure to the weathering processes. Sharon soils are an example of a weakly developed soil. Hosmer soils are an example of a strongly developed soil.

Processes of Soil Formation

Soil forms through the complex interaction of four general processes (12). These processes are additions, transformations, removals, and transfers. The degree of interaction of each of these processes in soil formation varies, resulting in the variety of soils seen on the landscape.

Additions to the soil can occur directly through the deposition of sediment to the soil surface from flooding or through the accumulation of wind-blown sediment. The accumulation and incorporation of organic matter in the A horizon of mineral soils is also an addition. The most striking example of this addition is the formation of the mollic epipedon. The mollic epipedon forms in an environment that features optimum amounts of moisture, temperature, and bivalent cations. Such an environment allows grasses to thrive. The grassland vegetation produces large amounts of organic matter. Microbial decomposition of subsurface organic residues and removal of organic residues from the surface by soil fauna result in the most recognizable property of the mollic epipedon, its dark color. Darwin soils are an example of a soil that has a mollic epipedon.

Transformations are changes that take place in the soil through the interaction of biological, chemical, and physical processes. An example is the reduction of iron and manganese oxides, which occurs in soils saturated with water. Typically, iron oxides coat soil particles and produce brownish, yellowish, or reddish colors and manganese oxides produce black colors. When a soil becomes saturated with water and the dissolved oxygen is removed, anaerobic conditions develop. These conditions result in changes in the biogeochemical processes occurring in the soils and in the development of distinctive soil morphological characteristics (redoximorphic features). Reduced iron and manganese can move with the soil water to other parts of the soil or can be removed entirely from the soil by leaching. After the iron and manganese are gone, the leached area, or depletion, generally has a grayish or whitish color. If the reduced iron comes in contact with oxygen, it can re-oxidize. The result is the formation of bright-colored concentrations or accumulations. Repeated cycles of saturation and drying create a mottled soil. Part of the soil is gray because of the loss of iron, and other parts are brown because the iron oxide has accumulated or has not been removed. The somewhat poorly drained Stoy soils are an example of a soil in which this process has occurred. If a soil remains saturated for long periods, iron may be leached from the soil. Such soils are generally grayish, or gleyed. The poorly drained Cape soils are an example.

Removals from the soil can occur as solid mineral and organic particles are lost through erosion from the soil surface. Such losses can be serious because the material lost is typically the most productive part of the soil profile. The strongly sloping Alford and Hosmer soils are examples of soils that are highly susceptible to removals by soil erosion.

Removals can also occur within the soil, commonly as a result of leaching. The leaching of calcium carbonate from calcareous loess is an example of a removal. The loess was initially high in calcium carbonate. Water percolating through the loess dissolved and transported the calcium carbonate deeper into the solum. Calcium carbonate is relatively soluble and is removed early in the formation of the soil. It is also a powerful flocculent, creating microscopic soil particles too large to be transported in suspension in the soil water. Removal of calcium carbonate facilitates the dispersion of clay particles. Translocation of the dispersed clay particles can then occur in percolating soil water. Zanesville soils are an example of a soil that has had significant removals from leaching.

Translocations are movements from one place to another in the soil. An example is the formation of an illuvial horizon through the translocation of clay from the A or E horizon, the zone of eluviation or loss, to the B horizon, the zone of illuviation or gain.

Soil Survey of Massac County, Illinois

In Alford and Hosmer soils, for example, significant clay has accumulated, forming an illuvial horizon called an argillic horizon. Argillic horizons tend to develop on stable landscapes. Fine clay was transferred from the A or E horizon by water from rain and melting snow downward through the soil to the B horizon, where it was deposited on the faces of peds and along pores.

References

- (1) American Association of State Highway and Transportation Officials (AASHTO). 2000. Standard specifications for transportation materials and methods of sampling and testing. 20th ed., 2 vols.
- (2) American Society for Testing and Materials (ASTM). 2001. Standard classification of soils for engineering purposes. ASTM Stand. D-2487.
- (3) Cowardin, L.M., and others. 1979. Classification of wetlands and deep-water habitats of the United States. U.S. Fish and Wildl. Serv. FWS/OBS-79/31.
- (4) Federal Register. July 13, 1994. Changes in the hydric soils of the United States.
- (5) Federal Register. February 24, 1995. Hydric soils of the United States.
- (6) Jenny, Hans. 1941. Factors of soil formation.
- (7) Leighton, M.M., G.E. Ekblaw, and C.L. Hornberg. 1948. Physiographic divisions of Illinois. J. Geol., vol. 56, pp. 16-33.
- (8) National Research Council. 1995. Wetlands: Characteristics and boundaries.
- (9) Olson, K.R., and others. 2000. Average crop, pasture, and forest productivity ratings for Illinois soils. Univ. of Ill. at Urbana-Champaign, Coll. of Agric., Consumer and Environ. Sci., Off. of Research Bull. 810.
- (10) Olson, K.R., and others. 2000. Optimum crop productivity ratings for Illinois soils. Univ. of Ill. at Urbana-Champaign, Coll. of Agric., Consumer and Environ. Sci., Off. of Research Bull. 811.
- (11) Pryor, Wayne A. 1956. Groundwater geology in southern Illinois. Ill. State Geol. Surv. Circ. 212.
- (12) Simonson, R.W. 1959. Outline of a generalized theory of soil genesis. Soil Sci. Soc. Am. Proc. 23:152-156.
- (13) Tiner, R.W., Jr. 1985. Wetlands of Delaware. Coop. Publ., U.S. Fish and Wildl. Serv. and Del. Dep. of Natural Resources and Environ. Control, Wetl. Sec.
- (14) United States Army Corps of Engineers, Environmental Laboratory. 1987. Corps of Engineers wetlands delineation manual. Waterways Exp. Stn. Tech. Rep. Y-87-1.

Soil Survey of Massac County, Illinois

- (15) United States Department of Agriculture, Natural Resources Conservation Service. 1999. Soil taxonomy: A basic system of soil classification for making and interpreting soil surveys. 2nd ed. Soil Surv. Staff. U.S. Dep. Agric. Handb. 436.
- (16) United States Department of Agriculture, Natural Resources Conservation Service. 2006. Field indicators of hydric soils in the United States. Ver. 6.0. G.W. Hurt and L.M. Vasilas (eds.). NRCS in cooperation with the National Technical Committee for Hydric Soils.
- (17) United States Department of Agriculture, Natural Resources Conservation Service. 2006. Keys to soil taxonomy. 10th ed. Soil Surv. Staff.
- (18) United States Department of Agriculture, Natural Resources Conservation Service. 2006. Land resource regions and major land resource areas of the United States. U.S. Dep. Agric Handb. 296.
- (19) United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. U.S. Dep. Agric. Handb. 210.
- (20) United States Department of Agriculture, Soil Conservation Service. 1975. Soil survey of Pope, Hardin, and Massac Counties, Illinois.
- (21) United States Department of Agriculture, Soil Conservation Service. 1993. Soil survey manual. U.S. Dep. Agric. Handb. 18.
- (22) United States Department of Commerce, Bureau of the Census. 2002. *Information accessed December 27, 2002, at <http://quickfacts.census.gov/qfd/>.*
- (23) Weller, J. Marvin. 1949. Geology and oil possibilities of extreme southern Illinois. Il. State Geol. Surv., Rep. of Invest. No. 71.

Glossary

ABC soil. A soil having an A, a B, and a C horizon.

AC soil. A soil having an A and a C horizon.

Aeration, soil. The exchange of air in soil with air from the atmosphere. The air in a well aerated soil is similar to that in the atmosphere; the air in a poorly aerated soil is considerably higher in carbon dioxide and lower in oxygen.

Aggregate, soil. Many fine particles held in a single mass or cluster. Natural soil aggregates, such as granules, blocks, or prisms, are called peds. Clods are aggregates produced by tillage or logging.

Alkali (sodic) soils. A soil having so high a degree of alkalinity (pH 8.5 or higher) or so high a percentage of exchangeable sodium (15 percent or more of the total exchangeable bases), or both, that plant growth is restricted.

Alluvial fan. The fanlike deposit of a stream where it issues from a gorge upon a plain or of a tributary stream near or at its junction with its main stream.

Alluvium. Material, such as sand, silt, or clay, deposited on land by streams.

Alpha,alpha-dipyridyl. A dye that when dissolved in 1N ammonium acetate is used to detect the presence of reduced iron (Fe II) in the soil. A positive reaction indicates a type of redoximorphic feature.

Animal unit month (AUM). The amount of forage required by one cow of approximately 1,000 pounds weight, with or without a calf, for 1 month.

Aquic conditions. Current soil wetness characterized by saturation, reduction, and redoximorphic features.

Argillic horizon. A subsoil horizon characterized by an accumulation of illuvial clay.

Aspect. The direction in which a slope faces.

Available water capacity (available moisture capacity). The capacity of soils to hold water available for use by most plants. It is commonly defined as the difference between the amount of soil water at field moisture capacity and the amount at wilting point. It is commonly expressed as inches of water per inch of soil. The capacity, in inches, in a 60-inch profile or to a limiting layer is expressed as:

Very low	0 to 3
Low	3 to 6
Moderate	6 to 9
High	9 to 12
Very high	more than 12

Backslope. The position that forms the steepest and generally linear, middle portion of a hillslope. In profile, backslopes are commonly bounded by a convex shoulder above and a concave footslope below.

Base saturation. The degree to which material having cation-exchange properties is saturated with exchangeable bases (sum of Ca, Mg, Na, and K), expressed as a percentage of the total cation-exchange capacity.

Base slope. A geomorphic component of hills consisting of the concave to linear (perpendicular to the contour) slope that, regardless of the lateral shape, forms an apron or wedge at the bottom of a hillside dominated by colluvium and slope-wash sediments (for example, slope alluvium).

- Bedding planes.** Fine strata, less than 5 millimeters thick, in unconsolidated alluvial, eolian, lacustrine, or marine sediment.
- Bedrock.** The solid rock that underlies the soil and other unconsolidated material or that is exposed at the surface.
- Bisequum.** Two sequences of soil horizons, each of which consists of an illuvial horizon and the overlying eluvial horizons.
- Boulders.** Rock fragments larger than 2 feet (60 centimeters) in diameter.
- Brush management.** Use of mechanical, chemical, or biological methods to make conditions favorable for reseeding or to reduce or eliminate competition from woody vegetation and thus allow understory grasses and forbs to recover. Brush management increases forage production and thus reduces the hazard of erosion. It can improve the habitat for some species of wildlife.
- Capillary water.** Water held as a film around soil particles and in tiny spaces between particles. Surface tension is the adhesive force that holds capillary water in the soil.
- Catena.** A sequence, or “chain,” of soils on a landscape that formed in similar kinds of parent material but have different characteristics as a result of differences in relief and drainage.
- Cation.** An ion carrying a positive charge of electricity. The common soil cations are calcium, potassium, magnesium, sodium, and hydrogen.
- Cation-exchange capacity.** The total amount of exchangeable cations that can be held by the soil, expressed in terms of milliequivalents per 100 grams of soil at neutrality (pH 7.0) or at some other stated pH value. The term, as applied to soils, is synonymous with base-exchange capacity but is more precise in meaning.
- Channery soil material.** Soil material that has, by volume, 15 to 35 percent thin, flat fragments of sandstone, shale, slate, limestone, or schist as much as 6 inches (15 centimeters) along the longest axis. A single piece is called a channer.
- Chemical treatment.** Control of unwanted vegetation through the use of chemicals.
- Chiseling.** Tillage with an implement having one or more soil-penetrating points that loosen the subsoil and bring clods to the surface.
- Clay.** As a soil separate, the mineral soil particles less than 0.002 millimeter in diameter. As a soil textural class, soil material that is 40 percent or more clay, less than 45 percent sand, and less than 40 percent silt.
- Clay depletions.** Low-chroma zones having a low content of iron, manganese, and clay because of the chemical reduction of iron and manganese and the removal of iron, manganese, and clay. A type of redoximorphic depletion.
- Clay film.** A thin coating of oriented clay on the surface of a soil aggregate or lining pores or root channels. Synonyms: clay coating, clay skin.
- Climax plant community.** The plant community on a given site that will be established if present environmental conditions continue to prevail and the site is properly managed.
- Coarse textured soil.** Sand or loamy sand.
- Cobble (or cobblestone).** A rounded or partly rounded fragment of rock 3 to 10 inches (7.6 to 25 centimeters) in diameter.
- Cobbly soil material.** Material that is 15 to 35 percent, by volume, rounded or partially rounded rock fragments 3 to 10 inches (7.6 to 25 centimeters) in diameter. Very cobbly soil material is 35 to 60 percent of these rock fragments, and extremely cobbly soil material is more than 60 percent.
- COLE (coefficient of linear extensibility).** See Linear extensibility.
- Colluvium.** Soil material or rock fragments, or both, moved by creep, slide, or local wash and deposited at the base of steep slopes.
- Complex slope.** Irregular or variable slope. Planning or establishing terraces, diversions, and other water-control structures on a complex slope is difficult.
- Complex soil.** A map unit of two or more kinds of soil or miscellaneous areas in such

an intricate pattern or so small in area that it is not practical to map them separately at the selected scale of mapping. The pattern and proportion of the soils or miscellaneous areas are somewhat similar in all areas.

- Concretions.** Grains, pellets, or nodules of various sizes, shapes, and colors consisting of concentrated compounds or cemented soil grains. The composition of most concretions is unlike that of the surrounding soil. Calcium carbonate and iron oxide are common compounds in concretions.
- Conservation cropping system.** Growing crops in combination with needed cultural and management practices. In a good conservation cropping system, the soil-improving crops and practices more than offset the soil-depleting crops and practices. Cropping systems are needed on all tilled soils. Soil-improving practices in a conservation cropping system include the use of rotations that contain grasses and legumes and the return of crop residue to the soil. Other practices include the use of green manure crops of grasses and legumes, proper tillage, adequate fertilization, and weed and pest control.
- Conservation tillage.** Any tillage and planting system in which a cover of crop residue is maintained on at least 30 percent of the surface after planting in order to reduce the hazard of water erosion; in areas where wind erosion is the primary concern, a system that maintains a cover of at least 1,000 pounds of flat residue of small grain or its equivalent during the critical erosion period.
- Consistence, soil.** Refers to the degree of cohesion and adhesion of soil material and its resistance to deformation when ruptured. Consistence includes resistance of soil material to rupture and to penetration; plasticity, toughness, and stickiness of puddled soil material; and the manner in which the soil material behaves when subject to compression. Terms describing consistence are defined in the "Soil Survey Manual."
- Control section.** The part of the soil on which classification is based. The thickness varies among different kinds of soil, but for many it is that part of the soil profile between depths of 10 inches and 40 or 80 inches.
- Corrosion.** Soil-induced electrochemical or chemical action that dissolves or weakens concrete or uncoated steel.
- Corrosive.** High risk of corrosion to uncoated steel or deterioration of concrete.
- Cover crop.** A close-growing crop grown primarily to improve and protect the soil between periods of regular crop production, or a crop grown between trees and vines in orchards and vineyards.
- Cropping system.** Growing crops according to a planned system of rotation and management practices.
- Crop residue management.** Returning crop residue to the soil, which helps to maintain soil structure, organic matter content, and fertility and helps to control erosion.
- Cutbanks cave** (in tables). The walls of excavations tend to cave in or slough.
- Deferred grazing.** Postponing grazing or resting grazing land for a prescribed period.
- Dense layer** (in tables). A very firm, massive layer that has a bulk density of more than 1.8 grams per cubic centimeter. Such a layer affects the ease of digging and can affect filling and compacting.
- Depression.** Any relatively sunken part of the earth's surface; especially a low-lying area surrounded by higher ground. A closed depression has no natural outlet for surface drainage. An open depression has a natural outlet for surface drainage.
- Depth, soil.** The thickness of the soil over bedrock. Very deep soils are more than 60 inches deep over bedrock; deep soils, 40 to 60 inches; moderately deep soils, 20 to 40 inches; shallow soils, 10 to 20 inches; and very shallow soils, less than 10 inches.
- Depth to bedrock** (in tables). Bedrock is too near the surface for the specified use.

Diversion (or diversion terrace). A ridge of earth, generally a terrace, built to protect downslope areas by diverting runoff from its natural course.

Drainage class (natural). Refers to the frequency and duration of periods of saturation or partial saturation during soil formation, as opposed to altered drainage, which is commonly the result of artificial drainage or irrigation but may be caused by the sudden deepening of channels or the blocking of drainage outlets. Seven classes of natural soil drainage are recognized:

Excessively drained.—These soils have very high and high hydraulic conductivity and a low water-holding capacity. They are not suited to crop production unless irrigated.

Somewhat excessively drained.—These soils have high hydraulic conductivity and a low water-holding capacity. Without irrigation, only a narrow range of crops can be grown and yields are low.

Well drained.—These soils have an intermediate or high water-holding capacity. They retain optimum amounts of moisture, but they are not wet close enough to the surface or long enough during the growing season to adversely affect yields.

Moderately well drained.—These soils are wet close enough to the surface or long enough that planting or harvesting operations or yields of most field crops are affected. Moderately well drained soils commonly have a layer with low hydraulic conductivity, a wet layer relatively high in the profile, additions of water by seepage, or some combination of these.

Somewhat poorly drained.—These soils are wet close enough to the surface or long enough that planting or harvesting operations or crop growth is markedly restricted under natural conditions. Somewhat poorly drained soils commonly have a layer with low hydraulic conductivity, a wet layer high in the profile, additions of water through seepage, or a combination of these.

Poorly drained.—These soils commonly are so wet at or near the surface during a considerable part of the year that field crops cannot be grown under natural conditions. Poor drainage is caused by a saturated zone, a layer with low hydraulic conductivity, seepage, or a combination of these.

Very poorly drained.—These soils are wet to the surface most of the time. The wetness prevents the growth of important crops under natural conditions.

Drainage, surface. Runoff, or surface flow of water, from an area.

Drainageway. A relatively small, linear depression that, at some time, moves concentrated water and either does not have a defined channel or has a small, defined channel.

Eluviation. The movement of material in true solution or colloidal suspension from one place to another within the soil. Soil horizons that have lost material through eluviation are eluvial; those that have received material are illuvial.

Endosaturation. A type of saturation of the soil in which all horizons between the upper boundary of saturation and a depth of 2 meters are saturated.

Ephemeral stream. A stream, or reach of a stream, that flows only in direct response to precipitation. It receives no long-continued supply from melting snow or other source, and its channel is above a zone in which the soil moisture status is wet at all times.

Episaturation. A type of saturation indicating a perched zone in which the soil moisture status is wet in a soil in which saturated layers are underlain by one or more unsaturated layers within 2 meters of the surface.

Erosion. The wearing away of the land surface by water, wind, ice, or other geologic agents and by such processes as gravitational creep.

Erosion (geologic). Erosion caused by geologic processes acting over long geologic periods and resulting in the wearing away of mountains and the building up of such landscape features as flood plains and coastal plains. Synonym: natural erosion.

Erosion (accelerated). Erosion much more rapid than geologic erosion, mainly as a result of human or animal activities or of a catastrophe in nature, such as a fire, that exposes the surface.

Escarpment. A relatively continuous and steep slope or cliff breaking the general continuity of more gently sloping land surfaces and resulting from erosion or faulting. The term is more often applied to cliffs resulting from differential erosion.

Fan terrace. A relict alluvial fan, no longer a site of active deposition, incised by younger and lower alluvial surfaces.

Fertility, soil. The quality that enables a soil to provide plant nutrients, in adequate amounts and in proper balance, for the growth of specified plants when light, moisture, temperature, tilth, and other growth factors are favorable.

Field moisture capacity. The moisture content of a soil, expressed as a percentage of the oven-dry weight, after the gravitational, or free, water has drained away; the field moisture content 2 or 3 days after a soaking rain; also called normal field capacity, normal moisture capacity, or capillary capacity.

Fine textured soil. Sandy clay, silty clay, or clay.

First bottom. The normal flood plain of a stream, subject to frequent or occasional flooding.

Flaggy soil material. Material that is, by volume, 15 to 35 percent flagstones. Very flaggy soil material is 35 to 60 percent flagstones, and extremely flaggy soil material is more than 60 percent flagstones.

Flagstone. A thin fragment of sandstone, limestone, slate, shale, or (rarely) schist 6 to 15 inches (15 to 38 centimeters) long.

Flood plain. A nearly level alluvial plain that borders a stream and is subject to inundation under flood-stage conditions unless protected artificially. It is generally a constructional landform consisting of sediment deposited during overflow and lateral migration of the stream.

Footslope. The position that forms the inner, gently inclined surface at the base of a hillslope. In profile, footslopes are commonly concave. A footslope is a transition zone between upslope sites of erosion and transport (shoulders and backslopes) and downslope sites of deposition (toeslopes).

Forb. Any herbaceous plant not a grass or a sedge.

Forest cover. All trees and other woody plants (underbrush) covering the ground in a forest.

Forest habitat type. An association of dominant tree and ground flora species in a climax community.

Forest type. A stand of trees similar in composition and development because of given physical and biological factors by which it may be differentiated from other stands.

Genesis, soil. The mode of origin of the soil. Refers especially to the processes or soil-forming factors responsible for the formation of the solum, or true soil, from the unconsolidated parent material.

Geomorphology. The science that treats the general configuration of the earth's surface; specifically the study of the classification, description, nature, origin, and development of landforms and their relationships to underlying structures and the history of geologic changes as recorded by these surface features. The term is especially applied to the genetic interpretation of landforms.

Glacial drift. Pulverized and other rock material transported by glacial ice and then deposited. Also, the sorted and unsorted material deposited by streams flowing from glaciers.

Gleyed soil. Soil that formed under poor drainage, resulting in the reduction of iron and other elements in the profile and in gray colors.

Grassed waterway. A natural or constructed waterway, typically broad and shallow,

seeded to grass as protection against erosion. Conducts surface water away from cropland.

- Gravel.** Rounded or angular fragments of rock as much as 3 inches (2 millimeters to 7.6 centimeters) in diameter. An individual piece is a pebble.
- Gravelly soil material.** Material that is 15 to 50 percent, by volume, rounded or angular rock fragments, not prominently flattened, as much as 3 inches (7.6 centimeters) in diameter.
- Green manure crop (agronomy).** A soil-improving crop grown to be plowed under in an early stage of maturity or soon after maturity.
- Ground water.** Water filling all the unblocked pores of underlying material below the top of where the soil moisture status is wet.
- Gully.** A miniature valley with steep sides cut by running water and through which water ordinarily runs only after rainfall. The distinction between a gully and a rill is one of depth. A gully generally is an obstacle to farm machinery and is too deep to be obliterated by ordinary tillage; a rill is of lesser depth and can be smoothed over by ordinary tillage.
- Hard bedrock.** Bedrock that cannot be excavated except by blasting or by the use of special equipment that is not commonly used in construction.
- Head slope.** A geomorphic component of hills consisting of a laterally concave area of a hillside, especially at the head of a drainageway. The overland waterflow is converging.
- High-chroma zones.** Zones having chroma of 3 or more (the typical color in areas of iron concentrations).
- High-residue crops.** Such crops as small grain and corn used for grain. If properly managed, residue from these crops can be used to control erosion until the next crop in the rotation is established. These crops return large amounts of organic matter to the soil.
- Hill.** A natural elevation of the land surface, rising as much as 1,000 feet above surrounding lowlands, commonly of limited summit area and having a well defined outline; hillsides generally have slopes of more than 6 percent. The distinction between a hill and a mountain is arbitrary and is dependent on local usage.
- Horizon, soil.** A layer of soil, approximately parallel to the surface, having distinct characteristics produced by soil-forming processes. In the identification of soil horizons, an uppercase letter represents the major horizons. Numbers or lowercase letters that follow represent subdivisions of the major horizons. The major horizons of mineral soil are as follows:
- O horizon.*—An organic layer of fresh and decaying plant residue.
- A horizon.*—The mineral horizon at or near the surface in which an accumulation of humified organic matter is mixed with the mineral material. Also, a plowed surface horizon, most of which was originally part of a B horizon.
- E horizon.*—The mineral horizon in which the main feature is loss of silicate clay, iron, aluminum, or some combination of these.
- B horizon.*—The mineral horizon below an A horizon. The B horizon is in part a layer of transition from the overlying A to the underlying C horizon. The B horizon also has distinctive characteristics, such as (1) accumulation of clay, sesquioxides, humus, or a combination of these; (2) prismatic or blocky structure; (3) redder or browner colors than those in the A horizon; or (4) a combination of these.
- C horizon.*—The mineral horizon or layer, excluding indurated bedrock, that is little affected by soil-forming processes and does not have the properties typical of the overlying soil material. The material of a C horizon may be either like or unlike that in which the solum formed. If the material is known to differ from that in the solum, an Arabic numeral, commonly a 2, precedes the letter C.
- Cr horizon.*—Soft, consolidated bedrock beneath the soil.

R layer.—Consolidated bedrock beneath the soil. The bedrock commonly underlies a C horizon, but it can be directly below an A or a B horizon.

Humus. The well decomposed, more or less stable part of the organic matter in mineral soils.

Hydrologic soil groups. Refers to soils grouped according to their runoff-producing characteristics. The chief consideration is the inherent capacity of soil bare of vegetation to permit infiltration. The slope and the kind of plant cover are not considered but are separate factors in predicting runoff. Soils are assigned to four groups. In group A, soils have a high infiltration rate when thoroughly wet and have a low runoff potential. They are mainly deep, well drained, and sandy or gravelly. In group D, at the other extreme, soils have a very slow infiltration rate and thus a high runoff potential. They have a claypan or clay layer at or near the surface, have a zone with wet soil moisture status high in the profile on a permanent basis, or are shallow over nearly impervious bedrock or other material. A soil is assigned to two hydrologic groups if part of the acreage is artificially drained and part is undrained.

Illuviation. The movement of soil material from one horizon to another in the soil profile. Generally, material is removed from an upper horizon and deposited in a lower horizon.

Impervious soil. A soil through which water, air, or roots penetrate slowly or not at all. No soil is absolutely impervious to air and water all the time.

Infiltration. The downward entry of water into the immediate surface of soil or other material, as contrasted with percolation, which is movement of water through soil layers or material.

Infiltration capacity. The maximum rate at which water can infiltrate into a soil under a given set of conditions.

Infiltration rate. The rate at which water penetrates the surface of the soil at any given instant, usually expressed in inches per hour. The rate can be limited by the infiltration capacity of the soil or the rate at which water is applied at the surface.

Intake rate. The average rate of water entering the soil under irrigation. Most soils have a fast initial rate; the rate decreases with application time. Therefore, intake rate for design purposes is not a constant but is a variable depending on the net irrigation application. The rate of water intake, in inches per hour, is expressed as follows:

Less than 0.2	very low
0.2 to 0.4	low
0.4 to 0.75	moderately low
0.75 to 1.25	moderate
1.25 to 1.75	moderately high
1.75 to 2.5	high
More than 2.5	very high

Interfluve. An elevated area between two drainageways that sheds water to those drainageways.

Intermittent stream. A stream, or reach of a stream, that flows for prolonged periods only when it receives ground-water discharge or long, continued contributions from melting snow or other surface and shallow subsurface sources.

Iron concentrations. High-chroma zones having a high content of iron and manganese oxide because of chemical oxidation and accumulation, but having a clay content similar to that of the adjacent matrix. A type of redoximorphic concentration.

Iron depletions. Low-chroma zones having a low content of iron and manganese oxide because of chemical reduction and removal, but having a clay content similar to that of the adjacent matrix. A type of redoximorphic depletion.

- Irrigation.** The controlled application of water to supplement rainfall and support plant growth. The design and management of an irrigation system are affected by depth to the water table, the need for drainage, flooding, available water capacity, intake rate, permeability, erosion hazard, and slope. The construction of a system is affected by large stones and depth to bedrock. The performance of a system is affected by the depth of the root zone, the formation of plow pans, the intake rate, and soil reaction.
- Knoll.** A small, low, rounded hill rising above adjacent landforms.
- K_{sat} .** Saturated hydraulic conductivity. (See Permeability.)
- Landslide.** The rapid downhill movement of a mass of soil and loose rock, generally when wet or saturated. The speed and distance of movement, as well as the amount of soil and rock material, vary greatly.
- Large stones** (in tables). Rock fragments 3 inches (7.6 centimeters) or more across. Large stones adversely affect the specified use of the soil.
- Leaching.** The removal of soluble material from soil or other material by percolating water.
- Linear extensibility.** Refers to the change in length of an unconfined clod as moisture content is decreased from a moist to a dry state. Linear extensibility is used to determine the shrink-swell potential of soils. It is an expression of the volume change between the water content of the clod at $1/3$ -bar or $1/10$ -bar tension (33kPa or 10kPa tension) and oven dryness. Volume change is influenced by the amount and type of clay minerals in the soil. The volume change is the percent change for the whole soil. If it is expressed as a fraction, the resulting value is COLE, coefficient of linear extensibility.
- Liquid limit.** The moisture content at which the soil passes from a plastic to a liquid state.
- Loam.** Soil material that is 7 to 27 percent clay particles, 28 to 50 percent silt particles, and less than 52 percent sand particles.
- Loess.** Fine-grained material, dominantly of silt-sized particles, deposited by the wind.
- Low-chroma zones.** Zones having chroma of 2 or less (the typical color in areas of iron depletions).
- Low-residue crops.** Such crops as corn used for silage, peas, beans, and potatoes. Residue from these crops is not adequate to control erosion until the next crop in the rotation is established. These crops return little organic matter to the soil.
- Low strength.** The soil is not strong enough to support loads.
- MAP.** Mean annual precipitation, expressed in inches.
- Masses.** Concentrations of substances in the soil matrix that do not have a clearly defined boundary with the surrounding soil material and cannot be removed as a discrete unit. Common compounds making up masses are calcium carbonate, gypsum or other soluble salts, iron oxide, and manganese oxide. Masses consisting of iron oxide or manganese oxide generally are considered a type of redoximorphic concentration.
- Mechanical treatment.** Use of mechanical equipment for seeding, brush management, and other management practices.
- Medium textured soil.** Very fine sandy loam, loam, silt loam, or silt.
- Mineral soil.** Soil that is mainly mineral material and low in organic material. Its bulk density is more than that of organic soil.
- Minimum tillage.** Only the tillage essential to crop production and prevention of soil damage.
- Miscellaneous area.** An area that has little or no natural soil and supports little or no vegetation.
- Moderately coarse textured soil.** Coarse sandy loam, sandy loam, or fine sandy loam.

- Moderately fine textured soil.** Clay loam, sandy clay loam, or silty clay loam.
- Mollic epipedon.** A thick, dark, humus-rich surface horizon (or horizons) that has high base saturation and pedogenic soil structure. It may include the upper part of the subsoil.
- Morphology, soil.** The physical makeup of the soil, including the texture, structure, porosity, consistence, color, and other physical, mineral, and biological properties of the various horizons, and the thickness and arrangement of those horizons in the soil profile.
- Mottling, soil.** Irregular spots of different colors that vary in number and size. Descriptive terms are as follows: abundance—*few, common, and many*; size—*fine, medium, and coarse*; and contrast—*faint, distinct, and prominent*. The size measurements are of the diameter along the greatest dimension. *Fine* indicates less than 5 millimeters (about 0.2 inch); *medium*, from 5 to 15 millimeters (about 0.2 to 0.6 inch); and *coarse*, more than 15 millimeters (about 0.6 inch).
- Munsell notation.** A designation of color by degrees of three simple variables—hue, value, and chroma. For example, a notation of 10YR 6/4 is a color with hue of 10YR, value of 6, and chroma of 4.
- Natric horizon.** A special kind of argillic horizon that contains enough exchangeable sodium to have an adverse effect on the physical condition of the subsoil.
- Neutral soil.** A soil having a pH value between 6.6 and 7.3. (See Reaction, soil.)
- Nodules.** Cemented bodies lacking visible internal structure. Calcium carbonate, iron oxide, and manganese oxide are common compounds making up nodules. If formed in place, nodules of iron oxide or manganese oxide are considered types of redoximorphic concentrations.
- Nose slope.** A geomorphic component of hills consisting of the projecting end (laterally convex area) of a hillside. The overland waterflow is predominantly divergent.
- Nutrient, plant.** Any element taken in by a plant essential to its growth. Plant nutrients are mainly nitrogen, phosphorus, potassium, calcium, magnesium, sulfur, iron, manganese, copper, boron, and zinc obtained from the soil and carbon, hydrogen, and oxygen obtained from the air and water.
- Organic matter.** Plant and animal residue in the soil in various stages of decomposition. The content of organic matter in the surface layer is described as follows:
- | | |
|----------------------|-----------------------|
| Very low | less than 0.5 percent |
| Low | 0.5 to 1.0 percent |
| Moderately low | 1.0 to 2.0 percent |
| Moderate | 2.0 to 4.0 percent |
| High | 4.0 to 8.0 percent |
| Very high | more than 8.0 percent |
- Parent material.** The unconsolidated organic and mineral material in which soil forms.
- Parts per million (ppm).** The concentration of a substance in the soil, such as phosphorus or potassium, in one million parts of air-dried soil on a weight per weight basis.
- Ped.** An individual natural soil aggregate, such as a granule, a prism, or a block.
- Pedisediment.** A thin layer of alluvial material that mantles an erosion surface and has been transported to its present position from higher areas of the erosion surface.
- Pedon.** The smallest volume that can be called “a soil.” A pedon is three dimensional and large enough to permit study of all horizons. Its area ranges from about 10 to 100 square feet (1 square meter to 10 square meters), depending on the variability of the soil.
- Percolation.** The movement of water through the soil.

Permeability. The quality of the soil that enables water to move downward through the profile. The rate at which a saturated soil transmits water is accepted as a measure of this quality. In soil physics, the rate is referred to as “saturated hydraulic conductivity,” which is defined in the “Soil Survey Manual.” In line with conventional usage in the engineering profession and with traditional usage in published soil surveys, this rate of flow continues to be expressed as “permeability.” Terms describing permeability, measured in inches per hour, are as follows:

Impermeable	less than 0.0015 inch
Very slow	0.0015 to 0.06 inch
Slow	0.06 to 0.2 inch
Moderately slow	0.2 to 0.6 inch
Moderate	0.6 inch to 2.0 inches
Moderately rapid	2.0 to 6.0 inches
Rapid	6.0 to 20 inches
Very rapid	more than 20 inches

Phase, soil. A subdivision of a soil series based on features that affect its use and management, such as slope, stoniness, and thickness.

pH value. A numerical designation of acidity and alkalinity in soil. (See Reaction, soil.)

Piping (in tables). Formation of subsurface tunnels or pipelike cavities by water moving through the soil.

Plasticity index. The numerical difference between the liquid limit and the plastic limit; the range of moisture content within which the soil remains plastic.

Plastic limit. The moisture content at which a soil changes from semisolid to plastic.

Plowpan. A compacted layer formed in the soil directly below the plowed layer.

Ponding. Standing water on soils in closed depressions. Unless the soils are artificially drained, the water can be removed only by percolation or evapotranspiration.

Poorly graded. Refers to a coarse-grained soil or soil material consisting mainly of particles of nearly the same size. Because there is little difference in size of the particles, density can be increased only slightly by compaction.

Potential native plant community. See Climax plant community.

Potential rooting depth (effective rooting depth). Depth to which roots could penetrate if the content of moisture in the soil were adequate. The soil has no properties restricting the penetration of roots to this depth.

Prescribed burning. Burning an area under conditions of weather and soil moisture and at the time of day that will result in the intensity of heat and spread required to accomplish specific forest management, wildlife, grazing, or fire hazard reduction purposes.

Productivity, soil. The capability of a soil for producing a specified plant or sequence of plants under specific management.

Profile, soil. A vertical section of the soil extending through all its horizons and into the parent material.

Proper grazing use. Grazing at an intensity that maintains enough cover to protect the soil and maintain or improve the quantity and quality of the desirable vegetation. This practice increases the vigor and reproduction capacity of the key plants and promotes the accumulation of litter and mulch necessary to conserve soil and water.

Reaction, soil. A measure of acidity or alkalinity of a soil, expressed in pH values. A soil that tests to pH 7.0 is described as precisely neutral in reaction because it is neither acid nor alkaline. The degrees of acidity or alkalinity, expressed as pH values, are:

Soil Survey of Massac County, Illinois

Ultra acid	less than 3.5
Extremely acid	3.5 to 4.4
Very strongly acid	4.5 to 5.0
Strongly acid	5.1 to 5.5
Moderately acid	5.6 to 6.0
Slightly acid	6.1 to 6.5
Neutral	6.6 to 7.3
Slightly alkaline	7.4 to 7.8
Moderately alkaline	7.9 to 8.4
Strongly alkaline	8.5 to 9.0
Very strongly alkaline	9.1 and higher

Redoximorphic concentrations. Nodules, concretions, soft masses, pore linings, and other features resulting from the accumulation of iron or manganese oxide. An indication of chemical reduction and oxidation resulting from saturation.

Redoximorphic depletions. Low-chroma zones from which iron and manganese oxide or a combination of iron and manganese oxide and clay has been removed. These zones are indications of the chemical reduction of iron resulting from saturation.

Redoximorphic features. Redoximorphic concentrations, redoximorphic depletions, reduced matrices, a positive reaction to alpha,alpha-dipyridyl, and other features indicating the chemical reduction and oxidation of iron and manganese compounds resulting from saturation.

Reduced matrix. A soil matrix that has low chroma in situ because of chemically reduced iron (Fe II). The chemical reduction results from nearly continuous wetness. The matrix undergoes a change in hue or chroma within 30 minutes after exposure to air as the iron is oxidized (Fe III). A type of redoximorphic feature.

Regolith. The unconsolidated mantle of weathered rock and soil material on the earth's surface; the loose earth material above the solid rock.

Relief. The elevations or inequalities of a land surface, considered collectively.

Residuum (residual soil material). Unconsolidated, weathered or partly weathered mineral material that accumulated as consolidated rock disintegrated in place.

Rill. A steep-sided channel resulting from accelerated erosion. A rill is generally a few inches deep and not wide enough to be an obstacle to farm machinery.

Rise. A slight increase in elevation of the land surface, typically with a broad summit and gently sloping sides.

Riser. The relatively short, steeply sloping area below a terrace tread that grades to a lower terrace tread or a base level.

Road cut. A sloping surface produced by mechanical means during road construction. It is commonly on the uphill side of the road.

Rock fragments. Rock or mineral fragments having a diameter of 2 millimeters or more; for example, pebbles, cobbles, stones, and boulders.

Rock outcrop. Exposures of bare bedrock other than rock-lined pits.

Root zone. The part of the soil that can be penetrated by plant roots.

Runoff. The precipitation discharged into stream channels from an area. The water that flows off the surface of the land without sinking into the soil is called surface runoff. Water that enters the soil before reaching surface streams is called ground-water runoff or seepage flow from ground water.

Sand. As a soil separate, individual rock or mineral fragments ranging from 0.05 millimeter to 2.0 millimeters in diameter. Most sand grains consist of quartz. As a soil textural class, a soil that is 85 percent or more sand and not more than 10 percent clay.

Sandstone. Sedimentary rock containing dominantly sand-sized particles.

Saturation. Wetness characterized by zero or positive pressure of the soil water.

Under conditions of saturation, the water will flow from the soil matrix into an unlined auger hole.

Sawtimber. Hardwood trees more than 11 inches in diameter and conifers more than 9 inches in diameter at breast height.

Second bottom. The first terrace above the normal flood plain (or first bottom) of a river.

Sedimentary rock. Rock made up of particles deposited from suspension in water. The chief kinds of sedimentary rock are conglomerate, formed from gravel; sandstone, formed from sand; shale, formed from clay; and limestone, formed from soft masses of calcium carbonate. There are many intermediate types. Some wind-deposited sand is consolidated into sandstone.

Sequum. A sequence consisting of an illuvial horizon and the overlying eluvial horizon. (See Eluviation.)

Series, soil. A group of soils that have profiles that are almost alike. All the soils of a given series have horizons that are similar in composition, thickness, and arrangement.

Shale. Sedimentary rock formed by the hardening of a clay deposit.

Sheet erosion. The removal of a fairly uniform layer of soil material from the land surface by the action of rainfall and surface runoff.

Shoulder. The position that forms the uppermost inclined surface near the top of a hillslope. It is a transition from backslope to summit. The surface is dominantly convex in profile and erosional in origin.

Shrink-swell (in tables). The shrinking of soil when dry and the swelling when wet. Shrinking and swelling can damage roads, dams, building foundations, and other structures. It can also damage plant roots.

Side slope. A geomorphic component of hills consisting of a laterally planar area of a hillside. The overland waterflow is predominantly parallel.

Silica. A combination of silicon and oxygen. The mineral form is called quartz.

Silt. As a soil separate, individual mineral particles that range in diameter from the upper limit of clay (0.002 millimeter) to the lower limit of very fine sand (0.05 millimeter). As a soil textural class, soil that is 80 percent or more silt and less than 12 percent clay.

Siltstone. Sedimentary rock made up of dominantly silt-sized particles.

Similar soils. Soils that share limits of diagnostic criteria, behave and perform in a similar manner, and have similar conservation needs or management requirements for the major land uses in the survey area.

Site index. A designation of the quality of a forest site based on the height of the dominant stand at an arbitrarily chosen age. For example, if the average height attained by dominant and codominant trees in a fully stocked stand at the age of 50 years is 75 feet, the site index is 75.

Slick spot. A small area of soil having a puddled, crusted, or smooth surface and an excess of exchangeable sodium. The soil generally is silty or clayey, is slippery when wet, and is low in productivity.

Slickensides. Polished and grooved surfaces produced by one mass sliding past another. In soils, slickensides may occur at the bases of slip surfaces on the steeper slopes; on faces of blocks, prisms, and columns; and in swelling clayey soils, where there is marked change in moisture content.

Slope. The inclination of the land surface from the horizontal. Percentage of slope is the vertical distance divided by horizontal distance, then multiplied by 100. Thus, a slope of 20 percent is a drop of 20 feet in 100 feet of horizontal distance.

Slow refill (in tables). The slow filling of ponds, resulting from restricted permeability in the soil.

- Soft bedrock.** Bedrock that can be excavated with trenching machines, backhoes, small rippers, and other equipment commonly used in construction.
- Soil.** A natural, three-dimensional body at the earth's surface. It is capable of supporting plants and has properties resulting from the integrated effect of climate and living matter acting on earthy parent material, as conditioned by relief over periods of time.
- Soil separates.** Mineral particles less than 2 millimeters in equivalent diameter and ranging between specified size limits. The names and sizes, in millimeters, of separates recognized in the United States are as follows:

Very coarse sand	2.0 to 1.0
Coarse sand	1.0 to 0.5
Medium sand	0.5 to 0.25
Fine sand	0.25 to 0.10
Very fine sand	0.10 to 0.05
Silt	0.05 to 0.002
Clay	less than 0.002

- Solum.** The upper part of a soil profile, above the C horizon, in which the processes of soil formation are active. The solum in soil consists of the A, E, and B horizons. Generally, the characteristics of the material in these horizons are unlike those of the substratum. The living roots and plant and animal activities are largely confined to the solum.
- Sprinkler irrigation.** A method of irrigation in which water is pumped through nozzles and sprayed, or sprinkled, through the air to the ground surface.
- Stone line.** A concentration of rock fragments in a soil. Generally, it is indicative of an old weathered surface. In a cross section, the line may be one fragment or more thick. It generally overlies material that weathered in place and is overlain by recent sediment of variable thickness.
- Stones.** Rock fragments 10 to 24 inches (25 to 60 centimeters) in diameter if rounded or 15 to 24 inches (38 to 60 centimeters) in length if flat.
- Stony.** Refers to a soil containing stones in numbers that interfere with or prevent tillage.
- Stream terrace.** One of a series of platforms in a stream valley, flanking and more or less parallel to the stream channel. It originally formed near the level of the stream and is the dissected remnants of an abandoned flood plain, streambed, or valley floor that were produced during a former stage of erosion or deposition.
- Structure, soil.** The arrangement of primary soil particles into compound particles or aggregates. The principal forms of soil structure are—*platy* (laminated), *prismatic* (vertical axis of aggregates longer than horizontal), *columnar* (prisms with rounded tops), blocky (angular or subangular), and *granular*. *Structureless* soils are either *single grain* (each grain by itself, as in dune sand) or *massive* (the particles adhering without any regular cleavage, as in many hardpans).
- Stubble mulch.** Stubble or other crop residue left on the soil or partly worked into the soil. It protects the soil from wind and water erosion after harvest, during preparation of a seedbed for the next crop, and during the early growing period of the new crop.
- Subsoil.** Technically, the B horizon; roughly, the part of the solum below plow depth.
- Subsoiling.** Tilling a soil below normal plow depth, ordinarily to shatter or loosen a layer that restricts roots.
- Substratum.** The part of the soil below the solum.
- Subsurface layer.** Any surface soil horizon (A, E, AB, or EB) below the surface layer.
- Summit.** The topographically highest position of a hillslope. It has a nearly level (planar or only slightly convex) surface.

- Surface layer.** The soil ordinarily moved in tillage, or its equivalent in uncultivated soil, ranging in depth from 4 to 10 inches (10 to 25 centimeters). Frequently designated as the “plow layer,” or the “Ap horizon.”
- Surface soil.** The A, E, AB, and EB horizons, considered collectively. It includes all subdivisions of these horizons.
- Swale.** A slight depression in the midst of generally level land; a shallow depression in an undulating ground moraine due to uneven glacial deposition.
- Taxadjuncts.** Soils that cannot be classified in a series recognized in the classification system. Such soils are named for a series they strongly resemble and are designated as taxadjuncts to that series because they differ in ways too small to be of consequence in interpreting their use and behavior.
- Terrace.** An embankment, or ridge, constructed across sloping soils on the contour or at a slight angle to the contour. The terrace intercepts surface runoff so that water soaks into the soil or flows slowly to a prepared outlet. A terrace in a field is generally built so that the field can be farmed. A terrace intended mainly for drainage has a deep channel that is maintained in permanent sod.
- Terrace (geologic).** An old alluvial plain, ordinarily flat or undulating, bordering a river, a lake, or the sea.
- Texture, soil.** The relative proportions of sand, silt, and clay particles in a mass of soil. The basic textural classes, in order of increasing proportion of fine particles, are sand, loamy sand, sandy loam, loam, silt loam, silt, sandy clay loam, clay loam, silty clay loam, sandy clay, silty clay, and clay. The sand, loamy sand, and sandy loam classes may be further divided by specifying “coarse,” “fine,” or “very fine.”
- Thin layer** (in tables). Otherwise suitable soil material that is too thin for the specified use.
- Tilth, soil.** The physical condition of the soil as related to tillage, seedbed preparation, seedling emergence, and root penetration.
- Toeslope.** The position that forms the gently inclined surface at the base of a hillslope. Toeslopes in profile are commonly gentle and linear and are constructional surfaces forming the lower part of a hillslope continuum that grades to valley or closed-depression floors.
- Topsoil.** The upper part of the soil, which is the most favorable material for plant growth. It is ordinarily rich in organic matter and is used to topdress roadbanks, lawns, and land affected by mining.
- Trace elements.** Chemical elements, for example, zinc, cobalt, manganese, copper, and iron, in soils in extremely small amounts. They are essential to plant growth.
- Tread.** The relatively flat terrace surface that was cut or built by stream or wave action.
- Upland (geology).** Land at a higher elevation, in general, than the alluvial plain or stream terrace; land above the lowlands along streams.
- Valley fill.** In glaciated regions, material deposited in stream valleys by glacial meltwater. In nonglaciated regions, alluvium deposited by heavily loaded streams.
- Variation.** Refers to patterns of contrasting colors assumed to be inherited from the parent material rather than to be the result of poor drainage.
- Water bars.** Smooth, shallow ditches or depressional areas that are excavated at an angle across a sloping road. They are used to reduce the downward velocity of water and divert it off and away from the road surface. Water bars can easily be driven over if constructed properly.
- Weathering.** All physical and chemical changes produced in rocks or other deposits at or near the earth’s surface by atmospheric agents. These changes result in disintegration and decomposition of the material.
- Well graded.** Refers to soil material consisting of coarse-grained particles that are well distributed over a wide range in size or diameter. Such soil normally can be easily increased in density and bearing properties by compaction. Contrasts with poorly graded soil.

Wilting point (or permanent wilting point). The moisture content of soil, on an oven-dry basis, at which a plant (specifically a sunflower) wilts so much that it does not recover when placed in a humid, dark chamber.

Windthrow. The uprooting and tipping over of trees by the wind.

Tables

Soil Survey of Massac County, Illinois

Table 1.--Temperature and Precipitation
(Recorded in the period 1971-2000 at Brookport, Illinois)

Month	Temperature						Precipitation				
	Average daily maximum	Average daily minimum	Average daily	2 years in 10 will have--		Average number of growing degree days*	Average	2 years in 10 will have--		Average number of days with 0.10 inch or more	Average snow-fall
				Maximum temp. higher than--	Minimum temp. lower than--			Less than--	More than--		
	<u>°F</u>	<u>°F</u>	<u>°F</u>	<u>°F</u>	<u>°F</u>	<u>Units</u>	<u>In</u>	<u>In</u>	<u>In</u>		<u>In</u>
January--	42.4	24.9	33.7	67	-7	9	3.55	2.11	4.97	6	3.4
February-	48.3	29.0	38.7	72	1	22	3.91	1.99	5.49	6	2.8
March----	58.4	37.6	48.0	79	14	98	4.42	2.83	5.71	7	0.9
April----	68.8	46.6	57.7	85	25	258	4.70	2.64	6.48	7	0.0
May-----	77.5	55.9	66.7	91	37	519	4.76	2.65	6.53	7	0.0
June-----	85.8	64.1	74.9	97	46	747	4.07	2.19	5.93	6	0.0
July-----	89.5	68.4	78.9	100	54	897	4.33	2.62	5.88	5	0.0
August---	88.4	66.1	77.3	99	51	842	3.00	1.32	4.43	5	0.0
September	81.5	58.7	70.1	96	38	603	3.27	1.24	5.38	5	0.0
October--	71.0	46.9	58.9	88	26	302	3.23	1.88	4.41	5	0.0
November-	57.9	38.3	48.1	79	16	95	4.48	2.32	6.34	6	0.0
December-	46.5	28.9	37.7	68	2	19	4.46	2.34	6.38	7	1.1
Yearly: Average	68.0	47.1	57.6	---	---	---	---	---	---	---	---
Extreme	105	-21	---	101	-9	---	---	---	---	---	---
Total--	---	---	---	---	---	4,410	48.17	40.26	54.26	72	8.3

* A growing degree day is a unit of heat available for plant growth. It can be calculated by adding the maximum and minimum daily temperatures, dividing the sum by 2, and subtracting the temperature below which growth is minimal for the principal crops in the area (50 degrees F).

Soil Survey of Massac County, Illinois

Table 2.—Freeze Dates in Spring and Fall
(Recorded in the period 1971-2000 at Brookport, Illinois)

Probability	Temperature		
	24 °F or lower	28 °F or lower	32 °F or lower
Last freezing temperature in spring:			
1 year in 10 later than--	Apr. 4	Apr. 15	Apr. 23
2 years in 10 later than--	Mar. 29	Apr. 9	Apr. 18
5 years in 10 later than--	Mar. 16	Mar. 30	Apr. 10
First freezing temperature in fall:			
1 year in 10 earlier than--	Oct. 30	Oct. 20	Oct. 3
2 years in 10 earlier than--	Nov. 4	Oct. 25	Oct. 8
5 years in 10 earlier than-	Nov. 15	Nov. 5	Oct. 20

Table 3.—Growing Season
(Recorded in the period 1971-2000 at Brookport, Illinois)

Probability	Daily minimum temperature during growing season		
	Higher than 24 °F <u>Days</u>	Higher than 28 °F <u>Days</u>	Higher than 32 °F <u>Days</u>
9 years in 10	217	199	170
8 years in 10	226	206	178
5 years in 10	243	220	192
2 years in 10	259	233	206
1 year in 10	268	240	214

Soil Survey of Massac County, Illinois

Table 4.—Acreage and Proportionate Extent of the Soils

Map symbol	Soil name	Acres	Percent
99G	Sandstone and Limestone Rock Land, 35 to 90 percent slopes-----	15	*
131B	Alvin fine sandy loam, 2 to 5 percent slopes-----	112	*
131C	Alvin fine sandy loam, 5 to 10 percent slopes-----	4	*
131C2	Alvin fine sandy loam, 5 to 10 percent slopes, eroded-----	18	*
131D2	Alvin fine sandy loam, 10 to 18 percent slopes, eroded-----	202	0.1
131F	Alvin fine sandy loam, 25 to 35 percent slopes-----	173	0.1
164A	Stoy silt loam, 0 to 2 percent slopes-----	1,589	1.0
164B	Stoy silt loam, 2 to 5 percent slopes-----	3,126	2.0
164C2	Stoy silt loam, 5 to 10 percent slopes, eroded-----	550	0.4
165A	Weir silt loam, 0 to 2 percent slopes-----	1,164	0.8
175B	Lamont fine sandy loam, 2 to 5 percent slopes-----	46	*
175C2	Lamont fine sandy loam, 5 to 10 percent slopes, eroded-----	26	*
175D2	Lamont fine sandy loam, 10 to 18 percent slopes, eroded-----	48	*
214B	Hosmer silt loam, 2 to 5 percent slopes-----	11,241	7.3
214C2	Hosmer silt loam, 5 to 10 percent slopes, eroded-----	14,329	9.3
214C3	Hosmer silt loam, 5 to 10 percent slopes, severely eroded-----	5,946	3.8
214D2	Hosmer silt loam, 10 to 18 percent slopes, eroded-----	7,661	5.0
214D3	Hosmer silt loam, 10 to 18 percent slopes, severely eroded-----	9,452	6.1
308B	Alford silt loam, 2 to 5 percent slopes-----	884	0.6
308C2	Alford silt loam, 5 to 10 percent slopes, eroded-----	2,222	1.4
308C3	Alford silt loam, 5 to 10 percent slopes, severely eroded-----	262	0.2
308D2	Alford silt loam, 10 to 18 percent slopes, eroded-----	1,405	0.9
308D3	Alford silt loam, 10 to 18 percent slopes, severely eroded-----	998	0.6
308E	Alford silt loam, 18 to 25 percent slopes-----	17	*
308E2	Alford silt loam, 18 to 25 percent slopes, eroded-----	1,190	0.8
308E3	Alford silt loam, 18 to 25 percent slopes, severely eroded-----	367	0.2
308F	Alford silt loam, 25 to 35 percent slopes-----	177	0.1
339C	Wellston silt loam, 5 to 10 percent slopes-----	10	*
339C2	Wellston silt loam, 5 to 10 percent slopes, eroded-----	19	*
339D	Wellston silt loam, 10 to 18 percent slopes-----	268	0.2
339D2	Wellston silt loam, 10 to 18 percent slopes, eroded-----	49	*
339D3	Wellston silt loam, 10 to 18 percent slopes, severely eroded-----	34	*
339F	Wellston silt loam, 18 to 35 percent slopes-----	630	0.4
340C2	Zanesville silt loam, 5 to 10 percent slopes, eroded-----	11	*
340C3	Zanesville silt loam, 5 to 10 percent slopes, severely eroded-----	41	*
340D	Zanesville silt loam, 10 to 18 percent slopes-----	37	*
340D2	Zanesville silt loam, 10 to 18 percent slopes, eroded-----	431	0.3
340D3	Zanesville silt loam, 10 to 18 percent slopes, severely eroded-----	193	0.1
453C2	Muren silt loam, 5 to 10 percent slopes, eroded-----	3	*
453D2	Muren silt loam, 10 to 18 percent slopes, eroded-----	8	*
691D	Beasley silt loam, 10 to 18 percent slopes-----	6	*
691F	Beasley silt loam, 18 to 35 percent slopes-----	41	*
691G	Beasley silt loam, 35 to 70 percent slopes-----	4	*
801B	Orthents, silty, undulating-----	400	0.3
802D	Orthents, loamy, hilly-----	675	0.4
864	Pits, quarries-----	34	*
865	Pits, gravel-----	98	*
955D	Muskingum and Berks soils, 10 to 18 percent slopes-----	20	*
955D2	Muskingum and Berks soils, 10 to 18 percent slopes, eroded-----	30	*
955F	Muskingum and Berks soils, 18 to 35 percent slopes-----	188	0.1
955G	Muskingum and Berks soils, 35 to 70 percent slopes-----	71	*
956B	Brandon-Saffell complex, 2 to 5 percent slopes-----	212	0.1
956C2	Brandon-Saffell complex, 5 to 10 percent slopes, eroded-----	256	0.2
956C3	Brandon-Saffell complex, 5 to 10 percent slopes, severely eroded-----	57	*
956D	Brandon-Saffell complex, 10 to 18 percent slopes-----	1,034	0.7
956D2	Brandon-Saffell complex, 10 to 18 percent slopes, eroded-----	2,334	1.5
956D3	Brandon-Saffell complex, 10 to 18 percent slopes, severely eroded-----	1,702	1.1
956E2	Brandon-Saffell complex, 18 to 25 percent slopes, eroded-----	2,895	1.9
956F	Brandon-Saffell complex, 25 to 35 percent slopes-----	731	0.5
986D	Wellston-Berks complex, 10 to 18 percent slopes-----	21	*
986D2	Wellston-Berks complex, 10 to 18 percent slopes, eroded-----	10	*

See footnote at end of table.

Soil Survey of Massac County, Illinois

Table 4.--Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
986F	Wellston-Berks complex, 18 to 35 percent slopes-----	832	0.5
986G	Wellston-Berks complex, 35 to 70 percent slopes-----	160	0.1
1843A	Bonnie and Petrolia soils, undrained, 0 to 2 percent slopes, frequently flooded-----	611	0.4
1846A	Karnak and Cape silty clays, undrained, 0 to 2 percent slopes, frequently flooded-----	1,300	0.8
3070A	Beaucoup silty clay loam, 0 to 2 percent slopes, frequently flooded---	50	*
3071A	Darwin silty clay, 0 to 2 percent slopes, frequently flooded-----	14	*
3071L	Darwin silty clay, 0 to 2 percent slopes, frequently flooded, long duration-----	118	*
3072A	Sharon silt loam, 0 to 3 percent slopes, frequently flooded-----	100	*
3072L	Sharon silt loam, 0 to 3 percent slopes, frequently flooded, long duration-----	135	*
3108A	Bonnie silt loam, 0 to 2 percent slopes, frequently flooded-----	1,146	0.7
3108L	Bonnie silt loam, 0 to 2 percent slopes, frequently flooded, long duration-----	92	*
3180A	Dupo silt loam, 0 to 2 percent slopes, frequently flooded-----	32	*
3288A	Petrolia silty clay loam, 0 to 2 percent slopes, frequently flooded---	19	*
3288L	Petrolia silty clay loam, 0 to 2 percent slopes, frequently flooded, long duration-----	185	0.1
3382A	Belknap silt loam, 0 to 2 percent slopes, frequently flooded-----	317	0.2
3382L	Belknap silt loam, 0 to 2 percent slopes, frequently flooded, long duration-----	474	0.3
3422A	Cape silty clay loam, 0 to 2 percent slopes, frequently flooded-----	3,459	2.2
3422A+	Cape silt loam, overwash, 0 to 2 percent slopes, frequently flooded---	316	0.2
3426A	Karnak silty clay, 0 to 2 percent slopes, frequently flooded-----	1,562	1.0
3426A+	Karnak silt loam, overwash, 0 to 2 percent slopes, frequently flooded--	469	0.3
3426L	Karnak silty clay, 0 to 2 percent slopes, frequently flooded, long duration-----	17	*
3449L	Armiesburg-Sarpy complex, 0 to 2 percent slopes, frequently flooded, long duration-----	600	0.4
3597A	Armiesburg silty clay loam, 0 to 2 percent slopes, frequently flooded--	279	0.2
3597L	Armiesburg silty clay loam, 0 to 2 percent slopes, frequently flooded, long duration-----	4,573	3.0
7131A	Alvin fine sandy loam, 0 to 2 percent slopes, rarely flooded-----	43	*
7131B	Alvin fine sandy loam, 2 to 5 percent slopes, rarely flooded-----	477	0.3
7131C2	Alvin fine sandy loam, 5 to 10 percent slopes, eroded, rarely flooded--	198	0.1
7131D2	Alvin fine sandy loam, 10 to 18 percent slopes, eroded, rarely flooded--	44	*
7460A	Ginat silt loam, 0 to 2 percent slopes, rarely flooded-----	7,376	4.8
7462A	Sciotoville silt loam, 0 to 2 percent slopes, rarely flooded-----	899	0.6
7462B	Sciotoville silt loam, 2 to 5 percent slopes, rarely flooded-----	2,332	1.5
7462C2	Sciotoville silt loam, 5 to 10 percent slopes, eroded, rarely flooded--	800	0.5
7462C3	Sciotoville silt loam, 5 to 10 percent slopes, severely eroded, rarely flooded-----	25	*
7462D2	Sciotoville silt loam, 10 to 18 percent slopes, eroded, rarely flooded--	296	0.2
7462D3	Sciotoville silt loam, 10 to 18 percent slopes, severely eroded, rarely flooded-----	36	*
7463A	Wheeling silt loam, 0 to 2 percent slopes, rarely flooded-----	420	0.3
7463B	Wheeling silt loam, 2 to 5 percent slopes, rarely flooded-----	892	0.6
7463C2	Wheeling silt loam, 5 to 10 percent slopes, eroded, rarely flooded-----	356	0.2
7463D2	Wheeling silt loam, 10 to 18 percent slopes, eroded, rarely flooded---	180	0.1
7463E2	Wheeling silt loam, 18 to 25 percent slopes, eroded, rarely flooded---	186	0.1
7483A	Henshaw silt loam, 0 to 3 percent slopes, rarely flooded-----	594	0.4
7711A	Hatfield silt loam, 0 to 2 percent slopes, rarely flooded-----	2,499	1.6
7711B	Hatfield silt loam, 2 to 5 percent slopes, rarely flooded-----	2,198	1.4
7711B2	Hatfield silt loam, 2 to 5 percent slopes, eroded, rarely flooded-----	264	0.2
8070A	Beaucoup silty clay loam, 0 to 2 percent slopes, occasionally flooded--	479	0.3
8071A	Darwin silty clay, 0 to 2 percent slopes, occasionally flooded-----	713	0.5
8072A	Sharon silt loam, 0 to 3 percent slopes, occasionally flooded-----	3,742	2.4
8108A	Bonnie silt loam, 0 to 2 percent slopes, occasionally flooded-----	6,034	3.9
8109A	Raccoon silt loam, 0 to 2 percent slopes, occasionally flooded-----	2,942	1.9

See footnote at end of table.

Soil Survey of Massac County, Illinois

Table 4.—Acreage and Proportionate Extent of the Soils—Continued

Map symbol	Soil name	Acres	Percent
8180A	Dupo silt loam, 0 to 2 percent slopes, occasionally flooded-----	471	0.3
8288A	Petrolia silty clay loam, 0 to 2 percent slopes, occasionally flooded--	95	*
8382A	Belknap silt loam, 0 to 2 percent slopes, occasionally flooded-----	16,813	10.9
8420A	Piopolis silty clay loam, 0 to 2 percent slopes, occasionally flooded--	31	*
8422A	Cape silty clay loam, 0 to 2 percent slopes, occasionally flooded-----	1,724	1.1
8422A+	Cape silt loam, overwash, 0 to 2 percent slopes, occasionally flooded--	653	0.4
8426A	Karnak silty clay, 0 to 2 percent slopes, occasionally flooded-----	1,001	0.6
8426A+	Karnak silt loam, overwash, 0 to 2 percent slopes, occasionally flooded	72	*
8427B	Burnside silt loam, 1 to 4 percent slopes, occasionally flooded-----	893	0.6
8469A	Emma silty clay loam, 0 to 2 percent slopes, occasionally flooded-----	834	0.5
8469B	Emma silty clay loam, 2 to 5 percent slopes, occasionally flooded-----	1,147	0.7
8469C2	Emma silty clay loam, 5 to 10 percent slopes, eroded, occasionally flooded-----	57	*
8597A	Armiesburg silty clay loam, 0 to 2 percent slopes, occasionally flooded	2	*
8693A	Hurst silty clay loam, 0 to 2 percent slopes, occasionally flooded-----	1,878	1.2
MW	Miscellaneous water-----	3	*
W	Water-----	2,374	1.5
	Total-----	154,710	100.0

* Less than 0.1 percent.

Soil Survey of Massac County, Illinois

Table 5.—Cropland and Pastureland Limitations and Hazards

(See text for a description of the limitations and hazards listed in this table.
Absence of an entry indicates the map unit is generally unsuited to cropland or to pastureland)

Soil name and map symbol	Cropland limitations and hazards	Pastureland limitations and hazards
99G. Sandstone and Limestone Rock Land		
131B: Alvin-----	Water erosion.	Low pH, low fertility.
131C: Alvin-----	Water erosion.	Low pH, water erosion, low fertility.
131C2: Alvin-----	Water erosion.	Low pH, water erosion, low fertility.
131D2: Alvin-----	Water erosion.	Low pH, water erosion, low fertility.
131F: Alvin-----	---	Equipment limitation, low pH, water erosion, low fertility.
164A: Stoy-----	Wetness, crusting, restricted permeability.	Wetness, low pH.
164B: Stoy-----	Wetness, crusting, water erosion, restricted permeability.	Wetness, low pH, water erosion.
164C2: Stoy-----	Wetness, crusting, water erosion, restricted permeability.	Wetness, low pH, water erosion.
165A: Weir-----	Ponding, restricted permeability.	Ponding, low pH, frost heave.
175B: Lamont-----	Water erosion, excessive permeability.	Low pH, excessive permeability.
175C2: Lamont-----	Water erosion, excessive permeability.	Low pH, water erosion, low fertility, excessive permeability.
175D2: Lamont-----	Water erosion, excessive permeability.	Low pH, water erosion, low fertility, excessive permeability.

Soil Survey of Massac County, Illinois

Table 5.—Cropland and Pastureland Limitations and Hazards—Continued

Soil name and map symbol	Cropland limitations and hazards	Pastureland limitations and hazards
214B: Hosmer-----	Wetness, root-restrictive layer, crusting, water erosion, restricted permeability.	Wetness, root-restrictive layer, low pH, water erosion.
214C2: Hosmer-----	Wetness, root-restrictive layer, crusting, water erosion, restricted permeability.	Wetness, root-restrictive layer, low pH, water erosion.
214C3: Hosmer-----	Wetness, root-restrictive layer, crusting, water erosion, restricted permeability.	Wetness, root-restrictive layer, low pH, water erosion, low fertility.
214D2: Hosmer-----	Wetness, root-restrictive layer, crusting, water erosion, restricted permeability.	Wetness, root-restrictive layer, low pH, water erosion.
214D3: Hosmer-----	---	Wetness, root-restrictive layer, low pH, water erosion, low fertility.
308B: Alford-----	Crusting, water erosion.	Low pH, water erosion.
308C2: Alford-----	Crusting, water erosion.	Low pH, water erosion.
308C3: Alford-----	Crusting, water erosion.	Low pH, water erosion, low fertility.
308D2: Alford-----	Crusting, water erosion.	Low pH, water erosion.
308D3: Alford-----	Crusting, water erosion.	Low pH, water erosion, low fertility.
308E: Alford-----	---	Equipment limitation, low pH, water erosion.
308E2: Alford-----	---	Equipment limitation, low pH, water erosion.
308E3: Alford-----	---	Equipment limitation, low pH, water erosion, low fertility.
308F: Alford-----	---	Equipment limitation, low pH, water erosion.

Soil Survey of Massac County, Illinois

Table 5.—Cropland and Pastureland Limitations and Hazards—Continued

Soil name and map symbol	Cropland limitations and hazards	Pastureland limitations and hazards
339C: Wellston-----	Crusting, water erosion.	Low pH, water erosion.
339C2: Wellston-----	Crusting, water erosion.	Low pH, water erosion.
339D: Wellston-----	Crusting, water erosion.	Low pH, water erosion.
339D2: Wellston-----	Crusting, water erosion.	Low pH, water erosion.
339D3: Wellston-----	Crusting, water erosion.	Low pH, water erosion, low fertility.
339F: Wellston-----	---	Equipment limitation, low pH, water erosion.
340C2: Zanesville-----	Wetness, root-restrictive layer, crusting, water erosion, restricted permeability.	Wetness, root-restrictive layer, low pH, water erosion.
340C3: Zanesville-----	Wetness, root-restrictive layer, crusting, water erosion, restricted permeability.	Wetness, root-restrictive layer, low pH, water erosion, low fertility.
340D: Zanesville-----	Wetness, root-restrictive layer, crusting, water erosion, restricted permeability.	Wetness, root-restrictive layer, low pH, water erosion.
340D2: Zanesville-----	Wetness, root-restrictive layer, crusting, water erosion, restricted permeability.	Wetness, root-restrictive layer, low pH, water erosion.
340D3: Zanesville-----	---	Wetness, root-restrictive layer, low pH, water erosion, low fertility.
453C2: Muren-----	Wetness, water erosion.	Wetness, low pH, water erosion.
453D2: Muren-----	Wetness, water erosion.	Wetness, low pH, water erosion.
691D: Beasley-----	Crusting, water erosion, limited available water capacity, restricted permeability.	Low pH, water erosion, limited available water capacity.

Soil Survey of Massac County, Illinois

Table 5.—Cropland and Pastureland Limitations and Hazards—Continued

Soil name and map symbol	Cropland limitations and hazards	Pastureland limitations and hazards
691F: Beasley-----	---	Equipment limitation, low pH, water erosion.
691G: Beasley-----	---	Generally unsuited.
801B: Orthents, silty-----	Crusting, water erosion.	Low pH, water erosion, low fertility.
802D: Orthents, loamy-----	Water erosion, restricted permeability.	Water erosion, low fertility.
864. Pits, quarries		
865. Pits, gravel		
955D: Muskingum-----	Crusting, water erosion, limited available water capacity, restricted permeability.	Low pH, water erosion, limited available water capacity.
Berks-----	Low pH, crusting, water erosion, limited available water capacity.	Low pH, water erosion, limited available water capacity.
955D2: Muskingum-----	Crusting, water erosion, limited available water capacity, restricted permeability.	Low pH, water erosion, limited available water capacity.
Berks-----	Low pH, crusting, water erosion, limited available water capacity.	Low pH, water erosion, limited available water capacity.
955F: Muskingum-----	---	Equipment limitation, low pH, water erosion.
Berks-----	---	Equipment limitation, low pH, water erosion.
955G: Muskingum-----	---	Generally unsuited.
Berks-----	---	Generally unsuited.
956B: Brandon-----	Crusting, water erosion.	Low pH, water erosion.
Saffell-----	Very gravelly surface- equipment limitation, crusting, water erosion, limited available water capacity.	Very gravelly surface- equipment limitation, low pH, limited available water capacity.

Soil Survey of Massac County, Illinois

Table 5.—Cropland and Pastureland Limitations and Hazards—Continued

Soil name and map symbol	Cropland limitations and hazards	Pastureland limitations and hazards
956C2: Brandon-----	Crusting, water erosion.	Low pH, water erosion.
Saffell-----	Very gravelly surface-equipment limitation, crusting, water erosion, limited available water capacity.	Very gravelly surface-equipment limitation, low pH, water erosion, limited available water capacity.
956C3: Brandon-----	Crusting, water erosion.	Low pH, water erosion, low fertility.
Saffell-----	Very gravelly surface-equipment limitation, crusting, water erosion, limited available water capacity.	Very gravelly surface-equipment limitation, low pH, water erosion, limited available water capacity, low fertility.
956D: Brandon-----	Crusting, water erosion.	Low pH, water erosion.
Saffell-----	Very gravelly surface-equipment limitation, crusting, water erosion, limited available water capacity.	Very gravelly surface-equipment limitation, low pH, water erosion, limited available water capacity.
956D2: Brandon-----	Crusting, water erosion.	Low pH, water erosion.
Saffell-----	Very gravelly surface-equipment limitation, crusting, water erosion, limited available water capacity.	Very gravelly surface-equipment limitation, low pH, water erosion, limited available water capacity.
956D3: Brandon-----	---	Low pH, water erosion, low fertility.
Saffell-----	---	Very gravelly surface-equipment limitation, low pH, water erosion, limited available water capacity, low fertility.
956E2: Brandon-----	---	Equipment limitation, low pH, water erosion.
Saffell-----	---	Equipment limitation, very gravelly surface-equipment limitation, low pH, water erosion, limited available water capacity.
956F: Brandon-----	---	Equipment limitation, low pH, water erosion.

Soil Survey of Massac County, Illinois

Table 5.—Cropland and Pastureland Limitations and Hazards—Continued

Soil name and map symbol	Cropland limitations and hazards	Pastureland limitations and hazards
956F: Saffell-----		Equipment limitation, very gravelly surface-equipment limitation, low pH, water erosion.
986D: Wellston-----	Crusting, water erosion.	Low pH, water erosion.
Berks-----	Low pH, crusting, water erosion, limited available water capacity.	Low pH, water erosion, limited available water capacity.
986D2: Wellston-----	Crusting, water erosion.	Low pH, water erosion.
Berks-----	Low pH, crusting, water erosion, limited available water capacity.	Low pH, water erosion, limited available water capacity.
986F: Wellston-----	---	Equipment limitation, low pH, water erosion.
Berks-----	---	Equipment limitation, low pH, water erosion.
986G: Wellston-----	---	Generally unsuited.
Berks-----	---	Generally unsuited.
1843A: Bonnie-----	---	Flooding, ponding, low pH, frost heave.
Petrolia-----	---	Flooding, ponding, poor tilth, frost heave.
1846A: Karnak-----	---	Flooding, ponding, poor tilth, frost heave.
Cape-----	---	Flooding, ponding, poor tilth, low pH, frost heave.
3070A: Beaucoup-----	Flooding, ponding.	Flooding, ponding, frost heave.
3071A: Darwin-----	Flooding, ponding, poor tilth, restricted permeability.	Flooding, ponding, frost heave.
3071L: Darwin-----	---	Flooding, ponding, frost heave.
3072A: Sharon-----	Flooding.	Flooding, low pH.
3072L: Sharon-----	---	Flooding, low pH.

Soil Survey of Massac County, Illinois

Table 5.—Cropland and Pastureland Limitations and Hazards—Continued

Soil name and map symbol	Cropland limitations and hazards	Pastureland limitations and hazards
3108A: Bonnie-----	Flooding, ponding, crusting, restricted permeability.	Flooding, ponding, low pH, frost heave.
3108L: Bonnie-----	---	Flooding, ponding, low pH, frost heave.
3180A: Dupo-----	Flooding, wetness, restricted permeability.	Flooding, wetness.
3288A: Petrolia-----	Flooding, ponding, poor tilth, crusting, restricted permeability.	Flooding, ponding, poor tilth, frost heave.
3288L: Petrolia-----	---	Flooding, ponding, poor tilth, frost heave.
3382A: Belknap-----	Flooding, wetness.	Flooding, wetness, low pH.
3382L: Belknap-----	---	Flooding, wetness, low pH.
3422A: Cape-----	Flooding, ponding, poor tilth, low pH, restricted permeability.	Flooding, ponding, poor tilth, low pH, frost heave.
3422A+: Cape-----	Flooding, ponding, low pH, crusting, restricted permeability.	Flooding, ponding, low pH, frost heave.
3426A: Karnak-----	Flooding, ponding, poor tilth, poor tilth, restricted permeability.	Flooding, ponding, poor tilth, frost heave.
3426A+: Karnak-----	Flooding, ponding, crusting, restricted permeability.	Flooding, ponding, frost heave.
3426L: Karnak-----	---	Flooding, ponding, poor tilth, frost heave.
3449L: Armiesburg-----	---	Flooding.
Sarpy-----	---	Flooding, wind erosion, limited available water capacity, low fertility, excessive permeability.
3597A: Armiesburg-----	Flooding.	Flooding.
3597L: Armiesburg-----	---	Flooding.

Soil Survey of Massac County, Illinois

Table 5.—Cropland and Pastureland Limitations and Hazards—Continued

Soil name and map symbol	Cropland limitations and hazards	Pastureland limitations and hazards
7131A: Alvin-----	This soil is well suited to cropland.	Low pH, low fertility.
7131B: Alvin-----	Water erosion.	Low pH, low fertility.
7131C2: Alvin-----	Water erosion.	Low pH, water erosion, low fertility.
7131D2: Alvin-----	Water erosion.	Low pH, water erosion, low fertility.
7460A: Ginat-----	Ponding, restricted permeability.	Ponding, low pH, frost heave.
7462A: Sciotoville-----	Wetness, crusting, restricted permeability.	Wetness, low pH.
7462B: Sciotoville-----	Wetness, crusting, water erosion, restricted permeability.	Wetness, low pH, water erosion.
7462C2: Sciotoville-----	Wetness, crusting, water erosion, restricted permeability.	Wetness, low pH, water erosion.
7462C3: Sciotoville-----	Wetness, crusting, water erosion, restricted permeability.	Wetness, low pH, water erosion, low fertility.
7462D2: Sciotoville-----	Wetness, crusting, water erosion, restricted permeability.	Wetness, low pH, water erosion.
7462D3: Sciotoville-----	Wetness, crusting, water erosion, restricted permeability.	Wetness, low pH, water erosion, low fertility.
7463A: Wheeling-----	Crusting, excessive permeability.	Low pH, excessive permeability.
7463B: Wheeling-----	Crusting, water erosion, excessive permeability.	Low pH, water erosion, excessive permeability.
7463C2: Wheeling-----	Crusting, water erosion, excessive permeability.	Low pH, water erosion, excessive permeability.
7463D2: Wheeling-----	Crusting, water erosion, excessive permeability.	Low pH, water erosion, excessive permeability.

Soil Survey of Massac County, Illinois

Table 5.—Cropland and Pastureland Limitations and Hazards—Continued

Soil name and map symbol	Cropland limitations and hazards	Pastureland limitations and hazards
7463E2: Wheeling-----	---	Equipment limitation, low pH, water erosion, excessive permeability.
7483A: Henshaw-----	Wetness, crusting, restricted permeability.	Wetness, low pH.
7711A: Hatfield-----	Wetness, crusting, restricted permeability.	Wetness, low pH.
7711B: Hatfield-----	Wetness, crusting, water erosion, restricted permeability.	Wetness, low pH, water erosion.
7711B2: Hatfield-----	Wetness, crusting, water erosion, restricted permeability.	Wetness, low pH, water erosion.
8070A: Beaucoup-----	Flooding, ponding.	Flooding, ponding, frost heave.
8071A: Darwin-----	Flooding, ponding, poor tilth, restricted permeability.	Flooding, ponding, frost heave.
8072A: Sharon-----	Flooding, water erosion.	Flooding, low pH.
8108A: Bonnie-----	Flooding, ponding, crusting, restricted permeability.	Flooding, ponding, low pH, frost heave.
8109A: Raccoon-----	Flooding, ponding, crusting, restricted permeability.	Flooding, ponding, low pH, frost heave.
8180A: Dupo-----	Flooding, wetness, restricted permeability.	Flooding, wetness.
8288A: Petrolia-----	Flooding, ponding, poor tilth, crusting, restricted permeability.	Flooding, ponding, poor tilth, frost heave.
8382A: Belknap-----	Flooding, wetness.	Flooding, wetness, low pH.
8420A: Piopolis-----	Flooding, ponding, poor tilth, crusting, restricted permeability.	Flooding, ponding, poor tilth, low pH, frost heave.
8422A: Cape-----	Flooding, ponding, poor tilth, low pH, restricted permeability.	Flooding, ponding, poor tilth, low pH, frost heave.

Soil Survey of Massac County, Illinois

Table 5.—Cropland and Pastureland Limitations and Hazards—Continued

Soil name and map symbol	Cropland limitations and hazards	Pastureland limitations and hazards
8422A+: Cape-----	Flooding, ponding, low pH, crusting, restricted permeability.	Flooding, ponding, low pH, frost heave.
8426A: Karnak-----	Flooding, ponding, poor tilth, restricted permeability.	Flooding, ponding, poor tilth, frost heave.
8426A+: Karnak-----	Flooding, ponding, crusting, restricted permeability.	Flooding, ponding, frost heave.
8427B: Burnside-----	Flooding, crusting, water erosion.	Flooding, low pH.
8469A: Emma-----	Flooding, poor tilth, low pH, restricted permeability.	Flooding, poor tilth, low pH.
8469B: Emma-----	Flooding, poor tilth, low pH, water erosion, restricted permeability.	Flooding, poor tilth, low pH, water erosion.
8469C2: Emma-----	Flooding, poor tilth, low pH, water erosion, restricted permeability.	Flooding, poor tilth, low pH, water erosion.
8597A: Armiesburg-----	Flooding.	Flooding.
8693A: Hurst-----	Flooding, wetness, poor tilth, low pH, crusting, restricted permeability.	Flooding, wetness, poor tilth, low pH.
MW. Miscellaneous water		
W. Water		

Soil Survey of Massac County, Illinois

Table 6.—Land Capability and Yields per Acre of Crops and Pasture

(Yields are those that can be expected under a high level of management. They are for nonirrigated areas. Absence of a yield indicates that the soil is not suited to the crop or the crop generally is not grown on the soil)

Map symbol and soil name	Land capability	Corn	Grain sorghum	Soybeans	Winter wheat	Grass-legume hay	Grass-legume pasture
		<u>Bu</u>	<u>Bu</u>	<u>Bu</u>	<u>Bu</u>	<u>Tons</u>	<u>AUM</u>
99G: Limestone Rock Land-----	7e	---	---	---	---	---	---
Sandstone Rock Land-----	7e	---	---	---	---	---	---
131B: Alvin-----	2e	134.00	---	44.00	52.00	3.40	5.00
131C: Alvin-----	3e	131.00	---	43.00	51.00	3.30	4.60
131C2: Alvin-----	3e	126.00	---	41.00	49.00	3.20	4.60
131D2: Alvin-----	4e	115.00	---	37.00	45.00	2.90	4.20
131F: Alvin-----	6e	---	---	---	---	2.00	3.00
164A: Stoy-----	2w	131.00	102.00	42.00	52.00	4.20	6.20
164B: Stoy-----	2e	130.00	101.00	42.00	51.00	4.10	6.00
164C2: Stoy-----	3e	122.00	101.00	39.00	48.00	3.90	5.60
165A: Weir-----	3w	127.00	101.00	41.00	51.00	4.10	6.00
175B: Lamont-----	2e	117.00	---	39.00	49.00	2.90	4.30
175C2: Lamont-----	3e	110.00	---	36.00	46.00	2.70	4.00
175D2: Lamont-----	4e	100.00	---	34.00	42.00	2.50	3.30
214B: Hosmer-----	2e	125.00	98.00	41.00	51.00	3.30	4.70
214C2: Hosmer-----	3e	113.00	89.00	37.00	47.00	3.00	4.20
214C3: Hosmer-----	4e	93.00	73.00	30.00	38.00	2.40	3.50
214D2: Hosmer-----	4e	101.00	79.00	33.00	42.00	2.60	3.70
214D3: Hosmer-----	6e	---	---	---	---	2.10	3.10

Soil Survey of Massac County, Illinois

Table 6.—Land Capability and Yields per Acre of Crops and Pasture—Continued

Map symbol and soil name	Land capability	Corn	Grain sorghum	Soybeans	Winter wheat	Grass-legume hay	Grass-legume pasture
		Bu	Bu	Bu	Bu	Tons	AUM
308B: Alford-----	2e	149.00	107.00	46.00	58.00	4.50	6.50
308C2: Alford-----	3e	140.00	100.00	43.00	55.00	4.20	6.10
308C3: Alford-----	4e	129.00	93.00	40.00	51.00	3.90	5.50
308D2: Alford-----	4e	128.00	92.00	41.00	50.00	3.80	5.60
308D3: Alford-----	4e	117.00	84.00	36.00	46.00	3.60	5.00
308E: Alford-----	6e	---	---	---	---	3.60	5.30
308E2: Alford-----	6e	---	---	---	---	3.40	4.80
308E3: Alford-----	6e	---	---	---	---	2.85	4.10
308F: Alford-----	6e	---	---	---	---	2.70	3.90
339C: Wellston-----	3e	103.00	---	36.00	41.00	3.20	4.60
339C2: Wellston-----	3e	96.00	---	33.00	39.00	3.00	4.40
339D: Wellston-----	4e	93.00	---	32.00	37.00	2.90	4.20
339D2: Wellston-----	4e	86.00	---	30.00	34.00	2.60	3.70
339D3: Wellston-----	4e	70.00	---	24.00	28.00	2.10	3.10
339F: Wellston-----	6e	---	---	---	---	1.87	2.70
340C2: Zanesville-----	3e	101.00	---	34.00	42.00	3.20	4.60
340C3: Zanesville-----	4e	83.00	---	28.00	35.00	2.60	3.70
340D: Zanesville-----	4e	97.00	---	33.00	41.00	3.00	4.60
340D2: Zanesville-----	4e	92.00	---	31.00	39.00	2.87	4.30
340D3: Zanesville-----	6e	---	---	---	---	2.30	3.30

Soil Survey of Massac County, Illinois

Table 6.—Land Capability and Yields per Acre of Crops and Pasture—Continued

Map symbol and soil name	Land capability	Corn	Grain sorghum	Soybeans	Winter wheat	Grass-legume hay	Grass-legume pasture
		Bu	Bu	Bu	Bu	Tons	AUM
453C2: Muren-----	3e	137.00	100.00	42.00	51.00	4.30	6.50
453D2: Muren-----	4e	125.00	92.00	38.00	47.00	3.90	5.60
691D: Beasley-----	4e	88.00	---	31.00	32.00	3.30	4.70
691F: Beasley-----	6e	---	---	---	---	2.20	3.10
691G: Beasley-----	7e	---	---	---	---	---	---
801B: Orthents, silty	2e	---	---	---	---	---	---
802D: Orthents, loamy	3e	---	---	---	---	---	---
864. Pits, quarries							
865. Pits, gravel							
955D: Berks-----	4e	66.00	---	24.00	27.00	2.02	3.00
Muskingum-----	4e	66.00	---	24.00	27.00	2.02	3.00
955D2: Berks-----	4e	61.00	---	22.00	24.00	1.85	2.60
Muskingum-----	4e	61.00	---	22.00	25.00	1.86	2.70
955F: Berks-----	6e	---	---	---	---	1.30	1.90
Muskingum-----	6e	---	---	---	---	1.34	1.90
955G: Berks-----	7e	---	---	---	---	---	---
Muskingum-----	7e	---	---	---	---	---	---
956B: Brandon-----	2e	118.00	98.00	43.00	47.00	3.30	5.00
Saffell-----	2e	94.00	78.00	34.00	38.00	2.70	4.00
956C2: Brandon-----	3e	107.00	89.00	38.00	42.00	3.10	4.40
Saffell-----	3e	85.00	71.00	31.00	34.00	2.50	3.50
956C3: Brandon-----	4e	88.00	74.00	32.00	35.00	2.70	3.90
Saffell-----	4e	70.00	59.00	26.00	28.00	2.10	3.10

Soil Survey of Massac County, Illinois

Table 6.—Land Capability and Yields per Acre of Crops and Pasture—Continued

Map symbol and soil name	Land capability	Corn	Grain sorghum	Soybeans	Winter wheat	Grass-legume hay	Grass-legume pasture
		Bu	Bu	Bu	Bu	Tons	AUM
956D:							
Brandon-----	4e	103.00	86.00	37.00	41.00	3.00	4.40
Saffell-----	4e	94.00	69.00	30.00	33.00	2.40	3.50
956D2:							
Brandon-----	4e	95.00	79.00	34.00	37.00	2.80	4.00
Saffell-----	4e	76.00	63.00	27.00	30.00	2.20	3.20
956D3:							
Brandon-----	6e	---	---	---	---	2.40	3.40
Saffell-----	6e	---	---	---	---	1.80	2.50
956E2:							
Brandon-----	6e	---	---	---	---	2.50	3.50
Saffell-----	6e	---	---	---	---	2.00	2.80
956F:							
Brandon-----	6e	---	---	---	---	2.10	2.90
Saffell-----	6e	---	---	---	---	1.60	2.30
986D:							
Berks-----	4e	81.00	---	29.00	33.00	2.50	3.70
Wellston-----	4e	93.00	---	32.00	37.00	2.85	4.20
986D2:							
Berks-----	4e	74.00	---	26.00	30.00	2.30	3.30
Wellston-----	4e	86.00	---	30.00	34.00	2.62	3.70
986F:							
Berks-----	6e	---	---	---	---	1.29	1.87
Wellston-----	6e	---	---	---	---	2.12	2.71
986G:							
Berks-----	7e	---	---	---	---	---	---
Wellston-----	7e	---	---	---	---	---	---
1843A:							
Bonnie-----	5w	---	---	---	---	---	---
Petrolia-----	5w	---	---	---	---	---	---
1846A:							
Cape-----	5w	---	---	---	---	---	---
Karnak-----	5w	---	---	---	---	---	---
3070A:							
Beaucoup-----	3w	143.00	---	48.00	---	4.40	6.50
3071A:							
Darwin-----	4w	121.00	---	41.00	---	3.56	5.20

Soil Survey of Massac County, Illinois

Table 6.—Land Capability and Yields per Acre of Crops and Pasture—Continued

Map symbol and soil name	Land capability	Corn	Grain sorghum	Soybeans	Winter wheat	Grass-legume hay	Grass-legume pasture
		Bu	Bu	Bu	Bu	Tons	AUM
3071L: Darwin-----	5w	---	---	---	---	---	---
3072A: Sharon-----	2w	133.00	---	43.00	---	3.86	5.70
3072L: Sharon-----	5w	---	---	---	---	---	---
3108A: Bonnie-----	3w	121.00	---	40.00	---	3.76	5.60
3108L: Bonnie-----	5w	---	---	---	---	---	---
3180A: Dupo-----	2w	148.00	---	46.00	---	4.20	6.10
3288A: Petrolia-----	3w	131.00	---	40.00	---	4.00	5.90
3288L: Petrolia-----	5w	---	---	---	---	---	---
3382A: Belknap-----	3w	127.00	---	42.00	---	3.96	5.90
3382L: Belknap-----	5w	---	---	---	---	---	---
3422A: Cape-----	3w	111.00	---	38.00	---	3.46	5.10
3422A+: Cape-----	3w	111.00	---	38.00	---	3.46	5.10
3426A: Karnak-----	3w	109.00	---	37.00	---	3.26	4.80
3426A+: Karnak-----	3w	109.00	---	37.00	---	3.26	4.80
3426L: Karnak-----	5w	---	---	---	---	---	---
3449L: Armiesburg-----	5w	---	---	---	---	---	---
Sarpy-----	5w	---	---	---	---	---	---
3597A: Armiesburg-----	3w	144.00	---	46.00	---	5.40	8.00
3597L: Armiesburg-----	5w	---	---	---	---	---	---
7131A: Alvin-----	2s	135.00	---	44.00	53.00	4.00	4.80
7131B: Alvin-----	2e	134.00	---	44.00	52.00	3.40	5.00

Soil Survey of Massac County, Illinois

Table 6.—Land Capability and Yields per Acre of Crops and Pasture—Continued

Map symbol and soil name	Land capability	Corn	Grain sorghum	Soybeans	Winter wheat	Grass-legume hay	Grass-legume pasture
		Bu	Bu	Bu	Bu	Tons	AUM
7131C2: Alvin-----	3e	126.00	---	41.00	49.00	3.20	4.60
7131D2: Alvin-----	4e	115.00	---	37.00	45.00	2.90	4.20
7460A: Ginat-----	3w	128.00	---	44.00	53.00	4.00	5.80
7462A: Sciotoville----	2w	126.00	---	42.00	53.00	3.60	5.30
7462B: Sciotoville----	2e	125.00	---	42.00	52.00	3.60	5.20
7462C2: Sciotoville----	3e	117.00	---	39.00	49.00	3.40	4.90
7462C3: Sciotoville----	4e	108.00	---	36.00	46.00	3.11	4.50
7462D2: Sciotoville----	4e	107.00	---	36.00	45.00	3.07	4.40
7462D3: Sciotoville----	4e	98.00	---	33.00	41.00	2.80	4.00
7463A: Wheeling-----	2s	132.00	---	43.00	53.00	3.39	5.00
7463B: Wheeling-----	2e	131.00	---	43.00	52.00	3.36	5.00
7463C2: Wheeling-----	3e	123.00	---	40.00	49.00	3.15	4.60
7463D2: Wheeling-----	4e	112.00	---	37.00	45.00	2.88	4.10
7463E2: Wheeling-----	6e	---	---	---	---	2.78	3.60
7483A: Henshaw-----	2w	144.00	105.00	45.00	54.00	4.41	6.50
7711A: Hatfield-----	2w	126.00	---	42.00	53.00	4.18	6.20
7711B: Hatfield-----	2e	125.00	---	42.00	52.00	4.14	6.00
7711B2: Hatfield-----	2e	117.00	---	40.00	50.00	3.97	5.90
8070A: Beaucoup-----	2w	159.00	---	53.00	62.00	4.90	7.20
8071A: Darwin-----	3w	134.00	---	45.00	54.00	3.96	5.80

Soil Survey of Massac County, Illinois

Table 6.—Land Capability and Yields per Acre of Crops and Pasture—Continued

Map symbol and soil name	Land capability	Corn	Grain sorghum	Soybeans	Winter wheat	Grass-legume hay	Grass-legume pasture
		Bu	Bu	Bu	Bu	Tons	AUM
8072A: Sharon-----	2w	148.00	---	48.00	57.00	4.30	6.30
8108A: Bonnie-----	3w	134.00	---	44.00	53.00	4.18	6.20
8109A: Raccoon-----	3w	130.00	103.00	41.00	51.00	3.50	5.20
8180A: Dupo-----	2w	164.00	---	51.00	61.00	4.60	6.80
8288A: Petrolia-----	3w	146.00	---	44.00	55.00	4.41	6.50
8382A: Belknap-----	2w	141.00	---	47.00	57.00	4.41	6.50
8420A: Piopolis-----	3w	128.00	---	44.00	53.00	3.96	5.80
8422A: Cape-----	3w	123.00	---	42.00	52.00	3.84	5.70
8422A+: Cape-----	3w	123.00	---	42.00	52.00	3.84	5.70
8426A: Karnak-----	3w	121.00	---	41.00	47.00	3.62	5.30
8426A+: Karnak-----	3w	121.00	---	41.00	47.00	3.62	5.30
8427B: Burnside-----	2s	115.00	---	39.00	46.00	2.83	4.10
8469A: Emma-----	1	134.00	---	44.00	53.00	4.07	6.00
8469B: Emma-----	2e	133.00	---	44.00	52.00	4.03	5.90
8469C2: Emma-----	3e	125.00	---	41.00	49.00	3.79	5.50
8597A: Armiesburg-----	2w	160.00	---	51.00	62.00	6.00	8.80
8693A: Hurst-----	3w	121.00	---	39.00	50.00	3.73	5.50
MW. Miscellaneous water							
W. Water							

Soil Survey of Massac County, Illinois

Table 7.--Prime Farmland

(Only the soils considered prime farmland are listed. Urban or built-up areas of the soils listed are not considered prime farmland. If a soil is prime farmland only under certain conditions, the conditions are specified in parentheses after the soil name)

Map symbol	Soil name
131B	Alvin fine sandy loam, 2 to 5 percent slopes
131C	Alvin fine sandy loam, 5 to 10 percent slopes
131C2	Alvin fine sandy loam, 5 to 10 percent slopes, eroded
164A	Stoy silt loam, 0 to 2 percent slopes
164B	Stoy silt loam, 2 to 5 percent slopes
175B	Lamont fine sandy loam, 2 to 5 percent slopes
214B	Hosmer silt loam, 2 to 5 percent slopes
308B	Alford silt loam, 2 to 5 percent slopes
3070A	Beaucoup silty clay loam, 0 to 2 percent slopes, frequently flooded (if drained and either protected from flooding or not frequently flooded during the growing season)
3071A	Darwin silty clay, 0 to 2 percent slopes, frequently flooded (if drained and either protected from flooding or not frequently flooded during the growing season)
3072A	Sharon silt loam, 0 to 3 percent slopes, frequently flooded (if protected from flooding or not frequently flooded during the growing season)
3108A	Bonnie silt loam, 0 to 2 percent slopes, frequently flooded (if drained and either protected from flooding or not frequently flooded during the growing season)
3180A	Dupo silt loam, 0 to 2 percent slopes, frequently flooded (if protected from flooding or not frequently flooded during the growing season)
3288A	Petrolia silty clay loam, 0 to 2 percent slopes, frequently flooded (if drained and either protected from flooding or not frequently flooded during the growing season)
3382A	Belknap silt loam, 0 to 2 percent slopes, frequently flooded (if drained and either protected from flooding or not frequently flooded during the growing season)
3422A	Cape silty clay loam, 0 to 2 percent slopes, frequently flooded (if drained and either protected from flooding or not frequently flooded during the growing season)
3422A+	Cape silt loam, overwash, 0 to 2 percent slopes, frequently flooded (if drained and either protected from flooding or not frequently flooded during the growing season)
3597A	Armiesburg silty clay loam, 0 to 2 percent slopes, frequently flooded (if protected from flooding or not frequently flooded during the growing season)
7131A	Alvin fine sandy loam, 0 to 2 percent slopes, rarely flooded
7131B	Alvin fine sandy loam, 2 to 5 percent slopes, rarely flooded
7131C2	Alvin fine sandy loam, 5 to 10 percent slopes, eroded, rarely flooded
7460A	Ginat silt loam, 0 to 2 percent slopes, rarely flooded (if drained)
7462A	Sciotoville silt loam, 0 to 2 percent slopes, rarely flooded
7462B	Sciotoville silt loam, 2 to 5 percent slopes, rarely flooded
7463A	Wheeling silt loam, 0 to 2 percent slopes, rarely flooded
7463B	Wheeling silt loam, 2 to 5 percent slopes, rarely flooded
7483A	Henshaw silt loam, 0 to 3 percent slopes, rarely flooded
7711A	Hatfield silt loam, 0 to 2 percent slopes, rarely flooded (if drained)
7711B	Hatfield silt loam, 2 to 5 percent slopes, rarely flooded (if drained)
7711B2	Hatfield silt loam, 2 to 5 percent slopes, eroded, rarely flooded (if drained)
8070A	Beaucoup silty clay loam, 0 to 2 percent slopes, occasionally flooded (if drained)
8071A	Darwin silty clay, 0 to 2 percent slopes, occasionally flooded (if drained)
8072A	Sharon silt loam, 0 to 3 percent slopes, occasionally flooded
8108A	Bonnie silt loam, 0 to 2 percent slopes, occasionally flooded (if drained)
8109A	Racoon silt loam, 0 to 2 percent slopes, occasionally flooded (if drained)
8180A	Dupo silt loam, 0 to 2 percent slopes, occasionally flooded
8288A	Petrolia silty clay loam, 0 to 2 percent slopes, occasionally flooded (if drained)
8382A	Belknap silt loam, 0 to 2 percent slopes, occasionally flooded (if drained)
8420A	Piopolis silty clay loam, 0 to 2 percent slopes, occasionally flooded (if drained)
8422A	Cape silty clay loam, 0 to 2 percent slopes, occasionally flooded (if drained)
8422A+	Cape silt loam, overwash, 0 to 2 percent slopes, occasionally flooded (if drained)
8427B	Burnside silt loam, 1 to 4 percent slopes, occasionally flooded
8469A	Emma silty clay loam, 0 to 2 percent slopes, occasionally flooded
8469B	Emma silty clay loam, 2 to 5 percent slopes, occasionally flooded
8597A	Armiesburg silty clay loam, 0 to 2 percent slopes, occasionally flooded

Soil Survey of Massac County, Illinois

Table 8.—Map Units With Major Components of Hydric Soils

Map symbol and map unit name	Component	Hydric	Landform	Hydric soils criteria		
				Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
165A: Weir silt loam, 0 to 2 percent slopes	Weir	Yes	flats	Yes	No	No
1843A: Bonnie and Petrolia soils, undrained, 0 to 2 percent slopes, frequently flooded	Bonnie, undrained, frequently flooded	Yes	flood plains	Yes	Yes	Yes
	Petrolia, undrained, frequently flooded	Yes	flood plains	Yes	Yes	Yes
1846A: Karnak and Cape silty clays, undrained, 0 to 2 percent slopes, frequently flooded	Karnak, undrained, frequently flooded	Yes	flood plains	Yes	Yes	Yes
	Cape, undrained, frequently flooded	Yes	flood plains	Yes	Yes	Yes
3070A: Beaucoup silty clay loam, 0 to 2 percent slopes, frequently flooded	Beaucoup, frequently flooded	Yes	flood plains	Yes	No	No
3071A: Darwin silty clay, 0 to 2 percent slopes, frequently flooded	Darwin, frequently flooded	Yes	flood plains	Yes	No	No
3071L: Darwin silty clay, 0 to 2 percent slopes, frequently flooded, long duration	Darwin, frequently flooded, long duration	Yes	flood plains	Yes	Yes	Yes
3072L: Sharon silt loam, 0 to 3 percent slopes, frequently flooded, long duration	Sharon, frequently flooded, long duration	Yes	flood plains	No	Yes	No
3108A: Bonnie silt loam, 0 to 2 percent slopes, frequently flooded	Bonnie, frequently flooded	Yes	flood plains	Yes	No	No

Soil Survey of Massac County, Illinois

Table 8.—Map Units With Major Components of Hydric Soils—Continued

Map symbol and map unit name	Component	Hydric	Landform	Hydric soils criteria		
				Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
3108L: Bonnie silt loam, 0 to 2 percent slopes, frequently flooded, long duration	Bonnie, frequently flooded, long duration	Yes	flood plains	Yes	Yes	Yes
3288A: Petrolia silty clay loam, 0 to 2 percent slopes, frequently flooded	Petrolia, frequently flooded	Yes	flood plains	Yes	No	No
3288L: Petrolia silty clay loam, 0 to 2 percent slopes, frequently flooded, long duration	Petrolia, frequently flooded, long duration	Yes	flood plains	Yes	Yes	Yes
3382L: Belknap silt loam, 0 to 2 percent slopes, frequently flooded, long duration	Belknap, frequently flooded, long duration	Yes	flood plains	No	Yes	No
3422A: Cape silty clay loam, 0 to 2 percent slopes, frequently flooded	Cape, frequently flooded	Yes	flood plains	Yes	No	No
3422A+: Cape silt loam, overwash, 0 to 2 percent slopes, frequently flooded	Cape, overwash, frequently flooded	Yes	flood plains	Yes	No	No
3426A: Karnak silty clay, 0 to 2 percent slopes, frequently flooded	Karnak, frequently flooded	Yes	flood plains	Yes	No	No
3426A+: Karnak silt loam, overwash, 0 to 2 percent slopes, frequently flooded	Karnak, overwash, frequently flooded	Yes	flood plains	Yes	No	No
3426L: Karnak silty clay, 0 to 2 percent slopes, frequently flooded, long duration	Karnak, frequently flooded, long duration	Yes	flood plains	Yes	Yes	Yes

Soil Survey of Massac County, Illinois

Table 8.—Map Units With Major Components of Hydric Soils—Continued

Map symbol and map unit name	Component	Hydric	Landform	Hydric soils criteria		
				Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
3449L: Armiesburg-Sarpy complex, 0 to 2 percent slopes, frequently flooded, long duration	Armiesburg, frequently flooded, long duration	Yes	flood plains	No	Yes	No
	Sarpy, frequently flooded, long duration	Yes	flood plains	No	Yes	No
3597L: Armiesburg silty clay loam, 0 to 2 percent slopes, frequently flooded, long duration	Armiesburg, frequently flooded, long duration	Yes	flood plains	No	Yes	No
7460A: Ginat silt loam, 0 to 2 percent slopes, rarely flooded	Ginat, rarely flooded	Yes	terraces	Yes	No	No
8070A: Beaucoup silty clay loam, 0 to 2 percent slopes, occasionally flooded	Beaucoup, occasionally flooded	Yes	flood plains	Yes	No	No
8071A: Darwin silty clay, 0 to 2 percent slopes, occasionally flooded	Darwin, occasionally flooded	Yes	flood plains	Yes	No	No
8108A: Bonnie silt loam, 0 to 2 percent slopes, occasionally flooded	Bonnie, occasionally flooded	Yes	flood plains	Yes	No	No
8109A: Racoon silt loam, 0 to 2 percent slopes, occasionally flooded	Racoon, occasionally flooded	Yes	fans	Yes	No	No
8288A: Petrolia silty clay loam, 0 to 2 percent slopes, occasionally flooded	Petrolia, occasionally flooded	Yes	flood plains	Yes	No	No
8420A: Piopolis silty clay loam, 0 to 2 percent slopes, occasionally flooded	Piopolis, occasionally flooded	Yes	flood plains	Yes	No	No

Soil Survey of Massac County, Illinois

Table 8.—Map Units With Major Components of Hydric Soils—Continued

Map symbol and map unit name	Component	Hydric	Landform	Hydric soils criteria		
				Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
8422A: Cape silty clay loam, 0 to 2 percent slopes, occasionally flooded	Cape, occasionally flooded	Yes	flood plains	Yes	No	No
8422A+: Cape silt loam, overwash, 0 to 2 percent slopes, occasionally flooded	Cape, overwash, occasionally flooded	Yes	flood plains	Yes	No	No
8426A: Karnak silty clay, 0 to 2 percent slopes, occasionally flooded	Karnak, occasionally flooded	Yes	flood plains	Yes	No	No
8426A+: Karnak silt loam, overwash, 0 to 2 percent slopes, occasionally flooded	Karnak, overwash, occasionally flooded	Yes	flood plains	Yes	No	No

Soil Survey of Massac County, Illinois

Table 9.—Map Units With Minor Components of Hydric Soils

Map symbol and map unit name	Component	Hydric	Landform	Hydric soils criteria		
				Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
164A: Stoy silt loam, 0 to 2 percent slopes	Weir	Yes	flats	Yes	No	No
3180A: Dupo silt loam, 0 to 2 percent slopes, frequently flooded	Darwin, frequently flooded	Yes	flood plains	Yes	No	No
3382A: Belknap silt loam, 0 to 2 percent slopes, frequently flooded	Bonnie, frequently flooded	Yes	flood plains	Yes	No	No
	Piopolis, frequently flooded	Yes	flood plains	Yes	No	No
3597A: Armiesburg silty clay loam, 0 to 2 percent slopes, frequently flooded	Beaucoup, frequently flooded	Yes	flood plains	Yes	No	No
7462A: Sciotoville silt loam, 0 to 2 percent slopes, rarely flooded	Ginat, rarely flooded	Yes	terraces	Yes	No	No
7463A: Wheeling silt loam, 0 to 2 percent slopes, rarely flooded	Ginat, rarely flooded	Yes	terraces	Yes	No	No
7483A: Henshaw silt loam, 0 to 3 percent slopes, rarely flooded	Petrolia	Yes	flood plains	Yes	No	No
7711A: Hatfield silt loam, 0 to 2 percent slopes, rarely flooded	Ginat, rarely flooded	Yes	terraces	Yes	No	No
8180A: Dupo silt loam, 0 to 2 percent slopes, occasionally flooded	Darwin, occasionally flooded	Yes	flood plains	Yes	No	No
8382A: Belknap silt loam, 0 to 2 percent slopes, occasionally flooded	Bonnie, occasionally flooded	Yes	flood plains	Yes	No	No
	Piopolis, occasionally flooded	Yes	flood plains	Yes	No	No

Soil Survey of Massac County, Illinois

Table 9.—Map Units With Minor Components of Hydric Soils—Continued

Map symbol and map unit name	Component	Hydric	Landform	Hydric soils criteria		
				Meets saturation criteria	Meets flooding criteria	Meets ponding criteria
8469A: Emma silty clay loam, 0 to 2 percent slopes, occasionally flooded	Cape, occasionally flooded	Yes	flood plains	Yes	No	No
8469B: Emma silty clay loam, 2 to 5 percent slopes, occasionally flooded	Cape, occasionally flooded	Yes	flood plains	Yes	No	No
8597A: Armiesburg silty clay loam, 0 to 2 percent slopes, occasionally flooded	Beaucoup, occasionally flooded	Yes	flood plains	Yes	No	No
8693A: Hurst silty clay loam, 0 to 2 percent slopes, occasionally flooded	Cape, occasionally flooded	Yes	flood plains	Yes	No	No
	Karnak, occasionally flooded	Yes	flood plains	Yes	No	No

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part I

Map symbol and soil name	Construction limitations for haul roads and log landings	Suitability of log landings	Harvest equipment operability for logging areas
	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
99G: Sandstone Rock Land-	Not rated	Not rated	Not rated
Limestone Rock Land-	Not rated	Not rated	Not rated
131B: Alvin-----	Slight	Well suited	Well suited
131C: Alvin-----	Slight	Moderately suited Slope	Well suited
131C2: Alvin-----	Slight	Moderately suited Slope	Well suited
131D2: Alvin-----	Slight	Poorly suited Slope	Well suited
131F: Alvin-----	Moderate Slope	Poorly suited Slope	Moderately suited Slope
164A: Stoy-----	Moderate Low strength	Moderately suited Low strength	Moderately suited Low strength
164B: Stoy-----	Moderate Low strength	Moderately suited Low strength	Moderately suited Low strength
164C2: Stoy-----	Moderate Low strength	Moderately suited Low strength Slope	Moderately suited Low strength
165A: Weir-----	Moderate Low strength	Poorly suited Ponding Wetness Low strength	Moderately suited Low strength
175B: Lamont-----	Moderate Sandiness	Moderately suited Sandiness	Moderately suited Sandiness
175C2: Lamont-----	Slight	Moderately suited Sandiness Slope	Moderately suited Sandiness
175D2: Lamont-----	Slight	Poorly suited Slope Sandiness	Moderately suited Sandiness

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part I—Continued

Map symbol and soil name	Construction limitations for haul roads and log landings	Suitability of log landings	Harvest equipment operability for logging areas
	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
214B: Hosmer-----	Moderate Low strength	Moderately suited Low strength	Moderately suited Low strength
214C2: Hosmer-----	Moderate Low strength	Moderately suited Low strength Slope	Moderately suited Low strength
214C3: Hosmer-----	Moderate Low strength	Moderately suited Low strength Slope	Moderately suited Low strength
214D2: Hosmer-----	Moderate Low strength	Poorly suited Slope Low strength	Moderately suited Low strength
214D3: Hosmer-----	Moderate Low strength	Poorly suited Slope Low strength	Moderately suited Low strength
308B: Alford-----	Moderate Low strength	Moderately suited Low strength	Moderately suited Low strength
308C2: Alford-----	Moderate Low strength	Moderately suited Low strength Slope	Moderately suited Low strength
308C3: Alford-----	Moderate Low strength	Moderately suited Low strength Slope	Moderately suited Low strength
308D2: Alford-----	Moderate Low strength	Poorly suited Slope Low strength	Moderately suited Low strength
308D3: Alford-----	Moderate Low strength	Poorly suited Slope Low strength	Moderately suited Low strength
308E: Alford-----	Moderate Slope	Poorly suited Slope Low strength	Moderately suited Low strength Slope
308E2: Alford-----	Moderate Slope	Poorly suited Slope Low strength	Moderately suited Low strength Slope

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part I—Continued

Map symbol and soil name	Construction limitations for haul roads and log landings	Suitability of log landings	Harvest equipment operability for logging areas
	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
308E3: Alford-----	Moderate Slope	Poorly suited Slope Low strength	Moderately suited Low strength Slope
308F: Alford-----	Moderate Slope	Poorly suited Slope Low strength	Moderately suited Low strength Slope
339C: Wellston-----	Moderate Low strength	Moderately suited Low strength Slope	Moderately suited Low strength
339C2: Wellston-----	Moderate Low strength	Moderately suited Low strength Slope	Moderately suited Low strength
339D: Wellston-----	Moderate Low strength	Poorly suited Slope Low strength	Moderately suited Low strength
339D2: Wellston-----	Moderate Low strength	Poorly suited Slope Low strength	Moderately suited Low strength
339D3: Wellston-----	Moderate Low strength	Poorly suited Slope Low strength	Moderately suited Low strength
339F: Wellston-----	Moderate Slope	Poorly suited Slope Low strength	Moderately suited Low strength Slope
340C2: Zanesville-----	Moderate Low strength	Moderately suited Low strength Slope	Moderately suited Low strength
340C3: Zanesville-----	Moderate Low strength	Moderately suited Low strength Slope	Moderately suited Low strength
340D: Zanesville-----	Moderate Low strength	Poorly suited Slope Low strength	Moderately suited Low strength
340D2: Zanesville-----	Moderate Low strength	Poorly suited Slope Low strength	Moderately suited Low strength

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part I—Continued

Map symbol and soil name	Construction limitations for haul roads and log landings	Suitability of log landings	Harvest equipment operability for logging areas
	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
340D3: Zanesville-----	Moderate Low strength	Poorly suited Slope Low strength	Moderately suited Low strength
453C2: Muren-----	Moderate Low strength	Moderately suited Low strength Slope Wetness	Moderately suited Low strength
453D2: Muren-----	Moderate Low strength	Poorly suited Slope Low strength Wetness	Moderately suited Low strength
691D: Beasley-----	Moderate Low strength	Poorly suited Slope Low strength	Moderately suited Low strength
691F: Beasley-----	Moderate Slope	Poorly suited Slope Low strength	Moderately suited Low strength Slope
691G: Beasley-----	Severe Slope Low strength	Poorly suited Slope Low strength	Poorly suited Slope Low strength
801B: Orthents, silty-----	Moderate Low strength	Moderately suited Low strength	Moderately suited Low strength
802D: Orthents, loamy-----	Moderate Low strength	Moderately suited Slope Low strength	Moderately suited Low strength
864: Pits, quarries-----	Not rated	Not rated	Not rated
865: Pits, gravel-----	Not rated	Not rated	Not rated
955D: Muskingum-----	Moderate Restrictive layer Low strength	Poorly suited Slope Low strength	Moderately suited Low strength
Berks-----	Moderate Restrictive layer	Poorly suited Slope	Well suited
955D2: Muskingum-----	Moderate Restrictive layer Low strength	Poorly suited Slope Low strength	Moderately suited Low strength

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part I—Continued

Map symbol and soil name	Construction limitations for haul roads and log landings	Suitability of log landings	Harvest equipment operability for logging areas
	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
955D2: Berks-----	Moderate Restrictive layer	Poorly suited Slope	Well suited
955F: Muskingum-----	Moderate Slope Restrictive layer	Poorly suited Slope Low strength	Moderately suited Low strength Slope
Berks-----	Severe Restrictive layer Slope	Poorly suited Slope	Moderately suited Slope
955G: Muskingum-----	Severe Slope Low strength	Poorly suited Slope Low strength	Poorly suited Slope Low strength
Berks-----	Severe Slope	Poorly suited Slope	Poorly suited Slope
956B: Brandon-----	Moderate Low strength	Moderately suited Low strength	Moderately suited Low strength
Saffell-----	Slight	Well suited	Well suited
956C2: Brandon-----	Moderate Low strength	Moderately suited Low strength Slope	Moderately suited Low strength
Saffell-----	Slight	Moderately suited Slope	Well suited
956C3: Brandon-----	Moderate Low strength	Moderately suited Low strength Slope	Moderately suited Low strength
Saffell-----	Slight	Moderately suited Slope	Well suited
956D: Brandon-----	Moderate Low strength	Poorly suited Slope Low strength	Moderately suited Low strength
Saffell-----	Slight	Poorly suited Slope	Well suited
956D2: Brandon-----	Moderate Low strength	Poorly suited Slope Low strength	Moderately suited Low strength
Saffell-----	Slight	Poorly suited Slope	Well suited

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part I—Continued

Map symbol and soil name	Construction limitations for haul roads and log landings	Suitability of log landings	Harvest equipment operability for logging areas
	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
956D3: Brandon-----	Moderate Low strength	Poorly suited Slope Low strength	Moderately suited Low strength
Saffell-----	Slight	Poorly suited Slope	Well suited
956E2: Brandon-----	Moderate Slope	Poorly suited Slope Low strength	Moderately suited Low strength Slope
Saffell-----	Moderate Slope	Poorly suited Slope	Moderately suited Slope
956F: Brandon-----	Moderate Slope	Poorly suited Slope Low strength	Moderately suited Low strength Slope
Saffell-----	Moderate Slope	Poorly suited Slope	Moderately suited Slope
986D: Wellston-----	Moderate Low strength	Poorly suited Slope Low strength	Moderately suited Low strength
Berks-----	Moderate Restrictive layer	Poorly suited Slope	Well suited
986D2: Wellston-----	Moderate Low strength	Poorly suited Slope Low strength	Moderately suited Low strength
Berks-----	Moderate Restrictive layer	Poorly suited Slope	Well suited
986F: Wellston-----	Moderate Slope	Poorly suited Slope Low strength	Moderately suited Low strength Slope
Berks-----	Severe Restrictive layer Slope	Poorly suited Slope	Moderately suited Slope
986G: Wellston-----	Severe Slope Low strength	Poorly suited Slope Low strength	Poorly suited Slope Low strength
Berks-----	Severe Slope	Poorly suited Slope	Poorly suited Slope

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part I—Continued

Map symbol and soil name	Construction limitations for haul roads and log landings	Suitability of log landings	Harvest equipment operability for logging areas
	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
1843A: Bonnie-----	Severe Flooding Wetness Low strength	Poorly suited Ponding Flooding Wetness Low strength	Poorly suited Wetness Low strength
Petrolia-----	Severe Flooding Wetness Low strength	Poorly suited Ponding Flooding Wetness Low strength	Poorly suited Wetness Low strength
1846A: Karnak-----	Severe Flooding Wetness Low strength Stickiness/slope	Poorly suited Ponding Flooding Wetness Low strength Stickiness; high plasticity index	Poorly suited Wetness Low strength Stickiness; high plasticity index
Cape-----	Severe Flooding Wetness Low strength	Poorly suited Ponding Flooding Wetness Low strength	Poorly suited Wetness Low strength
3070A: Beaucoup-----	Severe Flooding Low strength	Poorly suited Ponding Flooding Wetness Low strength	Moderately suited Low strength
3071A: Darwin-----	Severe Flooding Low strength Stickiness/slope	Poorly suited Ponding Flooding Wetness Low strength Stickiness; high plasticity index	Moderately suited Low strength Stickiness; high plasticity index
3071L: Darwin-----	Severe Flooding Low strength Stickiness/slope	Poorly suited Ponding Flooding Wetness Low strength Stickiness; high plasticity index	Moderately suited Low strength Stickiness; high plasticity index
3072A: Sharon-----	Severe Flooding Low strength	Poorly suited Flooding Low strength	Moderately suited Low strength

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part I—Continued

Map symbol and soil name	Construction limitations for haul roads and log landings	Suitability of log landings	Harvest equipment operability for logging areas
	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
3072L: Sharon-----	Severe Flooding Low strength	Poorly suited Flooding Low strength	Moderately suited Low strength
3108A: Bonnie-----	Severe Flooding Low strength	Poorly suited Ponding Flooding Wetness Low strength	Moderately suited Low strength
3108L: Bonnie-----	Severe Flooding Low strength	Poorly suited Ponding Flooding Wetness Low strength	Moderately suited Low strength
3180A: Dupo-----	Severe Flooding Low strength	Poorly suited Flooding Wetness Low strength	Moderately suited Low strength
3288A: Petrolia-----	Severe Flooding Low strength	Poorly suited Ponding Flooding Wetness Low strength	Moderately suited Low strength
3288L: Petrolia-----	Severe Flooding Low strength	Poorly suited Ponding Flooding Wetness Low strength	Moderately suited Low strength
3382A: Belknap-----	Severe Flooding Low strength	Poorly suited Flooding Wetness Low strength	Moderately suited Low strength
3382L: Belknap-----	Severe Flooding Low strength	Poorly suited Flooding Wetness Low strength	Moderately suited Low strength
3422A: Cape-----	Severe Flooding Low strength	Poorly suited Ponding Flooding Wetness Low strength	Moderately suited Low strength

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part I—Continued

Map symbol and soil name	Construction limitations for haul roads and log landings	Suitability of log landings	Harvest equipment operability for logging areas
	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
3422A+: Cape-----	Severe Flooding Low strength	Poorly suited Ponding Flooding Wetness Low strength	Moderately suited Low strength
3426A: Karnak-----	Severe Flooding Low strength Stickiness/slope	Poorly suited Ponding Flooding Wetness Low strength Stickiness; high plasticity index	Moderately suited Low strength Stickiness; high plasticity index
3426A+: Karnak-----	Severe Flooding Low strength Stickiness/slope	Poorly suited Ponding Flooding Wetness Low strength	Moderately suited Low strength
3426L: Karnak-----	Severe Flooding Low strength Stickiness/slope	Poorly suited Ponding Flooding Wetness Low strength Stickiness; high plasticity index	Moderately suited Low strength Stickiness; high plasticity index
3449L: Armiesburg-----	Severe Flooding Low strength	Poorly suited Flooding Low strength	Moderately suited Low strength
Sarpy-----	Severe Flooding	Poorly suited Flooding	Well suited
3597A: Armiesburg-----	Severe Flooding Low strength	Poorly suited Flooding Low strength	Moderately suited Low strength
3597L: Armiesburg-----	Severe Flooding Low strength	Poorly suited Flooding Low strength	Moderately suited Low strength
7131A: Alvin-----	Slight	Well suited	Well suited
7131B: Alvin-----	Slight	Well suited	Well suited
7131C2: Alvin-----	Slight	Moderately suited Slope	Well suited

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part I—Continued

Map symbol and soil name	Construction limitations for haul roads and log landings	Suitability of log landings	Harvest equipment operability for logging areas
	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
7131D2: Alvin-----	Slight	Poorly suited Slope	Well suited
7460A: Ginat-----	Moderate Low strength	Poorly suited Ponding Wetness Low strength	Moderately suited Low strength
7462A: Sciotoville-----	Moderate Low strength	Moderately suited Low strength	Moderately suited Low strength
7462B: Sciotoville-----	Moderate Low strength	Moderately suited Low strength	Moderately suited Low strength
7462C2: Sciotoville-----	Moderate Low strength	Moderately suited Low strength Slope	Moderately suited Low strength
7462C3: Sciotoville-----	Moderate Low strength	Moderately suited Low strength Slope	Moderately suited Low strength
7462D2: Sciotoville-----	Moderate Low strength	Poorly suited Slope Low strength	Moderately suited Low strength
7462D3: Sciotoville-----	Moderate Low strength	Poorly suited Slope Low strength	Moderately suited Low strength
7463A: Wheeling-----	Moderate Low strength	Moderately suited Low strength	Moderately suited Low strength
7463B: Wheeling-----	Moderate Low strength	Moderately suited Low strength	Moderately suited Low strength
7463C2: Wheeling-----	Moderate Low strength	Moderately suited Low strength Slope	Moderately suited Low strength
7463D2: Wheeling-----	Moderate Low strength	Poorly suited Slope Low strength	Moderately suited Low strength
7463E2: Wheeling-----	Moderate Slope	Poorly suited Slope Low strength	Moderately suited Low strength Slope

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part I—Continued

Map symbol and soil name	Construction limitations for haul roads and log landings	Suitability of log landings	Harvest equipment operability for logging areas
	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
7483A: Henshaw-----	Moderate Low strength	Moderately suited Wetness Low strength	Moderately suited Low strength
7711A: Hatfield-----	Moderate Low strength	Moderately suited Wetness Low strength	Moderately suited Low strength
7711B: Hatfield-----	Moderate Low strength	Moderately suited Wetness Low strength	Moderately suited Low strength
7711B2: Hatfield-----	Moderate Low strength	Moderately suited Wetness Low strength	Moderately suited Low strength
8070A: Beaucoup-----	Severe Flooding Low strength	Poorly suited Ponding Flooding Wetness Low strength	Moderately suited Low strength
8071A: Darwin-----	Severe Flooding Low strength Stickiness/slope	Poorly suited Ponding Flooding Wetness Low strength Stickiness; high plasticity index	Moderately suited Low strength Stickiness; high plasticity index
8072A: Sharon-----	Moderate Flooding Low strength	Moderately suited Flooding Low strength	Moderately suited Low strength
8108A: Bonnie-----	Severe Flooding Low strength	Poorly suited Ponding Flooding Wetness Low strength	Moderately suited Low strength
8109A: Raccoon-----	Severe Flooding Low strength	Poorly suited Ponding Flooding Wetness Low strength	Moderately suited Low strength
8180A: Dupo-----	Severe Flooding Low strength	Poorly suited Flooding Wetness Low strength	Moderately suited Low strength

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part I—Continued

Map symbol and soil name	Construction limitations for haul roads and log landings	Suitability of log landings	Harvest equipment operability for logging areas
	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
8288A: Petrolia-----	Severe Flooding Low strength	Poorly suited Ponding Flooding Wetness Low strength	Moderately suited Low strength
8382A: Belknap-----	Severe Flooding Low strength	Poorly suited Flooding Wetness Low strength	Moderately suited Low strength
8420A: Piopolis-----	Severe Flooding Low strength	Poorly suited Ponding Flooding Wetness Low strength	Moderately suited Low strength
8422A: Cape-----	Severe Flooding Low strength	Poorly suited Ponding Flooding Wetness Low strength	Moderately suited Low strength
8422A+: Cape-----	Severe Flooding Low strength	Poorly suited Ponding Flooding Wetness Low strength	Moderately suited Low strength
8426A: Karnak-----	Severe Flooding Low strength Stickiness/slope	Poorly suited Ponding Flooding Wetness Low strength Stickiness; high plasticity index	Moderately suited Low strength Stickiness; high plasticity index
8426A+: Karnak-----	Severe Flooding Low strength Stickiness/slope	Poorly suited Ponding Flooding Wetness Low strength	Moderately suited Low strength
8427B: Burnside-----	Moderate Flooding Low strength	Moderately suited Flooding Low strength	Moderately suited Low strength
8469A: Emma-----	Moderate Flooding Low strength	Moderately suited Flooding Low strength	Moderately suited Low strength

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part I—Continued

Map symbol and soil name	Construction limitations for haul roads and log landings	Suitability of log landings	Harvest equipment operability for logging areas
	Rating class and limiting features	Rating class and limiting features	Rating class and limiting features
8469B: Emma-----	Moderate Flooding Low strength	Moderately suited Flooding Low strength	Moderately suited Low strength
8469C2: Emma-----	Moderate Flooding Low strength	Moderately suited Flooding Low strength Slope	Moderately suited Low strength
8597A: Armiesburg-----	Moderate Flooding Low strength	Moderately suited Flooding Low strength	Moderately suited Low strength
8693A: Hurst-----	Severe Flooding Low strength	Poorly suited Flooding Low strength Wetness	Moderately suited Low strength
MW: Miscellaneous water-	Not rated	Not rated	Not rated
W: Water-----	Not rated	Not rated	Not rated

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part II

Map symbol and soil name	Suitability of mechanized site preparation	Limitation of prescribed burning
	Rating class and limiting features	Rating class and limiting features
99G: Sandstone Rock Land-	Not rated	Not rated
Limestone Rock Land-	Not rated	Not rated
131B: Alvin-----	Well suited	Slight
131C: Alvin-----	Well suited	Slight
131C2: Alvin-----	Well suited	Slight
131D2: Alvin-----	Well suited	Slight
131F: Alvin-----	Poorly suited Slope	Slight
164A: Stoy-----	Well suited	Moderate Root restriction
164B: Stoy-----	Well suited	Moderate Root restriction
164C2: Stoy-----	Well suited	Moderate Root restriction
165A: Weir-----	Well suited	Slight
175B: Lamont-----	Well suited	Slight
175C2: Lamont-----	Well suited	Slight
175D2: Lamont-----	Well suited	Slight
214B: Hosmer-----	Well suited	Moderate Root restriction
214C2: Hosmer-----	Well suited	Moderate Root restriction
214C3: Hosmer-----	Well suited	Moderate Root restriction
214D2: Hosmer-----	Well suited	Moderate Root restriction

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part II—Continued

Map symbol and soil name	Suitability of mechanized site preparation	Limitation of prescribed burning
	Rating class and limiting features	Rating class and limiting features
214D3: Hosmer-----	Well suited	Moderate Root restriction
308B: Alford-----	Well suited	Slight
308C2: Alford-----	Well suited	Slight
308C3: Alford-----	Well suited	Slight
308D2: Alford-----	Well suited	Slight
308D3: Alford-----	Well suited	Slight
308E: Alford-----	Poorly suited Slope	Slight
308E2: Alford-----	Poorly suited Slope	Slight
308E3: Alford-----	Poorly suited Slope	Slight
308F: Alford-----	Poorly suited Slope	Slight
339C: Wellston-----	Well suited	Slight
339C2: Wellston-----	Well suited	Slight
339D: Wellston-----	Well suited	Slight
339D2: Wellston-----	Well suited	Slight
339D3: Wellston-----	Well suited	Slight
339F: Wellston-----	Poorly suited Slope	Slight
340C2: Zanesville-----	Well suited	Moderate Root restriction

Soil Survey of Massac County, Illinois

Table 10.--Forestland Management, Part II--Continued

Map symbol and soil name	Suitability of mechanized site preparation	Limitation of prescribed burning
	Rating class and limiting features	Rating class and limiting features
340C3: Zanesville-----	Well suited	Moderate Root restriction
340D: Zanesville-----	Well suited	Moderate Root restriction
340D2: Zanesville-----	Well suited	Moderate Root restriction
340D3: Zanesville-----	Well suited	Moderate Root restriction
453C2: Muren-----	Well suited	Slight
453D2: Muren-----	Well suited	Slight
691D: Beasley-----	Well suited	Slight
691F: Beasley-----	Poorly suited Slope	Slight
691G: Beasley-----	Unsuited Slope	Moderate Slope
801B: Orthents, silty----	Well suited	Slight
802D: Orthents, loamy----	Well suited	Slight
864: Pits, quarries-----	Not rated	Not rated
865: Pits, gravel-----	Not rated	Not rated
955D: Muskingum-----	Poorly suited Restrictive layer	Moderate Root restriction
Berks-----	Poorly suited Restrictive layer	Moderate Root restriction
955D2: Muskingum-----	Poorly suited Restrictive layer	Moderate Root restriction
Berks-----	Poorly suited Restrictive layer	Moderate Root restriction

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part II—Continued

Map symbol and soil name	Suitability of mechanized site preparation	Limitation of prescribed burning
	Rating class and limiting features	Rating class and limiting features
955F: Muskingum-----	Poorly suited Slope Restrictive layer	Moderate Root restriction
Berks-----	Poorly suited Slope Restrictive layer	Moderate Root restriction
955G: Muskingum-----	Unsuited Slope Restrictive layer	Moderate Slope Root restriction
Berks-----	Unsuited Slope Restrictive layer	Moderate Slope Root restriction
956B: Brandon-----	Well suited	Slight
Saffell-----	Well suited	Slight
956C2: Brandon-----	Well suited	Slight
Saffell-----	Well suited	Slight
956C3: Brandon-----	Well suited	Slight
Saffell-----	Well suited	Slight
956D: Brandon-----	Well suited	Slight
Saffell-----	Well suited	Slight
956D2: Brandon-----	Well suited	Slight
Saffell-----	Well suited	Slight
956D3: Brandon-----	Well suited	Slight
Saffell-----	Well suited	Slight
956E2: Brandon-----	Poorly suited Slope	Slight
Saffell-----	Poorly suited Slope	Slight
956F: Brandon-----	Poorly suited Slope	Slight
Saffell-----	Poorly suited Slope	Slight

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part II—Continued

Map symbol and soil name	Suitability of mechanized site preparation	Limitation of prescribed burning
	Rating class and limiting features	Rating class and limiting features
986D: Wellston-----	Well suited	Slight
Berks-----	Poorly suited Restrictive layer	Moderate Root restriction
986D2: Wellston-----	Well suited	Slight
Berks-----	Poorly suited Restrictive layer	Moderate Root restriction
986F: Wellston-----	Poorly suited Slope	Slight
Berks-----	Poorly suited Slope Restrictive layer	Moderate Root restriction
986G: Wellston-----	Unsuited Slope	Moderate Slope
Berks-----	Unsuited Slope Restrictive layer	Moderate Slope Root restriction
1843A: Bonnie-----	Unsuited Wetness	Slight
Petrolia-----	Unsuited Wetness	Slight
1846A: Karnak-----	Unsuited Wetness	Slight
Cape-----	Unsuited Wetness	Slight
3070A: Beaucoup-----	Well suited	Slight
3071A: Darwin-----	Well suited	Slight
3071L: Darwin-----	Well suited	Slight
3072A: Sharon-----	Well suited	Slight
3072L: Sharon-----	Well suited	Slight
3108A: Bonnie-----	Well suited	Slight

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part II—Continued

Map symbol and soil name	Suitability of mechanized site preparation	Limitation of prescribed burning
	Rating class and limiting features	Rating class and limiting features
3108L: Bonnie-----	Well suited	Slight
3180A: Dupo-----	Well suited	Moderate Root restriction
3288A: Petrolia-----	Well suited	Slight
3288L: Petrolia-----	Well suited	Slight
3382A: Belknap-----	Well suited	Slight
3382L: Belknap-----	Well suited	Slight
3422A: Cape-----	Well suited	Slight
3422A+: Cape-----	Well suited	Slight
3426A: Karnak-----	Well suited	Slight
3426A+: Karnak-----	Well suited	Slight
3426L: Karnak-----	Well suited	Slight
3449L: Armiesburg-----	Well suited	Slight
Sarpy-----	Well suited	Severe Excessively drained Too sandy
3597A: Armiesburg-----	Well suited	Slight
3597L: Armiesburg-----	Well suited	Slight
7131A: Alvin-----	Well suited	Slight
7131B: Alvin-----	Well suited	Slight
7131C2: Alvin-----	Well suited	Slight
7131D2: Alvin-----	Well suited	Slight

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part II—Continued

Map symbol and soil name	Suitability of mechanized site preparation	Limitation of prescribed burning
	Rating class and limiting features	Rating class and limiting features
7460A: Ginat-----	Well suited	Slight
7462A: Sciotoville-----	Well suited	Slight
7462B: Sciotoville-----	Well suited	Slight
7462C2: Sciotoville-----	Well suited	Slight
7462C3: Sciotoville-----	Well suited	Slight
7462D2: Sciotoville-----	Well suited	Slight
7462D3: Sciotoville-----	Well suited	Slight
7463A: Wheeling-----	Well suited	Slight
7463B: Wheeling-----	Well suited	Slight
7463C2: Wheeling-----	Well suited	Slight
7463D2: Wheeling-----	Well suited	Slight
7463E2: Wheeling-----	Poorly suited Slope	Slight
7483A: Henshaw-----	Well suited	Slight
7711A: Hatfield-----	Well suited	Slight
7711B: Hatfield-----	Well suited	Slight
7711B2: Hatfield-----	Well suited	Slight
8070A: Beaucoup-----	Well suited	Slight
8071A: Darwin-----	Well suited	Slight
8072A: Sharon-----	Well suited	Slight
8108A: Bonnie-----	Well suited	Slight

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part II—Continued

Map symbol and soil name	Suitability of mechanized site preparation	Limitation of prescribed burning
	Rating class and limiting features	Rating class and limiting features
8109A: Raccoon-----	Well suited	Slight
8180A: Dupo-----	Well suited	Moderate Root restriction
8288A: Petrolia-----	Well suited	Slight
8382A: Belknap-----	Well suited	Slight
8420A: Piopolis-----	Well suited	Slight
8422A: Cape-----	Well suited	Slight
8422A+: Cape-----	Well suited	Slight
8426A: Karnak-----	Well suited	Slight
8426A+: Karnak-----	Well suited	Slight
8427B: Burnside-----	Well suited	Slight
8469A: Emma-----	Well suited	Slight
8469B: Emma-----	Well suited	Slight
8469C2: Emma-----	Well suited	Slight
8597A: Armiesburg-----	Well suited	Slight
8693A: Hurst-----	Well suited	Slight
MW: Miscellaneous water-	Not rated	Not rated
W: Water-----	Not rated	Not rated

Soil Survey of Massac County, Illinois

Table 10.—Forestland Management, Part III

Map symbol and soil name	Erosion hazard on roads and trails	Suitability for roads (natural surface)
	Rating and limiting features	Rating and limiting features
99G: Sandstone Rock Land-	Not rated	Not rated
Limestone Rock Land-	Not rated	Not rated
131B: Alvin-----	Moderate Slope/erodibility	Well suited
131C: Alvin-----	Moderate Slope/erodibility	Moderately suited Slope
131C2: Alvin-----	Moderate Slope/erodibility	Moderately suited Slope
131D2: Alvin-----	Severe Slope/erodibility	Poorly suited Slope
131F: Alvin-----	Severe Slope/erodibility	Poorly suited Slope
164A: Stoy-----	Slight	Moderately suited Low strength
164B: Stoy-----	Moderate Slope/erodibility	Moderately suited Low strength
164C2: Stoy-----	Moderate Slope/erodibility	Moderately suited Low strength Slope
165A: Weir-----	Slight	Poorly suited Ponding Wetness Low strength
175B: Lamont-----	Slight	Moderately suited Sandiness
175C2: Lamont-----	Moderate Slope/erodibility	Moderately suited Sandiness Slope
175D2: Lamont-----	Moderate Slope/erodibility	Poorly suited Slope Sandiness

Soil Survey of Massac County, Illinois

Table 10.--Forestland Management, Part III--Continued

Map symbol and soil name	Erosion hazard on roads and trails	Suitability for roads (natural surface)
	Rating and limiting features	Rating and limiting features
214B: Hosmer-----	Moderate Slope/erodibility	Moderately suited Low strength
214C2: Hosmer-----	Moderate Slope/erodibility	Moderately suited Low strength Slope
214C3: Hosmer-----	Moderate Slope/erodibility	Moderately suited Low strength Slope
214D2: Hosmer-----	Severe Slope/erodibility	Poorly suited Slope Low strength
214D3: Hosmer-----	Severe Slope/erodibility	Poorly suited Slope Low strength
308B: Alford-----	Moderate Slope/erodibility	Moderately suited Low strength
308C2: Alford-----	Moderate Slope/erodibility	Moderately suited Low strength Slope
308C3: Alford-----	Moderate Slope/erodibility	Moderately suited Low strength Slope
308D2: Alford-----	Severe Slope/erodibility	Poorly suited Slope Low strength
308D3: Alford-----	Severe Slope/erodibility	Poorly suited Slope Low strength
308E: Alford-----	Severe Slope/erodibility	Poorly suited Slope Low strength
308E2: Alford-----	Severe Slope/erodibility	Poorly suited Slope Low strength

Soil Survey of Massac County, Illinois

Table 10.--Forestland Management, Part III--Continued

Map symbol and soil name	Erosion hazard on roads and trails	Suitability for roads (natural surface)
	Rating and limiting features	Rating and limiting features
308E3: Alford-----	Severe Slope/erodibility	Poorly suited Slope Low strength
308F: Alford-----	Severe Slope/erodibility	Poorly suited Slope Low strength
339C: Wellston-----	Moderate Slope/erodibility	Moderately suited Low strength Slope
339C2: Wellston-----	Moderate Slope/erodibility	Moderately suited Low strength Slope
339D: Wellston-----	Severe Slope/erodibility	Poorly suited Slope Low strength
339D2: Wellston-----	Severe Slope/erodibility	Poorly suited Slope Low strength
339D3: Wellston-----	Severe Slope/erodibility	Poorly suited Slope Low strength
339F: Wellston-----	Severe Slope/erodibility	Poorly suited Slope Low strength
340C2: Zanesville-----	Moderate Slope/erodibility	Moderately suited Low strength Slope
340C3: Zanesville-----	Moderate Slope/erodibility	Moderately suited Low strength Slope
340D: Zanesville-----	Severe Slope/erodibility	Poorly suited Slope Low strength
340D2: Zanesville-----	Severe Slope/erodibility	Poorly suited Slope Low strength

Soil Survey of Massac County, Illinois

Table 10.--Forestland Management, Part III--Continued

Map symbol and soil name	Erosion hazard on roads and trails	Suitability for roads (natural surface)
	Rating and limiting features	Rating and limiting features
340D3: Zanesville-----	Severe Slope/erodibility	Poorly suited Slope Low strength
453C2: Muren-----	Moderate Slope/erodibility	Moderately suited Low strength Slope Wetness
453D2: Muren-----	Severe Slope/erodibility	Poorly suited Slope Low strength Wetness
691D: Beasley-----	Severe Slope/erodibility	Poorly suited Slope Low strength
691F: Beasley-----	Severe Slope/erodibility	Poorly suited Slope Low strength
691G: Beasley-----	Severe Slope/erodibility	Poorly suited Slope Low strength
801B: Orthents, silty-----	Moderate Slope/erodibility	Moderately suited Low strength
802D: Orthents, loamy-----	Severe Slope/erodibility	Moderately suited Slope Low strength
864: Pits, quarries-----	Not rated	Not rated
865: Pits, gravel-----	Not rated	Not rated
955D: Muskingum-----	Severe Slope/erodibility	Poorly suited Slope Low strength
Berks-----	Moderate Slope/erodibility	Poorly suited Slope
955D2: Muskingum-----	Severe Slope/erodibility	Poorly suited Slope Low strength

Soil Survey of Massac County, Illinois

Table 10.--Forestland Management, Part III--Continued

Map symbol and soil name	Erosion hazard on roads and trails	Suitability for roads (natural surface)
	Rating and limiting features	Rating and limiting features
955D2: Berks-----	Moderate Slope/erodibility	Poorly suited Slope
955F: Muskingum-----	Severe Slope/erodibility	Poorly suited Slope Low strength
Berks-----	Severe Slope/erodibility	Poorly suited Slope
955G: Muskingum-----	Severe Slope/erodibility	Poorly suited Slope Low strength
Berks-----	Severe Slope/erodibility	Poorly suited Slope
956B: Brandon-----	Moderate Slope/erodibility	Moderately suited Low strength
Saffell-----	Moderate Slope/erodibility	Well suited
956C2: Brandon-----	Moderate Slope/erodibility	Moderately suited Low strength Slope
Saffell-----	Moderate Slope/erodibility	Moderately suited Slope
956C3: Brandon-----	Moderate Slope/erodibility	Moderately suited Low strength Slope
Saffell-----	Moderate Slope/erodibility	Moderately suited Slope
956D: Brandon-----	Severe Slope/erodibility	Poorly suited Slope Low strength
Saffell-----	Severe Slope/erodibility	Poorly suited Slope
956D2: Brandon-----	Severe Slope/erodibility	Poorly suited Slope Low strength
Saffell-----	Severe Slope/erodibility	Poorly suited Slope

Soil Survey of Massac County, Illinois

Table 10.--Forestland Management, Part III--Continued

Map symbol and soil name	Erosion hazard on roads and trails	Suitability for roads (natural surface)
	Rating and limiting features	Rating and limiting features
956D3: Brandon-----	Severe Slope/erodibility	Poorly suited Slope Low strength
Saffell-----	Severe Slope/erodibility	Poorly suited Slope
956E2: Brandon-----	Severe Slope/erodibility	Poorly suited Slope Low strength
Saffell-----	Severe Slope/erodibility	Poorly suited Slope
956F: Brandon-----	Severe Slope/erodibility	Poorly suited Slope Low strength
Saffell-----	Severe Slope/erodibility	Poorly suited Slope
986D: Wellston-----	Severe Slope/erodibility	Poorly suited Slope Low strength
Berks-----	Moderate Slope/erodibility	Poorly suited Slope
986D2: Wellston-----	Severe Slope/erodibility	Poorly suited Slope Low strength
Berks-----	Moderate Slope/erodibility	Poorly suited Slope
986F: Wellston-----	Severe Slope/erodibility	Poorly suited Slope Low strength
986F: Berks-----	Severe Slope/erodibility	Poorly suited Slope
986G: Wellston-----	Severe Slope/erodibility	Poorly suited Slope Low strength
Berks-----	Severe Slope/erodibility	Poorly suited Slope

Soil Survey of Massac County, Illinois

Table 10.--Forestland Management, Part III--Continued

Map symbol and soil name	Erosion hazard on roads and trails	Suitability for roads (natural surface)
	Rating and limiting features	Rating and limiting features
1843A: Bonnie-----	Slight	Poorly suited Ponding Flooding Wetness Low strength
Petrolia-----	Slight	Poorly suited Ponding Flooding Wetness Low strength
1846A: Karnak-----	Slight	Poorly suited Ponding Flooding Wetness Low strength Stickiness; high plasticity index
Cape-----	Slight	Poorly suited Ponding Flooding Wetness Low strength
3070A: Beaucoup-----	Slight	Poorly suited Ponding Flooding Wetness Low strength
3071A: Darwin-----	Slight	Poorly suited Ponding Flooding Wetness Low strength Stickiness; high plasticity index
3071L: Darwin-----	Slight	Poorly suited Ponding Flooding Wetness Low strength Stickiness; high plasticity index
3072A: Sharon-----	Slight	Poorly suited Flooding Low strength

Soil Survey of Massac County, Illinois

Table 10.--Forestland Management, Part III--Continued

Map symbol and soil name	Erosion hazard on roads and trails	Suitability for roads (natural surface)
	Rating and limiting features	Rating and limiting features
3072L: Sharon-----	Slight	Poorly suited Flooding Low strength
3108A: Bonnie-----	Slight	Poorly suited Ponding Flooding Wetness Low strength
3108L: Bonnie-----	Slight	Poorly suited Ponding Flooding Wetness Low strength
3180A: Dupo-----	Slight	Poorly suited Flooding Wetness Low strength
3288A: Petrolia-----	Slight	Poorly suited Ponding Flooding Wetness Low strength
3288L: Petrolia-----	Slight	Poorly suited Ponding Flooding Wetness Low strength
3382A: Belknap-----	Slight	Poorly suited Flooding Wetness Low strength
3382L: Belknap-----	Slight	Poorly suited Flooding Wetness Low strength
3422A: Cape-----	Slight	Poorly suited Ponding Flooding Wetness Low strength

Soil Survey of Massac County, Illinois

Table 10.--Forestland Management, Part III--Continued

Map symbol and soil name	Erosion hazard on roads and trails	Suitability for roads (natural surface)
	Rating and limiting features	Rating and limiting features
3422A+: Cape-----	Slight	Poorly suited Ponding Flooding Wetness Low strength
3426A: Karnak-----	Slight	Poorly suited Ponding Flooding Wetness Low strength Stickiness; high plasticity index
3426A+: Karnak-----	Slight	Poorly suited Ponding Flooding Wetness Low strength
3426L: Karnak-----	Slight	Poorly suited Ponding Flooding Wetness Low strength Stickiness; high plasticity index
3449L: Armiesburg-----	Slight	Poorly suited Flooding Low strength
Sarpy-----	Slight	Poorly suited Flooding
3597A: Armiesburg-----	Slight	Poorly suited Flooding Low strength
3597L: Armiesburg-----	Slight	Poorly suited Flooding Low strength
7131A: Alvin-----	Slight	Well suited
7131B: Alvin-----	Moderate Slope/erodibility	Well suited
7131C2: Alvin-----	Moderate Slope/erodibility	Moderately suited Slope

Soil Survey of Massac County, Illinois

Table 10.--Forestland Management, Part III--Continued

Map symbol and soil name	Erosion hazard on roads and trails	Suitability for roads (natural surface)
	Rating and limiting features	Rating and limiting features
7131D2: Alvin-----	Severe Slope/erodibility	Poorly suited Slope
7460A: Ginat-----	Slight	Poorly suited Ponding Wetness Low strength
7462A: Sciotoville-----	Slight	Moderately suited Low strength
7462B: Sciotoville-----	Moderate Slope/erodibility	Moderately suited Low strength
7462C2: Sciotoville-----	Moderate Slope/erodibility	Moderately suited Low strength Slope
7462C3: Sciotoville-----	Moderate Slope/erodibility	Moderately suited Low strength Slope
7462D2: Sciotoville-----	Severe Slope/erodibility	Poorly suited Slope Low strength
7462D3: Sciotoville-----	Severe Slope/erodibility	Poorly suited Slope Low strength
7463A: Wheeling-----	Slight	Moderately suited Low strength
7463B: Wheeling-----	Moderate Slope/erodibility	Moderately suited Low strength
7463C2: Wheeling-----	Moderate Slope/erodibility	Moderately suited Low strength Slope
7463D2: Wheeling-----	Severe Slope/erodibility	Poorly suited Slope Low strength
7463E2: Wheeling-----	Severe Slope/erodibility	Poorly suited Slope Low strength

Soil Survey of Massac County, Illinois

Table 10.--Forestland Management, Part III--Continued

Map symbol and soil name	Erosion hazard on roads and trails	Suitability for roads (natural surface)
	Rating and limiting features	Rating and limiting features
7483A: Henshaw-----	Slight	Moderately suited Wetness Low strength
7711A: Hatfield-----	Slight	Moderately suited Wetness Low strength
7711B: Hatfield-----	Moderate Slope/erodibility	Moderately suited Wetness Low strength
7711B2: Hatfield-----	Moderate Slope/erodibility	Moderately suited Wetness Low strength
8070A: Beaucoup-----	Slight	Poorly suited Ponding Flooding Wetness Low strength
8071A: Darwin-----	Slight	Poorly suited Ponding Flooding Wetness Low strength Stickiness; high plasticity index
8072A: Sharon-----	Slight	Moderately suited Flooding Low strength
8108A: Bonnie-----	Slight	Poorly suited Ponding Flooding Wetness Low strength
8109A: Raccoon-----	Slight	Poorly suited Ponding Flooding Wetness Low strength
8180A: Dupo-----	Slight	Poorly suited Flooding Wetness Low strength

Soil Survey of Massac County, Illinois

Table 10.--Forestland Management, Part III--Continued

Map symbol and soil name	Erosion hazard on roads and trails	Suitability for roads (natural surface)
	Rating and limiting features	Rating and limiting features
8288A: Petrolia-----	Slight	Poorly suited Ponding Flooding Wetness Low strength
8382A: Belknap-----	Slight	Poorly suited Flooding Wetness Low strength
8420A: Piopolis-----	Slight	Poorly suited Ponding Flooding Wetness Low strength
8422A: Cape-----	Slight	Poorly suited Ponding Flooding Wetness Low strength
8422A+: Cape-----	Slight	Poorly suited Ponding Flooding Wetness Low strength
8426A: Karnak-----	Slight	Poorly suited Ponding Flooding Wetness Low strength Stickiness; high plasticity index
8426A+: Karnak-----	Slight	Poorly suited Ponding Flooding Wetness Low strength
8427B: Burnside-----	Slight	Moderately suited Flooding Low strength
8469A: Emma-----	Slight	Moderately suited Flooding Low strength

Soil Survey of Massac County, Illinois

Table 10.--Forestland Management, Part III--Continued

Map symbol and soil name	Erosion hazard on roads and trails	Suitability for roads (natural surface)
	Rating and limiting features	Rating and limiting features
8469B: Emma-----	Moderate Slope/erodibility	Moderately suited Flooding Low strength
8469C2: Emma-----	Moderate Slope/erodibility	Moderately suited Flooding Low strength Slope
8597A: Armiesburg-----	Slight	Moderately suited Flooding Low strength
8693A: Hurst-----	Slight	Poorly suited Flooding Low strength Wetness
MW: Miscellaneous water-	Not rated	Not rated
W: Water-----	Not rated	Not rated

Soil Survey of Massac County, Illinois

Table 11.—Forestland Productivity

Map symbol and soil name	Potential productivity		Suggested trees to plant
	Common trees	Site index	
99G. Sandstone and Limestone Rock Land			
131B: Alvin-----	White oak----- Northern red oak-----	78 80	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
131C: Alvin-----	White oak----- Northern red oak-----	77 79	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
131C2: Alvin-----	White oak----- Northern red oak-----	79 81	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
131D2: Alvin-----	White oak----- Northern red oak-----	68 70	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
131F: Alvin-----	White oak----- Northern red oak-----	51 52	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
164A: Stoy-----	Eastern cottonwood----- Northern red oak----- Pin oak----- White oak----- Yellow-poplar-----	110 71 85 70 90	Bur oak, cherrybark oak, common persimmon, eastern cottonwood, hickory, pin oak, white oak, yellow- poplar.
164B: Stoy-----	Eastern cottonwood----- Northern red oak----- Pin oak----- White oak----- Yellow-poplar-----	109 70 84 69 89	Bur oak, cherrybark oak, common persimmon, eastern cottonwood, hickory, pin oak, white oak, yellow- poplar.
164C2: Stoy-----	Northern red oak----- Pin oak----- White oak----- Yellow-poplar-----	64 78 65 83	Bur oak, cherrybark oak, common persimmon, eastern cottonwood, hickory, pin oak, white oak, yellow- poplar.
165A: Weir-----	Eastern cottonwood----- Pin oak-----	98 88	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.
175B: Lamont-----	White oak----- Northern red oak-----	76 70	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.

Soil Survey of Massac County, Illinois

Table 11.—Forestland Productivity—Continued

Map symbol and soil name	Potential productivity		Suggested trees to plant
	Common trees	Site index	
175C2: Lamont-----	White oak----- Northern red oak-----	71 67	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
175D2: Lamont-----	White oak----- Northern red oak-----	67 62	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
214B: Hosmer-----	White oak----- Northern red oak-----	72 75	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
214C2: Hosmer-----	White oak----- Northern red oak-----	64 67	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
214C3: Hosmer-----	Northern red oak----- White oak-----	55 53	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
214D2: Hosmer-----	White oak----- Northern red oak-----	58 61	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
214D3: Hosmer-----	White oak----- Northern red oak-----	48 49	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
308B: Alford-----	White oak----- Northern red oak-----	77 78	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
308C2: Alford-----	White oak----- Northern red oak-----	72 73	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
308C3: Alford-----	White oak----- Northern red oak-----	66 66	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
308D2: Alford-----	White oak----- Northern red oak-----	66 67	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
308D3: Alford-----	White oak----- Northern red oak-----	59 60	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.

Soil Survey of Massac County, Illinois

Table 11.—Forestland Productivity—Continued

Map symbol and soil name	Potential productivity		Suggested trees to plant
	Common trees	Site index	
308E: Alford-----	White oak----- Northern red oak-----	64 65	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
308E2: Alford-----	White oak----- Northern red oak-----	58 59	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
308E3: Alford-----	White oak----- Northern red oak-----	52 53	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
308F: Alford-----	White oak----- Northern red oak-----	50 51	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
339C: Wellston-----	White oak----- Northern red oak-----	67 68	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
339C2: Wellston-----	White oak----- Northern red oak-----	62 63	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
339D: Wellston-----	White oak----- Northern red oak-----	62 63	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
339D2: Wellston-----	White oak----- Northern red oak-----	56 58	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
339D3: Wellston-----	White oak----- Northern red oak-----	46 47	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
339F: Wellston-----	White oak----- Northern red oak-----	43 45	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
340C2: Zanesville-----	White oak----- Northern red oak-----	64 62	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
340C3: Zanesville-----	White oak----- Northern red oak-----	53 51	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.

Soil Survey of Massac County, Illinois

Table 11.—Forestland Productivity—Continued

Map symbol and soil name	Potential productivity		Suggested trees to plant
	Common trees	Site index	
340D: Zanesville-----	White oak----- Northern red oak-----	66 64	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
340D2: Zanesville-----	White oak----- Northern red oak-----	58 57	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
340D3: Zanesville-----	White oak----- Northern red oak-----	45 43	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
453C2: Muren-----	White oak----- Northern red oak-----	75 75	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
453D2: Muren-----	White oak----- Northern red oak-----	71 71	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
691D: Beasley-----	White oak----- Northern red oak-----	61 54	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
691F: Beasley-----	White oak----- Northern red oak-----	46 41	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
691G: Beasley-----	White oak----- Northern red oak-----	32 38	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
801B: Orthents, silty-----	-----	---	Black locust, black walnut, northern red oak, tuliptree, white oak.
802D: Orthents, loamy-----	-----	---	Black walnut, northern red oak, tuliptree, white oak.
864. Pits, quarries			
865. Pits, gravel			

Soil Survey of Massac County, Illinois

Table 11.—Forestland Productivity—Continued

Map symbol and soil name	Potential productivity		Suggested trees to plant
	Common trees	Site index	
955D:			
Muskingum-----	White oak----- Northern red oak-----	52 51	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
Berks-----	White oak----- Northern red oak-----	52 53	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
955D2:			
Muskingum-----	White oak----- Northern red oak-----	49 47	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
Berks-----	White oak----- Northern red oak-----	50 52	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
955F:			
Muskingum-----	White oak----- Northern red oak-----	41 48	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
Berks-----	White oak----- Northern red oak-----	39 41	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
955G:			
Muskingum-----	White oak----- Northern red oak-----	69 75	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
Berks-----	White oak----- Northern red oak-----	75 76	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
956B:			
Brandon-----	White oak----- Northern red oak-----	69 75	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
Saffell-----	White oak----- Northern red oak-----	75 76	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
956C2:			
Brandon-----	White oak----- Northern red oak-----	66 71	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.

Soil Survey of Massac County, Illinois

Table 11.—Forestland Productivity—Continued

Map symbol and soil name	Potential productivity		Suggested trees to plant
	Common trees	Site index	
956C2:			
Saffell-----	White oak-----	69	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
	Northern red oak-----	70	
956C3:			
Brandon-----	White oak-----	61	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
	Northern red oak-----	65	
Saffell-----	White oak-----	58	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
	Northern red oak-----	59	
956D:			
Brandon-----	White oak-----	64	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
	Northern red oak-----	69	
Saffell-----	White oak-----	68	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
	Northern red oak-----	69	
956D2:			
Brandon-----	White oak-----	62	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
	Northern red oak-----	67	
Saffell-----	White oak-----	64	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
	Northern red oak-----	65	
956D3:			
Brandon-----	White oak-----	57	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
	Northern red oak-----	61	
Saffell-----	White oak-----	52	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
	Northern red oak-----	53	
956E2:			
Brandon-----	White oak-----	55	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
	Northern red oak-----	59	
Saffell-----	White oak-----	57	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
	Northern red oak-----	58	
956F:			
Brandon-----	White oak-----	46	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
	Northern red oak-----	49	

Soil Survey of Massac County, Illinois

Table 11.—Forestland Productivity—Continued

Map symbol and soil name	Potential productivity		Suggested trees to plant
	Common trees	Site index	
956F:			
Saffell-----	White oak-----	48	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
	Northern red oak-----	49	
986D:			
Wellston-----	White oak-----	63	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
	Northern red oak-----	63	
Berks-----	White oak-----	53	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
	Northern red oak-----	53	
986D2:			
Wellston-----	White oak-----	56	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
	Northern red oak-----	58	
Berks-----	White oak-----	50	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
	Northern red oak-----	52	
986F:			
Wellston-----	White oak-----	43	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
	Northern red oak-----	45	
Berks-----	White oak-----	36	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
	Northern red oak-----	38	
986G:			
Wellston-----	White oak-----	34	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
	Northern red oak-----	35	
Berks-----	White oak-----	27	Black oak, blackjack oak, chinkapin oak, hickory, northern red oak, post oak, southern red oak, white oak.
	Northern red oak-----	28	
1843A:			
Bonnie-----	Eastern cottonwood-----	88	Baldcypress, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum, water tupelo.
	Pin oak-----	80	
Petrolia-----	Eastern cottonwood-----	88	Baldcypress, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum, water tupelo.
	Pin oak-----	80	

Soil Survey of Massac County, Illinois

Table 11.—Forestland Productivity—Continued

Map symbol and soil name	Potential productivity		Suggested trees to plant
	Common trees	Site index	
1846A: Karnak-----	Eastern cottonwood----- Pin oak-----	88 80	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum, water tupelo.
Cape-----	Eastern cottonwood----- Pin oak-----	88 80	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum, water tupelo.
3070A: Beaucoup-----	Eastern cottonwood----- Pin oak-----	97 87	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.
3071A: Darwin-----	Eastern cottonwood----- Pin oak-----	88 80	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.
3071L: Darwin-----	Eastern cottonwood----- Pin oak-----	88 80	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.
3072A: Sharon-----	Eastern cottonwood----- Pin oak-----	103 93	Black walnut, cherrybark oak, common persimmon, pecan, shellbark hickory, swamp white oak.
3072L: Sharon-----	Eastern cottonwood----- Pin oak-----	103 93	Bur oak, cherrybark oak, pecan, pin oak, shellbark hickory, swamp white oak.
3108A: Bonnie-----	Eastern cottonwood----- Pin oak-----	100 90	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.
3108L: Bonnie-----	Eastern cottonwood----- Pin oak-----	100 90	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.

Soil Survey of Massac County, Illinois

Table 11.—Forestland Productivity—Continued

Map symbol and soil name	Potential productivity		Suggested trees to plant
	Common trees	Site index	
3180A: Dupo-----	Eastern cottonwood----- Pin oak-----	102 92	Bur oak, cherrybark oak, common persimmon, eastern cottonwood, pin oak, red maple, swamp white oak, yellow-poplar.
3288A: Petrolia-----	Eastern cottonwood----- Pin oak-----	97 87	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.
3288L: Petrolia-----	Eastern cottonwood----- Pin oak-----	97 87	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.
3382A: Belknap-----	Eastern cottonwood----- Pin oak-----	102 92	Bur oak, cherrybark oak, common persimmon, eastern cottonwood, pin oak, red maple, shellbark hickory, swamp chestnut oak, swamp white oak, sweetgum.
3382L: Belknap-----	Eastern cottonwood----- Pin oak-----	102 92	Baldcypress, bur oak, cherrybark oak, common persimmon, eastern cottonwood, pin oak, red maple, shellbark hickory, swamp chestnut oak, swamp white oak, sweetgum.
3422A: Cape-----	Eastern cottonwood----- Pin oak-----	91 83	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.
3422A+: Cape-----	Eastern cottonwood----- Pin oak-----	91 83	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum, water tupelo.
3426A: Karnak-----	Eastern cottonwood----- Pin oak-----	84 76	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.

Soil Survey of Massac County, Illinois

Table 11.—Forestland Productivity—Continued

Map symbol and soil name	Potential productivity		Suggested trees to plant
	Common trees	Site index	
3426A+: Karnak-----	Eastern cottonwood----- Pin oak-----	84 76	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.
3426L: Karnak-----	Eastern cottonwood----- Pin oak-----	84 76	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum, water tupelo.
3449L: Armiesburg-----	Eastern cottonwood----- Pin oak-----	102 91	Eastern cottonwood, overcup oak, pecan, pin oak, swamp chestnut oak, swamp white oak.
Sarpy-----	Eastern cottonwood----- Pin oak-----	94 85	Eastern cottonwood, overcup oak, pecan, pin oak, swamp chestnut oak, swamp white oak.
3597A: Armiesburg-----	Eastern cottonwood----- Pin oak-----	109 97	Black walnut, bur oak, cherrybark oak, common persimmon, eastern cottonwood, pecan, pin oak, shellbark hickory, swamp chestnut oak, swamp white oak.
3597L: Armiesburg-----	Eastern cottonwood----- Pin oak-----	109 97	Bur oak, cherrybark oak, eastern cottonwood, overcup oak, pecan, pin oak, swamp chestnut oak, swamp white oak.
7131A: Alvin-----	White oak----- Northern red oak-----	80 82	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
7131B: Alvin-----	White oak----- Northern red oak-----	78 80	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
7131C2: Alvin-----	White oak----- Northern red oak-----	74 75	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
7131D2: Alvin-----	White oak----- Northern red oak-----	68 70	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.

Soil Survey of Massac County, Illinois

Table 11.—Forestland Productivity—Continued

Map symbol and soil name	Potential productivity		Suggested trees to plant
	Common trees	Site index	
7460A: Ginat-----	Eastern cottonwood----- Pin oak-----	94 85	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.
7462A: Sciotoville-----	White oak----- Northern red oak-----	79 74	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
7462B: Sciotoville-----	White oak----- Northern red oak-----	78 73	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
7462C2: Sciotoville-----	White oak----- Northern red oak-----	73 68	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
7462C3: Sciotoville-----	White oak----- Northern red oak-----	66 62	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
7462D2: Sciotoville-----	White oak----- Northern red oak-----	66 62	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
7462D3: Sciotoville-----	White oak----- Northern red oak-----	60 56	Black oak, chinkapin oak, hickory, northern red oak, southern red oak, white oak.
7463A: Wheeling-----	White oak----- Northern red oak-----	76 81	Black oak, black walnut, chinkapin oak, hickory, northern red oak, pecan, southern red oak, white oak.
7463B: Wheeling-----	White oak----- Northern red oak-----	75 80	Black oak, black walnut, chinkapin oak, hickory, northern red oak, pecan, southern red oak, white oak.
7463C2: Wheeling-----	White oak----- Northern red oak-----	70 75	Black oak, black walnut, chinkapin oak, hickory, northern red oak, pecan, southern red oak, white oak.
7463D2: Wheeling-----	White oak----- Northern red oak-----	65 69	Black oak, black walnut, chinkapin oak, hickory, northern red oak, pecan, southern red oak, white oak.

Soil Survey of Massac County, Illinois

Table 11.—Forestland Productivity—Continued

Map symbol and soil name	Potential productivity		Suggested trees to plant
	Common trees	Site index	
7463E2: Wheeling-----	White oak----- Northern red oak-----	56 60	Black oak, black walnut, chinkapin oak, hickory, northern red oak, pecan, southern red oak, white oak.
7483A: Henshaw-----	Eastern cottonwood----- Northern red oak----- Pin oak----- White oak----- Yellow-poplar-----	104 68 93 64 86	Bur oak, cherrybark oak, common persimmon, eastern cottonwood, pin oak, sweetgum, yellow-poplar.
7711A: Hatfield-----	White oak----- Northern red oak----- Eastern cottonwood----- Pin oak-----	74 71 71 85	American sycamore, cherrybark oak, common persimmon, pin oak, red maple, yellow- poplar.
7711B: Hatfield-----	White oak----- Northern red oak----- Eastern cottonwood----- Pin oak-----	73 70 70 84	American sycamore, cherrybark oak, common persimmon, pin oak, red maple, yellow- poplar.
7711B2: Hatfield-----	Northern red oak----- Eastern cottonwood----- Pin oak-----	67 67 81	oak, common persimmon, pin oak, red maple, yellow- poplar.
8070A: Beaucoup-----	Eastern cottonwood----- Pin oak-----	97 87	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.
8071A: Darwin-----	Eastern cottonwood----- Pin oak-----	88 80	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.
8072A: Sharon-----	Eastern cottonwood----- Pin oak-----	103 93	Black walnut, bur oak, cherrybark oak, common persimmon, hickory, pecan, white oak.
8108A: Bonnie-----	Eastern cottonwood----- Pin oak-----	100 90	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.

Soil Survey of Massac County, Illinois

Table 11.—Forestland Productivity—Continued

Map symbol and soil name	Potential productivity		Suggested trees to plant
	Common trees	Site index	
8109A: Raccoon-----	Eastern cottonwood----- Pin oak-----	103 93	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.
8180A: Dupo-----	Eastern cottonwood----- Pin oak-----	102 92	Bur oak, cherrybark oak, common persimmon, eastern cottonwood, pin oak, red maple, swamp white oak, yellow-poplar.
8288A: Petrolia-----	Eastern cottonwood----- Pin oak-----	97 87	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.
8382A: Belknap-----	Eastern cottonwood----- Pin oak-----	102 92	Bur oak, cherrybark oak, common persimmon, eastern cottonwood, pin oak, red maple, swamp white oak, sweetgum.
8420A: Piopolis-----	Eastern cottonwood----- Pin oak-----	95 86	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.
8422A: Cape-----	Eastern cottonwood----- Pin oak-----	91 83	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.
8422A+: Cape-----	Eastern cottonwood----- Pin oak-----	91 83	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.
8426A: Karnak-----	Eastern cottonwood----- Pin oak-----	84 76	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.
8426A+: Karnak-----	Eastern cottonwood----- Pin oak-----	84 76	Baldcypress, eastern cottonwood, overcup oak, pin oak, red maple, swamp chestnut oak, swamp white oak, sweetgum.

Soil Survey of Massac County, Illinois

Table 11.--Forestland Productivity--Continued

Map symbol and soil name	Potential productivity		Suggested trees to plant
	Common trees	Site index	
8427B: Burnside-----	Eastern cottonwood----- Pin oak-----	114 102	Bur oak, cherrybark oak, common persimmon, hickory, pin oak, white oak.
8469A: Emma-----	White oak----- Northern red oak----- Eastern cottonwood----- Pin oak-----	82 78 105 94	Black walnut, bur oak, cherrybark oak, eastern cottonwood, hickory, pecan, pin oak, swamp white oak, sycamore.
8469B: Emma-----	White oak----- Northern red oak----- Eastern cottonwood----- Pin oak-----	81 77 104 93	Black walnut, bur oak, cherrybark oak, eastern cottonwood, hickory, pecan, pin oak, swamp white oak, sycamore.
8469C2: Emma-----	White oak----- Northern red oak----- Eastern cottonwood----- Pin oak-----	75 72 97 87	Black walnut, bur oak, cherrybark oak, eastern cottonwood, hickory, pecan, pin oak, swamp white oak, sycamore.
8597A: Armiesburg-----	Eastern cottonwood----- Pin oak-----	109 97	Black walnut, cherrybark oak, eastern cottonwood, overcup oak, pecan, pin oak, swamp white oak.
8693A: Hurst-----	White oak----- Northern red oak----- Eastern cottonwood----- Pin oak-----	70 73 105 94	Cherrybark oak, eastern cottonwood, hickory, pin oak, post oak, white oak, yellow-poplar.
MW. Miscellaneous water			
W. Water			

Table 12.--Windbreaks and Environmental Plantings

(Absence of an entry indicates that trees generally do not grow to the given height)

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
99G. Sandstone and Limestone Rock Land					
131B: Alvin-----	American hazelnut, black chokeberry, common winterberry, coralberry, gray dogwood, mapleleaf viburnum	American plum, American witchhazel, Arnold hawthorn, blackhaw, common chokecherry, common serviceberry, prairie crabapple	Douglas fir, arborvitae, black walnut, blackgum, blue spruce, bur oak, eastern redcedar, green ash, pecan	Norway spruce, common hackberry, pin oak, tuliptree	Carolina poplar, eastern white pine
131C: Alvin-----	American hazelnut, black chokeberry, common winterberry, coralberry, gray dogwood, mapleleaf viburnum	American plum, American witchhazel, Arnold hawthorn, blackhaw, common chokecherry, common serviceberry, prairie crabapple	Douglas fir, arborvitae, black walnut, blackgum, blue spruce, bur oak, eastern redcedar, green ash, pecan	Norway spruce, common hackberry, pin oak, tuliptree	Carolina poplar, eastern white pine
131C2: Alvin-----	American hazelnut, black chokeberry, common winterberry, coralberry, gray dogwood, mapleleaf viburnum	American plum, American witchhazel, Arnold hawthorn, blackhaw, common chokecherry, common serviceberry, prairie crabapple	Douglas fir, arborvitae, black walnut, blackgum, blue spruce, bur oak, eastern redcedar, green ash, pecan	Norway spruce, common hackberry, pin oak, tuliptree	Carolina poplar, eastern white pine
131D2: Alvin-----	American hazelnut, black chokeberry, common winterberry, coralberry, gray dogwood, mapleleaf viburnum	American plum, American witchhazel, Arnold hawthorn, blackhaw, common chokecherry, common serviceberry, prairie crabapple	Douglas fir, arborvitae, black walnut, blackgum, blue spruce, bur oak, eastern redcedar, green ash, pecan	Norway spruce, common hackberry, pin oak, tuliptree	Carolina poplar, eastern white pine

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
131F: Alvin-----	American hazelnut, black chokeberry, common winterberry, coralberry, gray dogwood, mapleleaf viburnum	American plum, American witchhazel, Arnold hawthorn, blackhaw, common chokecherry, common serviceberry, prairie crabapple	Douglas fir, arborvitae, black walnut, blackgum, blue spruce, bur oak, eastern redcedar, green ash, pecan	Norway spruce, common hackberry, pin oak, tuliptree	Carolina poplar, eastern white pine
164A: Stoy-----	American cranberrybush, Canada yew, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, northern spicebush, redosier dogwood, silky dogwood	blackhaw, cockspur hawthorn, common pawpaw, common serviceberry, prairie crabapple, roughleaf dogwood, rusty blackhaw, southern arrowwood, witchhazel	Austrian pine, Douglas fir, arborvitae, blue spruce, common persimmon, eastern redcedar, green hawthorn, nannyberry, pecan, shingle oak	Norway spruce, blackgum, common hackberry, green ash, red maple, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
164B: Stoy-----	American cranberrybush, Canada yew, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, northern spicebush, redosier dogwood, silky dogwood	blackhaw, cockspur hawthorn, common pawpaw, common serviceberry, prairie crabapple, roughleaf dogwood, rusty blackhaw, southern arrowwood, witchhazel	Austrian pine, Douglas fir, arborvitae, blue spruce, common persimmon, eastern redcedar, green hawthorn, nannyberry, pecan, shingle oak	Norway spruce, blackgum, common hackberry, green ash, red maple, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
164C2: Stoy-----	American cranberrybush, Canada yew, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, northern spicebush, redosier dogwood, silky dogwood	blackhaw, cockspur hawthorn, common pawpaw, common serviceberry, prairie crabapple, roughleaf dogwood, rusty blackhaw, southern arrowwood, witchhazel	Austrian pine, Douglas fir, arborvitae, blue spruce, common persimmon, eastern redcedar, green hawthorn, nannyberry, pecan, shingle oak	Norway spruce, blackgum, common hackberry, green ash, red maple, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
165A: Weir-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
175B: Lamont-----	American hazelnut, black chokeberry, common winterberry, coralberry, gray dogwood, mapleleaf viburnum	American plum, American witchhazel, Arnold hawthorn, blackhaw, common chokecherry, common serviceberry, prairie crabapple	Douglas fir, arborvitae, black walnut, blackgum, blue spruce, bur oak, eastern redcedar, green ash, pecan	Norway spruce, common hackberry, pin oak, tuliptree	Carolina poplar, eastern white pine
175C2: Lamont-----	American hazelnut, black chokeberry, common winterberry, coralberry, gray dogwood, mapleleaf viburnum	American plum, American witchhazel, Arnold hawthorn, blackhaw, common chokecherry, common serviceberry, prairie crabapple	Douglas fir, arborvitae, black walnut, blackgum, blue spruce, bur oak, eastern redcedar, green ash, pecan	Norway spruce, common hackberry, pin oak, tuliptree	Carolina poplar, eastern white pine
175D2: Lamont-----	American hazelnut, black chokeberry, common winterberry, coralberry, gray dogwood, mapleleaf viburnum	American plum, American witchhazel, Arnold hawthorn, blackhaw, common chokecherry, common serviceberry, prairie crabapple	Douglas fir, arborvitae, black walnut, blackgum, blue spruce, bur oak, eastern redcedar, green ash, pecan	Norway spruce, common hackberry, pin oak, tuliptree	Carolina poplar, eastern white pine

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
214B: Hosmer-----	American cranberrybush, American hazelnut, black chokeberry, common juniper, coralberry, gray dogwood, mapleleaf viburnum, silky dogwood	American plum, American witchhazel, Washington hawthorn, blackhaw, common chokecherry, common serviceberry, nannyberry, prairie crabapple, roughleaf dogwood, staghorn sumac	Virginia pine, arborvitae, black oak, blackgum, bur oak, chinkapin oak, common hackberry, eastern redcedar, green ash	Norway spruce	Carolina poplar
214C2: Hosmer-----	American cranberrybush, American hazelnut, black chokeberry, common juniper, coralberry, gray dogwood, mapleleaf viburnum, silky dogwood	American plum, American witchhazel, Washington hawthorn, blackhaw, common chokecherry, common serviceberry, nannyberry, prairie crabapple, roughleaf dogwood, staghorn sumac	Virginia pine, arborvitae, black oak, blackgum, bur oak, chinkapin oak, common hackberry, eastern redcedar, green ash	Norway spruce	Carolina poplar
214C3: Hosmer-----	American cranberrybush, American hazelnut, black chokeberry, common juniper, coralberry, gray dogwood, mapleleaf viburnum, silky dogwood	American plum, American witchhazel, Washington hawthorn, blackhaw, common chokecherry, common serviceberry, nannyberry, prairie crabapple, roughleaf dogwood, staghorn sumac	Virginia pine, arborvitae, black oak, blackgum, bur oak, chinkapin oak, common hackberry, eastern redcedar, green ash	Norway spruce	Carolina poplar

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
214D2: Hosmer-----	American cranberrybush, American hazelnut, black chokeberry, common juniper, coralberry, gray dogwood, mapleleaf viburnum, silky dogwood	American plum, American witchhazel, Washington hawthorn, blackhaw, common chokecherry, common serviceberry, nannyberry, prairie crabapple, roughleaf dogwood, staghorn sumac	Virginia pine, arborvitae, black oak, blackgum, bur oak, chinkapin oak, common hackberry, eastern redcedar, green ash	Norway spruce	Carolina poplar
214D3: Hosmer-----	American cranberrybush, American hazelnut, black chokeberry, common juniper, coralberry, gray dogwood, mapleleaf viburnum, silky dogwood	American plum, American witchhazel, Washington hawthorn, blackhaw, common chokecherry, common serviceberry, nannyberry, prairie crabapple, roughleaf dogwood, staghorn sumac	Virginia pine, arborvitae, black oak, blackgum, bur oak, chinkapin oak, common hackberry, eastern redcedar, green ash	Norway spruce	Carolina poplar
308B: Alford-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
308C2: Alford-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
308C3: Alford-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
308D2: Alford-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
308D3: Alford-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
308E: Alford-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine

Table 12.--Windbreaks and Environmental Plantings--Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
308E2: Alford-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
308E3: Alford-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
308F: Alford-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
339C: Wellston-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
339C2: Wellston-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
339D: Wellston-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
339D2: Wellston-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
339D3: Wellston-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine

Table 12.--Windbreaks and Environmental Plantings--Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
339F: Wellston-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
340C2: Zanesville-----	American cranberrybush, American hazelnut, black chokeberry, common juniper, coralberry, gray dogwood, mapleleaf viburnum, silky dogwood	American plum, American witchhazel, Washington hawthorn, blackhaw, common chokecherry, common serviceberry, nannyberry, prairie crabapple, roughleaf dogwood, staghorn sumac	Virginia pine, arborvitae, black oak, blackgum, bur oak, chinkapin oak, common hackberry, eastern redcedar, green ash	Norway spruce	Carolina poplar
340C3: Zanesville-----	American cranberrybush, American hazelnut, black chokeberry, common juniper, coralberry, gray dogwood, mapleleaf viburnum, silky dogwood	American plum, American witchhazel, Washington hawthorn, blackhaw, common chokecherry, common serviceberry, nannyberry, prairie crabapple, roughleaf dogwood, staghorn sumac	Virginia pine, arborvitae, black oak, blackgum, bur oak, chinkapin oak, common hackberry, eastern redcedar, green ash	Norway spruce	Carolina poplar

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
340D: Zanesville-----	American cranberrybush, American hazelnut, black chokeberry, common juniper, coralberry, gray dogwood, mapleleaf viburnum, silky dogwood	American plum, American witchhazel, Washington hawthorn, blackhaw, common chokecherry, common serviceberry, nannyberry, prairie crabapple, roughleaf dogwood, staghorn sumac	Virginia pine, arborvitae, black oak, blackgum, bur oak, chinkapin oak, common hackberry, eastern redcedar, green ash	Norway spruce	Carolina poplar
340D2: Zanesville-----	American cranberrybush, American hazelnut, black chokeberry, common juniper, coralberry, gray dogwood, mapleleaf viburnum, silky dogwood	American plum, American witchhazel, Washington hawthorn, blackhaw, common chokecherry, common serviceberry, nannyberry, prairie crabapple, roughleaf dogwood, staghorn sumac	Virginia pine, arborvitae, black oak, blackgum, bur oak, chinkapin oak, common hackberry, eastern redcedar, green ash	Norway spruce	Carolina poplar
340D3: Zanesville-----	American cranberrybush, American hazelnut, black chokeberry, common juniper, coralberry, gray dogwood, mapleleaf viburnum, silky dogwood	American plum, American witchhazel, Washington hawthorn, blackhaw, common chokecherry, common serviceberry, nannyberry, prairie crabapple, roughleaf dogwood, staghorn sumac	Virginia pine, arborvitae, black oak, blackgum, bur oak, chinkapin oak, common hackberry, eastern redcedar, green ash	Norway spruce	Carolina poplar

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
453C2: Muren-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
453D2: Muren-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
691D: Beasley-----	American cranberrybush, American hazelnut, black chokeberry, common juniper, coralberry, gray dogwood, mapleleaf viburnum, silky dogwood	American plum, American witchhazel, Washington hawthorn, blackhaw, common chokecherry, common serviceberry, nannyberry, prairie crabapple, roughleaf dogwood, staghorn sumac	Virginia pine, arborvitae, black oak, blackgum, bur oak, chinkapin oak, common hackberry, eastern redcedar, green ash	Norway spruce	Carolina poplar
691F: Beasley-----	American cranberrybush, American hazelnut, black chokeberry, common juniper, coralberry, gray dogwood, mapleleaf viburnum, silky dogwood	American plum, American witchhazel, Washington hawthorn, blackhaw, common chokecherry, common serviceberry, nannyberry, prairie crabapple, roughleaf dogwood, staghorn sumac	Virginia pine, arborvitae, black oak, blackgum, bur oak, chinkapin oak, common hackberry, eastern redcedar, green ash	Norway spruce	Carolina poplar

Table 12.--Windbreaks and Environmental Plantings--Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
691G: Beasley-----	American cranberrybush, American hazelnut, black chokeberry, common juniper, coralberry, gray dogwood, mapleleaf viburnum, silky dogwood	American plum, American witchhazel, Washington hawthorn, blackhaw, common chokecherry, common serviceberry, nannyberry, prairie crabapple, roughleaf dogwood, staghorn sumac	Virginia pine, arborvitae, black oak, blackgum, bur oak, chinkapin oak, common hackberry, eastern redcedar, green ash	Norway spruce	Carolina poplar
801B: Orthents, silty-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
802D: Orthents, loamy-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
864. Pits, quarries					
865. Pits, gravel					
955D: Muskingum-----	American plum, black chokeberry, blackhaw, common juniper, gray dogwood, mapleleaf viburnum	cockspur hawthorn, common serviceberry, eastern redcedar, nannyberry, prairie crabapple	bur oak, chinkapin oak, green ash, thornless honeylocust	---	---

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
955D: Berks-----	American plum, black chokeberry, blackhaw, common juniper, gray dogwood, mapleleaf viburnum	cockspur hawthorn, common serviceberry, eastern redcedar, nannyberry, prairie crabapple	bur oak, chinkapin oak, green ash, thornless honeylocust	---	---
955D2: Muskingum-----	American plum, black chokeberry, blackhaw, common juniper, gray dogwood, mapleleaf viburnum	cockspur hawthorn, common serviceberry, eastern redcedar, nannyberry, prairie crabapple	bur oak, chinkapin oak, green ash, thornless honeylocust	---	---
Berks-----	American plum, black chokeberry, blackhaw, common juniper, gray dogwood, mapleleaf viburnum	cockspur hawthorn, common serviceberry, eastern redcedar, nannyberry, prairie crabapple	bur oak, chinkapin oak, green ash, thornless honeylocust	---	---
955F: Muskingum-----	American plum, black chokeberry, blackhaw, common juniper, gray dogwood, mapleleaf viburnum	cockspur hawthorn, common serviceberry, eastern redcedar, nannyberry, prairie crabapple	bur oak, chinkapin oak, green ash, thornless honeylocust	---	---
Berks-----	American plum, black chokeberry, blackhaw, common juniper, gray dogwood, mapleleaf viburnum	cockspur hawthorn, common serviceberry, eastern redcedar, nannyberry, prairie crabapple	bur oak, chinkapin oak, green ash, thornless honeylocust	---	---
955G: Muskingum-----	American plum, black chokeberry, blackhaw, common juniper, gray dogwood, mapleleaf viburnum	cockspur hawthorn, common serviceberry, eastern redcedar, nannyberry, prairie crabapple	bur oak, chinkapin oak, green ash, thornless honeylocust	---	---
Berks-----	American plum, black chokeberry, blackhaw, common juniper, gray dogwood, mapleleaf viburnum	cockspur hawthorn, common serviceberry, eastern redcedar, nannyberry, prairie crabapple	bur oak, chinkapin oak, green ash, thornless honeylocust	---	---

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
956B: Brandon-----	American cranberrybush, American hazelnut, black chokeberry, common chokecherry, common elderberry, common juniper, coralberry, mapleleaf viburnum, silky dogwood	American plum, bur oak, chinkapin oak, common serviceberry, eastern redcedar, nannyberry, prairie crabapple, roughleaf dogwood, smooth sumac	black oak, common hackberry, eastern white pine, green ash	Carolina poplar	---
Saffell-----	American plum, black chokeberry, blackhaw, common juniper, gray dogwood, mapleleaf viburnum	cockspur hawthorn, common serviceberry, eastern redcedar, nannyberry, prairie crabapple	bur oak, chinkapin oak, green ash, thornless honeylocust	---	---
956C2: Brandon-----	American cranberrybush, American hazelnut, black chokeberry, common chokecherry, common elderberry, common juniper, coralberry, mapleleaf viburnum, silky dogwood	American plum, bur oak, chinkapin oak, common serviceberry, eastern redcedar, nannyberry, prairie crabapple, roughleaf dogwood, smooth sumac	black oak, common hackberry, eastern white pine, green ash	Carolina poplar	---
Saffell-----	American plum, black chokeberry, blackhaw, common juniper, gray dogwood, mapleleaf viburnum	cockspur hawthorn, common serviceberry, eastern redcedar, nannyberry, prairie crabapple	bur oak, chinkapin oak, green ash, thornless honeylocust	---	---
956C3: Brandon-----	American cranberrybush, American hazelnut, black chokeberry, common chokecherry, common elderberry, common juniper, coralberry, mapleleaf viburnum, silky dogwood	American plum, bur oak, chinkapin oak, common serviceberry, eastern redcedar, nannyberry, prairie crabapple, roughleaf dogwood, smooth sumac	black oak, common hackberry, eastern white pine, green ash	Carolina poplar	---

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
956C3: Saffell-----	American plum, black chokeberry, blackhaw, common juniper, gray dogwood, mapleleaf viburnum	cockspur hawthorn, common serviceberry, eastern redcedar, nannyberry, prairie crabapple	bur oak, chinkapin oak, green ash, thornless honeylocust	---	---
956D: Brandon-----	American cranberrybush, American hazelnut, black chokeberry, common chokecherry, common elderberry, common juniper, coralberry, mapleleaf viburnum, silky dogwood	American plum, bur oak, chinkapin oak, common serviceberry, eastern redcedar, nannyberry, prairie crabapple, roughleaf dogwood, smooth sumac	black oak, common hackberry, eastern white pine, green ash	Carolina poplar	---
Saffell-----	American plum, black chokeberry, blackhaw, common juniper, gray dogwood, mapleleaf viburnum	cockspur hawthorn, common serviceberry, eastern redcedar, nannyberry, prairie crabapple	bur oak, chinkapin oak, green ash, thornless honeylocust	---	---
956D2: Brandon-----	American cranberrybush, American hazelnut, black chokeberry, common chokecherry, common elderberry, common juniper, coralberry, mapleleaf viburnum, silky dogwood	American plum, bur oak, chinkapin oak, common serviceberry, eastern redcedar, nannyberry, prairie crabapple, roughleaf dogwood, smooth sumac	black oak, common hackberry, eastern white pine, green ash	Carolina poplar	---
Saffell-----	American plum, black chokeberry, blackhaw, common juniper, gray dogwood, mapleleaf viburnum	cockspur hawthorn, common serviceberry, eastern redcedar, nannyberry, prairie crabapple	bur oak, chinkapin oak, green ash, thornless honeylocust	---	---

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
956D3: Brandon-----	American cranberrybush, American hazelnut, black chokeberry, common chokecherry, common elderberry, common juniper, coralberry, mapleleaf viburnum, silky dogwood	American plum, bur oak, chinkapin oak, common serviceberry, eastern redcedar, nannyberry, prairie crabapple, roughleaf dogwood, smooth sumac	black oak, common hackberry, eastern white pine, green ash	Carolina poplar	---
Saffell-----	American plum, black chokeberry, blackhaw, common juniper, gray dogwood, mapleleaf viburnum	cockspur hawthorn, common serviceberry, eastern redcedar, nannyberry, prairie crabapple	bur oak, chinkapin oak, green ash, thornless honeylocust	---	---
956E2: Brandon-----	American cranberrybush, American hazelnut, black chokeberry, common chokecherry, common elderberry, common juniper, coralberry, mapleleaf viburnum, silky dogwood	American plum, bur oak, chinkapin oak, common serviceberry, eastern redcedar, nannyberry, prairie crabapple, roughleaf dogwood, smooth sumac	black oak, common hackberry, eastern white pine, green ash	Carolina poplar	---
Saffell-----	American plum, black chokeberry, blackhaw, common juniper, gray dogwood, mapleleaf viburnum	cockspur hawthorn, common serviceberry, eastern redcedar, nannyberry, prairie crabapple	bur oak, chinkapin oak, green ash, thornless honeylocust	---	---
956F: Brandon-----	American cranberrybush, American hazelnut, black chokeberry, common chokecherry, common elderberry, common juniper, coralberry, mapleleaf viburnum, silky dogwood	American plum, bur oak, chinkapin oak, common serviceberry, eastern redcedar, nannyberry, prairie crabapple, roughleaf dogwood, smooth sumac	black oak, common hackberry, eastern white pine, green ash	Carolina poplar	---

Table 12.--Windbreaks and Environmental Plantings--Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
956F: Saffell-----	American plum, black chokeberry, blackhaw, common juniper, gray dogwood, mapleleaf viburnum	cockspur hawthorn, common serviceberry, eastern redcedar, nannyberry, prairie crabapple	bur oak, chinkapin oak, green ash, thornless honeylocust	---	---
986D: Wellston-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
Berks-----	American plum, black chokeberry, blackhaw, common juniper, gray dogwood, mapleleaf viburnum	cockspur hawthorn, common serviceberry, eastern redcedar, nannyberry, prairie crabapple	bur oak, chinkapin oak, green ash, thornless honeylocust	---	---
986D2: Wellston-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
Berks-----	American plum, black chokeberry, blackhaw, common juniper, gray dogwood, mapleleaf viburnum	cockspur hawthorn, common serviceberry, eastern redcedar, nannyberry, prairie crabapple	bur oak, chinkapin oak, green ash, thornless honeylocust	---	---

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
986F: Wellston-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
Berks-----	American plum, black chokeberry, blackhaw, common juniper, gray dogwood, mapleleaf viburnum	cockspur hawthorn, common serviceberry, eastern redcedar, nannyberry, prairie crabapple	bur oak, chinkapin oak, green ash, thornless honeylocust	---	---
986G: Wellston-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
Berks-----	American plum, black chokeberry, blackhaw, common juniper, gray dogwood, mapleleaf viburnum	cockspur hawthorn, common serviceberry, eastern redcedar, nannyberry, prairie crabapple	bur oak, chinkapin oak, green ash, thornless honeylocust	---	---
1843A: Bonnie-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak

Table 12.--Windbreaks and Environmental Plantings--Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
1843A: Petrolia-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
1846A: Karnak-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
Cape-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
3070A: Beaucoup-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
3071A: Darwin-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
3071L: Darwin-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak

Table 12.--Windbreaks and Environmental Plantings--Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
3072A: Sharon-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
3072L: Sharon-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
3108A: Bonnie-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
3108L: Bonnie-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
3180A: Dupo-----	American cranberrybush, Canada yew, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, northern spicebush, redosier dogwood, silky dogwood	blackhaw, cockspur hawthorn, common pawpaw, common serviceberry, prairie crabapple, roughleaf dogwood, rusty blackhaw, southern arrowwood, witchhazel	Austrian pine, Douglas fir, arborvitae, blue spruce, common persimmon, eastern redcedar, green hawthorn, nannyberry, pecan, shingle oak	Norway spruce, blackgum, common hackberry, green ash, red maple, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
3288A: Petrolia-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
3288L: Petrolia-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak

Table 12.--Windbreaks and Environmental Plantings--Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
3382A: Belknap-----	American cranberrybush, Canada yew, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, northern spicebush, redosier dogwood, silky dogwood	blackhaw, cockspur hawthorn, common pawpaw, common serviceberry, prairie crabapple, roughleaf dogwood, rusty blackhaw, southern arrowwood, witchhazel	Austrian pine, Douglas fir, arborvitae, blue spruce, common persimmon, eastern redcedar, green hawthorn, nannyberry, pecan, shingle oak	Norway spruce, blackgum, common hackberry, green ash, red maple, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
3382L: Belknap-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
3422A: Cape-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
3422A+: Cape-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
3426A: Karnak-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
3426A+: Karnak-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak

Table 12.--Windbreaks and Environmental Plantings--Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
3426L: Karnak-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
3449L: Armiesburg-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
Sarpy-----	American cranberrybush, American hazelnut, black chokeberry, common chokecherry, common elderberry, common juniper, coralberry, mapleleaf viburnum, silky dogwood	American plum, bur oak, chinkapin oak, common serviceberry, eastern redcedar, nannyberry, prairie crabapple, roughleaf dogwood, smooth sumac	black oak, common hackberry, eastern white pine, green ash	Carolina poplar	---
3597A: Armiesburg-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
3597L: Armiesburg-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
7131A: Alvin-----	American hazelnut, black chokeberry, common winterberry, coralberry, gray dogwood, mapleleaf viburnum	American plum, American witchhazel, Arnold hawthorn, blackhaw, common chokecherry, common serviceberry, prairie crabapple	Douglas fir, arborvitae, black walnut, blackgum, blue spruce, bur oak, eastern redcedar, green ash, pecan	Norway spruce, common hackberry, pin oak, tuliptree	Carolina poplar, eastern white pine
7131B: Alvin-----	American hazelnut, black chokeberry, common winterberry, coralberry, gray dogwood, mapleleaf viburnum	American plum, American witchhazel, Arnold hawthorn, blackhaw, common chokecherry, common serviceberry, prairie crabapple	Douglas fir, arborvitae, black walnut, blackgum, blue spruce, bur oak, eastern redcedar, green ash, pecan	Norway spruce, common hackberry, pin oak, tuliptree	Carolina poplar, eastern white pine
7131C2: Alvin-----	American hazelnut, black chokeberry, common winterberry, coralberry, gray dogwood, mapleleaf viburnum	American plum, American witchhazel, Arnold hawthorn, blackhaw, common chokecherry, common serviceberry, prairie crabapple	Douglas fir, arborvitae, black walnut, blackgum, blue spruce, bur oak, eastern redcedar, green ash, pecan	Norway spruce, common hackberry, pin oak, tuliptree	Carolina poplar, eastern white pine
7131D2: Alvin-----	American hazelnut, black chokeberry, common winterberry, coralberry, gray dogwood, mapleleaf viburnum	American plum, American witchhazel, Arnold hawthorn, blackhaw, common chokecherry, common serviceberry, prairie crabapple	Douglas fir, arborvitae, black walnut, blackgum, blue spruce, bur oak, eastern redcedar, green ash, pecan	Norway spruce, common hackberry, pin oak, tuliptree	Carolina poplar, eastern white pine

Table 12.--Windbreaks and Environmental Plantings--Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
7460A: Ginat-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
7462A: Sciotoville-----	American cranberrybush, American hazelnut, black chokeberry, common juniper, coralberry, gray dogwood, mapleleaf viburnum, silky dogwood	American plum, American witchhazel, Washington hawthorn, blackhaw, common chokecherry, common serviceberry, nannyberry, prairie crabapple, roughleaf dogwood, staghorn sumac	Virginia pine, arborvitae, black oak, blackgum, bur oak, chinkapin oak, common hackberry, eastern redcedar, green ash	Norway spruce	Carolina poplar
7462B: Sciotoville-----	American cranberrybush, American hazelnut, black chokeberry, common juniper, coralberry, gray dogwood, mapleleaf viburnum, silky dogwood	American plum, American witchhazel, Washington hawthorn, blackhaw, common chokecherry, common serviceberry, nannyberry, prairie crabapple, roughleaf dogwood, staghorn sumac	Virginia pine, arborvitae, black oak, blackgum, bur oak, chinkapin oak, common hackberry, eastern redcedar, green ash	Norway spruce	Carolina poplar

Table 12.--Windbreaks and Environmental Plantings--Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
7462C2: Sciotoville-----	American cranberrybush, American hazelnut, black chokeberry, common juniper, coralberry, gray dogwood, mapleleaf viburnum, silky dogwood	American plum, American witchhazel, Washington hawthorn, blackhaw, common chokecherry, common serviceberry, nannyberry, prairie crabapple, roughleaf dogwood, staghorn sumac	Virginia pine, arborvitae, black oak, blackgum, bur oak, chinkapin oak, common hackberry, eastern redcedar, green ash	Norway spruce	Carolina poplar
7462C3: Sciotoville-----	American cranberrybush, American hazelnut, black chokeberry, common juniper, coralberry, gray dogwood, mapleleaf viburnum, silky dogwood	American plum, American witchhazel, Washington hawthorn, blackhaw, common chokecherry, common serviceberry, nannyberry, prairie crabapple, roughleaf dogwood, staghorn sumac	Virginia pine, arborvitae, black oak, blackgum, bur oak, chinkapin oak, common hackberry, eastern redcedar, green ash	Norway spruce	Carolina poplar
7462D2: Sciotoville-----	American cranberrybush, American hazelnut, black chokeberry, common juniper, coralberry, gray dogwood, mapleleaf viburnum, silky dogwood	American plum, American witchhazel, Washington hawthorn, blackhaw, common chokecherry, common serviceberry, nannyberry, prairie crabapple, roughleaf dogwood, staghorn sumac	Virginia pine, arborvitae, black oak, blackgum, bur oak, chinkapin oak, common hackberry, eastern redcedar, green ash	Norway spruce	Carolina poplar

Table 12.--Windbreaks and Environmental Plantings--Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
7462D3: Sciotoville-----	American cranberrybush, American hazelnut, black chokeberry, common juniper, coralberry, gray dogwood, mapleleaf viburnum, silky dogwood	American plum, American witchhazel, Washington hawthorn, blackhaw, common chokecherry, common serviceberry, nannyberry, prairie crabapple, roughleaf dogwood, staghorn sumac	Virginia pine, arborvitae, black oak, blackgum, bur oak, chinkapin oak, common hackberry, eastern redcedar, green ash	Norway spruce	Carolina poplar
7463A: Wheeling-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
7463B: Wheeling-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
7463C2: Wheeling-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
7463D2: Wheeling-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
7463E2: Wheeling-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
7483A: Henshaw-----	American cranberrybush, Canada yew, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, northern spicebush, redosier dogwood, silky dogwood	blackhaw, cockspur hawthorn, common pawpaw, common serviceberry, prairie crabapple, roughleaf dogwood, rusty blackhaw, southern arrowwood, witchhazel	Austrian pine, Douglas fir, arborvitae, blue spruce, common persimmon, eastern redcedar, green hawthorn, nannyberry, pecan, shingle oak	Norway spruce, blackgum, common hackberry, green ash, red maple, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
7711A: Hatfield-----	American cranberrybush, Canada yew, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, northern spicebush, redosier dogwood, silky dogwood	blackhaw, cockspur hawthorn, common pawpaw, common serviceberry, prairie crabapple, roughleaf dogwood, rusty blackhaw, southern arrowwood, witchhazel	Austrian pine, Douglas fir, arborvitae, blue spruce, common persimmon, eastern redcedar, green hawthorn, nannyberry, pecan, shingle oak	Norway spruce, blackgum, common hackberry, green ash, red maple, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
7711B: Hatfield-----	American cranberrybush, Canada yew, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, northern spicebush, redosier dogwood, silky dogwood	blackhaw, cockspur hawthorn, common pawpaw, common serviceberry, prairie crabapple, roughleaf dogwood, rusty blackhaw, southern arrowwood, witchhazel	Austrian pine, Douglas fir, arborvitae, blue spruce, common persimmon, eastern redcedar, green hawthorn, nannyberry, pecan, shingle oak	Norway spruce, blackgum, common hackberry, green ash, red maple, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
7711B2: Hatfield-----	American cranberrybush, Canada yew, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, northern spicebush, redosier dogwood, silky dogwood	blackhaw, cockspur hawthorn, common pawpaw, common serviceberry, prairie crabapple, roughleaf dogwood, rusty blackhaw, southern arrowwood, witchhazel	Austrian pine, Douglas fir, arborvitae, blue spruce, common persimmon, eastern redcedar, green hawthorn, nannyberry, pecan, shingle oak	Norway spruce, blackgum, common hackberry, green ash, red maple, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
8070A: Beaucoup-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
8071A: Darwin-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
8072A: Sharon-----	American cranberrybush, Canada yew, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, northern spicebush, redosier dogwood, silky dogwood	blackhaw, cockspur hawthorn, common pawpaw, common serviceberry, prairie crabapple, roughleaf dogwood, rusty blackhaw, southern arrowwood, witchhazel	Austrian pine, Douglas fir, arborvitae, blue spruce, common persimmon, eastern redcedar, green hawthorn, nannyberry, pecan, shingle oak	Norway spruce, blackgum, common hackberry, green ash, red maple, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
8108A: Bonnie-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak

Table 12.--Windbreaks and Environmental Plantings--Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
8109A: Racoon-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
8180A: Dupo-----	American cranberrybush, Canada yew, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, northern spicebush, redosier dogwood, silky dogwood	blackhaw, cockspur hawthorn, common pawpaw, common serviceberry, prairie crabapple, roughleaf dogwood, rusty blackhaw, southern arrowwood, witchhazel	Austrian pine, Douglas fir, arborvitae, blue spruce, common persimmon, eastern redcedar, green hawthorn, nannyberry, pecan, shingle oak	Norway spruce, blackgum, common hackberry, green ash, red maple, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
8288A: Petrolia-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
8382A: Belknap-----	American cranberrybush, Canada yew, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, northern spicebush, redosier dogwood, silky dogwood	blackhaw, cockspur hawthorn, common pawpaw, common serviceberry, prairie crabapple, roughleaf dogwood, rusty blackhaw, southern arrowwood, witchhazel	Austrian pine, Douglas fir, arborvitae, blue spruce, common persimmon, eastern redcedar, green hawthorn, nannyberry, pecan, shingle oak	Norway spruce, blackgum, common hackberry, green ash, red maple, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
8420A: Piopolis-----	American cranberrybush, American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
8422A: Cape-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak

Table 12.--Windbreaks and Environmental Plantings--Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
8422A+: Cape-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
8426A: Karnak-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
8426A+: Karnak-----	American cranberrybush, black chokeberry, buttonbush, common elderberry, common ninebark, common winterberry, gray dogwood, highbush blueberry, northern spicebush, redosier dogwood, silky dogwood	cockspur hawthorn, hazel alder, nannyberry, roughleaf dogwood	arborvitae, blackgum, common hackberry, green hawthorn, northern white-cedar, shingle oak	green ash, red maple, river birch, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak

Table 12.—Windbreaks and Environmental Plantings—Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of—				
	<8	8-15	16-25	26-35	>35
8427B: Burnside-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
8469A: Emma-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
8469B: Emma-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
8469C2: Emma-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine

Table 12.--Windbreaks and Environmental Plantings--Continued

Map symbol and soil name	Trees having predicted 20-year average height, in feet, of--				
	<8	8-15	16-25	26-35	>35
8597A: Armiesburg-----	American hazelnut, black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, coralberry, mapleleaf viburnum, redosier dogwood, silky dogwood	American plum, American witchhazel, blackhaw, common chokecherry, common serviceberry, prairie crabapple, roughleaf dogwood, smooth sumac, southern arrowwood	Washington hawthorn, arborvitae, blue spruce, common persimmon, eastern redcedar, nannyberry, pecan, white oak	Douglas fir, Norway spruce, black walnut, blackgum, common hackberry, green ash, northern red oak, pin oak, tuliptree	Carolina poplar, eastern cottonwood, eastern white pine
8693A: Hurst-----	black chokeberry, common elderberry, common juniper, common ninebark, common winterberry, northern spicebush, redosier dogwood, silky dogwood	blackhaw, cockspur hawthorn, common pawpaw, common serviceberry, prairie crabapple, roughleaf dogwood, rusty blackhaw, southern arrowwood, witchhazel	Austrian pine, Douglas fir, arborvitae, blue spruce, common persimmon, eastern redcedar, green hawthorn, nannyberry, pecan, shingle oak	Norway spruce, blackgum, common hackberry, green ash, red maple, swamp white oak, sweetgum	Carolina poplar, eastern cottonwood, pin oak
MW. Miscellaneous water					
W. Water					

Soil Survey of Massac County, Illinois

Table 13.—Recreational Development, Part I

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
99G: Sandstone Rock Land-	45	Not rated		Not rated		Not rated	
Limestone Rock Land-	40	Not rated		Not rated		Not rated	
131B: Alvin-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
131C: Alvin-----	90	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
131C2: Alvin-----	90	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
131D2: Alvin-----	90	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
131F: Alvin-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
164A: Stoy-----	90	Somewhat limited Slow water movement Depth to saturated zone	0.96 0.39	Somewhat limited Slow water movement Depth to saturated zone	0.96 0.19	Somewhat limited Slow water movement Depth to saturated zone	0.96 0.39
164B: Stoy-----	90	Somewhat limited Slow water movement Depth to saturated zone	0.96 0.39	Somewhat limited Slow water movement Depth to saturated zone	0.96 0.19	Somewhat limited Slow water movement Slope Depth to saturated zone	0.96 0.50 0.39
164C2: Stoy-----	90	Somewhat limited Slow water movement Depth to saturated zone Slope	0.96 0.39 0.01	Somewhat limited Slow water movement Depth to saturated zone Slope	0.96 0.19 0.01	Very limited Slope Slow water movement Depth to saturated zone	1.00 0.96 0.39
165A: Weir-----	90	Very limited Depth to saturated zone Slow water movement Ponding	1.00 1.00 1.00	Very limited Depth to saturated zone Slow water movement Ponding	1.00 1.00 1.00	Very limited Depth to saturated zone Slow water movement Ponding	1.00 1.00 1.00

Soil Survey of Massac County, Illinois

Table 13.—Recreational Development, Part I—Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
175B: Lamont-----	90	Somewhat limited Too sandy	0.12	Somewhat limited Too sandy	0.12	Somewhat limited Slope Too sandy	0.50 0.12
175C2: Lamont-----	90	Somewhat limited Too sandy Slope	0.12 0.01	Somewhat limited Too sandy Slope	0.12 0.01	Very limited Slope Too sandy	1.00 0.12
175D2: Lamont-----	90	Somewhat limited Slope Too sandy	0.96 0.12	Somewhat limited Slope Too sandy	0.96 0.12	Very limited Slope Too sandy	1.00 0.12
214B: Hosmer-----	85	Somewhat limited Depth to cemented pan	0.65	Somewhat limited Depth to cemented pan	0.65	Somewhat limited Depth to cemented pan Slope	0.64 0.50
214C2: Hosmer-----	85	Somewhat limited Depth to cemented pan Slope	0.86 0.01	Somewhat limited Depth to cemented pan Slope	0.86 0.01	Very limited Slope Depth to cemented pan	1.00 0.86
214C3: Hosmer-----	85	Somewhat limited Depth to cemented pan Slope	0.95 0.01	Somewhat limited Depth to cemented pan Slope	0.95 0.01	Very limited Slope Depth to cemented pan	1.00 0.95
214D2: Hosmer-----	85	Somewhat limited Slope Depth to cemented pan	0.96 0.86	Somewhat limited Slope Depth to cemented pan	0.96 0.86	Very limited Slope Depth to cemented pan	1.00 0.86
214D3: Hosmer-----	85	Somewhat limited Slope Depth to cemented pan	0.96 0.95	Somewhat limited Slope Depth to cemented pan	0.96 0.95	Very limited Slope Depth to cemented pan	1.00 0.95
308B: Alford-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
308C2: Alford-----	90	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
308C3: Alford-----	90	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
308D2: Alford-----	90	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00

Soil Survey of Massac County, Illinois

Table 13.--Recreational Development, Part I--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
308D3: Alford-----	90	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
308E: Alford-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
308E2: Alford-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
308E3: Alford-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
308F: Alford-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
339C: Wellston-----	90	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
339C2: Wellston-----	90	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
339D: Wellston-----	90	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
339D2: Wellston-----	90	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
339D3: Wellston-----	90	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
339F: Wellston-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
340C2: Zanesville-----	85	Very limited Depth to cemented pan Slope	1.00 0.01	Very limited Depth to cemented pan Slope	1.00 0.01	Very limited Depth to cemented pan Slope	1.00 1.00
340C3: Zanesville-----	85	Very limited Depth to cemented pan Slope	1.00 0.01	Very limited Depth to cemented pan Slope	1.00 0.01	Very limited Depth to cemented pan Slope	1.00 1.00
340D: Zanesville-----	85	Somewhat limited Depth to cemented pan Slope	0.97 0.96	Somewhat limited Depth to cemented pan Slope	0.97 0.96	Very limited Slope Depth to cemented pan	1.00 0.97

Soil Survey of Massac County, Illinois

Table 13.--Recreational Development, Part I--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
340D2: Zanesville-----	85	Very limited Depth to cemented pan Slope	1.00 0.96	Very limited Depth to cemented pan Slope	1.00 0.96	Very limited Slope Depth to cemented pan	1.00 1.00
340D3: Zanesville-----	85	Very limited Depth to cemented pan Slope	1.00 0.96	Very limited Depth to cemented pan Slope	1.00 0.96	Very limited Slope Depth to cemented pan	1.00 1.00
453C2: Muren-----	90	Somewhat limited Depth to saturated zone Slope	0.95 0.01	Somewhat limited Depth to saturated zone Slope	0.68 0.01	Very limited Slope Depth to saturated zone	1.00 0.95
453D2: Muren-----	90	Somewhat limited Slope Depth to saturated zone	0.96 0.95	Somewhat limited Slope Depth to saturated zone	0.96 0.68	Very limited Slope Depth to saturated zone	1.00 0.95
691D: Beasley-----	90	Somewhat limited Slope Slow water movement	0.96 0.21	Somewhat limited Slope Slow water movement	0.96 0.21	Very limited Slope Slow water movement	1.00 0.21
691F: Beasley-----	90	Very limited Slope Slow water movement	1.00 0.21	Very limited Slope Slow water movement	1.00 0.21	Very limited Slope Slow water movement	1.00 0.21
691G: Beasley-----	90	Very limited Slope Slow water movement	1.00 0.21	Very limited Slope Slow water movement	1.00 0.21	Very limited Slope Slow water movement	1.00 0.21
801B: Orthents, silty----	90	Not limited		Not limited		Somewhat limited Slope	0.12
802D: Orthents, loamy----	90	Somewhat limited Slope Slow water movement	0.37 0.21	Somewhat limited Slope Slow water movement	0.37 0.21	Very limited Slope Slow water movement	1.00 0.21
864: Pits, quarries-----	100	Not rated		Not rated		Not rated	
865: Pits, gravel-----	100	Not rated		Not rated		Not rated	

Soil Survey of Massac County, Illinois

Table 13.--Recreational Development, Part I--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
955D: Muskingum-----	55	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope Gravel content Depth to bedrock	1.00 0.39 0.16
Berks-----	40	Somewhat limited Slope Gravel content	0.96 0.39	Somewhat limited Slope Gravel content	0.96 0.39	Very limited Slope Gravel content Depth to bedrock	1.00 1.00 0.65
955D2: Muskingum-----	55	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope Gravel content Depth to bedrock	1.00 0.39 0.35
Berks-----	40	Somewhat limited Slope Gravel content	0.96 0.39	Somewhat limited Slope Gravel content	0.96 0.39	Very limited Slope Gravel content Depth to bedrock	1.00 1.00 0.84
955F: Muskingum-----	55	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Gravel content Depth to bedrock	1.00 0.39 0.16
Berks-----	40	Very limited Slope Gravel content	1.00 0.39	Very limited Slope Gravel content	1.00 0.39	Very limited Slope Gravel content Depth to bedrock	1.00 1.00 0.65
955G: Muskingum-----	55	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Gravel content Depth to bedrock	1.00 0.39 0.16
Berks-----	40	Very limited Slope Gravel content	1.00 0.39	Very limited Slope Gravel content	1.00 0.39	Very limited Slope Gravel content Depth to bedrock	1.00 1.00 0.65
956B: Brandon-----	55	Not limited		Not limited		Somewhat limited Slope	0.50
Saffell-----	40	Not limited		Not limited		Somewhat limited Slope Gravel content	0.50 0.11
956C2: Brandon-----	55	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
Saffell-----	40	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope Gravel content	1.00 0.11

Soil Survey of Massac County, Illinois

Table 13.—Recreational Development, Part I—Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
956C3: Brandon-----	55	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
Saffell-----	40	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope Gravel content	1.00 0.11
956D: Brandon-----	55	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
Saffell-----	40	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope Gravel content	1.00 0.11
956D2: Brandon-----	55	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
Saffell-----	40	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope Gravel content	1.00 0.11
956D3: Brandon-----	55	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
Saffell-----	40	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope Gravel content	1.00 0.11
956E2: Brandon-----	55	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Saffell-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Gravel content	1.00 0.11
956F: Brandon-----	55	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Saffell-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Gravel content	1.00 0.11
986D: Wellston-----	50	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
Berks-----	45	Somewhat limited Slope Gravel content	0.96 0.39	Somewhat limited Slope Gravel content	0.96 0.39	Very limited Slope Gravel content Depth to bedrock	1.00 1.00 0.65
986D2: Wellston-----	50	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00

Soil Survey of Massac County, Illinois

Table 13.--Recreational Development, Part I--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
986D2: Berks-----	45	Somewhat limited Slope Gravel content	0.96 0.39	Somewhat limited Slope Gravel content	0.96 0.39	Very limited Slope Gravel content Depth to bedrock	1.00 1.00 0.84
986F: Wellston-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Berks-----	45	Very limited Slope Gravel content	1.00 0.39	Very limited Slope Gravel content	1.00 0.39	Very limited Slope Gravel content Depth to bedrock	1.00 1.00 0.65
986G: Wellston-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Berks-----	45	Very limited Slope Gravel content	1.00 0.39	Very limited Slope Gravel content	1.00 0.39	Very limited Slope Gravel content Depth to bedrock	1.00 1.00 0.65
1843A: Bonnie-----	40	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 0.21	Very limited Ponding Depth to saturated zone Flooding Slow water movement	1.00 1.00 0.40 0.21	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 0.21
Petrolia-----	40	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 0.21	Very limited Ponding Depth to saturated zone Flooding Slow water movement	1.00 1.00 0.40 0.21	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 0.21
1846A: Karnak-----	55	Very limited Depth to saturated zone Flooding Ponding Too clayey Slow water movement	1.00 1.00 1.00 1.00 0.99	Very limited Ponding Depth to saturated zone Too clayey Slow water movement Flooding	1.00 1.00 1.00 0.99 0.40	Very limited Depth to saturated zone Flooding Ponding Too clayey Slow water movement	1.00 1.00 1.00 1.00 0.99
Cape-----	35	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Slow water movement Flooding	1.00 1.00 1.00 0.40	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 1.00

Soil Survey of Massac County, Illinois

Table 13.--Recreational Development, Part I--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3070A: Beaucoup-----	90	Very limited Depth to saturated zone Flooding Ponding	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 1.00 0.40	Very limited Depth to saturated zone Flooding Ponding	1.00 1.00 1.00
3071A: Darwin-----	90	Very limited Depth to saturated zone Flooding Ponding Slow water movement Too clayey	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Slow water movement Too clayey Flooding	1.00 1.00 1.00 1.00 1.00 0.40	Very limited Depth to saturated zone Flooding Ponding Slow water movement Too clayey	1.00 1.00 1.00 1.00 1.00
3071L: Darwin-----	90	Very limited Depth to saturated zone Flooding Ponding Slow water movement Too clayey	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Slow water movement Too clayey Flooding	1.00 1.00 1.00 1.00 1.00 0.40	Very limited Depth to saturated zone Flooding Ponding Slow water movement Too clayey	1.00 1.00 1.00 1.00 1.00
3072A: Sharon-----	85	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
3072L: Sharon-----	90	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
3108A: Bonnie-----	90	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 0.21	Very limited Ponding Depth to saturated zone Flooding Slow water movement	1.00 1.00 1.00 0.40 0.21	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 0.21
3108L: Bonnie-----	90	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 0.21	Very limited Ponding Depth to saturated zone Flooding Slow water movement	1.00 1.00 1.00 0.40 0.21	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 0.21
3180A: Dupo-----	85	Very limited Depth to saturated zone Flooding Slow water movement	1.00 1.00 0.96	Somewhat limited Slow water movement Depth to saturated zone Flooding	0.96 0.95 0.40	Very limited Depth to saturated zone Flooding Slow water movement	1.00 1.00 0.96

Soil Survey of Massac County, Illinois

Table 13.--Recreational Development, Part I--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3288A: Petrolia-----	90	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 0.21	Very limited Ponding Depth to saturated zone Flooding Slow water movement	1.00 1.00 0.40 0.21	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 0.21
3288L: Petrolia-----	90	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 0.21	Very limited Ponding Depth to saturated zone Flooding Slow water movement	1.00 1.00 0.40 0.21	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 0.21
3382A: Belknap-----	85	Very limited Depth to saturated zone Flooding	1.00 1.00	Somewhat limited Depth to saturated zone Flooding	0.94 0.40	Very limited Depth to saturated zone Flooding	1.00 1.00
3382L: Belknap-----	95	Very limited Depth to saturated zone Flooding	1.00 1.00	Somewhat limited Depth to saturated zone Flooding	0.94 0.40	Very limited Depth to saturated zone Flooding	1.00 1.00
3422A: Cape-----	90	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Slow water movement Flooding	1.00 1.00 1.00 0.40	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 1.00
3422A+: Cape-----	90	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Slow water movement Flooding	1.00 1.00 1.00 0.40	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 1.00
3426A: Karnak-----	85	Very limited Depth to saturated zone Flooding Ponding Too clayey Slow water movement	1.00 1.00 1.00 1.00 0.99	Very limited Ponding Depth to saturated zone Too clayey Slow water movement Flooding	1.00 1.00 1.00 0.99 0.40	Very limited Depth to saturated zone Flooding Ponding Too clayey Slow water movement	1.00 1.00 1.00 1.00 0.99

Soil Survey of Massac County, Illinois

Table 13.--Recreational Development, Part I--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3426A+: Karnak-----	90	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 0.99	Very limited Ponding Depth to saturated zone Slow water movement Flooding	1.00 1.00 0.99 0.40	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 0.99
3426L: Karnak-----	85	Very limited Depth to saturated zone Flooding Ponding Too clayey Slow water movement	1.00 1.00 1.00 1.00 0.99	Very limited Ponding Depth to saturated zone Too clayey Slow water movement Flooding	1.00 1.00 1.00 0.99 0.40	Very limited Depth to saturated zone Flooding Ponding Too clayey Slow water movement	1.00 1.00 1.00 1.00 0.99
3449L: Armiesburg-----	45	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Sarpy-----	35	Very limited Flooding Too sandy	1.00 1.00	Very limited Too sandy Flooding	1.00 0.40	Very limited Too sandy Flooding	1.00 1.00
3597A: Armiesburg-----	90	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
3597L: Armiesburg-----	90	Very limited Flooding	1.00	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
7131A: Alvin-----	90	Very limited Flooding	1.00	Not limited		Not limited	
7131B: Alvin-----	90	Very limited Flooding	1.00	Not limited		Somewhat limited Slope	0.50
7131C2: Alvin-----	90	Very limited Flooding Slope	1.00 0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
7131D2: Alvin-----	90	Very limited Flooding Slope	1.00 0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
7460A: Ginat-----	95	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Slow water movement	1.00 1.00 1.00	Very limited Depth to saturated zone Ponding Slow water movement	1.00 1.00 1.00

Soil Survey of Massac County, Illinois

Table 13.--Recreational Development, Part I--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7462A: Sciotoville-----	95	Very limited Flooding Slow water movement Depth to saturated zone	1.00 0.43 0.07	Somewhat limited Slow water movement Depth to saturated zone	0.43 0.03	Somewhat limited Slow water movement Depth to saturated zone	0.43 0.07
7462B: Sciotoville-----	95	Very limited Flooding Slow water movement Depth to saturated zone	1.00 0.43 0.07	Somewhat limited Slow water movement Depth to saturated zone	0.43 0.03	Somewhat limited Slope Slow water movement Depth to saturated zone	0.50 0.43 0.07
7462C2: Sciotoville-----	95	Very limited Flooding Slow water movement Depth to saturated zone Slope	1.00 0.43 0.07 0.01	Somewhat limited Slow water movement Depth to saturated zone Slope	0.43 0.03 0.01	Very limited Slope Slow water movement Depth to saturated zone	1.00 0.43 0.07
7462C3: Sciotoville-----	95	Very limited Flooding Slow water movement Depth to saturated zone Slope	1.00 0.43 0.07 0.01	Somewhat limited Slow water movement Depth to saturated zone Slope	0.43 0.03 0.01	Very limited Slope Slow water movement Depth to saturated zone	1.00 0.43 0.07
7462D2: Sciotoville-----	95	Very limited Flooding Slope Slow water movement Depth to saturated zone	1.00 0.96 0.43 0.07	Somewhat limited Slope Slow water movement Depth to saturated zone	0.96 0.43 0.03	Very limited Slope Slow water movement Depth to saturated zone	1.00 0.43 0.07
7462D3: Sciotoville-----	95	Very limited Flooding Slope Slow water movement Depth to saturated zone	1.00 0.96 0.43 0.07	Somewhat limited Slope Slow water movement Depth to saturated zone	0.96 0.43 0.03	Very limited Slope Slow water movement Depth to saturated zone	1.00 0.43 0.07
7463A: Wheeling-----	95	Very limited Flooding	1.00	Not limited		Not limited	
7463B: Wheeling-----	95	Very limited Flooding	1.00	Not limited		Somewhat limited Slope	0.50

Soil Survey of Massac County, Illinois

Table 13.--Recreational Development, Part I--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7463C2: Wheeling-----	95	Very limited Flooding Slope	1.00 0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
7463D2: Wheeling-----	95	Very limited Flooding Slope	1.00 0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
7463E2: Wheeling-----	95	Very limited Slope Flooding	1.00 1.00	Very limited Slope	1.00	Very limited Slope	1.00
7483A: Henshaw-----	90	Very limited Depth to saturated zone Flooding Slow water movement	1.00 1.00 0.21	Very limited Depth to saturated zone Slow water movement	1.00 0.21	Very limited Depth to saturated zone Slow water movement	1.00 0.21
7711A: Hatfield-----	95	Very limited Depth to saturated zone Flooding Slow water movement	1.00 1.00 1.00	Very limited Depth to saturated zone Slow water movement	1.00 1.00	Very limited Depth to saturated zone Slow water movement	1.00 1.00
7711B: Hatfield-----	95	Very limited Depth to saturated zone Flooding Slow water movement	1.00 1.00 1.00	Very limited Depth to saturated zone Slow water movement	1.00 1.00	Very limited Depth to saturated zone Slow water movement Slope	1.00 1.00 0.50
7711B2: Hatfield-----	95	Very limited Depth to saturated zone Flooding Slow water movement	1.00 1.00 1.00	Very limited Depth to saturated zone Slow water movement	1.00 1.00	Very limited Depth to saturated zone Slow water movement Slope	1.00 1.00 0.50
8070A: Beaucoup-----	90	Very limited Depth to saturated zone Flooding Ponding	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.60

Soil Survey of Massac County, Illinois

Table 13.--Recreational Development, Part I--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8071A: Darwin-----	90	Very limited Depth to saturated zone Flooding Ponding Slow water movement Too clayey	1.00 1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Slow water movement Too clayey	1.00 1.00 1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Ponding Slow water movement Too clayey Flooding	1.00 1.00 1.00 1.00 1.00 0.60
8072A: Sharon-----	90	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
8108A: Bonnie-----	90	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 0.21	Very limited Ponding Depth to saturated zone Slow water movement	1.00 1.00 0.21	Very limited Depth to saturated zone Ponding Flooding Slow water movement	1.00 1.00 0.60 0.21
8109A: Raccoon-----	85	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 0.96	Very limited Ponding Depth to saturated zone Slow water movement	1.00 1.00 0.96	Very limited Depth to saturated zone Ponding Slow water movement Flooding	1.00 1.00 0.96 0.60
8180A: Dupo-----	85	Very limited Depth to saturated zone Flooding Slow water movement	1.00 1.00 0.96	Somewhat limited Slow water movement Depth to saturated zone	0.96 0.95	Very limited Depth to saturated zone Slow water movement Flooding	1.00 0.96 0.60
8288A: Petrolia-----	90	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 0.21	Very limited Ponding Depth to saturated zone Slow water movement	1.00 1.00 0.21	Very limited Depth to saturated zone Ponding Flooding Slow water movement	1.00 1.00 0.60 0.21
8382A: Belknap-----	95	Very limited Depth to saturated zone Flooding	1.00 1.00	Somewhat limited Depth to saturated zone	0.94	Very limited Depth to saturated zone Flooding	1.00 0.60

Soil Survey of Massac County, Illinois

Table 13.--Recreational Development, Part I--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8420A: Piopolis-----	90	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 0.96	Very limited Ponding Depth to saturated zone Slow water movement	1.00 1.00 0.96	Very limited Depth to saturated zone Ponding Slow water movement Flooding	1.00 1.00 0.96 0.60
8422A: Cape-----	90	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Slow water movement	1.00 1.00 1.00	Very limited Depth to saturated zone Ponding Slow water movement Flooding	1.00 1.00 1.00 0.60
8422A+: Cape-----	90	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Slow water movement	1.00 1.00 1.00	Very limited Depth to saturated zone Ponding Slow water movement Flooding	1.00 1.00 1.00 0.60
8426A: Karnak-----	85	Very limited Depth to saturated zone Flooding Ponding Too clayey Slow water movement	1.00 1.00 1.00 1.00 0.99	Very limited Ponding Depth to saturated zone Too clayey Slow water movement	1.00 1.00 1.00 0.99	Very limited Depth to saturated zone Ponding Too clayey Slow water movement Flooding	1.00 1.00 1.00 0.99 0.60
8426A+: Karnak-----	90	Very limited Depth to saturated zone Flooding Ponding Slow water movement	1.00 1.00 1.00 0.99	Very limited Ponding Depth to saturated zone Slow water movement	1.00 1.00 0.99	Very limited Depth to saturated zone Ponding Slow water movement Flooding	1.00 1.00 0.99 0.60
8427B: Burnside-----	90	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding Slope	0.60 0.12
8469A: Emma-----	85	Very limited Flooding Slow water movement	1.00 0.21	Somewhat limited Slow water movement	0.21	Somewhat limited Flooding Slow water movement	0.60 0.21

Soil Survey of Massac County, Illinois

Table 13.--Recreational Development, Part I--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8469B: Emma-----	85	Very limited Flooding Slow water movement	1.00 0.21	Somewhat limited Slow water movement	0.21	Somewhat limited Flooding Slope Slow water movement	0.60 0.50 0.21
8469C2: Emma-----	85	Very limited Flooding Slow water movement Slope	1.00 0.21 0.01	Somewhat limited Slow water movement Slope	0.21 0.01	Very limited Slope Flooding Slow water movement	1.00 0.60 0.21
8597A: Armiesburg-----	85	Very limited Flooding	1.00	Not limited		Somewhat limited Flooding	0.60
8693A: Hurst-----	85	Very limited Flooding Slow water movement Depth to saturated zone	1.00 1.00 0.44	Very limited Slow water movement Depth to saturated zone	1.00 0.22	Very limited Slow water movement Flooding Depth to saturated zone	1.00 0.60 0.44
MW: Miscellaneous water-	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	

Soil Survey of Massac County, Illinois

Table 13.—Recreational Development, Part II

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
99G: Sandstone Rock Land-	45	Not rated		Not rated		Not rated	
Limestone Rock Land-	40	Not rated		Not rated		Not rated	
131B: Alvin-----	90	Not limited		Not limited		Not limited	
131C: Alvin-----	90	Not limited		Not limited		Somewhat limited Slope	0.01
131C2: Alvin-----	90	Not limited		Not limited		Somewhat limited Slope	0.01
131D2: Alvin-----	90	Not limited		Not limited		Somewhat limited Slope	0.96
131F: Alvin-----	90	Very limited Slope	1.00	Somewhat limited Slope	0.22	Very limited Slope	1.00
164A: Stoy-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
164B: Stoy-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
164C2: Stoy-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone Slope	0.19 0.01
165A: Weir-----	90	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00
175B: Lamont-----	90	Somewhat limited Too sandy	0.12	Somewhat limited Too sandy	0.12	Not limited	
175C2: Lamont-----	90	Somewhat limited Too sandy	0.12	Somewhat limited Too sandy	0.12	Somewhat limited Slope	0.01

Soil Survey of Massac County, Illinois

Table 13.—Recreational Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
175D2: Lamont-----	90	Somewhat limited Too sandy	0.12	Somewhat limited Too sandy	0.12	Somewhat limited Slope	0.96
214B: Hosmer-----	85	Not limited		Not limited		Somewhat limited Depth to cemented pan	0.64
214C2: Hosmer-----	85	Not limited		Not limited		Somewhat limited Depth to cemented pan Slope	0.86 0.01
214C3: Hosmer-----	85	Not limited		Not limited		Somewhat limited Depth to cemented pan Slope	0.95 0.01
214D2: Hosmer-----	85	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope Depth to cemented pan	0.96 0.86
214D3: Hosmer-----	85	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope Depth to cemented pan	0.96 0.95
308B: Alford-----	90	Not limited		Not limited		Not limited	
308C2: Alford-----	90	Not limited		Not limited		Somewhat limited Slope	0.01
308C3: Alford-----	90	Not limited		Not limited		Somewhat limited Slope	0.01
308D2: Alford-----	90	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.96
308D3: Alford-----	90	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.96
308E: Alford-----	90	Very limited Water erosion Slope	1.00 0.82	Very limited Water erosion	1.00	Very limited Slope	1.00
308E2: Alford-----	90	Very limited Water erosion Slope	1.00 0.82	Very limited Water erosion	1.00	Very limited Slope	1.00

Soil Survey of Massac County, Illinois

Table 13.—Recreational Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
308E3: Alford-----	90	Very limited Water erosion Slope	1.00 0.82	Very limited Water erosion	1.00	Very limited Slope	1.00
308F: Alford-----	90	Very limited Slope Water erosion	1.00 1.00	Very limited Water erosion Slope	1.00 0.22	Very limited Slope	1.00
339C: Wellston-----	90	Not limited		Not limited		Somewhat limited Slope	0.01
339C2: Wellston-----	90	Not limited		Not limited		Somewhat limited Slope	0.01
339D: Wellston-----	90	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.96
339D2: Wellston-----	90	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.96
339D3: Wellston-----	90	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.96
339F: Wellston-----	90	Very limited Water erosion Slope	1.00 1.00	Very limited Water erosion Slope	1.00 0.04	Very limited Slope	1.00
340C2: Zanesville-----	85	Not limited		Not limited		Very limited Depth to cemented pan Droughty Slope	1.00 0.01 0.01
340C3: Zanesville-----	85	Not limited		Not limited		Very limited Depth to cemented pan Droughty Slope	1.00 0.16 0.01
340D: Zanesville-----	85	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Depth to cemented pan Slope	0.97 0.96
340D2: Zanesville-----	85	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Very limited Depth to cemented pan Slope Droughty	1.00 0.96 0.01

Soil Survey of Massac County, Illinois

Table 13.—Recreational Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
340D3: Zanesville-----	85	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Very limited Depth to cemented pan Slope Droughty	1.00 0.96 0.16
453C2: Muren-----	90	Somewhat limited Depth to saturated zone	0.32	Somewhat limited Depth to saturated zone	0.32	Somewhat limited Depth to saturated zone Slope	0.68 0.01
453D2: Muren-----	90	Very limited Water erosion Depth to saturated zone	1.00 0.32	Very limited Water erosion Depth to saturated zone	1.00 0.32	Somewhat limited Slope Depth to saturated zone	0.96 0.68
691D: Beasley-----	90	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.96
691F: Beasley-----	90	Very limited Water erosion Slope	1.00 1.00	Very limited Water erosion Slope	1.00 0.04	Very limited Slope	1.00
691G: Beasley-----	90	Very limited Slope Water erosion	1.00 1.00	Very limited Water erosion Slope	1.00 1.00	Very limited Slope	1.00
801B: Orthents, silty-----	90	Not limited		Not limited		Not limited	
802D: Orthents, loamy-----	90	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.37
864: Pits, quarries-----	100	Not rated		Not rated		Not rated	
865: Pits, gravel-----	100	Not rated		Not rated		Not rated	
955D: Muskingum-----	55	Not limited		Not limited		Somewhat limited Slope Depth to bedrock Large stones content	0.96 0.16 0.01
Berks-----	40	Not limited		Not limited		Somewhat limited Droughty Slope Depth to bedrock Gravel content Large stones content	0.99 0.96 0.65 0.39 0.32

Soil Survey of Massac County, Illinois

Table 13.—Recreational Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
955D2: Muskingum-----	55	Not limited		Not limited		Somewhat limited Slope	0.96
						Depth to bedrock	0.35
						Large stones content	0.01
Berks-----	40	Not limited		Not limited		Very limited Droughty	1.00
						Slope	0.96
						Depth to bedrock	0.84
						Gravel content	0.39
						Large stones content	0.32
955F: Muskingum-----	55	Very limited Slope	1.00	Somewhat limited Slope	0.04	Very limited Slope	1.00
						Depth to bedrock	0.16
						Large stones content	0.01
Berks-----	40	Very limited Slope	1.00	Somewhat limited Slope	0.04	Very limited Slope	1.00
						Droughty	0.99
						Depth to bedrock	0.65
						Gravel content	0.39
						Large stones content	0.32
955G: Muskingum-----	55	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
						Depth to bedrock	0.16
						Large stones content	0.01
Berks-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
						Droughty	0.99
						Depth to bedrock	0.65
						Gravel content	0.39
						Large stones content	0.32
956B: Brandon-----	55	Not limited		Not limited		Not limited	
Saffell-----	40	Not limited		Not limited		Somewhat limited Droughty	0.01
956C2: Brandon-----	55	Not limited		Not limited		Somewhat limited Slope	0.01
Saffell-----	40	Not limited		Not limited		Somewhat limited Droughty Slope	0.04 0.01

Soil Survey of Massac County, Illinois

Table 13.—Recreational Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
956C3: Brandon-----	55	Not limited		Not limited		Somewhat limited Slope	0.01
Saffell-----	40	Not limited		Not limited		Somewhat limited Droughty Slope	0.06 0.01
956D: Brandon-----	55	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.96
Saffell-----	40	Not limited		Not limited		Somewhat limited Slope Droughty	0.96 0.01
956D2: Brandon-----	55	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.96
Saffell-----	40	Not limited		Not limited		Somewhat limited Slope Droughty	0.96 0.04
956D3: Brandon-----	55	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.96
Saffell-----	40	Not limited		Not limited		Somewhat limited Slope Droughty	0.96 0.06
956E2: Brandon-----	55	Very limited Water erosion Slope	1.00 0.82	Very limited Water erosion	1.00	Very limited Slope	1.00
Saffell-----	40	Somewhat limited Slope	0.82	Not limited		Very limited Slope Droughty	1.00 0.04
956F: Brandon-----	55	Very limited Slope Water erosion	1.00 1.00	Very limited Water erosion Slope	1.00 0.22	Very limited Slope	1.00
Saffell-----	40	Very limited Slope	1.00	Somewhat limited Slope	0.22	Very limited Slope Droughty	1.00 0.01
986D: Wellston-----	50	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.96
Berks-----	45	Not limited		Not limited		Somewhat limited Droughty Slope Depth to bedrock Gravel content Large stones content	0.99 0.96 0.65 0.39 0.32

Soil Survey of Massac County, Illinois

Table 13.—Recreational Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
986D2: Wellston-----	50	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.96
Berks-----	45	Not limited		Not limited		Very limited Droughty Slope Depth to bedrock Gravel content Large stones content	1.00 0.96 0.84 0.39 0.32
986F: Wellston-----	50	Very limited Water erosion Slope	1.00 1.00	Very limited Water erosion Slope	1.00 0.04	Very limited Slope	1.00
Berks-----	45	Very limited Slope	1.00	Somewhat limited Slope	0.04	Very limited Slope Droughty Depth to bedrock Gravel content Large stones content	1.00 0.99 0.65 0.39 0.32
986G: Wellston-----	50	Very limited Slope Water erosion	1.00 1.00	Very limited Water erosion Slope	1.00 1.00	Very limited Slope	1.00
Berks-----	45	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Droughty Depth to bedrock Gravel content Large stones content	1.00 0.99 0.65 0.39 0.32
1843A: Bonnie-----	40	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
Petrolia-----	40	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
1846A: Karnak-----	55	Very limited Depth to saturated zone Ponding Too clayey Flooding	1.00 1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Too clayey Flooding	1.00 1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone Too clayey	1.00 1.00 1.00 1.00

Soil Survey of Massac County, Illinois

Table 13.—Recreational Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1846A: Cape-----	35	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3070A: Beaucoup-----	90	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3071A: Darwin-----	90	Very limited Depth to saturated zone Ponding Too clayey Flooding	1.00 1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Too clayey Flooding	1.00 1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone Too clayey	1.00 1.00 1.00 1.00
3071L: Darwin-----	90	Very limited Depth to saturated zone Ponding Too clayey Flooding	1.00 1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Too clayey Flooding	1.00 1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone Too clayey	1.00 1.00 1.00 1.00
3072A: Sharon-----	85	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
3072L: Sharon-----	90	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
3108A: Bonnie-----	90	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3108L: Bonnie-----	90	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3180A: Dupo-----	85	Somewhat limited Depth to saturated zone Flooding	0.89 0.40	Somewhat limited Depth to saturated zone Flooding	0.89 0.40	Very limited Flooding Depth to saturated zone	1.00 0.95

Soil Survey of Massac County, Illinois

Table 13.—Recreational Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3288A: Petrolia-----	90	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3288L: Petrolia-----	90	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3382A: Belknap-----	85	Somewhat limited Depth to saturated zone Flooding	0.86 0.40	Somewhat limited Depth to saturated zone Flooding	0.86 0.40	Very limited Flooding Depth to saturated zone	1.00 0.94
3382L: Belknap-----	95	Somewhat limited Depth to saturated zone Flooding	0.86 0.40	Somewhat limited Depth to saturated zone Flooding	0.86 0.40	Very limited Flooding Depth to saturated zone	1.00 0.94
3422A: Cape-----	90	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3422A+: Cape-----	90	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3426A: Karnak-----	85	Very limited Depth to saturated zone Ponding Too clayey Flooding	1.00 1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Too clayey Flooding	1.00 1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone Too clayey	1.00 1.00 1.00 1.00
3426A+: Karnak-----	90	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00

Soil Survey of Massac County, Illinois

Table 13.—Recreational Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3426L: Karnak-----	85	Very limited Depth to saturated zone Ponding Too clayey Flooding	1.00 1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Too clayey Flooding	1.00 1.00 1.00 0.40	Very limited Ponding Flooding Depth to saturated zone Too clayey	1.00 1.00 1.00 1.00
3449L: Armiesburg-----	45	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
Sarpy-----	35	Very limited Too sandy Flooding	1.00 0.40	Very limited Too sandy Flooding	1.00 0.40	Very limited Flooding Droughty	1.00 0.69
3597A: Armiesburg-----	90	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
3597L: Armiesburg-----	90	Somewhat limited Flooding	0.40	Somewhat limited Flooding	0.40	Very limited Flooding	1.00
7131A: Alvin-----	90	Not limited		Not limited		Not limited	
7131B: Alvin-----	90	Not limited		Not limited		Not limited	
7131C2: Alvin-----	90	Not limited		Not limited		Somewhat limited Slope	0.01
7131D2: Alvin-----	90	Not limited		Not limited		Somewhat limited Slope	0.96
7460A: Ginat-----	95	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
7462A: Sciotoville-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
7462B: Sciotoville-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.03
7462C2: Sciotoville-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone Slope	0.03 0.01

Soil Survey of Massac County, Illinois

Table 13.—Recreational Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7462C3: Sciotoville-----	95	Not limited		Not limited		Somewhat limited Depth to saturated zone Slope	0.03 0.01
7462D2: Sciotoville-----	95	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope Depth to saturated zone	0.96 0.03
7462D3: Sciotoville-----	95	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope Depth to saturated zone	0.96 0.03
7463A: Wheeling-----	95	Not limited		Not limited		Not limited	
7463B: Wheeling-----	95	Not limited		Not limited		Not limited	
7463C2: Wheeling-----	95	Not limited		Not limited		Somewhat limited Slope	0.01
7463D2: Wheeling-----	95	Not limited		Not limited		Somewhat limited Slope	0.96
7463E2: Wheeling-----	95	Somewhat limited Slope	0.82	Not limited		Very limited Slope	1.00
7483A: Henshaw-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
7711A: Hatfield-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
7711B: Hatfield-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
7711B2: Hatfield-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Soil Survey of Massac County, Illinois

Table 13.—Recreational Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8070A: Beaucoup-----	90	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 0.60
8071A: Darwin-----	90	Very limited Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00	Very limited Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Flooding	1.00 1.00 1.00 0.60
8072A: Sharon-----	90	Not limited		Not limited		Somewhat limited Flooding	0.60
8108A: Bonnie-----	90	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 0.60
8109A: Racoon-----	85	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 0.60
8180A: Dupo-----	85	Somewhat limited Depth to saturated zone	0.89	Somewhat limited Depth to saturated zone	0.89	Somewhat limited Depth to saturated zone Flooding	0.95 0.60
8288A: Petrolia-----	90	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 0.60
8382A: Belknap-----	95	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone	0.86	Somewhat limited Depth to saturated zone Flooding	0.94 0.60
8420A: Piopolis-----	90	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 0.60

Soil Survey of Massac County, Illinois

Table 13.--Recreational Development, Part II--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8422A: Cape-----	90	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 0.60
8422A+: Cape-----	90	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 0.60
8426A: Karnak-----	85	Very limited Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00	Very limited Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Flooding	1.00 1.00 1.00 0.60
8426A+: Karnak-----	90	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 0.60
8427B: Burnside-----	90	Not limited		Not limited		Somewhat limited Flooding Large stones content	0.60 0.01
8469A: Emma-----	85	Not limited		Not limited		Somewhat limited Flooding	0.60
8469B: Emma-----	85	Not limited		Not limited		Somewhat limited Flooding	0.60
8469C2: Emma-----	85	Not limited		Not limited		Somewhat limited Flooding Slope	0.60 0.01
8597A: Armiesburg-----	85	Not limited		Not limited		Somewhat limited Flooding	0.60
8693A: Hurst-----	85	Not limited		Not limited		Somewhat limited Flooding Depth to saturated zone	0.60 0.22

Soil Survey of Massac County, Illinois

Table 13.—Recreational Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
MW: Miscellaneous water-	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	

Soil Survey of Massac County, Illinois

Table 14.--Wildlife Habitat

(See text for definitions of terms used in this table. Absence of an entry indicates that no rating is applicable)

Map symbol and soil name	Potential for habitat elements							Potential as habitat for--		
	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hardwood trees	Conif- erous plants	Wetland plants	Shallow water areas	Openland wildlife	Woodland wildlife	Wetland wildlife
99G. Sandstone and Limestone Rock Land										
131B: Alvin-----	Good	Good	Good	Good	Good	Poor	Very poor.	Good	Good	Very poor.
131C: Alvin-----	Fair	Good	Good	Good	Good	Very poor.	Very poor.	Good	Good	Very poor.
131C2: Alvin-----	Fair	Good	Good	Good	Good	Very poor.	Very poor.	Good	Good	Very poor.
131D2: Alvin-----	Fair	Good	Good	Good	Good	Very poor.	Very poor.	Good	Good	Very poor.
131F: Alvin-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
164A: Stoy-----	Good	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair.
164B: Stoy-----	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor.
164C2: Stoy-----	Fair	Good	Good	Good	Good	Poor	Very poor.	Very poor.	Good	Very poor.
165A: Weir-----	Fair	Fair	Fair	Good	Fair	Good	Good	Fair	Fair	Good.
175B: Lamont-----	Good	Good	Good	Good	Good	Poor	Very poor.	Good	Good	Very poor.
175C2: Lamont-----	Fair	Good	Good	Good	Good	Very poor.	Very poor.	Good	Good	Very poor.
175D2: Lamont-----	Fair	Good	Good	Good	Good	Very poor.	Very poor.	Good	Good	Very poor.
214B: Hosmer-----	Fair	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor.
214C2: Hosmer-----	Fair	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor.

Soil Survey of Massac County, Illinois

Table 14.--Wildlife Habitat--Continued

Map symbol and soil name	Potential for habitat elements							Potential as habitat for--		
	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hardwood trees	Conif- erous plants	Wetland plants	Shallow water areas	Openland wildlife	Woodland wildlife	Wetland wildlife
214C3: Hosmer-----	Fair	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor.
214D2: Hosmer-----	Fair	Good	Good	Good	Good	Very poor.	Very poor.	Good	Good	Very poor.
214D3: Hosmer-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
308B: Alford-----	Good	Good	Good	Good	Good	Poor	Very poor.	Good	Good	Very poor.
308C2: Alford-----	Good	Good	Good	Good	Good	Poor	Very poor.	Good	Good	Very poor.
308C3: Alford-----	Fair	Good	Good	Good	Good	Very poor.	Very poor.	Good	Good	Very poor.
308D2: Alford-----	Fair	Good	Good	Good	Good	Very poor.	Very poor.	Good	Good	Very poor.
308D3: Alford-----	Fair	Good	Good	Good	Good	Very poor.	Very poor.	Good	Good	Very poor.
308E: Alford-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
308E2: Alford-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
308E3: Alford-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
308F: Alford-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
339C: Wellston-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
339C2: Wellston-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
339D: Wellston-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.

Soil Survey of Massac County, Illinois

Table 14.--Wildlife Habitat--Continued

Map symbol and soil name	Potential for habitat elements							Potential as habitat for--		
	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hardwood trees	Conif- erous plants	Wetland plants	Shallow water areas	Openland wildlife	Woodland wildlife	Wetland wildlife
339D2: Wellston-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
339D3: Wellston-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
339F: Wellston-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
340C2: Zanesville---	Fair	Good	Good	Good	Good	Very poor.	Very poor.	Good	Good	Very poor.
340C3: Zanesville---	Fair	Good	Good	Good	Good	Very poor.	Very poor.	Good	Good	Very poor.
340D: Zanesville---	Fair	Good	Good	Good	Good	Very poor.	Very poor.	Good	Good	Very poor.
340D2: Zanesville---	Fair	Good	Good	Good	Good	Very poor.	Very poor.	Good	Good	Very poor.
340D3: Zanesville---	Poor	Good	Good	Good	Good	Very poor.	Very poor.	Good	Good	Very poor.
453C2: Muren-----	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor.
453D2: Muren-----	Good	Fair	Good	Good	Good	Poor	Poor	Good	Good	Poor.
691D: Beasley-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
691F: Beasley-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
691G: Beasley-----	Very poor.	Poor	Poor	Good	Good	Very poor.	Very poor.	Poor	Good	Very poor.
801B: Orthents, silty-----	Good	Good	Good	Good	Good	Fair	Poor	Good	Good	Poor.
802D: Orthents, loamy-----	Fair	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.

Soil Survey of Massac County, Illinois

Table 14.--Wildlife Habitat--Continued

Map symbol and soil name	Potential for habitat elements							Potential as habitat for--		
	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hardwood trees	Conif- erous plants	Wetland plants	Shallow water areas	Openland wildlife	Woodland wildlife	Wetland wildlife
864. Pits, quarries										
865. Pits, gravel										
955D: Muskingum----	Very poor.	Poor	Good	Fair	Fair	Very poor.	Very poor.	Poor	Fair	Very poor.
Berks-----	Poor	Fair	Fair	Poor	Poor	Very poor.	Very poor.	Fair	Poor	Very poor.
955D2: Muskingum----	Very poor.	Poor	Good	Fair	Fair	Very poor.	Very poor.	Poor	Fair	Very poor.
Berks-----	Poor	Fair	Fair	Poor	Poor	Very poor.	Very poor.	Fair	Poor	Very poor.
955F: Muskingum----	Very poor.	Poor	Good	Fair	Fair	Very poor.	Very poor.	Poor	Fair	Very poor.
Berks-----	Poor	Fair	Fair	Poor	Poor	Very poor.	Very poor.	Fair	Poor	Very poor.
955G: Muskingum----	Very poor.	Poor	Good	Fair	Fair	Very poor.	Very poor.	Poor	Fair	Very poor.
Berks-----	Very poor.	Poor	Fair	Poor	Poor	Very poor.	Very poor.	Poor	Poor	Very poor.
956B: Brandon-----	Good	Good	Good	Good	Good	Poor	Very poor.	Good	Good	Very poor.
Saffell-----	Fair	Fair	Fair	Fair	Fair	Very poor.	Very poor.	Fair	Fair	Very poor.
956C2: Brandon-----	Fair	Good	Good	Good	Good	Very poor.	Very poor.	Good	Good	Very poor.
Saffell-----	Fair	Fair	Fair	Fair	Fair	Very poor.	Very poor.	Fair	Fair	Very poor.
956C3: Brandon-----	Fair	Good	Good	Good	Good	Very poor.	Very poor.	Good	Good	Very poor.
Saffell-----	Fair	Fair	Fair	Fair	Fair	Very poor.	Very poor.	Fair	Fair	Very poor.

Soil Survey of Massac County, Illinois

Table 14.—Wildlife Habitat—Continued

Map symbol and soil name	Potential for habitat elements							Potential as habitat for--		
	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hardwood trees	Conif- erous plants	Wetland plants	Shallow water areas	Openland wildlife	Woodland wildlife	Wetland wildlife
956D: Brandon-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
Saffell-----	Poor	Fair	Fair	Fair	Fair	Very poor.	Very poor.	Fair	Fair	Very poor.
956D2: Brandon-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
Saffell-----	Poor	Fair	Fair	Fair	Fair	Very poor.	Very poor.	Fair	Fair	Very poor.
956D3: Brandon-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
Saffell-----	Poor	Fair	Fair	Fair	Fair	Very poor.	Very poor.	Fair	Fair	Very poor.
956E2: Brandon-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
Saffell-----	Poor	Fair	Fair	Fair	Fair	Very poor.	Very poor.	Fair	Fair	Very poor.
956F: Brandon-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
Saffell-----	Poor	Fair	Fair	Fair	Fair	Very poor.	Very poor.	Fair	Fair	Very poor.
986D: Wellston-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
Berks-----	Poor	Fair	Fair	Poor	Poor	Very poor.	Very poor.	Fair	Poor	Very poor.
986D2: Wellston-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
Berks-----	Poor	Fair	Fair	Poor	Poor	Very poor.	Very poor.	Fair	Poor	Very poor.
986F: Wellston-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
Berks-----	Very poor.	Poor	Fair	Poor	Poor	Very poor.	Very poor.	Poor	Poor	Very poor.

Soil Survey of Massac County, Illinois

Table 14.--Wildlife Habitat--Continued

Map symbol and soil name	Potential for habitat elements							Potential as habitat for--		
	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hardwood trees	Conif- erous plants	Wetland plants	Shallow water areas	Openland wildlife	Woodland wildlife	Wetland wildlife
986G: Wellston-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
Berks-----	Very poor.	Poor	Fair	Poor	Poor	Very poor.	Very poor.	Poor	Poor	Very poor.
1843A: Bonnie-----	Poor	Fair	Fair	Fair	Poor	Good	Good	Fair	Fair	Good.
Petrolia-----	Fair	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good.
1846A: Karnak-----	Very poor.	Very poor.	Very poor.	Poor	Poor	Good	Good	Very poor.	Poor	Good.
Cape-----	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good.
3070A: Beaucoup-----	Fair	Fair	Fair	Good	Fair	Good	Good	Fair	Fair	Good.
3071A: Darwin-----	Poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good.
3071L: Darwin-----	Poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good.
3072A: Sharon-----	Fair	Fair	Fair	Good	Good	Poor	Very poor.	Fair	Good	Very poor.
3072L: Sharon-----	Good	Good	Good	Good	Good	Poor	Very poor.	Good	Good	Very poor.
3108A: Bonnie-----	Poor	Fair	Fair	Fair	Poor	Good	Good	Fair	Fair	Good.
3108L: Bonnie-----	Poor	Fair	Fair	Fair	Poor	Good	Good	Fair	Fair	Good.
3180A: Dupo-----	Poor	Fair	Fair	Good	Good	Fair	Fair	Fair	Good	Fair.
3288A: Petrolia-----	Fair	Fair	Fair	Good	Fair	Good	Good	Fair	Fair	Good.
3288L: Petrolia-----	Fair	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good.
3382A: Belknap-----	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Good	Fair.
3382L: Belknap-----	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair.
3422A: Cape-----	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good.

Soil Survey of Massac County, Illinois

Table 14.--Wildlife Habitat--Continued

Map symbol and soil name	Potential for habitat elements							Potential as habitat for--		
	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hardwood trees	Conif- erous plants	Wetland plants	Shallow water areas	Openland wildlife	Woodland wildlife	Wetland wildlife
3422A+: Cape-----	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good.
3426A: Karnak-----	Very poor.	Poor	Poor	Fair	Very poor.	Good	Good	Poor	Fair	Good.
3426A+: Karnak-----	Very poor.	Poor	Poor	Fair	Very poor.	Good	Good	Poor	Fair	Good.
3426L: Karnak-----	Very poor.	Poor	Poor	Fair	Very poor.	Good	Good	Poor	Fair	Good.
3449L: Armiesburg---	Poor	Fair	Good	Good	Good	Poor	Poor	Fair	Good	Poor.
Sarpy-----	Poor	Poor	Fair	Poor	Poor	Very poor.	Very poor.	Poor	Poor	Very poor.
3597A: Armiesburg---	Poor	Fair	Good	Good	Good	Poor	Poor	Fair	Good	Poor.
3597L: Armiesburg---	Poor	Fair	Good	Good	Good	Poor	Poor	Fair	Good	Poor.
7131A: Alvin-----	Good	Fair	Good	Good	Good	Poor	Poor	Good	Good	Poor.
7131B: Alvin-----	Good	Fair	Good	Good	Good	Poor	Poor	Good	Good	Poor.
7131C2: Alvin-----	Good	Fair	Good	Good	Good	Poor	Poor	Good	Good	Poor.
7131D2: Alvin-----	Fair	Fair	Good	Good	Good	Very poor.	Very poor.	Good	Good	Very poor.
7460A: Ginat-----	Fair	Poor	Poor	Poor	Poor	Good	Good	Poor	Poor	Good.
7462A: Sciotoville--	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor.
7462B: Sciotoville--	Fair	Good	Good	Good	Good	Poor	Very poor.	Good	Good	Very poor.
7462C2: Sciotoville--	Fair	Good	Good	Good	Good	Poor	Very poor.	Good	Good	Very poor.
7462C3: Sciotoville--	Fair	Good	Good	Good	Good	Poor	Very poor.	Good	Good	Very poor.

Soil Survey of Massac County, Illinois

Table 14.--Wildlife Habitat--Continued

Map symbol and soil name	Potential for habitat elements							Potential as habitat for--		
	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hardwood trees	Conif- erous plants	Wetland plants	Shallow water areas	Openland wildlife	Woodland wildlife	Wetland wildlife
7462D2: Sciotoville--	Fair	Good	Good	Good	Good	Very poor.	Very poor.	Good	Good	Very poor.
7462D3: Sciotoville--	Fair	Good	Good	Good	Good	Very poor.	Very poor.	Good	Good	Very poor.
7463A: Wheeling-----	Good	Good	Good	Good	Good	Poor	Very poor.	Good	Good	Very poor.
7463B: Wheeling-----	Fair	Good	Good	Good	Good	Poor	Very poor.	Good	Good	Very poor.
7463C2: Wheeling-----	Fair	Good	Good	Good	Good	Poor	Very poor.	Good	Good	Very poor.
7463D2: Wheeling-----	Fair	Good	Good	Good	Good	Very poor.	Very poor.	Good	Good	Very poor.
7463E2: Wheeling-----	Poor	Fair	Good	Good	Good	Very poor.	Very poor.	Fair	Good	Very poor.
7483A: Henshaw-----	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair.
7711A: Hatfield-----	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair.
7711B: Hatfield-----	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair.
7711B2: Hatfield-----	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair.
8070A: Beaucoup-----	Good	Good	Good	Fair	Fair	Good	Good	Good	Fair	Good.
8071A: Darwin-----	Poor	Poor	Fair	Poor	Poor	Good	Good	Poor	Poor	Good.
8072A: Sharon-----	Good	Good	Good	Good	Good	Poor	Very poor.	Good	Good	Very poor.
8108A: Bonnie-----	Poor	Fair	Fair	Fair	Poor	Good	Good	Fair	Fair	Good.
8109A: Raccoon-----	Fair	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good.
8180A: Dupo-----	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair.

Soil Survey of Massac County, Illinois

Table 14.--Wildlife Habitat--Continued

Map symbol and soil name	Potential for habitat elements							Potential as habitat for--		
	Grain and seed crops	Grasses and legumes	Wild herba- ceous plants	Hardwood trees	Conif- erous plants	Wetland plants	Shallow water areas	Openland wildlife	Woodland wildlife	Wetland wildlife
8288A: Petrolia-----	Fair	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good.
8382A: Belknap-----	Fair	Good	Good	Good	Good	Fair	Fair	Good	Good	Fair.
8420A: Piopolis-----	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good.
8422A: Cape-----	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good.
8422A+: Cape-----	Poor	Fair	Fair	Fair	Fair	Good	Good	Fair	Fair	Good.
8426A: Karnak-----	Very poor.	Poor	Poor	Fair	Very poor.	Good	Good	Poor	Fair	Good.
8426A+: Karnak-----	Very poor.	Poor	Poor	Fair	Very poor.	Good	Good	Poor	Fair	Good.
8427B: Burnside-----	Fair	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor.
8469A: Emma-----	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor.
8469B: Emma-----	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor.
8469C2: Emma-----	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor.
8597A: Armiesburg---	Good	Good	Good	Good	Good	Poor	Poor	Good	Good	Poor.
8693A: Hurst-----	Fair	Good	Good	Good	Fair	Fair	Fair	Good	Good	Fair.
MW. Miscellaneous water										
W. Water										

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part I

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
99G: Sandstone Rock Land-	45	Not rated		Not rated		Not rated	
Limestone Rock Land-	40	Not rated		Not rated		Not rated	
131B: Alvin-----	90	Not limited		Not limited		Not limited	
131C: Alvin-----	90	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
131C2: Alvin-----	90	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
131D2: Alvin-----	90	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
131F: Alvin-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
164A: Stoy-----	90	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.39
164B: Stoy-----	90	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.39
164C2: Stoy-----	90	Somewhat limited Shrink-swell Depth to saturated zone Slope	0.50 0.39 0.01	Very limited Depth to saturated zone Slope	1.00 0.01	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.39
165A: Weir-----	90	Very limited Depth to saturated zone Shrink-swell Ponding	1.00 1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Shrink-swell Ponding	1.00 1.00 1.00
175B: Lamont-----	90	Not limited		Not limited		Not limited	

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part I—Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
175C2: Lamont-----	90	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
175D2: Lamont-----	90	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
214B: Hosmer-----	85	Somewhat limited Shrink-swell	0.50	Somewhat limited Depth to saturated zone Shrink-swell	0.99 0.50	Somewhat limited Shrink-swell	0.50
214C2: Hosmer-----	85	Somewhat limited Shrink-swell Slope	0.50 0.01	Somewhat limited Depth to saturated zone Shrink-swell Slope	0.99 0.50 0.01	Very limited Slope Shrink-swell	1.00 0.50
214C3: Hosmer-----	85	Somewhat limited Shrink-swell Slope	0.50 0.01	Somewhat limited Depth to saturated zone Shrink-swell Slope	0.99 0.50 0.01	Very limited Slope Shrink-swell	1.00 0.50
214D2: Hosmer-----	85	Somewhat limited Slope Shrink-swell	0.96 0.50	Somewhat limited Depth to saturated zone Slope Shrink-swell	0.99 0.96 0.50	Very limited Slope Shrink-swell	1.00 0.50
214D3: Hosmer-----	85	Somewhat limited Slope Shrink-swell	0.96 0.50	Somewhat limited Depth to saturated zone Slope Shrink-swell	0.99 0.96 0.50	Very limited Slope Shrink-swell	1.00 0.50
308B: Alford-----	90	Somewhat limited Shrink-swell	0.50	Not limited		Somewhat limited Shrink-swell	0.50
308C2: Alford-----	90	Somewhat limited Shrink-swell Slope	0.50 0.01	Somewhat limited Slope	0.01	Very limited Slope Shrink-swell	1.00 0.50
308C3: Alford-----	90	Somewhat limited Shrink-swell Slope	0.50 0.01	Somewhat limited Slope	0.01	Very limited Slope Shrink-swell	1.00 0.50
308D2: Alford-----	90	Somewhat limited Slope Shrink-swell	0.96 0.50	Somewhat limited Slope	0.96	Very limited Slope Shrink-swell	1.00 0.50

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part I—Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
308D3: Alford-----	90	Somewhat limited Slope Shrink-swell	0.96 0.50	Somewhat limited Slope	0.96	Very limited Slope Shrink-swell	1.00 0.50
308E: Alford-----	90	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope	1.00	Very limited Slope Shrink-swell	1.00 0.50
308E2: Alford-----	90	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope	1.00	Very limited Slope Shrink-swell	1.00 0.50
308E3: Alford-----	90	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope	1.00	Very limited Slope Shrink-swell	1.00 0.50
308F: Alford-----	90	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope	1.00	Very limited Slope Shrink-swell	1.00 0.50
339C: Wellston-----	90	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
339C2: Wellston-----	90	Somewhat limited Slope	0.01	Somewhat limited Depth to hard bedrock Slope	0.02 0.01	Very limited Slope	1.00
339D: Wellston-----	90	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
339D2: Wellston-----	90	Somewhat limited Slope	0.96	Somewhat limited Slope Depth to hard bedrock	0.96 0.02	Very limited Slope	1.00
339D3: Wellston-----	90	Somewhat limited Slope	0.96	Somewhat limited Slope Depth to hard bedrock	0.96 0.08	Very limited Slope	1.00
339F: Wellston-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part I—Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
340C2: Zanesville-----	85	Somewhat limited Slope	0.01	Somewhat limited Depth to saturated zone Depth to hard bedrock Slope	0.99 0.02 0.01	Very limited Slope	1.00
340C3: Zanesville-----	85	Somewhat limited Slope	0.01	Somewhat limited Depth to saturated zone Depth to hard bedrock Slope	0.99 0.08 0.01	Very limited Slope	1.00
340D: Zanesville-----	85	Somewhat limited Slope	0.96	Somewhat limited Depth to saturated zone Slope	0.99 0.96	Very limited Slope	1.00
340D2: Zanesville-----	85	Somewhat limited Slope	0.96	Somewhat limited Depth to saturated zone Slope Depth to hard bedrock	0.99 0.96 0.02	Very limited Slope	1.00
340D3: Zanesville-----	85	Somewhat limited Slope	0.96	Somewhat limited Depth to saturated zone Slope Depth to hard bedrock	0.99 0.96 0.08	Very limited Slope	1.00
453C2: Muren-----	90	Somewhat limited Depth to saturated zone Shrink-swell Slope	0.95 0.50 0.01	Very limited Depth to saturated zone Shrink-swell Slope	1.00 0.50 0.01	Very limited Slope Depth to saturated zone Shrink-swell	1.00 0.95 0.50
453D2: Muren-----	90	Somewhat limited Slope Depth to saturated zone Shrink-swell	0.96 0.95 0.50	Very limited Depth to saturated zone Slope Shrink-swell	1.00 0.96 0.50	Very limited Slope Depth to saturated zone Shrink-swell	1.00 0.95 0.50
691D: Beasley-----	90	Somewhat limited Slope Shrink-swell	0.96 0.50	Somewhat limited Slope Shrink-swell	0.96 0.50	Very limited Slope Shrink-swell	1.00 0.50

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part I—Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
691F: Beasley-----	90	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
691G: Beasley-----	90	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
801B: Orthents, silty----	90	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
802D: Orthents, loamy----	90	Somewhat limited Shrink-swell Slope	0.50 0.37	Somewhat limited Shrink-swell Slope	0.50 0.37	Very limited Slope Shrink-swell	1.00 0.50
864: Pits, quarries-----	100	Not rated		Not rated		Not rated	
865: Pits, gravel-----	100	Not rated		Not rated		Not rated	
955D: Muskingum-----	55	Somewhat limited Slope Depth to hard bedrock	0.96 0.15	Very limited Depth to hard bedrock Slope Depth to soft bedrock	1.00 0.96 0.15	Very limited Slope Depth to hard bedrock	1.00 0.15
Berks-----	40	Somewhat limited Slope Depth to hard bedrock	0.96 0.64	Very limited Depth to hard bedrock Slope	1.00 0.96	Very limited Slope Depth to hard bedrock	1.00 0.64
955D2: Muskingum-----	55	Somewhat limited Slope Depth to hard bedrock	0.96 0.35	Very limited Depth to hard bedrock Slope Depth to soft bedrock	1.00 0.96 0.35	Very limited Slope Depth to hard bedrock	1.00 0.35
Berks-----	40	Somewhat limited Slope Depth to hard bedrock	0.96 0.84	Very limited Depth to hard bedrock Slope	1.00 0.96	Very limited Slope Depth to hard bedrock	1.00 0.84
955F: Muskingum-----	55	Very limited Slope Depth to hard bedrock	1.00 0.15	Very limited Slope Depth to hard bedrock Depth to soft bedrock	1.00 1.00 0.15	Very limited Slope Depth to hard bedrock	1.00 0.15

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part I—Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
955F: Berks-----	40	Very limited Slope Depth to hard bedrock	1.00 0.64	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 0.64
955G: Muskingum-----	55	Very limited Slope Depth to hard bedrock	1.00 0.15	Very limited Slope Depth to hard bedrock Depth to soft bedrock	1.00 1.00 0.15	Very limited Slope Depth to hard bedrock	1.00 0.15
Berks-----	40	Very limited Slope Depth to hard bedrock	1.00 0.64	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 0.64
956B: Brandon-----	55	Not limited		Not limited		Not limited	
Saffell-----	40	Not limited		Not limited		Not limited	
956C2: Brandon-----	55	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
Saffell-----	40	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
956C3: Brandon-----	55	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
Saffell-----	40	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Very limited Slope	1.00
956D: Brandon-----	55	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
Saffell-----	40	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
956D2: Brandon-----	55	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
Saffell-----	40	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
956D3: Brandon-----	55	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
Saffell-----	40	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part I—Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
956E2: Brandon-----	55	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Saffell-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
956F: Brandon-----	55	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Saffell-----	40	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
986D: Wellston-----	50	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Very limited Slope	1.00
Berks-----	45	Somewhat limited Slope Depth to hard bedrock	0.96 0.64	Very limited Depth to hard bedrock Slope	1.00 0.96	Very limited Slope Depth to hard bedrock	1.00 0.64
986D2: Wellston-----	50	Somewhat limited Slope	0.96	Somewhat limited Slope Depth to hard bedrock	0.96 0.02	Very limited Slope	1.00
Berks-----	45	Somewhat limited Slope Depth to hard bedrock	0.96 0.84	Very limited Depth to hard bedrock Slope	1.00 0.96	Very limited Slope Depth to hard bedrock	1.00 0.84
986F: Wellston-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Berks-----	45	Very limited Slope Depth to hard bedrock	1.00 0.64	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 0.64
986G: Wellston-----	50	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
Berks-----	45	Very limited Slope Depth to hard bedrock	1.00 0.64	Very limited Slope Depth to hard bedrock	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 0.64
1843A: Bonnie-----	40	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part I—Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1843A: Petrolia-----	40	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50
1846A: Karnak-----	55	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00
Cape-----	35	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00
3070A: Beaucoup-----	90	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50
3071A: Darwin-----	90	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00
3071L: Darwin-----	90	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00
3072A: Sharon-----	85	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.61	Very limited Flooding	1.00
3072L: Sharon-----	90	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.61	Very limited Flooding	1.00

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part I—Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3108A: Bonnie-----	90	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3108L: Bonnie-----	90	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3180A: Dupo-----	85	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
3288A: Petrolia-----	90	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50
3288L: Petrolia-----	90	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50
3382A: Belknap-----	85	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
3382L: Belknap-----	95	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
3422A: Cape-----	90	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part I—Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3422A+: Cape-----	90	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00
3426A: Karnak-----	85	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00
3426A+: Karnak-----	90	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00
3426L: Karnak-----	85	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00
3449L: Armiesburg-----	45	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Shrink-swell	1.00 0.50
Sarpy-----	35	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
3597A: Armiesburg-----	90	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Shrink-swell	1.00 0.50
3597L: Armiesburg-----	90	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Shrink-swell	1.00 0.50
7131A: Alvin-----	90	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
7131B: Alvin-----	90	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part I—Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7131C2: Alvin-----	90	Very limited Flooding Slope	1.00 0.01	Very limited Flooding Slope	1.00 0.01	Very limited Flooding Slope	1.00 1.00
7131D2: Alvin-----	90	Very limited Flooding Slope	1.00 0.96	Very limited Flooding Slope	1.00 0.96	Very limited Slope Flooding	1.00 1.00
7460A: Ginat-----	95	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
7462A: Sciotoville-----	95	Very limited Flooding Depth to saturated zone	1.00 0.07	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.07
7462B: Sciotoville-----	95	Very limited Flooding Depth to saturated zone	1.00 0.07	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 0.07
7462C2: Sciotoville-----	95	Very limited Flooding Depth to saturated zone Slope	1.00 0.07 0.01	Very limited Flooding Depth to saturated zone Slope	1.00 1.00 0.01	Very limited Flooding Slope Depth to saturated zone	1.00 1.00 0.07
7462C3: Sciotoville-----	95	Very limited Flooding Depth to saturated zone Slope	1.00 0.07 0.01	Very limited Flooding Depth to saturated zone Slope	1.00 1.00 0.01	Very limited Flooding Slope Depth to saturated zone	1.00 1.00 0.07
7462D2: Sciotoville-----	95	Very limited Flooding Slope Depth to saturated zone	1.00 0.96 0.07	Very limited Flooding Depth to saturated zone Slope	1.00 1.00 0.96	Very limited Slope Flooding Depth to saturated zone	1.00 1.00 0.07
7462D3: Sciotoville-----	95	Very limited Flooding Slope Depth to saturated zone	1.00 0.96 0.07	Very limited Flooding Depth to saturated zone Slope	1.00 1.00 0.96	Very limited Slope Flooding Depth to saturated zone	1.00 1.00 0.07

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part I—Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7463A: Wheeling-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
7463B: Wheeling-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
7463C2: Wheeling-----	95	Very limited Flooding Slope	1.00 0.01	Very limited Flooding Slope	1.00 0.01	Very limited Flooding Slope	1.00 1.00
7463D2: Wheeling-----	95	Very limited Flooding Slope	1.00 0.96	Very limited Flooding Slope	1.00 0.96	Very limited Slope Flooding	1.00 1.00
7463E2: Wheeling-----	95	Very limited Slope Flooding	1.00 1.00	Very limited Slope Flooding	1.00 1.00	Very limited Slope Flooding	1.00 1.00
7483A: Henshaw-----	90	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
7711A: Hatfield-----	95	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00
7711B: Hatfield-----	95	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00
7711B2: Hatfield-----	95	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00
8070A: Beaucoup-----	90	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part I—Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8071A: Darwin-----	90	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00
8072A: Sharon-----	90	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.61	Very limited Flooding	1.00
8108A: Bonnie-----	90	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
8109A: Raccoon-----	85	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
8180A: Dupo-----	85	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
8288A: Petrolia-----	90	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50
8382A: Belknap-----	95	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
8420A: Piopolis-----	90	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 0.50

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part I—Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8422A: Cape-----	90	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00
8422A+: Cape-----	90	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00
8426A: Karnak-----	85	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00
8426A+: Karnak-----	90	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00 1.00
8427B: Burnside-----	90	Very limited Flooding	1.00	Very limited Flooding Depth to hard bedrock	1.00 0.02	Very limited Flooding	1.00
8469A: Emma-----	85	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.90 0.50	Very limited Flooding Shrink-swell	1.00 0.50
8469B: Emma-----	85	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.90 0.50	Very limited Flooding Shrink-swell	1.00 0.50
8469C2: Emma-----	85	Very limited Flooding Shrink-swell Slope	1.00 0.50 0.01	Very limited Flooding Depth to saturated zone Shrink-swell Slope	1.00 0.90 0.50 0.01	Very limited Flooding Slope Shrink-swell	1.00 1.00 0.50

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part I—Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8597A: Armiesburg-----	85	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Shrink-swell	1.00 0.50
8693A: Hurst-----	85	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 1.00 0.44	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 1.00 0.44
MW: Miscellaneous water-	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part II

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
99G: Sandstone Rock Land-	45	Not rated		Not rated		Not rated	
Limestone Rock Land-	40	Not rated		Not rated		Not rated	
131B: Alvin-----	90	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
131C: Alvin-----	90	Somewhat limited Frost action Slope	0.50 0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Slope	0.01
131C2: Alvin-----	90	Somewhat limited Frost action Slope	0.50 0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Slope	0.01
131D2: Alvin-----	90	Somewhat limited Slope Frost action	0.96 0.50	Very limited Cutbanks cave Slope	1.00 0.96	Somewhat limited Slope	0.96
131F: Alvin-----	90	Very limited Slope Frost action	1.00 0.50	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00
164A: Stoy-----	90	Very limited Frost action Low strength Shrink-swell Depth to saturated zone	1.00 1.00 0.50 0.19	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Somewhat limited Depth to saturated zone	0.19
164B: Stoy-----	90	Very limited Frost action Low strength Shrink-swell Depth to saturated zone	1.00 1.00 0.50 0.19	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Somewhat limited Depth to saturated zone	0.19
164C2: Stoy-----	90	Very limited Frost action Low strength Shrink-swell Depth to saturated zone Slope	1.00 1.00 0.50 0.19 0.01	Very limited Depth to saturated zone Cutbanks cave Slope	1.00 0.10 0.01	Somewhat limited Depth to saturated zone Slope	0.19 0.01

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
165A: Weir-----	90	Very limited Depth to saturated zone Frost action Low strength Shrink-swell Ponding	1.00 1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Ponding Cutbanks cave	1.00 1.00 0.10	Very limited Depth to saturated zone Ponding	1.00 1.00
175B: Lamont-----	90	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
175C2: Lamont-----	90	Somewhat limited Frost action Slope	0.50 0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Slope	0.01
175D2: Lamont-----	90	Somewhat limited Slope Frost action	0.96 0.50	Very limited Cutbanks cave Slope	1.00 0.96	Somewhat limited Slope	0.96
214B: Hosmer-----	85	Very limited Frost action Low strength Shrink-swell	1.00 0.78 0.50	Somewhat limited Depth to saturated zone Cutbanks cave	0.99 0.10	Somewhat limited Depth to cemented pan	0.64
214C2: Hosmer-----	85	Very limited Frost action Low strength Shrink-swell Slope	1.00 0.78 0.50 0.01	Somewhat limited Depth to saturated zone Cutbanks cave Slope	0.99 0.10 0.01	Somewhat limited Depth to cemented pan Slope	0.86 0.01
214C3: Hosmer-----	85	Very limited Frost action Low strength Shrink-swell Slope	1.00 0.78 0.50 0.01	Somewhat limited Depth to saturated zone Cutbanks cave Slope	0.99 0.10 0.01	Somewhat limited Depth to cemented pan Slope	0.95 0.01
214D2: Hosmer-----	85	Very limited Frost action Slope Low strength Shrink-swell	1.00 0.96 0.78 0.50	Somewhat limited Depth to saturated zone Slope Cutbanks cave	0.99 0.96 0.10	Somewhat limited Slope Depth to cemented pan	0.96 0.86
214D3: Hosmer-----	85	Very limited Frost action Slope Low strength Shrink-swell	1.00 0.96 0.78 0.50	Somewhat limited Depth to saturated zone Slope Cutbanks cave	0.99 0.96 0.10	Somewhat limited Slope Depth to cemented pan	0.96 0.95

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part II—Continued

Map symbol name	Pct. map unit	Local roads and		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
308B: Alford-----	90	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	
308C2: Alford-----	90	Very limited Frost action Low strength Shrink-swell Slope	1.00 1.00 0.50 0.01	Somewhat limited Cutbanks cave Slope	0.10 0.01	Somewhat limited Slope	0.01
308C3: Alford-----	90	Very limited Frost action Low strength Shrink-swell Slope	1.00 1.00 0.50 0.01	Somewhat limited Cutbanks cave Slope	0.10 0.01	Somewhat limited Slope	0.01
308D2: Alford-----	90	Very limited Frost action Low strength Slope Shrink-swell	1.00 1.00 0.96 0.50	Somewhat limited Slope Cutbanks cave	0.96 0.10	Somewhat limited Slope	0.96
308D3: Alford-----	90	Very limited Frost action Low strength Slope Shrink-swell	1.00 1.00 0.96 0.50	Somewhat limited Slope Cutbanks cave	0.96 0.10	Somewhat limited Slope	0.96
308E: Alford-----	90	Very limited Slope Frost action Low strength Shrink-swell	1.00 1.00 1.00 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
308E2: Alford-----	90	Very limited Slope Frost action Low strength Shrink-swell	1.00 1.00 1.00 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
308E3: Alford-----	90	Very limited Slope Frost action Low strength Shrink-swell	1.00 1.00 1.00 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
308F: Alford-----	90	Very limited Slope Frost action Low strength Shrink-swell	1.00 1.00 1.00 0.50	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
339C: Wellston-----	90	Very limited Frost action Low strength Slope	1.00 1.00 0.01	Somewhat limited Cutbanks cave Slope	0.10 0.01	Somewhat limited Slope	0.01
339C2: Wellston-----	90	Very limited Frost action Slope	1.00 0.01	Somewhat limited Cutbanks cave Depth to hard bedrock Slope	0.10 0.02 0.01	Somewhat limited Slope	0.01
339D: Wellston-----	90	Very limited Frost action Slope	1.00 0.96	Somewhat limited Slope Cutbanks cave	0.96 0.10	Somewhat limited Slope	0.96
339D2: Wellston-----	90	Very limited Frost action Slope	1.00 0.96	Somewhat limited Slope Cutbanks cave Depth to hard bedrock	0.96 0.10 0.02	Somewhat limited Slope	0.96
339D3: Wellston-----	90	Very limited Frost action Slope	1.00 0.96	Somewhat limited Slope Cutbanks cave Depth to hard bedrock	0.96 0.10 0.08	Somewhat limited Slope	0.96
339F: Wellston-----	90	Very limited Slope Frost action	1.00 1.00	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
340C2: Zanesville-----	85	Very limited Frost action Slope	1.00 0.01	Somewhat limited Depth to saturated zone Depth to hard bedrock Slope	0.99 0.02 0.01	Very limited Depth to cemented pan Droughty Slope	1.00 0.01 0.01
340C3: Zanesville-----	85	Very limited Frost action Slope	1.00 0.01	Somewhat limited Depth to saturated zone Depth to hard bedrock Slope	0.99 0.08 0.01	Very limited Depth to cemented pan Droughty Slope	1.00 0.16 0.01
340D: Zanesville-----	85	Very limited Frost action Slope	1.00 0.96	Somewhat limited Depth to saturated zone Slope Cutbanks cave	0.99 0.96 0.10	Somewhat limited Depth to cemented pan Slope	0.97 0.96

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
340D2: Zanesville-----	85	Very limited Frost action Slope	1.00 0.96	Somewhat limited Depth to saturated zone Slope Depth to hard bedrock	0.99 0.96 0.02	Very limited Depth to cemented pan Slope Droughty	1.00 0.96 0.01
340D3: Zanesville-----	85	Very limited Frost action Slope	1.00 0.96	Somewhat limited Depth to saturated zone Slope Depth to hard bedrock	0.99 0.96 0.08	Very limited Depth to cemented pan Slope Droughty	1.00 0.96 0.16
453C2: Muren-----	90	Very limited Frost action Depth to saturated zone Shrink-swell Slope	1.00 0.68 0.50 0.01	Very limited Depth to saturated zone Cutbanks cave Slope	1.00 0.10 0.01	Somewhat limited Depth to saturated zone Slope	0.68 0.01
453D2: Muren-----	90	Very limited Frost action Slope Depth to saturated zone Shrink-swell	1.00 0.96 0.68 0.50	Very limited Depth to saturated zone Slope Cutbanks cave	1.00 0.96 0.10	Somewhat limited Slope Depth to saturated zone	0.96 0.68
691D: Beasley-----	90	Somewhat limited Slope Shrink-swell	0.96 0.50	Very limited Cutbanks cave Slope Too clayey	1.00 0.96 0.18	Somewhat limited Slope	0.96
691F: Beasley-----	90	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Cutbanks cave Too clayey	1.00 1.00 0.18	Very limited Slope	1.00
691G: Beasley-----	90	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Cutbanks cave Too clayey	1.00 1.00 0.18	Very limited Slope	1.00
801B: Orthents, silty----	90	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.50	Somewhat limited Cutbanks cave	0.10	Not limited	

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
802D: Orthents, loamy-----	90	Very limited Low strength Shrink-swell Frost action Slope	1.00 0.50 0.50 0.37	Somewhat limited Dense layer Slope Cutbanks cave	0.50 0.37 0.10	Somewhat limited Slope	0.37
864: Pits, quarries-----	100	Not rated		Not rated		Not rated	
865: Pits, gravel-----	100	Not rated		Not rated		Not rated	
955D: Muskingum-----	55	Somewhat limited Slope Frost action Depth to hard bedrock	0.96 0.50 0.15	Very limited Depth to hard bedrock Slope Depth to soft bedrock Cutbanks cave	1.00 0.96 0.15 0.10	Somewhat limited Slope Depth to bedrock Large stones content	0.96 0.16 0.01
Berks-----	40	Somewhat limited Slope Depth to hard bedrock	0.96 0.64	Very limited Depth to hard bedrock Slope Cutbanks cave	1.00 0.96 0.10	Somewhat limited Droughty Slope Depth to bedrock Gravel content Large stones content	0.99 0.96 0.65 0.39 0.32
955D2: Muskingum-----	55	Somewhat limited Slope Frost action Depth to hard bedrock	0.96 0.50 0.35	Very limited Depth to hard bedrock Slope Depth to soft bedrock Cutbanks cave	1.00 0.96 0.35 0.10	Somewhat limited Slope Depth to bedrock Large stones content	0.96 0.35 0.01
Berks-----	40	Somewhat limited Slope Depth to hard bedrock	0.96 0.84	Very limited Depth to hard bedrock Slope Cutbanks cave	1.00 0.96 0.10	Very limited Droughty Slope Depth to bedrock Gravel content Large stones content	1.00 0.96 0.84 0.39 0.32
955F: Muskingum-----	55	Very limited Slope Frost action Depth to hard bedrock	1.00 0.50 0.15	Very limited Depth to hard bedrock Slope Depth to soft bedrock Cutbanks cave	1.00 1.00 0.15 0.10	Very limited Slope Depth to bedrock Large stones content	1.00 0.16 0.01

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
955F: Berks-----	40	Very limited Slope Depth to hard bedrock	1.00 0.64	Very limited Depth to hard bedrock Slope Cutbanks cave	1.00 1.00 1.00 0.10	Very limited Slope Droughty Depth to bedrock Gravel content Large stones content	1.00 0.99 0.65 0.39 0.32
955G: Muskingum-----	55	Very limited Slope Frost action Depth to hard bedrock	1.00 0.50 0.15	Very limited Depth to hard bedrock Slope Depth to soft bedrock Cutbanks cave	1.00 1.00 1.00 0.15 0.10	Very limited Slope Depth to bedrock Large stones content	1.00 0.16 0.01
Berks-----	40	Very limited Slope Depth to hard bedrock	1.00 0.64	Very limited Depth to hard bedrock Slope Cutbanks cave	1.00 1.00 1.00 0.10	Very limited Slope Droughty Depth to bedrock Gravel content Large stones content	1.00 0.99 0.65 0.39 0.32
956B: Brandon-----	55	Very limited Frost action	1.00	Very limited Cutbanks cave	1.00	Not limited	
Saffell-----	40	Not limited		Very limited Cutbanks cave Too clayey	1.00 1.00	Somewhat limited Droughty	0.01
956C2: Brandon-----	55	Very limited Frost action Slope	1.00 0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Slope	0.01
Saffell-----	40	Somewhat limited Slope	0.01	Very limited Cutbanks cave Too clayey Slope	1.00 1.00 0.01	Somewhat limited Droughty Slope	0.04 0.01
956C3: Brandon-----	55	Very limited Frost action Slope	1.00 0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Slope	0.01
Saffell-----	40	Somewhat limited Slope	0.01	Very limited Cutbanks cave Too clayey Slope	1.00 1.00 0.01	Somewhat limited Droughty Slope	0.06 0.01
956D: Brandon-----	55	Very limited Frost action Slope	1.00 0.96	Very limited Cutbanks cave Slope	1.00 0.96	Somewhat limited Slope	0.96

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
956D: Saffell-----	40	Somewhat limited Slope	0.96	Very limited Cutbanks cave Too clayey Slope	1.00 1.00 0.96	Somewhat limited Slope Droughty	0.96 0.01
956D2: Brandon-----	55	Very limited Frost action Slope	1.00 0.96	Very limited Cutbanks cave Slope	1.00 0.96	Somewhat limited Slope	0.96
Saffell-----	40	Somewhat limited Slope	0.96	Very limited Cutbanks cave Too clayey Slope	1.00 1.00 0.96	Somewhat limited Slope Droughty	0.96 0.04
956D3: Brandon-----	55	Very limited Frost action Slope	1.00 0.96	Very limited Cutbanks cave Slope	1.00 0.96	Somewhat limited Slope	0.96
Saffell-----	40	Somewhat limited Slope	0.96	Very limited Cutbanks cave Too clayey Slope	1.00 1.00 0.96	Somewhat limited Slope Droughty	0.96 0.06
956E2: Brandon-----	55	Very limited Slope Frost action	1.00 1.00	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00
Saffell-----	40	Very limited Slope	1.00	Very limited Slope Cutbanks cave Too clayey	1.00 1.00 1.00	Very limited Slope Droughty	1.00 0.04
956F: Brandon-----	55	Very limited Slope Frost action	1.00 1.00	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00
Saffell-----	40	Very limited Slope	1.00	Very limited Slope Cutbanks cave Too clayey	1.00 1.00 1.00	Very limited Slope Droughty	1.00 0.01
986D: Wellston-----	50	Very limited Frost action Slope	1.00 0.96	Somewhat limited Slope Cutbanks cave	0.96 0.10	Somewhat limited Slope	0.96
Berks-----	45	Somewhat limited Slope Depth to hard bedrock	0.96 0.64	Very limited Depth to hard bedrock Slope Cutbanks cave	1.00 0.96 0.10	Somewhat limited Droughty Slope Depth to bedrock Gravel content Large stones content	0.99 0.96 0.65 0.39 0.32

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
986D2: Wellston-----	50	Very limited Frost action Slope	1.00 0.96	Somewhat limited Slope Cutbanks cave Depth to hard bedrock	0.96 0.10 0.02	Somewhat limited Slope	0.96
Berks-----	45	Somewhat limited Slope Depth to hard bedrock	0.96 0.84	Very limited Depth to hard bedrock Slope Cutbanks cave	1.00 0.96 0.10	Very limited Droughty Slope Depth to bedrock Gravel content Large stones content	1.00 0.96 0.84 0.39 0.32
986F: Wellston-----	50	Very limited Slope Frost action	1.00 1.00	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Berks-----	45	Very limited Slope Depth to hard bedrock	1.00 0.64	Very limited Depth to hard bedrock Slope Cutbanks cave	1.00 1.00 0.10	Very limited Slope Droughty Depth to bedrock Gravel content Large stones content	1.00 0.99 0.65 0.39 0.32
986G: Wellston-----	50	Very limited Slope Frost action	1.00 1.00	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
Berks-----	45	Very limited Slope Depth to hard bedrock	1.00 0.64	Very limited Depth to hard bedrock Slope Cutbanks cave	1.00 1.00 0.10	Very limited Slope Droughty Depth to bedrock Gravel content Large stones content	1.00 0.99 0.65 0.39 0.32
1843A: Bonnie-----	40	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding Cutbanks cave	1.00 1.00 0.80 0.10	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
Petrolia-----	40	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding Cutbanks cave	1.00 1.00 0.80 0.10	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1846A: Karnak-----	55	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Flooding Cutbanks cave	1.00 1.00 0.95 0.80 0.10	Very limited Ponding Flooding Depth to saturated zone Too clayey	1.00 1.00 1.00 1.00
Cape-----	35	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding Cutbanks cave Too clayey	1.00 1.00 0.80 0.10 0.02	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3070A: Beaucoup-----	90	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding Cutbanks cave	1.00 1.00 0.80 0.10	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3071A: Darwin-----	90	Very limited Shrink-swell Ponding Depth to saturated zone Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding Too clayey Cutbanks cave	1.00 1.00 0.80 0.32 0.10	Very limited Ponding Flooding Depth to saturated zone Too clayey	1.00 1.00 1.00 1.00
3071L: Darwin-----	90	Very limited Shrink-swell Ponding Depth to saturated zone Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding Too clayey Cutbanks cave	1.00 1.00 0.80 0.32 0.10	Very limited Ponding Flooding Depth to saturated zone Too clayey	1.00 1.00 1.00 1.00
3072A: Sharon-----	85	Very limited Frost action Flooding	1.00 1.00	Somewhat limited Flooding Depth to saturated zone Cutbanks cave	0.80 0.61 0.10	Very limited Flooding	1.00
3072L: Sharon-----	90	Very limited Frost action Flooding	1.00 1.00	Somewhat limited Flooding Depth to saturated zone Cutbanks cave	0.80 0.61 0.10	Very limited Flooding	1.00

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3108A: Bonnie-----	90	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding Cutbanks cave	1.00 1.00 1.00 0.80 0.10	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3108L: Bonnie-----	90	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding Cutbanks cave	1.00 1.00 1.00 0.80 0.10	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3180A: Dupo-----	85	Very limited Frost action Flooding Depth to saturated zone	1.00 1.00 0.95	Very limited Depth to saturated zone Flooding Too clayey Cutbanks cave	1.00 0.80 0.24 0.10	Very limited Flooding Depth to saturated zone	1.00 0.95
3288A: Petrolia-----	90	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding Cutbanks cave	1.00 1.00 1.00 0.80 0.10	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3288L: Petrolia-----	90	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding Cutbanks cave	1.00 1.00 1.00 0.80 0.10	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3382A: Belknap-----	85	Very limited Frost action Flooding Depth to saturated zone	1.00 1.00 0.94	Very limited Depth to saturated zone Flooding Cutbanks cave	1.00 0.80 0.10	Very limited Flooding Depth to saturated zone	1.00 0.94
3382L: Belknap-----	95	Very limited Frost action Flooding Depth to saturated zone	1.00 1.00 0.94	Very limited Depth to saturated zone Flooding Cutbanks cave	1.00 0.80 0.10	Very limited Flooding Depth to saturated zone	1.00 0.94

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3422A: Cape-----	90	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding Cutbanks cave Too clayey	1.00 1.00 1.00 0.80 0.10 0.02	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00 1.00
3422A+: Cape-----	90	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding Cutbanks cave Too clayey	1.00 1.00 1.00 0.80 0.10 0.02	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00 1.00
3426A: Karnak-----	85	Very limited Ponding Depth to saturated zone Frost action Flooding Shrink-swell	1.00 1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Flooding Cutbanks cave	1.00 1.00 1.00 0.95 0.80 0.10	Very limited Ponding Flooding Depth to saturated zone Too clayey	1.00 1.00 1.00 1.00 1.00
3426A+: Karnak-----	90	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Flooding Cutbanks cave	1.00 1.00 1.00 0.95 0.80 0.10	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00 1.00
3426L: Karnak-----	85	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Flooding Cutbanks cave	1.00 1.00 1.00 0.95 0.80 0.10	Very limited Ponding Flooding Depth to saturated zone Too clayey	1.00 1.00 1.00 1.00 1.00
3449L: Armiesburg-----	45	Very limited Frost action Flooding Low strength Shrink-swell	1.00 1.00 1.00 1.00 0.50	Somewhat limited Flooding Cutbanks cave	0.80 0.10	Very limited Flooding	1.00
Sarpy-----	35	Very limited Flooding	1.00	Very limited Cutbanks cave Flooding	1.00 0.80	Very limited Flooding Droughty	1.00 0.69
3597A: Armiesburg-----	90	Very limited Frost action Flooding Shrink-swell	1.00 1.00 1.00 0.50	Somewhat limited Flooding Cutbanks cave	0.80 0.10	Very limited Flooding	1.00

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3597L: Armiesburg-----	90	Very limited Frost action Flooding Low strength Shrink-swell	1.00 1.00 1.00 0.50	Somewhat limited Flooding Cutbanks cave	0.80 0.10	Very limited Flooding	1.00
7131A: Alvin-----	90	Somewhat limited Frost action Flooding	0.50 0.40	Very limited Cutbanks cave	1.00	Not limited	
7131B: Alvin-----	90	Somewhat limited Frost action Flooding	0.50 0.40	Very limited Cutbanks cave	1.00	Not limited	
7131C2: Alvin-----	90	Somewhat limited Frost action Flooding Slope	0.50 0.40 0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Slope	0.01
7131D2: Alvin-----	90	Somewhat limited Slope Frost action Flooding	0.96 0.50 0.40	Very limited Cutbanks cave Slope	1.00 0.96	Somewhat limited Slope	0.96
7460A: Ginat-----	95	Very limited Ponding Depth to saturated zone Frost action Low strength Flooding	1.00 1.00 1.00 1.00 0.40	Very limited Ponding Depth to saturated zone Cutbanks cave	1.00 1.00 0.10	Very limited Ponding Depth to saturated zone	1.00 1.00
7462A: Sciotoville-----	95	Very limited Frost action Low strength Flooding Depth to saturated zone	1.00 0.78 0.40 0.03	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Somewhat limited Depth to saturated zone	0.03
7462B: Sciotoville-----	95	Very limited Frost action Low strength Flooding Depth to saturated zone	1.00 0.78 0.40 0.03	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Somewhat limited Depth to saturated zone	0.03

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7462C2: Sciotoville-----	95	Very limited Frost action Low strength Flooding Depth to saturated zone Slope	1.00 0.78 0.40 0.03 0.01	Very limited Depth to saturated zone Cutbanks cave Slope	1.00 0.10 0.01	Somewhat limited Depth to saturated zone Slope	0.03 0.01
7462C3: Sciotoville-----	95	Very limited Frost action Low strength Flooding Depth to saturated zone Slope	1.00 0.78 0.40 0.03 0.01	Very limited Depth to saturated zone Cutbanks cave Slope	1.00 0.10 0.01	Somewhat limited Depth to saturated zone Slope	0.03 0.01
7462D2: Sciotoville-----	95	Very limited Frost action Slope Low strength Flooding Depth to saturated zone	1.00 0.96 0.78 0.40 0.03	Very limited Depth to saturated zone Slope Cutbanks cave	1.00 0.96 0.10	Somewhat limited Slope Depth to saturated zone	0.96 0.03
7462D3: Sciotoville-----	95	Very limited Frost action Slope Low strength Flooding Depth to saturated zone	1.00 0.96 0.78 0.40 0.03	Very limited Depth to saturated zone Slope Cutbanks cave	1.00 0.96 0.10	Somewhat limited Slope Depth to saturated zone	0.96 0.03
7463A: Wheeling-----	95	Somewhat limited Frost action Flooding	0.50 0.40	Very limited Cutbanks cave	1.00	Not limited	
7463B: Wheeling-----	95	Somewhat limited Frost action Flooding	0.50 0.40	Very limited Cutbanks cave	1.00	Not limited	
7463C2: Wheeling-----	95	Somewhat limited Frost action Flooding Slope	0.50 0.40 0.01	Very limited Cutbanks cave Slope	1.00 0.01	Somewhat limited Slope	0.01
7463D2: Wheeling-----	95	Somewhat limited Slope Frost action Flooding	0.96 0.50 0.40	Very limited Cutbanks cave Slope	1.00 0.96	Somewhat limited Slope	0.96

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7463E2: Wheeling-----	95	Very limited Slope Frost action Flooding	1.00 0.50 0.40	Very limited Slope Cutbanks cave	1.00 1.00	Very limited Slope	1.00
7483A: Henshaw-----	90	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
7711A: Hatfield-----	95	Very limited Depth to saturated zone Frost action Low strength Flooding	1.00 1.00 0.78 0.40	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
7711B: Hatfield-----	95	Very limited Depth to saturated zone Frost action Low strength Flooding	1.00 1.00 0.78 0.40	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
7711B2: Hatfield-----	95	Very limited Depth to saturated zone Frost action Low strength Flooding	1.00 1.00 0.78 0.40	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
8070A: Beaucoup-----	90	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding Cutbanks cave	1.00 1.00 0.60 0.10	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 0.60
8071A: Darwin-----	90	Very limited Shrink-swell Ponding Depth to saturated zone Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding Too clayey Cutbanks cave	1.00 1.00 0.60 0.32 0.10	Very limited Ponding Depth to saturated zone Too clayey Flooding	1.00 1.00 1.00 0.60
8072A: Sharon-----	90	Very limited Frost action Flooding	1.00 1.00	Somewhat limited Depth to saturated zone Flooding Cutbanks cave	0.61 0.60 0.10	Somewhat limited Flooding	0.60

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8108A: Bonnie-----	90	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding Cutbanks cave	1.00 1.00 0.60 0.10	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 0.60
8109A: Raccoon-----	85	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding Cutbanks cave	1.00 1.00 0.60 0.10	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 0.60
8180A: Dupo-----	85	Very limited Frost action Flooding Depth to saturated zone	1.00 1.00 0.95	Very limited Depth to saturated zone Flooding Too clayey Cutbanks cave	1.00 0.60 0.24 0.10	Somewhat limited Depth to saturated zone Flooding	0.95 0.60
8288A: Petrolia-----	90	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding Cutbanks cave	1.00 1.00 0.60 0.10	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 0.60
8382A: Belknap-----	95	Very limited Frost action Flooding Depth to saturated zone	1.00 1.00 0.94	Very limited Depth to saturated zone Flooding Cutbanks cave	1.00 0.60 0.10	Somewhat limited Depth to saturated zone Flooding	0.94 0.60
8420A: Piopolis-----	90	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding Cutbanks cave	1.00 1.00 0.60 0.10	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 0.60
8422A: Cape-----	90	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding Cutbanks cave Too clayey	1.00 1.00 0.60 0.10 0.02	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 0.60

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8422A+: Cape-----	90	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Flooding Cutbanks cave Too clayey	1.00 1.00 0.60 0.10 0.02	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 0.60
8426A: Karnak-----	85	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Flooding Cutbanks cave	1.00 1.00 0.95 0.60 0.10	Very limited Ponding Depth to saturated zone Too clayey Flooding	1.00 1.00 1.00 0.60
8426A+: Karnak-----	90	Very limited Ponding Depth to saturated zone Frost action Flooding Low strength	1.00 1.00 1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Flooding Cutbanks cave	1.00 1.00 0.95 0.60 0.10	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 0.60
8427B: Burnside-----	90	Very limited Flooding Frost action	1.00 0.50	Somewhat limited Flooding Cutbanks cave Depth to hard bedrock	0.60 0.10 0.02	Somewhat limited Flooding Large stones content	0.60 0.01
8469A: Emma-----	85	Very limited Frost action Flooding Shrink-swell	1.00 1.00 0.50	Somewhat limited Depth to saturated zone Flooding Cutbanks cave	0.90 0.60 0.10	Somewhat limited Flooding	0.60
8469B: Emma-----	85	Very limited Frost action Flooding Shrink-swell	1.00 1.00 0.50	Somewhat limited Depth to saturated zone Flooding Cutbanks cave	0.90 0.60 0.10	Somewhat limited Flooding	0.60
8469C2: Emma-----	85	Very limited Frost action Flooding Shrink-swell Slope	1.00 1.00 0.50 0.01	Somewhat limited Depth to saturated zone Flooding Cutbanks cave Slope	0.90 0.60 0.10 0.01	Somewhat limited Flooding Slope	0.60 0.01

Soil Survey of Massac County, Illinois

Table 15.—Building Site Development, Part II—Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8597A: Armiesburg-----	85	Very limited Frost action Flooding Low strength Shrink-swell	 1.00 1.00 1.00 0.50	Somewhat limited Flooding Cutbanks cave	 0.60 0.10	Somewhat limited Flooding	 0.60
8693A: Hurst-----	85	Very limited Flooding Shrink-swell Frost action Depth to saturated zone	 1.00 1.00 0.50 0.22	Very limited Depth to saturated zone Flooding Cutbanks cave	 1.00 0.60 0.10	Somewhat limited Flooding Depth to saturated zone	 0.60 0.22
MW: Miscellaneous water-	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part I

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
99G: Sandstone Rock Land-	45	Not rated		Not rated	
Limestone Rock Land-	40	Not rated		Not rated	
131B: Alvin-----	90	Very limited Seepage, bottom layer	1.00	Very limited Seepage Slope	1.00 0.32
131C: Alvin-----	90	Very limited Seepage, bottom layer Slope	1.00 0.01	Very limited Seepage Slope	1.00 1.00
131C2: Alvin-----	90	Very limited Seepage, bottom layer Slope	1.00 0.01	Very limited Seepage Slope	1.00 1.00
131D2: Alvin-----	90	Very limited Seepage, bottom layer Slope	1.00 0.96	Very limited Slope Seepage	1.00 1.00
131F: Alvin-----	90	Very limited Slope Seepage, bottom layer	1.00 1.00	Very limited Slope Seepage	1.00 1.00
164A: Stoy-----	90	Very limited Slow water movement Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Seepage	0.75 0.53
164B: Stoy-----	90	Very limited Slow water movement Depth to saturated zone	1.00 1.00	Somewhat limited Depth to saturated zone Seepage Slope	0.75 0.53 0.32

Soil Survey of Massac County, Illinois

Table 16.--Sanitary Facilities, Part I--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
164C2: Stoy-----	90	Very limited Slow water movement Depth to saturated zone Slope	1.00 1.00 0.01	Very limited Slope Depth to saturated zone	1.00 0.75
165A: Weir-----	90	Very limited Slow water movement Depth to saturated zone Ponding	1.00 1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00
175B: Lamont-----	90	Very limited Seepage, bottom layer	1.00	Very limited Seepage Slope	1.00 0.32
175C2: Lamont-----	90	Very limited Seepage, bottom layer Slope	1.00 0.01	Very limited Seepage Slope	1.00 1.00
175D2: Lamont-----	90	Very limited Seepage, bottom layer Slope	1.00 0.96	Very limited Slope Seepage	1.00 1.00
214B: Hosmer-----	85	Very limited Depth to cemented pan Depth to saturated zone Slow water movement	1.00 1.00 0.46	Very limited Depth to cemented pan Seepage Slope Depth to saturated zone	1.00 0.53 0.32 0.17
214C2: Hosmer-----	85	Very limited Depth to cemented pan Depth to saturated zone Slow water movement Slope	1.00 1.00 0.46 0.01	Very limited Depth to cemented pan Slope Seepage Depth to saturated zone	1.00 1.00 0.53 0.17
214C3: Hosmer-----	85	Very limited Depth to cemented pan Depth to saturated zone Slope	1.00 1.00 0.01	Very limited Depth to cemented pan Slope Seepage Depth to saturated zone	1.00 1.00 0.53 0.17

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part I—Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
214D2: Hosmer-----	85	Very limited Depth to cemented pan Depth to saturated zone Slope Slow water movement	1.00 1.00 0.96 0.46	Very limited Depth to cemented pan Slope Seepage Depth to saturated zone	1.00 1.00 0.53 0.17
214D3: Hosmer-----	85	Very limited Depth to cemented pan Depth to saturated zone Slope	1.00 1.00 0.96	Very limited Depth to cemented pan Slope Seepage Depth to saturated zone	1.00 1.00 0.53 0.17
308B: Alford-----	90	Somewhat limited Slow water movement	0.46	Somewhat limited Seepage Slope	0.53 0.32
308C2: Alford-----	90	Somewhat limited Slow water movement Slope	0.46 0.01	Very limited Slope Seepage	1.00 0.53
308C3: Alford-----	90	Somewhat limited Slow water movement Slope	0.46 0.01	Very limited Slope Seepage	1.00 0.53
308D2: Alford-----	90	Somewhat limited Slope Slow water movement	0.96 0.46	Very limited Slope Seepage	1.00 0.53
308D3: Alford-----	90	Somewhat limited Slope Slow water movement	0.96 0.46	Very limited Slope Seepage	1.00 0.53
308E: Alford-----	90	Very limited Slope Slow water movement	1.00 0.46	Very limited Slope Seepage	1.00 0.53
308E2: Alford-----	90	Very limited Slope Slow water movement	1.00 0.46	Very limited Slope Seepage	1.00 0.53

Soil Survey of Massac County, Illinois

Table 16.--Sanitary Facilities, Part I--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
308E3: Alford-----	90	Very limited Slope Slow water movement	1.00 0.46	Very limited Slope Seepage	1.00 0.53
308F: Alford-----	90	Very limited Slope Slow water movement	1.00 0.46	Very limited Slope Seepage	1.00 0.53
339C: Wellston-----	90	Somewhat limited Slow water movement Depth to bedrock Slope	0.46 0.27 0.01	Very limited Slope Seepage	1.00 0.53
339C2: Wellston-----	90	Somewhat limited Slow water movement Depth to bedrock Slope	0.46 0.41 0.01	Very limited Slope Seepage Depth to hard bedrock Depth to soft bedrock	1.00 0.53 0.02 0.02
339D: Wellston-----	90	Somewhat limited Slope Slow water movement Depth to bedrock	0.96 0.46 0.27	Very limited Slope Seepage	1.00 0.53
339D2: Wellston-----	90	Somewhat limited Slope Slow water movement Depth to bedrock	0.96 0.46 0.41	Very limited Slope Seepage Depth to hard bedrock Depth to soft bedrock	1.00 0.53 0.02 0.02
339D3: Wellston-----	90	Somewhat limited Slope Depth to bedrock Slow water movement	0.96 0.52 0.46	Very limited Slope Seepage Depth to hard bedrock Depth to soft bedrock	1.00 0.53 0.08 0.08
339F: Wellston-----	90	Very limited Slope Slow water movement Depth to bedrock	1.00 0.46 0.27	Very limited Slope Seepage	1.00 0.53

Soil Survey of Massac County, Illinois

Table 16.--Sanitary Facilities, Part I--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
340C2: Zanesville-----	85	Very limited Depth to cemented pan Depth to saturated zone Depth to bedrock Slope	1.00 1.00 0.41 0.01	Very limited Depth to cemented pan Slope Seepage Depth to saturated zone Depth to hard bedrock	1.00 1.00 0.53 0.17 0.02
340C3: Zanesville-----	85	Very limited Depth to cemented pan Depth to saturated zone Depth to bedrock Slope	1.00 1.00 0.52 0.01	Very limited Depth to cemented pan Slope Seepage Depth to saturated zone Depth to hard bedrock	1.00 1.00 0.53 0.17 0.08
340D: Zanesville-----	85	Very limited Depth to cemented pan Depth to saturated zone Slope Depth to bedrock	1.00 1.00 0.96 0.27	Very limited Depth to cemented pan Slope Seepage Depth to saturated zone	1.00 1.00 0.53 0.17
340D2: Zanesville-----	85	Very limited Depth to cemented pan Depth to saturated zone Slope Depth to bedrock	1.00 1.00 0.96 0.41	Very limited Depth to cemented pan Slope Seepage Depth to saturated zone Depth to hard bedrock	1.00 1.00 0.53 0.17 0.02
340D3: Zanesville-----	85	Very limited Depth to cemented pan Depth to saturated zone Slope Depth to bedrock	1.00 1.00 0.96 0.52	Very limited Depth to cemented pan Slope Seepage Depth to saturated zone Depth to hard bedrock	1.00 1.00 0.53 0.17 0.08
453C2: Muren-----	90	Very limited Depth to saturated zone Slow water movement Slope	1.00 0.46 0.01	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 0.53

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part I—Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
453D2: Muren-----	90	Very limited Depth to saturated zone Slope Slow water movement	1.00 0.96 0.46	Very limited Slope Depth to saturated zone Seepage	1.00 1.00 0.53
691D: Beasley-----	90	Very limited Slow water movement Depth to bedrock Slope	1.00 1.00 0.96	Very limited Slope Depth to soft bedrock	1.00 1.00
691F: Beasley-----	90	Very limited Slope Slow water movement Depth to bedrock	1.00 1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00
691G: Beasley-----	90	Very limited Slope Slow water movement Depth to bedrock	1.00 1.00 1.00	Very limited Slope Depth to soft bedrock	1.00 1.00
801B: Orthents, silty----	90	Somewhat limited Slow water movement	0.72	Somewhat limited Seepage Slope	0.28 0.08
802D: Orthents, loamy----	90	Very limited Slow water movement Slope	1.00 0.37	Very limited Slope	1.00
864: Pits, quarries-----	100	Not rated		Not rated	
865: Pits, gravel-----	100	Not rated		Not rated	
955D: Muskingum-----	55	Very limited Depth to bedrock Slope Slow water movement	1.00 0.96 0.46	Very limited Depth to hard bedrock Depth to soft bedrock Slope Seepage	1.00 1.00 1.00 1.00
Berks-----	40	Very limited Seepage, bottom layer Depth to bedrock Slope	1.00 1.00 0.96	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00

Soil Survey of Massac County, Illinois

Table 16.--Sanitary Facilities, Part I--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
955D2: Muskingum-----	55	Very limited Depth to bedrock Slope Slow water movement	1.00 0.96 0.46	Very limited Depth to hard bedrock Depth to soft bedrock Slope Seepage	1.00 1.00 1.00 1.00
Berks-----	40	Very limited Seepage, bottom layer Depth to bedrock Slope	1.00 1.00 0.96	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
955F: Muskingum-----	55	Very limited Slope Depth to bedrock Slow water movement	1.00 1.00 0.46	Very limited Depth to hard bedrock Depth to soft bedrock Slope Seepage	1.00 1.00 1.00 1.00 1.00
Berks-----	40	Very limited Slope Seepage, bottom layer Depth to bedrock	1.00 1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00 1.00
955G: Muskingum-----	55	Very limited Slope Depth to bedrock Slow water movement	1.00 1.00 0.46	Very limited Depth to hard bedrock Depth to soft bedrock Slope Seepage	1.00 1.00 1.00 1.00 1.00
Berks-----	40	Very limited Slope Seepage, bottom layer Depth to bedrock	1.00 1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00 1.00
956B: Brandon-----	55	Very limited Seepage, bottom layer Slow water movement	1.00 0.46	Very limited Seepage Slope	1.00 0.32
Saffell-----	40	Very limited Seepage, bottom layer Slow water movement	1.00 0.46	Very limited Seepage Slope	1.00 0.32

Soil Survey of Massac County, Illinois

Table 16.--Sanitary Facilities, Part I--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
956C2: Brandon-----	55	Very limited Seepage, bottom layer Filtering capacity Slope	1.00 1.00 0.01	Very limited Seepage Slope	1.00 1.00
Saffell-----	40	Very limited Seepage, bottom layer Slow water movement Slope	1.00 0.46 0.01	Very limited Slope Seepage	1.00 1.00
956C3: Brandon-----	55	Very limited Seepage, bottom layer Filtering capacity Slope	1.00 1.00 0.01	Very limited Seepage Slope	1.00 1.00
Saffell-----	40	Very limited Seepage, bottom layer Slow water movement Slope	1.00 0.46 0.01	Very limited Slope Seepage	1.00 1.00
956D: Brandon-----	55	Very limited Seepage, bottom layer Slope Slow water movement	1.00 0.96 0.46	Very limited Slope Seepage	1.00 1.00
956D: Saffell-----	40	Very limited Seepage, bottom layer Slope Slow water movement	1.00 0.96 0.46	Very limited Slope Seepage	1.00 1.00
956D2: Brandon-----	55	Very limited Seepage, bottom layer Filtering capacity Slope	1.00 1.00 0.96	Very limited Slope Seepage	1.00 1.00
Saffell-----	40	Very limited Seepage, bottom layer Slope Slow water movement	1.00 0.96 0.46	Very limited Slope Seepage	1.00 1.00

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part I—Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
956D3: Brandon-----	55	Very limited Seepage, bottom layer Filtering capacity Slope	1.00 1.00 0.96	Very limited Slope Seepage	1.00 1.00
Saffell-----	40	Very limited Seepage, bottom layer Slope Slow water movement	1.00 0.96 0.46	Very limited Slope Seepage	1.00 1.00
956E2: Brandon-----	55	Very limited Slope Seepage, bottom layer Filtering capacity	1.00 1.00 1.00	Very limited Slope Seepage	1.00 1.00
Saffell-----	40	Very limited Slope Seepage, bottom layer Slow water movement	1.00 1.00 0.46	Very limited Slope Seepage	1.00 1.00
956F: Brandon-----	55	Very limited Slope Seepage, bottom layer Slow water movement	1.00 1.00 0.46	Very limited Slope Seepage	1.00 1.00
Saffell-----	40	Very limited Slope Seepage, bottom layer Slow water movement	1.00 1.00 0.46	Very limited Slope Seepage	1.00 1.00
986D: Wellston-----	50	Somewhat limited Slope Slow water movement Depth to bedrock	0.96 0.46 0.27	Very limited Slope Seepage	1.00 0.53
Berks-----	45	Very limited Seepage, bottom layer Depth to bedrock Slope	1.00 1.00 0.96	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00

Soil Survey of Massac County, Illinois

Table 16.--Sanitary Facilities, Part I--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
986D2: Wellston-----	50	Somewhat limited Slope Slow water movement Depth to bedrock	0.96 0.46 0.41	Very limited Slope Seepage Depth to hard bedrock Depth to soft bedrock	1.00 0.53 0.02 0.02
Berks-----	45	Very limited Seepage, bottom layer Depth to bedrock Slope	1.00 1.00 0.96	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
986F: Wellston-----	50	Very limited Slope Slow water movement Depth to bedrock	1.00 0.46 0.27	Very limited Slope Seepage	1.00 0.53
Berks-----	45	Very limited Slope Seepage, bottom layer Depth to bedrock	1.00 1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
986G: Wellston-----	50	Very limited Slope Slow water movement Depth to bedrock	1.00 0.46 0.27	Very limited Slope Seepage	1.00 0.53
Berks-----	45	Very limited Slope Seepage, bottom layer Depth to bedrock	1.00 1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
1843A: Bonnie-----	40	Very limited Flooding Ponding Depth to saturated zone Slow water movement	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
Petrolia-----	40	Very limited Flooding Ponding Depth to saturated zone Slow water movement	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00

Soil Survey of Massac County, Illinois

Table 16.--Sanitary Facilities, Part I--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
1846A: Karnak-----	55	Very limited Flooding Slow water movement Ponding Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
Cape-----	35	Very limited Flooding Slow water movement Ponding Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3070A: Beaucoup-----	90	Very limited Flooding Ponding Depth to saturated zone Slow water movement	1.00 1.00 1.00 0.46	Very limited Ponding Flooding Depth to saturated zone Seepage	1.00 1.00 1.00 0.53
3071A: Darwin-----	90	Very limited Flooding Slow water movement Ponding Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3071L: Darwin-----	90	Very limited Flooding Slow water movement Ponding Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3072A: Sharon-----	85	Very limited Flooding Depth to saturated zone Slow water movement	1.00 1.00 0.46	Very limited Flooding Depth to saturated zone Seepage	1.00 0.71 0.53
3072L: Sharon-----	90	Very limited Flooding Depth to saturated zone Slow water movement	1.00 1.00 0.46	Very limited Flooding Depth to saturated zone Seepage	1.00 0.71 0.53

Soil Survey of Massac County, Illinois

Table 16.--Sanitary Facilities, Part I--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
3108A: Bonnie-----	90	Very limited Flooding Ponding Depth to saturated zone Slow water movement	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3108L: Bonnie-----	90	Very limited Flooding Ponding Depth to saturated zone Slow water movement	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3180A: Dupo-----	85	Very limited Flooding Slow water movement Depth to saturated zone	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.53
3288A: Petrolia-----	90	Very limited Flooding Ponding Depth to saturated zone Slow water movement	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3288L: Petrolia-----	90	Very limited Flooding Ponding Depth to saturated zone Slow water movement	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3382A: Belknap-----	85	Very limited Flooding Depth to saturated zone Slow water movement	1.00 1.00 0.72	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.28
3382L: Belknap-----	95	Very limited Flooding Depth to saturated zone Slow water movement	1.00 1.00 0.72	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.28

Soil Survey of Massac County, Illinois

Table 16.--Sanitary Facilities, Part I--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
3422A: Cape-----	90	Very limited Flooding Slow water movement Ponding Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3422A+: Cape-----	90	Very limited Flooding Slow water movement Ponding Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Seepage	1.00 1.00 1.00 0.53
3426A: Karnak-----	85	Very limited Flooding Slow water movement Ponding Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3426A+: Karnak-----	90	Very limited Flooding Slow water movement Ponding Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3426L: Karnak-----	85	Very limited Flooding Slow water movement Ponding Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
3449L: Armiesburg-----	45	Very limited Flooding Slow water movement	1.00 0.46	Very limited Flooding Seepage	1.00 0.53
Sarpy-----	35	Very limited Flooding Filtering capacity Seepage, bottom layer	1.00 1.00 1.00	Very limited Flooding Seepage	1.00 1.00

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part I—Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
3597A: Armiesburg-----	90	Very limited Flooding Slow water movement	1.00 0.46	Very limited Flooding Seepage	1.00 0.53
3597L: Armiesburg-----	90	Very limited Flooding Slow water movement	1.00 0.46	Very limited Flooding Seepage	1.00 0.53
7131A: Alvin-----	90	Very limited Seepage, bottom layer Flooding	1.00 0.40	Very limited Seepage Flooding	1.00 0.40
7131B: Alvin-----	90	Very limited Seepage, bottom layer Flooding	1.00 0.40	Very limited Seepage Flooding Slope	1.00 0.40 0.32
7131C2: Alvin-----	90	Very limited Seepage, bottom layer Flooding Slope	1.00 0.40 0.01	Very limited Seepage Slope Flooding	1.00 1.00 0.40
7131D2: Alvin-----	90	Very limited Seepage, bottom layer Slope Flooding	1.00 0.96 0.40	Very limited Slope Seepage Flooding	1.00 1.00 0.40
7460A: Ginat-----	95	Very limited Slow water movement Ponding Depth to saturated zone Flooding	1.00 1.00 1.00 0.40	Very limited Ponding Depth to saturated zone Seepage Flooding	1.00 1.00 0.53 0.40
7462A: Sciotoville-----	95	Very limited Depth to saturated zone Seepage, bottom layer Slow water movement Flooding	1.00 1.00 1.00 0.40	Very limited Seepage Depth to saturated zone Flooding	1.00 0.44 0.40

Soil Survey of Massac County, Illinois

Table 16.--Sanitary Facilities, Part I--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
7462B: Sciotoville-----	95	Very limited Depth to saturated zone Seepage, bottom layer Slow water movement Flooding	1.00 1.00 1.00 0.40	Very limited Seepage Depth to saturated zone Flooding Slope	1.00 0.44 0.40 0.32
7462C2: Sciotoville-----	95	Very limited Depth to saturated zone Seepage, bottom layer Slow water movement Flooding Slope	1.00 1.00 1.00 0.40 0.01	Very limited Seepage Slope Depth to saturated zone Flooding	1.00 1.00 0.44 0.40
7462C3: Sciotoville-----	95	Very limited Depth to saturated zone Seepage, bottom layer Slow water movement Flooding Slope	1.00 1.00 1.00 0.40 0.01	Very limited Seepage Slope Depth to saturated zone Flooding	1.00 1.00 0.44 0.40
7462D2: Sciotoville-----	95	Very limited Depth to saturated zone Seepage, bottom layer Slow water movement Slope Flooding	1.00 1.00 1.00 0.96 0.40	Very limited Slope Seepage Depth to saturated zone Flooding	1.00 1.00 0.44 0.40
7462D3: Sciotoville-----	95	Very limited Depth to saturated zone Seepage, bottom layer Slow water movement Slope Flooding	1.00 1.00 1.00 0.96 0.40	Very limited Slope Seepage Depth to saturated zone Flooding	1.00 1.00 0.44 0.40

Soil Survey of Massac County, Illinois

Table 16.--Sanitary Facilities, Part I--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
7463A: Wheeling-----	95	Very limited Seepage, bottom layer Slow water movement Flooding	1.00 0.46 0.40	Very limited Seepage Flooding	1.00 0.40
7463B: Wheeling-----	95	Very limited Seepage, bottom layer Slow water movement Flooding	1.00 0.46 0.40	Very limited Seepage Flooding Slope	1.00 0.40 0.32
7463C2: Wheeling-----	95	Very limited Seepage, bottom layer Slow water movement Flooding Slope	1.00 0.46 0.40 0.01	Very limited Seepage Slope Flooding	1.00 1.00 0.40
7463D2: Wheeling-----	95	Very limited Seepage, bottom layer Slope Slow water movement Flooding	1.00 0.96 0.46 0.40	Very limited Slope Seepage Flooding	1.00 1.00 0.40
7463E2: Wheeling-----	95	Very limited Slope Seepage, bottom layer Slow water movement Flooding	1.00 1.00 0.46 0.40	Very limited Slope Seepage Flooding	1.00 1.00 0.40
7483A: Henshaw-----	90	Very limited Depth to saturated zone Slow water movement Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40
7711A: Hatfield-----	95	Very limited Slow water movement Depth to saturated zone Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Seepage Flooding	1.00 0.53 0.40

Soil Survey of Massac County, Illinois

Table 16.--Sanitary Facilities, Part I--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
7711B: Hatfield-----	95	Very limited Slow water movement Depth to saturated zone Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Seepage Flooding Slope	1.00 0.53 0.40 0.32
7711B2: Hatfield-----	95	Very limited Slow water movement Depth to saturated zone Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Seepage Flooding Slope	1.00 0.53 0.40 0.32
8070A: Beaucoup-----	90	Very limited Flooding Ponding Depth to saturated zone Slow water movement	1.00 1.00 1.00 0.46	Very limited Ponding Flooding Depth to saturated zone Seepage	1.00 1.00 1.00 0.53
8071A: Darwin-----	90	Very limited Flooding Slow water movement Ponding Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
8072A: Sharon-----	90	Very limited Flooding Depth to saturated zone Slow water movement	1.00 1.00 0.46	Very limited Flooding Depth to saturated zone Seepage	1.00 0.71 0.53
8108A: Bonnie-----	90	Very limited Flooding Ponding Depth to saturated zone Slow water movement	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
8109A: Raccoon-----	85	Very limited Flooding Slow water movement Ponding Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00

Soil Survey of Massac County, Illinois

Table 16.--Sanitary Facilities, Part I--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
8180A: Dupo-----	85	Very limited Flooding Slow water movement Depth to saturated zone	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.53
8288A: Petrolia-----	90	Very limited Flooding Ponding Depth to saturated zone Slow water movement	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
8382A: Belknap-----	95	Very limited Flooding Depth to saturated zone Slow water movement	1.00 1.00 0.72	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.28
8420A: Piopolis-----	90	Very limited Flooding Slow water movement Ponding Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
8422A: Cape-----	90	Very limited Flooding Slow water movement Ponding Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
8422A+: Cape-----	90	Very limited Flooding Slow water movement Ponding Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone Seepage	1.00 1.00 1.00 0.53
8426A: Karnak-----	85	Very limited Flooding Slow water movement Ponding Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00

Soil Survey of Massac County, Illinois

Table 16.--Sanitary Facilities, Part I--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
8426A+: Karnak-----	90	Very limited Flooding Slow water movement Ponding Depth to saturated zone	1.00 1.00 1.00 1.00	Very limited Ponding Flooding Depth to saturated zone	1.00 1.00 1.00
8427B: Burnside-----	90	Very limited Flooding Slow water movement Depth to bedrock	1.00 0.46 0.41	Very limited Flooding Seepage Slope Depth to hard bedrock	1.00 0.53 0.08 0.02
8469A: Emma-----	85	Very limited Flooding Depth to saturated zone Slow water movement	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
8469B: Emma-----	85	Very limited Flooding Depth to saturated zone Slow water movement	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Slope	1.00 1.00 0.32
8469C2: Emma-----	85	Very limited Flooding Depth to saturated zone Slow water movement Slope	1.00 1.00 1.00 0.01	Very limited Flooding Depth to saturated zone Slope	1.00 1.00 1.00
8597A: Armiesburg-----	85	Very limited Flooding Slow water movement	1.00 0.46	Very limited Flooding Seepage	1.00 0.53
8693A: Hurst-----	85	Very limited Flooding Slow water movement Depth to saturated zone	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
MW: Miscellaneous water-	100	Not rated		Not rated	
W: Water-----	100	Not rated		Not rated	

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part II

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
99G: Sandstone Rock Land-	45	Not rated		Not rated		Not rated	
Limestone Rock Land-	40	Not rated		Not rated		Not rated	
131B: Alvin-----	90	Very limited Seepage, bottom layer Too sandy	1.00 0.50	Very limited Seepage	1.00	Somewhat limited Seepage Too sandy	0.52 0.50
131C: Alvin-----	90	Very limited Seepage, bottom layer Too sandy Slope	1.00 0.50 0.01	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage Too sandy Slope	0.52 0.50 0.01
131C2: Alvin-----	90	Very limited Seepage, bottom layer Too sandy Slope	1.00 0.50 0.01	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage Too sandy Slope	0.52 0.50 0.01
131D2: Alvin-----	90	Very limited Seepage, bottom layer Slope Too sandy	1.00 0.96 0.50	Very limited Seepage Slope	1.00 0.96	Somewhat limited Slope Seepage Too sandy	0.96 0.52 0.50
131F: Alvin-----	90	Very limited Slope Seepage, bottom layer Too sandy	1.00 1.00 0.50	Very limited Slope Seepage	1.00 1.00	Very limited Slope Seepage Too sandy	1.00 0.52 0.50
164A: Stoy-----	90	Somewhat limited Depth to saturated zone	0.99	Somewhat limited Depth to saturated zone	0.75	Somewhat limited Depth to saturated zone Too clayey	0.86 0.50
164B: Stoy-----	90	Somewhat limited Depth to saturated zone	0.99	Somewhat limited Depth to saturated zone	0.75	Somewhat limited Depth to saturated zone Too clayey	0.86 0.50

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part II—Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
164C2: Stoy-----	90	Somewhat limited Depth to saturated zone Slope	0.99 0.01	Somewhat limited Depth to saturated zone Slope	0.75 0.01	Somewhat limited Depth to saturated zone Too clayey Slope	0.86 0.50 0.01
165A: Weir-----	90	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding Too clayey	1.00 1.00 0.50
175B: Lamont-----	90	Very limited Seepage, bottom layer Too sandy	1.00 0.50	Very limited Seepage	1.00	Very limited Seepage Too sandy	1.00 0.50
175C2: Lamont-----	90	Very limited Seepage, bottom layer Slope	1.00 0.01	Very limited Seepage Slope	1.00 0.01	Somewhat limited Seepage Slope	0.52 0.01
175D2: Lamont-----	90	Very limited Seepage, bottom layer Slope	1.00 0.96	Very limited Seepage Slope	1.00 0.96	Somewhat limited Slope Seepage	0.96 0.52
214B: Hosmer-----	85	Somewhat limited Depth to saturated zone Too clayey	0.84 0.50	Very limited Depth to cemented pan Depth to saturated zone	1.00 0.17	Very limited Depth to cemented pan Too clayey Depth to saturated zone	1.00 0.50 0.44
214C2: Hosmer-----	85	Somewhat limited Depth to saturated zone Too clayey Slope	0.84 0.50 0.01	Very limited Depth to cemented pan Depth to saturated zone Slope	1.00 0.17 0.01	Very limited Depth to cemented pan Too clayey Depth to saturated zone Slope	1.00 0.50 0.44 0.01
214C3: Hosmer-----	85	Somewhat limited Depth to saturated zone Too clayey Slope	0.84 0.50 0.01	Very limited Depth to cemented pan Depth to saturated zone Slope	1.00 0.17 0.01	Very limited Depth to cemented pan Too clayey Depth to saturated zone Slope	1.00 0.50 0.44 0.01

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part II—Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
214D2: Hosmer-----	85	Somewhat limited Slope Depth to saturated zone Too clayey	0.96 0.84 0.50	Very limited Depth to cemented pan Slope Depth to saturated zone	1.00 0.96 0.17	Very limited Depth to cemented pan Slope Too clayey Depth to saturated zone	1.00 0.96 0.50 0.44
214D3: Hosmer-----	85	Somewhat limited Slope Depth to saturated zone Too clayey	0.96 0.84 0.50	Very limited Depth to cemented pan Slope Depth to saturated zone	1.00 0.96 0.17	Very limited Depth to cemented pan Slope Too clayey Depth to saturated zone	1.00 0.96 0.50 0.44
308B: Alford-----	90	Not limited		Not limited		Somewhat limited Too clayey	0.50
308C2: Alford-----	90	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01
308C3: Alford-----	90	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01
308D2: Alford-----	90	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96
308D3: Alford-----	90	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96
308E: Alford-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
308E2: Alford-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
308E3: Alford-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
308F: Alford-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope Too clayey	1.00 0.50
339C: Wellston-----	90	Very limited Depth to bedrock Slope	1.00 0.01	Somewhat limited Slope	0.01	Somewhat limited Slope	0.01

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part II—Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
339C2: Wellston-----	90	Very limited Depth to bedrock Slope	1.00 0.01	Somewhat limited Depth to bedrock Slope	0.02 0.01	Somewhat limited Depth to bedrock Slope	0.02 0.01
339D: Wellston-----	90	Very limited Depth to bedrock Slope	1.00 0.96	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96
339D2: Wellston-----	90	Very limited Depth to bedrock Slope	1.00 0.96	Somewhat limited Slope Depth to bedrock	0.96 0.02	Somewhat limited Slope Depth to bedrock	0.96 0.02
339D3: Wellston-----	90	Very limited Depth to bedrock Slope	1.00 0.96	Somewhat limited Slope Depth to bedrock	0.96 0.08	Somewhat limited Slope Depth to bedrock	0.96 0.08
339F: Wellston-----	90	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope	1.00	Very limited Slope	1.00
340C2: Zanesville-----	85	Very limited Depth to bedrock Depth to saturated zone Too clayey Slope	1.00 0.84 0.50 0.01	Very limited Depth to cemented pan Depth to saturated zone Depth to bedrock Slope	1.00 0.17 0.02 0.01	Very limited Depth to cemented pan Too clayey Depth to saturated zone Depth to bedrock Slope	1.00 0.50 0.44 0.02 0.01
340C3: Zanesville-----	85	Very limited Depth to bedrock Depth to saturated zone Too clayey Slope	1.00 0.84 0.50 0.01	Very limited Depth to cemented pan Depth to saturated zone Depth to bedrock Slope	1.00 0.17 0.08 0.01	Very limited Depth to cemented pan Too clayey Depth to saturated zone Depth to bedrock Slope	1.00 0.50 0.44 0.08 0.01
340D: Zanesville-----	85	Very limited Depth to bedrock Slope Depth to saturated zone Too clayey	1.00 0.96 0.84 0.50	Very limited Depth to cemented pan Slope Depth to saturated zone	1.00 0.96 0.17	Very limited Depth to cemented pan Slope Too clayey Depth to saturated zone	1.00 0.96 0.50 0.44

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part II—Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
340D2: Zanesville-----	85	Very limited Depth to bedrock Slope Depth to saturated zone Too clayey	1.00 0.96 0.84 0.50	Very limited Depth to cemented pan Slope Depth to saturated zone Depth to bedrock	1.00 0.96 0.17 0.02	Very limited Depth to cemented pan Slope Too clayey Depth to saturated zone Depth to bedrock	1.00 0.96 0.50 0.44 0.02
340D3: Zanesville-----	85	Very limited Depth to bedrock Slope Depth to saturated zone Too clayey	1.00 0.96 0.84 0.50	Very limited Depth to cemented pan Slope Depth to saturated zone Depth to bedrock	1.00 0.96 0.17 0.08	Very limited Depth to cemented pan Slope Too clayey Depth to saturated zone Depth to bedrock	1.00 0.96 0.50 0.44 0.08
453C2: Muren-----	90	Very limited Depth to saturated zone Too clayey Slope	1.00 0.50 0.01	Very limited Depth to saturated zone Slope	1.00 0.01	Somewhat limited Depth to saturated zone Too clayey Slope	0.99 0.50 0.01
453D2: Muren-----	90	Very limited Depth to saturated zone Slope Too clayey	1.00 0.96 0.50	Very limited Depth to saturated zone Slope	1.00 0.96	Somewhat limited Depth to saturated zone Slope Too clayey	0.99 0.96 0.50
691D: Beasley-----	90	Very limited Depth to bedrock Too clayey Slope	1.00 1.00 0.96	Somewhat limited Depth to bedrock Slope	0.99 0.96	Very limited Too clayey Hard to compact Depth to bedrock Slope	1.00 1.00 0.99 0.96
691F: Beasley-----	90	Very limited Slope Depth to bedrock Too clayey	1.00 1.00 1.00	Very limited Slope Depth to bedrock	1.00 0.99	Very limited Slope Too clayey Hard to compact Depth to bedrock	1.00 1.00 1.00 0.99
691G: Beasley-----	90	Very limited Slope Depth to bedrock Too clayey	1.00 1.00 1.00	Very limited Slope Depth to bedrock	1.00 0.99	Very limited Slope Too clayey Hard to compact Depth to bedrock	1.00 1.00 1.00 0.99
801B: Orthents, silty-----	90	Not limited		Not limited		Not limited	

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part II—Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
802D: Orthents, loamy-----	90	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37	Somewhat limited Slope	0.37
864: Pits, quarries-----	100	Not rated		Not rated		Not rated	
865: Pits, gravel-----	100	Not rated		Not rated		Not rated	
955D: Muskingum-----	55	Very limited Depth to bedrock Slope	1.00 0.96	Very limited Depth to bedrock Seepage Slope	1.00 1.00 0.96	Very limited Depth to bedrock Slope	1.00 0.96
Berks-----	40	Very limited Depth to bedrock Seepage, bottom layer Slope	1.00 1.00 0.96	Very limited Seepage Depth to bedrock Slope	1.00 1.00 0.96	Very limited Depth to bedrock Slope Gravel content Seepage	1.00 0.96 0.79 0.22
955D2: Muskingum-----	55	Very limited Depth to bedrock Slope	1.00 0.96	Very limited Depth to bedrock Slope	1.00 0.96	Very limited Depth to bedrock Slope	1.00 0.96
Berks-----	40	Very limited Depth to bedrock Seepage, bottom layer Slope	1.00 1.00 0.96	Very limited Seepage Depth to bedrock Slope	1.00 1.00 0.96	Very limited Depth to bedrock Slope Gravel content Seepage	1.00 0.96 0.83 0.52
955F: Muskingum-----	55	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00
Berks-----	40	Very limited Slope Depth to bedrock Seepage, bottom layer	1.00 1.00 1.00	Very limited Slope Seepage Depth to bedrock	1.00 1.00 1.00	Very limited Slope Depth to bedrock Gravel content Seepage	1.00 1.00 0.79 0.22
955G: Muskingum-----	55	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope Depth to bedrock Seepage	1.00 1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00
Berks-----	40	Very limited Slope Depth to bedrock Seepage, bottom layer	1.00 1.00 1.00	Very limited Slope Seepage Depth to bedrock	1.00 1.00 1.00	Very limited Slope Depth to bedrock Gravel content Seepage	1.00 1.00 0.79 0.22

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part II—Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
956B: Brandon-----	55	Very limited Seepage, bottom layer Too clayey	1.00 0.50	Very limited Seepage	1.00	Very limited Seepage Gravel content Too clayey	1.00 0.67 0.50
Saffell-----	40	Very limited Seepage, bottom layer Too clayey	1.00 0.50	Not limited		Somewhat limited Gravel content Too clayey	0.81 0.50
956C2: Brandon-----	55	Very limited Seepage, bottom layer Too clayey Slope	1.00 0.50 0.01	Very limited Seepage Slope	1.00 0.01	Very limited Seepage Too clayey Slope	1.00 0.50 0.01
Saffell-----	40	Very limited Seepage, bottom layer Too clayey Slope	1.00 0.50 0.01	Somewhat limited Slope	0.01	Somewhat limited Gravel content Too clayey Slope	0.91 0.50 0.01
956C3: Brandon-----	55	Very limited Seepage, bottom layer Too clayey Slope	1.00 0.50 0.01	Very limited Seepage Slope	1.00 0.01	Very limited Seepage Too clayey Slope	1.00 0.50 0.01
Saffell-----	40	Very limited Seepage, bottom layer Too clayey Slope	1.00 0.50 0.01	Somewhat limited Slope	0.01	Somewhat limited Gravel content Too clayey Seepage Slope	0.94 0.50 0.22 0.01
956D: Brandon-----	55	Very limited Seepage, bottom layer Slope Too clayey	1.00 0.96 0.50	Very limited Seepage Slope	1.00 0.96	Very limited Seepage Slope Too clayey	1.00 0.96 0.50
Saffell-----	40	Very limited Seepage, bottom layer Slope Too clayey	1.00 0.96 0.50	Somewhat limited Slope	0.96	Somewhat limited Slope Gravel content Too clayey	0.96 0.81 0.50
956D2: Brandon-----	55	Very limited Seepage, bottom layer Slope Too clayey	1.00 0.96 0.50	Very limited Seepage Slope	1.00 0.96	Very limited Seepage Slope Too clayey	1.00 0.96 0.50

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part II—Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
956D2: Saffell-----	40	Very limited Seepage, bottom layer Slope Too clayey	1.00 0.96 0.50	Somewhat limited Slope	0.96	Somewhat limited Slope Gravel content Too clayey	0.96 0.91 0.50
956D3: Brandon-----	55	Very limited Seepage, bottom layer Slope Too clayey	1.00 0.96 0.50	Very limited Seepage Slope	1.00 0.96	Very limited Seepage Slope Too clayey	1.00 0.96 0.50
Saffell-----	40	Very limited Seepage, bottom layer Slope Too clayey	1.00 0.96 0.50	Somewhat limited Slope	0.96	Somewhat limited Slope Gravel content Too clayey Seepage	0.96 0.94 0.50 0.22
956E2: Brandon-----	55	Very limited Slope Seepage, bottom layer Too clayey	1.00 1.00 0.50	Very limited Slope Seepage	1.00 1.00	Very limited Slope Seepage Too clayey	1.00 1.00 0.50
Saffell-----	40	Very limited Slope Seepage, bottom layer Too clayey	1.00 1.00 0.50	Very limited Slope	1.00	Very limited Slope Gravel content Too clayey	1.00 0.91 0.50
956F: Brandon-----	55	Very limited Slope Seepage, bottom layer Too clayey	1.00 1.00 0.50	Very limited Slope Seepage	1.00 1.00	Very limited Slope Seepage Too clayey	1.00 1.00 0.50
Saffell-----	40	Very limited Slope Seepage, bottom layer Too clayey	1.00 1.00 0.50	Very limited Slope	1.00	Very limited Slope Gravel content Too clayey	1.00 0.81 0.50
986D: Wellston-----	50	Very limited Depth to bedrock Slope	1.00 0.96	Somewhat limited Slope	0.96	Somewhat limited Slope	0.96
Berks-----	45	Very limited Depth to bedrock Seepage, bottom layer Slope	1.00 1.00 0.96	Very limited Seepage Depth to bedrock Slope	1.00 1.00 0.96	Very limited Depth to bedrock Slope Gravel content Seepage	1.00 0.96 0.79 0.22

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part II—Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
986D2: Wellston-----	50	Very limited Depth to bedrock Slope	1.00 0.96	Somewhat limited Slope Depth to bedrock	0.96 0.02	Somewhat limited Slope Depth to bedrock	0.96 0.02
Berks-----	45	Very limited Depth to bedrock Seepage, bottom layer Slope	1.00 1.00 0.96	Very limited Seepage Depth to bedrock Slope	1.00 1.00 0.96	Very limited Depth to bedrock Slope Gravel content Seepage	1.00 0.96 0.83 0.52
986F: Wellston-----	50	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope	1.00	Very limited Slope	1.00
Berks-----	45	Very limited Slope Depth to bedrock Seepage, bottom layer	1.00 1.00 1.00	Very limited Slope Seepage Depth to bedrock	1.00 1.00 1.00	Very limited Slope Depth to bedrock Gravel content Seepage	1.00 1.00 0.79 0.22
986G: Wellston-----	50	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope	1.00	Very limited Slope	1.00
Berks-----	45	Very limited Slope Depth to bedrock Seepage, bottom layer	1.00 1.00 1.00	Very limited Slope Seepage Depth to bedrock	1.00 1.00 1.00	Very limited Slope Depth to bedrock Gravel content Seepage	1.00 1.00 0.79 0.22
1843A: Bonnie-----	40	Very limited Flooding Depth to saturated zone Ponding	1.00 1.00 1.00	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
Petrolia-----	40	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 0.50	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey	1.00 1.00 0.50
1846A: Karnak-----	55	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 1.00	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00 1.00
Cape-----	35	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 1.00	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00 1.00

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part II—Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3070A: Beaucoup-----	90	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 0.50	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey	1.00 1.00 0.50
3071A: Darwin-----	90	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 1.00	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00 1.00
3071L: Darwin-----	90	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 1.00	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00 1.00
3072A: Sharon-----	85	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
3072L: Sharon-----	90	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
3108A: Bonnie-----	90	Very limited Flooding Depth to saturated zone Ponding	1.00 1.00 1.00	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
3108L: Bonnie-----	90	Very limited Flooding Depth to saturated zone Ponding	1.00 1.00 1.00	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
3180A: Dupo-----	85	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part II—Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3288A: Petrolia-----	90	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 0.50	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey	1.00 1.00 0.50
3288L: Petrolia-----	90	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 0.50	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey	1.00 1.00 0.50
3382A: Belknap-----	85	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
3382L: Belknap-----	95	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
3422A: Cape-----	90	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 1.00	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00 1.00
3422A+: Cape-----	90	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 1.00	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00 1.00
3426A: Karnak-----	85	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 1.00	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00 1.00
3426A+: Karnak-----	90	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 1.00	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00 1.00

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part II—Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3426L: Karnak-----	85	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 1.00	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00 1.00
3449L: Armiesburg-----	45	Very limited Flooding Too clayey	1.00 0.50	Very limited Flooding	1.00	Somewhat limited Too clayey	0.50
Sarpy-----	35	Very limited Flooding Seepage, bottom layer Too sandy	1.00 1.00 1.00	Very limited Flooding Seepage	1.00 1.00	Very limited Too sandy Seepage	1.00 1.00
3597A: Armiesburg-----	90	Very limited Flooding Too clayey	1.00 0.50	Very limited Flooding	1.00	Somewhat limited Too clayey	0.50
3597L: Armiesburg-----	90	Very limited Flooding Too clayey	1.00 0.50	Very limited Flooding	1.00	Somewhat limited Too clayey	0.50
7131A: Alvin-----	90	Very limited Seepage, bottom layer Too sandy Flooding	1.00 0.50 0.40	Very limited Seepage Flooding	1.00 0.40	Somewhat limited Seepage Too sandy	0.52 0.50
7131B: Alvin-----	90	Very limited Seepage, bottom layer Too sandy Flooding	1.00 0.50 0.40	Very limited Seepage Flooding	1.00 0.40	Somewhat limited Seepage Too sandy	0.52 0.50
7131C2: Alvin-----	90	Very limited Seepage, bottom layer Too sandy Flooding Slope	1.00 0.50 0.40 0.01	Very limited Seepage Flooding Slope	1.00 0.40 0.01	Somewhat limited Seepage Too sandy Slope	0.52 0.50 0.01
7131D2: Alvin-----	90	Very limited Seepage, bottom layer Slope Too sandy Flooding	1.00 0.96 0.50 0.40	Very limited Seepage Slope Flooding	1.00 0.96 0.40	Somewhat limited Slope Seepage Too sandy	0.96 0.52 0.50

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part II—Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7460A: Ginat-----	95	Very limited Depth to saturated zone Ponding Too clayey Flooding	1.00 1.00 0.50 0.40	Very limited Ponding Depth to saturated zone Flooding	1.00 1.00 0.40	Very limited Ponding Depth to saturated zone Too clayey	1.00 1.00 0.50
7462A: Sciotoville-----	95	Very limited Seepage, bottom layer Depth to saturated zone Flooding	1.00 0.95 0.40	Somewhat limited Depth to saturated zone Flooding	0.44 0.40	Somewhat limited Depth to saturated zone Seepage	0.68 0.52
7462B: Sciotoville-----	95	Very limited Seepage, bottom layer Depth to saturated zone Flooding	1.00 0.95 0.40	Somewhat limited Depth to saturated zone Flooding	0.44 0.40	Somewhat limited Depth to saturated zone Seepage	0.68 0.52
7462C2: Sciotoville-----	95	Very limited Seepage, bottom layer Depth to saturated zone Flooding Slope	1.00 0.95 0.40 0.01	Somewhat limited Depth to saturated zone Flooding Slope	0.44 0.40 0.01	Somewhat limited Depth to saturated zone Seepage Slope	0.68 0.52 0.01
7462C3: Sciotoville-----	95	Very limited Seepage, bottom layer Depth to saturated zone Flooding Slope	1.00 0.95 0.40 0.01	Somewhat limited Depth to saturated zone Flooding Slope	0.44 0.40 0.01	Somewhat limited Depth to saturated zone Seepage Slope	0.68 0.52 0.01
7462D2: Sciotoville-----	95	Very limited Seepage, bottom layer Slope Depth to saturated zone Flooding	1.00 0.96 0.95 0.40	Somewhat limited Slope Depth to saturated zone Flooding	0.96 0.44 0.40	Somewhat limited Slope Depth to saturated zone Seepage	0.96 0.68 0.52
7462D3: Sciotoville-----	95	Very limited Seepage, bottom layer Slope Depth to saturated zone Flooding	1.00 0.96 0.95 0.40	Somewhat limited Slope Depth to saturated zone Flooding	0.96 0.44 0.40	Somewhat limited Slope Depth to saturated zone Seepage	0.96 0.68 0.52

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part II—Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7463A: Wheeling-----	95	Very limited Seepage, bottom layer Too clayey Flooding	1.00 0.50 0.40	Somewhat limited Flooding	0.40	Somewhat limited Too clayey	0.50
7463B: Wheeling-----	95	Very limited Seepage, bottom layer Too clayey Flooding	1.00 0.50 0.40	Somewhat limited Flooding	0.40	Somewhat limited Too clayey	0.50
7463C2: Wheeling-----	95	Very limited Seepage, bottom layer Too clayey Flooding Slope	1.00 0.50 0.40 0.01	Somewhat limited Flooding Slope	0.40 0.01	Somewhat limited Too clayey Slope	0.50 0.01
7463D2: Wheeling-----	95	Very limited Seepage, bottom layer Slope Too clayey Flooding	1.00 0.96 0.50 0.40	Somewhat limited Slope Flooding	0.96 0.40	Somewhat limited Slope Too clayey	0.96 0.50
7463E2: Wheeling-----	95	Very limited Slope Seepage, bottom layer Too clayey Flooding	1.00 1.00 0.50 0.40	Very limited Slope Flooding	1.00 0.40	Very limited Slope Too clayey	1.00 0.50
7483A: Henshaw-----	90	Very limited Depth to saturated zone Too clayey Flooding	1.00 0.50 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Too clayey	1.00 0.50
7711A: Hatfield-----	95	Very limited Depth to saturated zone Too clayey Flooding	1.00 0.50 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone	1.00
7711B: Hatfield-----	95	Very limited Depth to saturated zone Too clayey Flooding	1.00 0.50 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone	1.00

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part II—Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7711B2: Hatfield-----	95	Very limited Depth to saturated zone Too clayey Flooding	1.00 0.50 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone	1.00
8070A: Beaucoup-----	90	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 0.50	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey	1.00 1.00 0.50
8071A: Darwin-----	90	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 1.00	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00 1.00
8072A: Sharon-----	90	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Not limited	
8108A: Bonnie-----	90	Very limited Flooding Depth to saturated zone Ponding	1.00 1.00 1.00	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
8109A: Raccoon-----	85	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 0.50	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey	1.00 1.00 0.50
8180A: Dupo-----	85	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00
8288A: Petrolia-----	90	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 0.50	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey	1.00 1.00 0.50

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part II—Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8382A: Belknap-----	95	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
8420A: Piopolis-----	90	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 0.50	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey	1.00 1.00 0.50
8422A: Cape-----	90	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 1.00	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00 1.00
8422A+: Cape-----	90	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 1.00	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00 1.00
8426A: Karnak-----	85	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 1.00	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00 1.00
8426A+: Karnak-----	90	Very limited Flooding Depth to saturated zone Ponding Too clayey	1.00 1.00 1.00 1.00	Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Hard to compact	1.00 1.00 1.00 1.00
8427B: Burnside-----	90	Very limited Flooding Depth to bedrock Large stones content	1.00 1.00 0.04	Very limited Flooding Depth to bedrock	1.00 0.02	Somewhat limited Large stones content Depth to bedrock	0.04 0.02
8469A: Emma-----	85	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Somewhat limited Too clayey Depth to saturated zone	0.50 0.02

Soil Survey of Massac County, Illinois

Table 16.—Sanitary Facilities, Part II—Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8469B: Emma-----	85	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Somewhat limited Too clayey Depth to saturated zone	0.50 0.02
8469C2: Emma-----	85	Very limited Flooding Depth to saturated zone Too clayey Slope	1.00 1.00 0.50 0.01	Very limited Flooding Depth to saturated zone Slope	1.00 1.00 0.01	Somewhat limited Too clayey Depth to saturated zone Slope	0.50 0.02 0.01
8597A: Armiesburg-----	85	Very limited Flooding Too clayey	1.00 0.50	Very limited Flooding	1.00	Somewhat limited Too clayey	0.50
8693A: Hurst-----	85	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Hard to compact Depth to saturated zone Too clayey	1.00 0.88 0.50
MW: Miscellaneous water-	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part I

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The ratings given for the thickest layer are for the thickest layer above and excluding the bottom layer. The numbers in the value columns range from 0.00 to 0.99. The greater the value, the greater the likelihood that the bottom layer or thickest layer of the soil is a source of sand or gravel. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Potential source of gravel		Potential source of sand	
		Rating class	Value	Rating class	Value
99G: Sandstone Rock Land-	45	Not rated		Not rated	
Limestone Rock Land-	40	Not rated		Not rated	
131B: Alvin-----	90	Poor		Fair	
		Bottom layer	0.00	Thickest layer	0.03
		Thickest layer	0.00	Bottom layer	0.25
131C: Alvin-----	90	Poor		Fair	
		Bottom layer	0.00	Thickest layer	0.03
		Thickest layer	0.00	Bottom layer	0.25
131C2: Alvin-----	90	Poor		Fair	
		Bottom layer	0.00	Thickest layer	0.03
		Thickest layer	0.00	Bottom layer	0.25
131D2: Alvin-----	90	Poor		Fair	
		Bottom layer	0.00	Thickest layer	0.03
		Thickest layer	0.00	Bottom layer	0.25
131F: Alvin-----	90	Poor		Fair	
		Bottom layer	0.00	Thickest layer	0.03
		Thickest layer	0.00	Bottom layer	0.25
164A: Stoy-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
164B: Stoy-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
164C2: Stoy-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
165A: Weir-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part I—Continued

Map symbol and soil name	Pct. of map unit	Potential source of gravel		Potential source of sand	
		Rating class	Value	Rating class	Value
175B: Lamont-----	90	Poor		Fair	
		Bottom layer	0.00	Thickest layer	0.03
		Thickest layer	0.00	Bottom layer	0.04
175C2: Lamont-----	90	Poor		Fair	
		Bottom layer	0.00	Thickest layer	0.00
		Thickest layer	0.00	Bottom layer	0.04
175D2: Lamont-----	90	Poor		Fair	
		Bottom layer	0.00	Thickest layer	0.00
		Thickest layer	0.00	Bottom layer	0.04
214B: Hosmer-----	85	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
214C2: Hosmer-----	85	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
214C3: Hosmer-----	85	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
214D2: Hosmer-----	85	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
214D3: Hosmer-----	85	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
308B: Alford-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
308C2: Alford-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
308C3: Alford-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
308D2: Alford-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part I—Continued

Map symbol and soil name	Pct. of map unit	Potential source of gravel		Potential source of sand	
		Rating class	Value	Rating class	Value
308D3: Alford-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
308E: Alford-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
308E2: Alford-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
308E3: Alford-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
308F: Alford-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
339C: Wellston-----	90	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.08	Thickest layer	0.00
339C2: Wellston-----	90	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.08	Thickest layer	0.00
339D: Wellston-----	90	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.08	Thickest layer	0.00
339D2: Wellston-----	90	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.08	Thickest layer	0.00
339D3: Wellston-----	90	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.08	Thickest layer	0.00
339F: Wellston-----	90	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.08	Thickest layer	0.00
340C2: Zanesville-----	90	Poor		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part I—Continued

Map symbol and soil name	Pct. of map unit	Potential source of gravel		Potential source of sand	
		Rating class	Value	Rating class	Value
340C3: Zanesville-----	90	Poor		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
340D: Zanesville-----	90	Poor		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
340D2: Zanesville-----	90	Poor		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
340D3: Zanesville-----	90	Poor		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
453C2: Muren-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
453D2: Muren-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
691D: Beasley-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
691F: Beasley-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
691G: Beasley-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
801B: Orthents, silty----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
802D: Orthents, loamy----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
864: Pits, quarries-----	100	Not rated		Not rated	
865: Pits, gravel-----	100	Not rated		Not rated	

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part I—Continued

Map symbol and soil name	Pct. of map unit	Potential source of gravel		Potential source of sand	
		Rating class	Value	Rating class	Value
955D: Muskingum-----	55	Poor		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
Berks-----	40	Fair		Poor	
		Thickest layer	0.16	Bottom layer	0.00
		Bottom layer	0.39	Thickest layer	0.00
955D2: Muskingum-----	55	Poor		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
Berks-----	40	Fair		Poor	
		Thickest layer	0.14	Bottom layer	0.00
		Bottom layer	0.39	Thickest layer	0.00
955F: Muskingum-----	55	Poor		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
Berks-----	40	Fair		Poor	
		Thickest layer	0.16	Bottom layer	0.00
		Bottom layer	0.39	Thickest layer	0.00
955G: Muskingum-----	55	Poor		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
Berks-----	40	Fair		Poor	
		Thickest layer	0.16	Bottom layer	0.00
		Bottom layer	0.39	Thickest layer	0.00
956B: Brandon-----	55	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.39	Thickest layer	0.00
Saffell-----	40	Fair		Poor	
		Thickest layer	0.24	Bottom layer	0.00
		Bottom layer	0.35	Thickest layer	0.00
956C2: Brandon-----	55	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.39	Thickest layer	0.00
Saffell-----	40	Fair		Poor	
		Thickest layer	0.24	Bottom layer	0.00
		Bottom layer	0.35	Thickest layer	0.00
956C3: Brandon-----	55	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.39	Thickest layer	0.00

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part I—Continued

Map symbol and soil name	Pct. of map unit	Potential source of gravel		Potential source of sand	
		Rating class	Value	Rating class	Value
956C3: Saffell-----	40	Fair		Poor	
		Thickest layer	0.24	Bottom layer	0.00
		Bottom layer	0.35	Thickest layer	0.00
956D: Brandon-----	55	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.39	Thickest layer	0.00
Saffell-----	40	Fair		Poor	
		Thickest layer	0.24	Bottom layer	0.00
		Bottom layer	0.35	Thickest layer	0.00
956D2: Brandon-----	55	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.39	Thickest layer	0.00
Saffell-----	40	Fair		Poor	
		Thickest layer	0.24	Bottom layer	0.00
		Bottom layer	0.35	Thickest layer	0.00
956D3: Brandon-----	55	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.39	Thickest layer	0.00
Saffell-----	40	Fair		Poor	
		Thickest layer	0.24	Bottom layer	0.00
		Bottom layer	0.35	Thickest layer	0.00
956E2: Brandon-----	55	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.39	Thickest layer	0.00
Saffell-----	40	Fair		Poor	
		Thickest layer	0.24	Bottom layer	0.00
		Bottom layer	0.35	Thickest layer	0.00
956F: Brandon-----	55	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.39	Thickest layer	0.00
Saffell-----	40	Fair		Poor	
		Thickest layer	0.24	Bottom layer	0.00
		Bottom layer	0.35	Thickest layer	0.00
986D: Wellston-----	50	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.08	Thickest layer	0.00
Berks-----	45	Fair		Poor	
		Thickest layer	0.16	Bottom layer	0.00
		Bottom layer	0.39	Thickest layer	0.00

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part I—Continued

Map symbol and soil name	Pct. of map unit	Potential source of gravel		Potential source of sand	
		Rating class	Value	Rating class	Value
986D2: Wellston-----	50	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.08	Thickest layer	0.00
Berks-----	45	Fair		Poor	
		Thickest layer	0.14	Bottom layer	0.00
		Bottom layer	0.39	Thickest layer	0.00
986F: Wellston-----	50	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.08	Thickest layer	0.00
Berks-----	45	Fair		Poor	
		Thickest layer	0.16	Bottom layer	0.00
		Bottom layer	0.39	Thickest layer	0.00
986G: Wellston-----	50	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.08	Thickest layer	0.00
Berks-----	45	Fair		Poor	
		Thickest layer	0.16	Bottom layer	0.00
		Bottom layer	0.39	Thickest layer	0.00
1843A: Bonnie-----	40	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
Petrolia-----	40	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
1846A: Karnak-----	55	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
Cape-----	35	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
3070A: Beaucoup-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
3071A: Darwin-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
3071L: Darwin-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part I—Continued

Map symbol and soil name	Pct. of map unit	Potential source of gravel		Potential source of sand	
		Rating class	Value	Rating class	Value
3072A: Sharon-----	85	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
3072L: Sharon-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
3108A: Bonnie-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
3108L: Bonnie-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
3180A: Dupo-----	95	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
3288A: Petrolia-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
3288L: Petrolia-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
3382A: Belknap-----	85	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
3382L: Belknap-----	95	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
3422A: Cape-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
3422A+: Cape-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
3426A: Karnak-----	85	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part I—Continued

Map symbol and soil name	Pct. of map unit	Potential source of gravel		Potential source of sand	
		Rating class	Value	Rating class	Value
3426A+: Karnak-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
3426L: Karnak-----	85	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
3449L: Armiesburg-----	45	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
3449L: Sarpy-----	35	Poor		Fair	
		Bottom layer	0.00	Thickest layer	0.12
		Thickest layer	0.00	Bottom layer	0.51
3597A: Armiesburg-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
3597L: Armiesburg-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
7131A: Alvin-----	90	Poor		Fair	
		Bottom layer	0.00	Thickest layer	0.03
		Thickest layer	0.00	Bottom layer	0.25
7131B: Alvin-----	90	Poor		Fair	
		Bottom layer	0.00	Thickest layer	0.03
		Thickest layer	0.00	Bottom layer	0.25
7131C2: Alvin-----	90	Poor		Fair	
		Bottom layer	0.00	Thickest layer	0.03
		Thickest layer	0.00	Bottom layer	0.25
7131D2: Alvin-----	90	Poor		Fair	
		Bottom layer	0.00	Thickest layer	0.03
		Thickest layer	0.00	Bottom layer	0.25
7460A: Ginat-----	95	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
7462A: Sciotoville-----	95	Poor		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part I—Continued

Map symbol and soil name	Pct. of map unit	Potential source of gravel		Potential source of sand	
		Rating class	Value	Rating class	Value
7462B: Sciotoville-----	95	Poor		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
7462C2: Sciotoville-----	95	Poor		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
7462C3: Sciotoville-----	95	Poor		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
7462D2: Sciotoville-----	95	Poor		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
7462D3: Sciotoville-----	95	Poor		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
7463A: Wheeling-----	95	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.20	Thickest layer	0.00
7463B: Wheeling-----	95	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.20	Thickest layer	0.00
7463C2: Wheeling-----	95	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.20	Thickest layer	0.00
7463D2: Wheeling-----	95	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.20	Thickest layer	0.00
7463E2: Wheeling-----	95	Fair		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.20	Thickest layer	0.00
7483A: Henshaw-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
7711A: Hatfield-----	95	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part I—Continued

Map symbol and soil name	Pct. of map unit	Potential source of gravel		Potential source of sand	
		Rating class	Value	Rating class	Value
7711B: Hatfield-----	95	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
7711B2: Hatfield-----	95	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
8070A: Beaucoup-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
8071A: Darwin-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
8072A: Sharon-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
8108A: Bonnie-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
8109A: Raccoon-----	85	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
8180A: Dupo-----	85	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
8288A: Petrolia-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
8382A: Belknap-----	95	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
8420A: Piopolis-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
8422A: Cape-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part I—Continued

Map symbol and soil name	Pct. of map unit	Potential source of gravel		Potential source of sand	
		Rating class	Value	Rating class	Value
8422A+: Cape-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
8426A: Karnak-----	85	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
8426A+: Karnak-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
8427B: Burnside-----	90	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
8469A: Emma-----	85	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
8469B: Emma-----	85	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
8469C2: Emma-----	85	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
8597A: Armiesburg-----	85	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
8693A: Hurst-----	85	Poor		Poor	
		Bottom layer	0.00	Bottom layer	0.00
		Thickest layer	0.00	Thickest layer	0.00
MW: Miscellaneous water-	100	Not rated		Not rated	
W: Water-----	100	Not rated		Not rated	

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part II

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 0.99. The smaller the value, the greater the limitation. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
99G: Sandstone Rock Land-	45	Not rated		Not rated		Not rated	
Limestone Rock Land-	40	Not rated		Not rated		Not rated	
131B: Alvin-----	90	Fair Organic matter content low Too acid	0.05 0.88	Good		Good	
131C: Alvin-----	90	Fair Organic matter content low Too acid	0.05 0.88	Good		Good	
131C2: Alvin-----	90	Fair Organic matter content low Too acid	0.05 0.88	Good		Good	
131D2: Alvin-----	90	Fair Organic matter content low Too acid	0.05 0.88	Good		Fair Slope	0.04
131F: Alvin-----	90	Fair Organic matter content low Too acid	0.05 0.88	Poor Slope	0.00	Poor Slope	0.00
164A: Stoy-----	90	Fair Organic matter content low Too acid Water erosion Too clayey	0.08 0.32 0.90 0.98	Poor Low strength Wetness depth Shrink-swell	0.00 0.53 0.99	Fair Wetness depth Too clayey Too acid	0.53 0.64 0.88
164B: Stoy-----	90	Fair Organic matter content low Too acid Water erosion Too clayey	0.08 0.32 0.90 0.98	Poor Low strength Wetness depth Shrink-swell	0.00 0.53 0.99	Fair Wetness depth Too clayey Too acid	0.53 0.64 0.88

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part II—Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
164C2: Stoy-----	90	Fair Organic matter content low Too acid Water erosion Too clayey	0.24 0.32 0.90 0.98	Poor Low strength Wetness depth Shrink-swell	0.00 0.53 0.99	Fair Wetness depth Too clayey Too acid	0.53 0.67 0.88
165A: Weir-----	90	Poor Organic matter content low Too clayey Water erosion Too acid	0.00 0.08 0.37 0.50	Poor Wetness depth Low strength Shrink-swell	0.00 0.00 0.92	Poor Wetness depth Too clayey Too acid	0.00 0.04 0.88
175B: Lamont-----	90	Poor Too sandy Organic matter content low Too acid	0.00 0.12 0.84	Good		Poor Too sandy	0.00
175C2: Lamont-----	90	Fair Organic matter content low Too acid	0.12 0.97	Good		Good	
175D2: Lamont-----	90	Fair Organic matter content low Too acid	0.12 0.97	Good		Fair Slope	0.04
214B: Hosmer-----	85	Fair Too acid Depth to cemented pan Organic matter content low Water erosion Droughty	0.32 0.36 0.50 0.90 0.99	Poor Depth to cemented pan Low strength Shrink-swell Wetness depth	0.00 0.22 0.87 0.91	Fair Depth to cemented pan Too acid Wetness depth	0.36 0.88 0.91
214C2: Hosmer-----	85	Fair Depth to cemented pan Too acid Organic matter content low Droughty Water erosion	0.14 0.32 0.50 0.84 0.90	Poor Depth to cemented pan Low strength Shrink-swell Wetness depth	0.00 0.22 0.87 0.91	Fair Depth to cemented pan Too acid Wetness depth	0.14 0.88 0.91

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part II—Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
214C3: Hosmer-----	85	Fair Depth to cemented pan Too acid Organic matter content low Droughty Water erosion	0.05 0.32 0.50 0.62 0.90	Poor Depth to cemented pan Low strength Shrink-swell Wetness depth	0.00 0.22 0.87 0.91	Fair Depth to cemented pan Too acid Wetness depth	0.05 0.88 0.91
214D2: Hosmer-----	85	Fair Depth to cemented pan Too acid Organic matter content low Droughty Water erosion	0.14 0.32 0.50 0.84 0.90	Poor Depth to cemented pan Low strength Shrink-swell Wetness depth	0.00 0.22 0.87 0.91	Fair Slope Depth to cemented pan Too acid Wetness depth	0.04 0.14 0.88 0.91
214D3: Hosmer-----	85	Fair Depth to cemented pan Too acid Organic matter content low Droughty Water erosion	0.05 0.32 0.50 0.62 0.90	Poor Depth to cemented pan Low strength Shrink-swell Wetness depth	0.00 0.22 0.87 0.91	Fair Slope Depth to cemented pan Too acid Wetness depth	0.04 0.05 0.88 0.91
308B: Alford-----	90	Fair Organic matter content low Water erosion Too acid	0.12 0.37 0.54	Fair Shrink-swell	0.99	Fair Too acid	0.98
308C2: Alford-----	90	Fair Organic matter content low Water erosion Too acid	0.12 0.37 0.54	Good		Fair Too acid	0.98
308C3: Alford-----	90	Fair Organic matter content low Water erosion Too acid	0.12 0.37 0.54	Good		Fair Too acid	0.98
308D2: Alford-----	90	Fair Organic matter content low Water erosion Too acid	0.12 0.37 0.54	Good		Fair Slope Too acid	0.04 0.98

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part II—Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
308D3: Alford-----	90	Fair Organic matter content low Water erosion Too acid	0.12 0.37 0.54	Good		Fair Slope Too acid	0.04 0.98
308E: Alford-----	90	Fair Organic matter content low Water erosion Too acid	0.12 0.37 0.54	Fair Slope Shrink-swell	0.18 0.99	Poor Slope Too acid	0.00 0.98
308E2: Alford-----	90	Fair Organic matter content low Water erosion Too acid	0.12 0.37 0.54	Fair Slope	0.18	Poor Slope Too acid	0.00 0.98
308E3: Alford-----	90	Fair Organic matter content low Water erosion Too acid	0.12 0.37 0.54	Fair Slope	0.18	Poor Slope Too acid	0.00 0.98
308F: Alford-----	90	Fair Organic matter content low Water erosion Too acid	0.12 0.37 0.54	Poor Slope Shrink-swell	0.00 0.99	Poor Slope Too acid	0.00 0.98
339C: Wellston-----	90	Fair Too acid Organic matter content low Water erosion	0.54 0.88 0.90	Poor Low strength	0.00	Fair Hard to reclaim (rock fragments) Rock fragments Too acid	0.32 0.97 0.98
339C2: Wellston-----	90	Fair Too acid Organic matter content low Water erosion	0.54 0.88 0.90	Fair Depth to bedrock	0.98	Fair Hard to reclaim (rock fragments) Rock fragments Too acid	0.32 0.97 0.98
339D: Wellston-----	90	Fair Too acid Organic matter content low Water erosion	0.54 0.88 0.90	Good		Fair Slope Hard to reclaim (rock fragments) Rock fragments Too acid	0.04 0.32 0.97 0.98

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part II—Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
339D2: Wellston-----	90	Fair Too acid Organic matter content low Water erosion	0.54 0.88 0.90	Fair Depth to bedrock	0.98	Fair Slope Hard to reclaim (rock fragments) Rock fragments Too acid	0.04 0.32 0.97 0.98
339D3: Wellston-----	90	Fair Too acid Organic matter content low Water erosion	0.54 0.88 0.90	Fair Depth to bedrock	0.92	Fair Slope Hard to reclaim (rock fragments) Rock fragments Too acid	0.04 0.32 0.97 0.98
339F: Wellston-----	90	Fair Too acid Organic matter content low Water erosion	0.54 0.88 0.90	Poor Slope	0.00	Poor Slope Hard to reclaim (rock fragments) Rock fragments Too acid	0.00 0.32 0.97 0.98
340C2: Zanesville-----	85	Poor Depth to cemented pan Droughty Too acid Water erosion	0.00 0.17 0.54 0.90	Poor Depth to cemented pan Wetness depth Depth to bedrock	0.00 0.91 0.98	Poor Depth to cemented pan Wetness depth Too acid	0.00 0.91 0.98
340C3: Zanesville-----	85	Poor Depth to cemented pan Droughty Organic matter content low Too acid Water erosion	0.00 0.05 0.08 0.54 0.90	Poor Depth to cemented pan Wetness depth Depth to bedrock	0.00 0.91 0.92	Poor Depth to cemented pan Wetness depth Too acid	0.00 0.91 0.98
340D: Zanesville-----	85	Fair Depth to cemented pan Droughty Too acid Water erosion	0.03 0.53 0.54 0.90	Poor Depth to cemented pan Wetness depth	0.00 0.91	Fair Depth to cemented pan Slope Wetness depth Too acid	0.03 0.04 0.91 0.98
340D2: Zanesville-----	85	Poor Depth to cemented pan Droughty Too acid Water erosion	0.00 0.17 0.54 0.90	Poor Depth to cemented pan Wetness depth Depth to bedrock	0.00 0.91 0.98	Poor Depth to cemented pan Slope Wetness depth Too acid	0.00 0.04 0.91 0.98

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part II—Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
340D3: Zanesville-----	85	Poor Depth to cemented pan Droughty Organic matter content low Too acid Water erosion	0.00 0.05 0.08 0.54 0.90	Poor Depth to cemented pan Wetness depth Depth to bedrock	0.00 0.91 0.92	Poor Depth to cemented pan Slope Wetness depth Too acid	0.00 0.04 0.91 0.98
453C2: Muren-----	90	Fair Organic matter content low Too acid Water erosion	0.12 0.74 0.90	Fair Wetness depth Shrink-swell	0.18 0.97	Fair Wetness depth	0.18
453D2: Muren-----	90	Fair Organic matter content low Too acid Water erosion	0.12 0.74 0.90	Fair Wetness depth Shrink-swell	0.18 0.97	Fair Slope Wetness depth	0.04 0.18
691D: Beasley-----	90	Poor Too clayey Organic matter content low Too acid Water erosion Droughty	0.00 0.18 0.88 0.90 0.99	Poor Depth to bedrock Shrink-swell	0.00 0.87	Poor Too clayey Slope Rock fragments	0.00 0.04 0.28
691F: Beasley-----	90	Poor Too clayey Organic matter content low Too acid Water erosion Droughty	0.00 0.18 0.88 0.90 0.99	Poor Slope Depth to bedrock Shrink-swell	0.00 0.00 0.87	Poor Slope Too clayey Rock fragments	0.00 0.00 0.28
691G: Beasley-----	90	Poor Too clayey Organic matter content low Too acid Water erosion Droughty	0.00 0.18 0.88 0.90 0.99	Poor Slope Depth to bedrock Shrink-swell	0.00 0.00 0.87	Poor Slope Too clayey Rock fragments	0.00 0.00 0.28
801B: Orthents, silty-----	90	Fair Organic matter content low Too acid Water erosion	0.12 0.84 0.90	Poor Low strength Shrink-swell	0.00 0.87	Good	

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part II—Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
802D: Orthents, loamy-----	90	Fair Organic matter content low Water erosion	0.50 0.90	Poor Low strength Shrink-swell	0.00 0.87	Fair Slope	0.63
864: Pits, quarries-----	100	Not rated		Not rated		Not rated	
865: Pits, gravel-----	100	Not rated		Not rated		Not rated	
955D: Muskingum-----	55	Fair Organic matter content low Too acid Droughty Depth to bedrock	0.12 0.50 0.56 0.84	Poor Depth to bedrock	0.00	Fair Slope Rock fragments Depth to bedrock Too acid	0.04 0.72 0.84 0.98
Berks-----	40	Poor Droughty Organic matter content low Depth to bedrock Too acid	0.00 0.12 0.35 0.54	Poor Depth to bedrock	0.00	Poor Rock fragments Slope Depth to bedrock Too acid	0.00 0.04 0.35 0.98
955D2: Muskingum-----	55	Fair Organic matter content low Droughty Too acid Depth to bedrock	0.12 0.30 0.50 0.65	Poor Depth to bedrock	0.00	Fair Slope Depth to bedrock Rock fragments Too acid	0.04 0.65 0.72 0.98
Berks-----	40	Poor Droughty Organic matter content low Depth to bedrock Too acid	0.00 0.12 0.16 0.54	Poor Depth to bedrock	0.00	Poor Rock fragments Slope Depth to bedrock Too acid	0.00 0.04 0.16 0.98
955F: Muskingum-----	55	Fair Organic matter content low Too acid Droughty Depth to bedrock	0.12 0.50 0.56 0.84	Poor Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.72 0.84 0.98
Berks-----	40	Poor Droughty Organic matter content low Depth to bedrock Too acid	0.00 0.12 0.35 0.54	Poor Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.35 0.98

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part II—Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
955G: Muskingum-----	55	Fair		Poor		Poor	
		Organic matter content low	0.12	Slope	0.00	Slope	0.00
		Too acid	0.50	Depth to bedrock	0.00	Rock fragments	0.72
		Droughty	0.56			Depth to bedrock	0.84
		Depth to bedrock	0.84			Too acid	0.98
Berks-----	40	Poor		Poor		Poor	
		Droughty	0.00	Slope	0.00	Slope	0.00
		Organic matter content low	0.12	Depth to bedrock	0.00	Rock fragments	0.00
		Depth to bedrock	0.35			Depth to bedrock	0.35
		Too acid	0.54			Too acid	0.98
956B: Brandon-----	55	Fair		Good		Poor	
		Organic matter content low	0.12			Hard to reclaim (rock fragments)	0.00
		Too acid	0.50			Too acid	0.88
		Water erosion	0.99				
Saffell-----	40	Fair		Good		Poor	
		Organic matter content low	0.12			Rock fragments	0.00
		Too acid	0.32			Hard to reclaim (rock fragments)	0.00
		Too clayey	0.98			Too clayey	0.57
						Too acid	0.88
956C2: Brandon-----	55	Fair		Good		Poor	
		Organic matter content low	0.12			Rock fragments	0.00
		Too acid	0.50			Hard to reclaim (rock fragments)	0.00
		Too clayey	0.68			Too clayey	0.39
		Water erosion	0.99			Too acid	0.88
Saffell-----	40	Fair		Good		Poor	
		Organic matter content low	0.12			Rock fragments	0.00
		Too acid	0.32			Hard to reclaim (rock fragments)	0.00
		Too clayey	0.98			Too clayey	0.57
						Too acid	0.88
956C3: Brandon-----	55	Fair		Good		Poor	
		Organic matter content low	0.12			Rock fragments	0.00
		Too acid	0.50			Hard to reclaim (rock fragments)	0.00
		Too clayey	0.68			Too clayey	0.39
		Water erosion	0.99			Too acid	0.88
Saffell-----	40	Fair		Good		Poor	
		Organic matter content low	0.12			Rock fragments	0.00
		Too acid	0.32			Hard to reclaim (rock fragments)	0.00
		Too clayey	0.98			Too clayey	0.57
						Too acid	0.88

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part II—Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
956D: Brandon-----	55	Fair		Good		Poor	
		Organic matter content low	0.12			Hard to reclaim (rock fragments)	0.00
		Too acid	0.50			Slope	0.04
		Water erosion	0.99			Too acid	0.88
Saffell-----	40	Fair		Good		Poor	
		Organic matter content low	0.12			Rock fragments	0.00
		Too acid	0.32			Hard to reclaim (rock fragments)	0.00
		Too clayey	0.98			Slope	0.04
						Too clayey	0.57
						Too acid	0.88
956D2: Brandon-----	55	Fair		Good		Poor	
		Organic matter content low	0.12			Rock fragments	0.00
		Too acid	0.50			Hard to reclaim (rock fragments)	0.00
		Too clayey	0.68			Slope	0.04
		Water erosion	0.99			Too clayey	0.39
						Too acid	0.88
Saffell-----	40	Fair		Good		Poor	
		Organic matter content low	0.12			Rock fragments	0.00
		Too acid	0.32			Hard to reclaim (rock fragments)	0.00
		Too clayey	0.98			Slope	0.04
						Too clayey	0.57
						Too acid	0.88
956D3: Brandon-----	55	Fair		Good		Poor	
		Organic matter content low	0.12			Rock fragments	0.00
		Too acid	0.50			Hard to reclaim (rock fragments)	0.00
		Too clayey	0.68			Slope	0.04
		Water erosion	0.99			Too clayey	0.39
						Too acid	0.88
Saffell-----	40	Fair		Good		Poor	
		Organic matter content low	0.12			Rock fragments	0.00
		Too acid	0.32			Hard to reclaim (rock fragments)	0.00
		Too clayey	0.98			Slope	0.04
						Too clayey	0.57
						Too acid	0.88
956E2: Brandon-----	55	Fair		Fair Slope	0.18	Poor	
		Organic matter content low	0.12			Slope	0.00
		Too acid	0.50			Rock fragments	0.00
		Too clayey	0.68			Hard to reclaim (rock fragments)	0.00
		Water erosion	0.99			Too clayey	0.39
						Too acid	0.88

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part II—Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
956E2: Saffell-----	40	Fair Organic matter content low Too acid Too clayey	0.12 0.32 0.98	Fair Slope	0.18	Poor Slope Rock fragments Hard to reclaim (rock fragments) Too clayey Too acid	0.00 0.00 0.00 0.57 0.88
956F: Brandon-----	55	Fair Organic matter content low Too acid Water erosion	0.12 0.50 0.99	Poor Slope	0.00	Poor Slope Hard to reclaim (rock fragments) Too acid	0.00 0.00 0.88
Saffell-----	40	Fair Organic matter content low Too acid Too clayey	0.12 0.32 0.98	Poor Slope	0.00	Poor Slope Rock fragments Hard to reclaim (rock fragments) Too clayey Too acid	0.00 0.00 0.00 0.57 0.88
986D: Wellston-----	50	Fair Too acid Organic matter content low Water erosion	0.54 0.88 0.90	Good		Fair Slope Hard to reclaim (rock fragments) Rock fragments Too acid	0.04 0.32 0.97 0.98
Berks-----	45	Poor Droughty Organic matter content low Depth to bedrock Too acid	0.00 0.12 0.35 0.54	Poor Depth to bedrock	0.00	Poor Rock fragments Slope Depth to bedrock Too acid	0.00 0.04 0.35 0.98
986D2: Wellston-----	50	Fair Too acid Organic matter content low Water erosion	0.54 0.88 0.90	Fair Depth to bedrock	0.98	Fair Slope Hard to reclaim (rock fragments) Rock fragments Too acid	0.04 0.32 0.97 0.98
Berks-----	45	Poor Droughty Organic matter content low Depth to bedrock Too acid	0.00 0.12 0.16 0.54	Poor Depth to bedrock	0.00	Poor Rock fragments Slope Depth to bedrock Too acid	0.00 0.04 0.16 0.98
986F: Wellston-----	50	Fair Too acid Organic matter content low Water erosion	0.54 0.88 0.90	Poor Slope	0.00	Poor Slope Hard to reclaim (rock fragments) Rock fragments Too acid	0.00 0.32 0.97 0.98

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part II—Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
986F: Berks-----	45	Poor Droughty Organic matter content low Depth to bedrock Too acid	0.00 0.12 0.35 0.54	Poor Depth to bedrock Slope	0.00 0.00	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.35 0.98
986G: Wellston-----	50	Fair Too acid Organic matter content low Water erosion	0.54 0.88 0.90	Poor Slope	0.00	Poor Slope Hard to reclaim (rock fragments) Rock fragments Too acid	0.00 0.32 0.97 0.98
Berks-----	45	Poor Droughty Organic matter content low Depth to bedrock Too acid	0.00 0.12 0.35 0.54	Poor Slope Depth to bedrock	0.00 0.00	Poor Slope Rock fragments Depth to bedrock Too acid	0.00 0.00 0.35 0.98
1843A: Bonnie-----	40	Fair Too acid Organic matter content low Water erosion	0.50 0.50 0.68	Poor Wetness depth Low strength	0.00 0.00	Poor Wetness depth Too acid	0.00 0.88
Petrolia-----	40	Fair Organic matter content low Too clayey	0.68 0.98	Poor Wetness depth Low strength Shrink-swell	0.00 0.00 0.87	Poor Wetness depth Too clayey	0.00 0.67
1846A: Karnak-----	55	Poor Too clayey Organic matter content low Too acid	0.00 0.12 0.84	Poor Wetness depth Low strength Shrink-swell	0.00 0.00 0.12	Poor Too clayey Wetness depth	0.00 0.00
Cape-----	35	Poor Too clayey Too acid Organic matter content low	0.00 0.50 0.50	Poor Wetness depth Low strength Shrink-swell	0.00 0.00 0.28	Poor Wetness depth Too clayey Too acid	0.00 0.00 0.59
3070A: Beaucoup-----	90	Fair Too clayey	0.98	Poor Wetness depth Low strength Shrink-swell	0.00 0.22 0.87	Poor Wetness depth Too clayey	0.00 0.76
3071A: Darwin-----	90	Poor Too clayey	0.00	Poor Wetness depth Low strength Shrink-swell	0.00 0.00 0.00	Poor Too clayey Wetness depth	0.00 0.00

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part II—Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3071L: Darwin-----	90	Poor Too clayey	0.00	Poor Wetness depth Low strength Shrink-swell	0.00 0.00 0.00	Poor Too clayey Wetness depth	0.00 0.00
3072A: Sharon-----	85	Fair Organic matter content low Too acid Water erosion	0.24 0.32 0.68	Good		Fair Too acid	0.88
3072L: Sharon-----	90	Fair Organic matter content low Too acid Water erosion	0.24 0.32 0.68	Good		Fair Too acid	0.88
3108A: Bonnie-----	90	Fair Too acid Organic matter content low Water erosion	0.50 0.50 0.68	Poor Wetness depth Low strength	0.00 0.00	Poor Wetness depth Too acid	0.00 0.88
3108L: Bonnie-----	90	Fair Too acid Organic matter content low Water erosion	0.50 0.50 0.68	Poor Wetness depth Low strength	0.00 0.00	Poor Wetness depth Too acid	0.00 0.88
3180A: Dupo-----	85	Fair Water erosion Organic matter content low	0.68 0.68	Poor Low strength Wetness depth Shrink-swell	0.00 0.03 0.61	Fair Wetness depth	0.03
3288A: Petrolia-----	90	Fair Organic matter content low Too clayey	0.68 0.98	Poor Wetness depth Low strength Shrink-swell	0.00 0.00 0.87	Poor Wetness depth Too clayey	0.00 0.67
3288L: Petrolia-----	90	Fair Organic matter content low Too clayey	0.68 0.98	Poor Wetness depth Low strength Shrink-swell	0.00 0.00 0.87	Poor Wetness depth Too clayey	0.00 0.67
3382A: Belknap-----	85	Fair Too acid Water erosion	0.46 0.68	Fair Wetness depth	0.04	Fair Wetness depth Too acid	0.04 0.95

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part II—Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3382L: Belknap-----	95	Fair Too acid Organic matter content low Water erosion	0.50 0.50 0.68	Poor Low strength Wetness depth	0.00 0.04	Fair Wetness depth Too acid	0.04 0.95
3422A: Cape-----	90	Poor Too clayey Too acid Organic matter content low	0.00 0.50 0.50	Poor Wetness depth Low strength Shrink-swell	0.00 0.00 0.28	Poor Wetness depth Too clayey Too acid	0.00 0.00 0.59
3422A+: Cape-----	90	Poor Too clayey Too acid Organic matter content low Water erosion	0.00 0.50 0.50 0.90	Poor Wetness depth Low strength Shrink-swell	0.00 0.00 0.38	Poor Wetness depth Too clayey Too acid	0.00 0.00 0.59
3426A: Karnak-----	85	Poor Too clayey Organic matter content low Too acid	0.00 0.12 0.84	Poor Wetness depth Shrink-swell	0.00 0.12	Poor Too clayey Wetness depth	0.00 0.00
3426A+: Karnak-----	90	Poor Too clayey Organic matter content low Too acid Water erosion	0.00 0.12 0.84 0.90	Poor Wetness depth Low strength Shrink-swell	0.00 0.00 0.20	Poor Too clayey Wetness depth	0.00 0.00
3426L: Karnak-----	85	Poor Too clayey Organic matter content low Too acid	0.00 0.12 0.84	Poor Wetness depth Low strength Shrink-swell	0.00 0.00 0.12	Poor Too clayey Wetness depth	0.00 0.00
3449L: Armiesburg-----	45	Fair Organic matter content low Too clayey	0.88 0.92	Poor Low strength Shrink-swell	0.00 0.87	Fair Too clayey	0.66
Sarpy-----	35	Poor Too sandy Wind erosion Organic matter content low Droughty	0.00 0.00 0.12 0.98	Good		Poor Too sandy	0.00

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part II—Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3597A: Armiesburg-----	90	Fair Organic matter content low Too clayey	0.88 0.92	Fair Shrink-swell	0.87	Fair Too clayey	0.66
3597L: Armiesburg-----	90	Fair Organic matter content low Too clayey	0.88 0.92	Poor Low strength Shrink-swell	0.00 0.87	Fair Too clayey	0.66
7131A: Alvin-----	90	Fair Organic matter content low Too acid	0.05 0.88	Good		Good	
7131B: Alvin-----	90	Fair Organic matter content low Too acid	0.05 0.88	Good		Good	
7131C2: Alvin-----	90	Fair Organic matter content low Too acid	0.05 0.88	Good		Good	
7131D2: Alvin-----	90	Fair Organic matter content low Too acid	0.05 0.88	Good		Fair Slope	0.04
7460A: Ginat-----	95	Fair Organic matter content low Too acid Water erosion	0.12 0.32 0.90	Poor Wetness depth Low strength	0.00 0.00	Poor Wetness depth	0.00
7462A: Sciotoville-----	95	Fair Organic matter content low Too acid Water erosion	0.12 0.32 0.99	Fair Wetness depth	0.76	Fair Wetness depth Too acid Hard to reclaim (rock fragments)	0.76 0.88 0.95
7462B: Sciotoville-----	95	Fair Organic matter content low Too acid Water erosion	0.12 0.32 0.99	Fair Wetness depth	0.76	Fair Wetness depth Too acid Hard to reclaim (rock fragments)	0.76 0.88 0.95

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part II—Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7462C2: Sciotoville-----	95	Fair Organic matter content low Too acid Water erosion	0.12 0.32 0.99	Fair Wetness depth	0.76	Fair Wetness depth Hard to reclaim (rock fragments) Too acid	0.76 0.95 0.98
7462C3: Sciotoville-----	95	Fair Organic matter content low Too acid Water erosion	0.12 0.32 0.99	Fair Wetness depth	0.76	Fair Wetness depth Hard to reclaim (rock fragments) Too acid	0.76 0.95 0.98
7462D2: Sciotoville-----	95	Fair Organic matter content low Too acid Water erosion	0.12 0.32 0.99	Fair Wetness depth	0.76	Fair Slope Wetness depth Hard to reclaim (rock fragments) Too acid	0.04 0.76 0.95 0.98
7462D3: Sciotoville-----	95	Fair Organic matter content low Too acid Water erosion	0.12 0.32 0.99	Fair Wetness depth	0.76	Fair Slope Wetness depth Hard to reclaim (rock fragments) Too acid	0.04 0.76 0.95 0.98
7463A: Wheeling-----	95	Fair Organic matter content low Too acid	0.12 0.74	Good		Poor Hard to reclaim (rock fragments) Rock fragments	0.00 0.88
7463B: Wheeling-----	95	Fair Organic matter content low Too acid	0.12 0.74	Good		Poor Hard to reclaim (rock fragments) Rock fragments	0.00 0.88
7463C2: Wheeling-----	95	Fair Organic matter content low Too acid	0.12 0.74	Good		Poor Hard to reclaim (rock fragments) Rock fragments	0.00 0.88
7463D2: Wheeling-----	95	Fair Organic matter content low Too acid	0.12 0.74	Good		Poor Hard to reclaim (rock fragments) Slope Rock fragments	0.00 0.04 0.88
7463E2: Wheeling-----	95	Fair Organic matter content low Too acid	0.12 0.74	Fair Slope	0.18	Poor Slope Hard to reclaim (rock fragments) Rock fragments	0.00 0.00 0.88

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part II—Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7483A: Henshaw-----	90	Fair Organic matter content low Water erosion Too acid	0.12 0.68 0.84	Poor Wetness depth	0.00	Poor Wetness depth	0.00
7711A: Hatfield-----	95	Fair Organic matter content low Too acid Water erosion	0.12 0.32 0.90	Poor Wetness depth Low strength	0.00 0.00	Poor Wetness depth Too acid	0.00 0.88
7711B: Hatfield-----	95	Fair Organic matter content low Too acid Water erosion	0.12 0.32 0.90	Poor Wetness depth Low strength	0.00 0.00	Poor Wetness depth Too acid	0.00 0.88
7711B2: Hatfield-----	95	Fair Organic matter content low Too acid Water erosion	0.12 0.32 0.90	Poor Wetness depth Low strength	0.00 0.00	Poor Wetness depth Too acid	0.00 0.88
8070A: Beaucoup-----	90	Fair Too clayey	0.98	Poor Wetness depth Low strength Shrink-swell	0.00 0.22 0.87	Poor Wetness depth Too clayey	0.00 0.76
8071A: Darwin-----	90	Poor Too clayey	0.00	Poor Wetness depth Low strength Shrink-swell	0.00 0.00 0.00	Poor Too clayey Wetness depth	0.00 0.00
8072A: Sharon-----	90	Fair Organic matter content low Too acid Water erosion	0.24 0.32 0.68	Good		Fair Too acid	0.88
8108A: Bonnie-----	90	Fair Too acid Organic matter content low Water erosion	0.50 0.50 0.68	Poor Wetness depth Low strength	0.00 0.00	Poor Wetness depth Too acid	0.00 0.88
8109A: Raccoon-----	85	Fair Organic matter content low Too acid Water erosion	0.12 0.32 0.68	Poor Wetness depth Low strength Shrink-swell	0.00 0.00 0.99	Poor Wetness depth	0.00

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part II—Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8180A: Dupo-----	85	Fair Water erosion Organic matter content low	0.68 0.68	Poor Low strength Wetness depth Shrink-swell	0.00 0.03 0.61	Fair Wetness depth	0.03
8288A: Petrolia-----	90	Fair Organic matter content low Too clayey	0.68 0.98	Poor Wetness depth Low strength Shrink-swell	0.00 0.00 0.87	Poor Wetness depth Too clayey	0.00 0.67
8382A: Belknap-----	95	Fair Too acid Water erosion	0.46 0.68	Fair Wetness depth	0.04	Fair Wetness depth Too acid	0.04 0.95
8420A: Piopolis-----	90	Fair Too acid Too clayey	0.50 0.92	Poor Wetness depth Low strength Shrink-swell	0.00 0.00 0.87	Poor Wetness depth Too clayey Too acid	0.00 0.72 0.88
8422A: Cape-----	90	Poor Too clayey Too acid Organic matter content low	0.00 0.50 0.50	Poor Wetness depth Low strength Shrink-swell	0.00 0.00 0.28	Poor Wetness depth Too clayey Too acid	0.00 0.00 0.59
8422A+: Cape-----	90	Poor Too clayey Too acid Organic matter content low Water erosion	0.00 0.50 0.50 0.90	Poor Wetness depth Low strength Shrink-swell	0.00 0.00 0.38	Poor Wetness depth Too clayey Too acid	0.00 0.00 0.59
8426A: Karnak-----	85	Poor Too clayey Organic matter content low Too acid	0.00 0.12 0.84	Poor Wetness depth Low strength Shrink-swell	0.00 0.00 0.12	Poor Too clayey Wetness depth	0.00 0.00
8426A+: Karnak-----	90	Poor Too clayey Organic matter content low Too acid	0.00 0.12 0.84	Poor Wetness depth Low strength Shrink-swell	0.00 0.00 0.20	Poor Wetness depth Too clayey	0.00 0.00
8427B: Burnside-----	90	Fair Too acid Organic matter content low Cobble content	0.50 0.50 0.99	Fair Cobble content Depth to bedrock	0.75 0.98	Poor Rock fragments Hard to reclaim (rock fragments) Too acid	0.00 0.00 0.88

Soil Survey of Massac County, Illinois

Table 17.—Construction Materials, Part II—Continued

Map symbol and soil name	Pct. of map unit	Potential source of reclamation material		Potential source of roadfill		Potential source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8469A: Emma-----	85	Fair Too acid Organic matter content low	0.12 0.12	Fair Shrink-swell	0.87	Fair Too acid	0.59
8469B: Emma-----	85	Fair Too acid Organic matter content low	0.12 0.12	Fair Shrink-swell	0.87	Fair Too acid	0.59
8469C2: Emma-----	85	Fair Too acid Organic matter content low	0.12 0.12	Fair Shrink-swell	0.87	Fair Too acid	0.59
8597A: Armiesburg-----	85	Fair Organic matter content low Too clayey	0.88 0.92	Poor Low strength Shrink-swell	0.00 0.87	Fair Too clayey	0.66
8693A: Hurst-----	85	Fair Too clayey Organic matter content low Too acid Water erosion	0.08 0.12 0.20 0.99	Fair Shrink-swell Wetness depth	0.17 0.50	Fair Too clayey Wetness depth	0.05 0.50
MW: Miscellaneous water-	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part I

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
99G: Sandstone Rock Land-	45	Not rated		Not rated		Not rated	
Limestone Rock Land-	40	Not rated		Not rated		Not rated	
131B: Alvin-----	90	Very limited Seepage Slope	1.00 0.08	Somewhat limited Seepage	0.25	Very limited Depth to water	1.00
131C: Alvin-----	90	Very limited Seepage Slope	1.00 1.00	Somewhat limited Seepage	0.25	Very limited Depth to water	1.00
131C2: Alvin-----	90	Very limited Seepage Slope	1.00 1.00	Somewhat limited Seepage	0.25	Very limited Depth to water	1.00
131D2: Alvin-----	90	Very limited Seepage Slope	1.00 1.00	Somewhat limited Seepage	0.25	Very limited Depth to water	1.00
131F: Alvin-----	90	Very limited Seepage Slope	1.00 1.00	Somewhat limited Seepage	0.25	Very limited Depth to water	1.00
164A: Stoy-----	90	Not limited		Very limited Depth to saturated zone Piping	1.00 0.01	Very limited Depth to water	1.00
164B: Stoy-----	90	Somewhat limited Slope	0.08	Very limited Depth to saturated zone Piping	1.00 0.01	Very limited Depth to water	1.00
164C2: Stoy-----	90	Very limited Slope	1.00	Very limited Depth to saturated zone Piping	1.00 0.01	Very limited Depth to water	1.00
165A: Weir-----	90	Not limited		Very limited Depth to saturated zone Ponding Piping	1.00 1.00 0.61	Very limited Depth to water	1.00

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part I—Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
175B: Lamont-----	90	Very limited Seepage Slope	1.00 0.08	Somewhat limited Seepage	0.04	Very limited Depth to water	1.00
175C2: Lamont-----	90	Very limited Seepage Slope	1.00 1.00	Somewhat limited Seepage	0.04	Very limited Depth to water	1.00
175D2: Lamont-----	90	Very limited Seepage Slope	1.00 1.00	Somewhat limited Seepage	0.04	Very limited Depth to water	1.00
214B: Hosmer-----	85	Somewhat limited Depth to cemented pan Seepage Slope	0.91 0.72 0.08	Very limited Piping Thin layer Depth to saturated zone	1.00 0.91 0.84	Very limited Depth to water	1.00
214C2: Hosmer-----	85	Very limited Slope Depth to cemented pan Seepage	1.00 0.97 0.72	Very limited Piping Thin layer Depth to saturated zone	1.00 0.97 0.84	Very limited Depth to water	1.00
214C3: Hosmer-----	85	Very limited Slope Depth to cemented pan Seepage	1.00 0.99 0.72	Very limited Piping Thin layer Depth to saturated zone	1.00 0.99 0.84	Very limited Depth to water	1.00
214D2: Hosmer-----	85	Very limited Slope Depth to cemented pan Seepage	1.00 0.97 0.72	Very limited Piping Thin layer Depth to saturated zone	1.00 0.97 0.84	Very limited Depth to water	1.00
214D3: Hosmer-----	85	Very limited Slope Depth to cemented pan Seepage	1.00 0.99 0.72	Very limited Piping Thin layer Depth to saturated zone	1.00 0.99 0.84	Very limited Depth to water	1.00
308B: Alford-----	90	Somewhat limited Seepage Slope	0.72 0.08	Very limited Piping	1.00	Very limited Depth to water	1.00
308C2: Alford-----	90	Very limited Slope Seepage	1.00 0.72	Very limited Piping	1.00	Very limited Depth to water	1.00

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part I—Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
308C3: Alford-----	90	Very limited Slope Seepage	1.00 0.72	Very limited Piping	1.00	Very limited Depth to water	1.00
308D2: Alford-----	90	Very limited Slope Seepage	1.00 0.72	Very limited Piping	1.00	Very limited Depth to water	1.00
308D3: Alford-----	90	Very limited Slope Seepage	1.00 0.72	Very limited Piping	1.00	Very limited Depth to water	1.00
308E: Alford-----	90	Very limited Slope Seepage	1.00 0.72	Very limited Piping	1.00	Very limited Depth to water	1.00
308E2: Alford-----	90	Very limited Slope Seepage	1.00 0.72	Very limited Piping	1.00	Very limited Depth to water	1.00
308E3: Alford-----	90	Very limited Slope Seepage	1.00 0.72	Very limited Piping	1.00	Very limited Depth to water	1.00
308F: Alford-----	90	Very limited Slope Seepage	1.00 0.72	Very limited Piping	1.00	Very limited Depth to water	1.00
339C: Wellston-----	90	Very limited Slope Seepage	1.00 0.72	Somewhat limited Piping	0.99	Very limited Depth to water	1.00
339C2: Wellston-----	90	Very limited Slope Seepage Depth to bedrock	1.00 0.72 0.01	Somewhat limited Piping Thin layer	0.99 0.01	Very limited Depth to water	1.00
339D: Wellston-----	90	Very limited Slope Seepage	1.00 0.72	Somewhat limited Piping	0.99	Very limited Depth to water	1.00
339D2: Wellston-----	90	Very limited Slope Seepage Depth to bedrock	1.00 0.72 0.01	Somewhat limited Piping Thin layer	0.99 0.01	Very limited Depth to water	1.00

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part I—Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
339D3: Wellston-----	90	Very limited Slope Seepage Depth to bedrock	1.00 0.72 0.02	Somewhat limited Piping Thin layer	0.99 0.02	Very limited Depth to water	1.00
339F: Wellston-----	90	Very limited Slope Seepage	1.00 0.72	Somewhat limited Piping	0.99	Very limited Depth to water	1.00
340C2: Zanesville-----	85	Very limited Depth to cemented pan Slope Seepage Depth to bedrock	1.00 1.00 0.54 0.01	Very limited Thin layer Piping Depth to saturated zone	1.00 0.93 0.84	Very limited Depth to water	1.00
340C3: Zanesville-----	85	Very limited Depth to cemented pan Slope Seepage Depth to bedrock	1.00 1.00 0.54 0.02	Very limited Thin layer Piping Depth to saturated zone	1.00 0.91 0.84	Very limited Depth to water	1.00
340D: Zanesville-----	85	Very limited Slope Depth to cemented pan Seepage	1.00 0.99 0.72	Somewhat limited Thin layer Piping Depth to saturated zone	0.99 0.95 0.84	Very limited Depth to water	1.00
340D2: Zanesville-----	85	Very limited Slope Depth to cemented pan Seepage Depth to bedrock	1.00 1.00 0.54 0.01	Very limited Thin layer Piping Depth to saturated zone	1.00 0.93 0.84	Very limited Depth to water	1.00
340D3: Zanesville-----	85	Very limited Slope Depth to cemented pan Seepage Depth to bedrock	1.00 1.00 0.54 0.02	Very limited Thin layer Piping Depth to saturated zone	1.00 0.91 0.84	Very limited Depth to water	1.00
453C2: Muren-----	90	Very limited Slope Seepage	1.00 0.72	Very limited Depth to saturated zone Piping	1.00 1.00	Somewhat limited Cutbanks cave Slow refill	0.50 0.28
453D2: Muren-----	90	Very limited Slope Seepage	1.00 0.72	Very limited Depth to saturated zone Piping	1.00 1.00	Somewhat limited Cutbanks cave Slow refill	0.50 0.28

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part I—Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
691D: Beasley-----	90	Very limited Slope Seepage Depth to bedrock	1.00 0.04 0.01	Somewhat limited Thin layer Hard to pack	0.46 0.04	Very limited Depth to water	1.00
691F: Beasley-----	90	Very limited Slope Seepage Depth to bedrock	1.00 0.04 0.01	Somewhat limited Thin layer Hard to pack	0.46 0.04	Very limited Depth to water	1.00
691G: Beasley-----	90	Very limited Slope Seepage Depth to bedrock	1.00 0.04 0.01	Somewhat limited Thin layer Hard to pack	0.46 0.04	Very limited Depth to water	1.00
801B: Orthents, silty----	90	Somewhat limited Seepage	0.54	Somewhat limited Piping	0.50	Very limited Depth to water	1.00
802D: Orthents, loamy----	90	Very limited Slope Seepage	1.00 0.04	Somewhat limited Piping	0.50	Very limited Depth to water	1.00
864: Pits, quarries-----	100	Not rated		Not rated		Not rated	
865: Pits, gravel-----	100	Not rated		Not rated		Not rated	
955D: Muskingum-----	55	Very limited Slope Seepage Depth to bedrock	1.00 1.00 0.74	Very limited Piping Thin layer	1.00 0.74	Very limited Depth to water	1.00
Berks-----	40	Very limited Seepage Slope Depth to bedrock	1.00 1.00 0.91	Somewhat limited Thin layer	0.91	Very limited Depth to water	1.00
955D2: Muskingum-----	55	Very limited Slope Depth to bedrock Seepage	1.00 0.83 0.72	Very limited Piping Thin layer	1.00 0.83	Very limited Depth to water	1.00
Berks-----	40	Very limited Seepage Slope Depth to bedrock	1.00 1.00 0.96	Somewhat limited Thin layer	0.96	Very limited Depth to water	1.00
955F: Muskingum-----	55	Very limited Slope Seepage Depth to bedrock	1.00 1.00 0.74	Very limited Piping Thin layer	1.00 0.74	Very limited Depth to water	1.00

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part I—Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
955F: Berks-----	40	Very limited Seepage Slope Depth to bedrock	 1.00 1.00 0.91	Somewhat limited Thin layer	 0.91	Very limited Depth to water	 1.00
955G: Muskingum-----	55	Very limited Slope Seepage Depth to bedrock	 1.00 1.00 0.74	Very limited Piping Thin layer	 1.00 0.74	Very limited Depth to water	 1.00
Berks-----	40	Very limited Seepage Slope Depth to bedrock	 1.00 1.00 0.91	Somewhat limited Thin layer	 0.91	Very limited Depth to water	 1.00
956B: Brandon-----	55	Very limited Seepage Slope	 1.00 0.08	Not limited		Very limited Depth to water	 1.00
Saffell-----	40	Very limited Seepage Slope	 1.00 0.08	Not limited		Very limited Depth to water	 1.00
956C2: Brandon-----	55	Very limited Seepage Slope	 1.00 1.00	Not limited		Very limited Depth to water	 1.00
Saffell-----	40	Very limited Slope Seepage	 1.00 1.00	Not limited		Very limited Depth to water	 1.00
956C3: Brandon-----	55	Very limited Seepage Slope	 1.00 1.00	Not limited		Very limited Depth to water	 1.00
Saffell-----	40	Very limited Slope Seepage	 1.00 1.00	Not limited		Very limited Depth to water	 1.00
956D: Brandon-----	55	Very limited Seepage Slope	 1.00 1.00	Not limited		Very limited Depth to water	 1.00
Saffell-----	40	Very limited Slope Seepage	 1.00 1.00	Not limited		Very limited Depth to water	 1.00
956D2: Brandon-----	55	Very limited Seepage Slope	 1.00 1.00	Not limited		Very limited Depth to water	 1.00
Saffell-----	40	Very limited Slope Seepage	 1.00 1.00	Not limited		Very limited Depth to water	 1.00

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part I—Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
956D3: Brandon-----	55	Very limited Seepage Slope	1.00 1.00	Not limited		Very limited Depth to water	1.00
Saffell-----	40	Very limited Slope Seepage	1.00 1.00	Not limited		Very limited Depth to water	1.00
956E2: Brandon-----	55	Very limited Seepage Slope	1.00 1.00	Not limited		Very limited Depth to water	1.00
Saffell-----	40	Very limited Slope Seepage	1.00 1.00	Not limited		Very limited Depth to water	1.00
956F: Brandon-----	55	Very limited Seepage Slope	1.00 1.00	Not limited		Very limited Depth to water	1.00
Saffell-----	40	Very limited Slope Seepage	1.00 1.00	Not limited		Very limited Depth to water	1.00
986D: Wellston-----	50	Very limited Slope Seepage	1.00 0.72	Somewhat limited Piping	0.99	Very limited Depth to water	1.00
Berks-----	45	Very limited Seepage Slope Depth to bedrock	1.00 1.00 0.91	Somewhat limited Thin layer	0.91	Very limited Depth to water	1.00
986D2: Wellston-----	50	Very limited Slope Seepage Depth to bedrock	1.00 0.72 0.01	Somewhat limited Piping Thin layer	0.99 0.01	Very limited Depth to water	1.00
Berks-----	45	Very limited Seepage Slope Depth to bedrock	1.00 1.00 0.96	Somewhat limited Thin layer	0.96	Very limited Depth to water	1.00
986F: Wellston-----	50	Very limited Slope Seepage	1.00 0.72	Somewhat limited Piping	0.99	Very limited Depth to water	1.00
Berks-----	45	Very limited Seepage Slope Depth to bedrock	1.00 1.00 0.91	Somewhat limited Thin layer	0.91	Very limited Depth to water	1.00

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part I—Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
986G: Wellston-----	50	Very limited Slope Seepage	1.00 0.72	Somewhat limited Piping	0.99	Very limited Depth to water	1.00
Berks-----	45	Very limited Seepage Slope Depth to bedrock	1.00 1.00 0.91	Somewhat limited Thin layer	0.91	Very limited Depth to water	1.00
1843A: Bonnie-----	40	Somewhat limited Seepage	0.04	Very limited Ponding Depth to saturated zone Piping	1.00 1.00 0.98	Somewhat limited Slow refill Cutbanks cave	0.28 0.10
Petrolia-----	40	Somewhat limited Seepage	0.04	Very limited Ponding Depth to saturated zone Piping	1.00 1.00 0.13	Somewhat limited Slow refill Cutbanks cave	0.96 0.10
1846A: Karnak-----	55	Not limited		Very limited Ponding Depth to saturated zone Hard to pack	1.00 1.00 0.70	Very limited Slow refill Cutbanks cave	1.00 0.10
Cape-----	35	Not limited		Very limited Ponding Depth to saturated zone Hard to pack	1.00 1.00 0.82	Very limited Slow refill Cutbanks cave	1.00 0.10
3070A: Beaucoup-----	90	Somewhat limited Seepage	0.72	Very limited Ponding Depth to saturated zone Piping	1.00 1.00 0.10	Somewhat limited Slow refill Cutbanks cave	0.28 0.10
3071A: Darwin-----	90	Not limited		Very limited Ponding Depth to saturated zone Hard to pack	1.00 1.00 0.97	Very limited Slow refill Cutbanks cave	1.00 0.10
3071L: Darwin-----	90	Not limited		Very limited Ponding Depth to saturated zone Hard to pack	1.00 1.00 0.97	Very limited Slow refill Cutbanks cave	1.00 0.10

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part I—Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3072A: Sharon-----	85	Somewhat limited Seepage	0.72	Very limited Piping	1.00	Somewhat limited Depth to saturated zone Slow refill Cutbanks cave	0.81 0.28 0.10
3072L: Sharon-----	90	Somewhat limited Seepage	0.72	Very limited Piping	1.00	Somewhat limited Depth to saturated zone Slow refill Cutbanks cave	0.81 0.28 0.10
3108A: Bonnie-----	90	Somewhat limited Seepage	0.04	Very limited Ponding Depth to saturated zone Piping	1.00 1.00 0.98	Somewhat limited Slow refill Cutbanks cave	0.28 0.10
3108L: Bonnie-----	90	Somewhat limited Seepage	0.04	Very limited Ponding Depth to saturated zone Piping	1.00 1.00 0.98	Somewhat limited Slow refill Cutbanks cave	0.28 0.10
3180A: Dupo-----	85	Somewhat limited Seepage	0.72	Very limited Depth to saturated zone Hard to pack	1.00 0.32	Very limited Depth to water	1.00
3288A: Petrolia-----	90	Somewhat limited Seepage	0.04	Very limited Ponding Depth to saturated zone Piping	1.00 1.00 0.13	Somewhat limited Slow refill Cutbanks cave	0.96 0.10
3288L: Petrolia-----	90	Somewhat limited Seepage	0.04	Very limited Ponding Depth to saturated zone Piping	1.00 1.00 0.13	Somewhat limited Slow refill Cutbanks cave	0.96 0.10
3382A: Belknap-----	85	Somewhat limited Seepage	0.54	Very limited Depth to saturated zone Piping	1.00 1.00	Somewhat limited Slow refill Cutbanks cave	0.46 0.10
3382L: Belknap-----	95	Somewhat limited Seepage	0.54	Very limited Depth to saturated zone Piping	1.00 1.00	Somewhat limited Slow refill Cutbanks cave	0.46 0.10

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part I—Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3422A: Cape-----	90	Not limited		Very limited Ponding Depth to saturated zone Hard to pack	1.00 1.00 0.82	Very limited Slow refill Cutbanks cave	1.00 0.10
3422A+: Cape-----	90	Not limited		Very limited Ponding Depth to saturated zone Hard to pack	1.00 1.00 0.60	Somewhat limited Slow refill Cutbanks cave	0.28 0.10
3426A: Karnak-----	85	Not limited		Very limited Ponding Depth to saturated zone Hard to pack	1.00 1.00 0.70	Very limited Slow refill Cutbanks cave	1.00 0.10
3426A+: Karnak-----	90	Not limited		Very limited Ponding Depth to saturated zone Hard to pack	1.00 1.00 0.36	Somewhat limited Slow refill Cutbanks cave	0.96 0.10
3426L: Karnak-----	85	Not limited		Very limited Ponding Depth to saturated zone Hard to pack	1.00 1.00 0.70	Very limited Slow refill Cutbanks cave	1.00 0.10
3449L: Armiesburg-----	45	Somewhat limited Seepage	0.72	Not limited		Very limited Depth to water	1.00
Sarpy-----	35	Very limited Seepage	1.00	Somewhat limited Seepage	0.51	Very limited Depth to water	1.00
3597A: Armiesburg-----	90	Somewhat limited Seepage	0.72	Not limited		Very limited Depth to water	1.00
3597L: Armiesburg-----	90	Somewhat limited Seepage	0.72	Not limited		Very limited Depth to water	1.00
7131A: Alvin-----	90	Very limited Seepage	1.00	Somewhat limited Seepage	0.25	Very limited Depth to water	1.00
7131B: Alvin-----	90	Very limited Seepage Slope	1.00 0.08	Somewhat limited Seepage	0.25	Very limited Depth to water	1.00

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part I—Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7131C2: Alvin-----	90	Very limited Seepage Slope	1.00 1.00	Somewhat limited Seepage	0.25	Very limited Depth to water	1.00
7131D2: Alvin-----	90	Very limited Seepage Slope	1.00 1.00	Somewhat limited Seepage	0.25	Very limited Depth to water	1.00
7460A: Ginat-----	95	Somewhat limited Seepage	0.72	Very limited Ponding Depth to saturated zone Piping	1.00 1.00 0.07	Very limited Depth to water	1.00
7462A: Sciotoville-----	95	Very limited Seepage	1.00	Very limited Piping Depth to saturated zone	1.00 0.95	Very limited Depth to water	1.00
7462B: Sciotoville-----	95	Very limited Seepage Slope	1.00 0.08	Very limited Piping Depth to saturated zone	1.00 0.95	Very limited Depth to water	1.00
7462C2: Sciotoville-----	95	Very limited Seepage Slope	1.00 1.00	Very limited Piping Depth to saturated zone	1.00 0.95	Very limited Depth to water	1.00
7462C3: Sciotoville-----	95	Very limited Seepage Slope	1.00 1.00	Very limited Piping Depth to saturated zone	1.00 0.95	Very limited Depth to water	1.00
7462D2: Sciotoville-----	95	Very limited Seepage Slope	1.00 1.00	Very limited Piping Depth to saturated zone	1.00 0.95	Very limited Depth to water	1.00
7462D3: Sciotoville-----	95	Very limited Seepage Slope	1.00 1.00	Very limited Piping Depth to saturated zone	1.00 0.95	Very limited Depth to water	1.00
7463A: Wheeling-----	95	Very limited Seepage	1.00	Not limited		Very limited Depth to water	1.00

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part I—Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7463B: Wheeling-----	95	Very limited Seepage Slope	1.00 0.08	Not limited		Very limited Depth to water	1.00
7463C2: Wheeling-----	95	Very limited Seepage Slope	1.00 1.00	Not limited		Very limited Depth to water	1.00
7463D2: Wheeling-----	95	Very limited Seepage Slope	1.00 1.00	Somewhat limited Seepage	0.38	Very limited Depth to water	1.00
7463E2: Wheeling-----	95	Very limited Seepage Slope	1.00 1.00	Not limited		Very limited Depth to water	1.00
7483A: Henshaw-----	90	Somewhat limited Seepage	0.04	Very limited Depth to saturated zone Piping	1.00 1.00	Somewhat limited Slow refill Cutbanks cave	0.96 0.10
7711A: Hatfield-----	95	Somewhat limited Seepage	0.72	Very limited Depth to saturated zone Piping	1.00 0.45	Very limited Depth to water	1.00
7711B: Hatfield-----	95	Somewhat limited Seepage Slope	0.72 0.08	Very limited Depth to saturated zone Piping	1.00 0.45	Very limited Depth to water	1.00
7711B2: Hatfield-----	95	Somewhat limited Seepage Slope	0.72 0.08	Very limited Depth to saturated zone Piping	1.00 0.39	Very limited Depth to water	1.00
8070A: Beaucoup-----	90	Somewhat limited Seepage	0.72	Very limited Ponding Depth to saturated zone Piping	1.00 1.00 0.10	Somewhat limited Slow refill Cutbanks cave	0.28 0.10
8071A: Darwin-----	90	Not limited		Very limited Ponding Depth to saturated zone Hard to pack	1.00 1.00 0.97	Very limited Slow refill Cutbanks cave	1.00 0.10

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part I—Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8072A: Sharon-----	90	Somewhat limited Seepage	0.72	Very limited Piping	1.00	Somewhat limited Depth to saturated zone Slow refill Cutbanks cave	0.81 0.28 0.10
8108A: Bonnie-----	90	Somewhat limited Seepage	0.04	Very limited Ponding Depth to saturated zone Piping	1.00 1.00 0.98	Somewhat limited Slow refill Cutbanks cave	0.28 0.10
8109A: Racoon-----	85	Somewhat limited Seepage	0.04	Very limited Ponding Depth to saturated zone Piping	1.00 1.00 0.51	Somewhat limited Slow refill Cutbanks cave	0.96 0.10
8180A: Dupo-----	85	Somewhat limited Seepage	0.72	Very limited Depth to saturated zone Hard to pack	1.00 0.32	Very limited Depth to water	1.00
8288A: Petrolia-----	90	Somewhat limited Seepage	0.04	Very limited Ponding Depth to saturated zone Piping	1.00 1.00 0.13	Somewhat limited Slow refill Cutbanks cave	0.96 0.10
8382A: Belknap-----	95	Somewhat limited Seepage	0.54	Very limited Depth to saturated zone Piping	1.00 1.00	Somewhat limited Slow refill Cutbanks cave	0.46 0.10
8420A: Piopolis-----	90	Not limited		Very limited Ponding Depth to saturated zone	1.00 1.00	Very limited Slow refill Cutbanks cave	1.00 0.10
8422A: Cape-----	90	Not limited		Very limited Ponding Depth to saturated zone Hard to pack	1.00 1.00 0.82	Very limited Slow refill Cutbanks cave	1.00 0.10
8422A+: Cape-----	90	Not limited		Very limited Ponding Depth to saturated zone Hard to pack	1.00 1.00 0.60	Somewhat limited Slow refill Cutbanks cave	0.28 0.10

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part I—Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8426A: Karnak-----	85	Not limited		Very limited Ponding Depth to saturated zone Hard to pack	1.00 1.00 0.70	Very limited Slow refill Cutbanks cave	1.00 0.10
8426A+: Karnak-----	90	Not limited		Very limited Ponding Depth to saturated zone Hard to pack	1.00 1.00 0.36	Somewhat limited Slow refill Cutbanks cave	0.96 0.10
8427B: Burnside-----	90	Somewhat limited Seepage Depth to bedrock	0.72 0.01	Somewhat limited Thin layer	0.01	Very limited Depth to water	1.00
8469A: Emma-----	85	Somewhat limited Seepage	0.04	Somewhat limited Depth to saturated zone Piping	0.24 0.05	Somewhat limited Slow refill Depth to saturated zone Cutbanks cave	0.96 0.38 0.10
8469B: Emma-----	85	Somewhat limited Slope Seepage	0.08 0.04	Somewhat limited Depth to saturated zone Piping	0.24 0.05	Somewhat limited Slow refill Depth to saturated zone Cutbanks cave	0.96 0.38 0.10
8469C2: Emma-----	85	Very limited Slope Seepage	1.00 0.04	Somewhat limited Depth to saturated zone Piping	0.24 0.06	Somewhat limited Slow refill Depth to saturated zone Cutbanks cave	0.96 0.38 0.10
8597A: Armiesburg-----	85	Somewhat limited Seepage	0.72	Not limited		Very limited Depth to water	1.00
8693A: Hurst-----	85	Not limited		Very limited Depth to saturated zone	1.00	Very limited Slow refill Cutbanks cave	1.00 0.10
MW: Miscellaneous water-	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part II

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Constructing grassed waterways and surface drains		Constructing terraces and diversions		Tile drains and underground outlets	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
99G: Sandstone Rock Land-	45	Not rated		Not rated		Not rated	
Limestone Rock Land-	40	Not rated		Not rated		Not rated	
131B: Alvin-----	90	Somewhat limited Slope	0.37	Somewhat limited Slope K factor	0.37 0.12	Very limited Expect caving	1.00
131C: Alvin-----	90	Very limited Slope	1.00	Very limited Slope K factor	1.00 0.12	Very limited Expect caving	1.00
131C2: Alvin-----	90	Very limited Slope	1.00	Very limited Slope K factor	1.00 0.12	Very limited Expect caving	1.00
131D2: Alvin-----	90	Very limited Slope	1.00	Very limited Slope K factor	1.00 0.12	Very limited Expect caving Slope	1.00 0.96
131F: Alvin-----	90	Very limited Slope	1.00	Very limited Slope K factor	1.00 0.12	Very limited Slope Expect caving	1.00 1.00
164A: Stoy-----	90	Not limited		Very limited K factor Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
164B: Stoy-----	90	Somewhat limited Slope	0.37	Very limited K factor Depth to saturated zone Slope	1.00 1.00 0.37	Very limited Depth to saturated zone	1.00
164C2: Stoy-----	90	Very limited Slope	1.00	Very limited K factor Depth to saturated zone Slope	1.00 1.00 1.00	Very limited Depth to saturated zone	1.00

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part II—Continued

Map symbol and soil name	Pct. of map unit	Constructing grassed waterways and surface drains		Constructing terraces and diversions		Tile drains and underground outlets	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
165A: Weir-----	90	Not limited		Very limited K factor Depth to saturated zone	1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
175B: Lamont-----	90	Somewhat limited Slope	0.37	Somewhat limited Slope K factor	0.37 0.12	Very limited Expect caving	1.00
175C2: Lamont-----	90	Very limited Slope	1.00	Very limited Slope K factor	1.00 0.12	Very limited Expect caving	1.00
175D2: Lamont-----	90	Very limited Slope	1.00	Very limited Slope K factor	1.00 0.12	Very limited Expect caving Slope	1.00 0.96
214B: Hosmer-----	85	Somewhat limited Slope	0.37	Very limited K factor Depth to saturated zone Slope	1.00 1.00 0.37	Somewhat limited Depth to saturated zone	0.99
214C2: Hosmer-----	85	Very limited Slope	1.00	Very limited K factor Depth to saturated zone Slope	1.00 1.00 1.00	Somewhat limited Depth to saturated zone	0.99
214C3: Hosmer-----	85	Very limited Slope	1.00	Very limited K factor Depth to saturated zone Slope	1.00 1.00 1.00	Somewhat limited Depth to saturated zone	0.99
214D2: Hosmer-----	85	Very limited Slope	1.00	Very limited K factor Slope Depth to saturated zone	1.00 1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.99 0.96
214D3: Hosmer-----	85	Very limited Slope	1.00	Very limited K factor Slope Depth to saturated zone	1.00 1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.99 0.96

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part II—Continued

Map symbol and soil name	Pct. of map unit	Constructing grassed waterways and surface drains		Constructing terraces and diversions		Tile drains and underground outlets	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
308B: Alford-----	90	Somewhat limited Slope	0.37	Very limited K factor Slope	1.00 0.37	Not limited	
308C2: Alford-----	90	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Not limited	
308C3: Alford-----	90	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Not limited	
308D2: Alford-----	90	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Somewhat limited Slope	0.96
308D3: Alford-----	90	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Somewhat limited Slope	0.96
308E: Alford-----	90	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Very limited Slope	1.00
308E2: Alford-----	90	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Very limited Slope	1.00
308E3: Alford-----	90	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Very limited Slope	1.00
308F: Alford-----	90	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Very limited Slope	1.00
339C: Wellston-----	90	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Not limited	
339C2: Wellston-----	90	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Not limited	
339D: Wellston-----	90	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Somewhat limited Slope	0.96

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part II—Continued

Map symbol and soil name	Pct. of map unit	Constructing grassed waterways and surface drains		Constructing terraces and diversions		Tile drains and underground outlets	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
339D2: Wellston-----	90	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Somewhat limited Slope	0.96
339D3: Wellston-----	90	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Somewhat limited Slope	0.96
339F: Wellston-----	90	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Very limited Slope	1.00
340C2: Zanesville-----	85	Very limited Slope Depth to hard bedrock	1.00 0.02	Very limited K factor Depth to saturated zone Slope Depth to hard bedrock	1.00 1.00 1.00 0.02	Somewhat limited Depth to saturated zone Depth to hard bedrock	0.99 0.02
340C3: Zanesville-----	85	Very limited Slope Depth to hard bedrock	1.00 0.08	Very limited K factor Depth to saturated zone Slope Depth to hard bedrock	1.00 1.00 1.00 0.08	Somewhat limited Depth to saturated zone Depth to hard bedrock	0.99 0.08
340D: Zanesville-----	85	Very limited Slope	1.00	Very limited K factor Slope Depth to saturated zone	1.00 1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.99 0.96
340D2: Zanesville-----	85	Very limited Slope	1.00	Very limited K factor Slope Depth to saturated zone	1.00 1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.99 0.96
340D3: Zanesville-----	85	Very limited Slope	1.00	Very limited K factor Slope Depth to saturated zone	1.00 1.00 1.00	Somewhat limited Depth to saturated zone Slope	0.99 0.96

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part II—Continued

Map symbol and soil name	Pct. of map unit	Constructing grassed waterways and surface drains		Constructing terraces and diversions		Tile drains and underground outlets	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
453C2: Muren-----	90	Very limited Slope	1.00	Very limited K factor Depth to saturated zone Slope	1.00 1.00 1.00	Very limited Depth to saturated zone	1.00
453D2: Muren-----	90	Very limited Slope	1.00	Very limited K factor Slope Depth to saturated zone	1.00 1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.96
691D: Beasley-----	90	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Very limited Expect caving Slope Too clayey	1.00 0.96 0.18
691F: Beasley-----	90	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Very limited Slope Expect caving Too clayey	1.00 1.00 0.18
691G: Beasley-----	90	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Very limited Slope Expect caving Too clayey	1.00 1.00 0.18
801B: Orthents, silty-----	90	Somewhat limited Slope	0.16	Very limited K factor Slope	1.00 0.16	Not limited	
802D: Orthents, loamy-----	90	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Somewhat limited Dense layer Slope	0.50 0.37
864: Pits, quarries-----	100	Not rated		Not rated		Not rated	
865: Pits, gravel-----	100	Not rated		Not rated		Not rated	
955D: Muskingum-----	55	Very limited Slope Content of large stones Depth to soft bedrock	1.00 0.33 0.16	Very limited Slope K factor Content of large stones Depth to soft bedrock	1.00 0.50 0.33 0.16	Somewhat limited Slope Depth to soft bedrock	0.96 0.16

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part II—Continued

Map symbol and soil name	Pct. of map unit	Constructing grassed waterways and surface drains		Constructing terraces and diversions		Tile drains and underground outlets	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
955D: Berks-----	40	Very limited Depth to hard bedrock Slope Content of large stones	1.00 1.00 1.00	Very limited Slope Depth to hard bedrock Content of large stones K factor	1.00 1.00 1.00 0.50	Very limited Depth to hard bedrock Slope	1.00 0.96
955D2: Muskingum-----	55	Very limited Depth to hard bedrock Slope Content of large stones	1.00 1.00 0.42	Very limited Slope Depth to hard bedrock K factor Content of large stones	1.00 1.00 0.50 0.42	Very limited Depth to hard bedrock Slope	1.00 0.96
Berks-----	40	Very limited Depth to hard bedrock Slope Content of large stones	1.00 1.00 1.00	Very limited Slope Depth to hard bedrock Content of large stones K factor	1.00 1.00 1.00 0.50	Very limited Depth to hard bedrock Slope	1.00 0.96
955F: Muskingum-----	55	Very limited Slope Content of large stones Depth to soft bedrock	1.00 0.33 0.16	Very limited Slope K factor Content of large stones Depth to soft bedrock	1.00 0.50 0.33 0.16	Very limited Slope Depth to soft bedrock	1.00 0.16
Berks-----	40	Very limited Depth to hard bedrock Slope Content of large stones	1.00 1.00 1.00	Very limited Slope Depth to hard bedrock Content of large stones K factor	1.00 1.00 1.00 0.50	Very limited Depth to hard bedrock Slope	1.00 1.00
955G: Muskingum-----	55	Very limited Depth to hard bedrock Slope Content of large stones	1.00 1.00 0.33	Very limited Slope Depth to hard bedrock K factor Content of large stones	1.00 1.00 0.50 0.33	Very limited Depth to hard bedrock Slope	1.00 1.00
Berks-----	40	Very limited Depth to hard bedrock Slope Content of large stones	1.00 1.00 1.00	Very limited Slope Depth to hard bedrock Content of large stones K factor	1.00 1.00 1.00 0.50	Very limited Depth to hard bedrock Slope	1.00 1.00

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part II—Continued

Map symbol and soil name	Pct. of map unit	Constructing grassed waterways and surface drains		Constructing terraces and diversions		Tile drains and underground outlets	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
956B: Brandon-----	55	Somewhat limited Slope	0.37	Very limited K factor Slope	1.00 0.37	Very limited Expect caving	1.00
Saffell-----	40	Somewhat limited Slope	0.37	Somewhat limited K factor Slope	0.50 0.37	Very limited Expect caving Too clayey	1.00 1.00
956C2: Brandon-----	55	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Very limited Expect caving	1.00
Saffell-----	40	Very limited Slope	1.00	Very limited Slope K factor	1.00 0.50	Very limited Expect caving Too clayey	1.00 1.00
956C3: Brandon-----	55	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Very limited Expect caving	1.00
Saffell-----	40	Very limited Slope	1.00	Very limited Slope K factor	1.00 0.50	Very limited Expect caving Too clayey	1.00 1.00
956D: Brandon-----	55	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Very limited Expect caving Slope	1.00 0.96
Saffell-----	40	Very limited Slope	1.00	Very limited Slope K factor	1.00 0.50	Very limited Expect caving Too clayey Slope	1.00 1.00 0.96
956D2: Brandon-----	55	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Very limited Expect caving Slope	1.00 0.96
Saffell-----	40	Very limited Slope	1.00	Very limited Slope K factor	1.00 0.50	Very limited Expect caving Too clayey Slope	1.00 1.00 0.96
956D3: Brandon-----	55	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Very limited Expect caving Slope	1.00 0.96
Saffell-----	40	Very limited Slope	1.00	Very limited Slope K factor	1.00 0.50	Very limited Expect caving Too clayey Slope	1.00 1.00 0.96

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part II—Continued

Map symbol and soil name	Pct. of map unit	Constructing grassed waterways and surface drains		Constructing terraces and diversions		Tile drains and underground outlets	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
956E2: Brandon-----	55	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Very limited Slope Expect caving	1.00 1.00
Saffell-----	40	Very limited Slope	1.00	Very limited Slope K factor	1.00 0.50	Very limited Slope Expect caving Too clayey	1.00 1.00 1.00
956F: Brandon-----	55	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Very limited Slope Expect caving	1.00 1.00
Saffell-----	40	Very limited Slope	1.00	Very limited Slope K factor	1.00 0.50	Very limited Slope Expect caving Too clayey	1.00 1.00 1.00
986D: Wellston-----	50	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Somewhat limited Slope	0.96
Berks-----	45	Very limited Depth to hard bedrock Slope Content of large stones	1.00 1.00 1.00	Very limited Slope Depth to hard bedrock Content of large stones K factor	1.00 1.00 1.00 0.50	Very limited Depth to hard bedrock Slope	1.00 0.96
986D2: Wellston-----	50	Very limited Slope Depth to hard bedrock	1.00 0.02	Very limited K factor Slope Depth to hard bedrock	1.00 1.00 0.02	Somewhat limited Slope Depth to hard bedrock	0.96 0.02
Berks-----	45	Very limited Depth to hard bedrock Slope Content of large stones	1.00 1.00 1.00	Very limited Slope Depth to hard bedrock Content of large stones K factor	1.00 1.00 1.00 0.50	Very limited Depth to hard bedrock Slope	1.00 0.96
986F: Wellston-----	50	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Very limited Slope	1.00
Berks-----	45	Very limited Depth to hard bedrock Slope Content of large stones	1.00 1.00 1.00	Very limited Slope Depth to hard bedrock Content of large stones K factor	1.00 1.00 1.00 0.50	Very limited Depth to hard bedrock Slope	1.00 1.00

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part II—Continued

Map symbol and soil name	Pct. of map unit	Constructing grassed waterways and surface drains		Constructing terraces and diversions		Tile drains and underground outlets	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
986G: Wellston-----	50	Very limited Slope	1.00	Very limited K factor Slope	1.00 1.00	Very limited Slope	1.00
Berks-----	45	Very limited Depth to hard bedrock Slope Content of large stones	1.00 1.00 1.00	Very limited Slope Depth to hard bedrock Content of large stones K factor	1.00 1.00 1.00 0.50	Very limited Depth to hard bedrock Slope	1.00 1.00
1843A: Bonnie-----	40	Not limited		Very limited K factor Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding	1.00 1.00 0.70
Petrolia-----	40	Not limited		Very limited Ponding Depth to saturated zone K factor	1.00 1.00 0.88	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding	1.00 1.00 0.70
1846A: Karnak-----	55	Not limited		Very limited Ponding Depth to saturated zone K factor	1.00 1.00 0.50	Very limited Ponding Depth to saturated zone Too clayey Frequent or very frequent flooding	1.00 1.00 0.95 0.70
Cape-----	35	Not limited		Very limited Ponding Depth to saturated zone K factor	1.00 1.00 0.88	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding Too clayey	1.00 1.00 0.70 0.02
3070A: Beaucoup-----	90	Not limited		Very limited Ponding Depth to saturated zone K factor	1.00 1.00 0.88	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding	1.00 1.00 0.70

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part II—Continued

Map symbol and soil name	Pct. of map unit	Constructing grassed waterways and surface drains		Constructing terraces and diversions		Tile drains and underground outlets	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3071A: Darwin-----	90	Not limited		Very limited Ponding Depth to saturated zone K factor	1.00 1.00 0.12	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding Too clayey	1.00 1.00 0.70 0.32
3071L: Darwin-----	90	Not limited		Very limited Ponding Depth to saturated zone K factor	1.00 1.00 0.12	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding Too clayey	1.00 1.00 0.70 0.32
3072A: Sharon-----	85	Not limited		Very limited K factor	1.00	Somewhat limited Frequent or very frequent flooding Depth to saturated zone	0.70 0.60
3072L: Sharon-----	90	Somewhat limited Slope	0.04	Very limited K factor Slope	1.00 0.04	Somewhat limited Frequent or very frequent flooding Depth to saturated zone	0.70 0.60
3108A: Bonnie-----	90	Not limited		Very limited K factor Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding	1.00 1.00 0.70
3108L: Bonnie-----	90	Not limited		Very limited K factor Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding	1.00 1.00 0.70

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part II—Continued

Map symbol and soil name	Pct. of map unit	Constructing grassed waterways and surface drains		Constructing terraces and diversions		Tile drains and underground outlets	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3180A: Dupo-----	85	Not limited		Very limited K factor Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Frequent or very frequent flooding Too clayey	1.00 0.70 0.24
3288A: Petrolia-----	90	Not limited		Very limited Ponding Depth to saturated zone K factor	1.00 1.00 0.88	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding	1.00 1.00 0.70
3288L: Petrolia-----	90	Not limited		Very limited Ponding Depth to saturated zone K factor	1.00 1.00 0.88	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding	1.00 1.00 0.70
3382A: Belknap-----	85	Not limited		Very limited K factor Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Frequent or very frequent flooding	1.00 0.70
3382L: Belknap-----	95	Not limited		Very limited K factor Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Frequent or very frequent flooding	1.00 0.70
3422A: Cape-----	90	Not limited		Very limited Ponding Depth to saturated zone K factor	1.00 1.00 0.88	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding Too clayey	1.00 1.00 0.70 0.02

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part II—Continued

Map symbol and soil name	Pct. of map unit	Constructing grassed waterways and surface drains		Constructing terraces and diversions		Tile drains and underground outlets	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3422A+: Cape-----	90	Not limited		Very limited K factor Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding Too clayey	1.00 1.00 0.70 0.02
3426A: Karnak-----	85	Not limited		Very limited Ponding Depth to saturated zone K factor	1.00 1.00 0.50	Very limited Ponding Depth to saturated zone Too clayey Frequent or very frequent flooding	1.00 1.00 0.95 0.70
3426A+: Karnak-----	90	Not limited		Very limited K factor Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone Too clayey Frequent or very frequent flooding	1.00 1.00 0.95 0.70
3426L: Karnak-----	85	Not limited		Very limited Ponding Depth to saturated zone K factor	1.00 1.00 0.50	Very limited Ponding Depth to saturated zone Too clayey Frequent or very frequent flooding	1.00 1.00 0.95 0.70
3449L: Armiesburg-----	45	Not limited		Somewhat limited K factor	0.88	Somewhat limited Frequent or very frequent flooding	0.70
Sarpy-----	35	Not limited		Very limited Too sandy	1.00	Very limited Expect caving Frequent or very frequent flooding	1.00 0.70
3597A: Armiesburg-----	90	Not limited		Somewhat limited K factor	0.88	Somewhat limited Frequent or very frequent flooding	0.70

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part II—Continued

Map symbol and soil name	Pct. of map unit	Constructing grassed waterways and surface drains		Constructing terraces and diversions		Tile drains and underground outlets	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3597L: Armiesburg-----	90	Not limited		Somewhat limited K factor	0.88	Somewhat limited Frequent or very frequent flooding	0.70
7131A: Alvin-----	90	Not limited		Somewhat limited K factor	0.12	Very limited Expect caving	1.00
7131B: Alvin-----	90	Somewhat limited Slope	0.37	Somewhat limited Slope K factor	0.37 0.12	Very limited Expect caving	1.00
7131C2: Alvin-----	90	Very limited Slope	1.00	Very limited Slope K factor	1.00 0.12	Very limited Expect caving	1.00
7131D2: Alvin-----	90	Very limited Slope	1.00	Very limited Slope K factor	1.00 0.12	Very limited Expect caving Slope	1.00 0.96
7460A: Ginat-----	95	Not limited		Very limited K factor Ponding Depth to saturated zone	1.00 1.00 1.00	Very limited Ponding Depth to saturated zone	1.00 1.00
7462A: Sciotoville-----	95	Not limited		Very limited K factor Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
7462B: Sciotoville-----	95	Somewhat limited Slope	0.37	Very limited K factor Depth to saturated zone Slope	1.00 1.00 0.37	Very limited Depth to saturated zone	1.00
7462C2: Sciotoville-----	95	Very limited Slope	1.00	Very limited K factor Depth to saturated zone Slope	1.00 1.00 1.00	Very limited Depth to saturated zone	1.00
7462C3: Sciotoville-----	95	Very limited Slope	1.00	Very limited K factor Depth to saturated zone Slope	1.00 1.00 1.00	Very limited Depth to saturated zone	1.00

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part II—Continued

Map symbol and soil name	Pct. of map unit	Constructing grassed waterways and surface drains		Constructing terraces and diversions		Tile drains and underground outlets	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7462D2: Sciotoville-----	95	Very limited Slope	1.00	Very limited K factor Slope Depth to saturated zone	1.00 1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.96
7462D3: Sciotoville-----	95	Very limited Slope	1.00	Very limited K factor Slope Depth to saturated zone	1.00 1.00 1.00	Very limited Depth to saturated zone Slope	1.00 0.96
7463A: Wheeling-----	95	Not limited		Somewhat limited K factor	0.88	Very limited Expect caving	1.00
7463B: Wheeling-----	95	Somewhat limited Slope	0.37	Somewhat limited K factor Slope	0.88 0.37	Very limited Expect caving	1.00
7463C2: Wheeling-----	95	Very limited Slope	1.00	Very limited Slope K factor	1.00 0.88	Very limited Expect caving	1.00
7463D2: Wheeling-----	95	Very limited Slope	1.00	Very limited Slope K factor	1.00 0.88	Very limited Expect caving Slope	1.00 0.96
7463E2: Wheeling-----	95	Very limited Slope	1.00	Very limited Slope K factor	1.00 0.88	Very limited Slope Expect caving	1.00 1.00
7483A: Henshaw-----	90	Not limited		Very limited K factor Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
7711A: Hatfield-----	95	Not limited		Very limited K factor Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
7711B: Hatfield-----	95	Somewhat limited Slope	0.37	Very limited K factor Depth to saturated zone Slope	1.00 1.00 0.37	Very limited Depth to saturated zone	1.00

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part II—Continued

Map symbol and soil name	Pct. of map unit	Constructing grassed waterways and surface drains		Constructing terraces and diversions		Tile drains and underground outlets	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7711B2: Hatfield-----	95	Somewhat limited Slope	0.37	Very limited K factor	1.00	Very limited Depth to saturated zone	1.00
	Depth to saturated zone			1.00			
	Slope			0.37			
8070A: Beaucoup-----	90	Not limited		Very limited Ponding	1.00	Very limited Ponding Depth to saturated zone Occasional flooding	1.00 1.00 0.40
	Depth to saturated zone			1.00			
	K factor			0.88			
8071A: Darwin-----	90	Not limited		Very limited Ponding	1.00	Very limited Ponding Depth to saturated zone Occasional flooding Too clayey	1.00 1.00 0.40 0.32
	Depth to saturated zone			1.00			
	K factor			0.12			
8072A: Sharon-----	90	Somewhat limited Slope	0.04	Very limited K factor	1.00	Somewhat limited Depth to saturated zone Occasional flooding	0.60 0.40
	Slope			0.04			
8108A: Bonnie-----	90	Not limited		Very limited K factor	1.00	Very limited Ponding Depth to saturated zone Occasional flooding	1.00 1.00 0.40
	Ponding			1.00			
	Depth to saturated zone			1.00			
8109A: Raccoon-----	85	Not limited		Very limited K factor	1.00	Very limited Ponding Depth to saturated zone Occasional flooding	1.00 1.00 0.40
	Ponding			1.00			
	Depth to saturated zone			1.00			
8180A: Dupo-----	85	Not limited		Very limited K factor	1.00	Very limited Depth to saturated zone Occasional flooding Too clayey	1.00 0.40 0.24
	Depth to saturated zone			1.00			

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part II—Continued

Map symbol and soil name	Pct. of map unit	Constructing grassed waterways and surface drains		Constructing terraces and diversions		Tile drains and underground outlets	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8288A: Petrolia-----	90	Not limited		Very limited Ponding	1.00	Very limited Ponding	1.00
				Depth to saturated zone	1.00	Depth to saturated zone	1.00
				K factor	0.88	Occasional flooding	0.40
8382A: Belknap-----	95	Not limited		Very limited K factor	1.00	Very limited Depth to	1.00
				Depth to saturated zone	1.00	saturated zone	0.40
						Occasional flooding	
8420A: Piopolis-----	90	Not limited		Very limited Ponding	1.00	Very limited Ponding	1.00
				Depth to saturated zone	1.00	Depth to saturated zone	1.00
				K factor	0.88	Occasional flooding	0.40
8422A: Cape-----	90	Not limited		Very limited Ponding	1.00	Very limited Ponding	1.00
				Depth to saturated zone	1.00	Depth to saturated zone	1.00
				K factor	0.88	Occasional flooding	0.40
						Too clayey	0.02
8422A+: Cape-----	90	Not limited		Very limited K factor	1.00	Very limited Ponding	1.00
				Ponding	1.00	Depth to	1.00
				Depth to saturated zone	1.00	saturated zone	0.40
						Occasional flooding	0.40
						Too clayey	0.02
8426A: Karnak-----	85	Not limited		Very limited Ponding	1.00	Very limited Ponding	1.00
				Depth to saturated zone	1.00	Depth to saturated zone	1.00
				K factor	0.50	Too clayey	0.95
						Occasional flooding	0.40
8426A+: Karnak-----	90	Not limited		Very limited Ponding	1.00	Very limited Ponding	1.00
				Depth to saturated zone	1.00	Depth to saturated zone	1.00
				K factor	0.88	Too clayey	0.95
						Occasional flooding	0.40

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part II—Continued

Map symbol and soil name	Pct. of map unit	Constructing grassed waterways and surface drains		Constructing terraces and diversions		Tile drains and underground outlets	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8427B: Burnside-----	90	Very limited Content of large stones Slope Depth to hard bedrock	1.00 0.16 0.02	Very limited Content of large stones K factor Slope Depth to hard bedrock	1.00 0.88 0.16 0.02	Somewhat limited Occasional flooding Depth to hard bedrock	0.40 0.02
8469A: Emma-----	85	Not limited		Somewhat limited K factor	0.88	Somewhat limited Depth to saturated zone Occasional flooding	0.90 0.40
8469B: Emma-----	85	Somewhat limited Slope	0.37	Somewhat limited K factor Slope	0.88 0.37	Somewhat limited Depth to saturated zone Occasional flooding	0.90 0.40
8469C2: Emma-----	85	Very limited Slope	1.00	Very limited Slope K factor	1.00 0.88	Somewhat limited Depth to saturated zone Occasional flooding	0.90 0.40
8597A: Armiesburg-----	85	Not limited		Somewhat limited K factor	0.88	Somewhat limited Occasional flooding	0.40
8693A: Hurst-----	85	Not limited		Very limited K factor Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Occasional flooding	1.00 0.40
MW: Miscellaneous water-	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part III

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Irrigation (all application methods)		Sprinkler irrigation		Drip or trickle irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
99G: Sandstone Rock Land-	45	Not rated		Not rated		Not rated	
Limestone Rock Land-	40	Not rated		Not rated		Not rated	
131B: Alvin-----	90	Somewhat limited Too acid Slope	0.32 0.08	Not limited		Not limited	
131C: Alvin-----	90	Very limited Slope Too acid Slopes, sprinkler irrigation	1.00 0.32 0.10	Somewhat limited Slopes, sprinkler irrigation	0.10	Not limited	
131C2: Alvin-----	90	Very limited Slope Too acid Slopes, sprinkler irrigation	1.00 0.32 0.10	Somewhat limited Slopes, sprinkler irrigation	0.10	Not limited	
131D2: Alvin-----	90	Very limited Slope Slopes, sprinkler irrigation Too acid	1.00 0.98 0.32	Somewhat limited Slopes, sprinkler irrigation	0.98	Not limited	
131F: Alvin-----	90	Very limited Slopes, sprinkler irrigation Slope Too acid	1.00 1.00 0.32	Very limited Slopes, sprinkler irrigation	1.00	Not limited	
164A: Stoy-----	90	Very limited Percs slowly Depth to saturated zone Too acid	1.00 0.99 0.22	Somewhat limited Percs slowly	0.29	Not limited	
164B: Stoy-----	90	Very limited Percs slowly Depth to saturated zone Too acid Slope	1.00 0.99 0.22 0.08	Somewhat limited Percs slowly	0.29	Not limited	

Soil Survey of Massac County, Illinois

Table 18.--Water Management, Part III--Continued

Map symbol and soil name	Pct. of map unit	Irrigation (all application methods)		Sprinkler irrigation		Drip or trickle irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
164C2: Stoy-----	90	Very limited Percs slowly Slope Depth to saturated zone Too acid Slopes, sprinkler irrigation	1.00 1.00 0.99 0.78 0.10	Somewhat limited Percs slowly Slopes, sprinkler irrigation	0.29 0.10	Not limited	
165A: Weir-----	90	Very limited Percs slowly Ponding Depth to saturated zone Too acid	1.00 1.00 1.00 0.32	Very limited Depth to saturated zone Percs slowly Ponding	1.00 0.99 0.50	Very limited Ponding Wetness	1.00 1.00
175B: Lamont-----	90	Somewhat limited Too acid Slope	0.08 0.08	Not limited		Not limited	
175C2: Lamont-----	90	Very limited Slope Slopes, sprinkler irrigation Too acid	1.00 0.10 0.08	Somewhat limited Slopes, sprinkler irrigation	0.10	Not limited	
175D2: Lamont-----	90	Very limited Slope Slopes, sprinkler irrigation Too acid	1.00 0.98 0.08	Somewhat limited Slopes, sprinkler irrigation	0.98	Not limited	
214B: Hosmer-----	85	Somewhat limited Cemented pan Depth to saturated zone Too acid Slope Droughty	0.91 0.84 0.78 0.08 0.01	Somewhat limited Cemented pan	0.65	Somewhat limited Cemented pan	0.91
214C2: Hosmer-----	85	Very limited Slope Cemented pan Depth to saturated zone Too acid Droughty	1.00 0.97 0.84 0.78 0.18	Somewhat limited Cemented pan Slopes, sprinkler irrigation	0.86 0.10	Somewhat limited Cemented pan	0.97

Soil Survey of Massac County, Illinois

Table 18.--Water Management, Part III--Continued

Map symbol and soil name	Pct. of map unit	Irrigation (all application methods)		Sprinkler irrigation		Drip or trickle irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
214C3: Hosmer-----	85	Very limited Slope Cemented pan Depth to saturated zone Too acid Droughty	1.00 0.99 0.84 0.78 0.43	Somewhat limited Cemented pan Slopes, sprinkler irrigation Low water-holding capacity	0.95 0.10 0.01	Somewhat limited Cemented pan	0.99
214D2: Hosmer-----	85	Very limited Slope Slopes, sprinkler irrigation Cemented pan Depth to saturated zone Too acid	1.00 0.98 0.97 0.84 0.78	Somewhat limited Slopes, sprinkler irrigation Cemented pan	0.98 0.86	Somewhat limited Cemented pan	0.97
214D3: Hosmer-----	85	Very limited Slope Cemented pan Slopes, sprinkler irrigation Depth to saturated zone Too acid	1.00 0.99 0.98 0.84 0.78	Somewhat limited Slopes, sprinkler irrigation Cemented pan Low water-holding capacity	0.98 0.95 0.01	Somewhat limited Cemented pan	0.99
308B: Alford-----	90	Somewhat limited Too acid Slope	0.32 0.08	Not limited		Not limited	
308C2: Alford-----	90	Very limited Slope Too acid Slopes, sprinkler irrigation	1.00 0.32 0.10	Somewhat limited Slopes, sprinkler irrigation	0.10	Not limited	
308C3: Alford-----	90	Very limited Slope Too acid Slopes, sprinkler irrigation	1.00 0.32 0.10	Somewhat limited Slopes, sprinkler irrigation	0.10	Not limited	
308D2: Alford-----	90	Very limited Slope Slopes, sprinkler irrigation Too acid	1.00 0.98 0.32	Somewhat limited Slopes, sprinkler irrigation	0.98	Not limited	

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part III—Continued

Map symbol and soil name	Pct. of map unit	Irrigation (all application methods)		Sprinkler irrigation		Drip or trickle irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
308D3: Alford-----	90	Very limited Slope Slopes, sprinkler irrigation Too acid	1.00 0.98 0.32	Somewhat limited Slopes, sprinkler irrigation	0.98	Not limited	
308E: Alford-----	90	Very limited Slopes, sprinkler irrigation Slope Too acid	1.00 1.00 0.32	Very limited Slopes, sprinkler irrigation	1.00	Not limited	
308E2: Alford-----	90	Very limited Slopes, sprinkler irrigation Slope Too acid	1.00 1.00 0.32	Very limited Slopes, sprinkler irrigation	1.00	Not limited	
308E3: Alford-----	90	Very limited Slopes, sprinkler irrigation Slope Too acid	1.00 1.00 0.32	Very limited Slopes, sprinkler irrigation	1.00	Not limited	
308F: Alford-----	90	Very limited Slopes, sprinkler irrigation Slope Too acid	1.00 1.00 0.32	Very limited Slopes, sprinkler irrigation	1.00	Not limited	
339C: Wellston-----	90	Very limited Slope Too acid Slopes, sprinkler irrigation	1.00 0.44 0.10	Somewhat limited Slopes, sprinkler irrigation	0.10	Not limited	
339C2: Wellston-----	90	Very limited Slope Too acid Slopes, sprinkler irrigation	1.00 0.44 0.10	Somewhat limited Slopes, sprinkler irrigation	0.10	Not limited	
339D: Wellston-----	90	Very limited Slope Slopes, sprinkler irrigation Too acid	1.00 0.98 0.44	Somewhat limited Slopes, sprinkler irrigation	0.98	Not limited	

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part III—Continued

Map symbol and soil name	Pct. of map unit	Irrigation (all application methods)		Sprinkler irrigation		Drip or trickle irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
339D2: Wellston-----	90	Very limited Slope Slopes, sprinkler irrigation Too acid	1.00 0.98 0.44	Somewhat limited Slopes, sprinkler irrigation	0.98	Not limited	
339D3: Wellston-----	90	Very limited Slope Slopes, sprinkler irrigation Too acid	1.00 0.98 0.44	Somewhat limited Slopes, sprinkler irrigation	0.98	Not limited	
339F: Wellston-----	90	Very limited Slopes, sprinkler irrigation Slope Too acid	1.00 1.00 0.44	Very limited Slopes, sprinkler irrigation	1.00	Not limited	
340C2: Zanesville-----	85	Very limited Cemented pan Slope Too acid Droughty Depth to saturated zone	1.00 1.00 0.92 0.88 0.84	Very limited Cemented pan Low water-holding capacity Slopes, sprinkler irrigation	1.00 0.22 0.10	Very limited Cemented pan	1.00
340C3: Zanesville-----	85	Very limited Cemented pan Slope Droughty Too acid Depth to saturated zone	1.00 1.00 0.98 0.92 0.84	Very limited Cemented pan Low water-holding capacity Slopes, sprinkler irrigation	1.00 0.46 0.10	Very limited Cemented pan	1.00
340D: Zanesville-----	85	Very limited Slope Cemented pan Slopes, sprinkler irrigation Too acid Depth to saturated zone	1.00 0.99 0.98 0.92 0.84	Somewhat limited Slopes, sprinkler irrigation Cemented pan Low water-holding capacity	0.98 0.97 0.02	Somewhat limited Cemented pan	0.99
340D2: Zanesville-----	85	Very limited Slope Cemented pan Slopes, sprinkler irrigation Too acid Droughty	1.00 1.00 0.98 0.92 0.88	Very limited Cemented pan Slopes, sprinkler irrigation Low water-holding capacity	1.00 0.98 0.22	Very limited Cemented pan	1.00

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part III—Continued

Map symbol and soil name	Pct. of map unit	Irrigation (all application methods)		Sprinkler irrigation		Drip or trickle irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
340D3: Zanesville-----	85	Very limited Slope Cemented pan Droughty Slopes, sprinkler irrigation Too acid	1.00 1.00 0.98 0.98 0.92	Very limited Cemented pan Slopes, sprinkler irrigation Low water-holding capacity	1.00 0.98 0.46	Very limited Cemented pan	1.00
453C2: Muren-----	90	Very limited Depth to saturated zone Slope Too acid Slopes, sprinkler irrigation	1.00 1.00 0.14 0.10	Somewhat limited Slopes, sprinkler irrigation	0.10	Very limited Wetness	1.00
453D2: Muren-----	90	Very limited Depth to saturated zone Slope Slopes, sprinkler irrigation Too acid	1.00 1.00 0.98 0.14	Somewhat limited Slopes, sprinkler irrigation	0.98	Very limited Wetness	1.00
691D: Beasley-----	90	Very limited Slope Slopes, sprinkler irrigation Too acid Percs slowly Droughty	1.00 0.98 0.32 0.31 0.01	Somewhat limited Slopes, sprinkler irrigation	0.98	Not limited	
691F: Beasley-----	90	Very limited Slopes, sprinkler irrigation Slope Too acid Percs slowly Droughty	1.00 1.00 0.32 0.31 0.01	Very limited Slopes, sprinkler irrigation	1.00	Not limited	
691G: Beasley-----	90	Very limited Slopes, sprinkler irrigation Slope Too acid Percs slowly Droughty	1.00 1.00 0.32 0.31 0.01	Very limited Slopes, sprinkler irrigation	1.00	Not limited	
801B: Orthents, silty-----	90	Somewhat limited Too acid	0.44	Not limited		Not limited	

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part III—Continued

Map symbol and soil name	Pct. of map unit	Irrigation (all application methods)		Sprinkler irrigation		Drip or trickle irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
802D: Orthents, loamy-----	90	Very limited Slope Slopes, sprinkler irrigation Percs slowly	1.00 0.60 0.31	Somewhat limited Slopes, sprinkler irrigation	0.60	Not limited	
864: Pits, quarries-----	100	Not rated		Not rated		Not rated	
865: Pits, gravel-----	100	Not rated		Not rated		Not rated	
955D: Muskingum-----	55	Very limited Slope Slopes, sprinkler irrigation Too acid Droughty Bedrock	1.00 0.98 0.92 0.50 0.16	Somewhat limited Slopes, sprinkler irrigation Depth to soft bedrock Low water-holding capacity	0.98 0.16 0.01	Not limited	
Berks-----	40	Very limited Droughty Slope Slopes, sprinkler irrigation Bedrock Too acid	1.00 1.00 0.98 0.65 0.44	Somewhat limited Low water-holding capacity Slopes, sprinkler irrigation Depth to hard bedrock	0.99 0.98 0.65	Not limited	
955D2: Muskingum-----	55	Very limited Slope Slopes, sprinkler irrigation Too acid Droughty Bedrock	1.00 0.98 0.92 0.76 0.35	Somewhat limited Slopes, sprinkler irrigation Depth to hard bedrock Low water-holding capacity	0.98 0.35 0.10	Not limited	
Berks-----	40	Very limited Droughty Slope Slopes, sprinkler irrigation Bedrock Too acid	1.00 1.00 0.98 0.84 0.44	Very limited Low water-holding capacity Slopes, sprinkler irrigation Depth to hard bedrock	1.00 0.98 0.84	Not limited	
955F: Muskingum-----	55	Very limited Slopes, sprinkler irrigation Slope Too acid Droughty Bedrock	1.00 1.00 0.92 0.50 0.16	Very limited Slopes, sprinkler irrigation Depth to soft bedrock Low water-holding capacity	1.00 0.16 0.01	Not limited	

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part III—Continued

Map symbol and soil name	Pct. of map unit	Irrigation (all application methods)		Sprinkler irrigation		Drip or trickle irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
955F: Berks-----	40	Very limited Droughty Slopes, sprinkler irrigation Slope Bedrock Too acid	1.00 1.00 1.00 0.65 0.44	Very limited Slopes, sprinkler irrigation Low water-holding capacity Depth to hard bedrock	1.00 0.99 0.65	Not limited	
955G: Muskingum-----	55	Very limited Slopes, sprinkler irrigation Slope Too acid Droughty Bedrock	1.00 1.00 0.92 0.50 0.16	Very limited Slopes, sprinkler irrigation Depth to hard bedrock Low water-holding capacity	1.00 0.16 0.01	Not limited	
Berks-----	40	Very limited Droughty Slopes, sprinkler irrigation Slope Bedrock Too acid	1.00 1.00 1.00 0.65 0.44	Very limited Slopes, sprinkler irrigation Low water-holding capacity Depth to hard bedrock	1.00 0.99 0.65	Not limited	
956B: Brandon-----	55	Somewhat limited Too acid Slope	0.78 0.08	Not limited		Not limited	
Saffell-----	40	Somewhat limited Too acid Slope	0.78 0.08	Somewhat limited Low water-holding capacity	0.17	Not limited	
956C2: Brandon-----	55	Very limited Slope Too acid Slopes, sprinkler irrigation	1.00 0.78 0.10	Somewhat limited Slopes, sprinkler irrigation	0.10	Not limited	
Saffell-----	40	Very limited Slope Too acid Slopes, sprinkler irrigation	1.00 0.78 0.10	Somewhat limited Low water-holding capacity Slopes, sprinkler irrigation	0.29 0.10	Not limited	
956C3: Brandon-----	55	Very limited Slope Too acid Slopes, sprinkler irrigation	1.00 0.78 0.10	Somewhat limited Slopes, sprinkler irrigation	0.10	Not limited	
Saffell-----	40	Very limited Slope Too acid Slopes, sprinkler irrigation	1.00 0.78 0.10	Somewhat limited Low water-holding capacity Slopes, sprinkler irrigation	0.32 0.10	Not limited	

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part III—Continued

Map symbol and soil name	Pct. of map unit	Irrigation (all application methods)		Sprinkler irrigation		Drip or trickle irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
956D: Brandon-----	55	Very limited Slope Slopes, sprinkler irrigation Too acid	1.00 0.98 0.78	Somewhat limited Slopes, sprinkler irrigation	0.98	Not limited	
Saffell-----	40	Very limited Slope Slopes, sprinkler irrigation Too acid	1.00 0.98 0.78	Somewhat limited Slopes, sprinkler irrigation Low water-holding capacity	0.98 0.17	Not limited	
956D2: Brandon-----	55	Very limited Slope Slopes, sprinkler irrigation Too acid	1.00 0.98 0.78	Somewhat limited Slopes, sprinkler irrigation	0.98	Not limited	
Saffell-----	40	Very limited Slope Slopes, sprinkler irrigation Too acid	1.00 0.98 0.78	Somewhat limited Slopes, sprinkler irrigation Low water-holding capacity	0.98 0.29	Not limited	
956D3: Brandon-----	55	Very limited Slope Slopes, sprinkler irrigation Too acid	1.00 0.98 0.78	Somewhat limited Slopes, sprinkler irrigation	0.98	Not limited	
Saffell-----	40	Very limited Slope Slopes, sprinkler irrigation Too acid	1.00 0.98 0.78	Somewhat limited Slopes, sprinkler irrigation Low water-holding capacity	0.98 0.32	Not limited	
956E2: Brandon-----	55	Very limited Slopes, sprinkler irrigation Slope Too acid	1.00 1.00 0.78	Very limited Slopes, sprinkler irrigation	1.00	Not limited	
Saffell-----	40	Very limited Slopes, sprinkler irrigation Slope Too acid	1.00 1.00 0.78	Very limited Slopes, sprinkler irrigation Low water-holding capacity	1.00 0.29	Not limited	
956F: Brandon-----	55	Very limited Slopes, sprinkler irrigation Slope Too acid	1.00 1.00 0.78	Very limited Slopes, sprinkler irrigation	1.00	Not limited	

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part III—Continued

Map symbol and soil name	Pct. of map unit	Irrigation (all application methods)		Sprinkler irrigation		Drip or trickle irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
956F: Saffell-----	40	Very limited Slopes, sprinkler irrigation	1.00	Very limited Slopes, sprinkler irrigation	1.00	Not limited	
		Slope	1.00	Low water-holding capacity	0.17		
		Too acid	1.00				
986D: Wellston-----	50	Very limited Slope	1.00	Somewhat limited Slopes, sprinkler irrigation	0.98	Not limited	
		Slopes, sprinkler irrigation	0.98				
		Too acid	0.44				
Berks-----	45	Very limited Droughty	1.00	Somewhat limited Low water-holding capacity	0.99	Not limited	
		Slope	1.00	Slopes, sprinkler irrigation	0.98		
		Slopes, sprinkler irrigation	0.98	Depth to hard bedrock	0.65		
		Bedrock	0.65				
		Too acid	0.44				
986D2: Wellston-----	50	Very limited Slope	1.00	Somewhat limited Slopes, sprinkler irrigation	0.98	Not limited	
		Slopes, sprinkler irrigation	0.98				
		Too acid	0.44				
Berks-----	45	Very limited Droughty	1.00	Very limited Low water-holding capacity	1.00	Not limited	
		Slope	1.00	Slopes, sprinkler irrigation	0.98		
		Slopes, sprinkler irrigation	0.98	Depth to hard bedrock	0.84		
		Bedrock	0.84				
		Too acid	0.44				
986F: Wellston-----	50	Very limited Slopes, sprinkler irrigation	1.00	Very limited Slopes, sprinkler irrigation	1.00	Not limited	
		Slope	1.00				
		Too acid	0.44				
Berks-----	45	Very limited Droughty	1.00	Very limited Slopes, sprinkler irrigation	1.00	Not limited	
		Slopes, sprinkler irrigation	1.00	Low water-holding capacity	0.99		
		Slope	1.00	Depth to hard bedrock	0.65		
		Bedrock	0.65				
		Too acid	0.44				
986G: Wellston-----	50	Very limited Slopes, sprinkler irrigation	1.00	Very limited Slopes, sprinkler irrigation	1.00	Not limited	
		Slope	1.00				
		Too acid	0.44				

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part III—Continued

Map symbol and soil name	Pct. of map unit	Irrigation (all application methods)		Sprinkler irrigation		Drip or trickle irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
986G: Berks-----	45	Very limited Droughty Slopes, sprinkler irrigation Slope Bedrock Too acid	1.00 1.00 1.00 0.65 0.44	Very limited Slopes, sprinkler irrigation Low water-holding capacity Depth to hard bedrock	1.00 0.99 0.65	Not limited	
1843A: Bonnie-----	40	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding Percs slowly Too acid	1.00 1.00 0.70 0.31 0.22	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding	1.00 1.00 0.70	Very limited Ponding Flooding Wetness	1.00 1.00 1.00
Petrolia-----	40	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding Percs slowly	1.00 1.00 0.70 0.31	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding	1.00 1.00 0.70	Very limited Ponding Flooding Wetness	1.00 1.00 1.00
1846A: Karnak-----	55	Very limited Ponding Depth to saturated zone Percs slowly Frequent or very frequent flooding Too acid	1.00 1.00 1.00 0.70 0.44	Very limited Ponding Depth to saturated zone Surface clay Frequent or very frequent flooding Percs slowly	1.00 1.00 0.95 0.70 0.59	Very limited Ponding Flooding Wetness	1.00 1.00 1.00
Cape-----	35	Very limited Percs slowly Ponding Depth to saturated zone Frequent or very frequent flooding Too acid	1.00 1.00 1.00 0.70 0.32	Very limited Ponding Depth to saturated zone Percs slowly Frequent or very frequent flooding Too acid	1.00 1.00 0.99 0.70 0.14	Very limited Ponding Flooding Wetness	1.00 1.00 1.00
3070A: Beaucoup-----	90	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding	1.00 1.00 0.70	Very limited Depth to saturated zone Frequent or very frequent flooding Ponding	1.00 0.70 0.50	Very limited Ponding Flooding Wetness	1.00 1.00 1.00

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part III—Continued

Map symbol and soil name	Pct. of map unit	Irrigation (all application methods)		Sprinkler irrigation		Drip or trickle irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3071A: Darwin-----	90	Very limited Percs slowly Ponding Depth to saturated zone Frequent or very frequent flooding	1.00 1.00 1.00 0.70	Very limited Depth to saturated zone Percs slowly Frequent or very frequent flooding Ponding Surface clay	1.00 1.00 0.99 0.70 0.50 0.02	Very limited Ponding Flooding	1.00 1.00
3071L: Darwin-----	90	Very limited Percs slowly Ponding Depth to saturated zone Frequent or very frequent flooding	1.00 1.00 1.00 0.70	Very limited Ponding Depth to saturated zone Percs slowly Frequent or very frequent flooding Surface clay	1.00 1.00 0.99 0.70 0.02	Very limited Ponding Flooding Wetness	1.00 1.00 1.00
3072A: Sharon-----	85	Somewhat limited Too acid Frequent or very frequent flooding	0.78 0.70	Somewhat limited Frequent or very frequent flooding	0.70	Very limited Flooding	1.00
3072L: Sharon-----	90	Somewhat limited Too acid Frequent or very frequent flooding	0.78 0.70	Somewhat limited Frequent or very frequent flooding	0.70	Very limited Flooding	1.00
3108A: Bonnie-----	90	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding Percs slowly Too acid	1.00 1.00 0.70 0.31 0.22	Very limited Depth to saturated zone Frequent or very frequent flooding Ponding	1.00 1.00 0.70 0.50	Very limited Ponding Flooding Wetness	1.00 1.00 1.00
3108L: Bonnie-----	90	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding Percs slowly Too acid	1.00 1.00 0.70 0.31 0.22	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding	1.00 1.00 0.70	Very limited Ponding Flooding Wetness	1.00 1.00 1.00

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part III—Continued

Map symbol and soil name	Pct. of map unit	Irrigation (all application methods)		Sprinkler irrigation		Drip or trickle irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3180A: Dupo-----	85	Very limited Depth to saturated zone Percs slowly Frequent or very frequent flooding	1.00 1.00 0.70 0.70	Somewhat limited Frequent or very frequent flooding Percs slowly	0.70 0.29	Very limited Flooding Wetness	1.00 1.00
3288A: Petrolia-----	90	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding Percs slowly	1.00 1.00 0.70 0.31	Very limited Depth to saturated zone Frequent or very frequent flooding Ponding	1.00 0.70 0.50	Very limited Ponding Flooding Wetness	1.00 1.00 1.00
3288L: Petrolia-----	90	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding Percs slowly	1.00 1.00 0.70 0.31	Very limited Ponding Depth to saturated zone Frequent or very frequent flooding	1.00 1.00 0.70	Very limited Ponding Flooding Wetness	1.00 1.00 1.00
3382A: Belknap-----	85	Very limited Depth to saturated zone Frequent or very frequent flooding Too acid	1.00 0.70 0.32	Somewhat limited Frequent or very frequent flooding	0.70	Very limited Flooding Wetness	1.00 1.00
3382L: Belknap-----	95	Very limited Depth to saturated zone Frequent or very frequent flooding Too acid	1.00 0.70 0.32	Somewhat limited Frequent or very frequent flooding	0.70	Very limited Flooding Wetness	1.00 1.00
3422A: Cape-----	90	Very limited Percs slowly Ponding Depth to saturated zone Frequent or very frequent flooding Too acid	1.00 1.00 1.00 0.70 0.32	Very limited Depth to saturated zone Percs slowly Frequent or very frequent flooding Ponding Too acid	1.00 0.99 0.70 0.50 0.14	Very limited Ponding Flooding Wetness	1.00 1.00 1.00

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part III—Continued

Map symbol and soil name	Pct. of map unit	Irrigation (all application methods)		Sprinkler irrigation		Drip or trickle irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3422A+: Cape-----	90	Very limited Percs slowly Ponding Depth to saturated zone Frequent or very frequent flooding Too acid	1.00 1.00 1.00 0.70 0.32	Very limited Depth to saturated zone Percs slowly Frequent or very frequent flooding Ponding Too acid	1.00 1.00 0.99 0.70 0.50 0.14	Very limited Ponding Flooding Wetness	1.00 1.00 1.00
3426A: Karnak-----	85	Very limited Ponding Depth to saturated zone Percs slowly Frequent or very frequent flooding Too acid	1.00 1.00 1.00 0.70 0.44	Very limited Depth to saturated zone Surface clay Frequent or very frequent flooding Percs slowly Ponding	1.00 1.00 0.95 0.70 0.59 0.50	Very limited Ponding Flooding Wetness	1.00 1.00 1.00
3426A+: Karnak-----	90	Very limited Ponding Depth to saturated zone Percs slowly Frequent or very frequent flooding	1.00 1.00 1.00 0.70	Very limited Depth to saturated zone Frequent or very frequent flooding Percs slowly Ponding	1.00 1.00 0.70 0.59 0.50	Very limited Ponding Flooding Wetness	1.00 1.00 1.00
3426L: Karnak-----	85	Very limited Ponding Depth to saturated zone Percs slowly Frequent or very frequent flooding Too acid	1.00 1.00 1.00 0.70 0.44	Very limited Ponding Depth to saturated zone Surface clay Frequent or very frequent flooding Percs slowly	1.00 1.00 0.95 0.70 0.59	Very limited Ponding Flooding Wetness	1.00 1.00 1.00
3449L: Armiesburg-----	45	Somewhat limited Frequent or very frequent flooding	0.70	Somewhat limited Frequent or very frequent flooding	0.70	Very limited Flooding	1.00
Sarpy-----	35	Somewhat limited Frequent or very frequent flooding Droughty	0.70 0.03	Somewhat limited Low water-holding capacity Frequent or very frequent flooding	0.84 0.70	Very limited Flooding	1.00

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part III—Continued

Map symbol and soil name	Pct. of map unit	Irrigation (all application methods)		Sprinkler irrigation		Drip or trickle irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
3597A: Armiesburg-----	90	Somewhat limited Frequent or very frequent flooding	0.70	Somewhat limited Frequent or very frequent flooding	0.70	Very limited Flooding	1.00
3597L: Armiesburg-----	90	Somewhat limited Frequent or very frequent flooding	0.70	Somewhat limited Frequent or very frequent flooding	0.70	Very limited Flooding	1.00
7131A: Alvin-----	90	Somewhat limited Too acid	0.32	Not limited		Not limited	
7131B: Alvin-----	90	Somewhat limited Too acid Slope	0.32 0.08	Not limited		Not limited	
7131C2: Alvin-----	90	Very limited Slope Too acid Slopes, sprinkler irrigation	1.00 0.32 0.10	Somewhat limited Slopes, sprinkler irrigation	0.10	Not limited	
7131D2: Alvin-----	90	Very limited Slope Slopes, sprinkler irrigation Too acid	1.00 0.98 0.32	Somewhat limited Slopes, sprinkler irrigation	0.98	Not limited	
7460A: Ginat-----	95	Very limited Percs slowly Ponding Depth to saturated zone Too acid	1.00 1.00 1.00 0.22	Very limited Depth to saturated zone Percs slowly Ponding	1.00 0.99 0.50	Very limited Ponding Wetness	1.00 1.00
7462A: Sciotoville-----	95	Somewhat limited Depth to saturated zone Percs slowly Too acid	0.95 0.61 0.44	Not limited		Not limited	
7462B: Sciotoville-----	95	Somewhat limited Depth to saturated zone Percs slowly Too acid Slope	0.95 0.61 0.44 0.08	Not limited		Not limited	

Soil Survey of Massac County, Illinois

Table 18.--Water Management, Part III--Continued

Map symbol and soil name	Pct. of map unit	Irrigation (all application methods)		Sprinkler irrigation		Drip or trickle irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7462C2: Sciotoville-----	95	Very limited Slope Depth to saturated zone Percs slowly Too acid Slopes, sprinkler irrigation	1.00 0.95 0.61 0.44 0.10	Somewhat limited Slopes, sprinkler irrigation	0.10	Not limited	
7462C3: Sciotoville-----	95	Very limited Slope Depth to saturated zone Percs slowly Too acid Slopes, sprinkler irrigation	1.00 0.95 0.61 0.44 0.10	Somewhat limited Slopes, sprinkler irrigation	0.10	Not limited	
7462D2: Sciotoville-----	95	Very limited Slope Slopes, sprinkler irrigation Depth to saturated zone Percs slowly Too acid	1.00 0.98 0.95 0.61 0.44	Somewhat limited Slopes, sprinkler irrigation	0.98	Not limited	
7462D3: Sciotoville-----	95	Very limited Slope Slopes, sprinkler irrigation Depth to saturated zone Percs slowly Too acid	1.00 0.98 0.95 0.61 0.44	Somewhat limited Slopes, sprinkler irrigation	0.98	Not limited	
7463A: Wheeling-----	95	Somewhat limited Too acid	0.44	Not limited		Not limited	
7463B: Wheeling-----	95	Somewhat limited Too acid Slope	0.44 0.08	Not limited		Not limited	
7463C2: Wheeling-----	95	Very limited Slope Too acid Slopes, sprinkler irrigation	1.00 0.44 0.10	Somewhat limited Slopes, sprinkler irrigation	0.10	Not limited	

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part III—Continued

Map symbol and soil name	Pct. of map unit	Irrigation (all application methods)		Sprinkler irrigation		Drip or trickle irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
7463D2: Wheeling-----	95	Very limited Slope Slopes, sprinkler irrigation Too acid	1.00 0.98 0.44	Somewhat limited Slopes, sprinkler irrigation	0.98	Not limited	
7463E2: Wheeling-----	95	Very limited Slopes, sprinkler irrigation Slope Too acid	1.00 1.00 0.44	Very limited Slopes, sprinkler irrigation	1.00	Not limited	
7483A: Henshaw-----	90	Very limited Depth to saturated zone Percs slowly Too acid	1.00 0.31 0.08	Not limited		Very limited Wetness	1.00
7711A: Hatfield-----	95	Very limited Percs slowly Depth to saturated zone Too acid	1.00 1.00 0.22	Somewhat limited Percs slowly	0.99	Very limited Wetness	1.00
7711B: Hatfield-----	95	Very limited Percs slowly Depth to saturated zone Too acid Slope	1.00 1.00 0.22 0.08	Somewhat limited Percs slowly	0.99	Very limited Wetness	1.00
7711B2: Hatfield-----	95	Very limited Percs slowly Depth to saturated zone Too acid Slope	1.00 1.00 0.22 0.08	Somewhat limited Percs slowly	0.99	Very limited Wetness	1.00
8070A: Beaucoup-----	90	Very limited Ponding Depth to saturated zone Occasional flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Ponding Occasional flooding	1.00 0.50 0.40	Very limited Ponding Wetness	1.00 1.00

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part III—Continued

Map symbol and soil name	Pct. of map unit	Irrigation (all application methods)		Sprinkler irrigation		Drip or trickle irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8071A: Darwin-----	90	Very limited Percs slowly Ponding Depth to saturated zone Occasional flooding	1.00 1.00 1.00 0.40	Very limited Depth to saturated zone Percs slowly Ponding Occasional flooding Surface clay	1.00 1.00 0.99 0.50 0.40 0.02	Very limited Ponding Wetness	1.00 1.00
8072A: Sharon-----	90	Somewhat limited Too acid Occasional flooding	0.78 0.40	Somewhat limited Occasional flooding	0.40	Not limited	
8108A: Bonnie-----	90	Very limited Ponding Depth to saturated zone Occasional flooding Percs slowly Too acid	1.00 1.00 0.40 0.31 0.22	Very limited Depth to saturated zone Ponding Occasional flooding	1.00 1.00 0.50 0.40	Very limited Ponding Wetness	1.00 1.00
8109A: Raccoon-----	85	Very limited Ponding Depth to saturated zone Percs slowly Occasional flooding Too acid	1.00 1.00 1.00 0.40 0.22	Very limited Depth to saturated zone Ponding Occasional flooding Percs slowly	1.00 1.00 0.50 0.40 0.29	Very limited Ponding Wetness	1.00 1.00
8180A: Dupo-----	85	Very limited Depth to saturated zone Percs slowly Occasional flooding	1.00 1.00 1.00 0.40	Somewhat limited Occasional flooding Percs slowly	0.40 0.29	Very limited Wetness	1.00
8288A: Petrolia-----	90	Very limited Ponding Depth to saturated zone Occasional flooding Percs slowly	1.00 1.00 0.40 0.31	Very limited Depth to saturated zone Ponding Occasional flooding	1.00 1.00 0.50 0.40	Very limited Ponding Wetness	1.00 1.00
8382A: Belknap-----	95	Very limited Depth to saturated zone Occasional flooding Too acid	1.00 0.40 0.32	Somewhat limited Occasional flooding	0.40	Very limited Wetness	1.00

Soil Survey of Massac County, Illinois

Table 18.—Water Management, Part III—Continued

Map symbol and soil name	Pct. of map unit	Irrigation (all application methods)		Sprinkler irrigation		Drip or trickle irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8420A: Piopolis-----	90	Very limited Ponding Depth to saturated zone Percs slowly Too acid Occasional flooding	1.00 1.00 1.00 0.44 0.40	Very limited Depth to saturated zone Ponding Occasional flooding Percs slowly	1.00 1.00 0.50 0.40 0.29	Very limited Ponding Wetness Surface percs slowly	1.00 1.00 1.00
8422A: Cape-----	90	Very limited Percs slowly Ponding Depth to saturated zone Occasional flooding Too acid	1.00 1.00 1.00 0.40 0.32	Very limited Depth to saturated zone Percs slowly Ponding Occasional flooding Too acid	1.00 1.00 0.99 0.50 0.40 0.14	Very limited Ponding Wetness	1.00 1.00
8422A+: Cape-----	90	Very limited Percs slowly Ponding Depth to saturated zone Occasional flooding Too acid	1.00 1.00 1.00 0.40 0.32	Very limited Depth to saturated zone Percs slowly Ponding Occasional flooding Too acid	1.00 1.00 0.99 0.50 0.40 0.14	Very limited Ponding Wetness	1.00 1.00
8426A: Karnak-----	85	Very limited Ponding Depth to saturated zone Percs slowly Too acid Occasional flooding	1.00 1.00 1.00 0.44 0.40	Very limited Depth to saturated zone Surface clay Percs slowly Ponding Occasional flooding	1.00 1.00 0.95 0.59 0.50 0.40	Very limited Ponding Wetness	1.00 1.00
8426A+: Karnak-----	90	Very limited Ponding Depth to saturated zone Percs slowly Occasional flooding	1.00 1.00 1.00 0.40	Very limited Depth to saturated zone Percs slowly Ponding Occasional flooding	1.00 1.00 0.59 0.50 0.40	Very limited Ponding Wetness	1.00 1.00
8427B: Burnside-----	90	Somewhat limited Too acid Occasional flooding	0.92 0.40	Somewhat limited Occasional flooding	0.40	Not limited	

Soil Survey of Massac County, Illinois

Table 18.--Water Management, Part III--Continued

Map symbol and soil name	Pct. of map unit	Irrigation (all application methods)		Sprinkler irrigation		Drip or trickle irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8469A: Emma-----	85	Somewhat limited Too acid Occasional flooding Percs slowly Depth to saturated zone	0.78 0.40 0.31 0.24	Somewhat limited Too acid Occasional flooding	0.44 0.40	Not limited	
8469B: Emma-----	85	Somewhat limited Too acid Occasional flooding Percs slowly Depth to saturated zone Slope	0.78 0.40 0.31 0.24 0.08	Somewhat limited Too acid Occasional flooding	0.44 0.40	Not limited	
8469C2: Emma-----	85	Very limited Slope Too acid Occasional flooding Percs slowly Depth to saturated zone	1.00 0.78 0.40 0.31 0.24	Somewhat limited Too acid Occasional flooding Slopes, sprinkler irrigation	0.44 0.40 0.10	Not limited	
8597A: Armiesburg-----	85	Somewhat limited Occasional flooding	0.40	Somewhat limited Occasional flooding	0.40	Not limited	
8693A: Hurst-----	85	Very limited Percs slowly Depth to saturated zone Occasional flooding Too acid	1.00 1.00 0.40 0.08	Somewhat limited Percs slowly Occasional flooding Too acid	0.98 0.40 0.04	Not limited	
MW: Miscellaneous water-	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	

Table 19.—Engineering Index Properties

(Absence of an entry indicates that data were not estimated)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit Pct	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
99G. Sandstone and Limestone Rock Land												
131B: Alvin-----	0-10	Fine sandy loam, very fine sandy loam	SM, ML	A-4, A-2	0	0	100	100	80-95	30-60	15-25	NP-4
	10-16	Fine sandy loam, very fine sandy loam, sandy loam, loamy fine sand	SM, ML	A-4, A-2	0	0	100	100	80-95	30-60	15-25	NP-4
	16-42	Fine sandy loam, very fine sandy loam, sandy loam, loam	SC, CL, ML, SM	A-4, A-2, A-6	0	0	100	100	70-100	20-80	15-40	NP-15
	42-80	Loamy fine sand, very fine sand, fine sandy loam, fine sand	SM, SP, SP-SM	A-2-4, A-1, A-3	0	0	95-100	90-100	45-95	4-35	15-20	NP-4

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
131C: Alvin-----	0-10	Fine sandy loam, very fine sandy loam	SM, ML	A-4, A-2	0	0	100	100	80-95	30-60	15-25	NP-4
	10-16	Fine sandy loam, very fine sandy loam, sandy loam, loamy fine sand	SM, ML	A-4, A-2	0	0	100	100	80-95	30-60	15-25	NP-4
	16-42	Fine sandy loam, very fine sandy loam, sandy loam, loam	SC, CL, ML, SM	A-4, A-2, A-6	0	0	100	100	70-100	20-80	15-40	NP-15
	42-80	Loamy fine sand, very fine sand, fine sandy loam, fine sand	SM, SP, SP-SM	A-2-4, A-1, A-3	0	0	95-100	90-100	45-95	4-35	15-20	NP-4
131C2: Alvin-----	0-7	Fine sandy loam, very fine sandy loam	SM, ML	A-4, A-2	0	0	100	100	80-95	30-60	15-25	NP-4
	7-13	Fine sandy loam, very fine sandy loam, sandy loam, loamy fine sand	SM, ML	A-4, A-2	0	0	100	100	80-95	30-60	15-25	NP-4
	13-42	Fine sandy loam, very fine sandy loam, sandy loam, loam	SC, CL, ML, SM	A-4, A-2, A-6	0	0	100	100	70-100	20-80	15-40	NP-15
	42-80	Loamy fine sand, very fine sand, fine sandy loam, fine sand	SM, SP, SP-SM	A-2, A-1, A-3	0	0	95-100	90-100	45-95	4-35	15-20	NP-4

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
131D2: Alvin-----	0-7	Fine sandy loam, very fine sandy loam	SM, ML	A-4, A-2	0	0	100	100	80-95	30-60	15-25	NP-4
	7-13	Fine sandy loam, very fine sandy loam, sandy loam, loamy fine sand	SM, ML	A-4, A-2	0	0	100	100	80-95	30-60	15-25	NP-4
	13-42	Fine sandy loam, very fine sandy loam, sandy loam, loam	SC, CL, ML, SM	A-4, A-2, A-6	0	0	100	100	70-100	20-80	15-40	NP-15
	42-80	Loamy fine sand, very fine sand, fine sandy loam, fine sand	SM, SP, SP-SM	A-2, A-1, A-3	0	0	95-100	90-100	45-95	4-35	15-20	NP-4
131F: Alvin-----	0-10	Fine sandy loam, very fine sandy loam	SM, ML	A-4, A-2	0	0	100	100	80-95	30-60	15-25	NP-4
	10-16	Fine sandy loam, very fine sandy loam, sandy loam, loamy fine sand	SM, ML	A-4, A-2	0	0	100	100	80-95	30-60	15-25	NP-4
	16-42	Fine sandy loam, very fine sandy loam, sandy loam, loam	SC, CL, ML, SM	A-4, A-2, A-6	0	0	100	100	70-100	20-80	15-40	NP-15
	42-80	Loamy fine sand, very fine sand, fine sandy loam, fine sand	SM, SP, SP-SM	A-2-4, A-1, A-3	0	0	95-100	90-100	45-95	4-35	15-20	NP-4

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
164A: Stoy-----	0-13	Silt loam	CL, ML	A-4, A-6	0	0	100	100	95-100	90-100	30-40	10-15
	13-32	Silty clay loam	CL	A-7-6	0	0	100	100	95-100	90-100	40-50	22-32
	32-45	Silty clay loam	CL	A-6, A-7-6	0	0	100	100	95-100	90-100	35-50	15-25
	45-80	Silt loam	CL	A-6, A-7	0	0	100	100	95-100	90-100	30-45	13-25
164B: Stoy-----	0-13	Silt loam	CL, ML	A-4, A-6	0	0	100	100	95-100	90-100	30-40	10-15
	13-32	Silty clay loam	CL	A-7-6	0	0	100	100	95-100	90-100	40-50	22-32
	32-45	Silty clay loam	CL	A-6, A-7-6	0	0	100	100	95-100	90-100	35-50	15-25
	45-80	Silt loam	CL	A-6, A-7	0	0	100	100	95-100	90-100	30-45	13-25
164C2: Stoy-----	0-10	Silt loam	CL, ML	A-4, A-6	0	0	100	100	95-100	90-100	20-40	NP-15
	10-29	Silty clay loam	CL	A-7	0	0	100	100	95-100	90-100	40-50	22-32
	29-42	Silty clay loam	CL	A-6, A-7	0	0	100	100	95-100	90-100	35-50	15-25
	42-80	Silt loam	CL	A-6, A-7	0	0	100	100	95-100	90-100	30-45	13-25
165A: Weir-----	0-8	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	95-100	90-100	20-35	5-17
	8-17	Silt loam	CL-ML, CL, ML	A-4	0	0	100	100	95-100	90-100	15-25	3-10
	17-39	Silty clay loam, silty clay	CL	A-7-6, A-6	0	0	100	100	95-100	90-100	35-50	15-30
	39-80	Silt loam, silty clay loam	CL	A-6, A-4	0	0	100	100	95-100	90-100	20-30	9-16
175B: Lamont-----	0-11	Fine sandy loam	SC, SC-SM	A-2, A-4	0	0	100	100	80-95	25-50	15-25	5-10
	11-17	Fine sandy loam, sandy loam	SM, SC-SM	A-2, A-4	0	0	100	100	80-95	15-50	15-25	NP-5
	17-27	Fine sandy loam, loam, sandy clay loam	SC-SM, SC	A-2, A-4	0	0	100	100	85-95	30-50	20-30	5-10
	27-80	Loamy fine sand, loamy sand, sand, fine sandy loam, sandy loam	SP-SM, SM	A-2-4, A-3	0	0	100	100	70-90	5-25	0-23	NP-6

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
175C2: Lamont-----	0-5	Fine sandy loam	SC, SC-SM	A-2, A-4	0	0	100	100	80-95	25-50	15-25	5-10
	5-27	Fine sandy loam, loam, sandy clay loam	SC, SC-SM	A-2, A-4	0	0	100	100	85-95	30-50	20-30	5-10
	27-80	Loamy fine sand, loamy sand, sand, fine sandy loam, sandy loam	SM, SP-SM	A-2-4, A-3	0	0	100	100	70-90	5-25	0-23	NP-6
175D2: Lamont-----	0-5	Fine sandy loam	SC-SM, SC	A-2, A-4	0	0	100	100	80-95	25-50	15-25	5-10
	5-27	Fine sandy loam, loam, sandy clay loam	SC, SC-SM	A-2, A-4	0	0	100	100	85-95	30-50	20-30	5-10
	27-80	Loamy fine sand, loamy sand, sand, fine sandy loam, sandy loam	SM, SP-SM	A-2-4, A-3	0	0	100	100	70-90	5-25	0-23	NP-6
214B: Hosmer-----	0-7	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	90-100	70-90	15-25	3-10
	7-28	Silty clay loam, silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	90-100	70-95	25-35	5-15
	28-67	Silt loam, silty clay loam	CL-ML, CL	A-4, A-6	0	0	100	100	90-100	70-95	20-30	5-15
	67-80	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	90-100	70-95	15-25	3-10
214C2: Hosmer-----	0-4	Silt loam	CL, CL-ML, ML	A-4	0	0	100	100	90-100	70-90	15-25	3-10
	4-25	Silty clay loam, silt loam	CL-ML, CL	A-4, A-6	0	0	100	100	90-100	70-95	25-35	5-15
	25-64	Silty clay loam, silt loam	CL-ML, CL	A-4, A-6	0	0	100	100	90-100	70-95	20-30	5-15
	64-80	Silt loam	CL, ML, CL-ML	A-4	0	0	100	100	90-100	70-95	15-25	3-10

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
214C3: Hosmer-----	0-2	Silty clay loam, silt loam	CL, CL-ML, ML	A-4	0	0	100	100	90-100	70-90	15-25	3-10
	2-23	Silty clay loam, silt loam	CL-ML, CL	A-4, A-6	0	0	100	100	90-100	70-95	25-35	5-15
	23-62	Silt loam, silty clay loam	CL-ML, CL	A-4, A-6	0	0	100	100	90-100	70-95	20-30	5-15
	62-80	Silt loam	ML, CL-ML, CL	A-4	0	0	100	100	90-100	70-95	15-25	3-10
214D2: Hosmer-----	0-4	Silt loam	CL-ML, CL, ML	A-4	0	0	100	100	90-100	70-90	15-25	3-10
	4-25	Silty clay loam, silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	90-100	70-95	25-35	5-15
	25-64	Silty clay loam, silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	90-100	70-95	20-30	5-15
	64-80	Silt loam	CL, ML, CL-ML	A-4	0	0	100	100	90-100	70-95	15-25	3-10
214D3: Hosmer-----	0-2	Silt loam, silty clay loam	CL-ML, CL, ML	A-4	0	0	100	100	90-100	70-90	15-25	3-10
	2-23	Silt loam, silty clay loam	CL-ML, CL	A-4, A-6	0	0	100	100	90-100	70-95	25-35	5-15
	23-62	Silt loam, silty clay loam	CL-ML, CL	A-4, A-6	0	0	100	100	90-100	70-95	20-30	5-15
	62-80	Silt loam	ML, CL, CL-ML	A-4	0	0	100	100	90-100	70-95	15-25	3-10
308B: Alford-----	0-10	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	90-100	70-100	20-30	5-15
	10-44	Silty clay loam, silt loam	CL	A-6	0	0	100	100	90-100	80-100	30-40	10-20
	44-80	Silt loam	CL-ML, CL, ML	A-4	0	0	100	100	90-100	70-100	15-25	NP-10
308C2: Alford-----	0-6	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	90-100	70-100	20-30	5-15
	6-44	Silty clay loam, silt loam	CL	A-6	0	0	100	100	90-100	80-100	30-40	10-20
	44-80	Silt loam	CL-ML, CL, ML	A-4	0	0	100	100	90-100	70-100	15-25	NP-10

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
308C3: Alford-----	0-5	Silt loam, silty clay loam	CL, CL-ML	A-4, A-6	0	0	100	100	90-100	70-100	20-30	5-15
	5-44	Silty clay loam, silt loam	CL	A-6	0	0	100	100	90-100	80-100	30-40	10-20
	44-80	Silt loam	CL-ML, CL, ML	A-4	0	0	100	100	90-100	70-100	15-25	NP-10
308D2: Alford-----	0-6	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	90-100	70-100	20-30	5-15
	6-44	Silty clay loam, silt loam	CL	A-6	0	0	100	100	90-100	80-100	30-40	10-20
	44-80	Silt loam	CL-ML, CL, ML	A-4	0	0	100	100	90-100	70-100	15-25	NP-10
308D3: Alford-----	0-5	Silt loam, silty clay loam	CL, CL-ML	A-4, A-6	0	0	100	100	90-100	70-100	20-30	5-15
	5-44	Silty clay loam, silt loam	CL	A-6	0	0	100	100	90-100	80-100	30-40	10-20
	44-80	Silt loam	CL-ML, CL, ML	A-4	0	0	100	100	90-100	70-100	15-25	NP-10
308E: Alford-----	0-10	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	90-100	70-100	20-30	5-15
	10-44	Silty clay loam, silt loam	CL	A-6	0	0	100	100	90-100	80-100	30-40	10-20
	44-80	Silt loam	CL-ML, CL, ML	A-4	0	0	100	100	90-100	70-100	15-25	NP-10
308E2: Alford-----	0-6	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	90-100	70-100	20-30	5-15
	6-44	Silty clay loam, silt loam	CL	A-6	0	0	100	100	90-100	80-100	30-40	10-20
	44-80	Silt loam	CL-ML, CL, ML	A-4	0	0	100	100	90-100	70-100	15-25	NP-10
308E3: Alford-----	0-5	Silt loam, silty clay loam	CL, CL-ML	A-4, A-6	0	0	100	100	90-100	70-100	20-30	5-15
	5-44	Silty clay loam, silt loam	CL	A-6	0	0	100	100	90-100	80-100	30-40	10-20
	44-80	Silt loam	CL-ML, CL, ML	A-4	0	0	100	100	90-100	70-100	15-25	NP-10

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
308F: Alford-----	0-10	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	90-100	70-100	20-30	5-15
	10-44	Silty clay loam, silt loam	CL	A-6	0	0	100	100	90-100	80-100	30-40	10-20
	44-80	Silt loam	CL-ML, CL, ML	A-4	0	0	100	100	90-100	70-100	15-25	NP-10
339C: Wellston-----	0-8	Silt loam	ML	A-4	0	0	95-100	90-100	85-100	70-95	25-35	3-10
	8-31	Silt loam, silty clay loam	CL-ML, CL	A-4, A-6	0	0	80-100	75-100	65-95	60-90	25-40	5-20
	31-43	Channery silt loam, loam, channery loam	SC-SM, SC, CL-ML, CL	A-4, A-6	0	0-10	65-90	65-90	60-90	40-65	20-35	5-15
	43-60	Very channery loam, channery loam, gravelly sandy loam, channery clay loam	CL, SC, SC_SM, GC-GM	A-6, A-4, A-2-4, A-1-b	0	0-15	60-80	45-75	30-70	15-55	20-35	5-15
	60-70	Bedrock			---	---	---	---	---	---	---	---
339C2: Wellston-----	0-5	Silt loam	ML	A-4	0	0	95-100	90-100	85-100	70-95	25-35	3-10
	5-28	Silt loam, silty clay loam	CL-ML, CL	A-4, A-6	0	0	80-100	75-100	65-95	60-90	25-40	5-20
	28-40	Channery silt loam, loam, channery loam	CL, CL-ML, SC-SM, SC	A-4, A-6	0	0-10	65-90	65-90	60-90	40-65	20-35	5-15
	40-57	Very channery loam, channery loam, gravelly sandy loam, channery clay loam	SC-SM, SC, GC-GM, CL	A-6, A-4, A-2-4, A-1-b	0	0-15	60-80	45-75	30-70	15-55	20-35	5-15
	57-67	Bedrock			---	---	---	---	---	---	---	---

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
339D: Wellston-----	0-8	Silt loam	ML	A-4	0	0	95-100	90-100	85-100	70-95	25-35	3-10
	8-31	Silt loam, silty clay loam	CL-ML, CL	A-4, A-6	0	0	80-100	75-100	65-95	60-90	25-40	5-20
	31-43	Channery silt loam, loam, channery loam	CL-ML, CL, SC, SC-SM	A-4, A-6	0	0-10	65-90	65-90	60-90	40-65	20-35	5-15
	43-60	Very channery loam, channery loam, gravelly sandy loam, channery clay loam	SC-SM, SC, GC-GM, CL	A-6, A-4, A-2-4, A-1-b	0	0-15	60-80	45-75	30-70	15-55	20-35	5-15
	60-70	Bedrock			---	---	---	---	---	---	---	---
339D2: Wellston-----	0-5	Silt loam	ML	A-4	0	0	95-100	90-100	85-100	70-95	25-35	3-10
	5-28	Silt loam, silty clay loam	CL-ML, CL	A-4, A-6	0	0	80-100	75-100	65-95	60-90	25-40	5-20
	28-40	Channery silt loam, loam, channery loam	CL, SC-SM, SC, CL-ML	A-4, A-6	0	0-10	65-90	65-90	60-90	40-65	20-35	5-15
	40-57	Very channery loam, channery loam, gravelly sandy loam, channery clay loam	CL, GC-GM, SC, SC-SM	A-6, A-4, A-2-4, A-1-b	0	0-15	60-80	45-75	30-70	15-55	20-35	5-15
	57-67	Bedrock			---	---	---	---	---	---	---	---

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
339D3: Wellston-----	0-3	Silt loam, silty clay loam	ML	A-4	0	0	95-100	90-100	85-100	70-95	25-35	3-10
	3-26	Silt loam, silty clay loam	CL-ML, CL	A-4, A-6	0	0	80-100	75-100	65-95	60-90	25-40	5-20
	26-38	Channery silt loam, loam, channery loam	CL, SC, SC-SM, CL-ML	A-4, A-6	0	0-10	65-90	65-90	60-90	40-65	20-35	5-15
	38-55	Very channery loam, channery loam, gravelly sandy loam, channery clay loam	SC-SM, SC, GC-GM, CL	A-6, A-4, A-2-4, A-1-b	0	0-15	60-80	45-75	30-70	15-55	20-35	5-15
	55-65	Bedrock			---	---	---	---	---	---	---	---
339F: Wellston-----	0-8	Silt loam	ML	A-4	0	0	95-100	90-100	85-100	70-95	25-35	3-10
	8-31	Silt loam, silty clay loam	CL-ML, CL	A-4, A-6	0	0	80-100	75-100	65-95	60-90	25-40	5-20
	31-43	Channery silt loam, loam, channery loam	SC, SC-SM, CL-ML, CL	A-4, A-6	0	0-10	65-90	65-90	60-90	40-65	20-35	5-15
	43-60	Very channery loam, channery loam, gravelly sandy loam, channery clay loam	CL, GC-GM, SC, SC-SM	A-6, A-4, A-2-4, A-1-b	0	0-15	60-80	45-75	30-70	15-55	20-35	5-15
	60-70	Bedrock			---	---	---	---	---	---	---	---

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
340C2: Zanesville-----	0-4	Silt loam	ML, CL, CL-ML	A-4, A-6	0	0	95-100	95-100	90-100	80-100	25-40	4-15
	4-19	Silt loam, silty clay loam	CL, CL-ML	A-6, A-4	0	0	95-100	95-100	90-100	80-100	25-40	5-20
	19-39	Silt loam, silty clay loam	CL, CL-ML, ML	A-6, A-4	0	0-3	90-100	85-100	80-100	60-100	20-40	2-20
	39-57	Channery silt loam, channery silty clay loam, very channery silt loam, channery clay loam, channery sandy clay loam, very channery loam, gravelly loam, gravelly fine sandy loam, sandy clay loam	CL, GM, SC, SM	A-6, A-4, A-2, A-1-b	0	0-10	65-100	50-100	40-100	20-85	20-40	2-20
	57-67	Bedrock			---	---	---	---	---	---	---	---

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
340C3: Zanesville-----	0-2	Silt loam, silty clay loam	CL, CL-ML	A-4, A-6	0	0	95-100	95-100	90-100	80-100	25-40	4-15
	2-17	Silt loam, silty clay loam	CL, CL-ML	A-6, A-4	0	0	95-100	95-100	90-100	80-100	25-40	5-20
	17-37	Silt loam, silty clay loam	CL, CL-ML, ML	A-6, A-4	0	0-3	90-100	85-100	80-100	60-100	20-40	2-20
	37-55	Channery silt loam, channery silty clay loam, very channery silt loam, channery clay loam, channery sandy clay loam, very channery loam, gravelly loam, gravelly fine sandy loam, sandy clay loam	CL, GM, SC, SM	A-6, A-4, A-2, A-1-b	0	0-10	65-100	50-100	40-100	20-85	20-40	2-20
	55-65	Bedrock			---	---	---	---	---	---	---	---

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
340D: Zanesville-----	0-7	Silt loam	ML, CL, CL-ML	A-4, A-6	0	0	95-100	95-100	90-100	80-100	25-40	4-15
	7-22	Silt loam, silty clay loam	CL, CL-ML	A-6, A-4	0	0	95-100	95-100	90-100	80-100	25-40	5-20
	22-42	Silt loam, silty clay loam	CL, CL-ML, ML	A-6, A-4	0	0-3	90-100	85-100	80-100	60-100	20-40	2-20
	42-60	Channery silt loam, channery silty clay loam, very channery silt loam, channery clay loam, channery sandy clay loam, very channery loam, gravelly loam, gravelly fine sandy loam, sandy clay loam	CL, GM, SC, SM	A-6, A-4, A-2, A-1-b	0	0-10	65-100	50-100	40-100	20-85	20-40	2-20
	60-70	Bedrock			---	---	---	---	---	---	---	---

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
340D2: Zanesville-----	0-4	Silt loam	ML, CL, CL-ML	A-4, A-6	0	0	95-100	95-100	90-100	80-100	25-40	4-15
	4-19	Silt loam, silty clay loam	CL, CL-ML	A-6, A-4	0	0	95-100	95-100	90-100	80-100	25-40	5-20
	19-39	Silt loam, silty clay loam	CL, CL-ML, ML	A-6, A-4	0	0-3	90-100	85-100	80-100	60-100	20-40	2-20
	39-57	Channery silt loam, channery silty clay loam, very channery silt loam, channery clay loam, channery sandy clay loam, very channery loam, gravelly loam, gravelly fine sandy loam, sandy clay loam	CL, GM, SC, SM	A-6, A-4, A-2, A-1-b	0	0-10	65-100	50-100	40-100	20-85	20-40	2-20
	57-67	Bedrock			---	---	---	---	---	---	---	---

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
340D3: Zanesville-----	0-2	Silt loam, silty clay loam	CL, CL-ML	A-4, A-6	0	0	95-100	95-100	90-100	80-100	25-40	4-15
	2-17	Silt loam, silty clay loam	CL, CL-ML	A-6, A-4	0	0	95-100	95-100	90-100	80-100	25-40	5-20
	17-37	Silt loam, silty clay loam	CL, CL-ML, ML	A-6, A-4	0	0-3	90-100	85-100	80-100	60-100	20-40	2-20
	37-55	Channery silt loam, channery silty clay loam, very channery silt loam, channery clay loam, channery sandy clay loam, very channery loam, gravelly loam, gravelly fine sandy loam, sandy clay loam	CL, GM, SC, SM	A-6, A-4, A-2, A-1-b	0	0-10	65-100	50-100	40-100	20-85	20-40	2-20
	55-65	Bedrock			---	---	---	---	---	---	---	---
453C2: Muren-----	0-9	Silt loam, silt	CL-ML, CL	A-4, A-6	0	0	100	100	90-100	70-90	20-30	5-15
	9-46	Silty clay loam, silt loam	CL	A-6, A-4	0	0	100	100	90-100	80-100	25-35	8-15
	46-80	Silt loam, silt	CL, CL-ML, ML	A-4	0	0	100	100	90-100	70-90	15-25	NP-10
453D2: Muren-----	0-9	Silt loam, silt	CL-ML, CL	A-4, A-6	0	0	100	100	90-100	70-90	20-30	5-15
	9-46	Silty clay loam, silt loam	CL	A-6, A-4	0	0	100	100	90-100	80-100	25-35	8-15
	46-80	Silt loam, silt	CL-ML, ML, CL	A-4	0	0	100	100	90-100	70-90	15-25	NP-10

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
691D: Beasley-----	0-7	Silt loam	ML, CL-ML	A-4	0	0-5	90-100	85-100	80-100	75-100	25-35	4-10
	7-14	Silty clay, clay	MH	A-7	0	0-5	90-100	85-100	85-100	75-100	45-70	20-40
	14-40	Gravelly clay, clay, gravelly silty clay, silty clay, gravelly silty clay loam	MH, CL	A-7	0	0-10	70-100	55-100	50-100	50-95	35-65	15-35
	40-80	Bedrock			---	---	---	---	---	---	---	---
691F: Beasley-----	0-7	Silt loam	ML, CL-ML	A-4	0	0-5	90-100	85-100	80-100	75-100	25-35	4-10
	7-14	Silty clay, clay	MH	A-7	0	0-5	90-100	85-100	85-100	75-100	45-70	20-40
	14-40	Gravelly clay, clay, gravelly silty clay, silty clay, gravelly silty clay loam	MH, CL	A-7	0	0-10	70-100	55-100	50-100	50-95	35-65	15-35
	40-80	Bedrock			---	---	---	---	---	---	---	---
691G: Beasley-----	0-7	Silt loam	ML, CL-ML	A-4	0	0-5	90-100	85-100	80-100	75-100	25-35	4-10
	7-14	Silty clay, clay	MH	A-7	0	0-5	90-100	85-100	85-100	75-100	45-70	20-40
	14-40	Gravelly clay, clay, gravelly silty clay, silty clay, gravelly silty clay loam	MH, CL	A-7	0	0-10	70-100	55-100	50-100	50-95	35-65	15-35
	40-80	Bedrock			---	---	---	---	---	---	---	---
801B: Orthents, silty-	0-80	Silt loam, silty clay loam	CL, CL-ML	A-6, A-4, A-7	0	0	100	100	90-100	80-95	25-45	5-25

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
802D: Orthents, loamy-	0-6	Loam, silt loam, clay loam	CL	A-6	0	0-5	95-100	90-100	85-95	60-90	20-40	10-20
	6-80	Loam, silt loam, very fine sandy loam	CL	A-6	0	0-5	95-100	90-100	85-95	60-90	20-40	10-20
864. Pits, quarries												
865. Pits, gravel												
955D: Muskingum-----	0-3	Channery silt loam	ML, SM, GM	A-4	0	0-10	75-100	70-95	50-90	30-80	20-35	2-10
	3-20	Channery silt loam	ML, SM, GM	A-4	0	0-10	75-100	70-95	50-90	30-80	20-35	2-10
	20-34	Very channery loam, very channery silt loam, stony silt loam	GM, ML, SM	A-4, A-2	0-10	0-20	70-90	55-85	50-80	30-80	20-35	2-10
	34-44	Bedrock			---	---	---	---	---	---	---	---
Berks-----	0-4	Channery silt loam, channery loam	GM, ML	A-4, A-2	0	0-30	50-80	45-70	40-60	30-55	25-36	5-10
	4-20	Very channery loam, channery loam, channery silt loam, channery silty clay loam, extremely channery loam	GM, GC, SC, SM	A-2, A-2-4, A-4	0	0-30	40-80	35-70	25-60	20-45	25-36	5-10
	20-28	Very channery loam, extremely channery loam, very channery silt loam	GM, SM	A-1-b, A-2	0	0-40	35-65	25-55	20-40	15-35	24-38	2-10
	28-39	Bedrock			---	---	---	---	---	---	---	---

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
955D2: Muskingum-----	0-2	Channery silt loam	ML, SM, GM	A-4	0	0-10	75-100	70-95	50-90	30-80	20-35	2-10
	2-17	Channery silt loam	ML, SM, GM	A-4	0	0-10	75-100	70-95	50-90	30-80	20-35	2-10
	17-31	Very channery loam, very channery silt loam, stony silt loam	GM, ML, SM	A-4, A-2	0-10	0-20	70-90	55-85	50-80	30-80	20-35	2-10
	31-41	Bedrock			---	---	---	---	---	---	---	---
Berks-----	0-1	Channery silt loam, channery loam	GM, GC, ML	A-4, A-2	0	0-30	50-80	45-70	40-60	30-55	25-36	5-10
	1-17	Very channery loam, channery loam, channery silt loam, channery silty clay loam, extremely channery loam	GM, GC, SC, SM	A-2, A-2-4, A-4	0	0-30	40-80	35-70	25-60	20-45	25-36	5-10
	17-25	Very channery loam, channery loam, very channery silt loam	GM, SM	A-1-b, A-2	0	0-40	35-65	25-55	20-40	15-35	24-38	2-10
	25-39	Bedrock			---	---	---	---	---	---	---	---
955F: Muskingum-----	0-3	Channery silt loam	ML, SM, GM	A-4	0	0-10	75-100	70-95	50-90	30-80	20-35	2-10
	3-20	Channery silt loam	ML, SM, GM	A-4	0	0-10	75-100	70-95	50-90	30-80	20-35	2-10
	20-34	Very channery loam, very channery silt loam, stony silt loam	GM, ML, SM	A-4, A-2	0-10	0-20	70-90	55-85	50-80	30-80	20-35	2-10
	34-44	Bedrock			---	---	---	---	---	---	---	---

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
955F: Berks-----	0-4	Channery silt loam, channery loam	GM, ML	A-4, A-2	0	0-30	50-80	45-70	40-60	30-55	25-36	5-10
	4-20	Very channery loam, channery loam, channery silt loam, channery silty clay loam, extremely channery loam	GM, GC, SC, SM	A-2, A-2-4, A-4	0	0-30	40-80	35-70	25-60	20-45	25-36	5-10
	20-28	Very channery loam, extremely channery loam, very channery silt loam	GM, SM	A-1-b, A-2	0	0-40	35-65	25-55	20-40	15-35	24-38	2-10
	28-39	Bedrock			---	---	---	---	---	---	---	---
955G: Muskingum-----	0-3	Channery silt loam	ML, SM, GM	A-4	0	0-10	75-100	70-95	50-90	30-80	20-35	2-10
	3-20	Channery silt loam	ML, SM, GM	A-4	0	0-10	75-100	70-95	50-90	30-80	20-35	2-10
	20-34	Very channery loam, very channery silt loam, stony silt loam	GM, ML, SM	A-4, A-2	0-10	0-20	70-90	55-85	50-80	30-80	20-35	2-10
	34-44	Bedrock			---	---	---	---	---	---	---	---

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
955G: Berks-----	0-4	Channery silt loam, channery loam	GM, ML	A-4, A-2	0	0-30	50-80	45-70	40-60	30-55	25-36	5-10
	4-20	Very channery loam, channery loam, channery silt loam, channery silty clay loam, extremely channery loam	GM, GC, SC, SM	A-2, A-2-4, A-4	0	0-30	40-80	35-70	25-60	20-45	25-36	5-10
	20-28	Very channery loam, extremely channery loam, very channery silt loam	GM, SM	A-1-b, A-2	0	0-40	35-65	25-55	20-40	15-35	24-38	2-10
	28-39	Bedrock			---	---	---	---	---	---	---	---
956B: Brandon-----	0-7	Silt loam	CL-ML, CL, ML	A-4	0	0	100	95-100	90-100	85-100	15-30	NP-10
	7-24	Silty clay loam, silt loam	CL	A-7, A-6, A-7-6	0	0	95-100	90-100	85-100	75-100	35-48	15-25
	24-80	Extremely gravelly clay loam, extremely gravelly silt loam, extremely gravelly loam, very gravelly clay loam, very gravelly silt loam, very gravelly fine sandy loam	GC, GC-GM, SC, SC-SM	A-2, A-1, A-4, A-6	0	0-5	30-70	20-60	15-55	10-50	10-38	5-20

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
					Pct	Pct					Pct	
956B: Saffell-----	<u>In</u>											
	0-2	Very gravelly silt loam, sandy loam	SM, ML, CL-ML, SC-SM	A-4, A-2	0	0	75-100	75-100	50-95	25-85	15-30	3-10
	2-10	Extremely gravelly silt loam, gravelly sandy clay loam, gravelly loam, gravelly fine sandy loam	GC-GM, SC-SM, GC, SC	A-4, A-2, A-6, A-1	0	0-10	30-95	20-95	20-90	12-85	20-40	3-15
	10-50	Extremely gravelly clay loam, very gravelly sandy clay loam, very gravelly fine sandy loam, very gravelly loam	SC, GC-GM, GC, SC-SM	A-6, A-4, A-2, A-1	0	0-10	35-90	25-85	20-85	12-75	20-40	4-15
	50-80	Extremely gravelly clay, extremely gravelly clay loam, extremely gravelly loam, extremely gravelly sandy clay loam	SC-SM, SC, GC, GC-GM	A-4, A-2, A-1	0-5	0-15	25-80	10-75	10-65	5-40	15-30	3-10

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
956C2: Brandon-----	0-4	Silt loam	CL-ML, CL, ML	A-4	0	0	100	95-100	90-100	85-100	15-30	NP-10
	4-21	Silty clay loam, silt loam	CL	A-7, A-6, A-7-6	0	0	95-100	90-100	85-100	75-100	35-48	15-25
	21-80	Extremely gravelly clay loam, extremely gravelly silt loam, extremely gravelly loam, very gravelly clay loam, very gravelly silt loam, very gravelly fine sandy loam	GC, GC-GM, SC, SC-SM	A-2, A-1, A-4, A-6	0	0-5	30-70	20-60	15-55	10-50	10-38	5-20

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
956C2: Saffell-----	0-1	Very gravelly silt loam, sandy loam	SM, ML, CL-ML, SC-SM	A-4, A-2	0	0	75-100	75-100	50-95	25-85	15-30	3-10
	1-3	Extremely gravelly silt loam, gravelly sandy clay loam, gravelly loam, gravelly fine sandy loam	SC, SC-SM, GC, GC-GM	A-4, A-2, A-6, A-1	0	0-10	30-95	20-95	20-90	12-85	20-40	3-15
	3-47	Extremely gravelly clay loam, very gravelly sandy clay loam, very gravelly fine sandy loam, very gravelly loam	GC, GC-GM, SC, SC-SM	A-6, A-4, A-2, A-1	0	0-10	35-90	25-85	20-85	12-75	20-40	4-15
	47-80	Extremely gravelly clay, extremely gravelly clay loam, extremely gravelly loam, extremely gravelly sandy clay loam	GC, GC-GM, SC, SC-SM	A-4, A-2, A-1	0-5	0-15	25-80	10-75	10-65	5-40	15-30	3-10

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
956C3: Brandon-----	0-2	Silt loam	CL-ML, CL, ML	A-4	0	0	100	95-100	90-100	85-100	15-30	NP-10
	2-19	Silty clay loam, silt loam	CL	A-7, A-6, A-7-6	0	0	95-100	90-100	85-100	75-100	35-48	15-25
	19-80	Extremely gravelly clay loam, extremely gravelly silt loam, extremely gravelly loam, very gravelly clay loam, very gravelly silt loam, very gravelly fine sandy loam	GC, GC-GM, SC, SC-SM	A-2, A-1, A-4, A-6	0	0-5	30-70	20-60	15-55	10-50	10-38	5-20
Saffell-----	0-1	Very gravelly silt loam, sandy loam	SM, SC-SM, ML, CL-ML	A-4, A-2	0	0	75-100	75-100	50-95	25-85	15-30	3-10
	1-45	Extremely gravelly clay loam, very gravelly sandy clay loam, very gravelly fine sandy loam, very gravelly loam	SC-SM, SC, GC, GC-GM	A-6, A-4, A-2, A-1	0	0-10	35-90	25-85	20-85	12-75	20-40	4-15
	45-80	Extremely gravelly clay, extremely gravelly clay loam, extremely gravelly loam, extremely gravelly sandy clay loam	GC, GC-GM, SC-SM, SC	A-4, A-2, A-1	0-5	0-15	25-80	10-75	10-65	5-40	15-30	3-10

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
956D: Brandon-----	0-7	Silt loam	CL-ML, CL, ML	A-4	0	0	100	95-100	90-100	85-100	15-30	NP-10
	7-24	Silty clay loam, silt loam	CL	A-7, A-6, A-7-6	0	0	95-100	90-100	85-100	75-100	35-48	15-25
	24-80	Extremely gravelly clay loam, extremely gravelly silt loam, extremely gravelly loam, very gravelly clay loam, very gravelly silt loam, very gravelly fine sandy loam	GC, GC-GM, SC, SC-SM	A-2, A-1, A-4, A-6	0	0-5	30-70	20-60	15-55	10-50	10-38	5-20

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
956D: Saffell-----	0-2	Very gravelly silt loam, sandy loam	SC-SM, ML, CL-ML, SM	A-4, A-2	0	0	75-100	75-100	50-95	25-85	15-30	3-10
	2-10	Extremely gravelly silt loam, gravelly sandy clay loam, gravelly loam, gravelly fine sandy loam	SC-SM, GC, GC-GM, SC	A-4, A-2, A-6, A-1	0	0-10	30-95	20-95	20-90	12-85	20-40	3-15
	10-50	Extremely gravelly clay loam, very gravelly sandy clay loam, very gravelly fine sandy loam, very gravelly loam	SC, GC-GM, GC, SC-SM	A-6, A-4, A-2, A-1	0	0-10	35-90	25-85	20-85	12-75	20-40	4-15
	50-80	Extremely gravelly clay, extremely gravelly clay loam, extremely gravelly loam, extremely gravelly sandy clay loam	GC, GC-GM, SC, SC-SM	A-4, A-2, A-1	0-5	0-15	25-80	10-75	10-65	5-40	15-30	3-10

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
956D2: Brandon-----	0-4	Silt loam	CL-ML, CL, ML	A-4	0	0	100	95-100	90-100	85-100	15-30	NP-10
	4-21	Silty clay loam, silt loam	CL	A-7, A-6, A-7-6	0	0	95-100	90-100	85-100	75-100	35-48	15-25
	21-80	Extremely gravelly clay loam, extremely gravelly silt loam, extremely gravelly loam, very gravelly clay loam, very gravelly silt loam, very gravelly fine sandy loam	GC, GC-GM, SC, SC-SM	A-2, A-1, A-4, A-6	0	0-5	30-70	20-60	15-55	10-50	10-38	5-20

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
956D2: Saffell-----	0-1	Very gravelly silt loam, sandy loam	SM, CL-ML, SC-SM, ML	A-4, A-2	0	0	75-100	75-100	50-95	25-85	15-30	3-10
	1-3	Extremely gravelly silt loam, gravelly sandy clay loam, gravelly loam, gravelly fine sandy loam	SC-SM, SC, GC-GM, GC	A-4, A-2, A-6, A-1	0	0-10	30-95	20-95	20-90	12-85	20-40	3-15
	3-47	Extremely gravelly clay loam, very gravelly sandy clay loam, very gravelly fine sandy loam, very gravelly loam	GC, GC-GM, SC, SC-SM	A-6, A-4, A-2, A-1	0	0-10	35-90	25-85	20-85	12-75	20-40	4-15
	47-80	Extremely gravelly clay, extremely gravelly clay loam, extremely gravelly loam, extremely gravelly sandy clay loam	SC-SM, SC, GC-GM, GC	A-4, A-2, A-1	0-5	0-15	25-80	10-75	10-65	5-40	15-30	3-10

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
956D3: Brandon-----	0-2	Silt loam	CL-ML, CL, ML	A-4	0	0	100	95-100	90-100	85-100	15-30	NP-10
	2-19	Silty clay loam, silt loam	CL	A-7, A-6, A-7-6	0	0	95-100	90-100	85-100	75-100	35-48	15-25
	19-80	Extremely gravelly clay loam, extremely gravelly silt loam, extremely gravelly loam, very gravelly clay loam, very gravelly silt loam, very gravelly fine sandy loam	GC, GC-GM, SC, SC-SM	A-2, A-1, A-4, A-6	0	0-5	30-70	20-60	15-55	10-50	10-38	5-20
Saffell-----	0-1	Very gravelly silt loam, sandy loam	SM, CL-ML, ML, SC-SM	A-4, A-2	0	0	75-100	75-100	50-95	25-85	15-30	3-10
	1-45	Extremely gravelly clay loam, very gravelly sandy clay loam, very gravelly fine sandy loam, very gravelly loam	SC, GC, GC-GM, SC-SM	A-6, A-4, A-2, A-1	0	0-10	35-90	25-85	20-85	12-75	20-40	4-15
	45-80	Extremely gravelly clay, extremely gravelly clay loam, extremely gravelly loam, extremely gravelly sandy clay loam	SC-SM, SC, GC-GM, GC	A-4, A-2, A-1	0-5	0-15	25-80	10-75	10-65	5-40	15-30	3-10

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
956E2: Brandon-----	0-4	Silt loam	CL-ML, CL, ML	A-4	0	0	100	95-100	90-100	85-100	15-30	NP-10
	4-21	Silty clay loam, silt loam	CL	A-7, A-6, A-7-6	0	0	95-100	90-100	85-100	75-100	35-48	15-25
	21-80	Extremely gravelly clay loam, extremely gravelly silt loam, extremely gravelly loam, very gravelly clay loam, very gravelly silt loam, very gravelly fine sandy loam	GC, GC-GM, SC, SC-SM	A-2, A-1, A-4, A-6	0	0-5	30-70	20-60	15-55	10-50	10-38	5-20

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit Pct	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
956E2: Saffell-----	0-1	Very gravelly silt loam, sandy loam	SM, SC-SM, CL-ML, ML	A-4, A-2	0	0	75-100	75-100	50-95	25-85	15-30	3-10
	1-3	Extremely gravelly silt loam, gravelly sandy clay loam, gravelly loam, gravelly fine sandy loam	GC, SC-SM, SC, GC-GM	A-4, A-2, A-6, A-1	0	0-10	30-95	20-95	20-90	12-85	20-40	3-15
	3-47	Extremely gravelly clay loam, very gravelly sandy clay loam, very gravelly fine sandy loam, very gravelly loam	GC-GM, SC-SM, SC, GC	A-6, A-4, A-2, A-1	0	0-10	35-90	25-85	20-85	12-75	20-40	4-15
	47-80	Extremely gravelly clay, extremely gravelly clay loam, extremely gravelly loam, extremely gravelly sandy clay loam	GC-GM, GC, SC, SC-SM	A-4, A-2, A-1	0-5	0-15	25-80	10-75	10-65	5-40	15-30	3-10

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
956F: Brandon-----	0-7	Silt loam	CL-ML, CL, ML	A-4	0	0	100	95-100	90-100	85-100	15-30	NP-10
	7-24	Silty clay loam, silt loam	CL	A-7, A-6, A-7-6	0	0	95-100	90-100	85-100	75-100	35-48	15-25
	24-80	Extremely gravelly clay loam, extremely gravelly silt loam, extremely gravelly loam, very gravelly clay loam, very gravelly silt loam, very gravelly fine sandy loam	GC, GC-GM, SC, SC-SM	A-2, A-1, A-4, A-6	0	0-5	30-70	20-60	15-55	10-50	10-38	5-20

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
956F: Saffell-----	0-2	Very gravelly silt loam, sandy loam	ML, SC-SM, CL-ML, SM	A-4, A-2	0	0	75-100	75-100	50-95	25-85	15-30	3-10
	2-10	Extremely gravelly silt loam, gravelly sandy clay loam, gravelly loam, gravelly fine sandy loam	SC-SM, SC, GC-GM, GC	A-4, A-2, A-6, A-1	0	0-10	30-95	20-95	20-90	12-85	20-40	3-15
	10-50	Extremely gravelly clay loam, very gravelly sandy clay loam, very gravelly fine sandy loam, very gravelly loam	GC, GC-GM, SC, SC-SM	A-6, A-4, A-2, A-1	0	0-10	35-90	25-85	20-85	12-75	20-40	4-15
	50-80	Extremely gravelly clay, extremely gravelly clay loam, extremely gravelly loam, extremely gravelly sandy clay loam	GC, SC, GC-GM, SC-SM	A-4, A-2, A-1	0-5	0-15	25-80	10-75	10-65	5-42	15-30	3-10
986D: Wellston-----	0-8	Silt loam	ML	A-4	0	0	95-100	90-100	85-100	70-95	25-35	3-10
	8-31	Silt loam, silty clay loam	CL-ML, CL	A-4, A-6	0	0	80-100	75-100	65-95	60-90	25-40	5-20
	31-43	Channery silt loam, loam, channery loam	CL, SC-SM, SC, CL-ML	A-4, A-6	0	0-10	65-90	65-90	60-90	40-65	20-35	5-15
	43-60	Very channery loam, channery loam, gravelly sandy loam, channery clay loam	SC-SM, SC, GC-GM, CL	A-6, A-4, A-2-4, A-1-b	0	0-15	60-80	45-75	30-70	15-55	20-35	5-15
	60-70	Bedrock				---	---	---	---	---	---	---

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
986D: Berks-----	0-4	Channery silt loam, channery loam	GM, GC, ML	A-4, A-2	0	0-30	50-80	45-70	40-60	30-55	25-36	5-10
	4-20	Very channery loam, channery loam, channery silt loam, channery silty clay loam, extremely channery loam	GM, GC, SC, SM	A-2, A-2-4, A-4	0	0-30	40-80	35-70	25-60	20-45	25-36	5-10
	20-28	Very channery loam, extremely channery loam, very channery silt loam	GM, SM	A-1-b, A-2	0	0-40	35-65	25-55	20-40	15-35	24-38	2-10
	28-39	Bedrock			---	---	---	---	---	---	---	---
986D2: Wellston-----	0-5	Silt loam	ML	A-4	0	0	95-100	90-100	85-100	70-95	25-35	3-10
	5-28	Silt loam, silty clay loam	CL-ML, CL	A-4, A-6	0	0	80-100	75-100	65-95	60-90	25-40	5-20
	28-40	Channery silt loam, loam, channery loam	SC, CL-ML, SC-SM, CL	A-4, A-6	0	0-10	65-90	65-90	60-90	40-65	20-35	5-15
	40-57	Very channery loam, channery loam, gravelly sandy loam, channery clay loam	SC-SM, SC, GC-GM, CL	A-6, A-4, A-2-4, A-1-b	0	0-15	60-80	45-75	30-70	15-55	20-35	5-15
	57-67	Bedrock			---	---	---	---	---	---	---	---

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
986D2: Berks-----	0-1	Channery silt loam, channery loam	GM, GC, ML	A-4, A-2	0	0-30	50-80	45-70	40-60	30-55	25-36	5-10
	1-17	Very channery loam, channery loam, channery silt loam, channery silty clay loam, extremely channery loam	GM, GC, SC, SM	A-2, A-2-4, A-4	0	0-30	40-80	35-70	25-60	20-45	25-36	5-10
	17-25	Very channery loam, channery loam, very channery silt loam	GM, SM	A-1-b, A-2	0	0-40	35-65	25-55	20-40	15-35	24-38	2-10
	25-39	Bedrock			---	---	---	---	---	---	---	---
986F: Wellston-----	0-8	Silt loam	ML	A-4	0	0	95-100	90-100	85-100	70-95	25-35	3-10
	8-31	Silt loam, silty clay loam	CL-ML, CL	A-4, A-6	0	0	80-100	75-100	65-95	60-90	25-40	5-20
	31-43	Channery silt loam, loam, channery loam	SC-SM, SC, CL-ML, CL	A-4, A-6	0	0-10	65-90	65-90	60-90	40-65	20-35	5-15
	43-60	Very channery loam, channery loam, gravelly sandy loam, channery clay loam	CL, GC-GM, SC, SC-SM	A-6, A-4, A-2-4, A-1-b	0	0-15	60-80	45-75	30-70	15-55	20-35	5-15
	60-70	Bedrock			---	---	---	---	---	---	---	---

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
986F: Berks-----	0-4	Channery silt loam, channery loam	GM, GC, ML	A-4, A-2	0	0-30	50-80	45-70	40-60	30-55	25-36	5-10
	4-20	Very channery loam, channery loam, channery silt loam, channery silty clay loam, extremely channery loam	GM, GC, SC, SM	A-2, A-2-4, A-4	0	0-30	40-80	35-70	25-60	20-45	25-36	5-10
	20-28	Very channery loam, extremely channery loam, very channery silt loam	GM, SM	A-1-b, A-2	0	0-40	35-65	25-55	20-40	15-35	24-38	2-10
	28-39	Bedrock			---	---	---	---	---	---	---	---
986G: Wellston-----	0-8	Silt loam	ML	A-4	0	0	95-100	90-100	85-100	70-95	25-35	3-10
	8-31	Silt loam, silty clay loam	CL-ML, CL	A-4, A-6	0	0	80-100	75-100	65-95	60-90	25-40	5-20
	31-43	Channery silt loam, loam, channery loam	SC-SM, SC, CL-ML, CL	A-4, A-6	0	0-10	65-90	65-90	60-90	40-65	20-35	5-15
	43-60	Very channery loam, channery loam, gravelly sandy loam, channery clay loam	CL, SC-SM, GC-GM, SC	A-6, A-4, A-2-4, A-1-b	0	0-15	60-80	45-75	30-70	15-55	20-35	5-15
	60-70	Bedrock			---	---	---	---	---	---	---	---

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
986G: Berks-----	0-4	Channery silt loam, channery loam	GM, GC, ML	A-4, A-2	0	0-30	50-80	45-70	40-60	30-55	25-36	5-10
	4-20	Very channery loam, channery loam, channery silt loam, channery silty clay loam, extremely channery loam	GM, GC, SC, SM	A-2, A-2-4, A-4	0	0-30	40-80	35-70	25-60	20-45	25-36	5-10
	20-28	Very channery loam, extremely channery loam, very channery silt loam	GM, SM	A-1-b, A-2	0	0-40	35-65	25-55	20-40	15-35	24-38	2-10
	28-39	Bedrock			---	---	---	---	---	---	---	---
1843A: Bonnie-----	0-10	Silt loam	CL	A-4, A-6	0	0	100	100	95-100	90-100	27-34	8-12
	10-27	Silt loam	CL	A-4, A-6	0	0	100	100	95-100	90-100	27-34	8-12
	27-80	Silt loam, silty clay loam	CL	A-6, A-4	0	0	100	100	90-100	85-100	25-39	8-15
Petrolia-----	0-8	Silty clay loam	CL	A-6, A-7	0	0	100	95-100	90-100	80-100	35-45	15-22
	8-55	Silty clay loam	CL	A-7, A-6	0	0	100	95-100	90-100	85-100	35-45	15-22
	55-80	Silt loam, silty clay loam	CL	A-6, A-7, A-4	0	0	100	95-100	80-100	60-100	20-45	8-22
1846A: Karnak-----	0-5	Silty clay	CH, CL	A-7	0	0	100	100	95-100	95-100	45-80	25-45
	5-50	Silty clay, clay	CH, CL, MH, ML	A-7	0	0	100	100	95-100	95-100	45-80	20-40
	50-80	Silty clay, silty clay loam	CH, CL	A-7	0	0	100	100	95-100	85-100	45-80	25-45
Cape-----	0-10	Silty clay	CL	A-7, A-6	0	0	100	100	100	95-100	35-50	20-30
	10-22	Silty clay loam, silty clay	CL, CH	A-6, A-7	0	0	100	100	100	95-100	35-50	20-30
	22-80	Silty clay, clay, silty clay loam	CH	A-7	0	0	100	100	100	90-100	39-70	30-45

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
3070A:												
Beaucoup-----	0-16	Silty clay loam	CL	A-6, A-7	0	0	100	100	90-100	85-100	30-45	15-25
	16-46	Silty clay loam	CL	A-6, A-7	0	0	100	100	90-100	85-100	30-45	15-30
	46-80	Stratified very fine sandy loam to silty clay loam	CL, CL-ML	A-6, A-4	0	0	100	100	90-100	60-95	20-40	5-20
3071A:												
Darwin-----	0-14	Silty clay	CH, CL	A-7	0	0	100	100	100	90-100	45-85	25-55
	14-56	Clay, silty clay	CL, CH	A-7	0	0	100	100	100	85-100	45-85	25-55
	56-80	Silty clay loam, silty clay	CL, CH	A-6, A-7	0	0	100	100	95-100	90-100	35-70	20-45
3071L:												
Darwin-----	0-14	Silty clay	CH, CL	A-7	0	0	100	100	100	90-100	45-85	25-55
	14-56	Clay, silty clay	CH, CL	A-7	0	0	100	100	100	85-100	45-85	25-55
	56-80	Silty clay loam, silty clay	CL, CH	A-6, A-7	0	0	100	100	95-100	90-100	35-70	20-45
3072A:												
Sharon-----	0-13	Silt loam	CL-ML, CL, ML	A-4	0	0	100	100	95-100	85-95	20-30	2-10
	13-40	Silt loam	CL-ML, CL, ML, SC, SM	A-4	0	0	100	100	70-95	40-90	15-30	NP-10
	40-80	Silt loam, loam, sandy loam	CL-ML, CL, ML, SC, SM	A-4	0	0	100	100	70-95	40-90	15-30	NP-10
3072L:												
Sharon-----	0-13	Silt loam	CL-ML, CL, ML	A-4	0	0	100	100	95-100	85-95	20-30	2-10
	13-40	Silt loam	CL-ML, CL, ML, SC, SM	A-4	0	0	100	100	70-95	40-90	15-30	NP-10
	40-80	Silt loam, loam, sandy loam	CL-ML, CL, ML, SC, SM	A-4	0	0	100	100	70-95	40-90	15-30	NP-10
3108A:												
Bonnie-----	0-10	Silt loam	CL	A-4, A-6	0	0	100	100	95-100	90-100	27-34	8-12
	10-27	Silt loam	CL	A-4, A-6	0	0	100	100	95-100	90-100	27-34	8-12
	27-80	Silty clay loam, silt loam	CL	A-6, A-4	0	0	100	100	90-100	85-100	25-39	8-15

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
3108L: Bonnie-----	0-10	Silt loam	CL	A-4, A-6	0	0	100	100	95-100	90-100	27-34	8-12
	10-27	Silt loam	CL	A-4, A-6	0	0	100	100	95-100	90-100	27-34	8-12
	27-80	Silt loam, silty clay loam	CL	A-6, A-4	0	0	100	100	90-100	85-100	25-39	8-15
3180A: Dupo-----	0-9	Silt loam	CL, CL-ML	A-4	0	0	100	100	100	95-100	20-30	5-10
	9-25	Silt loam	CL-ML, CL	A-4	0	0	100	100	100	95-100	20-30	5-10
	25-80	Silty clay loam, silty clay, clay	CH	A-7-6	0	0	100	100	100	98-100	50-70	30-45
3288A: Petrolia-----	0-8	Silty clay loam	CL	A-6, A-7	0	0	100	95-100	90-100	80-100	35-45	15-22
	8-55	Silty clay loam	CL	A-7, A-6	0	0	100	95-100	90-100	85-100	35-45	15-22
	55-80	Silty clay loam, silt loam	CL	A-6, A-7, A-4	0	0	100	95-100	80-100	60-100	20-45	8-22
3288L: Petrolia-----	0-8	Silty clay loam	CL	A-6, A-7	0	0	100	95-100	90-100	80-100	35-45	15-22
	8-55	Silty clay loam	CL	A-7, A-6	0	0	100	95-100	90-100	85-100	35-45	15-22
	55-80	Silty clay loam, silt loam	CL	A-6, A-7, A-4	0	0	100	95-100	80-100	60-100	20-45	8-22
3382A: Belknap-----	0-7	Silt loam	CL-ML, ML, CL	A-4	0	0	100	95-100	95-100	80-100	20-30	2-8
	7-59	Silt loam	CL-ML, ML, CL	A-4, A-6	0	0	100	95-100	95-100	80-100	20-35	NP-12
	59-80	Silty clay loam, silt loam	CL, CL-ML, ML	A-6, A-4	0	0	100	95-100	95-100	75-100	20-40	3-20
3382L: Belknap-----	0-7	Silt loam	CL-ML, ML	A-4	0	0	100	95-100	95-100	80-100	20-30	2-8
	7-27	Silt loam	CL-ML, ML	A-4, A-6	0	0	100	95-100	95-100	80-100	20-35	NP-12
	27-80	Silt loam	CL, CL-ML, ML	A-6, A-4	0	0	100	95-100	95-100	75-100	20-40	3-20
3422A: Cape-----	0-10	Silty clay loam	CL	A-7, A-6	0	0	100	100	100	95-100	35-50	20-30
	10-22	Silty clay, silty clay loam	CH, CL	A-6, A-7	0	0	100	100	100	95-100	35-50	20-30
	22-80	Silty clay, clay, silty clay loam	CH	A-7	0	0	100	100	100	90-100	39-70	30-45

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
3422A+:												
Cape-----	0-16	Silt loam	CL	A-4, A-6	0	0	100	100	90-100	70-90	27-34	8-12
	16-22	Silty clay loam, silty clay	CL, CH	A-6, A-7	0	0	100	100	100	95-100	35-50	20-30
	22-80	Silty clay, clay, silty clay loam	CH	A-7	0	0	100	100	100	90-100	39-70	30-45
3426A:												
Karnak-----	0-5	Silty clay	CH, CL	A-7	0	0	100	100	95-100	95-100	45-80	25-45
	5-50	Silty clay, clay	CH, CL, MH, ML	A-7	0	0	100	100	95-100	95-100	45-80	20-40
	50-80	Silty clay, silty clay loam	CH, CL	A-7	0	0	100	100	95-100	85-100	45-80	25-45
3426A+:												
Karnak-----	0-13	Silt loam	ML	A-4, A-6	0	0	100	100	90-100	85-95	30-45	5-20
	13-18	Silty clay	CH	A-7	0	0	100	100	95-100	95-100	45-80	25-45
	18-63	Silty clay, clay	CH, MH	A-7	0	0	100	100	95-100	95-100	45-80	20-40
	63-80	Silty clay, silty clay loam	CL, CH	A-7	0	0	100	100	95-100	85-100	45-80	25-45
3426L:												
Karnak-----	0-5	Silty clay, silty clay loam	CL, CH	A-7	0	0	100	100	95-100	95-100	45-80	25-45
	5-50	Silty clay, clay	CH	A-7	0	0	100	100	95-100	95-100	45-80	20-40
	50-80	Silty clay, silty clay loam	CL, CH	A-7	0	0	100	100	95-100	85-100	45-80	25-45
3449L:												
Armiesburg-----	0-15	Silty clay loam	CL, CH	A-7, A-6	0	0	100	100	95-100	85-100	35-55	20-35
	15-67	Silty clay loam	CL, CH	A-7, A-6	0	0	100	100	95-100	85-100	35-55	20-35
	67-80	Silt loam, silty clay loam	CL, CH	A-7, A-6	0	0	100	100	90-100	75-100	35-55	20-35

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
3449L: Sarpy-----	0-9	Fine sand, loamy fine sand, sandy loam, loamy sand, sand	SM	A-2-4	0	0	100	100	60-80	15-35	0-14	NP
	9-80	Stratified sand to loamy fine sand	SM, SP, SP-SM	A-2-4, A-3	0	0	100	100	60-80	2-35	0-14	NP
3597A: Armiesburg-----	0-15	Silty clay loam	CL, CH	A-7-6, A-6	0	0	100	100	95-100	85-100	35-55	20-35
	15-67	Silty clay loam	CL, CH	A-7-6, A-6	0	0	100	100	95-100	85-100	35-55	20-35
	67-80	Silt loam, silty clay loam	CL, CH	A-7-6, A-6	0	0	100	100	90-100	75-100	35-55	20-35
3597L: Armiesburg-----	0-15	Silty clay loam	CL, CH	A-7, A-6	0	0	100	100	95-100	85-100	35-55	20-35
	15-67	Silty clay loam	CL, CH	A-7, A-6	0	0	100	100	95-100	85-100	35-55	20-35
	67-80	Silt loam, silty clay loam	CL, CH	A-7, A-6	0	0	100	100	90-100	75-100	35-55	20-35
7131A: Alvin-----	0-10	Fine sandy loam, very fine sandy loam	SM, ML	A-4, A-2	0	0	100	100	80-95	30-60	15-25	NP-4
	10-16	Fine sandy loam, very fine sandy loam, sandy loam, loamy fine sand	SM, ML	A-4, A-2	0	0	100	100	80-95	30-60	15-25	NP-4
	16-42	Fine sandy loam, very fine sandy loam, sandy loam, loam	SC, CL, ML, SM	A-4, A-2, A-6	0	0	100	100	70-100	20-80	15-40	NP-15
	42-80	Loamy fine sand, very fine sand, fine sandy loam, fine sand	SM, SP, SP-SM	A-2-4, A-1, A-3	0	0	95-100	90-100	45-95	4-35	15-20	NP-4

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
7131B: Alvin-----	0-10	Fine sandy loam, very fine sandy loam	SM, ML	A-4, A-2	0	0	100	100	80-95	30-60	15-25	NP-4
	10-16	Fine sandy loam, very fine sandy loam, sandy loam, loamy fine sand	SM, ML	A-4, A-2	0	0	100	100	80-95	30-60	15-25	NP-4
	16-42	Fine sandy loam, very fine sandy loam, sandy loam, loam	SC, CL, ML, SM	A-4, A-2, A-6	0	0	100	100	70-100	20-80	15-40	NP-15
	42-80	Loamy fine sand, very fine sand, fine sandy loam, fine sand	SM, SP, SP-SM	A-2-4, A-1, A-3	0	0	95-100	90-100	45-95	4-35	15-20	NP-4
7131C2: Alvin-----	0-7	Fine sandy loam, very fine sandy loam	SM, ML	A-4, A-2	0	0	100	100	80-95	30-60	15-25	NP-4
	7-13	Fine sandy loam, very fine sandy loam, sandy loam, loamy fine sand	SM, ML	A-4, A-2	0	0	100	100	80-95	30-60	15-25	NP-4
	13-39	Fine sandy loam, very fine sandy loam, sandy loam, loam	SC, CL, ML, SM	A-4, A-2, A-6	0	0	100	100	70-100	20-80	15-40	NP-15
	39-80	Loamy fine sand, very fine sand, fine sandy loam, fine sand	SM, SP, SP-SM	A-2, A-1, A-3	0	0	95-100	90-100	45-95	4-35	15-20	NP-4

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
7131D2: Alvin-----	0-7	Fine sandy loam, very fine sandy loam	SM, ML	A-4, A-2	0	0	100	100	80-95	30-60	15-25	NP-4
	7-13	Fine sandy loam, very fine sandy loam, sandy loam, loamy fine sand	SM, ML	A-4, A-2	0	0	100	100	80-95	30-60	15-25	NP-4
	13-39	Fine sandy loam, very fine sandy loam, sandy loam, loam	SC, CL, ML, SM	A-4, A-2, A-6	0	0	100	100	70-100	20-80	15-40	NP-15
	39-80	Loamy fine sand, very fine sand, fine sandy loam, fine sand	SM, SP, SP-SM	A-2, A-1, A-3	0	0	95-100	90-100	45-95	4-35	15-20	NP-4
7460A: Ginat-----	0-19	Silt loam	CL-ML, CL	A-4, A-6	0	0	100	100	85-100	60-90	20-30	5-15
	19-34	Silt loam, silty clay loam	CL	A-6	0	0	100	100	90-100	70-90	25-35	10-15
	34-49	Silty clay loam, silt loam	CL	A-6, A-7	0	0	100	100	90-100	80-95	30-45	15-25
	49-80	Silty clay loam, silt loam, clay loam, loam, silty clay	CL	A-6, A-7	0	0-5	80-100	75-100	70-100	70-95	35-50	20-30

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
7462A: Sciotoville-----	0-8	Silt loam	ML, CL-ML	A-4	0	0	95-100	95-100	90-100	65-95	25-35	4-10
	8-24	Silt loam, silty clay loam, loam	CL-ML, CL	A-4, A-6	0	0	95-100	90-100	85-100	70-90	20-35	4-15
	24-52	Silt loam, silty clay loam, loam	CL, CL-ML	A-4, A-6	0	0-5	95-100	90-100	85-100	65-90	25-40	4-18
	52-80	Stratified silty clay loam to gravelly sandy loam	SM, SC, CL, ML	A-4, A-6	0	0-15	75-100	75-100	65-100	45-70	5-35	NP-15
7462B: Sciotoville-----	0-8	Silt loam	CL-ML, ML	A-4	0	0	95-100	95-100	90-100	65-95	25-35	4-10
	8-24	Silt loam, silty clay loam, loam	CL, CL-ML	A-4, A-6	0	0	95-100	90-100	85-100	70-90	20-35	4-15
	24-52	Silt loam, silty clay loam, loam	CL, CL-ML	A-4, A-6	0	0-5	95-100	90-100	85-100	65-90	25-40	4-18
	52-80	Stratified silty clay loam to gravelly sandy loam	SM, SC, ML, CL	A-4, A-6	0	0-15	75-100	75-100	65-100	45-70	5-35	NP-15
7462C2: Sciotoville-----	0-5	Silt loam	ML, CL-ML	A-4	0	0	95-100	95-100	90-100	65-95	25-35	4-10
	5-21	Silt loam, silty clay loam, loam	CL, CL-ML	A-4, A-6	0	0	95-100	90-100	85-100	70-90	20-35	4-15
	21-49	Silt loam, silty clay loam, loam	CL, CL-ML	A-4, A-6	0	0-5	95-100	90-100	85-100	65-90	25-40	4-18
	49-80	Stratified silty clay loam to gravelly sandy loam	SM, CL, ML, SC	A-4, A-6	0	0-15	75-100	75-100	65-100	45-70	5-35	NP-15

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
7462C3: Sciotoville-----	0-3	Silt loam	ML, CL-ML	A-4	0	0	95-100	95-100	90-100	65-95	25-35	4-10
	3-19	Silt loam, silty clay loam, loam	CL, CL-ML	A-4, A-6	0	0	95-100	90-100	85-100	70-90	20-35	4-15
	19-47	Silt loam, silty clay loam, loam	CL-ML, CL	A-4, A-6	0	0-5	95-100	90-100	85-100	65-90	25-40	4-18
	47-80	Stratified silty clay loam to gravelly sandy loam	SM, SC, ML, CL	A-4, A-6	0	0-15	75-100	75-100	65-100	45-70	5-35	NP-15
7462D2: Sciotoville-----	0-5	Silt loam	ML, CL-ML	A-4	0	0	95-100	95-100	90-100	65-95	25-35	4-10
	5-21	Silt loam, silty clay loam, loam	CL-ML, CL	A-4, A-6	0	0	95-100	90-100	85-100	70-90	20-35	4-15
	21-49	Silt loam, silty clay loam, loam	CL-ML, CL	A-4, A-6	0	0-5	95-100	90-100	85-100	65-90	25-40	4-18
	49-80	Stratified silty clay loam to gravelly sandy loam	CL, ML, SC, SM	A-4, A-6	0	0-15	75-100	75-100	65-100	45-70	5-35	NP-15
7462D3: Sciotoville-----	0-3	Silt loam	CL-ML, ML	A-4	0	0	95-100	95-100	90-100	65-95	25-35	4-10
	3-19	Silt loam, silty clay loam, loam	CL-ML, CL	A-4, A-6	0	0	95-100	90-100	85-100	70-90	20-35	4-15
	19-47	Silt loam, silty clay loam, loam	CL-ML, CL	A-4, A-6	0	0-5	95-100	90-100	85-100	65-90	25-40	4-18
	47-80	Stratified silty clay loam to gravelly sandy loam	CL, SM, SC, ML	A-4, A-6	0	0-15	75-100	75-100	65-100	45-70	5-35	NP-15

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
7463A: Wheeling-----	0-10	Silt loam, fine sandy loam, sandy loam, loam	SC, CL, ML, SM	A-4	0	0	90-100	90-100	85-100	45-90	15-35	NP-10
	10-49	Clay loam, loam, silt loam, silty clay loam, gravelly sandy loam	SM, SC, CL, ML	A-4, A-6	0	0-5	90-100	70-100	65-100	45-80	20-40	2-20
	49-80	Stratified fine sandy loam to very gravelly loamy sand	GM, GP, GW, SM	A-1, A-2, A-3, A-4	0	10-20	35-90	20-75	10-65	4-45	15-20	NP-10
7463B: Wheeling-----	0-10	Silt loam, fine sandy loam, sandy loam, loam	SM, ML, SC, CL	A-4	0	0	90-100	90-100	85-100	45-90	15-35	NP-10
	10-49	Clay loam, loam, silt loam, silty clay loam, gravelly sandy loam	ML, SC, CL, SM	A-4, A-6	0	0-5	90-100	70-100	65-100	45-80	20-40	2-20
	49-80	Stratified fine sandy loam to very gravelly loamy sand	GW, GP, GM, SM	A-1, A-2, A-3, A-4	0	10-20	35-90	20-75	10-65	4-45	15-20	NP-10
7463C2: Wheeling-----	0-7	Silt loam, fine sandy loam, sandy loam, loam	CL, SM, SC, ML	A-4	0	0	90-100	90-100	85-100	45-90	15-35	NP-10
	7-46	Clay loam, loam, silt loam, silty clay loam, gravelly sandy loam	SM, SC, ML, CL	A-4, A-6	0	0-5	90-100	70-100	65-100	45-80	20-40	2-20
	46-80	Stratified fine sandy loam to very gravelly loamy sand	SM, GW, GM, GP	A-1, A-2, A-3, A-4	0	10-20	35-90	20-75	10-65	4-45	15-20	NP-10

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit Pct	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	<u>In</u>				<u>Pct</u>	<u>Pct</u>					<u>Pct</u>	
7463D2: Wheeling-----	0-7	Silt loam, fine sandy loam, sandy loam, loam	SC, SM, CL, ML	A-4	0	0	90-100	90-100	85-100	45-90	15-35	NP-10
	7-46	Clay loam, loam, silt loam, silty clay loam, gravelly sandy loam	CL, ML, SC, SM	A-4, A-6	0	0-5	90-100	70-100	65-100	45-80	20-40	2-20
	46-80	Stratified fine sandy loam to very gravelly loamy sand	GM, GP, GW, SM	A-1, A-2, A-3, A-4	0	10-20	35-90	20-75	10-65	4-45	15-20	NP-10
7463E2: Wheeling-----	0-7	Silt loam, fine sandy loam, sandy loam, loam	ML, SC, SM, CL	A-4	0	0	90-100	90-100	85-100	45-90	15-35	NP-10
	7-46	Clay loam, loam, silt loam, silty clay loam, gravelly sandy loam	CL, ML, SC, SM	A-4, A-6	0	0-5	90-100	70-100	65-100	45-80	20-40	2-20
	46-80	Stratified fine sandy loam to very gravelly loamy sand	GP, SM, GW, GM	A-1, A-2, A-3, A-4	0	10-20	35-90	20-75	10-65	4-45	15-20	NP-10
7483A: Henshaw-----	0-11	Silt loam	CL, CL-ML, ML	A-4	0	0	100	95-100	90-100	85-100	20-35	3-10
	11-31	Silty clay loam, silt loam	CL	A-4, A-6	0	0	100	95-100	90-100	85-100	30-40	8-18
	31-60	Silt loam, silty clay loam	CL-ML, CL	A-4, A-6	0	0	100	90-100	85-100	80-90	25-40	5-15

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches Pct	3-10 inches Pct	4	10	40	200		
	<u>In</u>											
7711A: Hatfield-----	0-14	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	85-100	60-90	20-40	5-15
	14-36	Silt loam, silty clay loam	CL	A-4, A-6	0	0	100	100	90-100	70-90	25-35	8-15
	36-45	Silt loam, silty clay loam, clay loam, loam	CL	A-4, A-6, A-7	0	0	100	100	90-100	70-90	25-42	8-20
	45-80	Silty clay loam, silt loam, clay loam	CL	A-6, A-7	0	0	100	100	90-100	80-95	30-45	15-25
7711B: Hatfield-----	0-14	Silt loam	CL-ML, CL	A-4, A-6	0	0	100	100	85-100	60-90	20-40	5-15
	14-36	Silt loam, silty clay loam	CL	A-4, A-6	0	0	100	100	90-100	70-90	25-35	8-15
	36-45	Silt loam, silty clay loam, clay loam, loam	CL	A-4, A-6, A-7	0	0	100	100	90-100	70-90	25-42	8-20
	45-80	Silty clay loam, silt loam, clay loam	CL	A-6, A-7	0	0	100	100	90-100	80-95	30-45	15-25
7711B2: Hatfield-----	0-11	Silt loam	CL-ML, CL	A-4, A-6	0	0	100	100	85-100	60-90	20-40	5-15
	11-33	Silt loam, silty clay loam	CL	A-4, A-6	0	0	100	100	90-100	70-90	25-35	8-15
	33-42	Silt loam, silty clay loam, clay loam, loam	CL	A-4, A-6, A-7	0	0	100	100	90-100	70-90	25-42	8-20
	42-80	Silty clay loam, silt loam, clay loam	CL	A-6, A-7	0	0	100	100	90-100	80-95	30-45	15-25

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
8070A:												
Beaucoup-----	0-16	Silty clay loam	CL	A-6, A-7	0	0	100	100	90-100	85-100	30-45	15-25
	16-46	Silty clay loam	CL	A-6, A-7	0	0	100	100	90-100	85-100	30-45	15-30
	46-80	Stratified very fine sandy loam to silty clay loam	CL, CL-ML	A-6, A-4	0	0	100	100	90-100	60-95	20-40	5-20
8071A:												
Darwin-----	0-14	Silty clay	CL, CH	A-7	0	0	100	100	100	90-100	45-85	25-55
	14-56	Clay, silty clay	CL, CH	A-7	0	0	100	100	100	85-100	45-85	25-55
	56-80	Silty clay, silty clay loam	CL, CH	A-6, A-7	0	0	100	100	95-100	90-100	35-70	20-45
8072A:												
Sharon-----	0-13	Silt loam	CL-ML, CL, ML	A-4	0	0	100	100	95-100	85-95	20-30	2-10
	13-40	Silt loam	CL-ML, CL, ML, SC, SM	A-4	0	0	100	100	70-95	40-90	15-30	NP-10
	40-80	Silt loam, loam, sandy loam	CL-ML, CL, ML, SC, SM	A-4	0	0	100	100	70-95	40-90	15-30	NP-10
8108A:												
Bonnie-----	0-10	Silt loam	CL	A-4, A-6	0	0	100	100	95-100	90-100	27-34	8-12
	10-27	Silt loam	CL	A-4, A-6	0	0	100	100	95-100	90-100	27-34	8-12
	27-80	Silty clay loam, silt loam	CL	A-6, A-4	0	0	100	100	90-100	85-100	25-39	8-15
8109A:												
Raccoon-----	0-6	Silt loam	CL	A-6, A-4	0	0	100	100	95-100	90-100	30-35	10-15
	6-30	Silt loam	CL	A-6, A-4	0	0	100	100	95-100	90-100	30-35	10-15
	30-59	Silty clay loam	CL	A-6	0	0	100	100	95-100	90-100	35-45	15-20
	59-80	Silt loam, silty clay loam, loam	CL	A-6, A-4	0	0	95-100	90-100	75-100	60-90	30-40	10-20
8180A:												
Dupo-----	0-9	Silt loam	CL, CL-ML	A-4	0	0	100	100	100	95-100	20-30	5-10
	9-25	Silt loam	CL, CL-ML	A-4	0	0	100	100	100	95-100	20-30	5-10
	25-80	Silty clay loam, clay, silty clay	CH	A-7-6	0	0	100	100	100	98-100	50-70	30-45

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
8288A:												
Petrolia-----	0-8	Silty clay loam	CL	A-6, A-7	0	0	100	95-100	90-100	80-100	35-45	15-22
	8-55	Silty clay loam	CL	A-7, A-6	0	0	100	95-100	90-100	85-100	35-45	15-22
	55-80	Silty clay loam, silt loam	CL	A-6, A-7, A-4	0	0	100	95-100	80-100	60-100	20-45	8-22
8382A:												
Belknap-----	0-7	Silt loam	CL-ML, ML	A-4	0	0	100	95-100	90-100	80-100	20-30	2-8
	7-59	Silt loam	CL-ML, ML	A-4	0	0	100	95-100	90-100	80-100	20-35	NP-12
	59-80	Silty clay loam, loam, silt loam	CL, CL-ML, ML	A-6, A-4	0	0	100	95-100	95-100	75-100	20-40	3-20
8420A:												
Piopolis-----	0-7	Silty clay loam	CL	A-6, A-7	0	0	100	100	90-100	80-95	35-50	15-25
	7-37	Silty clay loam	CL	A-6, A-7	0	0	100	100	90-100	85-95	35-50	15-25
	37-80	Silt loam, silty clay loam	CL	A-6, A-7	0	0	100	100	90-100	70-95	35-50	15-25
8422A:												
Cape-----	0-10	Silty clay loam	CL	A-7, A-6	0	0	100	100	100	95-100	35-50	20-30
	10-22	Silty clay, silty clay loam	CL, CH	A-6, A-7	0	0	100	100	100	95-100	35-50	20-30
	22-80	Silty clay, clay, silty clay loam	CH	A-7	0	0	100	100	100	90-100	39-70	30-45
8422A+:												
Cape-----	0-16	Silt loam	CL	A-4, A-6	0	0	100	100	90-100	70-90	27-34	8-12
	16-22	Silty clay, silty clay loam	CH, CL	A-6, A-7	0	0	100	100	100	95-100	35-50	20-30
	22-80	Silty clay, clay, silty clay loam	CH	A-7	0	0	100	100	100	90-100	39-70	30-45
8426A:												
Karnak-----	0-5	Silty clay, silty clay loam	CH, CL	A-7	0	0	100	100	95-100	95-100	45-80	25-45
	5-50	Clay, silty clay	CH	A-7	0	0	100	100	95-100	95-100	45-80	20-40
	50-80	Silty clay loam, silty clay	CH	A-7	0	0	100	100	95-100	85-100	45-80	25-45

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
8426A+: Karnak-----	0-13	Silt loam	ML, CL	A-4, A-6, A-7	0	0	100	100	90-100	85-95	30-45	5-20
	13-18	Silty clay loam, silty clay	CH	A-7	0	0	100	100	95-100	95-100	45-80	25-45
	18-63	Silty clay, clay	CH	A-7	0	0	100	100	95-100	95-100	45-80	20-40
	63-80	Silty clay, silty clay loam	CH, CL	A-7	0	0	100	100	95-100	85-100	45-80	25-45
8427B: Burnside-----	0-17	Loam, silt loam	CL-ML, CL, ML	A-4	0-2	0-10	100	100	80-95	75-95	20-35	2-10
	17-57	Extremely flaggy loam, very flaggy loam, extremely flaggy sandy loam, extremely flaggy silt loam	GC-GM, GC, GM, SC, SM	A-2, A-4	0-5	10-60	35-80	30-60	30-50	26-45	0-20	NP-10
	57-67	Bedrock			---	---	---	---	---	---	---	---
8469A: Emma-----	0-8	Silty clay loam	CL	A-6, A-7	0	0	95-100	90-100	85-100	80-100	35-50	15-25
	8-58	Silty clay loam	CL	A-6, A-7	0	0-5	90-100	85-100	80-100	80-100	35-45	15-22
	58-80	Silt loam, silty clay loam	CL	A-6	0	0-5	90-100	85-100	80-100	75-90	30-40	15-20
8469B: Emma-----	0-8	Silty clay loam	CL	A-6, A-7	0	0	95-100	90-100	85-100	80-100	35-50	15-25
	8-58	Silty clay loam	CL	A-6, A-7	0	0-5	90-100	85-100	80-100	80-100	35-45	15-22
	58-80	Silt loam, silty clay loam	CL	A-6	0	0-5	90-100	85-100	80-100	75-90	30-40	15-20
8469C2: Emma-----	0-5	Silty clay loam	CL	A-6, A-7	0	0	95-100	90-100	85-100	80-100	35-50	15-25
	5-53	Silty clay loam	CL	A-6, A-7	0	0-5	90-100	85-100	80-100	80-100	35-45	15-22
	53-80	Silt loam, silty clay loam	CL	A-6	0	0-5	90-100	85-100	80-100	75-90	30-40	15-20

Table 19.—Engineering Index Properties—Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
	In				Pct	Pct					Pct	
8597A:												
Armiesburg-----	0-15	Silty clay loam	CL, CH	A-7, A-6	0	0	100	100	95-100	85-100	35-55	20-35
	15-67	Silty clay loam	CL, CH	A-7, A-6	0	0	100	100	95-100	85-100	35-55	20-35
	67-80	Silt loam, silty clay loam	CL, CH	A-7, A-6	0	0	100	100	90-100	75-100	35-55	20-35
8693A:												
Hurst-----	0-7	Silty clay loam	CL-ML, CL	A-6	0	0	100	95-100	95-100	75-100	20-35	4-15
	7-12	Silty clay loam	CL-ML, CL	A-4, A-6	0	0	100	100	95-100	90-100	20-35	5-15
	12-62	Silty clay loam, silty clay, clay	CL, CH	A-7	0	0	100	100	95-100	90-100	40-60	20-35
	62-80	Silty clay loam, silty clay	CH, CL	A-6, A-7	0	0	100	100	90-100	85-100	35-55	15-30
MW. Miscellaneous water												
W. Water												

Table 20.—Physical Properties of the Soils

(Entries under "Erosion factors--T" apply to the entire profile. Entries under "Wind erodibility group" and "Wind erodibility index" apply only to the surface layer. Absence of an entry indicates that data were not estimated)

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
										Kw	Kf	T		
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
99G. Sandstone and Limestone Rock Land														
131B: Alvin-----	0-10	45-80	3-45	8-19	1.50-1.70	2-6	0.14-0.17	0.0-2.9	0.5-1.0	.24	.24	5	3	86
	10-16	45-85	3-45	8-19	1.50-1.70	2-6	0.10-0.17	0.0-2.9	0.0-0.5	.24	.24			
	16-42	36-80	10-40	10-24	1.50-1.70	2-6	0.14-0.18	0.0-2.9	0.0-0.5	.24	.24			
	42-80	50-97	0-45	3-10	1.50-1.70	2-6	0.04-0.08	0.0-2.9	0.0-0.3	.24	.24			
131C: Alvin-----	0-10	45-80	3-45	8-19	1.50-1.70	2-6	0.14-0.17	0.0-2.9	0.5-1.0	.24	.24	5	3	86
	10-16	45-85	3-45	8-19	1.50-1.70	2-6	0.10-0.17	0.0-2.9	0.0-0.5	.24	.24			
	16-42	36-80	10-40	10-24	1.50-1.70	2-6	0.14-0.18	0.0-2.9	0.0-0.5	.24	.24			
	42-80	50-97	0-45	3-10	1.50-1.70	2-6	0.04-0.08	0.0-2.9	0.0-0.3	.24	.24			
131C2: Alvin-----	0-7	45-80	3-45	8-19	1.50-1.70	2-6	0.14-0.17	0.0-2.9	0.5-1.0	.24	.24	5	3	86
	7-13	45-85	3-45	8-19	1.50-1.70	2-6	0.10-0.17	0.0-2.9	0.0-0.5	.24	.24			
	13-42	36-80	10-40	10-24	1.50-1.70	2-6	0.14-0.18	0.0-2.9	0.0-0.5	.24	.24			
	42-80	50-97	0-45	3-10	1.50-1.70	2-6	0.04-0.08	0.0-2.9	0.0-0.3	.24	.24			
131D2: Alvin-----	0-7	45-80	3-45	8-19	1.50-1.70	2-6	0.14-0.17	0.0-2.9	0.5-1.0	.24	.24	5	3	86
	7-13	45-85	3-45	8-19	1.50-1.70	2-6	0.10-0.17	0.0-2.9	0.0-0.5	.24	.24			
	13-42	36-80	10-40	10-24	1.50-1.70	2-6	0.14-0.18	0.0-2.9	0.0-0.5	.24	.24			
	42-80	50-97	0-45	3-10	1.50-1.70	2-6	0.04-0.08	0.0-2.9	0.0-0.3	.24	.24			
131F: Alvin-----	0-10	45-80	3-45	8-19	1.50-1.70	2-6	0.14-0.17	0.0-2.9	0.5-1.0	.24	.24	5	3	86
	10-16	45-85	3-45	8-19	1.50-1.70	2-6	0.10-0.17	0.0-2.9	0.0-0.5	.24	.24			
	16-42	36-80	10-40	10-24	1.50-1.70	2-6	0.14-0.18	0.0-2.9	0.0-0.5	.24	.24			
	42-80	50-97	0-45	3-10	1.50-1.70	2-6	0.04-0.08	0.0-2.9	0.0-0.3	.24	.24			
164A: Stoy-----	0-13	0-5	68-88	12-27	1.20-1.40	0.6-2	0.22-0.24	0.0-2.9	1.0-2.0	.43	.43	5	5	56
	13-32	0-5	60-73	27-35	1.35-1.55	0.06-0.2	0.18-0.20	3.0-5.9	0.2-1.0	.37	.37			
	32-45	0-5	60-73	27-35	1.30-1.60	0.06-0.2	0.09-0.12	3.0-5.9	0.2-0.5	.37	.37			
	45-80	0-10	65-80	20-27	1.40-1.75	0.06-0.2	0.10-0.15	0.0-2.9	0.2-0.5	.43	.43			

Table 20.—Physical Properties of the Soils—Continued

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind	Wind
										Kw	Kf	T	erodi- bility group	erodi- bility index
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
164B: Stoy-----	0-13	0-5	68-88	12-27	1.20-1.40	0.6-2	0.22-0.24	0.0-2.9	1.0-2.0	.43	.43	5	5	56
	13-32	0-5	60-73	27-35	1.35-1.55	0.06-0.2	0.18-0.20	3.0-5.9	0.2-1.0	.37	.37			
	32-45	0-5	60-73	27-35	1.30-1.60	0.06-0.2	0.09-0.12	3.0-5.9	0.2-0.5	.37	.37			
	45-80	0-10	65-80	20-27	1.40-1.75	0.06-0.2	0.10-0.15	0.0-2.9	0.2-0.5	.43	.43			
164C2: Stoy-----	0-10	0-5	68-88	12-27	1.20-1.40	0.6-2	0.15-0.20	0.0-2.9	1.0-2.0	.43	.43	5	5	56
	10-29	0-5	60-73	27-35	1.35-1.55	0.06-0.2	0.18-0.20	3.0-5.9	0.2-1.0	.37	.37			
	29-42	0-5	60-73	27-35	1.55-1.75	0.06-0.2	0.09-0.12	3.0-5.9	0.2-0.5	.37	.37			
	42-80	0-10	65-80	20-27	1.55-1.75	0.06-0.2	0.10-0.15	0.0-2.9	0.2-0.5	.43	.43			
165A: Weir-----	0-8	0-10	70-85	12-20	1.30-1.50	0.2-0.6	0.22-0.24	0.0-2.9	1.0-2.5	.43	.43	3	5	56
	8-17	0-10	70-85	12-20	1.40-1.55	0.06-0.2	0.17-0.20	0.0-2.9	0.1-0.5	.55	.55			
	17-39	0-7	53-65	35-45	1.40-1.60	0.01-0.06	0.10-0.14	6.0-8.9	0.0-0.2	.37	.37			
	39-80	0-7	60-75	25-39	1.45-1.65	0.06-0.2	0.11-0.16	0.0-2.9	0.0-0.1	.43	.43			
175B: Lamont-----	0-11	50-80	5-30	5-20	1.50-1.55	2-6	0.15-0.18	0.0-2.9	0.8-1.5	.20	.20	5	3	86
	11-17	50-80	5-30	5-20	1.50-1.55	2-6	0.09-0.16	0.0-2.9	0.0-0.5	.24	.24			
	17-27	35-80	5-41	5-24	1.45-1.65	2-6	0.09-0.16	0.0-2.9	0.0-0.5	.24	.24			
	27-80	70-95	0-20	2-10	1.65-1.75	6-20	0.09-0.11	0.0-2.9	0.0-0.5	.17	.17			
175C2: Lamont-----	0-5	50-80	5-30	5-20	1.50-1.55	2-6	0.14-0.17	0.0-2.9	0.5-1.0	.20	.20	5	3	86
	5-27	35-80	5-41	5-24	1.45-1.65	2-6	0.09-0.16	0.0-2.9	0.0-0.5	.24	.24			
	27-80	70-95	0-20	2-10	1.65-1.75	6-20	0.09-0.11	0.0-2.9	0.0-0.5	.17	.17			
175D2: Lamont-----	0-5	50-80	5-30	5-20	1.50-1.55	2-6	0.14-0.17	0.0-2.9	0.5-1.0	.20	.20	5	3	86
	5-27	35-80	5-41	5-24	1.45-1.65	2-6	0.09-0.16	0.0-2.9	0.0-0.5	.24	.24			
	27-80	70-95	0-20	2-10	1.65-1.75	6-20	0.09-0.11	0.0-2.9	0.0-0.5	.17	.17			
214B: Hosmer-----	0-7	0-5	68-88	12-27	1.20-1.40	0.6-2	0.22-0.24	0.0-2.9	1.0-2.0	.43	.43	4	5	56
	7-28	0-5	65-82	18-35	1.30-1.50	0.6-2	0.18-0.22	3.0-5.9	0.2-1.0	.43	.43			
	28-67	0-5	65-85	15-35	1.60-1.70	0.01-0.06	0.06-0.08	0.0-2.9	0.0-0.2	.43	.43			
	67-80	0-10	65-85	15-27	1.50-1.70	0.06-0.2	0.22-0.24	0.0-2.9	0.0-0.2	.43	.43			
214C2: Hosmer-----	0-4	0-5	68-88	12-27	1.20-1.40	0.6-2	0.22-0.24	0.0-2.9	1.0-2.0	.43	.43	4	5	56
	4-25	0-5	65-82	18-35	1.30-1.50	0.6-2	0.18-0.22	3.0-5.9	0.2-1.0	.43	.43			
	25-64	0-5	65-85	15-35	1.60-1.70	0.01-0.06	0.06-0.08	0.0-2.9	0.0-0.2	.43	.43			
	64-80	0-10	65-85	15-27	1.50-1.70	0.06-0.2	0.22-0.24	0.0-2.9	0.0-0.2	.43	.43			

Table 20.—Physical Properties of the Soils—Continued

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
										Kw	Kf	T		
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
214C3: Hosmer-----	0-2	0-5	68-88	12-33	1.20-1.40	0.6-2	0.22-0.24	0.0-2.9	0.5-1.0	.43	.43	3	6	48
	2-23	0-5	65-82	18-35	1.30-1.50	0.6-2	0.18-0.22	3.0-5.9	0.2-1.0	.43	.43			
	23-62	0-5	65-85	15-35	1.60-1.70	0.01-0.06	0.06-0.08	0.0-2.9	0.0-0.2	.43	.43			
	62-80	0-10	65-85	15-27	1.50-1.70	0.06-0.2	0.22-0.24	0.0-2.9	0.0-0.2	.43	.43			
214D2: Hosmer-----	0-4	0-5	68-88	12-27	1.20-1.40	0.6-2	0.22-0.24	0.0-2.9	1.0-2.0	.43	.43	4	5	56
	4-25	0-5	65-82	18-35	1.30-1.50	0.6-2	0.18-0.22	3.0-5.9	0.2-1.0	.43	.43			
	25-64	0-5	65-85	15-35	1.60-1.70	0.01-0.06	0.06-0.08	0.0-2.9	0.0-0.2	.43	.43			
	64-80	0-10	65-85	15-27	1.50-1.70	0.06-0.2	0.22-0.24	0.0-2.9	0.0-0.2	.43	.43			
214D3: Hosmer-----	0-2	0-5	68-88	12-33	1.20-1.40	0.6-2	0.22-0.24	0.0-2.9	0.5-1.0	.43	.43	3	6	48
	2-23	0-5	65-82	18-35	1.30-1.50	0.6-2	0.18-0.22	3.0-5.9	0.2-1.0	.43	.43			
	23-62	0-5	65-85	15-35	1.60-1.70	0.01-0.06	0.06-0.08	0.0-2.9	0.0-0.2	.43	.43			
	62-80	0-10	65-85	15-27	1.50-1.70	0.06-0.2	0.22-0.24	0.0-2.9	0.0-0.2	.43	.43			
308B: Alford-----	0-10	0-5	68-85	12-27	1.25-1.40	0.6-2	0.22-0.24	0.0-2.9	0.5-2.0	.43	.43	5	5	56
	10-44	0-5	62-80	20-33	1.35-1.50	0.6-2	0.18-0.20	3.0-5.9	0.0-0.5	.37	.37			
	44-80	0-20	60-85	12-22	1.30-1.45	0.6-2	0.20-0.22	0.0-2.9	0.0-0.2	.55	.55			
308C2: Alford-----	0-6	0-5	68-85	12-27	1.25-1.40	0.6-2	0.22-0.24	0.0-2.9	0.5-2.0	.43	.43	5	5	56
	6-44	0-5	62-80	20-33	1.35-1.50	0.6-2	0.18-0.20	3.0-5.9	0.0-0.5	.37	.37			
	44-80	0-20	60-85	12-22	1.30-1.45	0.6-2	0.20-0.22	0.0-2.9	0.0-0.2	.55	.55			
308C3: Alford-----	0-5	0-5	68-85	12-35	1.25-1.40	0.6-2	0.22-0.24	0.0-2.9	0.5-1.0	.43	.43	4	6	48
	5-44	0-5	62-80	20-33	1.35-1.50	0.6-2	0.18-0.20	3.0-5.9	0.0-0.5	.37	.37			
	44-80	0-20	60-85	12-22	1.30-1.45	0.6-2	0.20-0.22	0.0-2.9	0.0-0.2	.55	.55			
308D2: Alford-----	0-6	0-5	68-85	12-27	1.25-1.40	0.6-2	0.22-0.24	0.0-2.9	0.5-2.0	.43	.43	5	5	56
	6-44	0-5	62-80	20-33	1.35-1.50	0.6-2	0.18-0.20	3.0-5.9	0.0-0.5	.37	.37			
	44-80	0-20	60-85	12-22	1.30-1.45	0.6-2	0.20-0.22	0.0-2.9	0.0-0.2	.55	.55			
308D3: Alford-----	0-5	0-5	68-85	12-35	1.25-1.40	0.6-2	0.22-0.24	0.0-2.9	0.5-1.0	.43	.43	4	6	48
	5-44	0-5	62-80	20-33	1.35-1.50	0.6-2	0.18-0.20	3.0-5.9	0.0-0.5	.37	.37			
	44-80	0-20	60-85	12-22	1.30-1.45	0.6-2	0.20-0.22	0.0-2.9	0.0-0.2	.55	.55			
308E: Alford-----	0-10	0-5	68-85	12-27	1.25-1.40	0.6-2	0.22-0.24	0.0-2.9	0.5-2.0	.43	.43	5	5	56
	10-44	0-5	62-80	20-33	1.35-1.50	0.6-2	0.18-0.20	3.0-5.9	0.0-0.5	.37	.37			
	44-80	0-20	60-85	12-22	1.30-1.45	0.6-2	0.20-0.22	0.0-2.9	0.0-0.2	.55	.55			

Table 20.—Physical Properties of the Soils—Continued

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind	Wind
										Kw	Kf	T	erodi- bility group	erodi- bility index
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
308E2: Alford-----	0-6	0-5	68-85	12-27	1.25-1.40	0.6-2	0.22-0.24	0.0-2.9	0.5-2.0	.43	.43	5	5	56
	6-44	0-5	62-80	20-33	1.35-1.50	0.6-2	0.18-0.20	3.0-5.9	0.0-0.5	.37	.37			
	44-80	0-20	60-85	12-22	1.30-1.45	0.6-2	0.20-0.22	0.0-2.9	0.0-0.2	.55	.55			
308E3: Alford-----	0-5	0-5	68-85	12-35	1.25-1.40	0.6-2	0.22-0.24	0.0-2.9	0.5-1.0	.43	.43	4	6	48
	5-44	0-5	62-80	20-33	1.35-1.50	0.6-2	0.18-0.20	3.0-5.9	0.0-0.5	.37	.37			
	44-80	0-20	60-85	12-22	1.30-1.45	0.6-2	0.20-0.22	0.0-2.9	0.0-0.2	.55	.55			
308F: Alford-----	0-10	0-5	68-85	12-27	1.25-1.40	0.6-2	0.22-0.24	0.0-2.9	0.5-2.0	.43	.43	5	5	56
	10-44	0-5	62-80	20-33	1.35-1.50	0.6-2	0.18-0.20	3.0-5.9	0.0-0.5	.37	.37			
	44-80	0-20	60-85	12-22	1.30-1.45	0.6-2	0.20-0.22	0.0-2.9	0.0-0.2	.55	.55			
339C: Wellston-----	0-8	3-25	50-84	13-27	1.30-1.50	0.6-2	0.18-0.22	0.0-2.9	1.0-3.0	.43	.43	4	5	56
	8-31	3-25	45-79	18-35	1.30-1.65	0.6-2	0.17-0.20	0.0-2.9	0.5-1.0	.43	.43			
	31-43	3-40	30-70	15-30	1.30-1.60	0.6-2	0.10-0.14	0.0-2.9	0.0-0.5	.32	.37			
	43-60	25-55	30-60	15-30	1.30-1.60	0.6-2	0.06-0.12	0.0-2.9	0.0-0.1	.20	.24			
	60-70	---	---	---	---	0.2-2	---	---	---	---	---			
339C2: Wellston-----	0-5	3-25	50-84	13-27	1.30-1.50	0.6-2	0.18-0.22	0.0-2.9	1.0-3.0	.43	.43	4	5	56
	5-28	3-25	45-79	18-35	1.30-1.65	0.6-2	0.17-0.20	0.0-2.9	0.5-1.0	.43	.43			
	28-40	3-40	30-70	15-30	1.30-1.60	0.6-2	0.10-0.14	0.0-2.9	0.0-0.5	.32	.37			
	40-57	25-55	30-60	15-30	1.30-1.60	0.6-2	0.06-0.12	0.0-2.9	0.0-0.1	.20	.24			
	57-67	---	---	---	---	0.01-2	---	---	---	---	---			
339D: Wellston-----	0-8	3-25	50-84	13-27	1.30-1.50	0.6-2	0.18-0.22	0.0-2.9	1.0-3.0	.43	.43	4	5	56
	8-31	3-25	45-79	18-35	1.30-1.65	0.6-2	0.17-0.20	0.0-2.9	0.5-1.0	.43	.43			
	31-43	3-40	30-70	15-30	1.30-1.60	0.6-2	0.10-0.14	0.0-2.9	0.0-0.5	.32	.37			
	43-60	25-55	30-60	15-30	1.30-1.60	0.6-2	0.06-0.12	0.0-2.9	0.0-0.1	.20	.24			
	60-70	---	---	---	---	0.2-2	---	---	---	---	---			
339D2: Wellston-----	0-5	3-25	50-84	13-27	1.30-1.50	0.6-2	0.18-0.22	0.0-2.9	1.0-3.0	.43	.43	4	5	56
	5-28	3-25	45-79	18-35	1.30-1.65	0.6-2	0.17-0.20	0.0-2.9	0.5-1.0	.43	.43			
	28-40	3-40	30-70	15-30	1.30-1.60	0.6-2	0.10-0.14	0.0-2.9	0.0-0.5	.32	.37			
	40-57	25-55	30-60	15-30	1.30-1.60	0.6-2	0.06-0.12	0.0-2.9	0.0-0.1	.20	.24			
	57-67	---	---	---	---	0.01-2	---	---	---	---	---			

Table 20.—Physical Properties of the Soils—Continued

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
										Kw	Kf	T		
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
339D3: Wellston-----	0-3	3-25	50-84	13-27	1.30-1.50	0.6-2	0.18-0.22	0.0-2.9	0.5-1.0	.43	.43	3	5	56
	3-26	3-25	45-79	18-35	1.30-1.65	0.6-2	0.17-0.20	0.0-2.9	0.5-1.0	.43	.43			
	26-38	3-40	30-70	15-30	1.30-1.60	0.6-2	0.10-0.14	0.0-2.9	0.0-0.5	.32	.37			
	38-55	25-55	30-60	15-30	1.30-1.60	0.6-2	0.06-0.12	0.0-2.9	0.0-0.1	.20	.24			
	55-65	---	---	---	---	0.2-2	---	---	---	---	---			
339F: Wellston-----	0-8	3-25	50-84	13-27	1.30-1.50	0.6-2	0.18-0.22	0.0-2.9	1.0-3.0	.43	.43	4	5	56
	8-31	3-25	45-79	18-35	1.30-1.65	0.6-2	0.17-0.20	0.0-2.9	0.5-1.0	.43	.43			
	31-43	3-40	30-70	15-30	1.30-1.60	0.6-2	0.10-0.14	0.0-2.9	0.0-0.5	.32	.37			
	43-60	25-55	30-60	15-30	1.30-1.60	0.6-2	0.06-0.12	0.0-2.9	0.0-0.1	.20	.24			
	60-70	---	---	---	---	0.2-2	---	---	---	---	---			
340C2: Zanesville-----	0-4	0-5	68-88	12-27	1.35-1.40	0.6-2	0.19-0.23	0.0-2.9	1.0-2.0	.43	.43	3	6	48
	4-19	0-20	60-75	20-35	1.35-1.45	0.6-2	0.17-0.22	0.0-2.9	0.5-2.0	.37	.37			
	19-39	5-32	50-77	18-33	1.50-1.75	0.01-0.06	0.08-0.12	0.0-2.9	0.0-0.5	.37	.37			
	39-57	5-70	10-70	18-40	1.50-1.70	0.2-2	0.08-0.12	0.0-2.9	0.0-0.5	.24	.28			
	57-67	---	---	---	---	0.01-0.2	---	---	---	---	---			
340C3: Zanesville-----	0-2	0-5	60-88	12-35	1.35-1.40	0.6-2	0.19-0.23	0.0-2.9	0.5-1.0	.43	.43	2	6	48
	2-17	0-20	60-75	20-35	1.35-1.45	0.6-2	0.17-0.22	0.0-2.9	0.0-0.5	.37	.37			
	17-37	5-32	50-77	18-33	1.50-1.75	0.01-0.06	0.08-0.12	0.0-2.9	0.0-0.5	.37	.37			
	37-55	5-70	10-70	18-40	1.50-1.70	0.2-2	0.08-0.12	0.0-2.9	0.0-0.5	.24	.28			
	55-65	---	---	---	---	0.01-0.2	---	---	---	---	---			
340D: Zanesville-----	0-7	0-5	68-88	12-27	1.35-1.40	0.6-2	0.19-0.23	0.0-2.9	1.0-2.0	.43	.43	3	6	48
	7-22	0-20	60-75	20-35	1.35-1.45	0.6-2	0.17-0.22	0.0-2.9	0.5-2.0	.37	.37			
	22-42	5-32	50-77	18-33	1.50-1.75	0.01-0.06	0.08-0.12	0.0-2.9	0.0-0.5	.37	.37			
	42-60	5-70	10-70	18-40	1.50-1.70	0.2-2	0.08-0.12	0.0-2.9	0.0-0.5	.24	.28			
	60-70	---	---	---	---	0.01-0.2	---	---	---	---	---			
340D2: Zanesville-----	0-4	0-5	68-88	12-27	1.35-1.40	0.6-2	0.19-0.23	0.0-2.9	1.0-2.0	.43	.43	3	6	48
	4-19	0-20	60-80	20-35	1.35-1.45	0.6-2	0.17-0.22	0.0-2.9	0.5-2.0	.37	.37			
	19-39	5-32	50-77	18-33	1.50-1.75	0.01-0.06	0.08-0.12	0.0-2.9	0.0-0.5	.37	.37			
	39-57	5-70	10-70	18-40	1.50-1.70	0.2-2	0.08-0.12	0.0-2.9	0.0-0.5	.24	.28			
	57-67	---	---	---	---	0.01-0.2	---	---	---	---	---			
340D3: Zanesville-----	0-2	0-5	68-88	12-35	1.35-1.40	0.6-2	0.19-0.23	0.0-2.9	0.5-1.0	.43	.43	2	6	48
	2-17	0-20	60-75	20-35	1.35-1.45	0.6-2	0.17-0.22	0.0-2.9	0.0-0.5	.37	.37			
	17-37	5-32	50-77	18-33	1.50-1.75	0.01-0.06	0.08-0.12	0.0-2.9	0.0-0.5	.37	.37			
	37-55	5-70	10-70	18-40	1.50-1.70	0.2-2	0.08-0.12	0.0-2.9	0.0-0.5	.24	.28			
	55-65	---	---	---	---	0.01-0.2	---	---	---	---	---			

Table 20.—Physical Properties of the Soils—Continued

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
										Kw	Kf	T		
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
453C2:														
Muren-----	0-9	0-5	77-85	8-18	1.25-1.40	0.6-2	0.22-0.24	0.0-2.9	0.5-2.0	.43	.43	5	5	56
	9-46	0-5	63-82	18-32	1.35-1.50	0.6-2	0.18-0.20	3.0-5.9	0.0-0.5	.37	.37			
	46-80	0-10	75-85	8-15	1.30-1.45	0.6-2	0.20-0.22	0.0-2.9	0.0-0.2	.55	.55			
453D2:														
Muren-----	0-9	0-5	77-85	8-18	1.25-1.40	0.6-2	0.22-0.24	0.0-2.9	0.5-2.0	.43	.43	5	5	56
	9-46	0-5	63-82	18-32	1.35-1.50	0.6-2	0.18-0.20	3.0-5.9	0.0-0.5	.37	.37			
	46-80	0-10	75-85	8-15	1.30-1.45	0.6-2	0.20-0.22	0.0-2.9	0.0-0.2	.55	.55			
691D:														
Beasley-----	0-7	0-40	50-80	10-35	1.20-1.40	0.6-2	0.18-0.23	0.0-2.9	1.0-3.0	.43	.43	3	6	48
	7-14	0-30	30-55	40-70	1.30-1.55	0.2-0.6	0.12-0.18	3.0-5.9	0.1-0.5	.32	.32			
	14-40	0-40	15-50	30-70	1.50-1.70	0.2-0.6	0.09-0.15	3.0-5.9	0.1-0.5	.32	.32			
	40-80	---	---	---	---	0.01-0.6	---	---	---	---	---			
691F:														
Beasley-----	0-7	0-40	50-80	10-35	1.20-1.40	0.6-2	0.18-0.23	0.0-2.9	1.0-3.0	.43	.43	3	6	48
	7-14	0-30	30-55	40-70	1.30-1.55	0.2-0.6	0.12-0.18	3.0-5.9	0.1-0.5	.32	.32			
	14-40	0-40	15-50	30-70	1.50-1.70	0.2-0.6	0.09-0.15	3.0-5.9	0.1-0.5	.32	.32			
	40-80	---	---	---	---	0.01-0.6	---	---	---	---	---			
691G:														
Beasley-----	0-7	0-40	50-80	10-35	1.20-1.40	0.6-2	0.18-0.23	0.0-2.9	1.0-3.0	.43	.43	3	6	48
	7-14	0-30	30-55	40-70	1.30-1.55	0.2-0.6	0.12-0.18	3.0-5.9	0.1-0.5	.32	.32			
	14-40	0-40	15-50	30-70	1.50-1.70	0.2-0.6	0.09-0.15	3.0-5.9	0.1-0.5	.32	.32			
	40-80	---	---	---	---	0.01-0.6	---	---	---	---	---			
801B:														
Orthents, silty----	0-80	5-44	51-80	5-35	1.70-1.80	0.2-2	0.16-0.19	3.0-5.9	0.0-1.0	.43	.43	5	6	48
802D:														
Orthents, loamy----	0-6	5-50	30-77	18-40	1.70-1.75	0.2-0.6	0.18-0.22	3.0-5.9	0.1-1.0	.43	.32	5	6	48
	6-80	5-67	15-77	18-30	1.70-1.90	0.2-0.6	0.16-0.20	3.0-5.9	0.0-1.0	.43	.32			
864.														
Pits, quarries														
865.														
Pits, gravel														
955D:														
Muskingum-----	0-3	0-40	50-80	10-25	1.20-1.40	0.6-6	0.12-0.18	0.0-2.9	1.0-3.0	.24	.37	3	6	48
	3-20	0-40	50-80	12-25	1.20-1.40	0.6-6	0.12-0.18	0.0-2.9	0.0-0.5	.24	.37			
	20-34	0-50	30-80	12-27	1.20-1.50	0.6-2	0.08-0.14	0.0-2.9	0.0-0.5	.28	.32			
	34-44	---	---	---	---	0.01-0.2	---	---	---	---	---			

Table 20.—Physical Properties of the Soils—Continued

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
										Kw	Kf	T		
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
955D: Berks-----	0-4	3-50	30-75	5-23	1.20-1.50	0.6-6	0.08-0.12	0.0-2.9	1.0-3.0	.28	.32	3	6	48
	4-20	8-50	40-60	5-32	1.20-1.60	0.6-6	0.04-0.10	0.0-2.9	0.0-0.5	.17	.24			
	20-28	35-75	10-60	5-20	1.20-1.60	2-6	0.04-0.10	0.0-2.9	0.0-0.5	.17	.24			
	28-39	---	---	---	---	0.2-20	---	---	---	---	---			
955D2: Muskingum-----	0-2	0-40	50-80	10-25	1.20-1.40	0.6-6	0.12-0.18	0.0-2.9	1.0-3.0	.28	.32	3	6	48
	2-17	0-38	50-80	12-25	1.20-1.40	0.6-6	0.12-0.18	0.0-2.9	0.0-0.5	.24	.28			
	17-31	0-50	30-80	12-27	1.20-1.50	0.6-2	0.08-0.14	0.0-2.9	0.0-0.5	.24	.28			
	31-41	---	---	---	---	0.01-0.2	---	---	---	---	---			
Berks-----	0-1	3-50	30-75	5-23	1.20-1.50	0.6-6	0.08-0.12	0.0-2.9	1.0-3.0	.28	.32	3	6	48
	1-17	8-50	40-60	5-32	1.20-1.60	0.6-6	0.04-0.10	0.0-2.9	0.0-0.5	.17	.24			
	17-25	35-75	10-60	5-20	1.20-1.60	2-6	0.04-0.10	0.0-2.9	0.0-0.5	.17	.24			
	25-39	---	---	---	---	0.2-20	---	---	---	---	---			
955F: Muskingum-----	0-3	0-40	50-80	10-25	1.20-1.40	0.6-6	0.12-0.18	0.0-2.9	1.0-3.0	.24	.37	3	6	48
	3-20	0-38	50-80	12-25	1.20-1.40	0.6-6	0.12-0.18	0.0-2.9	0.0-0.5	.24	.37			
	20-34	0-50	30-80	12-27	1.20-1.50	0.6-2	0.08-0.14	0.0-2.9	0.0-0.5	.28	.32			
	34-44	---	---	---	---	0.01-0.2	---	---	---	---	---			
Berks-----	0-4	3-50	30-75	5-23	1.20-1.50	0.6-6	0.08-0.12	0.0-2.9	1.0-3.0	.28	.32	3	6	48
	4-20	8-50	40-60	5-32	1.20-1.60	0.6-6	0.04-0.10	0.0-2.9	0.0-0.5	.17	.24			
	20-28	35-75	10-60	5-20	1.20-1.60	2-6	0.04-0.10	0.0-2.9	0.0-0.5	.17	.24			
	28-39	---	---	---	---	0.2-20	---	---	---	---	---			
955G: Muskingum-----	0-3	0-40	50-80	10-25	1.20-1.40	0.6-6	0.12-0.18	0.0-2.9	1.0-3.0	.24	.37	3	6	48
	3-20	0-38	50-80	12-25	1.20-1.40	0.6-6	0.12-0.18	0.0-2.9	0.0-0.5	.24	.37			
	20-34	0-50	30-80	12-27	1.20-1.50	0.6-2	0.08-0.14	0.0-2.9	0.0-0.5	.28	.32			
	34-44	---	---	---	---	0.01-0.2	---	---	---	---	---			
Berks-----	0-4	3-50	30-75	5-23	1.20-1.50	0.6-6	0.08-0.12	0.0-2.9	1.0-3.0	.28	.32	3	6	48
	4-20	8-50	40-60	5-32	1.20-1.60	0.6-6	0.04-0.10	0.0-2.9	0.0-0.5	.17	.24			
	20-28	35-75	10-60	5-20	1.20-1.60	2-6	0.04-0.10	0.0-2.9	0.0-0.5	.17	.24			
	28-39	---	---	---	---	0.2-20	---	---	---	---	---			
956B: Brandon-----	0-7	0-5	68-85	12-27	1.20-1.40	0.6-2	0.18-0.23	0.0-2.9	1.0-2.0	.37	.37	3	5	56
	7-24	1-7	65-80	18-35	1.20-1.45	0.6-2	0.18-0.23	0.0-2.9	0.5-1.0	.28	.28			
	24-80	5-75	5-70	5-40	1.20-1.45	2-20	0.05-0.12	0.0-2.9	0.0-0.5	.20	.28			
Saffell-----	0-2	1-85	5-80	8-25	1.30-1.60	0.6-2	0.18-0.22	0.0-2.9	1.0-2.0	.24	.24	4	7	38
	2-10	1-85	5-75	10-35	1.35-1.60	0.06-2	0.06-0.15	0.0-2.9	0.5-1.0	.28	.28			
	10-50	5-83	5-75	12-40	1.35-1.60	0.6-2	0.06-0.12	0.0-2.9	0.0-0.5	.28	.32			
	50-80	1-75	1-50	10-90	1.30-1.65	0.6-6	0.04-0.11	0.0-2.9	0.0-0.5	.17	.20			

Table 20.—Physical Properties of the Soils—Continued

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind	Wind
										Kw	Kf	T	erodi- bility group	erodi- bility index
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
956C2:														
Brandon-----	0-4	0-5	68-85	12-27	1.20-1.40	0.6-2	0.18-0.23	0.0-2.9	1.0-2.0	.37	.37	3	5	56
	4-21	1-7	65-80	18-35	1.20-1.45	0.6-2	0.18-0.23	0.0-2.9	0.5-1.0	.28	.28			
	21-80	5-75	5-70	5-40	1.20-1.45	2-20	0.05-0.12	0.0-2.9	0.0-0.5	.20	.28			
Saffell-----	0-1	1-85	5-80	8-25	1.30-1.60	0.6-2	0.18-0.22	0.0-2.9	1.0-2.0	.24	.24	4	7	38
	1-3	1-85	5-75	10-35	1.35-1.60	0.06-2	0.06-0.15	0.0-2.9	0.5-1.0	.28	.28			
	3-47	5-83	5-75	12-40	1.35-1.60	0.6-2	0.06-0.12	0.0-2.9	0.0-0.5	.28	.32			
	47-80	1-75	1-50	10-90	1.30-1.65	0.6-6	0.04-0.11	0.0-2.9	0.0-0.5	.17	.20			
956C3:														
Brandon-----	0-2	0-5	68-85	12-27	1.20-1.40	0.6-2	0.18-0.23	0.0-2.9	0.5-1.0	.37	.37	2	5	56
	2-19	1-7	65-80	18-35	1.20-1.45	0.6-2	0.18-0.23	0.0-2.9	0.5-1.0	.28	.28			
	19-80	5-75	5-70	5-40	1.20-1.45	2-20	0.05-0.12	0.0-2.9	0.0-0.5	.20	.28			
Saffell-----	0-1	1-85	5-80	8-25	1.30-1.60	0.6-2	0.18-0.22	0.0-2.9	0.5-1.0	.24	.24	3	7	38
	1-45	5-83	5-75	12-40	1.35-1.60	0.6-2	0.06-0.12	0.0-2.9	0.0-0.5	.28	.32			
	45-80	1-75	1-50	10-90	1.30-1.65	0.6-6	0.04-0.11	0.0-2.9	0.0-0.5	.17	.20			
956D:														
Brandon-----	0-7	0-5	68-85	12-27	1.20-1.40	0.6-2	0.18-0.23	0.0-2.9	1.0-2.0	.37	.37	3	5	56
	7-24	1-7	65-80	18-35	1.20-1.45	0.6-2	0.18-0.23	0.0-2.9	0.5-1.0	.28	.28			
	24-80	5-75	5-70	5-40	1.20-1.45	2-20	0.05-0.12	0.0-2.9	0.0-0.5	.20	.28			
Saffell-----	0-2	1-85	5-80	8-25	1.30-1.60	0.6-2	0.18-0.22	0.0-2.9	1.0-2.0	.24	.24	4	7	38
	2-10	1-85	5-75	10-35	1.35-1.60	0.06-2	0.06-0.15	0.0-2.9	0.5-1.0	.28	.28			
	10-50	5-83	5-75	12-40	1.35-1.60	0.6-2	0.06-0.12	0.0-2.9	0.0-0.5	.28	.32			
	50-80	1-75	1-50	10-90	1.30-1.65	0.6-6	0.04-0.11	0.0-2.9	0.0-0.5	.17	.20			
956D2:														
Brandon-----	0-4	0-5	68-85	12-27	1.20-1.40	0.6-2	0.18-0.23	0.0-2.9	1.0-2.0	.37	.37	3	5	56
	4-21	1-7	65-80	18-35	1.20-1.45	0.6-2	0.18-0.23	0.0-2.9	0.5-1.0	.28	.28			
	21-80	5-75	5-70	5-40	1.20-1.45	2-20	0.05-0.12	0.0-2.9	0.0-0.5	.20	.28			
Saffell-----	0-1	1-85	5-80	8-25	1.30-1.60	0.6-2	0.18-0.22	0.0-2.9	1.0-2.0	.24	.24	4	7	38
	1-3	1-85	5-75	10-35	1.35-1.60	0.06-2	0.06-0.15	0.0-2.9	0.5-1.0	.28	.28			
	3-47	5-83	5-75	12-40	1.35-1.60	0.6-2	0.06-0.12	0.0-2.9	0.0-0.5	.28	.32			
	47-80	1-75	1-50	10-90	1.30-1.65	0.6-6	0.04-0.11	0.0-2.9	0.0-0.5	.17	.20			
956D3:														
Brandon-----	0-2	0-5	68-85	12-27	1.20-1.40	0.6-2	0.18-0.23	0.0-2.9	0.5-1.0	.37	.37	2	5	56
	2-19	1-7	65-80	18-35	1.20-1.45	0.6-2	0.18-0.23	0.0-2.9	0.5-1.0	.28	.28			
	19-80	5-75	5-70	5-40	1.20-1.45	2-20	0.05-0.12	0.0-2.9	0.0-0.5	.20	.28			
Saffell-----	0-1	1-85	5-80	8-25	1.30-1.60	0.6-2	0.18-0.22	0.0-2.9	0.5-1.0	.24	.24	3	7	38
	1-45	5-83	5-75	12-40	1.35-1.60	0.6-2	0.06-0.12	0.0-2.9	0.0-0.5	.28	.32			
	45-80	1-75	1-50	10-90	1.30-1.65	0.6-6	0.04-0.11	0.0-2.9	0.0-0.5	.17	.20			

Table 20.—Physical Properties of the Soils—Continued

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
										Kw	Kf	T		
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
956E2:														
Brandon-----	0-4	0-5	68-85	12-27	1.20-1.40	0.6-2	0.18-0.23	0.0-2.9	1.0-2.0	.37	.37	3	5	56
	4-21	1-7	65-80	18-35	1.20-1.45	0.6-2	0.18-0.23	0.0-2.9	0.5-1.0	.28	.28			
	21-80	5-75	5-70	5-40	1.20-1.45	2-20	0.05-0.12	0.0-2.9	0.0-0.5	.20	.28			
Saffell-----	0-1	1-85	5-80	8-25	1.30-1.60	0.6-2	0.18-0.22	0.0-2.9	1.0-2.0	.24	.24	4	7	38
	1-3	1-85	5-75	10-35	1.35-1.60	0.06-2	0.06-0.15	0.0-2.9	0.5-1.0	.28	.28			
	3-47	5-83	5-75	12-40	1.35-1.60	0.6-2	0.06-0.12	0.0-2.9	0.0-0.5	.28	.32			
	47-80	1-75	1-50	10-90	1.30-1.65	0.6-6	0.04-0.11	0.0-2.9	0.0-0.5	.17	.20			
956F:														
Brandon-----	0-7	0-5	68-85	12-27	1.20-1.40	0.6-2	0.18-0.23	0.0-2.9	1.0-2.0	.37	.37	3	5	56
	7-24	1-7	65-80	18-35	1.20-1.45	0.6-2	0.18-0.23	0.0-2.9	0.5-1.0	.28	.28			
	24-80	5-75	5-70	5-40	1.20-1.45	2-20	0.05-0.12	0.0-2.9	0.0-0.5	.20	.28			
Saffell-----	0-2	1-85	5-80	8-25	1.30-1.60	0.6-2	0.18-0.22	0.0-2.9	1.0-2.0	.24	.24	4	7	38
	2-10	1-85	5-75	10-35	1.35-1.60	0.06-2	0.06-0.15	0.0-2.9	0.5-1.0	.28	.28			
	10-50	5-83	5-75	12-40	1.35-1.60	0.6-2	0.06-0.12	0.0-2.9	0.0-0.5	.28	.32			
	50-80	1-75	1-50	10-90	1.30-1.65	0.6-6	0.04-0.11	0.0-2.9	0.0-0.5	.17	.20			
986D:														
Wellston-----	0-8	3-25	50-84	13-27	1.30-1.50	0.6-2	0.18-0.22	0.0-2.9	1.0-3.0	.43	.43	4	5	56
	8-31	3-25	45-79	18-35	1.30-1.65	0.6-2	0.17-0.20	0.0-2.9	0.5-1.0	.43	.43			
	31-43	3-40	30-70	15-30	1.30-1.60	0.6-2	0.10-0.14	0.0-2.9	0.0-0.5	.32	.37			
	43-60	25-55	30-60	15-30	1.30-1.60	0.6-2	0.06-0.12	0.0-2.9	0.0-0.1	.20	.24			
	60-70	---	---	---	---	0.2-2	---	---	---	---	---			
Berks-----	0-4	3-50	30-75	5-23	1.20-1.50	0.6-6	0.08-0.12	0.0-2.9	1.0-3.0	.28	.32	3	6	48
	4-20	8-50	40-60	5-32	1.20-1.60	0.6-6	0.04-0.10	0.0-2.9	0.0-0.5	.17	.24			
	20-28	35-75	10-60	5-20	1.20-1.60	2-6	0.04-0.10	0.0-2.9	0.0-0.5	.17	.24			
	28-39	---	---	---	---	0.2-20	---	---	---	---	---			
986D2:														
Wellston-----	0-5	3-25	50-84	13-27	1.30-1.50	0.6-2	0.18-0.22	0.0-2.9	1.0-3.0	.43	.43	4	5	56
	5-28	3-25	45-79	18-35	1.30-1.65	0.6-2	0.17-0.20	0.0-2.9	0.5-1.0	.43	.43			
	28-40	3-40	30-70	15-30	1.30-1.60	0.6-2	0.10-0.14	0.0-2.9	0.0-0.5	.32	.37			
	40-57	25-55	30-60	15-30	1.30-1.60	0.6-2	0.06-0.12	0.0-2.9	0.0-0.1	.20	.24			
	57-67	---	---	---	---	0.01-2	---	---	---	---	---			
Berks-----	0-1	3-50	30-75	5-23	1.20-1.50	0.6-6	0.08-0.12	0.0-2.9	1.0-3.0	.28	.32	3	6	48
	1-17	8-50	40-60	5-32	1.20-1.60	0.6-6	0.04-0.10	0.0-2.9	0.0-0.5	.17	.24			
	17-25	35-75	10-60	5-20	1.20-1.60	2-6	0.04-0.10	0.0-2.9	0.0-0.5	.17	.24			
	25-39	---	---	---	---	0.2-20	---	---	---	---	---			

Table 20.—Physical Properties of the Soils—Continued

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
										Kw	Kf	T		
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
986F:														
Wellston-----	0-8	3-25	50-84	13-27	1.30-1.50	0.6-2	0.18-0.22	0.0-2.9	1.0-3.0	.43	.43	4	5	56
	8-31	3-25	45-79	18-35	1.30-1.65	0.6-2	0.17-0.20	0.0-2.9	0.5-1.0	.43	.43			
	31-43	3-40	30-70	15-30	1.30-1.60	0.6-2	0.10-0.14	0.0-2.9	0.0-0.5	.32	.37			
	43-60	25-55	30-60	15-30	1.30-1.60	0.6-2	0.06-0.12	0.0-2.9	0.0-0.1	.20	.24			
	60-70	---	---	---	---	0.2-2	---	---	---	---	---			
Berks-----	0-4	3-50	30-75	5-23	1.20-1.50	0.6-6	0.08-0.12	0.0-2.9	1.0-3.0	.28	.32	3	6	48
	4-20	8-50	40-60	5-32	1.20-1.60	0.6-6	0.04-0.10	0.0-2.9	0.0-0.5	.17	.24			
	20-28	35-75	10-60	5-20	1.20-1.60	2-6	0.04-0.10	0.0-2.9	0.0-0.5	.17	.24			
	28-39	---	---	---	---	0.2-20	---	---	---	---	---			
986G:														
Wellston-----	0-8	3-25	50-84	13-27	1.30-1.50	0.6-2	0.18-0.22	0.0-2.9	1.0-3.0	.43	.43	4	5	56
	8-31	3-25	45-79	18-35	1.30-1.65	0.6-2	0.17-0.20	0.0-2.9	0.5-1.0	.43	.43			
	31-43	3-40	30-70	15-30	1.30-1.60	0.6-2	0.10-0.14	0.0-2.9	0.0-0.5	.32	.37			
	43-60	25-55	30-60	15-30	1.30-1.60	0.6-2	0.06-0.12	0.0-2.9	0.0-0.1	.20	.24			
	60-70	---	---	---	---	0.2-2	---	---	---	---	---			
Berks-----	0-4	3-50	30-75	5-23	1.20-1.50	0.6-6	0.08-0.12	0.0-2.9	1.0-3.0	.28	.32	3	6	48
	4-20	8-50	40-60	5-32	1.20-1.60	0.6-6	0.04-0.10	0.0-2.9	0.0-0.5	.17	.24			
	20-28	35-75	10-60	5-20	1.20-1.60	2-6	0.04-0.10	0.0-2.9	0.0-0.5	.17	.24			
	28-39	---	---	---	---	0.2-20	0.00-0.00	---	---	---	---			
1843A:														
Bonnie-----	0-10	1-32	50-80	18-27	1.30-1.50	0.6-2	0.22-0.25	0.0-2.9	1.0-3.0	.43	.43	5	8	0
	10-27	1-32	50-80	18-27	1.40-1.60	0.2-0.6	0.21-0.24	0.0-2.9	0.0-1.0	.49	.49			
	27-80	3-42	40-79	18-30	1.40-1.60	0.2-0.6	0.14-0.24	0.0-2.9	0.0-1.0	.49	.49			
Petrolia-----	0-8	0-19	46-70	27-35	1.20-1.40	0.2-0.6	0.21-0.23	3.0-5.9	2.0-3.0	.32	.32	5	8	0
	8-55	0-19	46-70	27-35	1.35-1.45	0.2-0.6	0.18-0.20	3.0-5.9	0.2-1.0	.32	.32			
	55-80	0-40	40-80	15-35	1.40-1.60	0.2-0.6	0.18-0.20	3.0-5.9	0.2-1.0	.32	.32			
1846A:														
Karnak-----	0-5	0-5	30-60	40-65	1.20-1.40	0.06-0.2	0.11-0.14	6.0-8.9	2.0-3.0	.24	.24	5	8	0
	5-50	0-5	30-60	40-65	1.30-1.50	0.01-0.2	0.09-0.13	6.0-8.9	0.0-0.5	.28	.28			
	50-80	0-5	40-60	35-60	1.35-1.55	0.06-0.2	0.10-0.18	6.0-8.9	0.0-0.5	.28	.28			
Cape-----	0-10	0-10	40-70	30-60	1.30-1.60	0.06-0.2	0.15-0.19	3.0-5.9	1.0-3.0	.32	.32	5	8	0
	10-22	0-10	35-60	35-60	1.30-1.60	0.06-0.2	0.15-0.19	3.0-5.9	0.5-2.0	.32	.32			
	22-80	0-15	35-60	35-65	1.30-1.60	0.01-0.06	0.10-0.13	6.0-8.9	0.1-1.0	.28	.28			
3070A:														
Beaucoup-----	0-16	1-10	55-72	27-35	1.15-1.35	0.6-2	0.15-0.20	3.0-5.9	5.0-6.0	.28	.28	5	6	48
	16-46	1-10	55-72	27-35	1.30-1.50	0.6-2	0.18-0.20	3.0-5.9	0.0-2.0	.32	.32			
	46-80	5-75	15-80	10-30	1.40-1.65	0.6-2	0.18-0.22	3.0-5.9	0.0-1.0	.32	.32			

Table 20.—Physical Properties of the Soils—Continued

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind	Wind
										Kw	Kf	T	erodi- bility group	erodi- bility index
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
3071A: Darwin-----	0-14	0-10	45-55	40-45	1.20-1.40	0.01-0.06	0.11-0.14	9.0-25.0	4.0-5.0	.24	.24	5	4	86
	14-56	0-10	35-55	45-60	1.30-1.50	0.01-0.06	0.11-0.14	9.0-25.0	0.0-2.0	.24	.24			
	56-80	0-10	35-70	30-55	1.40-1.60	0.06-0.2	0.10-0.20	6.0-8.9	0.0-0.5	.24	.24			
3071L: Darwin-----	0-14	0-10	45-55	40-45	1.20-1.40	0.01-0.06	0.11-0.14	9.0-25.0	4.0-5.0	.24	.24	5	4	86
	14-56	0-10	35-55	45-60	1.30-1.50	0.01-0.06	0.11-0.14	9.0-25.0	0.0-2.0	.24	.24			
	56-80	0-10	35-70	30-55	1.40-1.60	0.06-0.2	0.10-0.20	6.0-8.9	0.0-0.5	.24	.24			
3072A: Sharon-----	0-13	1-50	30-79	10-20	1.30-1.50	0.6-2	0.22-0.24	0.0-2.9	0.5-3.0	.43	.43	5	5	56
	13-40	1-50	30-79	5-20	1.35-1.65	0.6-2	0.11-0.22	0.0-2.9	0.2-0.5	.49	.49			
	40-80	1-50	30-79	5-20	1.35-1.65	0.6-2	0.11-0.22	0.0-2.9	0.2-0.5	.49	.49			
3072L: Sharon-----	0-13	1-50	30-79	10-20	1.30-1.50	0.6-2	0.22-0.24	0.0-2.9	0.5-3.0	.43	.43	5	5	56
	13-40	1-50	30-79	5-20	1.35-1.65	0.6-2	0.11-0.22	0.0-2.9	0.2-0.5	.49	.49			
	40-80	1-50	30-79	5-20	1.35-1.65	0.6-2	0.11-0.22	0.0-2.9	0.2-0.5	.49	.49			
3108A: Bonnie-----	0-10	1-32	50-80	18-27	1.30-1.50	0.6-2	0.22-0.25	0.0-2.9	1.0-3.0	.43	.43	5	6	48
	10-27	1-32	50-80	18-27	1.40-1.60	0.2-0.6	0.21-0.24	0.0-2.9	0.0-1.0	.49	.49			
	27-80	3-42	40-79	18-30	1.40-1.60	0.2-0.6	0.14-0.24	0.0-2.9	0.0-1.0	.49	.49			
3108L: Bonnie-----	0-10	1-32	50-80	18-27	1.30-1.50	0.6-2	0.22-0.25	0.0-2.9	1.0-3.0	.43	.43	5	6	48
	10-27	1-32	50-80	18-27	1.40-1.60	0.2-0.6	0.21-0.24	0.0-2.9	0.0-1.0	.49	.49			
	27-80	3-42	40-79	18-30	1.40-1.60	0.2-0.6	0.14-0.24	0.0-2.9	0.0-1.0	.49	.49			
3180A: Dupo-----	0-9	0-10	75-90	10-18	1.25-1.45	0.6-2	0.22-0.24	0.0-2.9	1.0-2.0	.43	.43	5	5	56
	9-25	0-10	75-90	10-18	1.30-1.50	0.6-2	0.20-0.22	0.0-2.9	0.0-0.5	.49	.49			
	25-80	0-7	33-60	30-60	1.35-1.60	0.06-0.2	0.08-0.19	6.0-8.9	1.0-2.0	.32	.32			
3288A: Petrolia-----	0-8	0-19	46-70	27-35	1.20-1.40	0.2-0.6	0.21-0.23	3.0-5.9	2.0-3.0	.32	.32	5	6	48
	8-55	0-19	46-70	27-35	1.35-1.45	0.2-0.6	0.18-0.20	3.0-5.9	0.2-1.0	.32	.32			
	55-80	0-40	40-80	15-35	1.40-1.60	0.2-0.6	0.18-0.20	3.0-5.9	0.2-1.0	.32	.32			
3288L: Petrolia-----	0-8	0-19	46-70	27-35	1.20-1.40	0.2-0.6	0.21-0.23	3.0-5.9	2.0-3.0	.32	.32	5	6	48
	8-55	0-19	46-70	27-35	1.35-1.45	0.2-0.6	0.18-0.20	3.0-5.9	0.2-1.0	.32	.32			
	55-80	0-40	40-80	15-35	1.40-1.60	0.2-0.6	0.18-0.20	3.0-5.9	0.2-1.0	.32	.32			

Table 20.—Physical Properties of the Soils—Continued

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind	Wind
										Kw	Kf	T	erodi- bility group	erodi- bility index
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
3382A:														
Belknap-----	0-7	1-27	65-85	8-18	1.30-1.55	0.2-2	0.21-0.25	0.0-2.9	1.0-3.0	.43	.43	5	5	56
	7-59	1-27	65-85	8-25	1.40-1.60	0.2-2	0.21-0.24	0.0-2.9	0.0-2.0	.49	.49			
	59-80	5-27	65-85	8-30	1.35-1.65	0.2-2	0.14-0.24	0.0-2.9	0.0-1.0	.49	.49			
3382L:														
Belknap-----	0-7	1-27	65-85	8-18	1.35-1.55	0.2-2	0.21-0.25	0.0-2.9	1.0-3.0	.43	.43	5	5	56
	7-27	1-27	65-85	8-25	1.40-1.60	0.2-2	0.21-0.24	0.0-2.9	0.0-2.0	.49	.49			
	27-80	5-27	65-85	8-30	1.35-1.65	0.2-2	0.14-0.24	0.0-2.9	0.0-1.0	.49	.49			
3422A:														
Cape-----	0-10	0-10	40-70	30-60	1.30-1.60	0.06-0.2	0.15-0.19	3.0-5.9	1.0-3.0	.32	.32	5	6	48
	10-22	0-10	35-60	35-60	1.30-1.60	0.06-0.2	0.15-0.19	3.0-5.9	0.5-2.0	.32	.32			
	22-80	0-15	35-60	35-65	1.30-1.60	0.01-0.06	0.10-0.13	6.0-8.9	0.1-1.0	.28	.28			
3422A+:														
Cape-----	0-16	0-38	50-80	12-27	1.30-1.50	0.6-2	0.22-0.25	0.0-2.9	1.0-3.0	.43	.43	5	5	56
	16-22	0-10	35-60	35-60	1.30-1.60	0.06-0.2	0.15-0.19	3.0-5.9	0.5-2.0	.32	.32			
	22-80	0-15	35-60	35-65	1.30-1.60	0.01-0.06	0.10-0.13	6.0-8.9	0.1-1.0	.28	.28			
3426A:														
Karnak-----	0-5	0-5	30-60	40-65	1.20-1.40	0.06-0.2	0.11-0.14	6.0-8.9	2.0-3.0	.24	.24	5	4	86
	5-50	0-5	30-60	40-65	1.30-1.50	0.01-0.2	0.09-0.13	6.0-8.9	0.0-0.5	.28	.28			
	50-80	0-5	40-60	35-60	1.35-1.55	0.06-0.2	0.10-0.18	6.0-8.9	0.0-0.5	.28	.28			
3426A+:														
Karnak-----	0-13	0-30	50-80	20-27	1.20-1.40	0.2-0.6	0.22-0.24	0.0-2.9	1.0-3.0	.43	.43	5	6	48
	13-18	0-5	30-60	40-65	1.20-1.40	0.06-0.2	0.11-0.14	6.0-8.9	2.0-3.0	.24	.24			
	18-63	0-5	30-60	40-65	1.30-1.50	0.01-0.2	0.09-0.13	6.0-8.9	0.0-0.5	.28	.28			
	63-80	0-5	40-60	35-60	1.35-1.55	0.06-0.2	0.10-0.18	6.0-8.9	0.0-0.5	.28	.28			
3426L:														
Karnak-----	0-5	0-5	30-60	38-65	1.20-1.40	0.06-0.2	0.11-0.14	6.0-8.9	2.0-3.0	.24	.24	5	4	86
	5-50	0-5	30-60	40-65	1.30-1.50	0.01-0.2	0.09-0.13	6.0-8.9	0.0-0.5	.28	.28			
	50-80	0-5	40-60	35-60	1.35-1.55	0.06-0.2	0.10-0.18	6.0-8.9	0.0-0.5	.28	.28			
3449L:														
Armiesburg-----	0-15	0-30	40-80	20-35	1.30-1.45	0.6-2	0.21-0.23	3.0-5.9	2.0-4.0	.28	.28	5	6	48
	15-67	0-30	40-70	30-35	1.30-1.45	0.6-2	0.18-0.20	3.0-5.9	0.5-1.0	.32	.32			
	67-80	0-30	40-80	20-35	1.30-1.60	0.6-2	0.16-0.20	3.0-5.9	0.2-1.0	.49	.49			
Sarpy-----	0-9	70-95	0-28	2-10	1.20-1.50	6-20	0.05-0.09	0.0-2.9	0.5-1.0	.02	.02	5	1	220
	9-80	70-95	0-28	2-5	1.20-1.50	6-20	0.05-0.09	0.0-2.9	0.0-0.5	.02	.02			

Table 20.—Physical Properties of the Soils—Continued

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind	Wind
										Kw	Kf	T	erodi- bility group	erodi- bility index
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
3597A: Armiesburg-----	0-15	0-30	40-80	20-35	1.30-1.45	0.6-2	0.21-0.23	3.0-5.9	2.0-4.0	.28	.28	5	6	48
	15-67	0-30	40-70	30-35	1.30-1.45	0.6-2	0.18-0.20	3.0-5.9	0.5-1.0	.32	.32			
	67-80	0-30	40-80	20-35	1.30-1.60	0.6-2	0.16-0.20	3.0-5.9	0.2-1.0	.32	.32			
3597L: Armiesburg-----	0-15	0-30	40-80	20-35	1.30-1.45	0.6-2	0.21-0.23	3.0-5.9	2.0-4.0	.28	.28	5	6	48
	15-67	0-30	40-70	30-35	1.30-1.45	0.6-2	0.18-0.20	3.0-5.9	0.5-1.0	.32	.32			
	67-80	0-30	40-80	20-35	1.30-1.60	0.6-2	0.16-0.20	3.0-5.9	0.2-1.0	.32	.32			
7131A: Alvin-----	0-10	45-80	3-45	8-19	1.50-1.70	2-6	0.14-0.17	0.0-2.9	0.5-1.0	.24	.24	5	3	86
	10-16	45-85	3-45	8-19	1.50-1.70	2-6	0.10-0.17	0.0-2.9	0.0-0.5	.24	.24			
	16-42	36-80	10-40	10-25	1.50-1.70	2-6	0.14-0.18	0.0-2.9	0.0-0.5	.24	.24			
	42-80	50-97	0-45	3-10	1.50-1.70	2-6	0.04-0.08	0.0-2.9	0.0-0.3	.24	.24			
7131B: Alvin-----	0-10	45-80	3-45	8-19	1.50-1.70	2-6	0.14-0.17	0.0-2.9	0.5-1.0	.24	.24	5	3	86
	10-16	45-85	3-45	8-19	1.50-1.70	2-6	0.10-0.17	0.0-2.9	0.0-0.5	.24	.24			
	16-42	36-80	10-40	10-25	1.50-1.70	2-6	0.14-0.18	0.0-2.9	0.0-0.5	.24	.24			
	42-80	50-97	0-45	3-10	1.50-1.70	2-6	0.04-0.08	0.0-2.9	0.0-0.3	.24	.24			
7131C2: Alvin-----	0-7	45-80	3-45	8-19	1.50-1.70	2-6	0.14-0.17	0.0-2.9	0.5-1.0	.24	.24	5	3	86
	7-13	45-85	3-45	8-19	1.50-1.70	2-6	0.10-0.17	0.0-2.9	0.0-0.5	.24	.24			
	13-39	35-80	10-40	10-25	1.50-1.70	2-6	0.14-0.18	0.0-2.9	0.0-0.5	.24	.24			
	39-80	50-97	0-45	3-10	1.50-1.70	2-6	0.04-0.08	0.0-2.9	0.0-0.3	.24	.24			
7131D2: Alvin-----	0-7	45-80	3-45	8-19	1.50-1.70	2-6	0.14-0.17	0.0-2.9	0.5-1.0	.24	.24	5	3	86
	7-13	45-85	3-45	8-19	1.50-1.70	2-6	0.10-0.17	0.0-2.9	0.0-0.5	.24	.24			
	13-39	35-80	10-40	10-25	1.50-1.70	2-6	0.14-0.18	0.0-2.9	0.0-0.5	.24	.24			
	39-80	50-97	0-45	3-10	1.50-1.70	2-6	0.04-0.08	0.0-2.9	0.0-0.3	.24	.24			
7460A: Ginat-----	0-19	5-15	65-80	12-20	1.30-1.45	0.6-2	0.20-0.24	0.0-2.9	1.0-3.0	.43	.43	4	5	56
	19-34	5-15	51-73	22-34	1.40-1.60	0.6-2	0.20-0.22	0.0-2.9	0.0-0.5	.32	.32			
	34-49	5-25	40-74	21-42	1.60-1.80	0.01-0.06	0.06-0.08	0.0-2.9	0.0-0.5	.32	.32			
	49-80	5-25	40-74	21-42	1.40-1.60	0.2-0.6	0.06-0.08	3.0-5.9	0.0-0.5	.32	.32			
7462A: Sciotoville-----	0-8	5-35	50-70	15-27	1.30-1.45	0.6-2	0.18-0.22	0.0-2.9	1.0-3.0	.37	.37	4	5	56
	8-24	5-45	30-70	20-35	1.40-1.60	0.6-2	0.17-0.21	0.0-2.9	0.0-0.5	.37	.37			
	24-52	5-45	30-70	20-35	1.60-1.80	0.06-0.6	0.10-0.14	0.0-2.9	0.0-0.5	.32	.32			
	52-80	5-70	15-60	15-35	1.50-1.65	2-6	0.10-0.14	0.0-2.9	0.0-0.5	.37	.49			

Table 20.—Physical Properties of the Soils—Continued

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
										Kw	Kf	T		
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
7462B: Sciotoville-----	0-8	5-35	50-70	15-27	1.30-1.45	0.6-2	0.18-0.22	0.0-2.9	1.0-3.0	.37	.37	4	5	56
	8-24	5-45	30-70	20-35	1.40-1.60	0.6-2	0.17-0.21	0.0-2.9	0.0-0.5	.37	.37			
	24-52	5-45	30-70	20-35	1.60-1.80	0.06-0.6	0.10-0.14	0.0-2.9	0.0-0.5	.32	.32			
	52-80	5-70	15-60	15-35	1.50-1.65	2-6	0.10-0.14	0.0-2.9	0.0-0.5	.37	.49			
7462C2: Sciotoville-----	0-5	5-35	50-70	15-27	1.30-1.45	0.6-2	0.18-0.22	0.0-2.9	1.0-3.0	.37	.37	4	5	56
	5-21	5-45	30-70	20-35	1.40-1.60	0.6-2	0.17-0.21	0.0-2.9	0.0-0.5	.37	.37			
	21-49	5-45	30-70	20-35	1.60-1.80	0.06-0.6	0.10-0.14	0.0-2.9	0.0-0.5	.32	.32			
	49-80	5-70	15-60	15-35	1.50-1.65	2-6	0.10-0.14	0.0-2.9	0.0-0.5	.37	.49			
7462C3: Sciotoville-----	0-3	5-35	50-70	15-27	1.30-1.45	0.6-2	0.18-0.22	0.0-2.9	0.5-1.0	.37	.37	3	5	56
	3-19	5-45	30-70	20-35	1.40-1.60	0.6-2	0.17-0.21	0.0-2.9	0.0-0.5	.37	.37			
	19-47	5-45	30-70	20-35	1.60-1.80	0.06-0.6	0.10-0.14	0.0-2.9	0.0-0.5	.32	.32			
	47-80	5-70	15-60	15-35	1.50-1.65	2-6	0.10-0.14	0.0-2.9	0.0-0.5	.37	.49			
7462D2: Sciotoville-----	0-5	5-35	50-70	15-27	1.30-1.45	0.6-2	0.18-0.22	0.0-2.9	1.0-3.0	.37	.37	4	5	56
	5-21	5-45	30-70	20-35	1.40-1.60	0.6-2	0.17-0.21	0.0-2.9	0.0-0.5	.37	.37			
	21-49	5-45	30-70	20-35	1.60-1.80	0.06-0.6	0.10-0.14	0.0-2.9	0.0-0.5	.32	.32			
	49-80	5-70	15-60	15-35	1.50-1.65	2-6	0.10-0.14	0.0-2.9	0.0-0.5	.37	.49			
7462D3: Sciotoville-----	0-3	5-35	50-70	15-27	1.30-1.45	0.6-2	0.18-0.22	0.0-2.9	0.5-1.0	.37	.37	3	5	56
	3-19	5-45	30-70	20-35	1.40-1.60	0.6-2	0.17-0.21	0.0-2.9	0.0-0.5	.37	.37			
	19-47	5-45	30-70	20-35	1.60-1.80	0.06-0.6	0.10-0.14	0.0-2.9	0.0-0.5	.32	.32			
	47-80	5-70	15-60	15-35	1.50-1.65	2-6	0.10-0.14	0.0-2.9	0.0-0.5	.37	.49			
7463A: Wheeling-----	0-10	5-59	28-80	12-27	1.20-1.40	0.6-6	0.12-0.18	0.0-2.9	1.0-3.0	.32	.32	4	6	48
	10-49	5-59	28-80	12-35	1.30-1.50	0.6-2	0.08-0.16	0.0-2.9	0.0-0.5	.20	.24			
	49-80	70-98	1-15	1-15	1.30-1.50	6-20	0.04-0.08	0.0-2.9	0.0-0.5	.20	.24			
7463B: Wheeling-----	0-10	5-59	28-80	12-27	1.20-1.40	0.6-6	0.12-0.18	0.0-2.9	1.0-3.0	.32	.32	4	6	48
	10-49	5-59	28-80	12-35	1.30-1.50	0.6-2	0.08-0.16	0.0-2.9	0.0-0.5	.20	.24			
	49-80	70-98	1-15	1-15	1.30-1.50	6-20	0.04-0.08	0.0-2.9	0.0-0.5	.20	.24			
7463C2: Wheeling-----	0-7	5-59	28-80	12-27	1.20-1.40	0.6-6	0.12-0.18	0.0-2.9	1.0-3.0	.32	.32	4	6	48
	7-46	5-59	28-80	12-35	1.30-1.50	0.6-2	0.08-0.16	0.0-2.9	0.0-0.5	.20	.24			
	46-80	70-98	1-15	1-15	1.30-1.50	6-20	0.04-0.08	0.0-2.9	0.0-0.5	.20	.24			

Table 20.—Physical Properties of the Soils—Continued

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
										Kw	Kf	T		
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
7463D2: Wheeling-----	0-7	5-59	28-80	12-27	1.20-1.40	0.6-6	0.12-0.18	0.0-2.9	1.0-3.0	.32	.32	4	6	48
	7-46	5-59	28-80	12-35	1.30-1.50	0.6-2	0.08-0.16	0.0-2.9	0.0-0.5	.20	.24			
	46-80	70-98	1-15	1-15	1.30-1.50	6-20	0.04-0.08	0.0-2.9	0.0-0.5	.02	.05			
7463E2: Wheeling-----	0-7	5-59	28-80	12-27	1.20-1.40	0.6-6	0.12-0.18	0.0-2.9	1.0-3.0	.32	.32	4	6	48
	7-46	5-59	28-80	12-35	1.30-1.50	0.6-2	0.08-0.16	0.0-2.9	0.0-0.5	.20	.24			
	46-80	70-98	1-15	1-15	1.30-1.50	6-20	0.04-0.08	0.0-2.9	0.0-0.5	.02	.05			
7483A: Henshaw-----	0-11	1-25	50-80	12-27	1.20-1.40	0.6-2	0.18-0.23	0.0-2.9	0.5-2.0	.43	.43	5	5	56
	11-31	1-25	50-80	18-34	1.20-1.40	0.2-0.6	0.15-0.19	0.0-2.9	0.0-0.5	.32	.32			
	31-60	1-35	50-80	15-34	1.20-1.40	0.2-0.6	0.17-0.22	0.0-2.9	0.0-0.5	.49	.49			
7711A: Hatfield-----	0-14	1-35	50-80	15-27	1.30-1.45	0.6-2	0.20-0.24	0.0-2.9	1.0-3.0	.43	.43	4	6	48
	14-36	1-35	45-75	20-30	1.40-1.60	0.6-2	0.20-0.22	0.0-2.9	0.5-2.0	.37	.37			
	36-45	1-50	20-75	22-35	1.60-1.80	0.01-0.06	0.06-0.08	0.0-2.9	0.0-0.5	.37	.37			
	45-80	1-50	20-75	15-35	1.60-1.80	0.01-0.06	0.14-0.18	3.0-5.9	0.0-0.5	.49	.49			
7711B: Hatfield-----	0-14	1-35	50-80	15-27	1.30-1.45	0.6-2	0.20-0.24	0.0-2.9	1.0-3.0	.43	.43	4	6	48
	14-36	1-35	45-75	20-30	1.40-1.60	0.6-2	0.20-0.22	0.0-2.9	0.5-2.0	.37	.37			
	36-45	1-50	20-75	22-35	1.60-1.80	0.01-0.06	0.06-0.08	0.0-2.9	0.0-0.5	.37	.37			
	45-80	1-50	20-75	15-35	1.60-1.80	0.01-0.06	0.14-0.18	3.0-5.9	0.0-0.5	.49	.49			
7711B2: Hatfield-----	0-11	1-35	50-80	15-27	1.30-1.45	0.6-2	0.20-0.24	0.0-2.9	1.0-3.0	.43	.43	4	6	48
	11-33	1-35	45-75	20-30	1.40-1.60	0.6-2	0.20-0.22	0.0-2.9	0.5-2.0	.37	.37			
	33-42	1-50	20-75	22-35	1.60-1.80	0.01-0.06	0.06-0.08	0.0-2.9	0.0-0.5	.37	.37			
	42-80	1-50	20-75	15-35	1.60-1.80	0.01-0.06	0.14-0.18	3.0-5.9	0.0-0.5	.49	.49			
8070A: Beaucoup-----	0-16	1-10	55-72	27-35	1.15-1.35	0.6-2	0.15-0.20	3.0-5.9	5.0-6.0	.28	.28	5	6	48
	16-46	1-10	55-72	27-35	1.30-1.50	0.6-2	0.18-0.20	3.0-5.9	0.0-2.0	.32	.32			
	46-80	5-75	15-80	10-30	1.40-1.65	0.6-2	0.18-0.22	3.0-5.9	0.0-1.0	.32	.32			
8071A: Darwin-----	0-14	0-10	45-55	40-45	1.20-1.40	0.01-0.06	0.11-0.14	9.0-25.0	4.0-5.0	.24	.24	5	4	86
	14-56	0-10	35-55	45-60	1.30-1.50	0.01-0.06	0.11-0.14	9.0-25.0	0.0-2.0	.24	.24			
	56-80	0-10	35-70	30-55	1.40-1.60	0.06-0.2	0.10-0.20	6.0-8.9	0.0-0.5	.24	.24			
8072A: Sharon-----	0-13	1-50	30-79	10-20	1.30-1.50	0.6-2	0.22-0.24	0.0-2.9	0.5-3.0	.43	.43	5	5	56
	13-40	1-50	30-79	5-20	1.35-1.65	0.6-2	0.11-0.22	0.0-2.9	0.2-0.5	.49	.49			
	40-80	1-50	30-79	5-20	1.35-1.65	0.6-2	0.11-0.22	0.0-2.9	0.2-0.5	.49	.49			

Table 20.—Physical Properties of the Soils—Continued

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind	Wind
										Kw	Kf	T	erodi- bility group	erodi- bility index
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
8108A: Bonnie-----	0-10	1-32	50-80	18-27	1.30-1.50	0.6-2	0.22-0.25	0.0-2.9	1.0-3.0	.43	.43	5	6	48
	10-27	1-32	50-80	18-27	1.40-1.60	0.2-0.6	0.21-0.24	0.0-2.9	0.0-1.0	.49	.49			
	27-80	3-42	40-79	18-30	1.40-1.60	0.2-0.6	0.14-0.24	0.0-2.9	0.0-1.0	.49	.49			
8109A: Racoon-----	0-6	1-7	68-80	18-27	1.30-1.50	0.2-0.6	0.22-0.24	0.0-2.9	1.0-2.5	.43	.43	3	6	48
	6-30	1-7	68-80	18-27	1.35-1.55	0.2-0.6	0.20-0.22	0.0-2.9	0.2-0.8	.49	.49			
	30-59	1-7	60-70	27-35	1.35-1.60	0.06-0.2	0.15-0.20	3.0-5.9	0.1-0.5	.37	.37			
	59-80	5-35	45-70	18-30	1.40-1.65	0.2-0.6	0.15-0.20	3.0-5.9	0.0-0.2	.43	.43			
8180A: Dupo-----	0-9	0-10	75-90	10-18	1.25-1.45	0.6-2	0.22-0.24	0.0-2.9	1.0-2.0	.43	.43	5	5	56
	9-25	0-10	75-90	10-18	1.30-1.50	0.6-2	0.20-0.22	0.0-2.9	0.0-0.5	.49	.49			
	25-80	0-7	33-60	30-60	1.35-1.60	0.06-0.2	0.08-0.19	6.0-8.9	1.0-2.0	.32	.32			
8288A: Petrolia-----	0-8	0-19	46-70	27-35	1.20-1.40	0.2-0.6	0.21-0.23	3.0-5.9	2.0-3.0	.32	.32	5	6	48
	8-55	0-19	46-70	27-35	1.35-1.45	0.2-0.6	0.18-0.20	3.0-5.9	0.2-1.0	.32	.32			
	55-80	0-40	40-80	15-35	1.40-1.60	0.2-0.6	0.18-0.20	3.0-5.9	0.2-1.0	.32	.32			
8382A: Belknap-----	0-7	1-27	65-85	8-18	1.30-1.55	0.2-2	0.21-0.25	0.0-2.9	1.0-3.0	.43	.43	5	5	56
	7-59	1-27	65-85	8-25	1.40-1.60	0.2-2	0.21-0.24	0.0-2.9	0.0-2.0	.49	.49			
	59-80	5-27	49-85	8-30	1.35-1.65	0.2-2	0.14-0.24	0.0-2.9	0.0-1.0	.49	.49			
8420A: Piopolis-----	0-7	0-25	45-73	27-35	1.20-1.40	0.06-0.2	0.21-0.23	3.0-5.9	1.0-3.0	.32	.32	5	6	48
	7-37	0-25	45-73	27-35	1.40-1.60	0.06-0.2	0.18-0.20	3.0-5.9	0.1-2.0	.32	.32			
	37-80	0-30	45-75	25-38	1.50-1.70	0.06-0.2	0.18-0.20	3.0-5.9	0.1-2.0	.32	.32			
8422A: Cape-----	0-10	0-10	40-70	30-60	1.30-1.60	0.06-0.2	0.15-0.19	3.0-5.9	1.0-3.0	.32	.32	5	6	48
	10-22	0-10	35-60	35-60	1.30-1.60	0.06-0.2	0.15-0.19	3.0-5.9	0.5-2.0	.32	.32			
	22-80	0-15	35-60	35-65	1.30-1.60	0.01-0.06	0.10-0.13	6.0-8.9	0.1-1.0	.28	.28			
8422A+: Cape-----	0-16	0-38	50-80	12-27	1.30-1.50	0.6-2	0.22-0.25	0.0-2.9	1.0-3.0	.43	.43	5	5	56
	16-22	0-10	35-60	35-60	1.30-1.60	0.06-0.2	0.15-0.19	3.0-5.9	0.5-2.0	.32	.32			
	22-80	0-15	35-60	35-65	1.30-1.60	0.01-0.06	0.10-0.13	6.0-8.9	0.1-1.0	.28	.28			
8426A: Karnak-----	0-5	0-5	30-60	38-65	1.20-1.40	0.06-0.2	0.11-0.14	6.0-8.9	2.0-3.0	.24	.24	5	4	86
	5-50	0-5	30-60	40-65	1.30-1.50	0.01-0.2	0.09-0.13	6.0-8.9	0.0-0.5	.28	.28			
	50-80	0-5	40-60	35-60	1.35-1.55	0.06-0.2	0.10-0.18	6.0-8.9	0.0-0.5	.28	.28			

Table 20.—Physical Properties of the Soils—Continued

Map symbol and soil name	Depth	Sand	Silt	Clay	Moist bulk density	Permea- bility (Ksat)	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
										Kw	Kf	T		
	In	Pct	Pct	Pct	g/cc	In/hr	In/in	Pct	Pct					
8426A+:														
Karnak-----	0-13	0-30	50-80	20-27	1.20-1.40	0.2-0.6	0.22-0.24	0.0-2.9	1.0-3.0	.32	.32	5	6	48
	13-18	0-5	30-60	38-65	1.20-1.40	0.06-0.2	0.11-0.14	6.0-8.9	2.0-3.0	.24	.24			
	18-63	0-5	30-60	38-65	1.30-1.50	0.01-0.2	0.09-0.13	6.0-8.9	0.0-0.5	.28	.28			
	63-80	0-5	40-60	35-60	1.35-1.55	0.06-0.2	0.10-0.18	6.0-8.9	0.0-0.5	.28	.28			
8427B:														
Burnside-----	0-17	5-55	25-75	20-27	1.20-1.40	0.6-2	0.18-0.22	0.0-2.9	1.0-2.0	.32	.32	3	6	48
	17-57	5-60	25-75	15-27	1.40-1.60	0.6-2	0.09-0.14	0.0-2.9	0.0-1.0	.28	.32			
	57-67	---	---	---	---	0.02-2	---	---	---	---	---			
8469A:														
Emma-----	0-8	1-25	41-70	27-40	1.20-1.40	0.6-2	0.20-0.22	0.0-2.9	1.0-3.0	.32	.32	5	6	48
	8-58	1-32	41-70	27-35	1.25-1.45	0.2-0.6	0.18-0.22	3.0-5.9	0.0-0.5	.32	.32			
	58-80	1-37	41-70	22-30	1.30-1.50	0.2-0.6	0.18-0.22	3.0-5.9	0.0-0.5	.32	.32			
8469B:														
Emma-----	0-8	1-25	41-70	27-40	1.20-1.40	0.6-2	0.20-0.22	0.0-2.9	1.0-3.0	.32	.32	5	6	48
	8-58	1-32	41-70	27-35	1.25-1.45	0.2-0.6	0.18-0.22	3.0-5.9	0.0-0.5	.32	.32			
	58-80	1-37	41-70	22-30	1.30-1.50	0.2-0.6	0.18-0.22	3.0-5.9	0.0-0.5	.32	.32			
8469C2:														
Emma-----	0-5	1-25	41-70	27-40	1.20-1.40	0.6-2	0.20-0.22	0.0-2.9	1.0-3.0	.32	.32	5	6	48
	5-53	1-32	41-70	27-35	1.25-1.45	0.2-0.6	0.18-0.22	3.0-5.9	0.0-0.5	.32	.32			
	53-80	1-37	41-70	22-30	1.30-1.50	0.2-0.6	0.18-0.22	3.0-5.9	0.0-0.5	.32	.32			
8597A:														
Armiesburg-----	0-15	0-30	40-80	20-35	1.30-1.45	0.6-2	0.21-0.23	3.0-5.9	2.0-4.0	.28	.28	5	6	48
	15-67	0-30	40-70	30-35	1.30-1.45	0.6-2	0.18-0.20	3.0-5.9	0.5-1.0	.32	.32			
	67-80	0-30	40-80	20-35	1.30-1.60	0.6-2	0.16-0.20	3.0-5.9	0.2-1.0	.32	.32			
8693A:														
Hurst-----	0-7	1-10	55-70	27-35	1.25-1.45	0.2-0.6	0.22-0.24	0.0-2.9	1.0-2.0	.28	.28	3	6	48
	7-12	1-10	60-70	27-35	1.30-1.50	0.2-0.6	0.20-0.22	0.0-2.9	0.0-0.5	.37	.37			
	12-62	1-35	30-69	30-48	1.45-1.70	0.01-0.06	0.10-0.17	6.0-8.9	0.0-0.5	.37	.37			
	62-80	1-19	36-70	28-45	1.50-1.70	0.01-0.06	0.10-0.18	6.0-8.9	0.0-0.5	.43	.43			
MW. Miscellaneous water														
W. Water														

Soil Survey of Massac County, Illinois

Table 21.—Chemical Properties of the Soils

(Absence of an entry indicates that data were not estimated)

Map symbol and soil name	Depth	Soil reaction	Cation- exchange capacity	Effective cation- exchange capacity	Calcium carbonate equiva- lent
	<u>In</u>	<u>pH</u>	<u>meq/100 g</u>	<u>meq/100 g</u>	<u>Pct</u>
99G. Sandstone and Limestone Rock Land					
131B: Alvin-----	0-10	4.5-7.3	7.0-11	5.0-8.0	0
	10-16	4.5-7.3	6.0-10	5.0-7.0	0
	16-42	4.5-7.3	9.0-14	6.0-10	0
	42-80	4.5-8.4	2.0-5.0	1.0-4.0	0-5
131C: Alvin-----	0-10	4.5-7.3	7.0-11	5.0-8.0	0
	10-16	4.5-7.3	6.0-10	5.0-7.0	0
	16-42	4.5-7.3	9.0-14	6.0-10	0
	42-80	4.5-8.4	2.0-5.0	1.0-4.0	0-5
131C2: Alvin-----	0-7	4.5-7.3	7.0-11	5.0-8.0	0
	7-13	4.5-7.3	6.0-10	5.0-7.0	0
	13-42	4.5-7.3	9.0-14	6.0-10	0
	42-80	4.5-8.4	2.0-5.0	1.0-4.0	0-5
131D2: Alvin-----	0-7	4.5-7.3	7.0-11	5.0-8.0	0
	7-13	4.5-7.3	6.0-10	5.0-7.0	0
	13-42	4.5-7.3	9.0-14	6.0-10	0
	42-80	4.5-8.4	2.0-5.0	1.0-4.0	0-5
131F: Alvin-----	0-10	4.5-7.3	7.0-11	5.0-8.0	0
	10-16	4.5-7.3	6.0-10	5.0-7.0	0
	16-42	4.5-7.3	9.0-14	6.0-10	0
	42-80	4.5-8.4	2.0-5.0	1.0-4.0	0-5
164A: Stoy-----	0-13	4.5-7.3	14-20	10-15	0
	13-32	4.5-5.5	16-22	12-17	0
	32-45	4.5-5.5	16-22	12-17	0
	45-80	4.5-6.0	12-17	9.0-13	0
164B: Stoy-----	0-13	4.5-7.3	14-20	10-15	0
	13-32	4.5-5.5	16-22	12-17	0
	32-45	4.5-5.5	16-22	12-17	0
	45-80	4.5-6.0	12-17	9.0-13	0
164C2: Stoy-----	0-10	4.5-6.5	14-20	10-15	0
	10-29	4.5-5.5	16-22	12-17	0
	29-42	4.5-5.5	16-22	12-17	0
	42-80	4.5-6.0	12-17	9.0-13	0

Soil Survey of Massac County, Illinois

Table 21.—Chemical Properties of the Soils—Continued

Map symbol and soil name	Depth	Soil reaction	Cation- exchange capacity	Effective cation- exchange capacity	Calcium carbonate equiva- lent
	In	pH	meq/100 g	meq/100 g	Pct
165A:					
Weir-----	0-8	4.5-7.3	10-20	8.0-15	0
	8-17	4.5-7.3	7.0-13	5.0-10	0
	17-39	4.5-5.5	---	16-20	0
	39-80	4.5-6.5	12-17	9.0-13	0
175B:					
Lamont-----	0-11	5.1-7.3	10-15	7.0-11	0
	11-17	5.1-7.3	10-15	7.0-11	0
	17-27	5.1-6.5	10-15	7.0-11	0
	27-80	5.1-6.5	5.0-10	4.0-8.0	0
175C2:					
Lamont-----	0-5	5.1-7.3	10-15	7.0-11	0
	5-27	5.1-6.5	10-15	7.0-11	0
	27-80	5.1-6.5	5.0-10	4.0-8.0	0
175D2:					
Lamont-----	0-5	5.1-7.3	10-15	---	0
	5-27	5.1-6.5	10-15	---	0
	27-80	5.1-6.5	5.0-10	---	0
214B:					
Hosmer-----	0-7	4.5-7.3	12-20	6.0-15	0
	7-28	4.5-5.5	12-23	8.0-15	0
	28-67	4.5-6.0	9.0-21	6.0-14	0
	67-80	4.5-6.5	9.0-16	6.0-11	0
214C2:					
Hosmer-----	0-4	4.5-7.3	9.0-20	6.0-14	0
	4-25	4.5-5.5	12-23	8.0-15	0
	25-64	4.5-6.0	9.0-21	6.0-14	0
	64-80	4.5-6.5	9.0-16	6.0-11	0
214C3:					
Hosmer-----	0-2	4.5-7.3	9.0-20	6.0-14	0
	2-23	4.5-5.5	12-23	8.0-15	0
	23-62	4.5-6.0	9.0-21	6.0-14	0
	62-80	4.5-6.5	9.0-16	6.0-11	0
214D2:					
Hosmer-----	0-4	4.5-7.3	9.0-20	6.0-14	0
	4-25	4.5-5.5	12-23	8.0-15	0
	25-64	4.5-6.0	9.0-21	7.0-14	0
	64-80	4.5-6.5	9.0-16	7.0-11	0
214D3:					
Hosmer-----	0-2	4.5-7.3	9.0-20	6.0-14	0
	2-23	4.5-5.5	12-23	8.0-15	0
	23-62	4.5-6.0	9.0-21	7.0-14	0
	62-80	4.5-6.5	9.0-16	7.0-11	0
308B:					
Alford-----	0-10	4.5-7.3	8.0-20	6.0-15	0
	10-44	4.5-6.0	12-26	9.0-18	0
	44-80	5.1-6.5	4.0-12	3.0-9.0	0

Soil Survey of Massac County, Illinois

Table 21.—Chemical Properties of the Soils—Continued

Map symbol and soil name	Depth	Soil reaction	Cation- exchange capacity	Effective cation- exchange capacity	Calcium carbonate equiva- lent
	In	pH	meq/100 g	meq/100 g	Pct
308C2:					
Alford-----	0-6	4.5-7.3	8.0-20	6.0-15	0
	6-44	4.5-6.0	12-26	9.0-18	0
	44-80	5.1-6.5	4.0-12	3.0-9.0	0
308C3:					
Alford-----	0-5	4.5-7.3	8.0-20	6.0-15	0
	5-44	4.5-6.0	12-26	9.0-18	0
	44-80	5.1-6.5	4.0-12	3.0-9.0	0
308D2:					
Alford-----	0-6	4.5-7.3	8.0-20	6.0-15	0
	6-44	4.5-6.0	12-26	9.0-18	0
	44-80	5.1-6.5	4.0-12	3.0-9.0	0
308D3:					
Alford-----	0-5	4.5-7.3	8.0-20	6.0-15	0
	5-44	4.5-6.0	12-26	9.0-18	0
	44-80	5.1-6.5	4.0-12	3.0-9.0	0
308E:					
Alford-----	0-10	4.5-7.3	8.0-20	6.0-15	0
	10-44	4.5-6.0	12-26	9.0-18	0
	44-80	5.1-6.5	4.0-12	3.0-9.0	0
308E2:					
Alford-----	0-6	4.5-7.3	8.0-20	6.0-15	0
	6-44	4.5-6.0	12-26	9.0-18	0
	44-80	5.1-6.5	4.0-12	3.0-9.0	0
308E3:					
Alford-----	0-5	4.5-7.3	8.0-20	6.0-15	0
	5-44	4.5-6.0	12-26	9.0-18	0
	44-80	5.1-6.5	4.0-12	3.0-9.0	0
308F:					
Alford-----	0-10	4.5-7.3	8.0-20	6.0-15	0
	10-44	4.5-6.0	12-26	9.0-18	0
	44-80	5.1-6.5	4.0-12	3.0-9.0	0
339C:					
Wellston-----	0-8	5.1-6.5	8.0-16	6.0-12	0
	8-31	4.5-6.0	11-20	8.0-15	0
	31-43	4.5-6.0	11-15	8.0-11	0
	43-60	4.5-6.0	11-15	8.0-11	0
	60-70	---	---	---	---
339C2:					
Wellston-----	0-5	5.1-6.5	8.0-16	6.0-12	0
	5-28	4.5-6.0	11-20	8.0-15	0
	28-40	4.5-6.0	11-15	8.0-11	0
	40-57	4.5-6.0	11-15	8.0-11	0
	57-67	---	---	---	---
339D:					
Wellston-----	0-8	5.1-6.5	8.0-16	6.0-12	0
	8-31	4.5-6.0	11-20	8.0-15	0
	31-43	4.5-6.0	11-15	8.0-11	0
	43-60	4.5-6.0	11-15	8.0-11	0
	60-70	---	---	---	---

Soil Survey of Massac County, Illinois

Table 21.—Chemical Properties of the Soils—Continued

Map symbol and soil name	Depth	Soil reaction	Cation- exchange capacity	Effective cation- exchange capacity	Calcium carbonate equiva- lent
	In	pH	meq/100 g	meq/100 g	Pct
339D2:					
Wellston-----	0-5	5.1-6.5	8.0-16	6.0-12	0
	5-28	4.5-6.0	11-20	8.0-15	0
	28-40	4.5-6.0	11-15	8.0-11	0
	40-57	4.5-6.0	11-15	8.0-11	0
	57-67	---	---	---	---
339D3:					
Wellston-----	0-3	5.1-6.5	8.0-16	6.0-12	0
	3-26	4.5-6.0	11-20	8.0-15	0
	26-38	4.5-6.0	11-15	8.0-11	0
	38-55	4.5-6.0	11-15	8.0-11	0
	55-65	---	---	---	---
339F:					
Wellston-----	0-8	5.1-6.5	8.0-16	6.0-12	0
	8-31	4.5-6.0	11-20	8.0-15	0
	31-43	4.5-6.0	11-15	8.0-11	0
	43-60	4.5-6.0	11-15	8.0-11	0
	60-70	---	---	---	---
340C2:					
Zanesville-----	0-4	4.5-7.3	9.0-18	7.0-14	0
	4-19	4.5-6.0	11-21	8.0-16	0
	19-39	4.5-6.0	10-20	7.0-15	0
	39-57	4.5-6.0	10-20	7.0-14	0
	57-67	---	---	---	---
340C3:					
Zanesville-----	0-2	4.5-7.3	9.0-18	7.0-14	0
	2-17	4.5-6.0	11-21	8.0-16	0
	17-37	4.5-6.0	10-20	8.0-15	0
	37-55	4.5-6.0	10-20	7.0-14	0
	55-65	---	---	---	---
340D:					
Zanesville-----	0-7	4.5-7.3	9.0-18	7.0-14	0
	7-22	4.5-6.0	11-21	8.0-16	0
	22-42	4.5-6.0	10-20	8.0-15	0
	42-60	4.5-6.0	10-20	7.0-14	0
	60-70	---	---	---	---
340D2:					
Zanesville-----	0-4	4.5-7.3	9.0-18	7.0-14	0
	4-19	4.5-6.0	11-21	8.0-16	0
	19-39	4.5-6.0	10-20	8.0-15	0
	39-57	4.5-6.0	10-20	7.0-14	0
	57-67	---	---	---	---
340D3:					
Zanesville-----	0-2	4.5-7.3	9.0-18	7.0-14	0
	2-17	4.5-6.0	11-21	8.0-16	0
	17-37	4.5-6.0	10-20	8.0-15	0
	37-55	4.5-6.0	10-20	7.0-14	0
	55-65	---	---	---	---
453C2:					
Muren-----	0-9	5.1-7.3	10-20	---	0
	9-46	4.5-6.0	15-25	11-19	0
	46-80	4.5-7.3	5.0-15	4.0-11	0

Soil Survey of Massac County, Illinois

Table 21.—Chemical Properties of the Soils—Continued

Map symbol and soil name	Depth	Soil reaction	Cation- exchange capacity	Effective cation- exchange capacity	Calcium carbonate equiva- lent
	In	pH	meq/100 g	meq/100 g	Pct
453D2:					
Muren-----	0-9	5.1-7.3	10-20	---	0
	9-46	4.5-6.0	15-25	11-19	0
	46-80	4.5-7.3	5.0-15	4.0-11	0
691D:					
Beasley-----	0-7	4.5-7.3	6.0-16	4.0-12	0
	7-14	4.5-7.3	20-35	14-26	0
	14-40	6.6-8.4	20-35	---	0-5
	40-80	---	---	---	---
691F:					
Beasley-----	0-7	4.5-7.3	6.0-16	4.0-12	0
	7-14	4.5-7.3	20-35	14-26	0
	14-40	6.6-8.4	20-35	---	0-5
	40-80	---	---	---	---
691G:					
Beasley-----	0-7	4.5-7.3	6.0-16	4.0-12	0
	7-14	4.5-7.3	20-35	14-26	0
	14-40	6.6-8.4	20-35	---	0-5
	40-80	---	---	---	---
801B:					
Orthents, silty-	0-80	5.1-6.5	3.0-23	2.0-17	0
802D:					
Orthents, loamy-	0-6	5.6-7.3	7.0-18	---	0
	6-80	5.6-7.3	7.0-20	---	0
864.					
Pits, quarries					
865.					
Pits, gravel					
955D:					
Muskingum-----	0-3	4.5-6.0	7.0-18	5.0-13	0
	3-20	4.5-6.0	5.0-15	4.0-11	0
	20-34	4.5-5.5	5.0-15	4.0-11	0
	34-44	---	---	---	---
Berks-----	0-4	3.6-6.5	5.0-18	3.0-15	0
	4-20	3.6-6.5	5.0-15	3.0-11	0
	20-28	3.6-6.5	5.0-10	3.0-7.0	0
	28-39	---	---	---	0
955D2:					
Muskingum-----	0-2	4.5-6.0	7.0-18	5.0-13	0
	2-17	4.5-6.0	5.0-15	4.0-11	0
	17-31	4.5-5.5	5.0-15	4.0-11	0
	31-41	---	---	---	---
Berks-----	0-1	3.6-6.5	5.0-18	3.0-14	0
	1-17	3.6-6.5	5.0-15	3.0-11	0
	17-25	3.6-6.5	5.0-10	3.0-7.0	0
	25-39	---	---	---	0

Soil Survey of Massac County, Illinois

Table 21.—Chemical Properties of the Soils—Continued

Map symbol and soil name	Depth	Soil reaction	Cation- exchange capacity	Effective cation- exchange capacity	Calcium carbonate equiva- lent
	In	pH	meq/100 g	meq/100 g	Pct
955F:					
Muskingum-----	0-3	4.5-6.0	7.0-18	5.0-13	0
	3-20	4.5-6.0	5.0-15	4.0-11	0
	20-34	4.5-5.5	5.0-15	4.0-11	0
	34-44	---	---	---	---
Berks-----	0-4	3.6-6.5	5.0-18	3.0-14	0
	4-20	3.6-6.5	5.0-15	3.0-11	0
	20-28	3.6-6.5	5.0-10	3.0-7.0	0
	28-39	---	---	---	0
955G:					
Muskingum-----	0-3	4.5-6.0	7.0-18	5.0-13	0
	3-20	4.5-6.0	5.0-15	4.0-11	0
	20-34	4.5-5.5	5.0-15	4.0-11	0
	34-44	---	---	---	---
Berks-----	0-4	3.6-6.5	5.0-18	3.0-15	0
	4-20	3.6-6.5	5.0-15	3.0-11	0
	20-28	3.6-6.5	5.0-10	3.0-7.0	0
	28-39	---	---	---	0
956B:					
Brandon-----	0-7	4.5-6.5	10-18	7.0-14	0
	7-24	4.5-5.5	8.0-20	6.0-15	0
	24-80	4.5-5.5	10-20	7.0-15	0
Saffell-----	0-2	4.5-6.5	5.0-15	4.0-10	0
	2-10	4.5-6.0	5.0-20	4.0-15	0
	10-50	4.5-5.5	10-20	7.0-15	0
	50-80	4.5-5.5	5.0-25	3.0-19	0
956C2:					
Brandon-----	0-4	4.5-6.5	10-18	7.0-14	0
	4-21	4.5-5.5	8.0-20	6.0-15	0
	21-80	4.5-5.5	10-20	7.0-15	0
Saffell-----	0-1	4.5-6.5	5.0-15	4.0-10	0
	1-3	4.5-6.0	5.0-20	4.0-15	0
	3-47	4.5-5.5	10-20	7.0-15	0
	47-80	4.5-5.5	5.0-25	3.0-19	0
956C3:					
Brandon-----	0-2	4.5-6.5	10-18	7.0-14	0
	2-19	4.5-5.5	8.0-20	6.0-15	0
	19-80	4.5-5.5	10-20	7.0-15	0
Saffell-----	0-1	4.5-6.5	5.0-15	4.0-10	0
	1-45	4.5-5.5	5.0-20	4.0-15	0
	45-80	4.5-5.5	5.0-25	3.0-19	0
956D:					
Brandon-----	0-7	4.5-6.5	10-18	7.0-14	0
	7-24	4.5-5.5	8.0-20	6.0-15	0
	24-80	4.5-5.5	10-20	7.0-15	0
Saffell-----	0-2	4.5-6.5	5.0-15	4.0-10	0
	2-10	4.5-6.0	5.0-20	4.0-15	0
	10-50	4.5-5.5	10-20	7.0-15	0
	50-80	4.5-5.5	5.0-25	3.0-19	0

Soil Survey of Massac County, Illinois

Table 21.—Chemical Properties of the Soils—Continued

Map symbol and soil name	Depth	Soil reaction	Cation- exchange capacity	Effective cation- exchange capacity	Calcium carbonate equiva- lent
	In	pH	meq/100 g	meq/100 g	Pct
956D2:					
Brandon-----	0-4	4.5-6.5	10-18	7.0-14	0
	4-21	4.5-5.5	8.0-20	6.0-15	0
	21-80	4.5-5.5	10-20	7.0-15	0
Saffell-----	0-1	4.5-6.5	5.0-15	4.0-10	0
	1-3	4.5-6.0	5.0-20	4.0-15	0
	3-47	4.5-5.5	10-20	7.0-15	0
	47-80	4.5-5.5	5.0-25	3.0-19	0
956D3:					
Brandon-----	0-2	4.5-6.5	10-18	7.0-14	0
	2-19	4.5-5.5	8.0-20	6.0-15	0
	19-80	4.5-5.5	10-20	7.0-15	0
Saffell-----	0-1	4.5-6.5	5.0-15	4.0-10	0
	1-45	4.5-5.5	5.0-20	4.0-15	0
	45-80	4.5-5.5	5.0-25	3.0-19	0
956E2:					
Brandon-----	0-4	4.5-6.5	10-18	7.0-14	0
	4-21	4.5-5.5	8.0-20	6.0-15	0
	21-80	4.5-5.5	10-20	7.0-15	0
Saffell-----	0-1	4.5-6.5	5.0-15	4.0-10	0
	1-3	4.5-6.0	5.0-20	4.0-15	0
	3-47	4.5-5.5	10-20	7.0-15	0
	47-80	4.5-5.5	5.0-25	3.0-19	0
956F:					
Brandon-----	0-7	4.5-5.5	10-18	7.0-14	0
	7-24	4.5-5.5	8.0-20	6.0-15	0
	24-80	4.5-5.5	10-20	7.0-15	0
Saffell-----	0-2	4.5-5.5	5.0-15	4.0-10	0
	2-10	4.5-6.0	5.0-20	4.0-15	0
	10-50	4.5-5.5	10-20	7.0-15	0
	50-80	4.5-5.5	5.0-25	3.0-19	0
986D:					
Wellston-----	0-8	5.1-6.5	8.0-16	6.0-12	0
	8-31	4.5-6.0	11-20	8.0-15	0
	31-43	4.5-6.0	11-15	8.0-11	0
	43-60	4.5-6.0	11-15	8.0-11	0
	60-70	---	---	---	---
Berks-----	0-4	3.6-6.5	5.0-18	3.0-15	0
	4-20	3.6-6.5	5.0-15	3.0-11	0
	20-28	3.6-6.5	5.0-10	3.0-7.0	0
	28-39	---	---	---	0
986D2:					
Wellston-----	0-5	5.1-6.5	8.0-16	6.0-12	0
	5-28	4.5-6.0	11-20	8.0-15	0
	28-40	4.5-6.0	11-15	8.0-11	0
	40-57	4.5-6.0	11-15	8.0-11	0
	57-67	---	---	---	---

Soil Survey of Massac County, Illinois

Table 21.—Chemical Properties of the Soils—Continued

Map symbol and soil name	Depth	Soil reaction	Cation- exchange capacity	Effective cation- exchange capacity	Calcium carbonate equiva- lent
	In	pH	meq/100 g	meq/100 g	Pct
986D2:					
Berks-----	0-1	3.6-6.5	5.0-18	3.0-14	0
	1-17	3.6-6.5	5.0-15	3.0-11	0
	17-25	3.6-6.5	5.0-10	3.0-7.0	0
	25-39	---	---	---	0
986F:					
Wellston-----	0-8	5.1-6.5	8.0-16	6.0-12	0
	8-31	4.5-6.0	11-20	8.0-15	0
	31-43	4.5-6.0	11-15	8.0-11	0
	43-60	4.5-6.0	11-15	8.0-11	0
	60-70	---	---	---	---
Berks-----	0-4	3.6-6.5	5.0-18	3.0-15	0
	4-20	3.6-6.5	5.0-15	3.0-11	0
	20-28	3.6-6.5	5.0-10	3.0-7.0	0
	28-39	---	---	---	0
986G:					
Wellston-----	0-8	5.1-6.5	8.0-16	6.0-12	0
	8-31	4.5-6.0	11-20	8.0-15	0
	31-43	4.5-6.0	11-15	8.0-11	0
	43-60	4.5-6.0	11-15	8.0-11	0
	60-70	---	---	---	---
Berks-----	0-4	3.6-6.5	5.0-18	3.0-14	0
	4-20	3.6-6.5	5.0-15	3.0-11	0
	20-28	3.6-6.5	5.0-10	3.0-7.0	0
	28-39	---	---	---	0
1843A:					
Bonnie-----	0-10	4.5-7.3	13-20	10-15	0
	10-27	4.5-5.5	---	8.0-13	0
	27-80	4.5-7.8	11-16	8.0-13	0
Petrolia-----	0-8	5.6-7.8	20-25	---	0
	8-55	5.6-7.3	15-22	---	0
	55-80	5.1-7.8	10-20	7.0-15	0
1846A:					
Karnak-----	0-5	5.6-6.5	28-42	---	0
	5-50	5.6-7.3	24-37	---	0
	50-80	5.6-7.8	21-37	---	0
Cape-----	0-10	4.5-7.3	20-30	15-22	0
	10-22	3.6-5.5	---	24-40	0
	22-80	3.6-5.5	---	21-40	0
3070A:					
Beaucoup-----	0-16	5.6-7.8	26-33	---	0
	16-46	5.6-7.8	16-25	---	0-5
	46-80	6.1-8.4	6.0-20	---	0-15
3071A:					
Darwin-----	0-14	6.1-7.8	32-37	---	0
	14-56	6.1-7.8	27-40	---	0
	56-80	6.6-8.4	18-34	---	0-10

Soil Survey of Massac County, Illinois

Table 21.—Chemical Properties of the Soils—Continued

Map symbol and soil name	Depth	Soil reaction	Cation- exchange capacity	Effective cation- exchange capacity	Calcium carbonate equiva- lent
	In	pH	meq/100 g	meq/100 g	Pct
3071L:					
Darwin-----	0-14	6.1-7.8	32-37	---	0
	14-56	6.1-7.8	27-40	---	0
	56-80	6.6-8.4	18-34	---	0-10
3072A:					
Sharon-----	0-13	4.5-7.3	7.0-20	5.0-15	0
	13-40	4.5-5.5	3.0-10	2.0-8.0	0
	40-80	4.5-7.3	3.0-10	2.0-8.0	0
3072L:					
Sharon-----	0-13	4.5-7.3	7.0-20	5.0-15	0
	13-40	4.5-5.5	3.0-10	2.0-8.0	0
	40-80	4.5-7.3	3.0-10	2.0-8.0	0
3108A:					
Bonnie-----	0-10	4.5-7.3	13-20	10-15	0
	10-27	4.5-5.5	---	8.0-13	0
	27-80	4.5-7.8	11-16	8.0-13	0
3108L:					
Bonnie-----	0-10	4.5-7.3	13-20	10-15	0
	10-27	4.5-5.5	---	8.0-13	0
	27-80	4.5-7.8	11-16	8.0-13	0
3180A:					
Dupo-----	0-9	5.6-7.8	8.0-15	---	0
	9-25	5.6-7.8	6.0-12	---	0
	25-80	6.6-7.8	21-35	---	0-10
3288A:					
Petrolia-----	0-8	5.6-7.8	20-25	---	0
	8-55	5.6-7.3	15-22	---	0
	55-80	5.1-7.8	10-20	7.0-14	0
3288L:					
Petrolia-----	0-8	5.6-7.8	20-25	---	0
	8-55	5.6-7.3	15-22	---	0
	55-80	5.1-7.8	10-20	7.0-14	0
3382A:					
Belknap-----	0-7	4.5-7.3	7.0-17	5.0-13	0
	7-59	4.5-5.5	---	4.0-14	0
	59-80	4.5-7.3	5.0-20	2.0-15	0
3382L:					
Belknap-----	0-7	4.5-7.3	7.0-17	5.0-13	0
	7-27	4.5-5.5	---	4.0-14	0
	27-80	4.5-7.3	5.0-20	2.0-15	0
3422A:					
Cape-----	0-10	4.5-7.3	20-30	15-22	0
	10-22	3.6-5.5	---	24-40	0
	22-80	3.6-5.5	---	21-40	0
3422A+:					
Cape-----	0-16	4.5-7.3	13-24	9.8-18	0
	16-22	3.6-5.5	---	24-40	0
	22-80	3.6-5.5	---	21-40	0

Soil Survey of Massac County, Illinois

Table 21.—Chemical Properties of the Soils—Continued

Map symbol and soil name	Depth	Soil reaction	Cation- exchange capacity	Effective cation- exchange capacity	Calcium carbonate equiva- lent
	In	pH	meq/100 g	meq/100 g	Pct
3426A:					
Karnak-----	0-5	5.6-6.5	28-42	---	0
	5-50	5.6-7.3	24-37	---	0
	50-80	5.6-7.8	24-37	---	0
3426A+:					
Karnak-----	0-13	5.6-7.3	14-21	---	0
	13-18	5.6-6.5	28-42	---	0
	18-63	5.6-7.3	24-37	---	0
	63-80	5.6-7.5	24-37	---	0
3426L:					
Karnak-----	0-5	5.6-6.5	28-42	---	0
	5-50	5.6-7.3	24-37	---	0
	50-80	5.6-7.8	21-37	---	0
3449L:					
Armiesburg-----	0-15	6.1-7.8	14-29	---	0
	15-67	6.1-7.8	15-23	---	0-5
	67-80	6.1-7.8	10-23	---	0-10
Sarpy-----	0-9	6.6-7.8	2.0-8.0	---	0-2
	9-80	6.6-7.8	2.0-8.0	---	0-2
3597A:					
Armiesburg-----	0-15	6.1-7.8	14-29	---	0
	15-67	6.1-7.8	15-23	---	0-5
	67-80	6.1-7.8	10-23	---	0-10
3597L:					
Armiesburg-----	0-15	6.1-7.8	14-29	---	0
	15-67	6.1-7.8	15-23	---	0-5
	67-80	6.1-7.8	10-23	---	0-10
7131A:					
Alvin-----	0-10	4.5-7.3	7.0-11	5.0-8.0	0
	10-16	4.5-7.3	6.0-10	5.0-7.0	0
	16-42	4.5-7.3	9.0-14	6.0-10	0
	42-80	4.5-8.4	2.0-5.0	1.0-4.0	0-5
7131B:					
Alvin-----	0-10	4.5-7.3	7.0-11	5.0-8.0	0
	10-16	4.5-7.3	6.0-10	5.0-7.0	0
	16-42	4.5-7.3	9.0-14	6.0-10	0
	42-80	4.5-8.4	2.0-5.0	1.0-4.0	0-5
7131C2:					
Alvin-----	0-7	4.5-7.3	7.0-11	5.0-8.0	0
	7-13	4.5-7.3	6.0-10	5.0-7.0	0
	13-39	4.5-7.3	9.0-14	6.0-10	0
	39-80	4.5-8.4	2.0-5.0	1.0-4.0	0-5
7131D2:					
Alvin-----	0-7	4.5-7.3	7.0-11	5.0-8.0	0
	7-13	4.5-7.3	6.0-10	5.0-7.0	0
	13-39	4.5-7.3	9.0-14	6.0-10	0
	39-80	4.5-8.4	2.0-5.0	1.0-4.0	0-5

Soil Survey of Massac County, Illinois

Table 21.—Chemical Properties of the Soils—Continued

Map symbol and soil name	Depth	Soil reaction	Cation- exchange capacity	Effective cation- exchange capacity	Calcium carbonate equiva- lent
	In	pH	meq/100 g	meq/100 g	Pct
7460A:					
Ginat-----	0-19	4.5-7.3	10-22	7.0-17	0
	19-34	4.5-6.0	---	10-22	0
	34-49	4.5-5.5	---	10-21	0
	49-80	4.5-7.8	---	10-21	0
7462A:					
Sciotoville----	0-8	5.1-6.5	10-15	7.0-11	0
	8-24	4.5-5.5	---	9.0-14	0
	24-52	4.5-6.0	12-19	9.0-14	0
	52-80	5.1-6.5	9.0-19	6.0-16	0
7462B:					
Sciotoville----	0-8	5.1-6.5	10-15	7.0-11	0
	8-24	4.5-5.5	---	9.0-14	0
	24-52	4.5-6.0	12-19	9.0-14	0
	52-80	5.1-6.5	9.0-19	6.0-16	0
7462C2:					
Sciotoville----	0-5	5.1-6.5	10-15	7.0-11	0
	5-21	4.5-5.5	---	9.0-14	0
	21-49	4.5-6.0	12-19	9.0-14	0
	49-80	5.1-6.5	9.0-19	6.0-16	0
7462C3:					
Sciotoville----	0-3	5.1-6.5	10-15	7.0-11	0
	3-19	4.5-5.5	---	9.0-14	0
	19-47	4.5-6.0	12-19	9.0-14	0
	47-80	5.1-6.5	9.0-19	6.0-16	0
7462D2:					
Sciotoville----	0-5	5.1-6.5	10-15	7.0-11	0
	5-21	4.5-5.5	---	9.0-14	0
	21-49	4.5-6.0	12-19	9.0-14	0
	49-80	5.1-6.5	9.0-19	6.0-16	0
7462D3:					
Sciotoville----	0-3	5.1-6.5	10-15	7.0-11	0
	3-19	4.5-5.5	---	9.0-14	0
	19-47	4.5-6.0	12-19	9.0-14	0
	47-80	5.1-6.5	9.0-19	6.0-16	0
7463A:					
Wheeling-----	0-10	5.1-6.5	6.0-15	4.0-11	0
	10-49	4.5-6.0	9.0-21	7.0-16	0
	49-80	5.1-6.0	1.0-8.0	1.0-6.0	0
7463B:					
Wheeling-----	0-10	5.1-6.5	6.0-15	4.0-11	0
	10-49	4.5-6.0	9.0-21	7.0-16	0
	49-80	5.1-6.0	1.0-8.0	1.0-6.0	0
7463C2:					
Wheeling-----	0-7	5.1-6.5	6.0-15	4.0-11	0
	7-46	4.5-6.0	9.0-21	7.0-16	0
	46-80	5.1-6.0	1.0-8.0	1.0-6.0	0

Soil Survey of Massac County, Illinois

Table 21.—Chemical Properties of the Soils—Continued

Map symbol and soil name	Depth	Soil reaction	Cation- exchange capacity	Effective cation- exchange capacity	Calcium carbonate equiva- lent
	In	pH	meq/100 g	meq/100 g	Pct
7463D2: Wheeling-----	0-7	5.1-6.5	6.0-15	4.0-11	0
	7-46	4.5-6.0	9.0-21	7.0-16	0
	46-80	5.1-6.0	1.0-8.0	1.0-6.0	0
7463E2: Wheeling-----	0-7	5.1-6.5	6.0-15	4.0-11	0
	7-46	4.5-6.0	9.0-21	7.0-16	0
	46-80	5.1-6.0	1.0-8.0	1.0-6.0	0
7483A: Henshaw-----	0-11	5.1-7.8	6.0-14	4.0-11	0
	11-31	5.1-7.8	10-18	7.0-13	0
	31-60	5.6-8.4	10-25	---	0-15
7711A: Hatfield-----	0-14	4.5-7.3	10-15	7.0-11	0
	14-36	4.5-6.0	12-19	9.0-14	0
	36-45	4.5-6.5	13-21	10-16	0
	45-80	5.1-7.8	9.0-20	7.0-15	0
7711B: Hatfield-----	0-14	4.5-7.3	10-15	7.0-11	0
	14-36	4.5-6.0	12-19	9.0-14	0
	36-45	4.5-6.5	13-21	10-16	0
	45-80	5.1-7.8	9.0-20	7.0-15	0
7711B2: Hatfield-----	0-11	4.5-7.3	10-15	7.0-11	0
	11-33	4.5-6.0	12-19	9.0-14	0
	33-42	4.5-6.5	13-21	10-16	0
	42-80	5.1-7.8	9.0-20	7.0-15	0
8070A: Beaucoup-----	0-16	5.6-7.8	26-33	---	0
	16-46	5.6-7.8	16-25	---	0-5
	46-80	6.1-8.4	6.0-20	---	0-15
8071A: Darwin-----	0-14	6.1-7.8	32-37	---	0
	14-56	6.1-7.8	27-40	---	0
	56-80	6.6-8.4	18-34	---	0-10
8072A: Sharon-----	0-13	4.5-7.3	7.0-20	5.0-15	0
	13-40	4.5-5.5	3.0-10	2.0-8.0	0
	40-80	4.5-7.3	3.0-10	2.0-8.0	0
8108A: Bonnie-----	0-10	4.5-7.3	13-20	10-15	0
	10-27	4.5-5.5	---	8.0-13	0
	27-80	4.5-7.8	11-16	8.0-13	0
8109A: Raccoon-----	0-6	4.5-7.3	13-20	10-15	0
	6-30	4.5-7.3	11-17	8.0-13	0
	30-59	4.5-5.5	---	17-26	0
	59-80	4.5-7.3	16-31	12-22	0

Soil Survey of Massac County, Illinois

Table 21.—Chemical Properties of the Soils—Continued

Map symbol and soil name	Depth	Soil reaction	Cation- exchange capacity	Effective cation- exchange capacity	Calcium carbonate equiva- lent
	In	pH	meq/100 g	meq/100 g	Pct
8180A:					
Dupo-----	0-9	5.6-7.8	8.0-15	---	0
	9-25	5.6-7.8	6.0-12	---	0
	25-80	6.6-7.8	21-35	---	0-10
8288A:					
Petrolia-----	0-8	5.6-7.8	20-25	---	0
	8-55	5.6-7.3	15-22	---	0
	55-80	5.1-7.8	10-20	7.0-15	0
8382A:					
Belknap-----	0-7	4.5-7.3	7.0-17	5.0-13	0
	7-59	4.5-5.5	---	4.0-14	0
	59-80	4.5-7.3	5.0-20	2.0-15	0
8420A:					
Piopolis-----	0-7	5.1-6.5	20-25	15-19	0
	7-37	4.5-5.5	15-20	13-20	0
	37-80	5.1-7.3	10-20	8.0-16	0
8422A:					
Cape-----	0-10	4.5-7.3	20-30	15-22	0
	10-22	3.6-5.5	---	24-40	0
	22-80	3.6-5.5	---	21-40	0
8422A+:					
Cape-----	0-16	4.5-7.3	13-24	9.8-18	0
	16-22	3.6-5.5	---	24-40	0
	22-80	3.6-5.5	---	21-40	0
8426A:					
Karnak-----	0-5	5.6-6.5	28-42	---	0
	5-50	5.6-7.3	24-37	---	0
	50-80	5.6-7.8	21-37	---	0
8426A+:					
Karnak-----	0-13	5.6-7.3	14-21	---	0
	13-18	5.6-6.5	28-42	---	0
	18-63	5.6-7.3	24-37	---	0
	63-80	5.6-7.8	21-37	---	0
8427B:					
Burnside-----	0-17	4.5-6.0	14-20	9.0-14	0
	17-57	4.5-5.5	9.0-16	6.0-12	0
	57-67	---	---	---	---
8469A:					
Emma-----	0-8	4.5-6.5	15-22	11-16	0
	8-58	3.6-5.5	8.0-21	11-16	0
	58-80	3.6-5.0	7.0-18	10-14	0
8469B:					
Emma-----	0-8	4.5-6.5	15-22	11-16	0
	8-58	3.6-5.5	8.0-21	11-16	0
	58-80	3.6-5.0	7.0-18	10-14	0
8469C2:					
Emma-----	0-5	4.5-6.5	15-22	11-16	0
	5-53	3.6-5.5	8.0-21	11-16	0
	53-80	3.6-5.0	7.0-18	10-14	0

Soil Survey of Massac County, Illinois

Table 21.—Chemical Properties of the Soils—Continued

Map symbol and soil name	Depth	Soil reaction	Cation- exchange capacity	Effective cation- exchange capacity	Calcium carbonate equiva- lent
	<u>In</u>	<u>pH</u>	<u>meq/100 g</u>	<u>meq/100 g</u>	<u>Pct</u>
8597A:					
Armiesburg-----	0-15	6.1-7.8	14-29	---	0
	15-67	6.1-7.8	15-23	---	0-5
	67-80	6.1-7.8	10-23	---	0-10
8693A:					
Hurst-----	0-7	5.1-7.3	21-27	16-20	0
	7-12	3.5-6.0	15-27	11-20	0
	12-62	3.5-7.8	21-29	16-22	0
	62-80	5.1-8.4	12-27	9.0-20	0-5
MW. Miscellaneous water					
W. Water					

Table 22.—Water Features

(See text for definitions of terms used in this table. Upper limit, Lower limit, and Surface water depth are in feet. Estimates of the frequency of ponding and flooding apply to the whole year rather than to individual months. Absence of an entry indicates that the feature is not a concern or that data were not estimated)

Map symbol and soil name	Hydro- logic group	Month	Water table depth			Ponding			Flooding	
			Upper limit	Lower limit	Water table kind	Surface water depth	Duration	Frequency	Duration	Frequency
			Ft	Ft		Ft				
99G. Sandstone and Limestone Rock Land										
131B: Alvin-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
131C: Alvin-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
131C2: Alvin-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
131D2: Alvin-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
131F: Alvin-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
164A: Stoy-----	C	Jan-May Jun-Dec	1.0-3.0 > 6.0	3.0-6.0 > 6.0	Perched ---	---	---	None None	---	None None
164B: Stoy-----	C	Jan-May Jun-Dec	1.0-3.0 > 6.0	3.0-6.0 > 6.0	Perched ---	---	---	None None	---	None None
164C2: Stoy-----	C	Jan-May Jun-Dec	1.0-3.0 > 6.0	3.0-6.0 > 6.0	Perched ---	---	---	None None	---	None None
165A: Weir-----	D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	1.0-6.0 > 6.0	Perched ---	0.0-0.5 ---	Very brief ---	Occasional None	---	None None
175B: Lamont-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
175C2: Lamont-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None

Table 22.—Water Features—Continued

Map symbol and soil name	Hydro- logic group	Month	Water table depth			Ponding			Flooding	
			Upper limit	Lower limit	Water table kind	Surface water depth	Duration	Frequency	Duration	Frequency
			<u>Ft</u>	<u>Ft</u>		<u>Ft</u>				
175D2: Lamont-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
214B: Hosmer-----	C	Jan-Apr May-Dec	1.5-3.5 > 6.0	3.5-6.0 > 6.0	Perched ---	---	---	None None	---	None None
214C2: Hosmer-----	C	Jan-Apr May-Dec	1.5-3.5 > 6.0	3.5-6.0 > 6.0	Perched ---	---	---	None None	---	None None
214C3: Hosmer-----	C	Jan-Apr May-Dec	1.5-3.5 > 6.0	3.5-6.0 > 6.0	Perched ---	---	---	None None	---	None None
214D2: Hosmer-----	C	Jan-Apr May-Dec	1.5-3.5 > 6.0	3.5-6.0 > 6.0	Perched ---	---	---	None None	---	None None
214D3: Hosmer-----	C	Jan-Apr May-Dec	1.5-3.5 > 6.0	3.5-6.0 > 6.0	Perched ---	---	---	None None	---	None None
308B: Alford-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
308C2: Alford-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
308C3: Alford-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
308D2: Alford-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
308D3: Alford-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
308E: Alford-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
308E2: Alford-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
308E3: Alford-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None

Table 22.—Water Features—Continued

Map symbol and soil name	Hydro- logic group	Month	Water table depth			Ponding			Flooding	
			Upper limit	Lower limit	Water table kind	Surface water depth	Duration	Frequency	Duration	Frequency
			<u>Ft</u>	<u>Ft</u>		<u>Ft</u>				
308F: Alford-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
339C: Wellston-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
339C2: Wellston-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
339D: Wellston-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
339D2: Wellston-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
339D3: Wellston-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
339F: Wellston-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
340C2: Zanesville-----	C	Jan-Apr May-Dec	1.5-3.5 > 6.0	3.5-6.0 > 6.0	Perched ---	---	---	None None	---	None None
340C3: Zanesville-----	C	Jan-Apr May-Dec	1.5-3.5 > 6.0	3.5-6.0 > 6.0	Perched ---	---	---	None None	---	None None
340D: Zanesville-----	C	Jan-Apr May-Dec	1.5-3.5 > 6.0	3.5-6.0 > 6.0	Perched ---	---	---	None None	---	None None
340D2: Zanesville-----	C	Jan-Apr May-Dec	1.5-3.5 > 6.0	3.5-6.0 > 6.0	Perched ---	---	---	None None	---	None None
340D3: Zanesville-----	C	Jan-Apr May-Dec	1.5-3.5 > 6.0	3.5-6.0 > 6.0	Perched ---	---	---	None None	---	None None
453C2: Muren-----	B	Jan-Apr May-Dec	1.0-2.5 > 6.0	> 6.0 > 6.0	Apparent ---	---	---	None None	---	None None

Table 22.—Water Features—Continued

Map symbol and soil name	Hydro- logic group	Month	Water table depth			Ponding			Flooding	
			Upper limit	Lower limit	Water table kind	Surface water depth	Duration	Frequency	Duration	Frequency
			<u>Ft</u>	<u>Ft</u>		<u>Ft</u>				
453D2: Muren-----	B	Jan-Apr May-Dec	1.0-2.5 > 6.0	> 6.0 > 6.0	Apparent ---	--- ---	--- ---	None None	--- ---	None None
691D: Beasley-----	C	---	> 6.0	> 6.0	---	---	---	None	---	None
691F: Beasley-----	C	---	> 6.0	> 6.0	---	---	---	None	---	None
691G: Beasley-----	C	---	> 6.0	> 6.0	---	---	---	None	---	None
801B: Orthents, silty-----	C	---	> 6.0	> 6.0	---	---	---	None	---	None
802D: Orthents, loamy-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
864. Pits, quarries										
865. Pits, gravel										
955D: Muskingum-----	C	---	> 6.0	> 6.0	---	---	---	None	---	None
Berks-----	C	---	> 6.0	> 6.0	---	---	---	None	---	None
955D2: Muskingum-----	C	---	> 6.0	> 6.0	---	---	---	None	---	None
Berks-----	C	---	> 6.0	> 6.0	---	---	---	None	---	None
955F: Muskingum-----	C	---	> 6.0	> 6.0	---	---	---	None	---	None
Berks-----	C	---	> 6.0	> 6.0	---	---	---	None	---	None
955G: Muskingum-----	C	---	> 6.0	> 6.0	---	---	---	None	---	None
Berks-----	C	---	> 6.0	> 6.0	---	---	---	None	---	None

Table 22.—Water Features—Continued

Map symbol and soil name	Hydro- logic group	Month	Water table depth			Ponding		Flooding		
			Upper limit	Lower limit	Water table kind	Surface water depth	Duration	Frequency	Duration	Frequency
			<u>Ft</u>	<u>Ft</u>		<u>Ft</u>				
956B: Brandon-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
Saffell-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
956C2: Brandon-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
Saffell-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
956C3: Brandon-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
Saffell-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
956D: Brandon-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
Saffell-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
956D2: Brandon-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
Saffell-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
956D3: Brandon-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
Saffell-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
956E2: Brandon-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
Saffell-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
956F: Brandon-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
Saffell-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
986D: Wellston-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
Berks-----	C	---	> 6.0	> 6.0	---	---	---	None	---	None

Table 22.—Water Features—Continued

Map symbol and soil name	Hydro- logic group	Month	Water table depth			Ponding			Flooding	
			Upper limit	Lower limit	Water table kind	Surface water depth	Duration	Frequency	Duration	Frequency
			Ft	Ft		Ft				
986D2: Wellston-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
Berks-----	C	---	> 6.0	> 6.0	---	---	---	None	---	None
986F: Wellston-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
Berks-----	C	---	> 6.0	> 6.0	---	---	---	None	---	None
986G: Wellston-----	B	---	> 6.0	> 6.0	---	---	---	None	---	None
Berks-----	C	---	> 6.0	> 6.0	---	---	---	None	---	None
1843A: Bonnie-----	D	Jan-Jun Jul-Dec	0.0-1.0 0.0-6.0	> 6.0 > 6.0	Apparent ---	0.0-2.0 ---	Long ---	Frequent ---	Long ---	Frequent ---
Petrolia-----	D	Jan-Jun Jul-Dec	0.0-1.0 0.0-6.0	> 6.0 > 6.0	Apparent ---	0.0-2.0 ---	Long ---	Frequent ---	Long ---	Frequent ---
1846A: Karnak-----	D	Jan-Jun Jul-Dec	0.0-1.0 0.0-6.0	> 6.0 > 6.0	Apparent ---	0.0-2.0 ---	Long ---	Frequent ---	Long ---	Frequent ---
Cape-----	D	Jan-Jun Jul-Dec	0.0-1.0 0.0-6.0	> 6.0 > 6.0	Apparent ---	0.0-2.0 ---	Long ---	Frequent ---	Long ---	Frequent ---
3070A: Beaucoup-----	B/D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-1.0 ---	Brief ---	Frequent ---	Brief ---	Frequent ---
3071A: Darwin-----	C/D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-1.0 ---	Brief ---	Frequent ---	Brief ---	Frequent ---
3071L: Darwin-----	C/D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-1.0 ---	Long ---	Frequent ---	Long ---	Frequent ---
3072A: Sharon-----	B	Jan-Apr May Jun-Dec	3.0-6.0 > 6.0 > 6.0	> 6.0 > 6.0 > 6.0	Apparent --- ---	--- --- ---	--- --- ---	None None None	Brief Brief ---	Frequent Frequent ---

Table 22.—Water Features—Continued

Map symbol and soil name	Hydro- logic group	Month	Water table depth			Ponding			Flooding	
			Upper limit	Lower limit	Water table kind	Surface water depth	Duration	Frequency	Duration	Frequency
			Ft	Ft		Ft				
3072L: Sharon-----	B	Jan-Apr May Jun-Dec	3.0-6.0 > 6.0 > 6.0	> 6.0 > 6.0 > 6.0	Apparent --- ---	--- --- ---	--- --- ---	None None None	Long Long ---	Frequent Frequent ---
3108A: Bonnie-----	C/D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-1.0 ---	Brief ---	Frequent ---	Brief ---	Frequent ---
3108L: Bonnie-----	C/D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-1.0 ---	Long ---	Frequent ---	Long ---	Frequent ---
3180A: Dupo-----	C	Jan-May Jun Jul-Dec	0.5-2.0 > 6.0 > 6.0	2.0-6.0 > 6.0 > 6.0	Perched --- ---	--- --- ---	--- --- ---	None None None	Brief Brief ---	Frequent Frequent ---
3288A: Petrolia-----	C/D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-1.0 ---	Brief ---	Frequent ---	Brief ---	Frequent ---
3288L: Petrolia-----	C/D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-1.0 ---	Long ---	Frequent ---	Long ---	Frequent ---
3382A: Belknap-----	C	Jan-May Jun Jul-Dec	0.5-2.0 > 6.0 > 6.0	> 6.0 > 6.0 > 6.0	Apparent --- ---	--- --- ---	--- --- ---	None None None	Brief Brief ---	Frequent Frequent ---
3382L: Belknap-----	C	Jan-May Jun Jul-Dec	0.5-2.0 > 6.0 > 6.0	> 6.0 > 6.0 > 6.0	Apparent --- ---	--- --- ---	--- --- ---	None None None	Long Long ---	Frequent Frequent ---
3422A: Cape-----	D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-1.0 ---	Brief ---	Frequent ---	Brief ---	Frequent ---
3422A+: Cape-----	C/D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-1.0 ---	Brief ---	Frequent ---	Brief ---	Frequent ---
3426A: Karnak-----	C/D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-1.0 ---	Brief ---	Frequent ---	Brief ---	Frequent ---

Table 22.—Water Features—Continued

Map symbol and soil name	Hydro- logic group	Month	Water table depth			Ponding			Flooding	
			Upper limit	Lower limit	Water table kind	Surface water depth	Duration	Frequency	Duration	Frequency
			<u>Ft</u>	<u>Ft</u>		<u>Ft</u>				
3426A+: Karnak-----	C/D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-1.0 ---	Brief ---	Frequent ---	Brief ---	Frequent ---
3426L: Karnak-----	C/D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-1.0 ---	Long ---	Frequent ---	Long ---	Frequent ---
3449L: Armiesburg-----	B	Jan-May Jun-Dec	> 6.0 > 6.0	> 6.0 > 6.0	--- ---	--- ---	--- ---	None None	Long ---	Frequent ---
Sarpy-----	A	Jan-May Jun-Dec	> 6.0 > 6.0	> 6.0 > 6.0	--- ---	--- ---	--- ---	None None	Long ---	Frequent ---
3597A: Armiesburg-----	B	Jan-May Jun-Dec	> 6.0 > 6.0	> 6.0 > 6.0	--- ---	--- ---	--- ---	None None	Brief ---	Frequent ---
3597L: Armiesburg-----	B	Jan-May Jun-Dec	> 6.0 > 6.0	> 6.0 > 6.0	--- ---	--- ---	--- ---	None None	Long ---	Frequent ---
7131A: Alvin-----	B	Jan-May Jun-Dec	> 6.0 > 6.0	> 6.0 > 6.0	--- ---	--- ---	--- ---	None None	---	Rare ---
7131B: Alvin-----	B	Jan-May Jun-Dec	> 6.0 > 6.0	> 6.0 > 6.0	--- ---	--- ---	--- ---	None None	---	Rare ---
7131C2: Alvin-----	B	Jan-May Jun-Dec	> 6.0 > 6.0	> 6.0 > 6.0	--- ---	--- ---	--- ---	None None	---	Rare ---
7131D2: Alvin-----	B	Jan-May Jun-Dec	> 6.0 > 6.0	> 6.0 > 6.0	--- ---	--- ---	--- ---	None None	---	Rare ---
7460A: Ginat-----	D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	1.0-6.0 > 6.0	Perched ---	0.0-0.5 ---	Brief ---	Occasional ---	---	Rare ---
7462A: Sciotoville-----	C	Jan-Apr May Jun-Dec	1.5-3.0 > 6.0 > 6.0	3.0-6.0 > 6.0 > 6.0	Perched --- ---	--- --- ---	--- --- ---	None None None	--- --- ---	Rare Rare ---

Table 22.—Water Features—Continued

Map symbol and soil name	Hydro- logic group	Month	Water table depth			Ponding			Flooding	
			Upper limit	Lower limit	Water table kind	Surface water depth	Duration	Frequency	Duration	Frequency
			Ft	Ft		Ft				
7462B: Sciotoville-----	C	Jan-Apr	1.5-3.0	3.0-6.0	Perched	---	---	None	---	Rare
		May	> 6.0	> 6.0	---	---	---	None	---	Rare
		Jun-Dec	> 6.0	> 6.0	---	---	---	None	---	---
7462C2: Sciotoville-----	C	Jan-Apr	1.5-3.0	3.0-6.0	Perched	---	---	None	---	Rare
		May	> 6.0	> 6.0	---	---	---	None	---	Rare
		Jun-Dec	> 6.0	> 6.0	---	---	---	None	---	---
7462C3: Sciotoville-----	C	Jan-Apr	1.5-3.0	3.0-6.0	Perched	---	---	None	---	Rare
		May	> 6.0	> 6.0	---	---	---	None	---	Rare
		Jun-Dec	> 6.0	> 6.0	---	---	---	None	---	---
7462D2: Sciotoville-----	C	Jan-Apr	1.5-3.0	3.0-6.0	Perched	---	---	None	---	Rare
		May	> 6.0	> 6.0	---	---	---	None	---	Rare
		Jun-Dec	> 6.0	> 6.0	---	---	---	None	---	---
7462D3: Sciotoville-----	C	Jan-Apr	1.5-3.0	3.0-6.0	Perched	---	---	None	---	Rare
		May	> 6.0	> 6.0	---	---	---	None	---	Rare
		Jun-Dec	> 6.0	> 6.0	---	---	---	None	---	---
7463A: Wheeling-----	B	Jan-May	> 6.0	> 6.0	---	---	---	None	---	Rare
		Jun-Dec	> 6.0	> 6.0	---	---	---	None	---	---
7463B: Wheeling-----	B	Jan-May	> 6.0	> 6.0	---	---	---	None	---	Rare
		Jun-Dec	> 6.0	> 6.0	---	---	---	None	---	---
7463C2: Wheeling-----	B	Jan-May	> 6.0	> 6.0	---	---	---	None	---	Rare
		Jun-Dec	> 6.0	> 6.0	---	---	---	None	---	---
7463D2: Wheeling-----	B	Jan-May	> 6.0	> 6.0	---	---	---	None	---	Rare
		Jun-Dec	> 6.0	> 6.0	---	---	---	None	---	---
7463E2: Wheeling-----	B	Jan-May	> 6.0	> 6.0	---	---	---	None	---	Rare
		Jun-Dec	> 6.0	> 6.0	---	---	---	None	---	---

Table 22.—Water Features—Continued

Map symbol and soil name	Hydro- logic group	Month	Water table depth			Ponding			Flooding	
			Upper limit	Lower limit	Water table kind	Surface water depth	Duration	Frequency	Duration	Frequency
			<u>Ft</u>	<u>Ft</u>		<u>Ft</u>				
7483A: Henshaw-----	C	Jan-May Jun-Dec	0.5-2.0 > 6.0	> 6.0 > 6.0	Apparent ---	--- ---	--- ---	None None	--- ---	Rare ---
7711A: Hatfield-----	C	Jan-May Jun Jul-Dec	0.5-2.0 > 6.0 > 6.0	2.0-6.0 > 6.0 > 6.0	Perched --- ---	--- --- ---	--- --- ---	None None None	--- --- ---	Rare Rare ---
7711B: Hatfield-----	C	Jan-May Jun Jul-Dec	0.5-2.0 > 6.0 > 6.0	2.0-6.0 > 6.0 > 6.0	Perched --- ---	--- --- ---	--- --- ---	None None None	--- --- ---	Rare Rare ---
7711B2: Hatfield-----	C	Jan-May Jun Jul-Nov	0.5-2.0 > 6.0 > 6.0	2.0-6.0 > 6.0 > 6.0	Perched --- ---	--- --- ---	--- --- ---	None None None	--- --- ---	Rare Rare ---
8070A: Beaucoup-----	B	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-0.5 ---	Brief ---	Occasional ---	Brief ---	Occasional ---
8071A: Darwin-----	C/D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-0.5 ---	Brief ---	Occasional ---	Brief ---	Occasional ---
8072A: Sharon-----	B	Jan-Apr May Jun-Dec	3.0-6.0 > 6.0 > 6.0	> 6.0 > 6.0 > 6.0	Apparent --- ---	--- --- ---	--- --- ---	None None None	Brief Brief ---	Occasional Occasional ---
8108A: Bonnie-----	C/D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-0.5 ---	Brief ---	Occasional ---	Brief ---	Occasional ---
8109A: Raccoon-----	C/D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-0.5 ---	Brief ---	Occasional ---	Brief ---	Occasional ---
8180A: Dupo-----	C	Jan-May Jun Jul-Dec	0.5-2.0 > 6.0 > 6.0	2.0-6.0 > 6.0 > 6.0	Perched --- ---	--- --- ---	--- --- ---	None None None	Brief Brief ---	Occasional Occasional ---

Table 22.—Water Features—Continued

Map symbol and soil name	Hydro- logic group	Month	Water table depth			Ponding			Flooding	
			Upper limit	Lower limit	Water table kind	Surface water depth	Duration	Frequency	Duration	Frequency
			<u>Ft</u>	<u>Ft</u>		<u>Ft</u>				
8288A: Petrolia-----	C/D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-0.5 ---	Brief ---	Occasional ---	Brief ---	Occasional ---
8382A: Belknap-----	C/D	Jan-May Jun Jul-Dec	0.5-2.0 > 6.0 > 6.0	> 6.0 > 6.0 > 6.0	Apparent --- ---	--- --- ---	--- --- ---	None None None	Brief Brief ---	Occasional Occasional ---
8420A: Piopolis-----	C/D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-0.5 ---	Brief ---	Occasional ---	Brief ---	Occasional ---
8422A: Cape-----	C/D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-1.0 ---	Brief ---	Frequent ---	Brief ---	Occasional ---
8422A+: Cape-----	C/D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-1.0 ---	Brief ---	Frequent ---	Brief ---	Occasional ---
8426A: Karnak-----	C/D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-0.5 ---	Brief ---	Occasional ---	Brief ---	Occasional ---
8426A+: Karnak-----	C/D	Jan-Jun Jul-Dec	0.0-1.0 > 6.0	> 6.0 > 6.0	Apparent ---	0.0-0.5 ---	Brief ---	Occasional ---	Brief ---	Occasional ---
8427B: Burnside-----	B	Jan-May Jun-Dec	> 6.0 > 6.0	> 6.0 > 6.0	--- ---	--- ---	--- ---	None None	Brief ---	Occasional ---
8469A: Emma-----	C	Jan-Apr May Jun-Dec	2.5-4.0 > 6.0 > 6.0	> 6.0 > 6.0 > 6.0	Apparent --- ---	--- --- ---	--- --- ---	None None None	Brief Brief ---	Occasional Occasional ---
8469B: Emma-----	C	Jan-Apr May Jun-Dec	2.5-4.0 > 6.0 > 6.0	> 6.0 > 6.0 > 6.0	Apparent --- ---	--- --- ---	--- --- ---	None None None	Brief Brief ---	Occasional Occasional ---
8469C2: Emma-----	C	Jan-Apr May Jun-Dec	2.5-4.0 > 6.0 > 6.0	> 6.0 > 6.0 > 6.0	Apparent --- ---	--- --- ---	--- --- ---	None None None	Brief Brief ---	Occasional Occasional ---

Table 22.--Water Features--Continued

Map symbol and soil name	Hydro- logic group	Month	Water table depth			Ponding			Flooding	
			Upper limit	Lower limit	Water table kind	Surface water depth	Duration	Frequency	Duration	Frequency
			<u>Ft</u>	<u>Ft</u>		<u>Ft</u>				
8597A: Armiesburg-----	B	Jan-May	> 6.0	> 6.0	---	---	---	None	Brief	Occasional
		Jun-Dec	> 6.0	> 6.0	---	---	---	None	---	---
8693A: Hurst-----	D	Jan-May	1.0-3.0	> 6.0	Apparent	---	---	None	Brief	Occasional
		Jun	> 6.0	> 6.0	---	---	---	None	Brief	Occasional
		Jul-Dec	> 6.0	> 6.0	---	---	---	None	---	---
MW. Miscellaneous water										
W. Water										

Soil Survey of Massac County, Illinois

Table 23.—Soil Features

(See text for definitions of terms used in this table. Absence of an entry indicates that the feature is not a concern or that data were not estimated)

Map symbol and soil name	Restrictive layer			Potential for frost action	Risk of corrosion	
	Kind	Depth to top <u>In</u>	Hardness		Uncoated steel	Concrete
99G. Sandstone and Limestone Rock Land						
131B: Alvin-----	---	---	---	Moderate	Low	High
131C: Alvin-----	---	---	---	Moderate	Low	High
131C2: Alvin-----	---	---	---	Moderate	Low	High
131D2: Alvin-----	---	---	---	Moderate	Low	High
131F: Alvin-----	---	---	---	Moderate	Low	High
164A: Stoy-----	---	---	---	High	High	High
164B: Stoy-----	---	---	---	High	High	High
164C2: Stoy-----	---	---	---	High	High	High
165A: Weir-----	---	---	---	High	High	High
175B: Lamont-----	---	---	---	Moderate	Low	Moderate
175C2: Lamont-----	---	---	---	Moderate	Low	Moderate
175D2: Lamont-----	---	---	---	Moderate	Low	Moderate
214B: Hosmer-----	Fragipan	20-36	Weakly cemented	High	Moderate	High
214C2: Hosmer-----	Fragipan	20-36	Weakly cemented	High	Moderate	High
214C3: Hosmer-----	Fragipan	20-36	Weakly cemented	High	Moderate	High
214D2: Hosmer-----	Fragipan	20-36	Weakly cemented	High	Moderate	High
214D3: Hosmer-----	Fragipan	20-36	Weakly cemented	High	Moderate	High

Soil Survey of Massac County, Illinois

Table 23.—Soil Features—Continued

Map symbol and soil name	Restrictive layer			Potential for frost action	Risk of corrosion	
	Kind	Depth to top <u>In</u>	Hardness		Uncoated steel	Concrete
308B: Alford-----	---	---	---	High	Moderate	High
308C2: Alford-----	---	---	---	High	Moderate	High
308C3: Alford-----	---	---	---	High	Moderate	High
308D2: Alford-----	---	---	---	High	Moderate	High
308D3: Alford-----	---	---	---	High	Moderate	High
308E: Alford-----	---	---	---	High	Moderate	High
308E2: Alford-----	---	---	---	High	Moderate	High
308E3: Alford-----	---	---	---	High	Moderate	High
308F: Alford-----	---	---	---	High	Moderate	High
339C: Wellston-----	Lithic bedrock Paralithic bedrock	40-72 40-72	Indurated Strongly cemented	High	Moderate	High
339C2: Wellston-----	Lithic bedrock Paralithic bedrock	40-72 40-72	Indurated Strongly cemented	High	Moderate	High
339D: Wellston-----	Lithic bedrock Paralithic bedrock	40-72 40-72	Indurated Strongly cemented	High	Moderate	High
339D2: Wellston-----	Lithic bedrock Paralithic bedrock	40-72 40-72	Indurated Strongly cemented	High	Moderate	High
339D3: Wellston-----	Lithic bedrock Paralithic bedrock	40-72 40-72	Indurated Strongly cemented	High	Moderate	High
339F: Wellston-----	Lithic bedrock Paralithic bedrock	40-72 40-72	Indurated Strongly cemented	High	Moderate	High

Soil Survey of Massac County, Illinois

Table 23.—Soil Features—Continued

Map symbol and soil name	Restrictive layer			Potential for frost action	Risk of corrosion	
	Kind	Depth to top <u>In</u>	Hardness		Uncoated steel	Concrete
340C2: Zanesville-----	Fragipan Lithic bedrock Paralithic bedrock	19-32 40-80 40-80	Weakly cemented Indurated Strongly cemented	High	Moderate	High
340C3: Zanesville-----	Fragipan Lithic bedrock Paralithic bedrock	17-32 40-80 40-80	Weakly cemented Indurated Strongly cemented	High	Moderate	High
340D: Zanesville-----	Fragipan Lithic bedrock Paralithic bedrock	20-32 40-80 40-80	Weakly cemented Indurated Strongly cemented	High	Moderate	High
340D2: Zanesville-----	Fragipan Lithic bedrock Paralithic bedrock	19-32 40-80 40-80	Weakly cemented Indurated Strongly cemented	High	Moderate	High
340D3: Zanesville-----	Fragipan Lithic bedrock Paralithic bedrock	17-32 40-80 40-80	Weakly cemented Indurated Strongly cemented	High	Moderate	High
453C2: Muren-----	---	---	---	High	High	Moderate
453D2: Muren-----	---	---	---	High	High	Moderate
691D: Beasley-----	Paralithic bedrock	40-60	Strongly cemented	None	Moderate	Moderate
691F: Beasley-----	Paralithic bedrock	40-60	Strongly cemented	None	Moderate	Moderate
691G: Beasley-----	Paralithic bedrock	40-60	Strongly cemented	None	Moderate	Moderate
801B: Orthents, silty-----	---	---	---	High	High	Moderate
802D: Orthents, loamy-----	---	---	---	Moderate	Moderate	Moderate
864. Pits, quarries						
865. Pits, gravel						

Soil Survey of Massac County, Illinois

Table 23.—Soil Features—Continued

Map symbol and soil name	Restrictive layer			Potential for frost action	Risk of corrosion	
	Kind	Depth to top <u>In</u>	Hardness		Uncoated steel	Concrete
955D: Muskingum-----	Paralithic bedrock	20-40	Strongly cemented	Moderate	Low	High
	Lithic bedrock	20-40	Indurated			
Berks-----	Lithic bedrock	20-40	Indurated	Low	Low	High
955D2: Muskingum-----	Lithic bedrock	20-40	Indurated	Moderate	Low	High
	Paralithic bedrock	20-40	Strongly cemented			
Berks-----	Lithic bedrock	20-40	Indurated	Low	Low	High
955F: Muskingum-----	Paralithic bedrock	20-40	Strongly cemented	Moderate	Low	High
	Lithic bedrock	20-40	Indurated			
Berks-----	Lithic bedrock	20-40	Indurated	Low	Low	High
955G: Muskingum-----	Paralithic bedrock	20-40	Strongly cemented	Moderate	Low	High
	Lithic bedrock	20-40	Indurated			
Berks-----	Lithic bedrock	20-40	Indurated	Low	Low	High
956B: Brandon-----	---	---	---	High	Moderate	High
Saffell-----	---	---	---	Low	Low	Moderate
956C2: Brandon-----	---	---	---	High	Moderate	High
Saffell-----	---	---	---	Low	Low	Moderate
956C3: Brandon-----	---	---	---	High	Moderate	High
Saffell-----	---	---	---	Low	Low	Moderate
956D: Brandon-----	---	---	---	High	Moderate	High
Saffell-----	---	---	---	Low	Low	Moderate
956D2: Brandon-----	---	---	---	High	Moderate	High
Saffell-----	---	---	---	Low	Low	Moderate
956D3: Brandon-----	---	---	---	High	Moderate	High
Saffell-----	---	---	---	Low	Low	Moderate

Soil Survey of Massac County, Illinois

Table 23.—Soil Features—Continued

Map symbol and soil name	Restrictive layer			Potential for frost action	Risk of corrosion	
	Kind	Depth to top <u>In</u>	Hardness		Uncoated steel	Concrete
956E2:						
Brandon-----	---	---	---	High	Moderate	High
Saffell-----	---	---	---	Low	Low	Moderate
956F:						
Brandon-----	---	---	---	High	Moderate	High
Saffell-----	---	---	---	Low	Low	Moderate
986D:						
Wellston-----	Lithic bedrock Paralithic bedrock	40-72 40-72	Indurated Strongly cemented	High	Moderate	High
Berks-----	Lithic bedrock	20-40	Indurated	Low	Low	High
986D2:						
Wellston-----	Lithic bedrock Paralithic bedrock	40-72 40-72	Indurated Strongly cemented	High	Moderate	High
Berks-----	Lithic bedrock	20-40	Indurated	Low	Low	High
986F:						
Wellston-----	Lithic bedrock Paralithic bedrock	40-72 40-72	Indurated Strongly cemented	High	Moderate	High
Berks-----	Lithic bedrock	20-40	Indurated	Low	Low	High
986G:						
Wellston-----	Lithic bedrock Paralithic bedrock	40-72 40-72	Indurated Strongly cemented	High	Moderate	High
Berks-----	Lithic bedrock	20-40	Indurated	Low	Low	High
1843A:						
Bonnie-----	---	---	---	High	High	High
Petrolia-----	---	---	---	High	High	Low
1846A:						
Karnak-----	---	---	---	High	High	Moderate
Cape-----	---	---	---	High	High	High
3070A:						
Beaucoup-----	---	---	---	High	High	Low
3071A:						
Darwin-----	---	---	---	Moderate	High	Low
3071L:						
Darwin-----	---	---	---	Moderate	High	Low
3072A:						
Sharon-----	---	---	---	High	Low	High

Soil Survey of Massac County, Illinois

Table 23.—Soil Features—Continued

Map symbol and soil name	Restrictive layer			Potential for frost action	Risk of corrosion	
	Kind	Depth to top <u>In</u>	Hardness		Uncoated steel	Concrete
3072L: Sharon-----	---	---	---	High	Low	High
3108A: Bonnie-----	---	---	---	High	High	High
3108L: Bonnie-----	---	---	---	High	High	High
3180A: Dupo-----	Strongly contrasting textural stratification	20-40	Noncemented	High	High	Moderate
3288A: Petrolia-----	---	---	---	High	High	Low
3288L: Petrolia-----	---	---	---	High	High	Low
3382A: Belknap-----	---	---	---	High	High	High
3382L: Belknap-----	---	---	---	High	High	High
3422A: Cape-----	---	---	---	High	High	High
3422A+: Cape-----	---	---	---	High	High	High
3426A: Karnak-----	---	---	---	High	High	Moderate
3426A+: Karnak-----	---	---	---	High	High	Moderate
3426L: Karnak-----	---	---	---	High	High	Moderate
3449L: Armiesburg-----	---	---	---	High	Moderate	Low
Sarpy-----	---	---	---	Low	Low	Low
3597A: Armiesburg-----	---	---	---	High	Moderate	Low
3597L: Armiesburg-----	---	---	---	High	Moderate	Low
7131A: Alvin-----	---	---	---	Moderate	Low	High
7131B: Alvin-----	---	---	---	Moderate	Low	High

Soil Survey of Massac County, Illinois

Table 23.—Soil Features—Continued

Map symbol and soil name	Restrictive layer			Potential for frost action	Risk of corrosion	
	Kind	Depth to top <u>In</u>	Hardness		Uncoated steel	Concrete
7131C2: Alvin-----	---	---	---	Moderate	Low	High
7131D2: Alvin-----	---	---	---	Moderate	Low	High
7460A: Ginat-----	---	---	---	High	High	High
7462A: Sciotoville-----	---	---	---	High	Moderate	High
7462B: Sciotoville-----	---	---	---	High	Moderate	High
7462C2: Sciotoville-----	---	---	---	High	Moderate	High
7462C3: Sciotoville-----	---	---	---	High	Moderate	High
7462D2: Sciotoville-----	---	---	---	High	Moderate	High
7462D3: Sciotoville-----	---	---	---	High	Moderate	High
7463A: Wheeling-----	---	---	---	Moderate	Low	Moderate
7463B: Wheeling-----	---	---	---	Moderate	Low	Moderate
7463C2: Wheeling-----	---	---	---	Moderate	Low	Moderate
7463D2: Wheeling-----	---	---	---	Moderate	Low	Moderate
7463E2: Wheeling-----	---	---	---	Moderate	Low	Moderate
7483A: Henshaw-----	---	---	---	None	High	Moderate
7711A: Hatfield-----	---	---	---	High	High	High
7711B: Hatfield-----	---	---	---	High	High	High
7711B2: Hatfield-----	---	---	---	High	High	High
8070A: Beaucoup-----	---	---	---	High	High	Low
8071A: Darwin-----	---	---	---	Moderate	High	Low

Soil Survey of Massac County, Illinois

Table 23.—Soil Features—Continued

Map symbol and soil name	Restrictive layer			Potential for frost action	Risk of corrosion	
	Kind	Depth to top <u>In</u>	Hardness		Uncoated steel	Concrete
8072A: Sharon-----	---	---	---	High	Low	High
8108A: Bonnie-----	---	---	---	High	High	High
8109A: Raccoon-----	---	---	---	High	High	High
8180A: Dupo-----	Strongly contrasting textural stratification	20-40	Noncemented	High	High	Moderate
8288A: Petrolia-----	---	---	---	High	High	Low
8382A: Belknap-----	---	---	---	High	High	High
8420A: Piopolis-----	---	---	---	High	High	High
8422A: Cape-----	---	---	---	High	High	High
8422A+: Cape-----	---	---	---	High	High	High
8426A: Karnak-----	---	---	---	High	High	Moderate
8426A+: Karnak-----	---	---	---	High	High	Moderate
8427B: Burnside-----	Lithic bedrock	40-80	Indurated	Moderate	Low	High
8469A: Emma-----	---	---	---	High	High	High
8469B: Emma-----	---	---	---	High	High	High
8469C2: Emma-----	---	---	---	High	High	High
8597A: Armiesburg-----	---	---	---	High	Moderate	Low
8693A: Hurst-----	---	---	---	Moderate	High	High
MW. Miscellaneous water						
W. Water						

Soil Survey of Massac County, Illinois

Table 24.—Classification of the Soils

(An asterisk in the first column indicates a taxadjunct to the series. See text for a description of those characteristics that are outside the range of the series)

Soil name	Family or higher taxonomic class
Alford-----	Fine-silty, mixed, superactive, mesic Ultic Hapludalfs
Alvin-----	Coarse-loamy, mixed, superactive, mesic Typic Hapludalfs
Armiesburg-----	Fine-silty, mixed, superactive, mesic Fluventic Hapludolls
Beasley-----	Fine, mixed, active, mesic Typic Hapludalfs
Beaucoup-----	Fine-silty, mixed, superactive, mesic Fluvaquentic Endoaquolls
Belknap-----	Coarse-silty, mixed, active, acid, mesic Fluvaquentic Endoaquepts
Berks-----	Loamy-skeletal, mixed, active, mesic Typic Dystrudepts
Bonnie-----	Fine-silty, mixed, active, acid, mesic Typic Fluvaquents
*Brandon-----	Fine-silty, mixed, semiactive, thermic Typic Paleudults
Burnside-----	Loamy-skeletal, mixed, active, mesic Fluventic Dystrudepts
Cape-----	Fine, smectitic, acid, mesic Vertic Endoaquepts
Darwin-----	Fine, smectitic, mesic Fluvaquentic Vertic Endoaquolls
Dupo-----	Coarse-silty over clayey, mixed over smectitic, superactive, nonacid, mesic Aquic Udifluvents
Emma-----	Fine-silty, mixed, active, mesic Oxyaquic Dystrudepts
*Ginat-----	Fine-silty, mixed, active, mesic Fragic Epiaqualfs
Hatfield-----	Fine-silty, mixed, active, mesic Aeric Fragic Epiaqualfs
Henshaw-----	Fine-silty, mixed, active, mesic Aquic Hapludalfs
Hosmer-----	Fine-silty, mixed, active, mesic Oxyaquic Fragiudalfs
Hurst-----	Fine, smectitic, mesic Aeric Chromic Vertic Epiaqualfs
Karnak-----	Fine, smectitic, nonacid, mesic Vertic Endoaquepts
Lamont-----	Coarse-loamy, mixed, superactive, mesic Typic Hapludalfs
Muren-----	Fine-silty, mixed, superactive, mesic Aquic Hapludalfs
Muskingum-----	Fine-loamy, mixed, semiactive, mesic Typic Dystrudepts
Orthents, loamy-----	Fine-loamy, mixed, active, nonacid, mesic Typic Udorthents
Orthents, silty-----	Fine-silty, mixed, superactive, nonacid, mesic Typic Udorthents
Petrolia-----	Fine-silty, mixed, superactive, nonacid, mesic Fluvaquentic Endoaquepts
Piopolis-----	Fine-silty, mixed, active, acid, mesic Fluvaquentic Endoaquepts
Raccoon-----	Fine-silty, mixed, superactive, mesic Typic Endoaqualfs
*Saffell-----	Loamy-skeletal, siliceous, semiactive, thermic Typic Paleudults
Sarpy-----	Mixed, mesic Typic Udipsamments
*Sciotoville-----	Fine-loamy, mixed, active, mesic Fragiaquic Hapludalfs
Sharon-----	Coarse-silty, mixed, active, acid, mesic Oxyaquic Udifluvents
Stoy-----	Fine-silty, mixed, superactive, mesic Fragiaquic Hapludalfs
Weir-----	Fine, smectitic, mesic Typic Endoaqualfs
Wellston-----	Fine-silty, mixed, active, mesic Ultic Hapludalfs
Wheeling-----	Fine-loamy, mixed, active, mesic Ultic Hapludalfs
Zanesville-----	Fine-silty, mixed, active, mesic Oxyaquic Fragiudalfs

NRCS Accessibility Statement

The Natural Resources Conservation Service (NRCS) is committed to making its information accessible to all of its customers and employees. If you are experiencing accessibility issues and need assistance, please contact our Helpdesk by phone at 1-800-457-3642 or by e-mail at ServiceDesk-FTC@ftc.usda.gov. For assistance with publications that include maps, graphs, or similar forms of information, you may also wish to contact our State or local office. You can locate the correct office and phone number at <http://offices.sc.egov.usda.gov/locator/app>.