

# **CONSERVATION ENHANCEMENT ACTIVITY**

E666D



# Forest management to enhance understory vegetation Conservation Practice 666: Forest Stand Improvement

**APPLICABLE LAND USE: Forest** 

**RESOURCE CONCERN:** Plants, Animals, Water

**ENHANCEMENT LIFE SPAN: 10 Years** 

#### **Enhancement Description:**

Forest stand improvement that manages the structure and composition of overstory and understory vegetation to:

- Reduce vulnerability to damage by insects and diseases of forest trees. Canopy gaps and open understory allow for air circulation that reduces the incidence of disease, and the improved health of the residual trees increases their ability to withstand insect attacks
- Managing the understory vegetation will also reduce the risk of wildfire and promote development of herbaceous plants that benefit wildlife.
- Capture additional moisture and filters the water through the vegetation and soil.
- Managing the understory vegetation will increase available water to plants, minimize run-off and erosion, improve water quality, and limit nutrient entry into ground water.
- Reducing the number of trees per acre provides canopy openings that allow sunlight to reach the forest floor and promote the growth of herbaceous plants, improving wildlife shelter and cover in the forest understory.

This enhancement provides for management of the understory vegetation in a forested area by mechanical, chemical and/or manual methods to improve the plant species mix and the health of the residual vegetation. Managing the understory vegetation increases available water to the plants, minimizes runoff and erosion, and improves water quality. An adequately stocked forest provides inputs of leaves, needles, and woody twigs and stems to the forest floor, adding to soil organic matter and contributing to forest soil health. Desirable tree species and understory vegetation, with spacing that allows ground cover to develop, will allow moisture to infiltrate and be stored in the soil, releasing moisture over longer periods of time.



### Criteria:

States will apply general criteria from the NRCS National Conservation Practice Standard Forest Stand Improvement (Code 666) as listed below, and additional criteria as required by the NRCS State Office.



- The enhancement will be applied to sites which have an uncharacteristically dense understory of shrubs and small trees that limit development of ground cover.
- Develop or update a forest management plan in consultation with NRCS personnel and a professional forester to direct the management of the property.
- Describe the current and desired future condition of each stand that will be treated. Include the species, cover type, and size-class distribution. Stocking will be described in terms of crop trees per acre, basal area per acre, trees per acre, between-tree spacing, or by any other appropriate and professionally accepted density or stocking protocol.
- Identify and retain preferred tree and understory species to achieve all planned purposes and landowner objectives.
- Use available guidelines for species and species groups to determine spacing, density, sizeclass distribution, number of trees, and amount of understory species to be retained. Schedule treatments to avoid overstocked conditions using approved silvicultural/stocking guides.
- Vegetation may be treated by chemical methods such as spraying or single stem treatments, or mechanical methods like a heavy-duty brush cutter or similar equipment. Refer to criteria in NRCS Conservation Practice Standard Integrated Pest Management (Code 595), Brush Management (Code 314), and Herbaceous Weed Control (Code315).
- Time tree felling to avoid buildup of insect or disease populations.
- Implement forest stand improvement activities in ways that avoid or minimize soil erosion, compaction, rutting, and damage to remaining vegetation, and that maintain hydrologic conditions. Protect site resources by selecting the method, felling direction and timing of tree felling, and heavy equipment operation. For temporary access use NRCS Conservation Practice Standard Forest Trails and Landings (Code 655), to protect soil and site resources from vehicle impacts.
- Where slash and debris will be generated, use NRCS Conservation Practice Standard Woody Residue Treatment (Code 384) to appropriately treat slash and debris, as necessary, to assure that it will not present an unacceptable fire, safety, environmental, or pest hazard.

Remaining woody material will be placed so that it does not interfere with the intended purpose or other management activities. Do not burn vegetative residues except where fire hazard or threats from diseases and insects are of concern or when other management



objectives are best achieved through burning. When slash and other debris will be burned onsite use NRCS Conservation Practice Standard Prescribed Burning (Code 338).

- The acres planned must have an "acceptable growing stock" level of at least the B line on an appropriate stocking chart.
- This enhancement requires implementation of the following activities (a through d) in the area where the enhancement applies.
  - a. Excessive volatile live vegetation and woody debris –When volatile, live grasses and shrubs and/or woody debris are present, a reduction of these fuels may be accomplished by using heavy duty brush cutters or similar equipment.
  - b. Closed canopy When trees form a continuous closed canopy, thin the stand to allow for heat escape and to improve the health of residual trees and understory vegetation. Open the canopy by cutting or killing selected trees to allow sunlight to reach the forest floor. Reduce slash from the cut trees by cutting off the limbs as needed. An alternative is to use single tree injections to reduce the density of poor-quality trees and open up the canopy.
  - c. Ladder fuels When ladder fuels form connections between the ground and the higher levels of the canopy, thus increasing the risk of fire spreading into tree crowns, break the continuity of fuel between the ground and the upper canopy. Complete removal is not required provided the fuel continuity is disrupted.
  - d. Undesirable Vegetation Use control measures to reduce or eliminate undesirable vegetation and favor desirable vegetation for the site.
- Minimize damage to residual trees during the treatment process.
- If machinery is being used, operate under dry conditions when the machinery will not cause rutting and/or soil compaction.
- The enhancement will comply with all applicable federal, state, and local laws and regulations, and with States' Forestry Best Management Practices for Water Quality.




#### **Documentation and Implementation Requirements:**

#### Participant will:

Prior to implementation, review NRCS Conservation
PROGRA
Practice Standard Forest Stand Improvement (Code 666)
which contains information needed to meet criteria for this enhancement.



- Prior to implementation, develop an understanding of management practices that reduce a dense understory of small trees and brush, and the types of understory vegetation that will be encouraged by these practices. (Request NRCS technical assistance, as needed.)
- Prior to implementation, work with a professional forester to prepare or update a current Forest Management Plan (FMP) that includes activities required to implement this enhancement. The FMP will include guidelines for thinning the stand and maintaining fully stocked conditions as specified in enhancement criteria. Depending on the resource concern addressing the FMP will also include recommended practices for managing understory vegetation to:
  - Minimize risks of insect and disease outbreaks.
  - Include recommended practices for managing understory vegetation to favor moisture infiltration.
  - The FMP will also include recommended practices for managing understory vegetation to favor wildlife cover and shelter.
  - Include recommended practices for managing understory vegetation to capture nutrients.
- Prior to implementation, recognize that other NRCS Conservation Practice Standards may be needed to apply this enhancement. These may include:
  - o Brush Management (Code 314)
  - Forest Trails and Landings (Code 655)
  - o Herbaceous Weed Control (Code 315)
  - Integrated Pest Management (Code 595)
  - Woody Residue Treatment (Code 384)
  - o Prescribed Burning (Code 338)
- Prior to implementation, acquire all necessary approvals and permits (i.e. local, state, or federal, as applicable).
- Prior to implementation, work with a professional forester who will mark trees and groups of trees to be removed or killed, and who will develop a strategy for controlling undesirable understory vegetation.



- Prior to implementation, take pre-treatment photos of the site to show representative conditions.
- During implementation, follow FMP guidelines, criteria in NRCS Conservation Practice Standard Forest Stand Improvement (Code 666), and specifications provided by NRCS, to ensure that:



- Trees are removed, killed, or retained to achieve all planned purposes and landowner objectives.
- The desired spacing, density, size-class distribution, number of trees, and amount of understory is achieved.
- o The operation avoids or minimizes damage to desirable vegetation.
- During implementation, follow state-approved Forestry Best Management Practices (BMPs) to protect streams, water quality, and minimize soil loss.
- During implementation, reduce stand stocking to correspond with the B-line of an appropriate stocking chart, retaining trees with larger, healthy crowns and undamaged trunks. If tree removal is not an option, reduce density by killing selected trees through girdling and/or chemically treatments.
- During implementation, control undesirable competing vegetation using appropriate methods for the tree species and site conditions. If prescribed burning will be used, work with NRCS and a professional forester or biologist to obtain a state approved prescribed burn plan. If using chemical methods, follow application and timing recommendations from an approved source.
- During implementation, limit the size of debris piles to minimize wildfire hazards.
- During implementation, as needed, evaluate and review with NRCS any planned changes to verify they meet the enhancement criteria.
- After implementation, take digital photos showing representative post-treatment conditions.
- After implementation, notify NRCS that the work has been completed and make treatment documentation records available for NRCS review and certification.

#### NRCS will:

- Prior to implementation, assist with interpretation of a current or updated FMP for sites where this enhancement will be applied.
- Prior to implementation, provide and explain the following NRCS Conservation Practice Standards as they relate to implementing this enhancement.



- o Brush Management (Code 314)
- Herbaceous Weed Control (Code 315)
- Forest Stand Improvement (Code 666)
- Woody Residue Treatment (Code 384)
- Forest Trails and Landings (Code 655)
- o Integrated Pest Management (Code 595)
- Prescribed Burning (Code 338)
- □ Prior to implementation, provide and explain the state's Forestry BMP guidelines.
- During implementation, provide technical assistance if requested by the participant.
- During implementation, evaluate any planned changes to verify they meet the enhancement criteria.
- During implementation, provide technical assistance if requested by the participant.
- After implementation, review treatment documentation records and certify that the enhancement was completed according to specifications in this enhancement, and in NRCS Conservation Practice Standard Forest Stand Improvement (Code 666).

#### NRCS Documentation Review:

I have reviewed all required participant documentation and have determined the participant has implemented the enhancement and met all criteria and requirements.

Participant Name	Contr <mark>act Number</mark>
Total Amount Applied	Fiscal Year Completed

NRCS Technical Adequacy Signature

Date

# CONSERVATION STEWARDSHIP PROGRAM

# 2024 CSP ENHANCEMENTS – GUIDANCE & PERFORMANCE CERTIFICATION

# E666D – Forest Management to Enhance Understory Vegetation

BRIEF DESCRIPTION OF ENHANCEMENT: This enhancement provides for management of the understory vegetation in a forested area by mechanical, chemical and/or manual methods to improve the plant species mix and the health of the residual vegetation. In cases where the herbaceous understory is sparse, such as reforested crop or pastureland, planting native warm season grass plugs is an option.

Implementation of these practices will create a healthy understory. Tree and brush removal stimulates the growth of desirable herbaceous vegetation on the forest floor. If thinning option is chosen, preferentially remove unhealthy individual trees, undesirable species, and trees with visible defects including forked or broken tops, thin crowns or damaged trunks. Retain desired species and individual trees with large healthy crowns and undamaged trunks. In the case of native warm season grass planting, the pine canopy should be open enough to get sunlight on the ground. In addition, any hardwood brush should be treated before planting native grasses. This enhancement creates conditions that facilitate a follow-up treatment with prescribed burning in pine stands. The enhancement will generally be used on pine stands, with some exceptions for hardwood stand treatment. It is important to keep fire in these stands after the enhancement is completed to ensure a good herbaceous understory remains.

Stand	Acres to	(X) All Recommended Treatments below					
	be treated	Mechanical	Chemical	Herbaceous weed	*Native Warm		
		(Commercial	treatment	control for	Season Grass		
		thinning or	(hand,	undesirable	planting.		
		precommercial	helicopter or	competing			
		thinning using	skidder spray)	vegetation, such			
		mulching,		as cogon grass,			
		mowing,		bahia grass,			
		chainsaws, or		Bermuda grass or			
		small dozers)		tall fescue			

#### **E666D JOB SHEET TABLE**

\*Due to timber on most sites, NWSG planting will be easiest with container plug grass seedlings. These can be purchased from many tree nurseries that carry container pine seedlings. Pre-ordering may be required, as they are usually in high demand. Spacing for container plug native grasses will be allowed ranging from 5'x5' (1,742 seedlings per acre) to 8'x8' or 681 seedlings per acre and any density in between. Where wiregrass is native (southern tier of Alabama counties), it is often rare or nonexistent in many pine stands due to past management. Wiregrass will be the species required if the NWSG planting option is chosen in the native Alabama range of wiregrass. Wiregrass planting counties (from Alabama Plant Atlas) include: Baldwin, Mobile, Monroe, Escambia, Covington, Geneva and Houston.

ATTACH COPIES OF REQUIRED DOCUMENTS AS NOTED BY THE ENHANCEMENT JOB SHEET. CHECK THE BOX OR OTHERWISE IDENTIFY THE SUPPORTING DOCUMENTATION.

- Develop or update a forest management plan (FMP) in consultation with NRCS personnel and a professional forester or wildlife biologist (NWSG planting) to direct the management of the property.
- Prior to implementing this enhancement, the E666D Job Sheet Table should be completed and submitted to the local NRCS Office. The FMP should have greater detail as to the recommended treatments listed in the Job Sheet Table.
- □ Maps of the area or location(s) to be treated
- □ Photo documentation of the enhancement.

The attached documents support the full implementation of this Conservation Stewardship Enhancement.

CSP Participant Name

Date