

Forage Suitability Groups by Vegetative Zone

- [Introduction – Forage Suitability Groups](#)

Maps

- [North Dakota – Major Land Resource Area \(MLRA\)](#)

MLRA 53A

Forage Suitability Groups

Clayey Subsoil	Saline
Claypan	Sand
Droughty Loam	Steep Loam
Limy Upland	Subirrigated
Loam	Very Droughty Loam
Not Suited	Very Shallow to Gravel
Overflow	Wet

MLRA 53B

Forage Suitability Groups

Clayey Subsoil	Sand
Claypan	Steep Loam
Droughty Loam	Subirrigated
Limy Upland	Very Droughty Loam
Loam	Very Shallow to Gravel
Overflow	Wet
Saline	

MLRA 54

Forage Suitability Groups

Clayey Subsoil	Sand
Claypan	Steep Loam
Droughty Loam	Subirrigated
Limy Upland	Very Droughty Loam
Loam	Very Shallow to Gravel
Overflow	Wet
Saline	

MLRA 55A

Forage Suitability Groups

<u>Clayey Subsoil</u>	<u>Saline</u>
<u>Claypan</u>	<u>Sand</u>
<u>Droughty Loam</u>	<u>Steep Loam</u>
<u>Limy Upland</u>	<u>Subirrigated</u>
<u>Loam</u>	<u>Very Droughty Loam</u>
<u>Not Suited</u>	<u>Very Shallow to Gravel</u>
<u>Overflow</u>	<u>Wet</u>

MLRA 55B

Forage Suitability Groups

<u>Clayey Subsoil</u>	<u>Saline</u>
<u>Claypan</u>	<u>Sand</u>
<u>Droughty Loam</u>	<u>Steep Loam</u>
<u>Limy Upland</u>	<u>Subirrigated</u>
<u>Loam</u>	<u>Very Droughty Loam</u>
<u>Not Suited</u>	<u>Very Shallow to Gravel</u>
<u>Overflow</u>	<u>Wet</u>

MLRA 56

Forage Suitability Groups

<u>Clayey Subsoil</u>	<u>Saline</u>
<u>Claypan</u>	<u>Sand</u>
<u>Droughty Loam</u>	<u>Subirrigated</u>
<u>Limy Upland</u>	<u>Very Droughty Loam</u>
<u>Loam</u>	<u>Very Shallow to Gravel</u>
<u>Not Suited</u>	<u>Wet</u>
<u>Overflow</u>	

MLRA 58C

Forage Suitability Groups

<u>Clayey Subsoil</u>	<u>Overflow</u>
<u>Claypan</u>	<u>Sand</u>
<u>Droughty Loam</u>	<u>Very Droughty Loam</u>
<u>Limy Upland</u>	<u>Wet</u>
<u>Loam</u>	

MLRA 58D
Forage Suitability Groups

<u>Clayey Subsoil</u>	<u>Not Suited</u>
<u>Claypan</u>	<u>Overflow</u>
<u>Droughty Loam</u>	<u>Sand</u>
<u>Limy Upland</u>	<u>Very Droughty Loam</u>
<u>Loam</u>	<u>Wet</u>