

Soil Correlation Amendment  
of  
Sussex County, New Jersey  
Consistent with Detailed New Jersey State Soil Survey Legend  
(SSSD, SSURGO1 lists version of name/symbol, \* name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
AhbAc	Alden silt loam, 0 to 3 percent slopes, extremely stony	AhbBc	Alden silt loam, 0 to 8 percent slopes, extremely stony
Lhs	Livingston silty clay loam	AhbBc	Alden silt loam, 0 to 8 percent slopes, extremely stony
LymA	Lyons silt loam, 0 to 3 percent slopes	AhbBc	Alden silt loam, 0 to 8 percent slopes, extremely stony
LymBb	Lyons silt loam, 0 to 8 percent slopes, very stony	AhbBc	Alden silt loam, 0 to 8 percent slopes, extremely stony
SKOA	Sloan and Wayland silt loams	AhbBc	Alden silt loam, 0 to 8 percent slopes, extremely stony
TurA	Turbotville loam, 0 to 3 percent slopes	AhbBc	Alden silt loam, 0 to 8 percent slopes, extremely stony
TurB	Turbotville loam, 8 to 15 percent slopes	AhbBc	Alden silt loam, 0 to 8 percent slopes, extremely stony
AhcBc	Alden mucky silt loam, 0 to 8 percent slopes, extremely stony	AhcBc	Alden mucky silt loam, gneiss till substratum, 0 to 8 percent slopes, extremely stony
WhtC	Whitman sandy loam, extremely stony	AhcBc	Alden mucky silt loam, gneiss till substratum, 0 to 8 percent slopes, extremely stony
WhuC	Whitman gravelly sandy loam, extremely stony	AhcBc	Alden mucky silt loam, gneiss till substratum, 0 to 8 percent slopes, extremely stony
AruCd	Arnot-Lordstown complex, 0 to 15 percent slopes, rubbly	AruCh	Arnot-Lordstown complex, 0 to 15 percent slopes, very rocky
AruDd	Arnot-Lordstown complex, 15 to 35 percent slopes, rubbly	ArvD	Arnot-Lordstown-Rock outcrop complex, 15 to 35 percent slopes
AruEd	Arnot-Lordstown complex, 35 to 60 percent slopes, rubbly	ArvE	Arnot-Lordstown-Rock outcrop complex, 35 to 60 percent slopes
Atb	Atherton loam	AtcA	Atherton mucky silt loam, 0 to 3 percent slopes
Car	Carlisle muck	CatbA	Catden mucky peat, 0 to 2 percent slopes
Cat	Catden mucky peat	CatbA	Catden mucky peat, 0 to 2 percent slopes
CatA	Catden mucky peat, 0 to 2 percent slopes	CatbA	Catden mucky peat, 0 to 2 percent slopes
Swb	Swamp	CatbA	Catden mucky peat, 0 to 2 percent slopes
ChkCd	Chatfield-Hollis-Rock outcrop complex, 0 to 15 percent slopes, rubbly	ChkC	Chatfield-Hollis-Rock outcrop complex, 0 to 15 percent slopes
RovBb	Roxburg-Parker cobbly sandy loams, 3 to 8 percent slopes, very stony	ChkC	Chatfield-Hollis-Rock outcrop complex, 0 to 15 percent slopes
RovCb	Roxburg-Parker cobbly sandy loams, 8 to 15 percent slopes, very stony	ChkC	Chatfield-Hollis-Rock outcrop complex, 0 to 15 percent slopes

Soil Correlation Amendment  
of  
Sussex County, New Jersey  
Consistent with Detailed New Jersey State Soil Survey Legend  
(SSSD, SSURGO1 lists version of name/symbol, \* name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
ChkDh	Chatfield-Charlton-Rock outcrop complex, 8 to 25 percent slopes, very rocky	ChkE	Chatfield-Hollis-Rock outcrop complex, 35 to 60 percent slopes
ChkEd	Chatfield-Hollis-Rock outcrop complex, 35 to 60 percent slopes, rubbly	ChkE	Chatfield-Hollis-Rock outcrop complex, 35 to 60 percent slopes
ChmF	Chatfield-Charlton-Rock outcrop complex, 25 to 60 percent slopes	ChkE	Chatfield-Hollis-Rock outcrop complex, 35 to 60 percent slopes
PaxEc	Parker-Roxburg cobbly sandy loams, 25 to 45 percent slopes, extremely stony	ChkE	Chatfield-Hollis-Rock outcrop complex, 35 to 60 percent slopes
PaxFg	Parker-Roxburg cobbly sandy loams, 45 to 85 percent slopes, rocky	ChkE	Chatfield-Hollis-Rock outcrop complex, 35 to 60 percent slopes
RotE	Roxburg-Parker gravelly sandy loams, 25 to 45 percent slopes	ChkE	Chatfield-Hollis-Rock outcrop complex, 35 to 60 percent slopes
ChuBc	Chippewa loam, 0 to 8 percent slopes, extremely stony	ChwBc	Chippewa silt loam, 0 to 8 percent slopes, extremely stony
ChwAc	Chippewa silt loam, 0 to 3 percent slopes, extremely stony	ChwBc	Chippewa silt loam, 0 to 8 percent slopes, extremely stony
ChwB	Chippewa silt loam, 3 to 8 percent slopes	ChwBc	Chippewa silt loam, 0 to 8 percent slopes, extremely stony
NowA	Norwich silt loam, 0 to 3 percent slopes	ChwBc	Chippewa silt loam, 0 to 8 percent slopes, extremely stony
NowBb	Norwich silt loam, 0 to 8 percent slopes, very stony	ChwBc	Chippewa silt loam, 0 to 8 percent slopes, extremely stony
CorA	Colonie loamy fine sand, 0 to 3 percent slopes	CorA	Colonie loamy fine sand, 0 to 3 percent slopes
CorC	Colonie loamy fine sand, 8 to 15 percent slopes	CorB	Colonie loamy fine sand, 3 to 8 percent slopes
DefA	Delaware fine sandy loam, 0 to 3 percent slopes	DefAr	Delaware fine sandy loam, 0 to 3 percent slopes, rarely flooded
DefB	Delaware fine sandy loam, 3 to 8 percent slopes	DefBr	Delaware fine sandy loam, 3 to 8 percent slopes, rarely flooded
URDEB	Urban land-Delaware complex, 0 to 8 percent slopes	DefBr	Delaware fine sandy loam, 3 to 8 percent slopes, rarely flooded
FaxCd	Farmington-Rock outcrop complex, 0 to 15 percent slopes, rubbly	FaxC	Farmington-Rock outcrop complex, 0 to 15 percent slopes
WadCb	Washington loam, 3 to 15 percent slopes, very stony	FaxC	Farmington-Rock outcrop complex, 0 to 15 percent slopes
CovA	Conestoga silt loam, 0 to 3 percent slopes	FdwB	Farmington-Wassaic-Rock outcrop complex, 0 to 8 percent slopes
CovB	Conestoga silt loam, 3 to 8 percent slopes	FdwB	Farmington-Wassaic-Rock outcrop complex, 0 to 8 percent slopes

Soil Correlation Amendment  
of  
Sussex County, New Jersey  
Consistent with Detailed New Jersey State Soil Survey Legend  
(SSSD, SSURGO1 lists version of name/symbol, \* name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
FdwBc	Farmington-Wassaic-Rock outcrop complex, 0 to 8 percent slopes, extremely stony	FdwB	Farmington-Wassaic-Rock outcrop complex, 0 to 8 percent slopes
GawB	Galway silt loam, 3 to 8 percent slopes	FdwB	Farmington-Wassaic-Rock outcrop complex, 0 to 8 percent slopes
GayB	Galway-Urban land complex, 3 to 8 percent slopes	FdwB	Farmington-Wassaic-Rock outcrop complex, 0 to 8 percent slopes
PkaB	Pittsfield-Galway silt loams, 3 to 8 percent slopes	FdwB	Farmington-Wassaic-Rock outcrop complex, 0 to 8 percent slopes
URWAA	Urban land-Washington complex, 0 to 3 percent slopes	FdwB	Farmington-Wassaic-Rock outcrop complex, 0 to 8 percent slopes
URWAB	Urban land-Washington complex, 3 to 8 percent slopes	FdwB	Farmington-Wassaic-Rock outcrop complex, 0 to 8 percent slopes
WadB	Washington loam, 3 to 8 percent slopes	FdwB	Farmington-Wassaic-Rock outcrop complex, 0 to 8 percent slopes
WagA	Washington-Urban land complex, 0 to 3 percent slopes	FdwB	Farmington-Wassaic-Rock outcrop complex, 0 to 8 percent slopes
WagB	Washington-Urban land complex, 3 to 8 percent slopes	FdwB	Farmington-Wassaic-Rock outcrop complex, 0 to 8 percent slopes
WANB	Washington and Ryder silt loams, 3 to 8 percent slopes	FdwB	Farmington-Wassaic-Rock outcrop complex, 0 to 8 percent slopes
Fmh	Fluvaquents, loamy	FmhAs	Fluvaquents, loamy, 0 to 3 percent slopes, occasionally flooded
Fmht	Fluvaquents, loamy, frequently flooded	FmhAs	Fluvaquents, loamy, 0 to 3 percent slopes, occasionally flooded
FmsAs	Fluvaquents, loamy, 0 to 3 percent slopes, occasionally flooded	FmhAs	Fluvaquents, loamy, 0 to 3 percent slopes, occasionally flooded
FrbA	Fredon loam, 0 to 3 percent slopes	FrdAb	Fredon-Halsey complex, 0 to 3 percent slopes, very stony
FrbB	Fredon loam, 3 to 8 percent slopes	FrdAb	Fredon-Halsey complex, 0 to 3 percent slopes, very stony
FrhAb	Fredon-Halsey complex, 0 to 3 percent slopes, very stony	FrdAb	Fredon-Halsey complex, 0 to 3 percent slopes, very stony
Hay	Halsey loam	FrdAb	Fredon-Halsey complex, 0 to 3 percent slopes, very stony
LopA	Lopatcong loam, 0 to 3 percent slopes	FrdAb	Fredon-Halsey complex, 0 to 3 percent slopes, very stony
RayA	Raynham silt loam, 0 to 3 percent slopes	FrdAb	Fredon-Halsey complex, 0 to 3 percent slopes, very stony
GawEb	Galway loam, 35 to 60 percent slopes, very stony	GawEh	Galway loam, 35 to 60 percent slopes, very rocky

Soil Correlation Amendment  
of  
Sussex County, New Jersey  
Consistent with Detailed New Jersey State Soil Survey Legend  
(SSSD, SSURGO1 lists version of name/symbol, \* name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
AknA	Alton gravelly sandy loam, 0 to 3 percent slopes	HdxAb	Hazen-Hoosic complex, 0 to 3 percent slopes, very stony
BrnA	Braceville gravelly sandy loam, 0 to 3 percent slopes	HdxAb	Hazen-Hoosic complex, 0 to 3 percent slopes, very stony
ChnA	Chenango gravelly sandy loam, 0 to 3 percent slopes	HdxAb	Hazen-Hoosic complex, 0 to 3 percent slopes, very stony
HduA	Hazen loam, 0 to 3 percent slopes	HdxAb	Hazen-Hoosic complex, 0 to 3 percent slopes, very stony
HdvA	Hazen gravelly loam, 0 to 3 percent slopes	HdxAb	Hazen-Hoosic complex, 0 to 3 percent slopes, very stony
HemA	Hero loam, 0 to 3 percent slopes	HdxAb	Hazen-Hoosic complex, 0 to 3 percent slopes, very stony
Mgd	Middlebury loam	HdxAb	Hazen-Hoosic complex, 0 to 3 percent slopes, very stony
MurA	Musconetcong gravelly loam, 0 to 3 percent slopes	HdxAb	Hazen-Hoosic complex, 0 to 3 percent slopes, very stony
PakA	Palmyra gravelly fine sandy loam, 0 to 3 percent slopes	HdxAb	Hazen-Hoosic complex, 0 to 3 percent slopes, very stony
PomA	Pope fine sandy loam, high bottom, 0 to 3 percent slopes	HdxAb	Hazen-Hoosic complex, 0 to 3 percent slopes, very stony
ThmA	Tioga gravelly sandy loam, 0 to 3 percent slopes	HdxAb	Hazen-Hoosic complex, 0 to 3 percent slopes, very stony
ThrA	Tioga loam, 0 to 3 percent slopes	HdxAb	Hazen-Hoosic complex, 0 to 3 percent slopes, very stony
AknB	Alton gravelly sandy loam, 3 to 8 percent slopes	HdxBb	Hazen-Hoosic complex, 3 to 8 percent slopes, very stony
AkuB	Alton-Urban land complex, 0 to 8 percent slopes	HdxBb	Hazen-Hoosic complex, 3 to 8 percent slopes, very stony
BrnB	Braceville gravelly sandy loam, 3 to 8 percent slopes	HdxBb	Hazen-Hoosic complex, 3 to 8 percent slopes, very stony
ChnB	Chenango gravelly sandy loam, 3 to 8 percent slopes	HdxBb	Hazen-Hoosic complex, 3 to 8 percent slopes, very stony
ChoB	Chenango gravelly fine sandy loam, 3 to 8 percent slopes	HdxBb	Hazen-Hoosic complex, 3 to 8 percent slopes, very stony
HdvB	Hazen gravelly loam, 3 to 8 percent slopes	HdxBb	Hazen-Hoosic complex, 3 to 8 percent slopes, very stony
HemB	Hero loam, 3 to 8 percent slopes	HdxBb	Hazen-Hoosic complex, 3 to 8 percent slopes, very stony
HooB	Hoosic gravelly loam, 3 to 8 percent slopes	HdxBb	Hazen-Hoosic complex, 3 to 8 percent slopes, very stony

Soil Correlation Amendment  
of  
Sussex County, New Jersey  
Consistent with Detailed New Jersey State Soil Survey Legend  
(SSSD, SSURGO1 lists version of name/symbol, \* name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
MurB	Musconetcong gravelly loam, 3 to 8 percent slopes	HdxBb	Hazen-Hoosic complex, 3 to 8 percent slopes, very stony
MusB	Musconetcong-Urban land complex, 0 to 8 percent slopes	HdxBb	Hazen-Hoosic complex, 3 to 8 percent slopes, very stony
PakB	Palmyra gravelly fine sandy loam, 3 to 8 percent slopes	HdxBb	Hazen-Hoosic complex, 3 to 8 percent slopes, very stony
PomB	Pope fine sandy loam, high bottom, 3 to 8 percent slopes	HdxBb	Hazen-Hoosic complex, 3 to 8 percent slopes, very stony
HhmBb	Hibernia loam, 0 to 8 percent slopes, very stony	HhmBc	Hibernia loam, 0 to 8 percent slopes, extremely stony
HhnB	Hibernia gravelly loam, 3 to 8 percent slopes	HhmBc	Hibernia loam, 0 to 8 percent slopes, extremely stony
HhnBb	Hibernia gravelly loam, 0 to 8 percent slopes, very stony	HhmBc	Hibernia loam, 0 to 8 percent slopes, extremely stony
HnaBb	Hinckley loamy coarse sand, 0 to 8 percent slopes, very stony	HkrgBb	Hinckley loamy coarse sand, 0 to 8 percent slopes, very stony
HnaCb	Hinckley loamy coarse sand, 8 to 15 percent slopes, very stony	HkrgCb	Hinckley loamy coarse sand, 8 to 15 percent slopes, very stony
HnaDb	Hinckley loamy coarse sand, 15 to 25 percent slopes, very stony	HkrgCb	Hinckley loamy coarse sand, 8 to 15 percent slopes, very stony
RkrD	Riverhead sandy loam, 8 to 25 percent slopes	HkrgCb	Hinckley loamy coarse sand, 8 to 15 percent slopes, very stony
HkcD	Hollis-Rock outcrop-Chatfield complex, 15 to 35 percent slopes	HncD	Hollis-Rock outcrop-Chatfield complex, 15 to 35 percent slopes
HkcDd	Hollis-Rock outcrop-Chatfield complex, 15 to 35 percent slopes, rubbly	HncD	Hollis-Rock outcrop-Chatfield complex, 15 to 35 percent slopes
PaxDc	Parker-Roxburg cobbly sandy loams, 8 to 25 percent slopes, extremely stony	HncD	Hollis-Rock outcrop-Chatfield complex, 15 to 35 percent slopes
RNRE	Rock outcrop-Rockaway complex, 15 to 35 percent slopes	HncD	Hollis-Rock outcrop-Chatfield complex, 15 to 35 percent slopes
RotD	Roxburg-Parker gravelly sandy loams, 15 to 25 percent slopes	HncD	Hollis-Rock outcrop-Chatfield complex, 15 to 35 percent slopes
RovDb	Roxburg-Parker cobbly sandy loams, 15 to 25 percent slopes, very stony	HncD	Hollis-Rock outcrop-Chatfield complex, 15 to 35 percent slopes
ChnD	Chenango gravelly sandy loam, 8 to 25 percent slopes	HonCb	Hoosic-Hazen complex, 8 to 15 percent slopes, very stony
ChoD	Chenango gravelly fine sandy loam, 8 to 25 percent slopes	HonCb	Hoosic-Hazen complex, 8 to 15 percent slopes, very stony
ChpC	Chenango cobbly sandy loam, 3 to 15 percent slopes	HonCb	Hoosic-Hazen complex, 8 to 15 percent slopes, very stony

Soil Correlation Amendment  
of  
Sussex County, New Jersey  
Consistent with Detailed New Jersey State Soil Survey Legend  
(SSSD, SSURGO1 lists version of name/symbol, \* name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
HdvD	Hazen gravelly loam, 15 to 25 percent slopes	HonCb	Hoosic-Hazen complex, 8 to 15 percent slopes, very stony
HooD	Hoosic gravelly loam, 8 to 25 percent slopes	HonCb	Hoosic-Hazen complex, 8 to 15 percent slopes, very stony
MurC	Musconetcong gravelly loam, 8 to 15 percent slopes	HonCb	Hoosic-Hazen complex, 8 to 15 percent slopes, very stony
OtsC	Otisville gravelly loamy sand, 3 to 15 percent slopes	HonCb	Hoosic-Hazen complex, 8 to 15 percent slopes, very stony
PakD	Palmyra gravelly fine sandy loam, 8 to 25 percent slopes	HonCb	Hoosic-Hazen complex, 8 to 15 percent slopes, very stony
ChpE	Chenango cobbly sandy loam, 15 to 35 percent slopes	HopEb	Hoosic-Otisville complex, 25 to 60 percent slopes, very stony
ChsEb	Chenango-Hoosic complex, 25 to 60 percent slopes, very stony	HopEb	Hoosic-Otisville complex, 25 to 60 percent slopes, very stony
HDXE	Hazen and Palmyra gravelly sandy loams, 25 to 45 percent slopes	HopEb	Hoosic-Otisville complex, 25 to 60 percent slopes, very stony
OtsE	Otisville gravelly loamy sand, 15 to 35 percent slopes	HopEb	Hoosic-Otisville complex, 25 to 60 percent slopes, very stony
SWKBB	Swartswood and Lackawanna soils, 0 to 8 percent slopes, very stony	LacBc	Lackawanna cobbly fine sandy loam, 0 to 8 percent slopes, extremely stony
LacCc	Lackawanna cobbly fine sandy loam, 8 to 15 percent slopes, extremely stony	LacCc	Lackawanna cobbly fine sandy loam, 8 to 15 percent slopes, extremely stony
SWKDB	Swartswood and Lackawanna soils, 8 to 25 percent slopes, very stony	LacDc	Lackawanna cobbly fine sandy loam, 15 to 35 percent slopes, extremely stony
SWKEB	Swartswood and Lackawanna soils, 25 to 35 percent slopes, very stony	LacDc	Lackawanna cobbly fine sandy loam, 15 to 35 percent slopes, extremely stony
VaoB	Valois channery loam, 3 to 8 percent slopes	LorB	Lordstown-Wallpack complex, 0 to 8 percent slopes
VaoC	Valois channery loam, 8 to 15 percent slopes	LorC	Lordstown-Wallpack complex, 8 to 15 percent slopes
LorBc	Lordstown-Wallpack complex, 0 to 8 percent slopes, extremely stony	LorCh	Lordstown-Wallpack complex, 8 to 15 percent slopes, very rocky
LorBh	Lordstown-Wallpack complex, 0 to 8 percent slopes, very rocky	LorCh	Lordstown-Wallpack complex, 8 to 15 percent slopes, very rocky
LorCc	Lordstown-Wallpack complex, 8 to 15 percent slopes, extremely stony	LorCh	Lordstown-Wallpack complex, 8 to 15 percent slopes, very rocky
VaoD	Valois channery loam, 15 to 25 percent slopes	LorD	Lordstown-Wallpack complex, 15 to 25 percent slopes
LorDc	Lordstown-Wallpack complex, 15 to 35 percent slopes, extremely stony	LorDh	Lordstown-Wallpack complex, 15 to 35 percent slopes, very rocky

Soil Correlation Amendment  
of  
Sussex County, New Jersey  
Consistent with Detailed New Jersey State Soil Survey Legend  
(SSSD, SSURGO1 lists version of name/symbol, \* name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
MabEb	Manlius-Nassau complex, 35 to 60 percent slopes, very stony	MabEh	Manlius-Nassau complex, 35 to 60 percent slopes, very rocky
NasBg	Nassau silt loam, 3 to 8 percent slopes, rocky	NauBh	Nassau-Manlius complex, 0 to 8 percent slopes, very rocky
NauBc	Nassau-Manlius complex, 0 to 8 percent slopes, extremely stony	NauBh	Nassau-Manlius complex, 0 to 8 percent slopes, very rocky
NawB	Nassau-Lordstown channery silt loams, 3 to 8 percent slopes	NauBh	Nassau-Manlius complex, 0 to 8 percent slopes, very rocky
PehA	Pen Argyl channery loam, 0 to 3 percent slopes	NauBh	Nassau-Manlius complex, 0 to 8 percent slopes, very rocky
PehB	Pen Argyl channery loam, 3 to 8 percent slopes	NauBh	Nassau-Manlius complex, 0 to 8 percent slopes, very rocky
NasCg	Nassau silt loam, 8 to 15 percent slopes, rocky	NauCh	Nassau-Manlius complex, 8 to 15 percent slopes, very rocky
NauCc	Nassau-Manlius complex, 8 to 15 percent slopes, extremely stony	NauCh	Nassau-Manlius complex, 8 to 15 percent slopes, very rocky
NawC	Nassau-Lordstown channery silt loams, 8 to 25 percent slopes	NauCh	Nassau-Manlius complex, 8 to 15 percent slopes, very rocky
PehC	Pen Argyl channery loam, 8 to 15 percent slopes	NauCh	Nassau-Manlius complex, 8 to 15 percent slopes, very rocky
NauD	Nassau-Rock outcrop complex, 15 to 25 percent slopes	NauDh	Nassau-Manlius complex, 15 to 35 percent slopes, very rocky
NauDc	Nassau-Manlius complex, 15 to 35 percent slopes, extremely stony	NauDh	Nassau-Manlius complex, 15 to 35 percent slopes, very rocky
NauE	Nassau-Rock outcrop complex, 25 to 45 percent slopes	NavE	Nassau-Rock outcrop complex, 35 to 60 percent slopes
NavEc	Nassau-Rock outcrop complex, 35 to 60 percent slopes, extremely stony	NavE	Nassau-Rock outcrop complex, 35 to 60 percent slopes
NawEg	Nassau-Lordstown channery silt loams, 25 to 45 percent slopes, rocky	NavE	Nassau-Rock outcrop complex, 35 to 60 percent slopes
RNNF	Rock outcrop-Nassau complex, 45 to 65 percent slopes	NavE	Nassau-Rock outcrop complex, 35 to 60 percent slopes
OpnB	Oquaga-Lackawanna-Rock outcrop complex, 0 to 8 percent slopes	OpnCh	Oquaga-Lackawanna complex, 8 to 15 percent slopes, very rocky
OpnBc	Oquaga-Lackawanna complex, 0 to 8 percent slopes, extremely stony	OpnCh	Oquaga-Lackawanna complex, 8 to 15 percent slopes, very rocky
OpnBh	Oquaga-Lackawanna complex, 0 to 8 percent slopes, very rocky	OpnCh	Oquaga-Lackawanna complex, 8 to 15 percent slopes, very rocky
OpnC	Oquaga-Lackawanna-Rock outcrop complex, 8 to 15 percent slopes	OpnCh	Oquaga-Lackawanna complex, 8 to 15 percent slopes, very rocky

Soil Correlation Amendment  
of  
Sussex County, New Jersey  
Consistent with Detailed New Jersey State Soil Survey Legend  
(SSSD, SSURGO1 lists version of name/symbol, \* name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
OpnCc	Oquaga-Lackawanna complex, 8 to 15 percent slopes, extremely stony	OpnCh	Oquaga-Lackawanna complex, 8 to 15 percent slopes, very rocky
OpnD	Oquaga-Lackawanna-Rock outcrop complex, 15 to 35 percent slopes	OpnDh	Oquaga-Lackawanna complex, 15 to 35 percent slopes, very rocky
OpnDc	Oquaga-Lackawanna complex, 15 to 35 percent slopes, extremely stony	OpnDh	Oquaga-Lackawanna complex, 15 to 35 percent slopes, very rocky
OpoDc	Oquaga channery loam, 15 to 35 percent slopes, extremely stony	OpnDh	Oquaga-Lackawanna complex, 15 to 35 percent slopes, very rocky
OppDc	Oquaga loam, 8 to 25 percent slopes, extremely stony	OpnDh	Oquaga-Lackawanna complex, 15 to 35 percent slopes, very rocky
OpoC	Oquaga-Rock outcrop complex, 0 to 15 percent slopes	OprC	Oquaga-Rock outcrop complex, 0 to 15 percent slopes
OpoCc	Oquaga channery loam, 8 to 15 percent slopes, extremely stony	OprC	Oquaga-Rock outcrop complex, 0 to 15 percent slopes
OpoCd	Oquaga channery loam, 0 to 15 percent slopes, rubbly	OprC	Oquaga-Rock outcrop complex, 0 to 15 percent slopes
OppBc	Oquaga loam, 0 to 8 percent slopes, extremely stony	OprC	Oquaga-Rock outcrop complex, 0 to 15 percent slopes
OprD	Oquaga-Rock outcrop complex, 15 to 25 percent slopes	OprE	Oquaga-Rock outcrop complex, 35 to 60 percent slopes
OprEd	Oquaga-Rock outcrop complex, 35 to 60 percent slopes, rubbly	OprE	Oquaga-Rock outcrop complex, 35 to 60 percent slopes
RNOE	Rock outcrop-Oquaga complex, 25 to 45 percent slopes	OprE	Oquaga-Rock outcrop complex, 35 to 60 percent slopes
PHG	Pits, sand and gravel	PHG	Pits, sand and gravel
PokA	Pompton fine sandy loam, 0 to 3 percent slopes	PohA	Pompton sandy loam, 0 to 3 percent slopes
PrkA	Preakness sandy loam, 0 to 3 percent slopes	PohA	Pompton sandy loam, 0 to 3 percent slopes
QY	Quarry	QY	Quarry
RkrB	Riverhead sandy loam, 3 to 8 percent slopes	RkrB	Riverhead sandy loam, 3 to 8 percent slopes
RnaFd	Rock outcrop-Arnot-Rubble land complex, 60 to 80 percent slopes, rubbly	RnaF	Rock outcrop-Arnot-Rubble land complex, 60 to 80 percent slopes
GawC	Galway silt loam, 8 to 15 percent slopes	RnfC	Rock outcrop-Farmington-Galway complex, 8 to 15 percent slopes
GayE	Galway-Urban land complex, 8 to 15 percent slopes	RnfC	Rock outcrop-Farmington-Galway complex, 8 to 15 percent slopes
PkaC	Pittsfield-Galway silt loams, 8 to 15 percent slopes	RnfC	Rock outcrop-Farmington-Galway complex, 8 to 15 percent slopes

Soil Correlation Amendment  
of  
Sussex County, New Jersey  
Consistent with Detailed New Jersey State Soil Survey Legend  
(SSSD, SSURGO1 lists version of name/symbol, \* name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
RnfCc	Rock outcrop-Farmington-Galway complex, 8 to 15 percent slopes, extremely stony	RnfC	Rock outcrop-Farmington-Galway complex, 8 to 15 percent slopes
WadC	Washington loam, 8 to 15 percent slopes	RnfC	Rock outcrop-Farmington-Galway complex, 8 to 15 percent slopes
WagC	Washington-Urban land complex, 8 to 15 percent slopes	RnfC	Rock outcrop-Farmington-Galway complex, 8 to 15 percent slopes
WahC	Washington-Wassaic complex, 3 to 15 percent slopes	RnfC	Rock outcrop-Farmington-Galway complex, 8 to 15 percent slopes
WANC	Washington and Ryder silt loams, 8 to 15 percent slopes	RnfC	Rock outcrop-Farmington-Galway complex, 8 to 15 percent slopes
WapC	Wassaic silt loam, 3 to 15 percent slopes	RnfC	Rock outcrop-Farmington-Galway complex, 8 to 15 percent slopes
GaxD	Galway-Rock outcrop complex, 3 to 25 percent slopes	RnfD	Rock outcrop-Farmington-Galway complex, 15 to 35 percent slopes
GaxE	Galway-Rock outcrop complex, 25 to 45 percent slopes	RnfD	Rock outcrop-Farmington-Galway complex, 15 to 35 percent slopes
RnfDc	Rock outcrop-Farmington-Galway complex, 15 to 35 percent slopes, extremely stony	RnfD	Rock outcrop-Farmington-Galway complex, 15 to 35 percent slopes
WadD	Washington loam, 15 to 25 percent slopes	RnfD	Rock outcrop-Farmington-Galway complex, 15 to 35 percent slopes
WadDb	Washington loam, 15 to 25 percent slopes, very stony	RnfD	Rock outcrop-Farmington-Galway complex, 15 to 35 percent slopes
WahD	Washington-Wassaic complex, 15 to 25 percent slopes	RnfD	Rock outcrop-Farmington-Galway complex, 15 to 35 percent slopes
WANDG	Washington and Ryder silt loams, 15 to 25 percent slopes, rocky	RnfD	Rock outcrop-Farmington-Galway complex, 15 to 35 percent slopes
WapE	Wassaic silt loam, 15 to 30 percent slopes	RnfD	Rock outcrop-Farmington-Galway complex, 15 to 35 percent slopes
WarD	Wassaic-Rock outcrop complex, 15 to 25 percent slopes	RnfD	Rock outcrop-Farmington-Galway complex, 15 to 35 percent slopes
GknB	Gladstone gravelly loam, 3 to 8 percent slopes	RoefBc	Rockaway loam, thin fragipan, 0 to 8 percent slopes, extremely stony
RoeBc	Rockaway loam, 0 to 8 percent slopes, extremely stony	RoefBc	Rockaway loam, thin fragipan, 0 to 8 percent slopes, extremely stony
RoxB	Roxburg-Pohatcong gravelly sandy loams, 3 to 8 percent slopes	RoefBc	Rockaway loam, thin fragipan, 0 to 8 percent slopes, extremely stony
AnoCb	Annandale gravelly loam, 8 to 15 percent slopes, very stony	RoefCc	Rockaway loam, thin fragipan, 8 to 15 percent slopes, extremely stony
GknC	Gladstone gravelly loam, 8 to 15 percent slopes	RoefCc	Rockaway loam, thin fragipan, 8 to 15 percent slopes, extremely stony

Soil Correlation Amendment  
of  
Sussex County, New Jersey  
Consistent with Detailed New Jersey State Soil Survey Legend  
(SSSD, SSURGO1 lists version of name/symbol, \* name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
HhmCb	Hibernia loam, 8 to 15 percent slopes, very stony	RoefCc	Rockaway loam, thin fragipan, 8 to 15 percent slopes, extremely stony
HhnCb	Hibernia gravelly loam, 8 to 15 percent slopes, very stony	RoefCc	Rockaway loam, thin fragipan, 8 to 15 percent slopes, extremely stony
RoeCc	Rockaway loam, 8 to 15 percent slopes, extremely stony	RoefCc	Rockaway loam, thin fragipan, 8 to 15 percent slopes, extremely stony
RoeDb	Rockaway loam, 8 to 25 percent slopes, very stony	RoefCc	Rockaway loam, thin fragipan, 8 to 15 percent slopes, extremely stony
RotC	Roxburg-Parker gravelly sandy loams, 8 to 15 percent slopes	RoefCc	Rockaway loam, thin fragipan, 8 to 15 percent slopes, extremely stony
RoxC	Roxburg-Pohatcong gravelly sandy loams, 8 to 15 percent slopes	RoefCc	Rockaway loam, thin fragipan, 8 to 15 percent slopes, extremely stony
HhmDb	Hibernia loam, 15 to 25 percent slopes, very stony	RoefDc	Rockaway loam, thin fragipan, 15 to 35 percent slopes, extremely stony
RoeDc	Rockaway loam, 15 to 35 percent slopes, extremely stony	RoefDc	Rockaway loam, thin fragipan, 15 to 35 percent slopes, extremely stony
RoeFb	Rockaway loam, 25 to 40 percent slopes, very stony	RoefDc	Rockaway loam, thin fragipan, 15 to 35 percent slopes, extremely stony
RofD	Rockaway gravelly loam, 15 to 25 percent slopes	RoefDc	Rockaway loam, thin fragipan, 15 to 35 percent slopes, extremely stony
ChhB	Charlton-Chatfield complex, 3 to 8 percent slopes	RokB	Rockaway-Chatfield-Rock outcrop complex, 0 to 8 percent slopes
ChhBb	Charlton-Chatfield complex, 0 to 8 percent slopes, very stony	RokB	Rockaway-Chatfield-Rock outcrop complex, 0 to 8 percent slopes
RofB	Rockaway gravelly loam, 3 to 8 percent slopes	RokB	Rockaway-Chatfield-Rock outcrop complex, 0 to 8 percent slopes
RokBc	Rockaway-Chatfield-Rock outcrop complex, 0 to 8 percent slopes, extremely stony	RokB	Rockaway-Chatfield-Rock outcrop complex, 0 to 8 percent slopes
ChhC	Charlton-Chatfield complex, 8 to 15 percent slopes	RokC	Rockaway-Chatfield-Rock outcrop complex, 8 to 15 percent slopes
ChhCb	Charlton-Chatfield complex, 8 to 15 percent slopes, very stony	RokC	Rockaway-Chatfield-Rock outcrop complex, 8 to 15 percent slopes
RofC	Rockaway gravelly loam, 8 to 15 percent slopes	RokC	Rockaway-Chatfield-Rock outcrop complex, 8 to 15 percent slopes
RokCc	Rockaway-Chatfield-Rock outcrop complex, 8 to 15 percent slopes, extremely stony	RokC	Rockaway-Chatfield-Rock outcrop complex, 8 to 15 percent slopes
ChhDc	Charlton-Chatfield complex, 15 to 25 percent slopes, extremely stony	RokD	Rockaway-Chatfield-Rock outcrop complex, 15 to 35 percent slopes
RokDd	Rockaway-Chatfield-Rock outcrop complex, 35 to 60 percent slopes, rubbly	RokD	Rockaway-Chatfield-Rock outcrop complex, 15 to 35 percent slopes

Soil Correlation Amendment  
of  
Sussex County, New Jersey  
Consistent with Detailed New Jersey State Soil Survey Legend  
(SSSD, SSURGO1 lists version of name/symbol, \* name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
RomD	Rockaway-Rock outcrop complex, 15 to 25 percent slopes	RokD	Rockaway-Chatfield-Rock outcrop complex, 15 to 35 percent slopes
RonB	Rockaway-Urban land complex, 0 to 8 percent slopes	RooB	Rockaway-Urban land complex, thin fragipans, 0 to 8 percent slopes
RonC	Rockaway-Urban land complex, 8 to 15 percent slopes	RooC	Rockaway-Urban land complex, thin fragipans, 0 to 15 percent slopes
RonD	Rockaway-Urban land complex, 15 to 25 percent slopes	RooD	Rockaway-Urban land complex, thin fragipans, 0 to 25 percent slopes
ScoA	Scio silt loam, 0 to 3 percent slopes	ScoA	Scio silt loam, 0 to 3 percent slopes
BakB	Bath loam, 3 to 8 percent slopes	SwfBc	Swartswood loam, 0 to 8 percent slopes, extremely stony
BakBb	Bath loam, 0 to 8 percent slopes, very stony	SwfBc	Swartswood loam, 0 to 8 percent slopes, extremely stony
SwgB	Swartswood gravelly loam, 3 to 8 percent slopes	SwfBc	Swartswood loam, 0 to 8 percent slopes, extremely stony
BakC	Bath loam, 8 to 15 percent slopes	SwfCc	Swartswood loam, 8 to 15 percent slopes, extremely stony
BakDb	Bath loam, 8 to 25 percent slopes, very stony	SwfCc	Swartswood loam, 8 to 15 percent slopes, extremely stony
SwgC	Swartswood gravelly loam, 8 to 15 percent slopes	SwfCc	Swartswood loam, 8 to 15 percent slopes, extremely stony
BakEb	Bath loam, 25 to 40 percent slopes, very stony	SwfDc	Swartswood loam, 15 to 35 percent slopes, extremely stony
BamD	Bath gravelly loam, 15 to 25 percent slopes	SwfDc	Swartswood loam, 15 to 35 percent slopes, extremely stony
BamE	Bath gravelly loam, 25 to 40 percent slopes	SwfDc	Swartswood loam, 15 to 35 percent slopes, extremely stony
SwgD	Swartswood gravelly loam, 15 to 25 percent slopes	SwfDc	Swartswood loam, 15 to 35 percent slopes, extremely stony
Ucb	Udifuvents, occasionally flooded	UccAs	Udifuvents, 0 to 3 percent slopes, occasionally flooded
Ucd	Udifuvents, frequently flooded	UccAs	Udifuvents, 0 to 3 percent slopes, occasionally flooded
Ma	Made land, sanitary land fill	UdaB	Udorthents, 0 to 8 percent slopes, smoothed
Udb	Udorthents, wet substratum	UdaB	Udorthents, 0 to 8 percent slopes, smoothed
Udcr	Udorthents, rarely flooded	UdaB	Udorthents, 0 to 8 percent slopes, smoothed
Udf	Udorthents, gravelly	UdaB	Udorthents, 0 to 8 percent slopes, smoothed

Soil Correlation Amendment  
of  
Sussex County, New Jersey  
Consistent with Detailed New Jersey State Soil Survey Legend  
(SSSD, SSURGO1 lists version of name/symbol, \* name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
Udp	Udorthents, mine refuse materials	UdaB	Udorthents, 0 to 8 percent slopes, smoothed
UdsB	Udorthents, 0 to 8 percent slopes, smoothed	UdaB	Udorthents, 0 to 8 percent slopes, smoothed
Udw	Udorthents, loamy substratum	UdaB	Udorthents, 0 to 8 percent slopes, smoothed
Udz	Udorthents, refuse substratum	UdaB	Udorthents, 0 to 8 percent slopes, smoothed
UdaB	Udorthents-Urban land complex, 0 to 8 percent slopes	UdaUB	Udorthents-Urban land complex, 0 to 8 percent slopes
Udbus	Udorthents, wet substratum-Urban land complex, occasionally flooded	UdaUB	Udorthents-Urban land complex, 0 to 8 percent slopes
UndA	Unadilla very fine sandy loam, 0 to 3 percent slopes	UnfA	Unadilla silt loam, 0 to 3 percent slopes
UndB	Unadilla very fine sandy loam, 3 to 8 percent slopes	UnfB	Unadilla silt loam, 3 to 8 percent slopes
URCHB	Urban land-Chatfield-Rock Outcrop complex, 0 to 8 percent slopes	USCHRB	Urban land-Chatfield-Rock Outcrop complex, 0 to 8 percent slopes
URCHC	Urban land-Chatfield-Rock Outcrop complex, 8 to 15 percent slopes	USCHRC	Urban land-Chatfield-Rock Outcrop complex, 0 to 15 percent slopes
USCHRC	Urban land-Chatfield-Rock Outcrop complex, 8 to 15 percent slopes	USCHRC	Urban land-Chatfield-Rock Outcrop complex, 0 to 15 percent slopes
UR	Urban land	USCHRD	Urban land-Chatfield-Rock Outcrop complex, 0 to 35 percent slopes
URCHD	Urban land-Chatfield-Rock Outcrop complex, 15 to 35 percent slopes	USCHRD	Urban land-Chatfield-Rock Outcrop complex, 0 to 35 percent slopes
USCHRD	Urban land-Chatfield-Rock Outcrop complex, 15 to 35 percent slopes	USCHRD	Urban land-Chatfield-Rock Outcrop complex, 0 to 35 percent slopes
URFCC	Urban land-Farmington-Rock outcrop complex, 8 to 15 percent slopes	USFARC	Urban land-Farmington-Rock outcrop complex, 0 to 15 percent slopes
USFARC	Urban land-Farmington-Rock outcrop complex, 8 to 15 percent slopes	USFARC	Urban land-Farmington-Rock outcrop complex, 0 to 15 percent slopes
URFCD	Urban land-Farmington-Rock outcrop complex, 15 to 35 percent slopes	USFARD	Urban land-Farmington-Rock outcrop complex, 0 to 35 percent slopes
USFARD	Urban land-Farmington-Rock outcrop complex, 15 to 35 percent slopes	USFARD	Urban land-Farmington-Rock outcrop complex, 0 to 35 percent slopes
URFDB	Urban land-Farmington-Wassaic complex, 0 to 8 percent slopes	USFAWB	Urban land-Farmington-Wassaic complex, 0 to 8 percent slopes
URHHA	Urban land-Hazen-Hoosic complex, 0 to 3 percent slopes	USHAZA	Urban land-Hazen-Hoosic complex, 0 to 3 percent slopes

Soil Correlation Amendment  
of  
Sussex County, New Jersey  
Consistent with Detailed New Jersey State Soil Survey Legend  
(SSSD, SSURGO1 lists version of name/symbol, \* name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
URHHB	Urban land-Hazen-Hoosic complex, 3 to 8 percent slopes	USHAZB	Urban land-Hazen-Hoosic complex, 0 to 8 percent slopes
USHAZB	Urban land-Hazen-Hoosic complex, 3 to 8 percent slopes	USHAZB	Urban land-Hazen-Hoosic complex, 0 to 8 percent slopes
URNAB	Urban land-Nassau-Manlius complex, 0 to 8 percent slopes	USNAMB	Urban land-Nassau-Manlius complex, 0 to 8 percent slopes
URNAC	Urban land-Nassau-Manlius complex, 8 to 15 percent slopes	USNAMC	Urban land-Nassau-Manlius complex, 0 to 15 percent slopes
USNAMC	Urban land-Nassau-Manlius complex, 8 to 15 percent slopes	USNAMC	Urban land-Nassau-Manlius complex, 0 to 15 percent slopes
URNAD	Urban land-Nassau-Manlius complex, 15 to 35 percent slopes	USNAMD	Urban land-Nassau-Manlius complex, 0 to 25 percent slopes
USNAMD	Urban land-Nassau-Manlius complex, 15 to 35 percent slopes	USNAMD	Urban land-Nassau-Manlius complex, 0 to 25 percent slopes
URWUB	Urban land-Wurtsboro-Swartswood complex, 0 to 8 percent slopes	USWUSB	Urban land-Wurtsboro-Swartswood complex, 0 to 8 percent slopes
AgpBc	Albia loam, 0 to 8 percent slopes, extremely stony	VepBc	Venango silt loam, 0 to 8 percent slopes, extremely stony
AgrB	Albia gravelly loam, 3 to 8 percent slopes	VepBc	Venango silt loam, 0 to 8 percent slopes, extremely stony
AgrC	Albia gravelly loam, 8 to 15 percent slopes	VepCc	Venango silt loam, 8 to 15 percent slopes, extremely stony
Waa	Wallkill silt loam	WaahAt	Wallkill silt loam, 0 to 3 percent slopes, frequently flooded
WaaA	Wallkill silt loam, 0 to 3 percent slopes	WaahAt	Wallkill silt loam, 0 to 3 percent slopes, frequently flooded
WaahA	Wallkill silt loam, 0 to 3 percent slopes	WaahAt	Wallkill silt loam, 0 to 3 percent slopes, frequently flooded
Wac	Wallkill silt loam	WaahAt	Wallkill silt loam, 0 to 3 percent slopes, frequently flooded
WabBb	Wallpack fine sandy loam, 0 to 8 percent slopes, very stony	WabBb	Wallpack fine sandy loam, aeolian mantle, 0 to 8 percent slopes, very stony
WabCb	Wallpack fine sandy loam, 8 to 15 percent slopes, very stony	WabCb	Wallpack fine sandy loam, aeolian mantle, 8 to 15 percent slopes, very stony
WabDb	Wallpack fine sandy loam, 15 to 35 percent slopes, very stony	WabDb	Wallpack fine sandy loam, aeolian mantle, 15 to 35 percent slopes, very stony
WowB	Wooster loam, 3 to 8 percent slopes	WacB	Wallpack silt loam, 3 to 8 percent slopes
WacBc	Wallpack silt loam, 3 to 8 percent slopes, extremely stony	WacBc	Wallpack silt loam, 3 to 8 percent slopes, extremely stony
WowC	Wooster loam, 8 to 15 percent slopes	WacC	Wallpack silt loam, 8 to 15 percent slopes

Soil Correlation Amendment  
of  
Sussex County, New Jersey  
Consistent with Detailed New Jersey State Soil Survey Legend  
(SSSD, SSURGO1 lists version of name/symbol, \* name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
WacCc	Wallpack silt loam, 8 to 15 percent slopes, extremely stony	WacCc	Wallpack silt loam, 8 to 15 percent slopes, extremely stony
WowD	Wooster loam, 15 to 25 percent slopes	WacD	Wallpack silt loam, 15 to 25 percent slopes
WowE	Wooster loam, 25 to 35 percent slopes	WacD	Wallpack silt loam, 15 to 25 percent slopes
WacDc	Wallpack silt loam, 15 to 35 percent slopes, extremely stony	WacDc	Wallpack silt loam, 15 to 35 percent slopes, extremely stony
WATER	Water	WATER	Water
WecBc	Wellsboro silt loam, 0 to 8 percent slopes, extremely stony	WecBc	Wellsboro silt loam, 0 to 8 percent slopes, extremely stony
WecCc	Wellsboro silt loam, 8 to 15 percent slopes, extremely stony	WecCc	Wellsboro silt loam, 8 to 15 percent slopes, extremely stony
WunB	Wurtsboro gravelly loam, 3 to 8 percent slopes	WumBc	Wurtsboro loam, 0 to 8 percent slopes, extremely stony
WumBb	Wurtsboro loam, 0 to 8 percent slopes, very stony	WusBc	Wurtsboro-Swartswood complex, 0 to 8 percent slopes, extremely stony
WumCb	Wurtsboro loam, 8 to 15 percent slopes, very stony	WusCc	Wurtsboro-Swartswood complex, 8 to 15 percent slopes, extremely stony
WunC	Wurtsboro gravelly loam, 8 to 15 percent slopes	WusCc	Wurtsboro-Swartswood complex, 8 to 15 percent slopes, extremely stony
WukDc	Wurtsboro fine sandy loam, 15 to 35 percent slopes, extremely stony	WusDc	Wurtsboro-Swartswood complex, 15 to 35 percent slopes, extremely stony