

EQIP Organic Practice_Code	FY 2011 Cost_Share_Program	Practice_Name	Date: 12/21/2010 Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate	
138	EQIP	Conservation Plan Supporting organic Transition-Written	Organic Activity Plan	NO	1500	PR	100	
313	EQIP	Waste Storage Facility	Earthen impoundment for liquid storage	CF	.14	PR	100	
313	EQIP	Waste Storage Facility	Above Ground Liquid Storage System with Agitator - 110' or more in diameter	CF	1.55	PR	100	
313	EQIP	Waste Storage Facility	Above Ground Liquid Storage System with Agitator - 51' - 110' in diameter	CF	2.35	PR	100	
313	EQIP	Waste Storage Facility	Above Ground Liquid Storage System with Agitator - 50' or less in diameter	CF	3.15	PR	100	
313	EQIP	Waste Storage Facility	Drystack with clay pad	SF	4.70	PR	100	
313	EQIP	Waste Storage Facility	Drystack with concrete pad	SF	6.60	PR	100	
316	EQIP	Animal Mortality Facility	Freezer for Small Animal Carcasses	EA	2760	PR	100	
316	EQIP	Animal Mortality Facility	Incinerator for Small Animal Carcasses	EA	3150	PR	100	
316	EQIP	Animal Mortality Facility	Incinerator for Medium Animal Carcasses	EA	4725	PR	100	
316	EQIP	Animal Mortality Facility	Incinerator for Large Animal or Large Volume of Small Animal Carcasses	EA	6535	PR	100	
317	EQIP	Composting Facility	Mechanical In Vessel Composter - Small Rotary Drum Composter for Small Animal Carcasses	EA	13780	PR	100	
317	EQIP	Composting Facility	Mechanical In Vessel Composter - Large Rotary Drum Composter for Small Animal Carcasses	EA	25712	PR	100	
317	EQIP	Composting Facility	Static Pile Composter - Composter attached to Drystack for Small Animal Carcasses	SF	6.70	PR	100	
317	EQIP	Composting Facility	Static Pile Composter - Stand Alone Composter for Small Animal Carcasses	SF	7.85	PR	100	
327	EQIP	Conservation Cover	Conversion of cropland to grass on soils requiring NO lime	AC	210	PR	100	
327	EQIP	Conservation Cover	Conversion of cropland to trees	AC	120	PR	100	
327	EQIP	Conservation Cover	Conversion of cropland to grass on soils requiring lime	AC	264	PR	100	
328	EQIP	Conservation Crop Rotation	Sod-based Rotation	AC	227	PR	100	
329	EQIP	Residue Management	Less intensive management of crop residue	AC	40	PR	100	
329	EQIP	Residue Management	Moderately Intensive management of crop residue	AC	60	PR	100	
329	EQIP	Residue Management	Intense management of crop residue	AC	80	PR	100	
332	EQIP	Contour Buffer Strips	Contour Buffer Strips	AC	22	PR	100	
340	EQIP	Cover Crop	Planting of beneficial/pollinator cover crop	AC	75	PR	100	
340	EQIP	Cover Crop	Introduction of re-seeding legumes into high residue conservation tillage systems	AC	38	PR	100	
342	EQIP	Critical Area Planting	Critical Area Planting with fertilizer only	AC	549	PR	100	
342	EQIP	Critical Area Planting	Critical Area Planting with fertilizer and lime	AC	603	PR	100	
351	EQIP	Well De-commissioning	De-commissioning of drilled well	FT	7.50	PR	100	
351	EQIP	Well De-commissioning	De-commissioning of dug well	FT	30	PR	100	
359	EQIP	Waste Treatment Lagoon	Waste Treatment Lagoon	CF	.13	PR	100	
360	EQIP	Closure of Waste Impoundments	Closure of waste impoundment with liquid content of volume of waste removed being 75% or more. Conversion to a fresh water pond.	CF	.11	PR	100	
360	EQIP	Closure of Waste Impoundments	Closure of waste impoundment with liquid content of volume of waste removed being 75% or more. Conversion to a mound.	CF	.13	PR	100	
360	EQIP	Closure of Waste Impoundments	Closure of waste impoundment with liquid content of volume of waste removed ranging between 25% and 75%. Conversion to a fresh water pond.	CF	.15	PR	100	

EQIP Organic FY 2011 Practice_Code	Cost_Share_Program	Practice_Name	Date: 12/21/2010 Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate	
360	EQIP	Closure of Waste Impoundments	Closure of waste impoundment with liquid content of volume of waste removed ranging between 25% and 75%. Conversion to a mound	CF	.18	PR	100	
360	EQIP	Closure of Waste Impoundments	Closure of waste impoundment with liquid content of volume of waste removed being 25% or less. Conversion to a fresh water pond.	CF	.21	PR	100	
360	EQIP	Closure of Waste Impoundments	Closure of waste impoundment with liquid content of volume of waste removed being 25% or less. Conversion to a mound.	CF	.24	PR	100	
362	EQIP	Diversion	Diversion	FT	1.50	PR	100	
378	EQIP	Pond	Pond - small ruminant	EA	1950	PR	100	
378	EQIP	Pond	Small Pond	EA	2250	PR	100	
378	EQIP	Pond	Large Pond	EA	4860	PR	100	
381	EQIP	Silvopasture Establishment	Trees planted in existing pasture or cut-over forest site	AC	75	PR	100	
381	EQIP	Silvopasture Establishment	Forages planted into existing timber or cut-over forest site stand with fertilizer but NO lime	AC	149	PR	100	
381	EQIP	Silvopasture Establishment	Forages planted into existing timber or cut-over forest site stand with fertilizer and lime	AC	185	PR	100	
381	EQIP	Silvopasture Establishment	Management of newly established silvopasture grazing system	AC	98	PR	100	
382	EQIP	Fence	Barbed wire or electric high tensile fencing system for moderately intensive grazing management system	FT	1.50	PR	100	
382	EQIP	Fence	Woven wire fencing system for moderately intensive grazing management system for small ruminants	FT	2.00	PR	100	
386	EQIP	Field Border	Field border on fields not requiring lime	AC	154	PR	100	
386	EQIP	Field Border	Field border on fields requiring lime	AC	208	PR	100	
391	EQIP	Riparian Forest Buffers	Planting of Loblolly or Shortleaf Pine	AC	114	PR	100	
391	EQIP	Riparian Forest Buffers	Planting of Hardwoods or Longleaf Pine	AC	114	PR	100	
393	EQIP	Filter Strip	Filter strip on land not requiring lime	AC	210	PR	100	
393	EQIP	Filter Strip	Filter Strip on land requiring lime	AC	264	PR	100	
410	EQIP	Grade Stabilization Structure	Rock Riprap Structure - Peak Flow is 100 cfs or less	FT	102	PR	100	
410	EQIP	Grade Stabilization Structure	Rock Riprap Structure - Peak Flow is over 100 cfs	FT	161	PR	100	
410	EQIP	Grade Stabilization Structure	Pipe Drop Structure for Minor Gully	EA	4574	PR	100	
410	EQIP	Grade Stabilization Structure	Pipe Drop Structure for Moderately Severe Gully	EA	7950	PR	100	
410	EQIP	Grade Stabilization Structure	Pipe Drop Structure for a Severe Gully	EA	11475	PR	100	
410	EQIP	Grade Stabilization Structure	Pipe Drop Structure for a Very Severe Gully	EA	19615	PR	100	
412	EQIP	Grassed Waterway	Grassed Waterway on soils that do not require lime	AC	413	PR	100	
412	EQIP	Grassed Waterway	Grassed Waterway on soils that require lime	AC	467	PR	100	
412	EQIP	Grassed Waterway	Grassed Waterway on soils that do not require lime w/ erosion control blanket in the channel	AC	822	PR	100	
412	EQIP	Grassed Waterway	Grassed Waterway on soils that require lime w/ erosion control blanket in the channel	AC	871	PR	100	
441	EQIP	Irrigation System - Microirrigation	Mulch/Plastic Drip Tape System	EA	1495	PR	100	

EQIP Organic FY 2011		Date: 12/21/2010		Unit_Type	Unit_Cost	Cost_Type	Share_Rate	
Practice_Code	Cost_Share_Program	Practice_Name	Component					
449	EQIP	Irrigation Water Management	Convert from high pressure center pivot to drop nozzles	FT	2.00	PR	100	
449	EQIP	Irrigation Water Management	Sprinkler Nozzle replacement on Center Pivot or solid set.	EA	3.60	PR	100	
449	EQIP	Irrigation Water Management	Sprinkler nozzle replacement on solid set (21-70gpm) or, sprinkler replacement on Center Pivot, or sprinkler replacement on solid set (2-20 gpm)	EA	8.25	PR	100	
449	EQIP	Irrigation Water Management	Sprinkler nozzle replacement on solid set (71 gpm or more) or, Sprinkler replacement on Solid Set (21-70 pgm)	EA	40	PR	100	
449	EQIP	Irrigation Water Management	Sprinkler replacement on solid set (71 gpm or more)	EA	150	PR	100	
449	EQIP	Irrigation Water Management	Convert from solid set to surface drip, or, convert from traveler to surface drip, or, convert from traveler to a center pivot (Low Pressure), or, convert from traveler to a solid set	AC	450	PR	100	
449	EQIP	Irrigation Water Management	End Gun booster pump for center pivot for Low pressure systems	EA	1500	PR	100	
466	EQIP	Land Smoothing	Removal of old terraces, or smoothing of irregularities to facilitate the installation of terraces, grassed waterways, filter strips, critical area plantings, etc.	HR	95	PR	100	
468	EQIP	Lined Waterway or Outlet	Lined Waterway or Outlet	FT	33.75	PR	100	
472	EQIP	Access Control	Exclusion of livestock from sensitive areas with fencing system	FT	1.60	PR	100	
484	EQIP	Mulch	Straw mulch for erosion control on critical areas with steep slopes	AC	315	PR	100	
484	EQIP	Mulch	Place mulch around organic crops	AC	850	PR	100	
511	EQIP	Forage Harvest Management	Forage Harvest Management-Organic	AC	153	PR	100	
512	EQIP	Pasture and Hayland Planting	Overseeding established pasture with perennial clover (no lime)	AC	29	PR	100	
512	EQIP	Pasture and Hayland Planting	Overseeding established pasture with perennial clover (with lime)	AC	56	PR	100	
512	EQIP	Pasture and Hayland Planting	Replanting of perenniel grass after practice failure	AC	208	PR	100	
512	EQIP	Pasture and Hayland Planting	Planting of Native Warm Season grass with fertilizer (no lime)	AC	224	PR	100	
512	EQIP	Pasture and Hayland Planting	Planting of Native Warm Season grass with fertilizer and lime	AC	278	PR	100	
512	EQIP	Pasture and Hayland Planting	Planting of Native Warm Season grass with fertilizer and lime - planting into non-native pasture	AC	409	PR	100	
512	EQIP	Pasture and Hayland Planting	Planting of perennial grass with fertilizer (no lime)	AC	239	PR	100	
512	EQIP	Pasture and Hayland Planting	Planting of perennial grass with fertilizer and lime	AC	293	PR	100	
516	EQIP	Pipeline	Pipeline	FT	2.00	PR	100	
516	EQIP	Pipeline	Hookup to Municipal Water Supply	EA	675	PR	100	
521A	EQIP	Pond Sealing and Lining	Synthetic Liner	SF	.45	PR	100	
521B	EQIP	Pond Sealing and Lining	Soil Dispersant Soda Ash or Compacted Clay	SF	.20	PR	100	
521C	EQIP	Pond Sealing and Lining	Bentonite	SF	.32	PR	100	

EQIP Organic FY 2011 Practice_Code	Cost_Share_Program	Practice_Name	Date: 12/21/2010 Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate	
528	EQIP	Prescribed Grazing	Management of Intensive grazing system of 75% cool season and 25% warm season perennial grasses	AC	15	PR	100	
528	EQIP	Prescribed Grazing	Management of Intensive grazing system with pastures resting 75% of grazing cycle	AC	22.50	PR	100	
528	EQIP	Prescribed Grazing	Management of Intensive grazing system with pastures resting 80% of grazing cycle	AC	37.50	PR	100	
528	EQIP	Prescribed Grazing	Management of Grazing system for newly established warm season native grasses.	AC	75	PR	100	
528	EQIP	Prescribed Grazing	Management grazing of Wooded areas for small ruminants	AC	30	PR	100	
533	EQIP	Pumping Plant for Water Control	Solar Pump System with Deep Cycle Battery	EA	2625	PR	100	
533	EQIP	Pumping Plant for Water Control	Electric Pump System	EA	1500	PR	100	
558	EQIP	Roof Run-Off Structure	Guttering of Farm Buildings	FT	3.85	PR	100	
560	EQIP	Access Road	Access Road for Grazing or Animal Waste Mgt. System	FT	2.71	PR	100	
561	EQIP	Heavy Use Area Protection	Heavy use area protection	SF	1.14	PR	100	
574	EQIP	Spring Development	Spring Development	EA	1358	PR	100	
575	EQIP	Animal Trails and Walkways	Graveled Walkway	FT	9.20	PR	100	
575	EQIP	Animal Trails and Walkways	Grassed Walkway	FT	1.15	PR	100	
578	EQIP	Stream Crossing	Stone and Geotextile Crossing	SF	2.60	PR	100	
578	EQIP	Stream Crossing	Geocell and Stone (#2) Crossing	SF	11	PR	100	
578	EQIP	Stream Crossing	Culvert Crossing with Pipe System 18" or less	FT	23	PR	100	
578	EQIP	Stream Crossing	Culvert Crossing with Pipe System 24" to 48"	FT	67	PR	100	
578	EQIP	Stream Crossing	Culvert Crossing with Pipe System 54" or greater	FT	110	PR	100	
580	EQIP	Streambank and Shoreline Protection	Repair and stabilization of streambank with total bank height from 0 - 5'	FT	39	PR	100	
580	EQIP	Streambank and Shoreline Protection	Repair and stabilization of streambank with total bank height from 5.1' - 10'	FT	58	PR	100	
580	EQIP	Streambank and Shoreline Protection	Repair and stabilization of streambank with total bank height from 10.1' - 15'	FT	78	PR	100	
580	EQIP	Streambank and Shoreline Protection	Repair and stabilization of streambank with total bank height over 15'	FT	97	PR	100	
590	EQIP	Nutrient Management	Application of Poultry Litter	AC	17	PR	100	
590	EQIP	Nutrient Management	Precision Ag - Level 1	AC	8	PR	100	
590	EQIP	Nutrient Management	Precision Ag - Level 2	AC	12	PR	100	
590	EQIP	Nutrient Management	Precision Ag - Level 3	AC	14	PR	100	
590	EQIP	Nutrient Management	Precision Ag - Level 4	AC	20	PR	100	
590	EQIP	Nutrient Management	Application of Wastewater Irrigation < 30 ac.	AC	260	PR	100	
590	EQIP	Nutrient Management	Application of Wastewater Irrigation 31-100 ac.	AC	185	PR	100	
590	EQIP	Nutrient Management	Application of Wastewater Irrigation > 100 ac.	AC	150	PR	100	
600	EQIP	Terrace	Gradient Terrace System	FT	.47	PR	100	
600	EQIP	Terrace	Broadbased Terrace System	FT	.95	PR	100	
600	EQIP	Terrace	Storage Terrace	FT	1.89	PR	100	
614	EQIP	Watering Facility	Tank or trough (up to 100 gal) installed on pad for small ruminant	EA	444	PR	100	
614	EQIP	Watering Facility	Small tank or trough (up to 200 gal) installed on pad	EA	581	PR	100	
614	EQIP	Watering Facility	Medium tank or trough (200-400 gal) installed on pad	EA	635	PR	100	

EQIP Organic FY 2011		Date: 12/21/2010		Unit_Type	Unit_Cost	Cost_Type	Share_Rate
Practice_Code	Cost_Share_Program	Practice_Name	Component				
614	EQIP	Watering Facility	Large tank or trough (401 - 600 gal) installed on pad	EA	725	PR	100
614	EQIP	Watering Facility	Very large tank or trough (601 + gal) installed on pad or 2 hole freeze-proof ball waterer	EA	875	PR	100
614	EQIP	Watering Facility	Specialty tank or trough (large recycled truck tires, 4 hole freeze-proof ball waterers)	EA	1150	PR	100
620	EQIP	Underground Outlet	Underground Outlet System	FT	7.88	PR	100
629	EQIP	Waste Treatment	Windrow Poultry Litter in House	1000 SF	36	PR	100
632	EQIP	Solid/Liquid Waste Separation Facility	Gravity type settling basin solids separator	EA	7500	PR	100
632	EQIP	Solid/Liquid Waste Separation Facility	Mechanical type solids separator	EA	22500	PR	100
632	EQIP	Solid/Liquid Waste Separation Facility	Solid Separator – Static Screen 24" wide	EA	14000	PR	100
632	EQIP	Solid/Liquid Waste Separation Facility	Solid Separator – Static Screen 72" wide	EA	40000	PR	100
638	EQIP	Water and Sediment Control Basin	Water and Sediment Control Basin	FT	6.89	PR	100
642	EQIP	Water Well	Water well - 4" - 6" drilled and cased, pump, tank, pad, and appurtances; depth less than 100 feet	EA	3000	PR	100
642	EQIP	Water Well	Water well - 4" - 6" drilled and cased, pump, tank, pad, and appurtances; depth between 101 feet and 200 feet	EA	3600	PR	100
642	EQIP	Water Well	Water well - 4" - 6" drilled and cased, pump, tank, pad, and appurtances; depth between 201 feet and 300 feet	EA	4200	PR	100
642	EQIP	Water Well	Water well - 4" - 6" drilled and cased, pump, tank, pad, and appurtances; depth between 301 feet and 400 feet	EA	5100	PR	100
642	EQIP	Water Well	Water well - 4" – 6 drilled and cased, pump, tank, pad, and appurtances; depth greater than 400 feet	EA	5325	PR	100
717	EQIP	Livestock Shade Structure	Livestock Shade Structure	SF	1.45	PR	100
749	EQIP	Waste Field Storage	Clay pad with minimal grading and shaping with impermeable, flexible membrane (tarp or plastic)	SF	.49	PR	100
749	EQIP	Waste Field Storage	Clay pad with minimal grading and shaping with breathable fabric membrane	SF	.69	PR	100
749	EQIP	Waste Field Storage	Concrete ,or clay pad with considerable grading and shaping, with impermeable, flexible membrane (tarp or plastic)	SF	1.66	PR	100
749	EQIP	Waste Field Storage	Concrete ,or clay pad with considerable grading and shaping, with breathable fabric membrane	SF	1.86	PR	100
798	EQIP	Tunnel House	Tunnel House	SF	2.13	PR	100
910	EQIP	PLANNING	910 - PLANNING TA	No.	0	AM	100
911	EQIP	DESIGN	911 - DESIGN TA	No.	0	AM	100
912	EQIP	INSTALLATION	912 - INSTALLATION TA	No.	0	AM	100
913	EQIP	CHECKOUT	913 - CHECKOUT TA	No.	0	AM	100