

## Water Quality Enhancement Activity – WQL03 – Rotation of supplement and feeding areas



### Enhancement Description

The proper location and regular movement of livestock concentration areas such as feeding areas and mineral blocks in a manner that will improve livestock distribution, reduce localized areas of disturbances and reduce impacts on water bodies.

### Land Use Applicability

Pastureland, Rangeland, Forestland

### Benefits

The benefits of proper location and rotation of supplement and feeding areas are:

1. Aid in livestock distribution and utilization of forage
2. Reduce compaction of the soil and excess trampling of vegetation
3. Reduce high concentrations of nutrients around water sources for improved nutrient distribution in the grazed area.
4. Improve animal health (concentrated areas of parasites etc.)
5. Reduced energy consumption (where heavy use area will be decommissioned)

### Conditions Where Enhancement Applies

This enhancement applies to all grazing acres in the operation for the selected land use.

### Criteria

1. Move all supplement sources (i.e., salt or mineral block, tub or station) locations between grazing periods or every 30 days during a grazing period.
2. Move all feeding locations (including creep feeders) every 30 days or less.
3. Locate supplement sources at least ¼ mile (1,320 ft) from surface water and watering facilities. In those situations where pasture size limits supplement source placement or multiple water sources preclude meeting the minimum distance requirement, move supplement areas twice as frequent as described in criteria 1 or 2 to prevent nutrient buildup and to maintain good ground cover.
4. Follow a written grazing plan that meets NRCS requirements.



United States Department of Agriculture  
Natural Resources Conservation Service

2012 Ranking Period 1

### **Adoption Requirements**

This enhancement is considered adopted when supplement source locations and feeding areas are being moved at intervals less than or equal to this job sheet's criteria and the locations are at distances from surface water greater than or equal to the suggested criteria of this job sheet.

### **Documentation Requirements**

1. A map showing the location of supplement sources and feeding areas in each pasture, and
2. The schedule for moving the supplement source and feeding area locations.

## Michigan Supplement

### WQL03

1. Move all supplement (salt and minerals) locations between grazing periods.
2. Locate supplements at least  $\frac{1}{4}$  mile (1,320 ft) from surface water and watering facilities. In those situations where pasture size limits supplement placement or multiple water sources preclude meeting the minimum distance requirement, move supplement areas frequently during a grazing period to prevent nutrient buildup and to maintain good ground cover.
3. Move all feeding locations (including creep feeders) every 30 days or less.
  - a. If feeding on pasture in winter- feeding locations will be at least  $\frac{1}{4}$  mile (1320 feet) from surface water including hydric soil areas. In those situations where pasture size limits placement, locate feeding areas furthest from surface water and rotate locations a minimum of weekly.