

RUSLE2 Percent Rock Cover Assignments  
Addison County, Vermont

Map symbol	Soil name	% Rock Cover
AdA	Adams loamy fine sand, 0 to 5 percent slopes	0%
AdB	Adams loamy fine sand, 5 to 12 percent slopes	0%
AdD	Adams loamy fine sand, 12 to 30 percent slopes	0%
AdE	Adams loamy fine sand, 30 to 50 percent slopes	0%
AmB	Amenia stony loam, 0 to 8 percent slopes	5%
AmC	Amenia stony loam, 8 to 15 percent slopes	5%
AsC	Amenia extremely stony loam, 0 to 15 percent slopes	5%
AsD	Amenia extremely stony loam, 15 to 25 percent slopes	5%
BeA	Berkshire and Marlow stony loams, 0 to 3 percent slopes	5%
BeB	Berkshire and Marlow stony loams, 3 to 12 percent slopes	5%
BeC	Berkshire and Marlow stony loams, 12 to 25 percent slopes	5%
BsC	Berkshire and Marlow extremely stony loams, 3 to 20 percent slopes	5%
BsE	Berkshire and Marlow extremely stony loams, 20 to 50 percent slopes	15%
BuC	Buckland extremely stony loam, 3 to 15 percent slopes	15%
BuD	Buckland extremely stony loam, 15 to 25 percent slopes	15%
CaB	Cabot stony loam, 0 to 8 percent slopes	15%
CbC	Cabot extremely stony loam, 0 to 15 percent slopes	15%
ClC	Calais and Glover soils, 5 to 20 percent slopes	5%
ClE	Calais and Glover soils, 20 to 50 percent slopes	5%
Cn	Canandaigua silt loam	0%
Co	Cobbly alluvial land	NR
CtA	Colton gravelly sandy loam, 0 to 5 percent slopes	15%
CtB	Colton gravelly sandy loam, 5 to 12 percent slopes	15%
CtD	Colton gravelly sandy loam, 12 to 30 percent slopes	15%
CtE	Colton gravelly sandy loam, 30 to 50 percent slopes	15%
Cv	Covington silty clay, flooded	0%
Cw	Covington and Panton silty clays	0%
DaA	Duane fine sandy loam, 0 to 5 percent slopes	5%
DaB	Duane fine sandy loam, 5 to 12 percent slopes	5%
DcB	Dutchess stony loam, 3 to 8 percent slopes	5%
DcC	Dutchess stony loam, 8 to 15 percent slopes	5%
DcD	Dutchess stony loam, 15 to 25 percent slopes	5%
DsC	Dutchess extremely stony loam, 3 to 15 percent slopes	5%
DsE	Dutchess extremely stony loam, 15 to 50 percent slopes	5%
ElB	Elmwood fine sandy loam, coarse variant, 0 to 8 percent slopes	0%
ElC	Elmwood fine sandy loam, coarse variant, 8 to 15 percent slopes	0%
FaC	Farmington extremely rocky silt loam, 5 to 20 percent slopes	5%
FaE	Farmington extremely rocky silt loam, 20 to 50 percent slopes	5%
FdB	Farmington stony silt loam, moderately deep variant, 3 to 8 percent slopes	5%
FdC	Farmington stony silt loam, moderately deep variant, 8 to 15 percent slopes	5%
FdD	Farmington stony silt loam, moderately deep variant, 15 to 25 percent slopes	5%
FdE	Farmington stony silt loam, moderately deep variant, 25 to 50 percent slopes	5%
FnB	Farmington-Nellis rocky complex, 5 to 12 percent slopes	5%
FnC	Farmington-Nellis rocky complex, 12 to 20 percent slopes	5%
FnD	Farmington-Nellis rocky complex, 20 to 30 percent slopes	5%
Fw	Fresh water marsh	NR
Gp	Gravel pits	NR
Hf	Hadley very fine sandy loam	0%
Hh	Hadley very fine sandy loam, frequently flooded	0%
Le	Limerick silt loam	0%
Lf	Limerick silt loam, very wet	0%
Lh	Livingston clay	0%
Lk	Livingston clay, flooded	0%
LmB	Lyman-Berkshire rocky complex, 5 to 12 percent slopes	5%
LmC	Lyman-Berkshire rocky complex, 12 to 20 percent slopes	5%
LxC	Lyman-Berkshire very rocky complex, 5 to 20 percent slopes	5%
LxE	Lyman-Berkshire very rocky complex, 20 to 50 percent slopes	5%
MaA	Massena stony silt loam, 0 to 3 percent slopes	5%
MnB	Massena extremely stony silt loam, 0 to 8 percent slopes	5%
MrA	Melrose fine sandy loam, 0 to 3 percent slopes	0%
MrB	Melrose fine sandy loam, 3 to 8 percent slopes	0%
MrC	Melrose fine sandy loam, 8 to 15 percent slopes	0%
MrD	Melrose fine sandy loam, 15 to 25 percent slopes	0%
MrE	Melrose fine sandy loam, 25 to 50 percent slopes	0%
Mv	Muck and Peat	0%

RUSLE2 Percent Rock Cover Assignments  
Addison County, Vermont

Map symbol	Soil name	% Rock Cover
NaB	Nassau-Dutchess rocky complex, 3 to 8 percent slopes	5%
NaC	Nassau-Dutchess rocky complex, 8 to 15 percent slopes	5%
NaD	Nassau-Dutchess rocky complex, 15 to 25 percent slopes	5%
NdC	Nassau extremely rocky silt loam, 3 to 25 percent slopes	15%
NeB	Nellis stony loam, 3 to 8 percent slopes	5%
NeC	Nellis stony loam, 8 to 15 percent slopes	5%
NeD	Nellis stony loam, 15 to 25 percent slopes	5%
NsC	Nellis extremely stony loam, 3 to 15 percent slopes	5%
NsD	Nellis extremely stony loam, 15 to 50 percent slopes	5%
PeA	Peru stony loam, 0 to 5 percent slopes	5%
PeB	Peru stony loam, 5 to 12 percent slopes	5%
PeC	Peru stony loam, 12 to 20 percent slopes	5%
PsC	Peru extremely stony loam, 0 to 20 percent slopes	5%
PsD	Peru extremely stony loam, 20 to 50 percent slopes	5%
Qu	Quarry	NR
RaB	Raynham silt loam, 0 to 6 percent slopes	0%
RaC	Raynham silt loam, 6 to 12 percent slopes	0%
RaD	Raynham silt loam, 12 to 25 percent slopes	0%
Rk	Rock land	NR
RL	Rubble land	NR
SaB	Salmon very fine sandy loam, 2 to 6 percent slopes	0%
SaC	Salmon very fine sandy loam, 6 to 12 percent slopes	0%
SaE	Salmon very fine sandy loam, 12 to 50 percent slopes	0%
StA	Stetson gravelly fine sandy loam, 0 to 5 percent slopes	15%
StB	Stetson gravelly fine sandy loam, 5 to 12 percent slopes	15%
StD	Stetson gravelly fine sandy loam, 12 to 30 percent slopes	15%
StE	Stetson gravelly fine sandy loam, 30 to 50 percent slopes	15%
Sw	Swanton fine sandy loam	0%
VgB	Vergennes clay, 2 to 6 percent slopes	0%
VgC	Vergennes clay, 6 to 12 percent slopes	0%
VgD	Vergennes clay, 12 to 25 percent slopes	0%
VgE	Vergennes clay, 25 to 50 percent slopes	0%
VrB	Vergennes rocky clay, moderately shallow variant, 2 to 6 percent slopes	0%
VrC	Vergennes rocky clay, moderately shallow variant, 6 to 12 percent slopes	0%
VrD	Vergennes rocky clay, moderately shallow variant, 12 to 25 percent slopes	0%
W	Water	NR
Wa	Walpole silt loam	5%
Wo	Winooski very fine sandy loam	0%

RUSLE2 Percent Rock Cover Assignments  
Bennington County, Vermont

Map symbol	Soil name	% Rock Cover
3A	Copake gravelly fine sandy loam, 0 to 3 percent slopes	15%
3B	Copake gravelly fine sandy loam, 3 to 8 percent slopes	15%
3C	Copake gravelly fine sandy loam, 8 to 15 percent slopes	15%
3D	Copake gravelly fine sandy loam, 15 to 25 percent slopes	15%
3E	Copake gravelly fine sandy loam, 25 to 60 percent slopes	15%
9	Pits-Dumps complex	NR
10D	Glebe-Stratton-Londonderry complex, 15 to 25 percent slopes, very rocky	5%
10E	Glebe-Stratton-Londonderry complex, 25 to 60 percent slopes, very rocky	5%
11F	Taconic-Hubbardton-Rock outcrop complex, 25 to 70 percent slopes, very stony	5%
18B	Windsor loamy fine sand, 0 to 8 percent slopes	0%
18C	Windsor loamy fine sand, 8 to 15 percent slopes	0%
18E	Windsor loamy fine sand, 15 to 60 percent slopes	0%
21A	Limerick silt loam, 0 to 3 percent slopes	0%
23A	Adrian and Saco soils, 0 to 2 percent slopes	0%
24A	Carlisle mucky peat, 0 to 2 percent slopes	0%
25B	Belgrade silt loam, 0 to 8 percent slopes	0%
26A	Raynham silt loam, 0 to 3 percent slopes	0%
27B	Udipsamments and Udorthents, gently sloping	NR
28A	Udifluvents, loamy-skeletal	NR
29A	Occum fine sandy loam, 0 to 3 percent slopes	0%
34A	Pootatuck fine sandy loam, 0 to 3 percent slopes	0%
35B	Hartland silt loam, 0 to 5 percent slopes	0%
40B	Galway-Nellis-Farmington complex, 3 to 8 percent slopes, rocky	5%
40C	Galway-Nellis-Farmington complex, 8 to 15 percent slopes, rocky	5%
40D	Galway-Nellis-Farmington complex, 15 to 25 percent slopes, rocky	5%
41C	Galway-Farmington complex, 8 to 15 percent slopes, very rocky	5%
41D	Galway-Farmington complex, 15 to 25 percent slopes, very rocky	5%
41E	Galway-Farmington complex, 25 to 50 percent slopes, very rocky	5%
42C	Macomber-Taconic complex, 8 to 15 percent slopes, rocky	15%
42D	Macomber-Taconic complex, 15 to 25 percent slopes, rocky	15%
42E	Macomber-Taconic complex, 25 to 60 percent slopes, rocky	15%
43C	Taconic-Macomber complex, 8 to 15 percent slopes, very rocky	15%
43D	Taconic-Macomber complex, 15 to 25 percent slopes, very rocky	15%
43E	Taconic-Macomber complex, 25 to 60 percent slopes, very rocky	15%
44B	Dutchess channery loam, 3 to 8 percent slopes	15%
44C	Dutchess channery loam, 8 to 15 percent slopes	15%
44D	Dutchess channery loam, 15 to 25 percent slopes	15%
47C	Dutchess channery loam, 8 to 15 percent slopes, very stony	15%
47D	Dutchess channery loam, 15 to 25 percent slopes, very stony	15%
47E	Dutchess channery loam, 25 to 60 percent slopes, very stony	15%
48B	Pittstown loam, 3 to 8 percent slopes	5%
48C	Pittstown loam, 8 to 15 percent slopes	5%
48D	Pittstown loam, 15 to 25 percent slopes	5%
49C	Pittstown loam, 8 to 15 percent slopes, very stony	5%
49D	Pittstown loam, 15 to 25 percent slopes, very stony	5%
50B	Brayton loam, 0 to 5 percent slopes	5%
51B	Brayton loam, 0 to 5 percent slopes, very stony	5%
52A	Mansfield mucky silt loam, 0 to 3 percent slopes, very stony	0%
64B	Stockbridge loam, 2 to 8 percent slopes	5%
64C	Stockbridge loam, 8 to 15 percent slopes	5%
64D	Stockbridge loam, 15 to 25 percent slopes	5%
65C	Stockbridge loam, 8 to 15 percent slopes, very stony	5%
65D	Stockbridge loam, 15 to 25 percent slopes, very stony	5%
66A	Georgia loam, 0 to 3 percent slopes	5%
66B	Georgia loam, 3 to 8 percent slopes	5%
66C	Georgia loam, 8 to 15 percent slopes	5%
66D	Georgia loam, 15 to 25 percent slopes	5%
67B	Georgia loam, 3 to 8 percent slopes, very stony	5%
67C	Georgia loam, 8 to 15 percent slopes, very stony	5%
68A	Massena silt loam, 0 to 3 percent slopes	5%
68B	Massena silt loam, 3 to 8 percent slopes	5%
69A	Massena silt loam, 0 to 3 percent slopes, very stony	5%
69B	Massena silt loam, 3 to 8 percent slopes, very stony	5%
70A	Groton gravelly fine sandy loam, 0 to 3 percent slopes	15%
70B	Groton gravelly fine sandy loam, 3 to 8 percent slopes	15%

RUSLE2 Percent Rock Cover Assignments  
Bennington County, Vermont

Map symbol	Soil name	% Rock Cover
70C	Groton gravelly fine sandy loam, 8 to 15 percent slopes	15%
70D	Groton gravelly fine sandy loam, 15 to 25 percent slopes	15%
70E	Groton gravelly fine sandy loam, 25 to 60 percent slopes	15%
71A	Hero gravelly fine sandy loam, 0 to 3 percent slopes	15%
71B	Hero gravelly fine sandy loam, 3 to 8 percent slopes	15%
72A	Fredon fine sandy loam, 0 to 3 percent slopes	5%
84B	Nellis silt loam, 3 to 8 percent slopes	5%
84C	Nellis silt loam, 8 to 15 percent slopes	5%
84D	Nellis silt loam, 15 to 25 percent slopes	5%
85B	Nellis silt loam, 3 to 8 percent slopes, very stony	5%
85C	Nellis silt loam, 8 to 15 percent slopes, very stony	5%
85D	Nellis silt loam, 15 to 25 percent slopes, very stony	5%
85E	Nellis silt loam, 25 to 50 percent slopes, very stony	5%
86A	Amenia silt loam, 0 to 3 percent slopes	5%
86B	Amenia silt loam, 3 to 8 percent slopes	5%
86C	Amenia silt loam, 8 to 15 percent slopes	5%
87B	Amenia silt loam, 3 to 8 percent slopes, very stony	5%
87C	Amenia silt loam, 8 to 15 percent slopes, very stony	5%
90C	Berkshire fine sandy loam, 3 to 15 percent slopes, extremely stony	5%
90E	Berkshire fine sandy loam, 15 to 50 percent slopes, extremely stony	5%
93B	Pittsfield fine sandy loam, 3 to 8 percent slopes	5%
93C	Pittsfield fine sandy loam, 8 to 15 percent slopes	5%
93D	Pittsfield fine sandy loam, 15 to 25 percent slopes	5%
94B	Pittsfield fine sandy loam, 3 to 8 percent slopes, very stony	5%
94C	Pittsfield fine sandy loam, 8 to 15 percent slopes, very stony	5%
94D	Pittsfield fine sandy loam, 15 to 25 percent slopes, very stony	5%
94E	Pittsfield fine sandy loam, 25 to 50 percent slopes, very stony	5%
95C	Houghtonville fine sandy loam, 8 to 15 percent slopes, very stony	5%
95D	Houghtonville fine sandy loam, 15 to 25 percent slopes, very stony	5%
95E	Houghtonville fine sandy loam, 25 to 60 percent slopes, very stony	5%
96D	Hogback-Rawsonville-Rock outcrop complex, 15 to 25 percent slopes, very stony	5%
96F	Hogback-Rawsonville-Rock outcrop complex, 25 to 70 percent slopes, very stony	5%
100B	Wilmington fine sandy loam, 0 to 8 percent slopes, very stony	5%
102B	Mundal fine sandy loam, 3 to 8 percent slopes	5%
102C	Mundal fine sandy loam, 8 to 15 percent slopes	5%
104B	Colton gravelly loamy sand, 3 to 8 percent slopes, extremely stony	15%
104C	Colton gravelly loamy sand, 8 to 15 percent slopes, extremely stony	15%
104E	Colton gravelly loamy sand, 15 to 50 percent slopes, extremely stony	15%
105B	Monadnock fine sandy loam, 3 to 8 percent slopes, very stony	5%
105C	Monadnock fine sandy loam, 8 to 15 percent slopes, very stony	5%
105D	Monadnock fine sandy loam, 15 to 25 percent slopes, very stony	5%
105E	Monadnock fine sandy loam, 25 to 50 percent slopes, very stony	5%
106B	Berkshire fine sandy loam, 3 to 8 percent slopes, very stony	5%
106C	Berkshire fine sandy loam, 8 to 15 percent slopes, very stony	5%
106D	Berkshire fine sandy loam, 15 to 25 percent slopes, very stony	5%
106E	Berkshire fine sandy loam, 25 to 50 percent slopes, very stony	5%
108B	Peru fine sandy loam, 3 to 8 percent slopes, very stony	5%
108C	Peru fine sandy loam, 8 to 15 percent slopes, very stony	5%
108D	Peru fine sandy loam, 15 to 25 percent slopes, very stony	5%
109C	Tunbridge-Berkshire complex, 8 to 15 percent slopes, rocky	5%
109D	Tunbridge-Berkshire complex, 15 to 25 percent slopes, rocky	5%
109E	Tunbridge-Berkshire complex, 25 to 50 percent slopes, rocky	5%
111C	Rawsonville-Houghtonville complex, 8 to 15 percent slopes, rocky	5%
111D	Rawsonville-Houghtonville complex, 15 to 25 percent slopes, rocky	5%
111E	Rawsonville-Houghtonville complex, 25 to 60 percent slopes, rocky	5%
112C	Rawsonville-Hogback complex, 8 to 15 percent slopes, very rocky	5%
112D	Rawsonville-Hogback complex, 15 to 25 percent slopes, very rocky	5%
112E	Rawsonville-Hogback complex, 25 to 60 percent slopes, very rocky	5%
113B	Cabot silt loam, 3 to 8 percent slopes, very stony	5%
114B	Mundal fine sandy loam, 3 to 8 percent slopes, very stony	5%
114C	Mundal fine sandy loam, 8 to 15 percent slopes, very stony	5%
114D	Mundal fine sandy loam, 15 to 25 percent slopes, very stony	5%
115B	Peru fine sandy loam, 3 to 8 percent slopes	5%
115C	Peru fine sandy loam, 8 to 15 percent slopes	5%
115D	Peru fine sandy loam, 15 to 25 percent slopes	5%

RUSLE2 Percent Rock Cover Assignments  
Bennington County, Vermont

Map symbol	Soil name	% Rock Cover
116D	Lyman-Tunbridge-Rock outcrop complex, 15 to 25 percent slopes, very stony	5%
116F	Lyman-Tunbridge-Rock outcrop complex, 25 to 70 percent slopes, very stony	5%
117B	Berkshire fine sandy loam, 3 to 8 percent slopes	5%
117C	Berkshire fine sandy loam, 8 to 15 percent slopes	5%
117D	Berkshire fine sandy loam, 15 to 25 percent slopes	5%
118C	Tunbridge-Lyman complex, 8 to 15 percent slopes, very rocky	5%
118D	Tunbridge-Lyman complex, 15 to 25 percent slopes, very rocky	5%
118E	Tunbridge-Lyman complex, 25 to 60 percent slopes, very rocky	5%
221F	Tunbridge-Berkshire association, very steep, rocky	5%
403B	Cabot-Carlisle association, undulating, very stony	5%
405D	Berkshire-Tunbridge association, hilly, very stony	5%
413D	Peru-Berkshire-Cabot association, hilly, very stony	5%
702E	Rawsonville-Hogback association, very hilly, very rocky	5%
703C	Mundal-Houghtonville association, rolling, very stony	5%
705D	Rawsonville-Houghtonville-Mundal association, hilly, rocky	5%
715D	Houghtonville-Rawsonville association, hilly, rocky	5%
902F	Hogback-Rawsonville-Rock outcrop association, very steep, very stony	5%
903C	Mundal-Wilmington association, rolling, very stony	5%
905D	Houghtonville-Monadnock association, hilly, very stony	5%
913E	Glebe-Stratton association, very hilly, very rocky	5%
923B	Wilmington-Mundal association, undulating, very stony	5%
W	Water	NR

RUSLE2 Percent Rock Cover Assignments  
Chittenden County, Vermont

Map symbol	Soil name	% Rock Cover
AdA	Adams and Windsor loamy sands, 0 to 5 percent slopes	0%
AdB	Adams and Windsor loamy sands, 5 to 12 percent slopes	0%
AdD	Adams and Windsor loamy sands, 12 to 30 percent slopes	0%
AdE	Adams and Windsor loamy sands, 30 to 60 percent slopes	0%
AgA	Agawam fine sandy loam, 0 to 5 percent slopes	5%
AgD	Agawam fine sandy loam, 12 to 30 percent slopes	5%
AgE	Agawam fine sandy loam, 30 to 60 percent slopes	5%
An	Alluvial land	NR
Au	Au Gres fine sandy loam	0%
Be	Beaches	NR
BlA	Belgrade and Eldridge soils, 0 to 3 percent slopes	0%
BlB	Belgrade and Eldridge soils, 3 to 8 percent slopes	0%
BlC	Belgrade and Eldridge soils, 8 to 15 percent slopes	0%
BlD	Belgrade and Eldridge soils, 15 to 25 percent slopes	0%
Bo	Blown-out land	NR
Br	Borrow pits	NR
BUR	Burlington (limit of soil survey)	NR
CaA	Cabot stony silt loam, 0 to 3 percent slopes	5%
CaC	Cabot stony silt loam, 3 to 15 percent slopes	5%
CbA	Cabot extremely stony silt loam, 0 to 3 percent slopes	5%
CbD	Cabot extremely stony silt loam, 3 to 25 percent slopes	5%
CoA	Colton gravelly loamy sand, 0 to 5 percent slopes	15%
CoB	Colton gravelly loamy sand, 5 to 12 percent slopes	15%
CoC	Colton gravelly loamy sand, 12 to 20 percent slopes	15%
CsD	Colton and Stetson soils, 20 to 30 percent slopes	15%
CsE	Colton and Stetson soils, 30 to 60 percent slopes	15%
Cv	Covington silty clay	0%
DdA	Duane and Deerfield soils, 0 to 5 percent slopes	5%
DdB	Duane and Deerfield soils, 5 to 12 percent slopes	5%
DdC	Duane and Deerfield soils, 12 to 20 percent slopes	5%
Du	Dumps	NR
EwA	Enosburg and Whately soils, 0 to 3 percent slopes	0%
EwB	Enosburg and Whately soils, 3 to 8 percent slopes	0%
FaC	Farmington extremely rocky loam, 5 to 20 percent slopes	5%
FaE	Farmington extremely rocky loam, 20 to 60 percent slopes	5%
FsB	Farmington-Stockbridge rocky loams, 5 to 12 percent slopes	5%
FsC	Farmington-Stockbridge rocky loams, 12 to 20 percent slopes	5%
FsE	Farmington-Stockbridge rocky loams, 20 to 60 percent slopes	5%
Fu	Fill land	NR
Fw	Fresh water marsh	NR
GeB	Georgia stony loam, 3 to 8 percent slopes	5%
GeC	Georgia stony loam, 8 to 15 percent slopes	5%
GgC	Georgia extremely stony loam, 0 to 15 percent slopes	5%
GgE	Georgia extremely stony loam, 15 to 60 percent slopes	5%
GrA	Groton gravelly fine sandy loam, 0 to 5 percent slopes	15%
GrB	Groton gravelly fine sandy loam, 5 to 12 percent slopes	15%
GrC	Groton gravelly fine sandy loam, 12 to 20 percent slopes	15%
GrD	Groton gravelly fine sandy loam, 20 to 30 percent slopes	15%
GrE	Groton gravelly fine sandy loam, 30 to 60 percent slopes	15%
Hf	Hadley very fine sandy loam	0%
Hh	Hadley very fine sandy loam, frequently flooded	0%
HlB	Hartland very fine sandy loam, 2 to 6 percent slopes	0%
HlC	Hartland very fine sandy loam, 6 to 12 percent slopes	0%
HlD	Hartland very fine sandy loam, 12 to 25 percent slopes	0%
HlE	Hartland very fine sandy loam, 25 to 60 percent slopes	0%
HnA	Hinesburg fine sandy loam, 0 to 3 percent slopes	0%
HnB	Hinesburg fine sandy loam, 3 to 8 percent slopes	0%
HnC	Hinesburg fine sandy loam, 8 to 15 percent slopes	0%
HnD	Hinesburg fine sandy loam, 15 to 25 percent slopes	0%
HnE	Hinesburg fine sandy loam, 25 to 60 percent slopes	0%
Le	Limerick silt loam	0%
Lf	Limerick silt loam, very wet	0%
Lh	Livingston clay	0%
Lk	Livingston silty clay, occasionally flooded	0%
LmB	Lyman-Marlow rocky loams, 5 to 12 percent slopes	5%

RUSLE2 Percent Rock Cover Assignments  
Chittenden County, Vermont

Map symbol	Soil name	% Rock Cover
LmC	Lyman-Marlow rocky loams, 12 to 20 percent slopes	5%
LyD	Lyman-Marlow very rocky loams, 5 to 30 percent slopes	5%
LyE	Lyman-Marlow very rocky loams, 30 to 60 percent slopes	5%
MaB	Marlow stony loam, 5 to 12 percent slopes	5%
MaC	Marlow stony loam, 12 to 20 percent slopes	5%
MaD	Marlow stony loam, 20 to 30 percent slopes	5%
MeC	Marlow extremely stony loam, 5 to 20 percent slopes	5%
MeE	Marlow extremely stony loam, 20 to 60 percent slopes	5%
MnC	Massena stony silt loam, 0 to 15 percent slopes	5%
MoC	Massena extremely stony silt loam, 0 to 15 percent slopes	5%
Mp	Muck and Peat	NR
MTFA	Military test firing area	NR
MuD	Munson and Belgrade silt loams, 12 to 25 percent slopes	0%
MyB	Munson and Raynham silt loams, 2 to 6 percent slopes	0%
MyC	Munson and Raynham silt loams, 6 to 12 percent slopes	0%
PaB	Palatine silt loam, 3 to 8 percent slopes	5%
PaC	Palatine silt loam, 8 to 15 percent slopes	5%
PaD	Palatine silt loam, 15 to 25 percent slopes	5%
PaE	Palatine silt loam, 25 to 60 percent slopes	5%
Pc	Peacham stony silt loam	5%
PeA	Peru stony loam, 0 to 5 percent slopes	5%
PeB	Peru stony loam, 5 to 12 percent slopes	5%
PeC	Peru stony loam, 12 to 20 percent slopes	5%
PeD	Peru stony loam, 20 to 30 percent slopes	5%
PxC	Peru extremely stony loam, 0 to 20 percent slopes	5%
PxE	Peru extremely stony loam, 20 to 60 percent slopes	5%
Qd	Quarries	NR
Rk	Rock land	NR
ScA	Scantic silt loam, 0 to 2 percent slopes	0%
ScB	Scantic silt loam, 2 to 6 percent slopes	0%
Sd	Scarboro loam	0%
StA	Stetson gravelly fine sandy loam, 0 to 5 percent slopes	15%
StB	Stetson gravelly fine sandy loam, 5 to 12 percent slopes	15%
StC	Stetson gravelly fine sandy loam, 12 to 20 percent slopes	15%
SuB	Stockbridge and Nellis stony loams, 3 to 8 percent slopes	5%
SuC	Stockbridge and Nellis stony loams, 8 to 15 percent slopes	5%
SuD	Stockbridge and Nellis stony loams, 15 to 25 percent slopes	5%
SxC	Stockbridge and Nellis extremely stony loams, 3 to 15 percent slopes	5%
SxE	Stockbridge and Nellis extremely stony loams, 15 to 60 percent slopes	5%
TeE	Terrace escarpments, silty and clayey	NR
VeB	Vergennes clay, 2 to 6 percent slopes	0%
VeC	Vergennes clay, 6 to 12 percent slopes	0%
VeD	Vergennes clay, 12 to 25 percent slopes	0%
VeE	Vergennes clay, 25 to 60 percent slopes	0%
W	Water	NR
Wo	Winooski very fine sandy loam	0%

RUSLE2 Percent Rock Cover Assignments  
Franklin County, Vermont

Map symbol	Soil name	% Rock Cover
AuA	Au Gres loamy fine sand, 0 to 6 percent slopes	0%
BeB	Belgrade silt loam, 2 to 8 percent slopes	0%
BeC	Belgrade silt loam, 8 to 15 percent slopes	0%
Bg	Binghamville silt loam	0%
Br	Birdsall silt loam	0%
BxC	Buxton silt loam, 8 to 15 percent slopes	0%
BxD	Buxton silt loam, 15 to 25 percent slopes	0%
BxE	Buxton silt loam, 25 to 45 percent slopes	0%
CaA	Cabot stony fine sandy loam, 0 to 3 percent slopes	5%
CaB	Cabot stony fine sandy loam, 3 to 8 percent slopes	5%
CbA	Cabot extremely stony fine sandy loam, 0 to 3 percent slopes	5%
CbB	Cabot extremely stony fine sandy loam, 3 to 15 percent slopes	5%
Ce	Carlisle muck	0%
CoB	Colton gravelly loamy sand, 2 to 8 percent slopes	15%
CoC	Colton gravelly loamy sand, 8 to 15 percent slopes	15%
CoD	Colton gravelly loamy sand, 15 to 25 percent slopes	15%
CoE	Colton gravelly loamy sand, 25 to 60 percent slopes	15%
CpB	Copake fine sandy loam, 2 to 8 percent slopes	5%
Cv	Covington clay	0%
DeB	Deerfield loamy fine sand, 0 to 8 percent slopes	0%
DeC	Deerfield loamy fine sand, 8 to 15 percent slopes	0%
EdA	Eldridge loamy fine sand, 0 to 3 percent slopes	0%
EdB	Eldridge loamy fine sand, 3 to 8 percent slopes	0%
EdC	Eldridge loamy fine sand, 8 to 15 percent slopes	0%
EnA	Enosburg loamy fine sand, 0 to 3 percent slopes	0%
EnB	Enosburg loamy fine sand, 3 to 8 percent slopes	0%
FaB	Farmington loam, very rocky, 3 to 8 percent slopes	5%
FaC	Farmington loam, very rocky, 8 to 15 percent slopes	5%
FmC	Farmington-Rock outcrop complex, 6 to 15 percent slopes	5%
FmD	Farmington-Rock outcrop complex, 15 to 60 percent slopes	5%
GeA	Georgia stony loam, 0 to 3 percent slopes	5%
GeB	Georgia stony loam, 3 to 8 percent slopes	5%
GeC	Georgia stony loam, 8 to 15 percent slopes	5%
GrB	Georgia extremely stony loam, 0 to 8 percent slopes	5%
GrC	Georgia extremely stony loam, 8 to 15 percent slopes	5%
Ha	Hadley silt loam	0%
HbA	Hinesburg loamy fine sand, 0 to 3 percent slopes	0%
HbB	Hinesburg loamy fine sand, 3 to 8 percent slopes	0%
HbC	Hinesburg loamy fine sand, 8 to 15 percent slopes	0%
HbD	Hinesburg loamy fine sand, 15 to 25 percent slopes	0%
HbE	Hinesburg loamy fine sand, 25 to 60 percent slopes	0%
KbA	Kingsbury clay, 0 to 3 percent slopes	0%
KbB	Kingsbury clay, 3 to 8 percent slopes	0%
Le	Limerick silt loam	0%
LoB	Lordstown loam, rocky, 3 to 8 percent slopes	5%
LoC	Lordstown loam, rocky, 8 to 15 percent slopes	5%
LoD	Lordstown loam, rocky, 15 to 25 percent slopes	5%
LrC	Lordstown-Rock outcrop complex, 5 to 15 percent slopes	5%
LrD	Lordstown-Rock outcrop complex, 15 to 25 percent slopes	5%
LrE	Lordstown-Rock outcrop complex, 25 to 60 percent slopes	5%
Ly	Lyons stony loam	5%
Ma	Marsh	NR
MeA	Massena stony loam, 0 to 3 percent slopes	5%
MeB	Massena stony loam, 3 to 8 percent slopes	5%
MnA	Massena extremely stony loam, 0 to 6 percent slopes	5%
MsA	Missisquoi loamy sand, 0 to 3 percent slopes	0%
MsB	Missisquoi loamy sand, 3 to 8 percent slopes	0%
MsC	Missisquoi loamy sand, 8 to 15 percent slopes	0%
MsD	Missisquoi loamy sand, 15 to 25 percent slopes	0%
MsE	Missisquoi loamy sand, 25 to 60 percent slopes	0%
MuB	Munson silt loam, 3 to 8 percent slopes	0%
MuC	Munson silt loam, 8 to 15 percent slopes	0%
Od	Ondawa variant silt loam	0%
Pa	Peacham stony soils	5%
PeB	Peru stony fine sandy loam, 3 to 8 percent slopes	5%

RUSLE2 Percent Rock Cover Assignments  
Franklin County, Vermont

Map symbol	Soil name	% Rock Cover
PeC	Peru stony fine sandy loam, 8 to 15 percent slopes	5%
PeD	Peru stony fine sandy loam, 15 to 25 percent slopes	5%
PrC	Peru extremely stony fine sandy loam, 3 to 15 percent slopes	5%
PrD	Peru extremely stony fine sandy loam, 15 to 25 percent slopes	5%
Pu	Podunk variant silt loam	0%
RaB	Raynham silt loam, 3 to 8 percent slopes	0%
RoE	Rock outcrop-Woodstock complex, 20 to 60 percent slopes	NR
Ru	Rumney variant silt loam	0%
SaA	St. Albans slaty loam, 0 to 3 percent slopes	15%
SaB	St. Albans slaty loam, 3 to 8 percent slopes	15%
SaC	St. Albans slaty loam, 8 to 15 percent slopes	15%
SbB	St. Albans very stony loam, 2 to 8 percent slopes	15%
SbC	St. Albans very stony loam, 8 to 15 percent slopes	15%
SbD	St. Albans very stony loam, 15 to 25 percent slopes	15%
SbE	St. Albans very stony loam, 25 to 60 percent slopes	15%
ScA	Scantic silt loam, 0 to 3 percent slopes	0%
ScB	Scantic silt loam, 3 to 8 percent slopes	0%
StB	Stowe stony fine sandy loam, 3 to 8 percent slopes	5%
StC	Stowe stony fine sandy loam, 8 to 15 percent slopes	5%
StD	Stowe stony fine sandy loam, 15 to 25 percent slopes	5%
SwC	Stowe extremely stony fine sandy loam, 5 to 15 percent slopes	5%
SwD	Stowe extremely stony fine sandy loam, 15 to 25 percent slopes	5%
SyE	Stowe stony soils, 25 to 60 percent slopes	5%
Tm	Terric Medisapristis	NR
TwB	Tunbridge-Woodstock fine sandy loams, very rocky, 3 to 8 percent slopes	5%
TwC	Tunbridge-Woodstock fine sandy loams, very rocky, 8 to 15 percent slopes	5%
TwD	Tunbridge-Woodstock fine sandy loams, very rocky, 15 to 25 percent slopes	5%
W	Water	NR
Wa	Wallkill silt loam	0%
Wh	Wareham loamy fine sand	0%
WrA	Westbury stony fine sandy loam, 0 to 3 percent slopes	5%
WrB	Westbury stony fine sandy loam, 3 to 8 percent slopes	5%
WrC	Westbury stony fine sandy loam, 8 to 15 percent slopes	5%
WsA	Windsor loamy fine sand, 0 to 3 percent slopes	0%
WsB	Windsor loamy fine sand, 3 to 8 percent slopes	0%
WsC	Windsor loamy fine sand, 8 to 15 percent slopes	0%
WsD	Windsor loamy fine sand, 15 to 25 percent slopes	0%
WsE	Windsor loamy fine sand, 25 to 60 percent slopes	0%
Wt	Winooski silt loam	0%
WxC	Woodstock-Rock outcrop complex, 8 to 15 percent slopes	5%
WxD	Woodstock-Rock outcrop complex, 15 to 25 percent slopes	5%
WxE	Woodstock-Rock outcrop complex, 25 to 60 percent slopes	5%

RUSLE2 Percent Rock Cover Assignments  
Grand Isle County, Vermont

Map symbol	Soil name	% Rock Cover
AaA	Amenia silt loam, 0 to 3 percent slopes	5%
AaB	Amenia silt loam, 3 to 8 percent slopes	5%
AaC	Amenia silt loam, 8 to 15 percent slopes	5%
AbA	Amenia very stony silt loam, 0 to 3 percent slopes	5%
AbB	Amenia very stony silt loam, 3 to 8 percent slopes	5%
AbC	Amenia very stony silt loam, 8 to 15 percent slopes	5%
BaA	Balch peat	NR
Bb	Beach and Dune sand	NR
BcA	Benson rocky loam, over massive limestone, 0 to 3 percent slopes	5%
BcB	Benson rocky loam, over massive limestone, 3 to 8 percent slopes	5%
BcC	Benson rocky loam, over massive limestone, 8 to 15 percent slopes	5%
BdA	Benson very rocky loam, over massive limestone, 0 to 3 percent slopes	5%
BdB	Benson very rocky loam, over massive limestone, 3 to 8 percent slopes	5%
BdC	Benson very rocky loam, over massive limestone, 8 to 15 percent slopes	5%
BdD	Benson very rocky loam, over massive limestone, 15 to 25 percent slopes	5%
BdE	Benson very rocky loam, over massive limestone, 25 to 35 percent slopes	5%
BeA	Benson rocky silt loam, over shaly limestone, 0 to 3 percent slopes	5%
BeB	Benson rocky silt loam, over shaly limestone, 3 to 8 percent slopes	5%
BeC	Benson rocky silt loam, over shaly limestone, 8 to 15 percent slopes	5%
BeD	Benson rocky silt loam, over shaly limestone, 15 to 25 percent slopes	5%
BeE	Benson rocky silt loam, over shaly limestone, 25 to 35 percent slopes	5%
BeF	Benson rocky silt loam, over shaly limestone, 35 to 50 percent slopes	5%
BfB	Benson very rocky silt loam, over shaly limestone, 3 to 8 percent slopes	5%
BfC	Benson very rocky silt loam, over shaly limestone, 8 to 15 percent slopes	5%
BfD	Benson very rocky silt loam, over shaly limestone, 15 to 25 percent slopes	5%
BfE	Benson very rocky silt loam, over shaly limestone, 25 to 50 percent slopes	5%
CaA	Carlisle muck	0%
CbA	Covington silty clay loam, 0 to 3 percent slopes	0%
CbB	Covington silty clay loam, 3 to 8 percent slopes	0%
EaA	Elmwood fine sandy loam, 0 to 3 percent slopes	0%
EaB	Elmwood fine sandy loam, 3 to 8 percent slopes	0%
FaA	Fresh water marsh	NR
Gr	Pits, Sand, and Pits, gravel	NR
KaA	Kars fine sandy loam, 0 to 3 percent slopes	5%
KaB	Kars fine sandy loam, 3 to 8 percent slopes	5%
KaC	Kars fine sandy loam, 8 to 15 percent slopes	5%
KaD	Kars fine sandy loam, 15 to 25 percent slopes	5%
KaE	Kars fine sandy loam, 25 to 50 percent slopes	5%
KbA	Kendaia silt loam, 0 to 3 percent slopes	0%
KbB	Kendaia silt loam, 3 to 8 percent slopes	0%
KcA	Kendaia very stony silt loam, 0 to 3 percent slopes	0%
KcB	Kendaia very stony silt loam, 3 to 8 percent slopes	0%
LaA	Livingston silty clay loam, 0 to 3 percent slopes	0%
LbA	Lyons silt loam, 0 to 3 percent slopes	5%
LcA	Lyons very stony silt loam, 0 to 3 percent slopes	5%
MaA	Melrose fine sandy loam, 0 to 3 percent slopes	0%
MaB	Melrose fine sandy loam, 3 to 8 percent slopes	0%
MaC	Melrose fine sandy loam, 8 to 15 percent slopes	0%
MaD	Melrose fine sandy loam, 15 to 25 percent slopes	0%
NaA	Nellis silt loam, 0 to 3 percent slopes	5%
NaB	Nellis silt loam, 3 to 8 percent slopes	5%
NaC	Nellis silt loam, 8 to 15 percent slopes	5%
NaD	Nellis silt loam, 15 to 25 percent slopes	5%
NbA	Nellis very stony silt loam, 0 to 3 percent slopes	5%
NbB	Nellis very stony silt loam, 3 to 8 percent slopes	5%
NbC	Nellis very stony silt loam, 8 to 15 percent slopes	5%
NbD	Nellis very stony silt loam, 15 to 25 percent slopes	5%
Qu	Pits, quarry	NR
SaB	St. Albans-Dutchess loams, 3 to 8 percent slopes	5%
SbB	St. Albans-Dutchess rocky loams, 3 to 8 percent slopes	5%
SbC	St. Albans-Dutchess rocky loams, 8 to 15 percent slopes	5%
ScB	St. Albans-Dutchess very rocky loams, 3 to 8 percent slopes	5%
ScD	St. Albans-Dutchess very rocky loams, 15 to 25 percent slopes	5%
SdA	Swanton fine sandy loam, 0 to 3 percent slopes	0%
SdB	Swanton fine sandy loam, 3 to 8 percent slopes	0%

RUSLE2 Percent Rock Cover Assignments  
Grand Isle County, Vermont

Map symbol	Soil name	% Rock Cover
VaA	Vergennes silty clay loam, 0 to 3 percent slopes	0%
VaB	Vergennes silty clay loam, 3 to 8 percent slopes	0%
W	Water	NR
WaA	Whately loam, 0 to 3 percent slopes	0%

RUSLE2 Percent Rock Cover Assignments  
Lamoille County, Vermont

Map symbol	Soil name	% Rock Cover
AdB	Adams loamy fine sand, 2 to 8 percent slopes	0%
AdC	Adams loamy fine sand, 8 to 15 percent slopes	0%
AdD	Adams loamy fine sand, 15 to 25 percent slopes	0%
AdE	Adams loamy fine sand, 25 to 50 percent slopes	0%
AeC	Adams-Adams variant loamy fine sands, rocky, 8 to 15 percent slopes	0%
AeD	Adams-Adams variant loamy fine sands, rocky, 15 to 25 percent slopes	0%
AeE	Adams-Adams variant loamy fine sands, rocky, 25 to 50 percent slopes	0%
AgB	Allagash very fine sandy loam, 2 to 8 percent slopes	0%
BeB	Berkshire fine sandy loam, 3 to 8 percent slopes	5%
BeC	Berkshire fine sandy loam, 8 to 15 percent slopes	5%
BeD	Berkshire fine sandy loam, 15 to 25 percent slopes	5%
BkB	Berkshire very stony fine sandy loam, 3 to 8 percent slopes	5%
BkC	Berkshire very stony fine sandy loam, 8 to 15 percent slopes	5%
BkD	Berkshire very stony fine sandy loam, 15 to 25 percent slopes	5%
BrB	Berkshire-Tunbridge fine sandy loams, rocky, 3 to 8 percent slopes	5%
BrC	Berkshire-Tunbridge fine sandy loams, rocky, 8 to 15 percent slopes	5%
BrD	Berkshire-Tunbridge fine sandy loams, rocky, 15 to 25 percent slopes	5%
BtE	Berkshire and Marlow soils, 25 to 50 percent slopes	5%
BuB	Boothbay silt loam, 3 to 8 percent slopes	0%
BuC	Boothbay silt loam, 8 to 15 percent slopes	0%
BuD	Boothbay silt loam, 15 to 25 percent slopes	0%
Bx	Borochemists, deep	0%
By	Borochemists, moderately deep over loamy substratum	0%
CoB	Colton-Duxbury complex, 2 to 8 percent slopes	5%
CoC	Colton-Duxbury complex, 8 to 15 percent slopes	5%
CoD	Colton-Duxbury complex, 15 to 25 percent slopes	5%
CoE	Colton-Duxbury complex, 25 to 50 percent slopes	5%
CrB	Croghan loamy fine sand, 2 to 8 percent slopes	0%
FrB	Fragiaquepts and Haplaquepts, 0 to 8 percent slopes	NR
Ha	Hamlin silt loam	0%
Hs	Histic Fluvaquents, frequently flooded	NR
Le	Limerick variant silt loam	0%
LoE	Londonderry-Stratton complex, 25 to 60 percent slopes	5%
LyB	Lyman-Tunbridge fine sandy loams, very rocky, 3 to 8 percent slopes	5%
LyC	Lyman-Tunbridge fine sandy loams, very rocky, 8 to 15 percent slopes	5%
LyD	Lyman-Tunbridge fine sandy loams, very rocky, 15 to 25 percent slopes	5%
LyE	Lyman-Tunbridge fine sandy loams, very rocky, 25 to 60 percent slopes	5%
MaB	Marlow fine sandy loam, 3 to 8 percent slopes	5%
MaC	Marlow fine sandy loam, 8 to 15 percent slopes	5%
MaD	Marlow fine sandy loam, 15 to 25 percent slopes	5%
MrB	Marlow very stony fine sandy loam, 3 to 8 percent slopes	5%
MrC	Marlow very stony fine sandy loam, 8 to 15 percent slopes	5%
MrD	Marlow very stony fine sandy loam, 15 to 25 percent slopes	5%
On	Ondawa fine sandy loam	0%
PaA	Peacham stony muck, 0 to 5 percent slopes	5%
PeB	Peru fine sandy loam, 3 to 8 percent slopes	5%
PeC	Peru fine sandy loam, 8 to 15 percent slopes	5%
PeD	Peru fine sandy loam, 15 to 25 percent slopes	5%
PfB	Peru very stony fine sandy loam, 3 to 8 percent slopes	5%
PfC	Peru very stony fine sandy loam, 8 to 15 percent slopes	5%
PfD	Peru very stony fine sandy loam, 15 to 25 percent slopes	5%
Po	Podunk fine sandy loam	0%
PtB	Potsdam silt loam, 3 to 8 percent slopes	5%
PtC	Potsdam silt loam, 8 to 15 percent slopes	5%
PtD	Potsdam silt loam, 15 to 25 percent slopes	5%
RkE	Ricker peat, very rocky, 15 to 80 percent slopes	5%
Ru	Rumney fine sandy loam	0%
SaB	Salmon very fine sandy loam, 3 to 8 percent slopes	0%
SaB2	Salmon very fine sandy loam, 3 to 8 percent slopes, eroded	0%
SaC	Salmon very fine sandy loam, 8 to 15 percent slopes	0%
SaC2	Salmon very fine sandy loam, 8 to 15 percent slopes, eroded	0%
SaD	Salmon very fine sandy loam, 15 to 25 percent slopes	0%
SaD2	Salmon very fine sandy loam, 15 to 25 percent slopes, eroded	0%
SaE2	Salmon very fine sandy loam, 25 to 50 percent slopes, eroded	0%
SdC	Salmon variant-Salmon very fine sandy loams, rocky, 8 to 15 percent slopes	0%

RUSLE2 Percent Rock Cover Assignments  
Lamoille County, Vermont

Map symbol	Soil name	% Rock Cover
SdD	Salmon variant-Salmon very fine sandy loams, rocky, 15 to 25 percent slopes	0%
SdE	Salmon variant-Salmon very fine sandy loams, rocky, 25 to 50 percent slopes	0%
SeD	Scantic variant bouldery silt loam, 8 to 25 percent slopes	0%
SeE	Scantic variant bouldery silt loam, 25 to 50 percent slopes	0%
Sr	Searsport muck	0%
StC	Stratton-Londonderry complex, 8 to 25 percent slopes	5%
SwA	Swanville silt loam, 0 to 6 percent slopes	0%
Te	Teel silt loam	0%
TuB	Tunbridge-Lyman fine sandy loams, rocky, 3 to 8 percent slopes	5%
TuC	Tunbridge-Lyman fine sandy loams, rocky, 8 to 15 percent slopes	5%
TuD	Tunbridge-Lyman fine sandy loams, rocky, 15 to 25 percent slopes	5%
TuE	Tunbridge-Lyman fine sandy loams, rocky, 25 to 60 percent slopes	5%
Ud	Udifluvents, frequently flooded	NR
W	Water	NR
WaA	Walpole fine sandy loam, 0 to 6 percent slopes	5%

RUSLE2 Percent Rock Cover Assignments  
Orange County, Vermont

Map symbol	Soil name	% Rock Cover
AgA	Agawam fine sandy loam, 0 to 3 percent slopes	5%
AgB	Agawam fine sandy loam, 3 to 8 percent slopes	5%
AgC	Agawam fine sandy loam, 8 to 15 percent slopes	5%
AgD	Agawam fine sandy loam, 15 to 25 percent slopes	5%
AgE	Agawam fine sandy loam, 25 to 50 percent slopes	5%
BeB	Belgrade silt loam, 0 to 8 percent slopes	0%
BeC	Belgrade silt loam, 8 to 15 percent slopes	0%
BeD	Belgrade silt loam, 15 to 25 percent slopes	0%
Bp	Pits, borrow	NR
BuB	Buckland stony loam, 3 to 8 percent slopes	5%
BuC	Buckland stony loam, 8 to 15 percent slopes	5%
BuD	Buckland stony loam, 15 to 25 percent slopes	5%
BvC	Buckland very stony loam, 8 to 25 percent slopes	5%
BwE	Buckland soils, 25 to 50 percent slopes	5%
CaB	Cabot stony silt loam, 0 to 8 percent slopes	5%
CaC	Cabot stony silt loam, 8 to 15 percent slopes	5%
CaD	Cabot stony silt loam, 15 to 25 percent slopes	5%
CbB	Cabot very stony silt loam, 3 to 15 percent slopes	5%
CbD	Cabot very stony silt loam, 15 to 25 percent slopes	5%
Cm	Pits, copper mine-Dumps, mine complex	NR
CoB	Colrain stony fine sandy loam, 3 to 8 percent slopes	5%
CoC	Colrain stony fine sandy loam, 8 to 15 percent slopes	5%
CoD	Colrain stony fine sandy loam, 15 to 25 percent slopes	5%
CsD	Colrain very stony fine sandy loam, 8 to 25 percent slopes	5%
CsE	Colrain very stony fine sandy loam, 25 to 50 percent slopes	5%
CxD	Colrain extremely stony fine sandy loam, 8 to 25 percent slopes	5%
CxE	Colrain extremely stony fine sandy loam, 25 to 50 percent slopes	5%
Gp	Gravel pits	NR
Ha	Hadley very fine sandy loam	0%
HdB	Hartland silt loam, 0 to 8 percent slopes	0%
HdC	Hartland silt loam, 8 to 15 percent slopes	0%
HdD	Hartland silt loam, 15 to 25 percent slopes	0%
HdE	Hartland silt loam, 25 to 50 percent slopes	0%
Le	Limerick very fine sandy loam	0%
MeA	Merrimac fine sandy loam, 0 to 3 percent slopes	5%
MeB	Merrimac fine sandy loam, 3 to 8 percent slopes	5%
MeC	Merrimac fine sandy loam, 8 to 15 percent slopes	5%
MeD	Merrimac fine sandy loam, 15 to 25 percent slopes	5%
MeE	Merrimac fine sandy loam, 25 to 50 percent slopes	5%
Ml	Udorthents	NR
Mu	Muck	NR
NnB	Ninigret fine sandy loam, 0 to 8 percent slopes	5%
NnC	Ninigret fine sandy loam, 8 to 15 percent slopes	5%
Pc	Peacham soils	5%
PoC	Pomfret stony loamy fine sand, 8 to 15 percent slopes	5%
PoD	Pomfret stony loamy fine sand, 15 to 25 percent slopes	5%
PsD	Pomfret very stony loamy fine sand, 8 to 25 percent slopes	5%
PtE	Pomfret soils, 25 to 50 percent slopes	5%
Qu	Pits, quarry-Dumps, mine complex	NR
Ra	Raynham variant silt loam	0%
Ro	Rock outcrop	NR
Sa	Saco mucky silt loam	0%
SLF	Dumps, sanitary landfill	NR
SoB	Stowe stony fine sandy loam, 3 to 8 percent slopes	5%
SoC	Stowe stony fine sandy loam, 8 to 15 percent slopes	5%
SoD	Stowe stony fine sandy loam, 15 to 25 percent slopes	5%
StD	Stowe very stony fine sandy loam, 8 to 25 percent slopes	5%
SwE	Stowe soils, 25 to 50 percent slopes	5%
TbB	Tunbridge-Woodstock rocky fine sandy loams, 3 to 8 percent slopes	5%
TbC	Tunbridge-Woodstock rocky fine sandy loams, 8 to 15 percent slopes	5%
TbD	Tunbridge-Woodstock rocky fine sandy loams, 15 to 25 percent slopes	5%
TrD	Tunbridge-Woodstock very rocky fine sandy loams, 8 to 25 percent slopes	5%
TwE	Tunbridge-Woodstock complex, 25 to 50 percent slopes	5%
VeB	Vershire-Glover rocky loams, 3 to 8 percent slopes	5%
VeC	Vershire-Glover rocky loams, 8 to 15 percent slopes	5%

RUSLE2 Percent Rock Cover Assignments  
Orange County, Vermont

Map symbol	Soil name	% Rock Cover
VeD	Vershire-Glover rocky loams, 15 to 25 percent slopes	5%
VgD	Vershire-Glover-Rock outcrop complex, 8 to 25 percent slopes	5%
VhE	Vershire-Glover complex, 25 to 50 percent slopes	5%
W	Water	NR
Wa	Walpole fine sandy loam	5%
WnB	Windsor loamy fine sand, 0 to 8 percent slopes	0%
WnD	Windsor loamy fine sand, 8 to 25 percent slopes	0%
WnE	Windsor loamy fine sand, 25 to 50 percent slopes	0%
Wo	Winooski very fine sandy loam	0%

RUSLE2 Percent Rock Cover Assignments  
Orleans County, Vermont

Map symbol	Soil name	% Rock Cover
2A	Peacham muck, 0 to 3 percent slopes, very stony	5%
3B	Vershire-Lombard complex, 3 to 8 percent slopes, rocky	5%
3C	Vershire-Lombard complex, 8 to 15 percent slopes, rocky	5%
3D	Vershire-Lombard complex, 15 to 25 percent slopes, rocky	5%
5B	Nicholville very fine sandy loam, 3 to 8 percent slopes	0%
5C	Nicholville very fine sandy loam, 8 to 15 percent slopes	0%
5D	Nicholville very fine sandy loam, 15 to 25 percent slopes	0%
6B	Vershire-Lombard complex, 3 to 8 percent slopes, very stony	5%
6C	Vershire-Lombard complex, 8 to 15 percent slopes, very stony	5%
6D	Vershire-Lombard complex, 15 to 35 percent slopes, very stony	5%
8A	Roundabout silt loam, 0 to 3 percent slopes	0%
12C	Tunbridge-Lyman complex, 8 to 15 percent slopes, very rocky	5%
12D	Tunbridge-Lyman complex, 15 to 35 percent slopes, very rocky	5%
12E	Tunbridge-Lyman complex, 35 to 60 percent slopes, very rocky	5%
14A	Irasburg loamy fine sand, 0 to 3 percent slopes	0%
14B	Irasburg loamy fine sand, 3 to 8 percent slopes	0%
14C	Irasburg loamy fine sand, 8 to 15 percent slopes	0%
14D	Irasburg loamy fine sand, 15 to 25 percent slopes	0%
14E	Irasburg loamy fine sand, 25 to 50 percent slopes	0%
15B	Dixfield fine sandy loam, 3 to 8 percent slopes	5%
15C	Dixfield fine sandy loam, 8 to 15 percent slopes	5%
15D	Dixfield fine sandy loam, 15 to 25 percent slopes	5%
16B	Dixfield fine sandy loam, 3 to 8 percent slopes, very stony	5%
16C	Dixfield fine sandy loam, 8 to 15 percent slopes, very stony	5%
16D	Dixfield fine sandy loam, 15 to 35 percent slopes, very stony	5%
16E	Dixfield fine sandy loam, 35 to 60 percent slopes, very stony	5%
17B	Buckland very fine sandy loam, 3 to 8 percent slopes	5%
17C	Buckland very fine sandy loam, 8 to 15 percent slopes	5%
17D	Buckland very fine sandy loam, 15 to 25 percent slopes	5%
18B	Buckland very fine sandy loam, 3 to 8 percent slopes, very stony	5%
18C	Buckland very fine sandy loam, 8 to 15 percent slopes, very stony	5%
18D	Buckland very fine sandy loam, 15 to 35 percent slopes, very stony	5%
18E	Buckland very fine sandy loam, 35 to 60 percent slopes, very stony	5%
21A	Nasmith loamy fine sand, 0 to 3 percent slopes	0%
25	Pits, sand, and Pits, gravel	NR
26A	Adams loamy fine sand, 0 to 3 percent slopes	0%
26B	Adams loamy fine sand, 3 to 8 percent slopes	0%
26C	Adams loamy fine sand, 8 to 15 percent slopes	0%
26D	Adams loamy fine sand, 15 to 25 percent slopes	0%
26E	Adams loamy fine sand, 25 to 60 percent slopes	0%
27A	Croghan loamy fine sand, 0 to 3 percent slopes	0%
27B	Croghan loamy fine sand, 3 to 8 percent slopes	0%
31A	Sheepscot gravelly fine sandy loam, 0 to 3 percent slopes	15%
31B	Sheepscot gravelly fine sandy loam, 3 to 8 percent slopes	15%
33A	Moosilauke very fine sandy loam, 0 to 3 percent slopes	5%
38A	Colton-Duxbury complex, 0 to 3 percent slopes	5%
38B	Colton-Duxbury complex, 3 to 8 percent slopes	5%
38C	Colton-Duxbury complex, 8 to 15 percent slopes	5%
38D	Colton-Duxbury complex, 15 to 25 percent slopes	5%
38E	Colton-Duxbury complex, 25 to 60 percent slopes	5%
47A	Cabot silt loam, 0 to 3 percent slopes	5%
47B	Cabot silt loam, 3 to 8 percent slopes	5%
47C	Cabot silt loam, 8 to 15 percent slopes	5%
50A	Scantic silt loam, 0 to 3 percent slopes	0%
54B	Salmon very fine sandy loam, 3 to 8 percent slopes	0%
54C	Salmon very fine sandy loam, 8 to 15 percent slopes	0%
54D	Salmon very fine sandy loam, 15 to 25 percent slopes	0%
54E	Salmon very fine sandy loam, 25 to 50 percent slopes	0%
58B	Lamoine silt loam, 3 to 8 percent slopes	0%
58C	Lamoine silt loam, 8 to 15 percent slopes	0%
58D	Lamoine silt loam, 15 to 25 percent slopes	0%
58E	Lamoine silt loam, 25 to 50 percent slopes	0%
59B	Cabot silt loam, 0 to 8 percent slopes, very stony	5%
59C	Cabot silt loam, 8 to 15 percent slopes, very stony	5%
60A	Rumney fine sandy loam, 0 to 2 percent slopes, frequently flooded	0%

RUSLE2 Percent Rock Cover Assignments  
Orleans County, Vermont

Map symbol	Soil name	% Rock Cover
70A	Bucksport muck, 0 to 2 percent slopes, ponded	0%
72A	Charles silt loam, 0 to 2 percent slopes, frequently flooded	0%
76A	Podunk fine sandy loam, 0 to 2 percent slopes, occasionally flooded	0%
79A	Medomak mucky silt loam, 0 to 2 percent slopes, frequently flooded	0%
83A	Wonsqueak and Pondicherry mucks, 0 to 2 percent slopes	5%
84A	Bucksport muck, 0 to 2 percent slopes	0%
88D	Lyman-Rock outcrop complex, 15 to 35 percent slopes, very stony	5%
88F	Lyman-Rock outcrop complex, 60 to 90 percent slopes, very stony	5%
92B	Monadnock fine sandy loam, 3 to 8 percent slopes	5%
92C	Monadnock fine sandy loam, 8 to 15 percent slopes	5%
92D	Monadnock fine sandy loam, 15 to 25 percent slopes	5%
93B	Monadnock fine sandy loam, 3 to 8 percent slopes, very stony	5%
93C	Monadnock fine sandy loam, 8 to 15 percent slopes, very stony	5%
93D	Monadnock fine sandy loam, 15 to 35 percent slopes, very stony	5%
93E	Monadnock fine sandy loam, 35 to 60 percent slopes, very stony	5%
94C	Vershire-Glover complex, 8 to 15 percent slopes, very rocky	5%
94D	Vershire-Glover complex, 15 to 35 percent slopes, very rocky	5%
94E	Vershire-Glover complex, 35 to 60 percent slopes, very rocky	5%
96B	Dummerston very fine sandy loam, 3 to 8 percent slopes	5%
96C	Dummerston very fine sandy loam, 8 to 15 percent slopes	5%
96D	Dummerston very fine sandy loam, 15 to 25 percent slopes	5%
97B	Dummerston very fine sandy loam, 3 to 8 percent slopes, very stony	5%
97C	Dummerston very fine sandy loam, 8 to 15 percent slopes, very stony	5%
97D	Dummerston very fine sandy loam, 15 to 35 percent slopes, very stony	5%
97E	Dummerston very fine sandy loam, 35 to 60 percent slopes, very stony	5%
100B	Tunbridge-Dixfield complex, 3 to 8 percent slopes, rocky	5%
100C	Tunbridge-Dixfield complex, 8 to 15 percent slopes, rocky	5%
100D	Tunbridge-Dixfield complex, 15 to 25 percent slopes, rocky	5%
101B	Tunbridge-Dixfield complex, 3 to 8 percent slopes, very stony	5%
101C	Tunbridge-Dixfield complex, 8 to 15 percent slopes, very stony	5%
101D	Tunbridge-Dixfield complex, 15 to 35 percent slopes, very stony	5%
101E	Tunbridge-Dixfield complex, 35 to 60 percent slopes, very stony	5%
104B	Urban land-Adams-Nicholville complex, 0 to 8 percent slopes	NR
104C	Urban land-Adams-Nicholville complex, 8 to 15 percent slopes	NR
104D	Urban land-Adams-Nicholville complex, 15 to 25 percent slopes	NR
105	Dumps, landfill	NR
106	Pits, quarry-Dumps, mine complex	NR
112D	Hogback-Rawsonville complex, 15 to 35 percent slopes, very rocky	5%
112E	Hogback-Rawsonville complex, 35 to 60 percent slopes, very rocky	5%
210E	Ricker-Londonderry-Stratton complex, 35 to 60 percent slopes, very rocky	0%
211F	Ricker-Londonderry-Rock outcrop complex, 60 to 90 percent slopes	0%
247B	Colonel-Cabot complex, 3 to 8 percent slopes	5%
247C	Colonel-Cabot complex, 8 to 15 percent slopes	5%
247D	Colonel fine sandy loam, 15 to 25 percent slopes	5%
259B	Colonel-Cabot complex, 3 to 8 percent slopes, very stony	5%
259C	Colonel-Cabot complex, 8 to 15 percent slopes, very stony	5%
259D	Colonel fine sandy loam, 15 to 35 percent slopes, very stony	5%
260F	Udorthents, 60 to 90 percent slopes, very rubbly	NR
301C	Tunbridge-Dixfield complex, 3 to 15 percent slopes, extremely bouldery	5%
301D	Tunbridge-Dixfield complex, 15 to 35 percent slopes, extremely bouldery	5%
301E	Tunbridge-Dixfield complex, 35 to 60 percent slopes, extremely bouldery	5%
316C	Dixfield fine sandy loam, 3 to 15 percent slopes, extremely bouldery	5%
316D	Dixfield fine sandy loam, 15 to 35 percent slopes, extremely bouldery	5%
316E	Dixfield fine sandy loam, 35 to 60 percent slopes, extremely bouldery	5%
359C	Cabot silt loam, 3 to 15 percent slopes, extremely bouldery	5%
393D	Monadnock fine sandy loam, 15 to 35 percent slopes, extremely bouldery	5%
393E	Monadnock fine sandy loam, 35 to 60 percent slopes, extremely bouldery	5%
W	Water	NR

RUSLE2 Percent Rock Cover Assignments  
Rutland County, Vermont

Map symbol	Soil name	% Rock Cover
1B	Marlow fine sandy loam, 3 to 8 percent slopes	5%
1C	Marlow fine sandy loam, 8 to 15 percent slopes	5%
1D	Marlow fine sandy loam, 15 to 25 percent slopes	5%
2C	Marlow fine sandy loam, 8 to 15 percent slopes, very stony	5%
2D	Marlow fine sandy loam, 15 to 35 percent slopes, very stony	5%
2E	Marlow fine sandy loam, 35 to 60 percent slopes, very stony	5%
3B	Peru gravelly fine sandy loam, 3 to 8 percent slopes	15%
3C	Peru gravelly fine sandy loam, 8 to 15 percent slopes	15%
4B	Peru gravelly fine sandy loam, 3 to 8 percent slopes, very stony	15%
4C	Peru gravelly fine sandy loam, 8 to 15 percent slopes, very stony	15%
4D	Peru gravelly fine sandy loam, 15 to 25 percent slopes, very stony	15%
6A	Cabot gravelly fine sandy loam, 0 to 8 percent slopes, very stony	15%
7C	Brayton loam, 8 to 15 percent slopes, very stony	5%
9	Pits-Dumps complex	NR
11C	Taconic-Hubbardton complex, 8 to 25 percent slopes, very rocky	35%
12F	Taconic-Hubbardton-Macomber complex, 25 to 80 percent slopes, very rocky	15%
13B	Hinckley gravelly loamy fine sand, 0 to 8 percent slopes	15%
13C	Hinckley gravelly loamy fine sand, 8 to 15 percent slopes	15%
13D	Hinckley gravelly loamy fine sand, 15 to 25 percent slopes	15%
13E	Hinckley gravelly loamy fine sand, 25 to 40 percent slopes	15%
14A	Sudbury fine sandy loam, 0 to 3 percent slopes	5%
14B	Sudbury fine sandy loam, 3 to 8 percent slopes	5%
15A	Walpole fine sandy loam, 0 to 5 percent slopes	5%
18B	Windsor loamy sand, 3 to 8 percent slopes	0%
18C	Windsor loamy sand, 8 to 15 percent slopes	0%
18D	Windsor loamy sand, 15 to 25 percent slopes	0%
18E	Windsor loamy sand, 25 to 60 percent slopes	0%
21	Rippowam fine sandy loam	0%
22	Saco mucky silt loam	0%
23	Adrian muck	0%
24	Pinnebog muck	0%
25A	Belgrade silt loam, 0 to 3 percent slopes	0%
25B	Belgrade silt loam, 3 to 8 percent slopes	0%
25C	Belgrade silt loam, 8 to 15 percent slopes	0%
26A	Raynham silt loam, 0 to 4 percent slopes	0%
28	Udifluvents and Fluvaquents, nearly level	NR
29	Histosols and Aquents, ponded	NR
30B	Paxton fine sandy loam, 2 to 8 percent slopes	5%
30C	Paxton fine sandy loam, 8 to 15 percent slopes	5%
30D	Paxton fine sandy loam, 15 to 25 percent slopes	5%
31B	Paxton fine sandy loam, 2 to 8 percent slopes, very stony	5%
31C	Paxton fine sandy loam, 8 to 15 percent slopes, very stony	5%
31D	Paxton fine sandy loam, 15 to 25 percent slopes, very stony	5%
31E	Paxton fine sandy loam, 25 to 35 percent slopes, very stony	5%
38A	Tisbury silt loam, 0 to 3 percent slopes	5%
39B	Galway-Nellis-Farmington complex, 3 to 8 percent slopes	5%
40C	Galway-Nellis-Farmington complex, 8 to 15 percent slopes, rocky	5%
40D	Galway-Nellis-Farmington complex, 15 to 25 percent slopes, rocky	5%
41C	Farmington-Galway-Galoo complex, 5 to 25 percent slopes, very rocky	5%
41E	Farmington-Galway-Galoo complex, 25 to 50 percent slopes, very rocky	5%
42C	Macomber-Taconic complex, 8 to 15 percent slopes, rocky	15%
42D	Macomber-Taconic complex, 15 to 25 percent slopes, rocky	15%
42F	Macomber-Taconic complex, 25 to 80 percent slopes, rocky	15%
43C	Taconic-Macomber complex, 8 to 25 percent slopes, very rocky	15%
44B	Dutchess silt loam, 3 to 8 percent slopes	5%
44C	Dutchess silt loam, 8 to 15 percent slopes	5%
44D	Dutchess silt loam, 15 to 25 percent slopes	5%
47B	Dutchess silt loam, 3 to 8 percent slopes, very stony	5%
47C	Dutchess silt loam, 8 to 15 percent slopes, very stony	5%
47D	Dutchess silt loam, 15 to 25 percent slopes, very stony	5%
47E	Dutchess silt loam, 25 to 60 percent slopes, very stony	5%
50A	Massena silt loam, 0 to 8 percent slopes	5%
52B	Macomber-Dutchess complex, 3 to 8 percent slopes	5%
53	Elvers silt loam	0%
54A	Ninigret fine sandy loam, 0 to 4 percent slopes	5%

RUSLE2 Percent Rock Cover Assignments  
Rutland County, Vermont

Map symbol	Soil name	% Rock Cover
56B	Colton-Duxbury complex, 2 to 8 percent slopes, very stony	5%
56C	Colton-Duxbury complex, 8 to 15 percent slopes, very stony	5%
56D	Colton-Duxbury complex, 15 to 25 percent slopes, very stony	5%
56E	Colton-Duxbury complex, 25 to 50 percent slopes, very stony	5%
57B	Duxbury-Colton complex, 2 to 8 percent slopes	5%
58C	Colton-Duxbury complex, 8 to 15 percent slopes	5%
58D	Colton-Duxbury complex, 15 to 25 percent slopes	5%
59A	Deerfield loamy sand, 0 to 4 percent slopes	0%
61A	Eldridge fine sandy loam, 0 to 3 percent slopes	0%
61B	Eldridge fine sandy loam, 3 to 8 percent slopes	0%
62	Enosburg loamy fine sand	0%
64B	Stockbridge gravelly silt loam, 3 to 8 percent slopes	15%
64C	Stockbridge gravelly silt loam, 8 to 15 percent slopes	15%
64D	Stockbridge gravelly silt loam, 15 to 25 percent slopes	15%
65B	Stockbridge gravelly silt loam, 3 to 8 percent slopes, very stony	15%
65C	Stockbridge gravelly silt loam, 8 to 15 percent slopes, very stony	15%
65D	Stockbridge gravelly silt loam, 15 to 25 percent slopes, very stony	15%
65E	Stockbridge gravelly silt loam, 25 to 45 percent slopes, very stony	15%
66B	Georgia and Amenia soils, 3 to 8 percent slopes	5%
66C	Georgia and Amenia soils, 8 to 15 percent slopes	5%
67B	Georgia and Amenia soils, 3 to 8 percent slopes, very stony	5%
67C	Georgia and Amenia soils, 8 to 15 percent slopes, very stony	5%
67D	Georgia and Amenia soils, 15 to 25 percent slopes, very stony	5%
68A	Massena silt loam, 0 to 8 percent slopes, very stony	5%
71A	Castile gravelly fine sandy loam, 0 to 3 percent slopes	15%
72A	Fredon gravelly loam, 0 to 3 percent slopes	15%
73	Scarboro muck	0%
80A	Kingsbury silty clay loam, 0 to 3 percent slopes	0%
80B	Kingsbury silty clay loam, 3 to 8 percent slopes	0%
81	Livingston silty clay loam	0%
82B	Vergennes clay, 3 to 8 percent slopes	0%
82C	Vergennes clay, 8 to 15 percent slopes	0%
82D	Vergennes clay, 15 to 25 percent slopes	0%
82E	Vergennes clay, 25 to 50 percent slopes	0%
86	Linwood muck	0%
88	Birdsall muck	0%
90B	Hartland silt loam, 3 to 8 percent slopes	0%
90C	Hartland silt loam, 8 to 15 percent slopes	0%
90D	Hartland silt loam, 15 to 25 percent slopes	0%
95	Udorthents loamy	NR
96	Udipsamments, nearly level	NR
97A	Warwick-Quonset complex, 0 to 3 percent slopes	15%
97B	Warwick-Quonset complex, 3 to 8 percent slopes	15%
97C	Warwick-Quonset complex, 8 to 15 percent slopes	15%
97D	Warwick-Quonset complex, 15 to 25 percent slopes	15%
98E	Quonset-Warwick complex, 25 to 45 percent slopes	15%
99B	Copake gravelly fine sandy loam, 2 to 8 percent slopes	15%
104B	Groton gravelly loam, 2 to 8 percent slopes	15%
105	Tioga fine sandy loam	0%
106	Middlebury loam	0%
108	Hamlin silt loam	0%
109	Teel silt loam, sandy substratum	0%
110	Limerick silt loam	0%
111	Livingston silty clay loam, frequently flooded	0%
118C	Adams loamy fine sand, 8 to 15 percent slopes	0%
122B	Lyme fine sandy loam, 2 to 8 percent slopes, very stony	5%
122C	Lyme fine sandy loam, 8 to 15 percent slopes, very stony	5%
123B	Sheepscot fine sandy loam, 2 to 8 percent slopes	5%
123C	Sheepscot fine sandy loam, 8 to 15 percent slopes	5%
124B	Sunapee fine sandy loam, 3 to 8 percent slopes, very stony	5%
124C	Sunapee fine sandy loam, 8 to 15 percent slopes, very stony	5%
124D	Sunapee fine sandy loam, 15 to 35 percent slopes, very stony	5%
124E	Sunapee fine sandy loam, 35 to 50 percent slopes, very stony	5%
125B	Berkshire gravelly fine sandy loam, 3 to 8 percent slopes, very stony	15%
125C	Berkshire gravelly fine sandy loam, 8 to 15 percent slopes, very stony	15%

RUSLE2 Percent Rock Cover Assignments  
Rutland County, Vermont

Map symbol	Soil name	% Rock Cover
125D	Berkshire gravelly fine sandy loam, 15 to 35 percent slopes, very stony	15%
125E	Berkshire gravelly fine sandy loam, 35 to 50 percent slopes, very stony	15%
127C	Houghtonville gravelly fine sandy loam, 8 to 15 percent slopes, very stony	15%
127D	Houghtonville gravelly fine sandy loam, 15 to 35 percent slopes, very stony	15%
127E	Houghtonville gravelly fine sandy loam, 35 to 60 percent slopes, very stony	15%
128C	Rawsonville-Houghtonville complex, 8 to 15 percent slopes, rocky	15%
128D	Rawsonville-Houghtonville complex, 15 to 35 percent slopes, rocky	15%
128E	Rawsonville-Houghtonville complex, 35 to 60 percent slopes, rocky	15%
129D	Killington-Rawsonville complex, 15 to 35 percent slopes, very rocky	35%
129F	Killington-Rawsonville complex, 35 to 70 percent slopes, very rocky	35%
130B	Tunbridge-Berkshire complex, 3 to 8 percent slopes, rocky	15%
130C	Tunbridge-Berkshire complex, 8 to 15 percent slopes, rocky	15%
130D	Tunbridge-Berkshire complex, 15 to 35 percent slopes, rocky	15%
130E	Tunbridge-Berkshire complex, 35 to 60 percent slopes, rocky	15%
131D	Lyman-Tunbridge-Rock outcrop complex, 15 to 35 percent slopes, very stony	5%
131E	Lyman-Tunbridge-Rock outcrop complex, 35 to 60 percent slopes, very stony	5%
132C	Glebe-Stratton complex, 8 to 25 percent slopes, very stony	35%
132E	Glebe-Stratton complex, 25 to 60 percent slopes, very stony	35%
134F	Stratton-Londonderry-Ricker complex, 15 to 80 percent slopes, very rocky	5%
135D	Mundal loam, 15 to 35 percent slopes, very stony	5%
135E	Mundal loam, 35 to 60 percent slopes, very stony	5%
138C	Berkshire gravelly fine sandy loam, 8 to 15 percent slopes	15%
139B	Sunapee fine sandy loam, 3 to 8 percent slopes	5%
139C	Sunapee fine sandy loam, 8 to 15 percent slopes	5%
140C	Benson very channery loam, 3 to 15 percent slopes	35%
140D	Benson very channery loam, 15 to 25 percent slopes	35%
140E	Benson very channery loam, 25 to 50 percent slopes	35%
148B	Bomoseen and Pittstown soils, 2 to 8 percent slopes	5%
148C	Bomoseen and Pittstown soils, 8 to 15 percent slopes	5%
148D	Bomoseen and Pittstown soils, 15 to 25 percent slopes	5%
149B	Bomoseen and Pittstown soils, 3 to 8 percent slopes, very stony	5%
149C	Bomoseen and Pittstown soils, 8 to 15 percent slopes, very stony	5%
149D	Bomoseen and Pittstown soils, 15 to 25 percent slopes, very stony	5%
149E	Bomoseen and Pittstown soils, 25 to 40 percent slopes, very stony	5%
150A	Peacham muck, 0 to 8 percent slopes	5%
152	Lyons silt loam	5%
161A	Elmridge sandy loam, 0 to 3 percent slopes	0%
161B	Elmridge sandy loam, 3 to 8 percent slopes	0%
163	Canandaigua silt loam	0%
175	Wappinger silt loam	0%
177	Pawling silt loam	0%
202E	Rawsonville-Killington association, very hilly, very rocky	35%
203D	Peru-Marlow association, hilly, very stony	5%
205D	Tunbridge-Berkshire-Marlow association, hilly, rocky	5%
213E	Glebe-Stratton association, very hilly, very rocky	35%
221F	Tunbridge-Berkshire association, very steep, very stony	15%
402D	Tunbridge-Lyman association, hilly, rocky	5%
403C	Brayton-Cabot-Pinnebog association, rolling, very stony	5%
405D	Tunbridge-Berkshire association, hilly, very rocky	15%
505D	Berkshire-Colton association, hilly, stony	15%
702F	Killington-Ricker-Rock outcrop association, very steep, very stony	5%
703D	Mundal-Cabot association, hilly, very stony	5%
705D	Rawsonville-Houghtonville association, hilly, rocky	15%
W	Water	NR

RUSLE2 Percent Rock Cover Assignments  
Washington County, Vermont

Map symbol	Soil name	% Rock Cover
2A	Ondawa fine sandy loam, 0 to 3 percent slopes	0%
3A	Rumney fine sandy loam, 0 to 2 percent slopes	0%
4A	Sunny silt loam, 0 to 2 percent slopes	0%
9A	Rifle muck, 0 to 2 percent slopes, ponded	0%
14B	Colonel fine sandy loam, 3 to 8 percent slopes	5%
14C	Colonel fine sandy loam, 8 to 15 percent slopes	5%
14D	Colonel fine sandy loam, 15 to 25 percent slopes	5%
17A	Cabot silt loam, 0 to 3 percent slopes	5%
17B	Cabot silt loam, 3 to 8 percent slopes	5%
17C	Cabot silt loam, 8 to 15 percent slopes	5%
18B	Cabot silt loam, 0 to 8 percent slopes, very stony	5%
18C	Cabot silt loam, 8 to 15 percent slopes, very stony	5%
19B	Colonel fine sandy loam, 3 to 8 percent slopes, very stony	5%
19C	Colonel fine sandy loam, 8 to 15 percent slopes, very stony	5%
19D	Colonel fine sandy loam, 15 to 35 percent slopes, very stony	5%
20A	Peacham muck, 0 to 5 percent slopes	5%
21A	Sunday fine sand, 0 to 3 percent slopes	0%
26A	Adams loamy fine sand, 0 to 3 percent slopes	0%
26B	Adams loamy fine sand, 3 to 8 percent slopes	0%
26C	Adams loamy fine sand, 8 to 15 percent slopes	0%
26D	Adams loamy fine sand, 15 to 25 percent slopes	0%
26E	Adams loamy fine sand, 25 to 60 percent slopes	0%
33A	Machias fine sandy loam, 0 to 3 percent slopes	5%
33B	Machias fine sandy loam, 3 to 8 percent slopes	5%
33C	Machias fine sandy loam, 8 to 15 percent slopes	5%
37B	Stetson loam, 3 to 8 percent slopes	5%
37C	Stetson loam, 8 to 15 percent slopes	5%
37D	Stetson loam, 15 to 25 percent slopes	5%
37E	Stetson loam, 25 to 60 percent slopes	5%
39A	Colton gravelly loamy sand, 0 to 3 percent slopes	15%
39B	Colton gravelly loamy sand, 3 to 8 percent slopes	15%
39C	Colton gravelly loamy sand, 8 to 15 percent slopes	15%
39D	Colton gravelly loamy sand, 15 to 25 percent slopes	15%
39E	Colton gravelly loamy sand, 25 to 60 percent slopes	15%
41D	Buxton silt loam, 15 to 25 percent slopes	0%
41E	Buxton silt loam, 25 to 45 percent slopes	0%
43B	Salmon very fine sandy loam, 3 to 8 percent slopes	0%
43C	Salmon very fine sandy loam, 8 to 15 percent slopes	0%
43D	Salmon very fine sandy loam, 15 to 25 percent slopes	0%
43E	Salmon very fine sandy loam, 25 to 50 percent slopes	0%
44B	Lamoine silt loam, 3 to 8 percent slopes	0%
44C	Lamoine silt loam, 8 to 15 percent slopes	0%
45A	Scantic silt loam, 0 to 3 percent slopes	0%
55B	Nicholville silt loam, 3 to 8 percent slopes	0%
58A	Grange silt loam, 0 to 3 percent slopes	0%
59A	Waitsfield silt loam, 0 to 3 percent slopes	0%
60A	Weider very fine sandy loam, 0 to 3 percent slopes	0%
62B	Berkshire fine sandy loam, 3 to 8 percent slopes	5%
62C	Berkshire fine sandy loam, 8 to 15 percent slopes	5%
62D	Berkshire fine sandy loam, 15 to 25 percent slopes	5%
63B	Berkshire fine sandy loam, 3 to 8 percent slopes, very stony	5%
63C	Berkshire fine sandy loam, 8 to 15 percent slopes, very stony	5%
63D	Berkshire fine sandy loam, 15 to 35 percent slopes, very stony	5%
63E	Berkshire fine sandy loam, 35 to 60 percent slopes, very stony	5%
64C	Salmon-Adamant complex, 8 to 15 percent slopes, very rocky	0%
64D	Salmon-Adamant complex, 15 to 25 percent slopes, very rocky	0%
64E	Salmon-Adamant complex, 25 to 50 percent slopes, very rocky	0%
66B	Vershire-Dummerston complex, 3 to 8 percent slopes, rocky	5%
66C	Vershire-Dummerston complex, 8 to 15 percent slopes, rocky	5%
66D	Vershire-Dummerston complex, 15 to 25 percent slopes, rocky	5%
66E	Vershire-Dummerston complex, 25 to 60 percent slopes, rocky	5%
67C	Glover-Vershire complex, 8 to 15 percent slopes, very rocky	5%
67D	Glover-Vershire complex, 15 to 35 percent slopes, very rocky	5%
67E	Glover-Vershire complex, 35 to 60 percent slopes, very rocky	5%
68D	Stratton-Glebe complex, 15 to 35 percent slopes, very rocky	5%

RUSLE2 Percent Rock Cover Assignments  
Washington County, Vermont

Map symbol	Soil name	% Rock Cover
68E	Stratton-Glebe complex, 35 to 60 percent slopes, very rocky	5%
69D	Sisk-Glebe complex, 15 to 35 percent slopes, very bouldery	5%
69E	Sisk-Glebe complex, 35 to 60 percent slopes, very bouldery	5%
71C	Tunbridge-Lyman complex, 3 to 15 percent slopes, rocky	5%
72B	Tunbridge-Lyman complex, 3 to 8 percent slopes, very rocky	5%
72C	Tunbridge-Lyman complex, 8 to 15 percent slopes, very rocky	5%
72D	Tunbridge-Lyman complex, 15 to 35 percent slopes, very rocky	5%
72E	Tunbridge-Lyman complex, 35 to 60 percent slopes, very rocky	5%
76C	Berkshire fine sandy loam, 8 to 15 percent slopes, very bouldery	5%
76D	Berkshire fine sandy loam, 15 to 35 percent slopes, very bouldery	5%
76E	Berkshire fine sandy loam, 35 to 60 percent slopes, very bouldery	5%
77B	Peru gravelly fine sandy loam, 3 to 8 percent slopes	15%
77C	Peru gravelly fine sandy loam, 8 to 15 percent slopes	15%
77D	Peru gravelly fine sandy loam, 15 to 25 percent slopes	15%
78C	Peru gravelly fine sandy loam, 8 to 15 percent slopes, very stony	15%
78D	Peru gravelly fine sandy loam, 15 to 35 percent slopes, very stony	15%
78E	Peru gravelly fine sandy loam, 35 to 60 percent slopes, very stony	15%
79A	Markey and Wonsqueak mucks, 0 to 2 percent slopes, ponded	0%
82A	Peacham muck, 0 to 5 percent slopes, extremely bouldery	5%
85E	Ricker-Londonderry-Stratton complex, 35 to 60 percent slopes, very rocky	5%
86F	Ricker-Londonderry-Rock outcrop complex, 35 to 70 percent slopes	5%
88D	Houghtonville fine sandy loam, 15 to 35 percent slopes, very bouldery	5%
89E	Houghtonville fine sandy loam, 15 to 60 percent slopes, rubbly	5%
90B	Dummerston fine sandy loam, 3 to 8 percent slopes	5%
90C	Dummerston fine sandy loam, 8 to 15 percent slopes	5%
90D	Dummerston fine sandy loam, 15 to 25 percent slopes	5%
91C	Dummerston fine sandy loam, 8 to 15 percent slopes, very stony	5%
91D	Dummerston fine sandy loam, 15 to 35 percent slopes, very stony	5%
92B	Buckland silt loam, 3 to 8 percent slopes	5%
92C	Buckland silt loam, 8 to 15 percent slopes	5%
92D	Buckland silt loam, 15 to 25 percent slopes	5%
93B	Buckland silt loam, 3 to 8 percent slopes, very stony	5%
93C	Buckland silt loam, 8 to 15 percent slopes, very stony	5%
93D	Buckland silt loam, 15 to 35 percent slopes, very stony	5%
96D	Peru gravelly fine sandy loam, 15 to 35 percent slopes, extremely bouldery	15%
98B	Cabot silt loam, 3 to 8 percent slopes, extremely bouldery	5%
98C	Cabot silt loam, 8 to 15 percent slopes, extremely bouldery	5%
99C	Colonel fine sandy loam, 3 to 15 percent slopes, extremely bouldery	5%
99D	Colonel fine sandy loam, 15 to 35 percent slopes, extremely bouldery	5%
100	Pits, Sand, and Pits, gravel	NR
102	Pits, quarry-Dumps, mine complex	NR
103	Udorthents, loamy	NR
104	Urban land-Udipsamments complex, occasionally flooded	NR
116B	Mundal fine sandy loam, 3 to 8 percent slopes, very stony	5%
116C	Mundal fine sandy loam, 8 to 15 percent slopes, very stony	5%
116D	Mundal fine sandy loam, 15 to 35 percent slopes, very stony	5%
151F	Hogback-Rock outcrop-Rawsonville complex, 35 to 70 percent slopes	5%
162D	Houghtonville-Rawsonville complex, 15 to 35 percent slopes, very bouldery	5%
162E	Houghtonville-Rawsonville complex, 35 to 60 percent slopes, very bouldery	5%
163C	Houghtonville fine sandy loam, 8 to 15 percent slopes, very stony	5%
163D	Houghtonville fine sandy loam, 15 to 35 percent slopes, very stony	5%
163E	Houghtonville fine sandy loam, 35 to 60 percent slopes, very stony	5%
168C	Hogback-Rawsonville complex, 8 to 15 percent slopes, very rocky	5%
168D	Hogback-Rawsonville complex, 15 to 35 percent slopes, very rocky	5%
168E	Hogback-Rawsonville complex, 35 to 60 percent slopes, very rocky	5%
172F	Taconic-Hubbardton-Rock outcrop complex, 60 to 80 percent slopes	5%
W	Water	NR

RUSLE2 Percent Rock Cover Assignments  
Windham County, Vermont

Map symbol	Soil name	% Rock Cover
1A	Unadilla silt loam, 0 to 3 percent slopes	0%
1B	Unadilla silt loam, 3 to 8 percent slopes	0%
1C	Unadilla silt loam, 8 to 15 percent slopes	0%
1D	Unadilla silt loam, 15 to 25 percent slopes	0%
1E	Udorthents, steep	NR
2A	Belgrade silt loam, 0 to 3 percent slopes	0%
3B	Quonset and Warwick soils, 2 to 8 percent slopes	5%
3C	Quonset and Warwick soils, 8 to 15 percent slopes	5%
3D	Quonset and Warwick soils, 15 to 25 percent slopes	5%
3E	Quonset and Warwick soils, 25 to 70 percent slopes	5%
5B	Windsor loamy fine sand, 2 to 8 percent slopes	0%
5C	Windsor loamy fine sand, 8 to 15 percent slopes	0%
5D	Windsor loamy fine sand, 15 to 25 percent slopes	0%
5E	Windsor loamy fine sand, 25 to 60 percent slopes	0%
9B	Deerfield fine sandy loam, 2 to 8 percent slopes	0%
10A	Agawam very fine sandy loam, 0 to 3 percent slopes	5%
10B	Agawam very fine sandy loam, 3 to 8 percent slopes	5%
11B	Berkshire and Monadnock fine sandy loams, 3 to 8 percent slopes	5%
11C	Berkshire and Monadnock fine sandy loams, 8 to 15 percent slopes	5%
11D	Berkshire and Monadnock fine sandy loams, 15 to 25 percent slopes	5%
12C	Stratton-Glebe complex, 8 to 15 percent slopes, very rocky	5%
12D	Stratton-Glebe complex, 15 to 25 percent slopes, very rocky	5%
12E	Stratton-Glebe complex, 25 to 50 percent slopes, very rocky	5%
16B	Adams loamy fine sand, 2 to 8 percent slopes	0%
16C	Adams loamy fine sand, 8 to 15 percent slopes	0%
16D	Adams loamy fine sand, 15 to 25 percent slopes	0%
16E	Adams loamy fine sand, 25 to 50 percent slopes	0%
17B	Worden loam, 3 to 8 percent slopes	5%
17C	Worden loam, 8 to 15 percent slopes	5%
18B	Worden loam, 3 to 8 percent slopes, very bouldery	5%
18C	Worden loam, 8 to 15 percent slopes, very bouldery	5%
18D	Worden loam, 15 to 25 percent slopes, very bouldery	5%
20B	Tunbridge-Lyman fine sandy loams, 3 to 8 percent slopes, very rocky	5%
20C	Tunbridge-Lyman fine sandy loams, 8 to 15 percent slopes, very rocky	5%
20D	Tunbridge-Lyman fine sandy loams, 15 to 25 percent slopes, very rocky	5%
20E	Tunbridge-Lyman fine sandy loams, 25 to 50 percent slopes, very rocky	5%
21B	Marlow fine sandy loam, 3 to 8 percent slopes	5%
21C	Marlow fine sandy loam, 8 to 15 percent slopes	5%
21D	Marlow fine sandy loam, 15 to 25 percent slopes	5%
22B	Marlow fine sandy loam, 3 to 8 percent slopes, very stony	5%
22C	Marlow fine sandy loam, 8 to 15 percent slopes, very stony	5%
22D	Marlow fine sandy loam, 15 to 25 percent slopes, very stony	5%
22E	Marlow fine sandy loam, 25 to 50 percent slopes, very stony	5%
23	Ondawa fine sandy loam	0%
24	Podunk fine sandy loam	0%
25B	Westbury fine sandy loam, 3 to 8 percent slopes	5%
25C	Westbury fine sandy loam, 8 to 15 percent slopes	5%
26B	Westbury fine sandy loam, 3 to 8 percent slopes, very stony	5%
26C	Westbury fine sandy loam, 8 to 15 percent slopes, very stony	5%
26D	Westbury fine sandy loam, 15 to 25 percent slopes, very stony	5%
29	Walpole fine sandy loam	5%
31B	Wilmington very fine sandy loam, 2 to 8 percent slopes, very stony	5%
33	Rumney fine sandy loam	0%
34C	Lyman-Rock outcrop complex, 8 to 15 percent slopes	5%
34D	Lyman-Rock outcrop complex, 15 to 25 percent slopes	5%
34E	Lyman-Rock outcrop complex, 25 to 50 percent slopes	5%
37	Hadley silt loam	0%
39	Winooski silt loam	0%
40	Limerick silt loam	0%
41D	Londonderry-Stratton silt loams, 8 to 25 percent slopes, very rocky	5%
41E	Londonderry-Stratton silt loams, 25 to 70 percent slopes, very rocky	5%
43B	Mundal fine sandy loam, 3 to 8 percent slopes	5%
43C	Mundal fine sandy loam, 8 to 15 percent slopes	5%
43D	Mundal fine sandy loam, 15 to 25 percent slopes	5%
44B	Mundal fine sandy loam, 3 to 8 percent slopes, very stony	5%

RUSLE2 Percent Rock Cover Assignments  
Windham County, Vermont

Map symbol	Soil name	% Rock Cover
44C	Mundal fine sandy loam, 8 to 15 percent slopes, very stony	5%
44D	Mundal fine sandy loam, 15 to 25 percent slopes, very stony	5%
44E	Mundal fine sandy loam, 25 to 50 percent slopes, very stony	5%
46B	Berkshire and Monadnock fine sandy loams, 3 to 8 percent slopes, very stony	5%
46C	Berkshire and Monadnock fine sandy loams, 8 to 15 percent slopes, very stony	5%
46D	Berkshire and Monadnock fine sandy loams, 15 to 25 percent slopes, very stony	5%
46E	Berkshire and Monadnock fine sandy loams, 25 to 50 percent slopes, very stony	5%
47	Lupton mucky peat	0%
48B	Rawsonville-Hogback fine sandy loams, 3 to 8 percent slopes rocky	5%
48C	Rawsonville-Hogback fine sandy loams, 8 to 15 percent slopes, rocky	5%
48D	Rawsonville-Hogback fine sandy loams, 15 to 25 percent slopes, rocky	5%
48E	Rawsonville-Hogback fine sandy loams, 25 to 50 percent slopes, rocky	5%
49B	Houghtonville-Rawsonville fine sandy loams, 3 to 8 percent slopes, very bouldery	5%
49C	Houghtonville-Rawsonville fine sandy loams, 8 to 15 percent slopes, very bouldery	5%
49D	Houghtonville-Rawsonville fine sandy loams, 15 to 25 percent slopes, very bouldery	5%
49E	Houghtonville-Rawsonville fine sandy loams, 25 to 50 percent slopes, very bouldery	5%
50B	Colton loamy fine sand, 2 to 8 percent slopes	5%
50C	Colton loamy fine sand, 8 to 15 percent slopes	5%
50D	Colton loamy fine sand, 15 to 25 percent slopes	5%
50E	Colton loamy fine sand, 25 to 60 percent slopes	5%
52A	Sheepscot fine sandy loam, 0 to 3 percent slopes	5%
52B	Sheepscot fine sandy loam, 3 to 8 percent slopes	5%
56B	Monadnock fine sandy loam, 3 to 8 percent slopes, very stony	5%
56C	Monadnock fine sandy loam, 8 to 15 percent slopes, very stony	5%
56D	Monadnock fine sandy loam, 15 to 25 percent slopes, very stony	5%
56E	Monadnock fine sandy loam, 25 to 50 percent slopes, very stony	5%
60B	Houghtonville fine sandy loam, 3 to 8 percent slopes	5%
60C	Houghtonville fine sandy loam, 8 to 15 percent slopes	5%
60D	Houghtonville fine sandy loam, 15 to 25 percent slopes	5%
61B	Houghtonville fine sandy loam, 3 to 8 percent slopes, very stony	5%
61C	Houghtonville fine sandy loam, 8 to 15 percent slopes, very stony	5%
61D	Houghtonville fine sandy loam, 15 to 25 percent slopes, very stony	5%
61E	Houghtonville fine sandy loam, 25 to 50 percent slopes, very stony	5%
62	Markey muck	0%
63C	Berkshire-Tunbridge fine sandy loams, 8 to 15 percent slopes, very stony	5%
63D	Berkshire-Tunbridge fine sandy loams, 15 to 25 percent slopes, very stony	5%
63E	Berkshire-Tunbridge fine sandy loams, 25 to 50 percent slopes, very stony	5%
64	Udifluvents, loamy	NR
65C	Hogback-Rawsonville fine sandy loams, 8 to 15 percent slopes, very rocky	5%
65D	Hogback-Rawsonville fine sandy loams, 15 to 25 percent slopes, very rocky	5%
65E	Hogback-Rawsonville fine sandy loams, 25 to 50 percent slopes, very rocky	5%
66B	Houghtonville-Rawsonville fine sandy loams, 3 to 8 percent slopes, rocky	5%
66C	Houghtonville-Rawsonville fine sandy loams, 8 to 15 percent slopes, rocky	5%
67B	Berkshire-Tunbridge fine sandy loams, 3 to 8 percent slopes, rocky	5%
67C	Berkshire-Tunbridge fine sandy loams, 8 to 15 percent slopes, rocky	5%
68D	Taconic-Hubbardton-Rock outcrop complex, 8 to 25 percent slopes	5%
68E	Taconic-Hubbardton-Rock outcrop complex, 25 to 70 percent slopes	5%
69C	Macomber-Taconic complex, 8 to 15 percent slopes, very rocky	15%
69D	Macomber-Taconic complex, 15 to 25 percent slopes, very rocky	15%
69E	Macomber-Taconic complex, 25 to 70 percent slopes, very rocky	15%
70C	Dummerston-Macomber complex, 8 to 15 percent slopes, very stony	5%
70D	Dummerston-Macomber complex, 15 to 25 percent slopes, very stony	5%
70E	Dummerston-Macomber complex, 25 to 70 percent slopes very stony	5%
71B	Dummerston silt loam, 3 to 8 percent slopes	5%
71C	Dummerston silt loam, 8 to 15 percent slopes	5%
71D	Dummerston silt loam, 15 to 25 percent slopes	5%
72C	Dummerston silt loam, 8 to 15 percent slopes, very stony	5%
72D	Dummerston silt loam, 15 to 25 percent slopes, very stony	5%
72E	Dummerston silt loam, 25 to 70 percent slopes, very stony	5%
73B	Fullam silt loam, 3 to 8 percent slopes	5%
73C	Fullam silt loam, 8 to 15 percent slopes	5%
73D	Fullam silt loam, 15 to 25 percent slopes	5%
74B	Fullam silt loam, 3 to 8 percent slopes, very stony	5%
74C	Fullam silt loam, 8 to 15 percent slopes, very stony	5%
74D	Fullam silt loam, 15 to 25 percent slopes, very stony	5%

RUSLE2 Percent Rock Cover Assignments  
Windham County, Vermont

Map symbol	Soil name	% Rock Cover
74E	Fullam silt loam, 25 to 35 percent slopes, very stony	5%
75B	Brayton silt loam, 2 to 8 percent slopes, very stony	5%
76B	Dummerston-Macomber complex, 3 to 8 percent slopes, rocky	5%
76C	Dummerston-Macomber complex, 8 to 15 percent slopes, rocky	5%
W	Water, less than 40 acres	NR

RUSLE2 Percent Rock Cover Assignments  
Windsor County, Vermont

Map symbol	Soil name	% Rock Cover
1B	Hitchcock silt loam, 3 to 8 percent slopes	0%
1C	Hitchcock silt loam, 8 to 15 percent slopes	0%
1D	Hitchcock silt loam, 15 to 25 percent slopes	0%
1E	Hitchcock silt loam, 25 to 50 percent slopes, eroded	0%
2A	Belgrade silt loam, 0 to 3 percent slopes	0%
2B	Belgrade silt loam, 3 to 8 percent slopes	0%
3	Pits, quarry-Dumps, mine complex	NR
4A	Raynham silt loam, 0 to 3 percent slopes	0%
5B	Windsor loamy fine sand, 0 to 8 percent slopes	0%
5C	Windsor loamy fine sand, 8 to 15 percent slopes	0%
5D	Windsor loamy fine sand, 15 to 25 percent slopes	0%
5E	Windsor loamy fine sand, 25 to 60 percent slopes	0%
8A	Agawam fine sandy loam, 0 to 3 percent slopes	5%
8B	Agawam fine sandy loam, 3 to 8 percent slopes	5%
9B	Ninigret fine sandy loam, 0 to 8 percent slopes	5%
10C	Marlow fine sandy loam, 8 to 15 percent slopes	5%
10D	Marlow fine sandy loam, 15 to 25 percent slopes	5%
11C	Marlow fine sandy loam, 8 to 15 percent slopes, very stony	5%
11D	Marlow fine sandy loam, 15 to 35 percent slopes, very stony	5%
11E	Marlow fine sandy loam, 35 to 60 percent slopes, very stony	5%
12C	Tunbridge-Lyman complex, 8 to 15 percent slopes, very rocky	5%
12D	Tunbridge-Lyman complex, 15 to 35 percent slopes, very rocky	5%
12E	Tunbridge-Lyman complex, 35 to 60 percent slopes, very rocky	5%
14B	Hinckley sandy loam, 0 to 8 percent slopes	5%
14C	Hinckley sandy loam, 8 to 15 percent slopes	5%
14D	Hinckley sandy loam, 15 to 25 percent slopes	5%
14E	Hinckley sandy loam, 25 to 50 percent slopes	5%
15B	Dummerston fine sandy loam, 3 to 8 percent slopes	5%
15C	Dummerston fine sandy loam, 8 to 15 percent slopes	5%
15D	Dummerston fine sandy loam, 15 to 25 percent slopes	5%
16C	Dummerston fine sandy loam, 8 to 15 percent slopes, very stony	5%
16D	Dummerston fine sandy loam, 15 to 35 percent slopes, very stony	5%
16E	Dummerston fine sandy loam, 35 to 60 percent slopes, very stony	5%
17B	Peru, Skerry, and Colonel soils, 3 to 8 percent slopes	5%
17C	Peru, Skerry, and Colonel soils, 8 to 15 percent slopes	5%
17D	Peru, Skerry, and Colonel soils, 15 to 25 percent slopes	5%
18B	Peru, Skerry, and Colonel soils, 3 to 8 percent slopes, very stony	5%
18C	Peru, Skerry, and Colonel soils, 8 to 15 percent slopes, very stony	5%
18D	Peru, Skerry, and Colonel soils, 15 to 35 percent slopes, very stony	5%
19B	Vershire-Dummerston complex, 3 to 8 percent slopes, rocky	5%
19C	Vershire-Dummerston complex, 8 to 15 percent slopes, rocky	5%
19D	Vershire-Dummerston complex, 15 to 25 percent slopes, rocky	5%
19E	Vershire-Dummerston complex, 25 to 60 percent slopes, rocky	5%
20C	Glover-Vershire complex, 3 to 15 percent slopes, very rocky	5%
20D	Glover-Vershire complex, 15 to 35 percent slopes, very rocky	5%
20E	Glover-Vershire complex, 35 to 60 percent slopes, very rocky	5%
21B	Shelburne fine sandy loam, 3 to 8 percent slopes	5%
21C	Shelburne fine sandy loam, 8 to 15 percent slopes	5%
21D	Shelburne fine sandy loam, 15 to 25 percent slopes	5%
22B	Shelburne fine sandy loam, 3 to 8 percent slopes, very stony	5%
22C	Shelburne fine sandy loam, 8 to 15 percent slopes, very stony	5%
22D	Shelburne fine sandy loam, 15 to 35 percent slopes, very stony	5%
23	Ondawa fine sandy loam, 0 to 3 percent slopes, occasionally flooded	0%
24	Podunk fine sandy loam, 0 to 3 percent slopes, occasionally flooded	0%
25B	Buckland loam, 3 to 8 percent slopes	5%
25C	Buckland loam, 8 to 15 percent slopes	5%
25D	Buckland loam, 15 to 25 percent slopes	5%
26B	Buckland loam, 3 to 8 percent slopes, very stony	5%
26C	Buckland loam, 8 to 15 percent slopes, very stony	5%
26D	Buckland loam, 15 to 35 percent slopes, very stony	5%
26E	Buckland loam, 35 to 60 percent slopes, very stony	5%
28	Udorthents and Udipsamments	NR
29A	Grange very fine sandy loam, 0 to 3 percent slopes	0%
30B	Cabot loam, 0 to 8 percent slopes	5%
30C	Cabot loam, 8 to 15 percent slopes	5%

RUSLE2 Percent Rock Cover Assignments  
Windsor County, Vermont

Map symbol	Soil name	% Rock Cover
31B	Cabot loam, 0 to 8 percent slopes, very stony	5%
31C	Cabot loam, 8 to 15 percent slopes, very stony	5%
32B	Urban land-Windsor-Agawam complex, 0 to 8 percent slopes	NR
33	Rumney fine sandy loam, 0 to 2 percent slopes, frequently flooded	0%
36C	Teago-Pomfret complex, 8 to 15 percent slopes, rocky	5%
36D	Teago-Pomfret complex, 15 to 25 percent slopes, rocky	5%
36E	Teago-Pomfret complex, 25 to 50 percent slopes, rocky	5%
38	Hadley very fine sandy loam, 0 to 3 percent slopes, occasionally flooded	0%
39	Winooski silt loam, 0 to 3 percent slopes, occasionally flooded	0%
40	Limerick silt loam, 0 to 2 percent slopes, frequently flooded	0%
41	Saco silt loam, 0 to 2 percent slopes, frequently flooded	0%
42D	Lyman-Rock outcrop complex, 15 to 35 percent slopes, very stony	5%
42F	Lyman-Rock outcrop complex, 35 to 70 percent slopes, very stony	5%
43D	Hogback-Rock outcrop-Rawsonville complex, 15 to 35 percent slopes, very bouldery	5%
43F	Hogback-Rock outcrop-Rawsonville complex, 35 to 70 percent slopes, very bouldery	5%
45B	Eldridge fine sandy loam, 3 to 8 percent slopes	0%
45C	Eldridge fine sandy loam, 8 to 15 percent slopes	0%
45D	Eldridge fine sandy loam, 15 to 25 percent slopes	0%
45E	Eldridge fine sandy loam, 25 to 50 percent slopes	0%
47	Pondicherry and Wonsqueak mucks, ponded	0%
48	Pits, Sand, and Pits, gravel	NR
49B	Vershire-Buckland complex, 3 to 8 percent slopes	5%
49C	Vershire-Buckland complex, 8 to 15 percent slopes	5%
49D	Vershire-Buckland complex, 15 to 25 percent slopes	5%
54B	Tunbridge-Lyman complex, 3 to 8 percent slopes, rocky	5%
54C	Tunbridge-Lyman complex, 8 to 15 percent slopes, rocky	5%
54D	Tunbridge-Lyman complex, 15 to 25 percent slopes, rocky	5%
56	Bucksport muck, ponded	0%
58C	Berkshire-Tunbridge complex, 8 to 15 percent slopes, very stony	5%
58D	Berkshire-Tunbridge complex, 15 to 35 percent slopes, very stony	5%
58E	Berkshire-Tunbridge complex, 35 to 50 percent slopes, very stony	5%
59C	Rawsonville-Houghtonville complex, 8 to 15 percent slopes, rocky	5%
59D	Rawsonville-Houghtonville complex, 15 to 35 percent slopes, rocky	5%
59E	Rawsonville-Houghtonville complex, 35 to 60 percent slopes, rocky	5%
60D	Glebe-Stratton complex, 15 to 35 percent slopes, very stony	5%
60F	Glebe-Stratton complex, 35 to 70 percent slopes, very stony	5%
61D	Ricker-Londonderry-Stratton complex, 15 to 35 percent slopes, very rocky	5%
61F	Ricker-Londonderry-Stratton complex, 35 to 70 percent slopes, very rocky	5%
62C	Hogback-Rawsonville complex, 8 to 15 percent slopes, very rocky	5%
62D	Hogback-Rawsonville complex, 15 to 35 percent slopes, very rocky	5%
62E	Hogback-Rawsonville complex, 35 to 60 percent slopes, very rocky	5%
63C	Berkshire and Monadnock fine sandy loams, 8 to 15 percent slopes, very stony	5%
63D	Berkshire and Monadnock fine sandy loams, 15 to 35 percent slopes, very stony	5%
63E	Berkshire and Monadnock fine sandy loams, 35 to 60 percent slopes, very stony	5%
64B	Colton fine sandy loam, 3 to 8 percent slopes	5%
64C	Colton fine sandy loam, 8 to 15 percent slopes	5%
64D	Colton fine sandy loam, 15 to 25 percent slopes	5%
64E	Colton fine sandy loam, 25 to 60 percent slopes	5%
68B	Berkshire and Monadnock fine sandy loams, 3 to 8 percent slopes	5%
68C	Berkshire and Monadnock fine sandy loams, 8 to 15 percent slopes	5%
68D	Berkshire and Monadnock fine sandy loams, 15 to 25 percent slopes	5%
70B	Adams loamy fine sand, 3 to 8 percent slopes	0%
70C	Adams loamy fine sand, 8 to 15 percent slopes	0%
70D	Adams loamy fine sand, 15 to 25 percent slopes	0%
70E	Adams loamy fine sand, 25 to 60 percent slopes	0%
71B	Croghan and Sheepscot fine sandy loams, 0 to 8 percent slopes	5%
71C	Croghan and Sheepscot fine sandy loams, 8 to 15 percent slopes	5%
74C	Mundal fine sandy loam, 8 to 15 percent slopes, very stony	5%
74D	Mundal fine sandy loam, 15 to 35 percent slopes, very stony	5%
75B	Urban land-Colton-Croghan complex, 0 to 8 percent slopes	NR
79D	Dummerston-Macomber complex, 15 to 25 percent slopes, very stony	5%
80C	Macomber-Taconic complex, 8 to 15 percent slopes, very rocky	5%
80D	Macomber-Taconic complex, 15 to 25 percent slopes, very rocky	5%
80F	Macomber-Taconic complex, 25 to 70 percent slopes, very rocky	5%
81D	Taconic-Hubbardton-Rock outcrop complex, 8 to 25 percent slopes	15%

RUSLE2 Percent Rock Cover Assignments  
Windsor County, Vermont

Map symbol	Soil name	% Rock Cover
81F	Taconic-Hubbardton-Rock outcrop complex, 25 to 70 percent slopes	15%
82	Udifluvents, cobbly, frequently flooded	NR
85B	Fullam silt loam, 3 to 8 percent slopes	5%
85C	Fullam silt loam, 8 to 15 percent slopes	5%
85D	Fullam silt loam, 15 to 25 percent slopes	5%
86C	Fullam silt loam, 8 to 15 percent slopes, very stony	5%
86D	Fullam silt loam, 15 to 35 percent slopes, very stony	5%
89C	Dummerston-Macomber complex, 8 to 15 percent slopes, rocky	5%
95B	Nicholville-Adams complex, 3 to 8 percent slopes	0%
95D	Nicholville-Adams complex, 15 to 25 percent slopes	0%
95E	Nicholville-Adams complex, 25 to 60 percent slopes	0%
202E	Rawsonville-Hogback-Houghtonville complex, 8 to 60 percent slopes, very rocky	5%
203D	Peru-Colonel-Marlow association, 3 to 35 percent slopes, very stony	5%
213F	Stratton-Ricker-Glebe complex, 15 to 70 percent slopes, very rocky	5%
403B	Cabot-Pondicherry-Wonsqueak association, 0 to 8 percent slopes, very stony	5%
415D	Tunbridge-Berkshire-Lyman complex, 8 to 50 percent slopes, rocky	5%
425D	Peru-Tunbridge-Berkshire complex, 8 to 35 percent slopes, rocky	5%
505D	Peru-Berkshire-Colton association, 3 to 35 percent slopes, very stony	5%
702F	Hogback-Ricker-Rock outcrop complex, 15 to 70 percent slopes, very stony	5%
705D	Rawsonville-Houghtonville-Mundal complex, 8 to 50 percent slopes, rocky	5%
W	Water	NR