



NOTES:

1. THE EMBEDMENT STRIP SHOWN IS AN EXAMPLE CROSS SECTION FROM ONE MANUFACTURER. THE EMBEDMENT STRIP SHALL BE PREMANUFACTURED AND SUPPLIED BY THE GEOMEMBRANE LINER PROVIDER OR OBTAINED FROM A SOURCE RECOMMENDED BY THE GEOMEMBRANE LINER PROVIDER.
2. THE CONCRETE CONTRACTOR SHALL INSTALL THE EMBEDMENT STRIPS PER THE MANUFACTURER'S INSTALLATION SPECIFICATIONS.
3. THE EMBEDMENT STRIPS SHALL BE FULLY EMBEDDED INTO THE CONCRETE WITH NO GAPS BETWEEN STRIPS.
- 4 THE EMBEDMENT STRIPS SHALL BE STORED AT LOCATIONS WHERE EXCESSIVE HEAT OR SUNLIGHT WILL NOT CAUSE DEFORMATION OF THE STRIPS.



United States  
Department of  
Agriculture

Natural Resources  
Conservation Service

**EMBEDMENT STRIPS FOR HDPE  
LINER ATTACHMENT TO CONCRETE**

CLIENT: \_\_\_\_\_  
COUNTY: \_\_\_\_\_

Designed \_\_\_\_\_ Date \_\_\_\_\_  
Drawn \_\_\_\_\_  
Checked \_\_\_\_\_  
Approved \_\_\_\_\_

File Name  
WI-599  
Date  
07/14  
Sheet of