


PRACTICE STANDARD 575, OPTION E



QUANTITY ESTIMATE	
ESTIMATED TRAIL LENGTH -----	_____ FEET
CLASS IV GEOTEXTILE MATERIAL - WCS 13 -----	_____ SQUARE YARDS
GRADED ROCK -----	_____ CUBIC YARDS
FINE AGGREGATE -----	_____ CUBIC YARDS

ANIMAL TRAIL CONSTRUCTION

- LOCATE TRAIL ON WELL TO POORLY DRAINED SOILS.
- AVOID LONG STEEP SLOPES.
- KEEP TRAIL GRADE <10%.
- CONSTRUCT TRAIL ABOVE NATURAL GROUND FOR BETTER DRAINAGE.
- REMOVE TREES AND BRUSH ONLY IN THE PROPOSED TRAIL AREA.
- AT STREAM CROSSINGS, ALIGN TRAIL SO THAT IT IS PERPENDICULAR TO THE CHANNEL.
- GRADED ROCK CRITERIA: 100% PASSING THE BASE COURSE THICKNESS DIMENSION AND A MAXIMUM OF 10% PASSING THE 3/4 INCH SIEVE. ALL SIZES BETWEEN THE LIMITS SHOWN ON THE DRAWINGS ARE TO BE REPRESENTED.
- FINE AGGREGATE CRITERIA: 100% PASSING 3/8 INCH SIEVE AND 10% MAXIMUM PASSING THE #200 SIEVE.

DRAWING NOT TO SCALE



United States
Department of
Agriculture

Natural Resources
Conservation Service

ANIMAL TRAIL CROSS-SECTION
OPTION E: GRADED ROCK WITH
GEOTEXTILE

CLIENT: _____
COUNTY: _____

Date _____
Designed _____
Drawn _____
Checked _____
Approved _____

File Name
WI-440E
Date
07/14
Sheet of