



1. LIQUID TIGHT REINFORCED CONCRETE



NOTES:

- ALL CONTRACTION OR EXPANSION JOINTS SHALL HAVE IMBEDDED NON-METALLIC WATER STOPS IN ACCORDANCE WITH NRCS FOTG, SECTION IV, WISCONSIN CONSTRUCTION SPECIFICATION 4, CONCRETE.
- STEEL SHALL BE CONTINUOUS THROUGH ALL CONSTRUCTION JOINTS.
- IF REQUIRED IN PLANS, WATERSTOP SHALL BE INSTALLED AS SHOWN IN DRAWING WI-XXX.

2. REINFORCED CONCRETE/SOIL COMPOSITE



NOTES :

- THE CONCRETE IS IN INTIMATE CONTACT WITH THE SOIL.
- NO CONTRACTION OR EXPANSION JOINTS ARE REQUIRED.
- STEEL SHALL BE CONTINUOUS THROUGH ALL CONSTRUCTION JOINTS.
- WATERSTOP IS NOT REQUIRED.



United States  
Department of  
Agriculture

Natural Resources  
Conservation Service

**FEED STORAGE AREA  
CONCRETE COLLECTION SYSTEM**

CLIENT: \_\_\_\_\_  
COUNTY: \_\_\_\_\_

Designed _____	Date _____
Drawn _____	
Checked _____	
Approved _____	

File Name WI-903
Date 08/14
Sheet of