


PRACTICE STANDARD 575, OPTION Dc



QUANTITY ESTIMATE	
ESTIMATED TRAIL LENGTH -----	_____ FEET
GRADED ROCK -----	_____ CUBIC YARDS
FINE AGGREGATE -----	_____ CUBIC YARDS
HOOF CONTACT MATERIAL -----	_____ CUBIC YARDS

ANIMAL TRAIL CONSTRUCTION

- LOCATE TRAIL ON WELL TO POORLY DRAINED SOILS.
- AVOID LONG STEEP SLOPES.
- KEEP TRAIL GRADE <10%.
- CONSTRUCT TRAIL ABOVE NATURAL GROUND FOR BETTER DRAINAGE.
- REMOVE TREES AND BRUSH ONLY IN THE PROPOSED TRAIL AREA.
- AT STREAM CROSSINGS, ALIGN TRAIL SO THAT IT IS PERPENDICULAR TO THE CHANNEL.
- GRADED ROCK CRITERIA: 100% PASSING THE BASE COURSE THICKNESS DIMENSION AND A MAXIMUM OF 10% PASSING THE 3/4 INCH SIEVE. ALL SIZES BETWEEN THE LIMITS SHOWN ON THE DRAWINGS ARE TO BE REPRESENTED.
- FINE AGGREGATE CRITERIA: 100% PASSING 3/8 INCH SIEVE AND 10% MAXIMUM PASSING THE #200 SIEVE.

DRAWING NOT TO SCALE



United States  
Department of  
Agriculture

Natural Resources  
Conservation Service

**ANIMAL TRAIL CROSS-SECTION  
OPTION Dc: GRADED ROCK WITH  
HOOF CONTACT**

CLIENT: \_\_\_\_\_  
COUNTY: \_\_\_\_\_

Date \_\_\_\_\_  
Designed \_\_\_\_\_  
Drawn \_\_\_\_\_  
Checked \_\_\_\_\_  
Approved \_\_\_\_\_

File Name  
WI-440Dc  
Date  
07/14  
Sheet of