

SECTIONALIZED TOWNSHIP

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

LEGEND

SILTY SOILS ON UPLANDS AND FOOT SLOPES

1 — Nora-Crofton-Moody association: Deep, very gently sloping to steep, well drained and somewhat excessively drained, silty soils; formed in loess; on uplands

2 — Geary-Alcester-Nora association: Deep, gently sloping to steep, well drained, silty soils; formed in silty, colluvial-alluvial material and in loess; on uplands and foot slopes

SILTY SOILS ON UPLANDS AND IN UPLAND DEPRESSIONS

3 — Belfore-Moody association: Deep, nearly level to gently sloping, well drained, silty soils; formed in loess; on uplands

4 — Moody-Fillmore association: Deep, nearly level to gently sloping, well drained, poorly drained, and very poorly drained, silty soils; formed in loess; on uplands and in upland depressions

SANDY SOILS ON UPLANDS AND STREAM TERRACES

5 — Valentine-Thurman association: Deep, nearly level to steep, excessively drained and somewhat excessively drained, sandy soils; formed in eolian sands; on uplands

6 — Els-Valentine-Ipage association: Deep, nearly level to steep, somewhat poorly drained, excessively drained, and moderately well drained, sandy soils; formed in eolian sands; in upland sandhill valleys, on uplands, and on stream terraces

LOAMY AND SILTY SOILS ON STREAM TERRACES AND BOTTOM LANDS

7 — Blendon-O'Neill association: Deep and moderately deep over coarse sand, nearly level, well drained, loamy soils; formed in sandy alluvium and loamy material over coarse sand; on stream terraces

8 — Muir association: Deep, nearly level, well drained, silty soils; formed in silty alluvium; on stream terraces

9 — Janude-Gibbon-Novina association: Deep, nearly level, moderately well drained and somewhat poorly drained, silty and loamy soils; formed in silty, loamy, and sandy alluvium; on bottom lands

SILTY SOILS ON BOTTOM LANDS AND STREAM TERRACES

10 — Shell-Hobbs-Muir association: Deep, nearly level, well drained, silty soils; formed in silty alluvium; on bottom lands and stream terraces

SILTY, CALCAREOUS SOILS ON BOTTOM LANDS AND STREAM TERRACES

11 — Grigston-Gibbon-Gayville association: Deep, nearly level, well drained and somewhat poorly drained, silty soils; formed in calcareous, silty and clayey alluvium; on bottom lands and stream terraces

12 — Lamo-Gibbon-Lawet association: Deep, nearly level, somewhat poorly drained and poorly drained, silty soils; formed in calcareous, silty alluvium; on bottom lands

SANDY AND LOAMY SOILS ON BOTTOM LANDS

13 — Boel-Inavale-Wann association: Deep, nearly level and very gently sloping, somewhat poorly drained and somewhat excessively drained, sandy and loamy soils; formed in sandy alluvium; on bottom lands

14 — Boel-Inavale-Gothenburg association: Deep and very shallow over sand, nearly level to strongly sloping, somewhat poorly drained, somewhat excessively drained, and poorly drained, loamy and sandy soils; formed in sandy alluvium; on bottom lands

COMPILED 1986

UNITED STATES DEPARTMENT OF AGRICULTURE
SOIL CONSERVATION SERVICE
UNIVERSITY OF NEBRASKA
CONSERVATION AND SURVEY DIVISION

GENERAL SOIL MAP

PLATTE COUNTY, NEBRASKA

Scale 1:253,440

1 0 1 2 3 4 Miles

1 0 4 8 Km