



United States Department of Agriculture  
Natural Resources Conservation Service

## Resource-Conserving Crop Rotation – KS-CCR99 Supplemental Payment Activity

<b>Perennial Cover <u>1/</u></b>	<b>High Residue Crops <u>2/</u></b>	<b>Cover Crops <u>3/ 5/</u></b>	<b>Cover Crop Seeding Rates Drilled <u>4/</u></b>
Bird's-foot trefoil	Barley	Barley (WA)	85 lbs/ac
White clover	Corn	Oats (A)	100 lbs/ac
Kura clover	Millet	Rye (WA)	85 lbs/ac
Alfalfa	Oats	Sorghum-sudangrass hybrids (A)	35 lbs/ac
Red clover	Popcorn	Triticale (WA)	90 lbs/ac
Orchardgrass	Rice	Wheat (WA)	90 lbs/ac
Perennial ryegrass	Rye	Mustards (WA)	8 lbs/ac
Redtop	Sorghum	Annual ryegrass (WA)	15 lbs/ac
Smooth brome	Sorghum-sudangrass hybrids	Buckwheat (A)	60 lbs/ac
Tall fescue	Triticale	Cowpeas (A)	50 lbs/ac
Timothy	Wheat	Crimson clover (WA)	17 lbs/ac
Pubescent/intermediate wheatgrass		Hairy vetch (WA)	17 lbs/ac
Bermudagrass		Alsike clover (B)	8 lbs/ac
Canada wildrye		Red clover (B)	8 lbs/ac
Virginia wildrye		White clover (P)	6 lbs/ac
Big bluestem		Sweetclovers (B)	10 lbs/ac
Eastern gamagrass		Subterranean clover (WA)	15 lbs/ac
Indiangrass		Woollypod vetch (A)	20 lbs/ac
Little bluestem		Forage radish (WA)	10 lbs/ac
Side oats grama		Sunn hemp (A)	30 lbs/ac
Switchgrass		lespedeza (WA)	35 lbs/ac
Buffalograss		Austrian winter pea (WA)	30 lbs/ac
		chick peas (WA)	100 lbs/ac
		mung bean (A)	15 lbs/ac
		oil seed radish (WA)	10 lbs/ac
		Lentils (WA)	15 lbs/ac
		Ethiopian cabbage (WA)	5 lbs/ac
		Dwarf essex rape (WA)	7 lbs/ac

		Canola (WA)	2 lbs/ac
		Pearl millet (A)	15 lbs/ac
		Sunflower (A)	4 lbs/ac
		Soybean (A)	45 lbs/ac
<p><u>1/</u> Cover must be grown for two years or more. Minimum seeding rates will be based on Conservation Practice 512, Pasture and Hay Planting.</p>			
<p><u>2/</u> Full-season crops managed for production to leave 50 percent or more residue cover.</p>			
<p><u>3/</u> Cover crops to be established early enough in growing season to provide adequate cover. Winter annual (WA) grasses will be seeded by October 15. Annual (A) grasses, legumes, and forbs will be seeded by July 31. WA, biennial (B), and perennial (P) legumes and forbs will be seeded no later than September 15.</p>			
<p><u>4/</u> Increase the seeding rate by at least 25 percent if broadcasting the seed in lieu of planting with a drill. Small-seeded species (&lt;20 pounds per acre) will be increased by 50 percent when seeded by broadcast methods.</p>			
<p><u>5/</u> Planted legumes must be inoculated for adequate nitrogen fixation. Follow the recommendations of seed dealers.</p>			