

2007 NATIONAL RESOURCES INVENTORY

STATE: KANSAS

DATE: 22APR2010

Table A. Total surface area in thousands of acres, by broad cover/use and year *

Broad Cover/Use	1982	1987	1992	1997	2002	2007
Cultivated Cropland	27,515.2	27,343.5	25,121.0	24,806.7	24,601.0	23,756.7
	(197.1)	(196.6)	(203.6)	(193.1)	(265.8)	(310.3)
Noncultivated Cropland	1,582.2	1,124.3	1,362.5	1,683.5	1,796.3	1,878.9
	(57.0)	(47.5)	(46.7)	(58.5)	(156.6)	(193.3)
CRP Land	n/a	637.7	2,875.8	2,848.8	2,663.7	3,164.9
		n/a	n/a	n/a	n/a	n/a
Pastureland	2,113.5	2,162.3	2,322.2	2,317.2	2,383.0	2,497.6
	(74.9)	(72.5)	(73.5)	(72.9)	(106.6)	(178.0)
Rangeland	16,528.2	16,443.4	15,831.5	15,730.6	15,810.0	15,787.5
	(173.8)	(171.8)	(172.2)	(178.0)	(210.7)	(282.5)
Forest Land	1,491.0	1,495.0	1,575.8	1,584.5	1,609.6	1,685.5
	(51.4)	(52.1)	(54.0)	(52.2)	(54.7)	(94.5)
Other Rural Land	685.4	680.9	688.7	696.0	721.1	735.6
	(33.3)	(34.2)	(30.9)	(32.4)	(42.9)	(45.7)
Urban/Built-Up Land	786.2	811.7	918.7	1,012.8	1,081.5	1,134.5
	(29.3)	(29.1)	(30.6)	(32.3)	(35.5)	(43.8)
Rural Transportation	946.2	947.9	941.3	946.4	952.0	961.2
	(12.8)	(13.0)	(12.5)	(12.1)	(12.5)	(12.9)
Small Water	306.5	306.0	311.8	322.0	330.3	346.1
	(9.1)	(9.0)	(9.5)	(10.2)	(9.8)	(11.7)
Large Water	212.3	213.3	207.5	208.3	208.3	208.3
	n/a	n/a	n/a	n/a	n/a	n/a
Federal Land	494.1	494.8	504.0	504.0	504.0	504.0
	n/a	n/a	n/a	n/a	n/a	n/a
Total	52,660.8	52,660.8	52,660.8	52,660.8	52,660.8	52,660.8

* Estimated standard errors are shown in parentheses below the estimates. Estimated standard errors of less than 0.05 are shown in the table as 0.0. n/a = not applicable.

2007 NATIONAL RESOURCES INVENTORY

STATE: KANSAS

DATE: 22APR2010

Table B-1. Changes in broad cover/use in thousands of acres between 1997 and 2002 *

To 2002 -> From 1997	CultCrop	Noncult	CRP	Pasture	Range	Forest	OthRural	Urban/BU	RuralTrn	SmallWat	LargeWat	Federal	1997 Total
CultCrop	23,331.4 (226.9)	545.5 (109.8)	756.7 n/a	105.9 (31.1)	14.9 (7.4)		13.3 (10.6)	34.5 (7.7)	1.5 (0.7)	3.0 (1.5)			24,806.7
Noncult	516.7 (66.3)	1,057.4 (74.8)	2.8 n/a	70.9 (29.1)	33.2 (13.1)		0.3 (0.4)	1.4 (0.7)	0.2 (0.3)	0.6 (0.4)			1,683.5
CRP	489.9 n/a	108.7 n/a	1,892.3 n/a	79.4 n/a	278.5 n/a								2,848.8
Pasture	67.7 (33.5)	63.2 (23.4)	7.6 n/a	2,081.8 (77.0)	54.4 (40.0)	14.8 (9.1)	17.8 (15.1)	7.5 (2.5)	2.0 (1.2)	0.4 (0.4)			2,317.2
Range	188.7 (73.5)	21.2 (19.9)	4.3 n/a	44.9 (24.3)	15,424.7 (187.4)	24.2 (15.2)	0.8 (0.7)	14.2 (3.8)	3.8 (1.7)	3.8 (1.8)			15,730.6
Forest					3.5 (4.0)	1,569.6 (51.1)	0.2 (0.5)	8.6 (4.9)	1.4 (1.3)	1.2 (1.4)			1,584.5
OthRural	4.6 (1.9)	0.3 (0.4)			0.3 (0.4)	0.9 (0.6)	688.7 (34.4)	1.2 (0.7)					696.0
Urban/BU								1,012.8 (32.3)					1,012.8
RuralTrn	1.8 (1.1)				0.3 (0.4)			1.2 (0.6)	943.1 (12.0)				946.4
SmallWat	0.2 (0.4)			0.1 (0.2)	0.2 (0.3)	0.1 (0.2)		0.1 (0.1)		321.3 (10.0)			322.0
LargeWat											208.3 n/a		208.3
Federal												504.0 n/a	504.0
2002 Total	24,601.0	1,796.3	2,663.7	2,383.0	15,810.0	1,609.6	721.1	1,081.5	952.0	330.3	208.3	504.0	52,660.8

* Estimated standard errors are shown in parentheses below the estimates. Estimated standard errors of less than 0.05 are shown in the table as 0.0. n/a = not applicable.

The number at the intersection of rows and columns with the same land cover/use designation represents area that did not change from 1997 to 2002. Reading to the right or left of this number is the area that was lost to another broad cover/use by 2002; reading up or down from this number is the area that was gained from another broad cover/use by 2002.

2007 NATIONAL RESOURCES INVENTORY

STATE: KANSAS

DATE: 22APR2010

Table B-2. Changes in broad cover/use in thousands of acres between 2002 and 2007 *

To 2007 -> From 2002	CultCrop	Noncult	CRP	Pasture	Range	Forest	OthRural	Urban/BU	RuralTrn	SmallWat	LargeWat	Federal	2002 Total
CultCrop	23,433.4 (297.1)	386.7 (105.4)	512.5 n/a	215.6 (73.4)	24.2 (23.0)		0.2 (0.2)	20.7 (4.9)	3.7 (3.4)	4.0 (1.3)			24,601.0
Noncult	278.7 (75.0)	1,481.8 (157.7)		7.5 (7.7)	26.6 (20.6)		0.2 (0.2)	1.0 (0.7)	0.2 (0.3)	0.3 (0.3)			1,796.3
CRP	1.8 n/a	0.5 n/a	2,652.4 n/a	8.1 n/a	0.9 n/a								2,663.7
Pasture	24.0 (15.8)	9.6 (4.9)		2,256.1 (142.6)	10.0 (9.3)	50.7 (39.7)	23.0 (23.9)	6.9 (3.6)	2.1 (1.3)	0.6 (0.5)			2,383.0
Range	5.3 (0.0)			9.0 (8.5)	15,721.7 (285.5)	44.8 (33.1)	4.8 (4.1)	10.5 (3.6)	5.3 (2.1)	8.6 (5.1)			15,810.0
Forest				0.6 (0.7)	1.5 (1.6)	1,589.7 (81.7)		12.6 (6.1)	0.9 (0.7)	4.3 (2.5)			1,609.6
OthRural	12.7 (13.8)			0.1 (0.2)			706.5 (42.3)	1.8 (1.1)					721.1
Urban/BU	0.1 (0.1)	0.3 (0.3)		0.4 (0.2)	0.5 (0.5)		0.9 (0.9)	1,079.3 (35.6)					1,081.5
RuralTrn	0.7 (0.3)			0.2 (0.2)	0.7 (0.3)			1.4 (0.4)	949.0 (12.6)				952.0
SmallWat					1.4 (0.5)	0.3 (0.2)		0.3 (0.3)		328.3 (10.0)			330.3
LargeWat											208.3 n/a		208.3
Federal												504.0 n/a	504.0
2007 Total	23,756.7	1,878.9	3,164.9	2,497.6	15,787.5	1,685.5	735.6	1,134.5	961.2	346.1	208.3	504.0	52,660.8

* Estimated standard errors are shown in parentheses below the estimates. Estimated standard errors of less than 0.05 are shown in the table as 0.0. n/a = not applicable.

The number at the intersection of rows and columns with the same land cover/use designation represents area that did not change from 2002 to 2007. Reading to the right or left of this number is the area that was lost to another broad cover/use by 2007; reading up or down from this number is the area that was gained from another broad cover/use by 2007.

2007 NATIONAL RESOURCES INVENTORY

STATE: KANSAS

DATE: 22APR2010

Table B-3. Changes in broad cover/use in thousands of acres between 1982 and 2007 *

To 2007 -> From 1982	CultCrop	Noncult	CRP	Pasture	Range	Forest	OthRural	Urban/BU	RuralTrn	SmallWat	LargeWat	Federal	1982 Total
CultCrop	21,962.0 (293.7)	1,174.8 (182.6)	2,924.0 n/a	674.4 (115.2)	452.2 (72.5)	1.8 (5.5)	123.5 (32.0)	161.9 (13.9)	14.5 (5.0)	21.6 (2.9)	0.8 n/a	3.7 n/a	27,515.2
Noncult	751.0 (96.1)	532.4 (79.0)	53.8 n/a	117.3 (58.8)	90.9 (47.0)		10.2 (1.9)	21.1 (3.9)	1.8 (1.0)	1.3 (0.6)	0.4 n/a	2.0 n/a	1,582.2
Pasture	242.9 (58.6)	83.5 (29.5)	15.1 n/a	1,559.2 (105.2)	56.5 (84.9)	85.2 (43.4)	16.2 (1.5)	45.3 (7.7)	6.0 (2.6)	3.3 (0.8)	0.3 n/a		2,113.5
Range	683.0 (220.9)	76.5 (70.0)	169.6 n/a	120.1 (17.4)	15,137.3 (254.9)	173.6 (74.0)	41.1 (6.7)	71.3 (11.5)	18.1 (3.0)	33.3 (6.0)	1.2 n/a	3.1 n/a	16,528.2
Forest	8.8 (14.9)	2.4 (4.5)		3.7 (0.7)	9.0 (13.8)	1,416.2 (51.1)	3.9 (1.2)	36.6 (9.2)	4.0 (1.8)	4.8 (1.9)	0.6 n/a	1.0 n/a	1,491.0
OthRural	83.1 (28.1)	8.6 (6.0)	2.4 n/a	17.5 (1.3)	17.6 (20.6)	6.0 (4.0)	539.7 (29.9)	9.4 (2.7)	0.1 (0.2)			1.0 n/a	685.4
Urban/BU	0.2 (0.2)				0.5 (0.5)		0.9 (0.9)	784.6 (29.1)					786.2
RuralTrn	12.1 (2.6)			3.5 (2.1)	9.4 (2.2)	0.4 (0.4)	0.1 (0.2)	4.0 (0.8)	916.7 (11.3)				946.2
SmallWat	9.3 (2.3)	0.7 (0.4)		1.9 (0.8)	10.2 (1.6)	2.3 (1.0)		0.3 (0.3)		281.8 (9.1)			306.5
LargeWat	3.4 n/a				3.9 n/a						205.0 n/a		212.3
Federal	0.9 n/a											493.2 n/a	494.1
2007 Total	23,756.7	1,878.9	3,164.9	2,497.6	15,787.5	1,685.5	735.6	1,134.5	961.2	346.1	208.3	504.0	52,660.8

* Estimated standard errors are shown in parentheses below the estimates. Estimated standard errors of less than 0.05 are shown in the table as 0.0. n/a = not applicable.

The number at the intersection of rows and columns with the same land cover/use designation represents area that did not change from 1982 to 2007. Reading to the right or left of this number is the area that was lost to another broad cover/use by 2007; reading up or down from this number is the area that was gained from another broad cover/use by 2007. There was no CRP Land in 1982.

2007 NATIONAL RESOURCES INVENTORY

STATE: KANSAS

DATE: 22APR2010

Table C-1. Average annual sheet and rill erosion in tons/acre/year, by broad cover/use and year *

Broad Cover/Use	1982	1987	1992	1997	2002	2007
Cultivated Cropland	2.662	2.586	2.340	2.258	2.298	2.222
	(0.022)	(0.025)	(0.029)	(0.023)	(0.054)	(0.057)
Noncultivated Cropland	0.359	0.448	0.383	0.354	0.385	0.379
	(0.021)	(0.052)	(0.021)	(0.025)	(0.028)	(0.033)
CRP Land	n/a	2.800	0.359	0.284	0.284	0.280
		(0.324)	(0.024)	(0.017)	(0.021)	(0.024)
Pastureland	0.893	0.820	0.764	0.663	0.606	0.612
	(0.046)	(0.051)	(0.043)	(0.041)	(0.038)	(0.049)

* Estimated standard errors are shown in parentheses below the estimates. Estimates and estimated standard errors of less than 0.05 are shown in the table as 0.0.
n/a = not applicable.

2007 NATIONAL RESOURCES INVENTORY

STATE: KANSAS

DATE: 22APR2010

Table C-2. Average annual wind erosion in tons/acre/year, by broad cover/use and year *

Broad Cover/Use	1982	1987	1992	1997	2002	2007
Cultivated Cropland	2.747	2.963	2.062	1.482	1.463	1.734
	(0.078)	(0.062)	(0.045)	(0.025)	(0.066)	(0.099)
Noncultivated Cropland	0.907	0.830	0.887	0.339	0.413	0.501
	(0.269)	(0.331)	(0.166)	(0.073)	(0.221)	(0.124)
CRP Land	n/a	10.478	0.640	0.328	0.394	0.860
		(2.607)	(0.074)	(0.030)	(0.056)	(0.187)
Pastureland	0.009	0.016	0.022	0.015	0.019	0.034
	(0.007)	(0.008)	(0.010)	(0.007)	(0.013)	(0.028)

* Estimated standard errors are shown in parentheses below the estimates. Estimates and estimated standard errors of less than 0.05 are shown in the table as 0.0.
n/a = not applicable.

2007 NATIONAL RESOURCES INVENTORY

STATE: KANSAS

DATE: 22APR2010

Table D. Prime farmland area in thousands of acres, by broad cover/use and year *

Broad Cover/Use	1982	1987	1992	1997	2002	2007
Cultivated Cropland	16,593.8	16,705.7	15,662.9	15,394.8	15,385.3	14,942.7
	(228.4)	(224.1)	(214.3)	(210.1)	(274.2)	(319.1)
Noncultivated Cropland	1,035.7	711.4	777.3	1,080.6	1,112.3	1,201.8
	(46.1)	(36.9)	(41.4)	(52.5)	(128.6)	(150.0)
CRP Land	n/a	189.3	1,166.5	1,169.0	925.5	1,080.1
		(23.4)	(44.0)	(44.7)	(77.1)	(143.7)
Pastureland	1,021.7	1,051.7	1,130.4	1,118.6	1,240.2	1,395.4
	(60.3)	(56.4)	(55.8)	(51.9)	(99.8)	(154.2)
Rangeland	4,134.0	4,110.6	3,927.9	3,895.0	3,973.7	3,964.1
	(104.3)	(104.6)	(99.4)	(100.9)	(144.5)	(152.0)
Forest Land	487.7	489.4	507.3	510.2	508.5	505.5
	(35.6)	(35.9)	(36.5)	(36.6)	(43.6)	(56.8)
Other Rural Land	330.1	330.0	315.3	319.7	332.7	319.0
	(21.7)	(21.6)	(18.9)	(18.8)	(41.6)	(48.0)
Total	23,603.0	23,588.1	23,487.6	23,487.9	23,478.2	23,408.6
	(202.1)	(201.8)	(201.0)	(200.8)	(246.9)	(265.0)

* Estimated standard errors are shown in parentheses below the estimates. Estimated standard errors of less than 0.05 are shown in the table as 0.0. n/a = not applicable.

2007 NATIONAL RESOURCES INVENTORY

STATE: KANSAS

DATE: 22APR2010

Table E. Conservation Reserve Program contracted practices in thousands of acres, by year *

CRP Practice	1992	1997	2002	2007
Grasses and Legumes	2,866.4	2,838.6	2,529.1	2,278.3
	(25.9)	(5.1)	(113.7)	(158.4)
Trees	4.3	4.3	4.3	4.3
	(4.2)	(4.2)	(5.5)	(0.0)
Wildlife and Components	5.1	5.1	50.9	23.5
	(2.9)	(2.9)	(16.5)	(3.6)
Shallow Water Cover	n/a	n/a		
Native Grasses Established	n/a	n/a	79.4	858.8
			(13.7)	(157.0)
Total	2,875.8	2,848.0	2,663.7	3,164.9

* Estimated standard errors are shown in parentheses below the estimates. Estimated standard errors of less than 0.05 are shown in the table as 0.0.
n/a=not applicable.

2007 NATIONAL RESOURCES INVENTORY

STATE: KANSAS

DATE: 22APR2010

Table F-2. Noncultivated cropland in thousands of acres, by specific land cover/use and year *

Specific Cover/Use	1982	1987	1992	1997	2002	2007
001 Fruit - Orchards	3.6	3.0	1.1	1.1	1.1	1.1
	(2.8)	(2.8)	(1.8)	(1.8)	(0.0)	(0.0)
002 Nut					1.5	1.5
					(1.6)	(0.0)
003 Vineyard						
004 Bush Fruit						
005 Berries						
006 Other Horticulture	1.5	3.7	1.9			
	(1.2)	(1.6)	(2.0)			
140 Hayland	1,577.1	1,117.6	1,359.5	1,682.4	1,793.7	1,876.3
	(56.5)	(47.4)	(47.5)	(58.5)	(156.7)	(193.3)
Total	1,582.2	1,124.3	1,362.5	1,683.5	1,796.3	1,878.9

* Estimated standard errors are shown in parentheses below the estimates. Estimated standard errors of less than 0.05 are shown in the table as 0.0.

2007 NATIONAL RESOURCES INVENTORY

STATE: KANSAS

DATE: 22APR2010

Table G. Use of the land in thousands of acres for 2007, by broad cover/use *

Use of the Land	CultCrop	Noncult	CRP	Pasture	Range	Forest	OthRural	Urban/BU
Agricultural Business							93.2	6.4
							(51.1)	(1.9)
Agricultural Facilities							278.0	
							(33.3)	
Aquaculture								
Agricultural Waste								
Biomass								
Concentrated Development								682.7
								(41.2)
Commercial/Industrial								146.5
								(15.2)
Food, Feed, Fiber, & Seed	23,155.9	955.8		69.0				
	(342.5)	(139.1)		(24.5)				
Hay	802.2	1,579.8	17.4	612.2	186.9			
	(142.2)	(192.8)	(14.1)	(88.3)	(57.5)			
Institutions								18.5
								(5.8)
Livestock Grazing	722.2	456.4	99.4	2,007.3	15,168.6	909.6	0.6	
	(128.5)	(91.3)	(67.5)	(159.0)	(300.0)	(106.4)	(0.7)	
Land-based Recreation					38.0	66.3	9.4	42.2
					(18.2)	(19.2)	(14.3)	(7.1)
Mineral Extraction	79.7	22.8		25.5	247.3		72.0	
	(25.1)	(0.0)		(16.2)	(126.6)		(42.3)	
Non-agricultural Waste								57.2
								(7.9)
Reserved/Agricultural	139.3	35.7	2,927.9	32.9				
	(13.9)	(49.9)	(149.4)	(10.2)				
Rural Estates							101.7	74.6
							(45.8)	(8.1)

2007 NATIONAL RESOURCES INVENTORY

STATE: KANSAS

DATE: 22APR2010

Table G. Use of the land in thousands of acres for 2007, by broad cover/use * (continued)

Use of the Land	CultCrop	Noncult	CRP	Pasture	Range	Forest	OthRural	Urban/BU
Reserved/Forestry								
Reserved/Research & Military								
Reserved/Natural or Environmental						2.9 (2.8)	12.3 (20.1)	
Reserved/Wildlife			91.2 (81.0)					
Undeveloped Rural Sites								1.1 (1.1)
Wood, Harvested								

* Estimated standard errors are shown in parentheses below the estimates. Estimated standard errors of less than 0.05 are shown in the table as 0.0.

2007 NATIONAL RESOURCES INVENTORY

STATE: KANSAS

DATE: 22APR2010

Table H. Irrigated cropland and pastureland in thousands of acres, by year *

Broad Cover/Use	Cultivated Cropland		Noncultivated Cropland		Pastureland		Totals	
	Irrigated	Nonirrigated	Irrigated	Nonirrigated	Irrigated	Nonirrigated	Irrigated	Nonirrigated
1982	3,356.3	24,158.9	209.2	1,373.0	5.3	2,108.2	3,570.8	27,640.1
	(160.9)	(228.8)	(30.1)	(51.4)	(4.2)	(74.9)	(162.0)	(207.9)
1987	3,433.0	23,910.5	129.7	994.6	11.0	2,151.3	3,573.7	27,056.4
	(161.2)	(226.1)	(17.1)	(44.1)	(7.4)	(71.7)	(165.1)	(211.6)
1992	3,359.9	21,761.1	299.0	1,063.5	11.0	2,311.2	3,669.9	25,135.8
	(146.7)	(234.9)	(30.6)	(41.8)	(7.4)	(72.1)	(157.4)	(202.9)
1997	3,226.0	21,580.7	351.2	1,332.3	8.6	2,308.6	3,585.8	25,221.6
	(147.7)	(229.9)	(41.2)	(60.7)	(6.9)	(72.2)	(153.8)	(209.6)
2002	3,285.4	21,315.6	337.6	1,458.7	21.0	2,362.0	3,644.0	25,136.3
	(174.5)	(341.1)	(154.8)	(167.4)	(15.8)	(99.9)	(240.1)	(350.7)
2007	3,248.7	20,508.0	356.2	1,522.7	21.0	2,476.6	3,625.9	24,507.3
	(257.2)	(437.8)	(156.2)	(199.8)	(16.2)	(174.9)	(307.8)	(383.0)

* Estimated standard errors are shown in parentheses below the estimates. Estimated standard errors of less than 0.05 are shown in the table as 0.0.

2007 NATIONAL RESOURCES INVENTORY

STATE: KANSAS

DATE: 22APR2010

Table I. Irrigated cropland and pastureland in thousands of acres, by type of irrigation and year *

Broad Cover/Use	Cultivated Cropland			Noncultivated Cropland			Pastureland			Totals		
	Gravity	Pressure	Gravity & Pressure	Gravity	Pressure	Gravity & Pressure	Gravity	Pressure	Gravity & Pressure	Gravity	Pressure	Gravity & Pressure
1982	1,980.3	1,330.8	45.2	76.7	129.2	3.3		3.2	2.1	2,057.0	1,463.2	50.6
	(134.3)	(99.4)	(19.4)	(16.9)	(23.7)	(3.6)		(3.5)	(2.4)	(129.9)	(106.9)	(19.9)
1987	1,986.9	1,377.4	68.7	42.4	84.0	3.3		8.9	2.1	2,029.3	1,470.3	74.1
	(129.2)	(102.4)	(22.2)	(9.3)	(16.6)	(3.6)		(7.2)	(2.4)	(127.7)	(107.9)	(23.5)
1992	1,735.0	1,560.9	64.0	34.2	263.3	1.5		8.9	2.1	1,769.2	1,833.1	67.6
	(106.6)	(92.2)	(21.5)	(6.8)	(31.0)	(2.4)		(7.2)	(2.4)	(107.1)	(106.5)	(21.5)
1997	1,260.0	1,919.9	46.1	79.9	271.3			8.6		1,339.9	2,199.8	46.1
	(100.4)	(115.9)	(20.8)	(11.5)	(39.3)			(6.9)		(100.7)	(117.2)	(20.8)
2002	996.4	2,272.8	16.2	47.9	289.7			21.0		1,044.3	2,583.5	16.2
	(97.1)	(163.7)	(10.9)	(68.3)	(113.2)			(15.8)		(129.7)	(193.1)	(10.9)
2007	924.6	2,299.1	25.0	20.3	335.9			21.0		944.9	2,656.0	25.0
	(106.1)	(250.1)	(29.2)	(39.7)	(154.8)			(16.2)		(105.9)	(307.0)	(29.2)

* Estimated standard errors are shown in parentheses below the estimates. Estimated standard errors of less than 0.05 are shown in the table as 0.0.

2007 NATIONAL RESOURCES INVENTORY

STATE: KANSAS

DATE: 22APR2010

Table K. Cowardin system in thousands of acres for 2007, by broad cover/use *

Cowardin System	CultCrop	Noncult	CRP	Pasture	Range	Forest	OthRural	Urban/BU	RuralTrn	SmallWat	LargeWat	Total
Total Marine												
--Estuarine-None/Other Vegetation												
--Estuarine-Emergent Vegetation												
--Estuarine-Scrub-Shrub Vegetation												
--Estuarine-Forested Vegetation												
Total Estuarine												
--Riverine-None/Other							7.0 (11.3)			152.5 (8.2)	44.3 n/a	203.8 (14.6)
--Riverine-Emergent Nonpersistent Vegetation							3.5 (0.0)					3.5 (0.0)
Total Riverine							10.5 (11.3)			152.5 (8.2)	44.3 n/a	207.3 (14.6)
--Lacustrine-None/Other										56.1 (4.6)	138.5 n/a	194.6 (4.6)
--Lacustrine-Emergent Nonpersistent Vegetation											25.5 n/a	25.5 (0.0)
Total Lacustrine										56.1 (4.6)	164.0 n/a	220.1 (4.6)

2007 NATIONAL RESOURCES INVENTORY

STATE: KANSAS

DATE: 22APR2010

Table K. Cowardin system in thousands of acres for 2007, by broad cover/use * (continued)

Broad Cover/Use	CultCrop	Noncult	CRP	Pasture	Range	Forest	OthRural	Urban/BU	RuralTrn	SmallWat	LargeWat	Total
--Palustrine-None/Other	334.7	11.5	30.9	8.3	21.6			4.8		128.5		540.3
	(37.0)	(11.8)	n/a	(3.4)	(27.1)			(2.5)		(7.4)		(45.8)
--Palustrine-Emergent Vegetation	52.9	5.3	9.0	28.0	119.7		11.1	0.7		9.0		235.7
	(21.0)	(3.8)	n/a	(12.1)	(31.8)		(0.8)	(0.7)		(1.3)		(31.9)
--Palustrine-Scrub-Shrub Vegetation					1.1							1.1
					(0.0)							(0.0)
--Palustrine-Forested Vegetation					4.1	54.1		0.7	5.9			64.8
					(0.4)	(17.2)		(0.7)	(0.8)			(17.1)
Total Palustrine	387.6	16.8	39.9	36.3	146.5	54.1	11.1	6.2	5.9	137.5		841.9
	(42.8)	(13.5)	n/a	(12.6)	(38.1)	(17.2)	(0.8)	(2.6)	(0.8)	(7.5)		(45.1)
Cowardin System Total	387.6	16.8	39.9	36.3	146.5	54.1	21.6	6.2	5.9	346.1	208.3	1,269.3
	(42.8)	(13.5)	n/a	(12.6)	(38.1)	(17.2)	(11.4)	(2.6)	(0.8)	(11.7)	n/a	(52.9)

* Estimated standard errors are shown in parentheses below the estimates. Estimated standard errors of less than 0.05 are shown in the table as 0.0. n/a = not applicable.