

Construction Specification 51    Material Specification 551

Watershed \_\_\_\_\_ Site No. \_\_\_\_\_ Contract No. \_\_\_\_\_

Bid Schedule No. \_\_\_\_\_ Quantity \_\_\_\_\_ feet

Contractor \_\_\_\_\_

Address \_\_\_\_\_

\_\_\_\_\_

**Information below is to be completed by the contractor or supplier**

Brand Name \_\_\_\_\_

Manufacturer \_\_\_\_\_

Address \_\_\_\_\_

\_\_\_\_\_

Supplier \_\_\_\_\_

Address \_\_\_\_\_

\_\_\_\_\_

Reference Specs

Type (I, IA, II, etc.) \_\_\_\_\_

Seams (riveted, continuous welded, continuous lock) \_\_\_\_\_

Type of Coating \_\_\_\_\_

Weight of Coating \_\_\_\_\_

Sheet Thickness \_\_\_\_\_

Corrugation Size \_\_\_\_\_

ASTM A 760

ASTM A 929

oz/ft<sup>2</sup>

inches

inches

This item meets standard requirements in the current specifications of the American Society for Testing and Materials (ASTM) as listed above.

\_\_\_\_\_  
Signature

\_\_\_\_\_  
Date

\_\_\_\_\_  
Title