



Introduction

The Upper Crooked 8-Digit Hydrologic Unit Code (HUC) subbasin is comprised of 740,000 acres. The subbasin is almost entirely in Crook County and is primarily rangeland and forest land. Overstocked lodgepole pine/ponderosa pine on forest land and invasive weeds on rangeland restrict the productivity for timber, grazing, and wildlife habitat.

Forty-one percent of the Upper Crooked subbasin is under private ownership. There are 96 farms and 158 operators. One-half of the farms are less than 50 acres in size, and two-thirds of the operators are part-time.

Conservation assistance is provided by three NRCS service centers, one soil survey office, one resource conservation and development (RC&D) office, and two satellite field offices (Warm Springs Indian Reservation and Hood River).

Profile Contents

[Introduction](#)

[Physical Description](#)

[Land Use Map & Precipitation Map](#)

[Common Resource Area](#)



[Resource Concerns](#)

[Census and Social Data](#)

[Progress/Status](#)

[Footnotes/Bibliography](#)

Relief Map



Physical Description

[Back to Contents](#)

Land Cover/Land Use (<i>NLCD</i> ²)	Ownership - (2003 Draft BLM Surface Map Set ¹)							
	Public		Private		Tribal		Totals	% of HUC
	Acres	%	Acres	%	*	%		
Forest	212,400	29%	84,700	11%	0	0%	297,100	40%
Grain Crops	*	---	*	---	0	0%	*	---
Conservation Reserve Program (CRP) Land ^a	*	---	*	---	0	0%	*	---
Grass/Pasture/Hay	17,400	2%	33,000	4%	0	0%	50,400	6%
Orchards/Vineyards/Berries	0	0%	0	0%	0	0%	0	0%
Row Crops	*	---	*	---	0	0%	*	---
Shrub/Rangelands	196,600	27%	189,200	26%	0	0%	385,800	53%
Water/Wetlands/ Developed/Barren	*	---	*	---	0	0%	*	---
HUC Totals ^b	429,600		309,700		0	0%	739,300	100%

*: Less than one percent of total acres. See below for special considerations.

a: Estimate from Farm Service Agency records and includes CRP/CREP.

b: Totals are approximate due to rounding and small unknown acreages.








Special Considerations for This 8-Digit HUC:

- Approximately fifty percent of private forest land is under industrial forest ownership.
- Cereal grain is grown for hay.


Irrigated Lands (1997 NRI ³ Estimates for Non-Federal Lands Only)	Type of Land	ACRES	% of Irrigated Lands	% of HUC
	Cultivated Cropland	0	0%	0%
	Uncultivated Cropland	5,000	100%	1%
	Pastureland	0	0%	0%
	Total Irrigated Lands	5,000	100%	1%

(Continued on following pages)


Legend

-  Shrub/Rangelands
-  Orchard/Vineyards
-  Row Crops
-  Forest
-  Grass/Pasture/Hay Lands
-  Grain Crops
-  Water/Wetlands/
Developed/Barren


17070304
Land use/Land cover Map



Eastern Oregon
Precipitation Range

-  Less than 9"
-  9" - 13"
-  13" - 17"
-  17" - 21"
-  21" - 35"
-  Greater than 35"


17070304
Average Annual
Precipitation in Inches



Common Resource Area Map

[Back to Contents](#)

Only the major units are described below - for descriptions of all units within the HUC, go to: <http://ice.or.nrcs.usda.gov/website/cra/viewer.htm>



10.12 - Central Rocky and Blue Mountain Foothills - Cool Dry Blue Mountain Foothills: This unit is characterized by rangeland soils on hills and mountains associated with basalt. The dominant soils are those of the Searles, Redcliff, Choptie, and Madeline series. The temperature regime is frigid, and the moisture regime is arid. The mean annual precipitation is 10 to 12 inches. The vegetation is dominantly Wyoming big sagebrush and bluebunch wheatgrass and a lesser amount of Idaho fescue.

10.16 - Central Rocky and Blue Mountain Foothills - Cool Moist Blue Mountain Foothills: This unit is characterized by rangeland soils on hills and mountains associated with basalt. It is similar to the Lava Fields unit except that this unit has higher precipitation and a xeric soil moisture regime. The dominant soils are those of the Ateron, Durkee, Menbo, Merlin, and Observation series. The temperature regime is frigid, and the moisture regime is xeric. The mean annual precipitation is 12 to 20 inches. The vegetation is dominantly mountain big sagebrush and Idaho fescue.

43C.1 - Blue and Seven Devils Mountains - John Day-Clarno Highlands: This unit is characterized by forest land that is underlain by the John Day/Clarno Formation. The temperature regime is frigid, and the moisture regime is xeric. The vegetation is dominantly ponderosa pine and scattered Douglas-fir. The amount of volcanic ash on the soils is minimal. The soils typically are clayey and have a strongly developed argillic horizon.

Physical Description – Continued


[Back to Contents](#)

Physical Description				Continued		
				ACRES	ACRE-FEET	
Irrigated Adjudicated Water Rights ^(OWRD^{/4})	Surface			59,281	213,684	
	Well			1,578	4,774	
	Total Irrigated Adjudicated Water Rights			60,860	218,459	
Stream Flow Data	USGS 14080500 CROOKED RIVER, NEAR PRINEVILLE, OR			Total Avg. Yield	262,919	
				May – Sept. Yield	77,233	
				MILES	PERCENT	
Stream Data ^{/5} <i>*Percent of Total Miles of Streams in HUC</i>	Total Miles – Major (100K Hydro GIS Layer)			518	---	
	303d/TMDL Listed Streams (DEQ)			336	65%	
	Anadromous Fish Presence (StreamNet)			0	0%	
	Bull Trout Presence (StreamNet)			0	0%	
				ACRES	PERCENT	
Land Cover/Use ^{/2} Based on a 100-foot stretch on both sides of all streams in the 100K Hydro GIS Layer	Forest			13,209	43%	
	Grain Crops			77	0%	
	Grass/Pasture/Hay			3,260	11%	
	Orchards/Vineyards			0	0%	
	Row Crops			0	0%	
	Shrub/Rangelands – Includes CRP Lands			13,367	45%	
	Water/Wetlands/Developed/Barren			520	2%	
	Total Acres of 100-foot Stream Buffers			30,434	---	
Land Capability Class <i>(Croplands & Pasturelands Only)</i> <i>(1997 NRI^{/3} Estimates for Non-Federal Lands Only)</i>	1 – slight limitations			0	0%	
	2 – moderate limitations			1,100	18%	
	3 – severe limitations			3,100	50%	
	4 – very severe limitations			2,000	32%	
	5 – no erosion hazard, but other limitations			0	0%	
	6 – severe limitations; unsuitable for cultivation; limited to pasture, range, forest			0	0%	
	7 – very severe limitations; unsuitable for cultivation; limited to grazing, forest, wildlife habitat			0	0%	
	8 – miscellaneous areas; limited to recreation, wildlife habitat, water supply			0	0%	
	Total Croplands & Pasturelands			6,200	---	
Confined Animal Feeding Operations – Oregon CAFO Permit – 12/2004						
Animal Type	Dairy	Feedlot	Poultry	Swine	Mink	Other
No. of Permitted Farms	0	0	0	0	0	0
No. of Permitted Animals	0	0	0	0	0	0

Resource Concerns

[Back to Contents](#)


Tons of Soil Loss by Water Erosion: Due to the limited amount of non-Federal cropland and pastureland within this HUC, no reliable NRI soil loss estimates are available.



- ❖ Ninety-two percent of the water quality limited streams have temperatures exceeding State water quality standards. Elevated stream temperatures may be due to inadequate riparian shade, stream channel widening, warm irrigation return flows, and other anthropogenic or natural causes.
- ❖ Conservation practices that can be used to address these water quality issues include grazing management, irrigation water management, and use of riparian buffers.

Watershed Projects, Plans, Studies, and Assessments			
NRCS Watershed Projects ⁶		NRCS Watershed Plans, Studies, and Assessments ⁷	
Name	Status	Name	Status
None		None	
ODEQ TMDL's ⁸		ODA Agricultural Water Quality Management Plans ⁹	
Name	Status	Name	Status
None		Crooked River	Completed
OWEB Watershed Councils ¹⁰		Watershed Council Assessments ¹¹	NWPCC Subbasin Plans & Assessments ¹⁸
Crooked River and Bridge Creek Watershed Councils		Crooked River Watershed Assessment	Deschutes Subbasin Plan

(Continued on page 8)



Map Footnote [417](#)

Resource Concerns - Continued

[Back to Contents](#)

Resource Concerns/Issues by Land Use							
SWAPA +H Concerns	Specific Resource Concern/Issue	Grass \ Pasture \ Hay	Grain Crops	Row Crops	Perennial Crops (Orch/Vine/Berries)	Shrub/Range	Forest
Soil Erosion	Sheet and Rill					X	X
	Wind		X				
	Streambank	X				X	
	Irrigation Induced						
Soil Condition	Tilth, Crusting, Infiltration, Organic Matter		X				
Water Quantity	Water Management For Irrigated Land	X	X				
Water Quality, Surface	Nutrients and Organics						
Plant Condition	Productivity, Health, and Vigor	X				X	X
Plant Management	Establishment, Growth, and Harvest	X					
Animal Habitat, Domestic	Management	X					
Animal Habitat, Wildlife	Food, Cover, and/or Shelter					X	X
Human, Economics	Land Use Constraints/Restrictions					X	X
	High Capital/Financial Cost						
	High Labor Cost or Availability						
	Low or Unreliable Profitability	X	X			X	X
Human, Social	Low Community Well-Being						X
Human, Political	Inadequate Availability of Cost Share Programs						
	Lack of Technical Assistance	X	X			X	
	High Degree of Controversy						

Grass/Pasture/Hay

- Water and grazing management are the primary concerns in areas of irrigated pasture on farms and ranches.
- Past management, in some instances, has accelerated streambank erosion and resulted in poor forage condition.
- Low profitability and insufficient technical assistance for ranches and small farms can hinder conservation efforts.

Grain Crops

- Wind erosion and water management are resource concerns on irrigated cropland.
- Low profitability is an obstacle to use of additional conservation practices.

Rangeland and Forest Land

- Overstocked lodgepole pine/ponderosa pine on forest land and invasive weeds (medusa head and cheatgrass) on rangeland restrict the productivity for timber, grazing, and wildlife habitat.
- Juniper is encroaching onto rangeland and ponderosa pine sites.
- Low economic profitability and land use constraints (development, environmental pressure, etc.) discourage conservation activities.

FEDERALLY LISTED THREATENED AND ENDANGERED SPECIES ¹²	
THREATENED SPECIES	CANDIDATE SPECIES
Mammals - Canada lynx	Birds – Yellow-billed cuckoo
Birds - Bald eagle, Northern spotted owl	Amphibians and Reptiles – Oregon spotted frog, Columbia spotted frog
Fish - Bull trout	PROPOSED SPECIES: None
ESSENTIAL FISH HABITAT ¹³ – None	

Census and Social Data^{/14}


[Back to Contents](#)

Number of Farms: **96**

Number of Operators: **158**

- Full-Time Operators: **50**
- Part-Time Operators: **108**


Estimated Level of Willingness and Ability to Participate in Conservation^{/15}: **MODERATE TO HIGH**



The Upper Crooked subbasin is sparsely populated. Most of the farmers and ranchers, however, are well educated, are aware of local natural resources problems and the relationship to their agricultural operation, and have a positive stewardship attitude. If conservation practices and systems can be demonstrated to be effective and of reasonable cost, can be implemented incrementally, and fit into their operation's management systems, it is likely that most operators in the subbasin would be able and willing to try them.

Evaluation of Social Capital^{/16} (Due to their proximity and size, Upper Crooked and South Fork Crooked subbasins are combined): **MODERATE to HIGH**


Indications are that the community in the South Fork Crooked and Upper Crooked subbasins is, for the most part, physically healthy, socially progressive, and economically stable. People tend to interact in everyday life through organizations and groups such as churches, civic groups, and recreational leagues. The community has experience in coming together to solve problems and complete community projects. It can be expected to support the adoption and diffusion of conservation practices throughout the subbasins.



Progress/Status

[Back to Contents](#)

PRMS Data	FY99	FY00	FY01	FY02	FY03	Avg/Year	Total
Total Conservation Systems Planned (Acres)	588	21,452	504	509	5,200	5,651	27,744
Total Conservation Systems Applied (Acres)	320	2,900	184	579	1,685	1,134	5,668
Conservation Treatment							
Waste Management (Number)	0	0	0	0	0	0	0
Buffers (Acres)	0	0	0	0	0	0	0
Erosion Control (Acres)	320	0	5	419	0	149	744
Irrigation Water Management (Acres)	0	2,900	0	0	0	580	2,900
Nutrient Management (Acres)	0	487	0	0	0	97	487
Pest Management (Acres)	0	0	118	0	0	24	118
Prescribed Grazing (Acres)	288	1,989	0	360	6,885	1,904	9,522
Trees and Shrubs (Acres)	482	0	66	1	118	133	667
Conservation Tillage (Acres)	0	0	0	0	0	0	0
Wildlife Habitat (Acres)	0	0	0	160	1,685	369	160
Wetlands (Acres)	0	0	0	0	0	0	0



(Estimates are based on information received from local conservationists in the watershed.)

- ❖ Progress over the last five years has been focused on:
 - Prescribed grazing on rangeland and pastureland.
 - Irrigation water management on irrigated lands.
- ❖ Low economic returns hinder further adoption of irrigation water management, nutrient management, and rotational grazing on pastureland and hayland.
- ❖ Most private forest land meets State forest practices requirements.

Lands Removed from Production through Farm Bill Programs

- ❖ Conservation Reserve Program (CRP): **100 acres**
- ❖ Wetland Restoration Program (WRP): **None**
- ❖ Conservation Reserve Enhancement Program (CREP): **None**

Footnotes/Bibliography

[Back to Contents](#)

All data is provided "as is." There are no warranties, express or implied, including the warranty of fitness for a particular purpose, accompanying this document. Use for general planning purposes only.

1. Ownership Layer – Source: The 1:24,000 scale public ownership layer is the land ownership/management for public entities, including Federal, Tribal, State, and local entities. This is a seamless, statewide Oregon Public Ownership vector layer composed of fee ownership of lands by Federal, State, Tribal, county, and city agencies. The layer is comprised of the best available data compiled at 1:24,000 scale or larger, and the line work matches GCDB boundary locations and ORMAP standards where possible. The layer is available from the State of Oregon GIS Service Center: <http://www.gis.state.or.us/data/alphalist.html>. For current ownership status, consult official records at appropriate Federal, State, and county offices. Ownership classes grouped to calculate Federal ownership vs. non-Federal ownership by the Water Resources Planning Team.
2. National Land Cover Dataset (NLCD) - Originator: U.S. Geological Survey (USGS); Publication date: 19990631; Title: Oregon Land Cover Data Set, Edition: 1; Geospatial data presentation form: Raster digital data; Publisher: U.S. Geological Survey, Sioux Falls, SD, USA; Online linkage: <http://edcwww.cr.usgs.gov/programs/lccp/nationallandcover.html>; Abstract: These data can be used in a geographic information system (GIS) for any number of purposes, such as assessing wildlife habitat, water quality, pesticide runoff, land use change, etc. The State data sets are provided with a 300-meter buffer beyond the State border to facilitate combining the State files into larger regions.
3. ESTIMATES FROM THE 1997 NRI DATABASE (REVISED DECEMBER 2000) REPLACE ALL PREVIOUS REPORTS AND ESTIMATES. Comparisons made using data published for the 1982, 1987, or 1992 NRI may produce erroneous results. This is because of changes in statistical estimation protocols and because all data collected prior to 1997 were simultaneously reviewed (edited) as 1997 NRI data were collected. All definitions are available in the glossary. In addition, this December 2000 revision of the 1997 NRI data updates information released in December 1999 and corrects a computer error discovered in March 2000. For more information: <http://www.nrcs.usda.gov/technical/NRI/>
4. Irrigated Adjudicated Water Rights – Water Rights Information System (WRIS), Oregon Water Resources Department, <http://www.wrd.state.or.us/maps/wrexport.shtml>
5. StreamNet is a cooperative venture of the Pacific Northwest's fish and wildlife agencies and tribes and is administered by the [Pacific States Marine Fisheries Commission](#). StreamNet provided data and data services in support of the region's fish and wildlife program and other efforts to manage and restore the region's aquatic resources. Official StreamNet website: <http://www.streamnet.org/>
6. Natural Resources Conservation Service, Watershed Projects Planned and Authorized, <http://www.nrcs.usda.gov/programs/watershed/Purpose>.
7. Natural Resources Conservation Service, Watershed Plans, Studies, and Assessments completed, http://www.nrcs.usda.gov/programs/watershed/Surveys_Plng.html#Watershed%20Surveys%20and%20Plan
8. Oregon Department of Environmental Quality Total Maximum Daily Loads, <http://www.deq.state.or.us/wq/TMDLs/TMDLs.htm>
9. Oregon Department of Agriculture, Agricultural Water Quality Management Plans, http://www.oregon.gov/ODA/NRD/water_agplans.shtml

Footnotes/Bibliography Continued

[Back to Contents](#)

All data is provided "as is." There are no warranties, express or implied, including the warranty of fitness for a particular purpose, accompanying this document. Use for general planning purposes only.

10. Oregon Watershed Enhancement Board, <http://oregon.gov/OWEB/WSHEDS/index.shtml>
11. Watershed Assessments completed by local watershed councils following the Oregon Watershed Assessment Manual, http://oregon.gov/OWEB/docs/pubs/ws_assess_manual.shtml.
12. NRCS Field Office Technical Guide, Section II, Threatened and Endangered List.
13. Magnuson-Stevens Fishery Conservation and Management Act, Public Law 94-265. As amended through October 11, 1996.
14. Data were taken from the 2002 Agricultural Census and adjusted by percent of HUC in the county or by percent of zip code area in the HUC, depending on the level of data available. Data were also taken from the U.S. Population Census, 2000.
15. Conservation participation was estimated using NRCS Social Sciences Technical Note 1801, Guide for Estimating Participation in Conservation, 2004. Four categories of indicators were evaluated: Personal characteristics, farm structural characteristics, perceptions of conservation, and community context. Estimates are based on information received from local conservationists in the watershed.
16. Social capital is an indicator of the community's ability and willingness to work together to solve problems. A high amount of social capital helps a community to be physically healthy, socially progressive, and economically vigorous. A low amount of social capital typically results in community conflict, lack of trust and respect, and unsuccessful attempts to solve problems. The evaluation is based on NRCS Technical Report Release 4.1, March, 2002: Adding Up Social Capital: An Investment in Communities. Local conservationists provided information to measure social capital. Scores range from 0 to 76.
17. Surface and Groundwater Resource Protection Map
 - a. 2002 303d Listed Streams designated by Oregon Department of Environmental Quality and approved by the Environmental Protection Agency, Section 303d Clean Water Act, <http://www.deq.state.or.us/wq/303dlist/303dpage.htm>
 - b. Groundwater Management Areas designated by the Oregon Department of Environmental Quality, Oregon Revised Statutes – Ground Water ORS 468B.150 to ORS 468B.190, <http://www.deq.state.or.us/wq/groundwa/wqgw.htm>
 - c. Groundwater Restricted Areas designated by Oregon Water Resources Commission, Oregon Department of Water Resources, http://egov.oregon.gov/OWRD/PUBS/aquabook_protections.shtml
 - d. The Sole Source Aquifer (SSA) Protection Program is authorized by Section 1424(e) of the Safe Drinking Water Act of 1974 (Public Law 93-523, 42 U.S.C. 300 et. seq), <http://www.epa.gov/safewater/ssanp.html>
18. Subbasin assessments and plans are developed by local groups (SWCDs, watershed councils, tribes, and others) as part of the Northwest Power and Conservation Council's fish and wildlife program in the Columbia River Basin. This program is funded and implemented by the Bonneville Power Administration. <http://www.nwcouncil.org/fw/subbasinplanning/Default.htm>.