
CONSTRUCTION SPECIFICATION
INSTRUCTION FOR USE
CS-I-OR-025 ROCKFILL

025.1 APPLICABILITY

Construction Specification CS-OR-025 is applicable to rockfill constructed of hard, durable rock with sufficiently open grading to drain freely. It does not apply to riprap slope protection nor to earthfill constructed of rocky soils or of soft rock that is expected to break down during compaction activities.

025.2 MATERIAL SPECIFICATIONS

No material specifications complement Construction Specification CS-OR-025.

025.3 INCLUDED ITEMS

Items to be included in contract specifications and drawings:

- a) Complete plans and cross-sections of the required fills. Include any required construction tolerances measured from the lines and grades shown on the drawings.
- b) Zoning plans, including gradation requirements for material in each zone.
- c) Specifications for bedding.
- d) The source of each type of fill.
- e) Screening or other processing requirements.
- f) Specifications for wetting during placement and compaction, if required.
- g) Class of compaction for rockfill. Specify more passes or heavier equipment if test fills or other sources of information indicate the need for it. (Class I is intended for use where the highest degree of compaction is required. Class II is intermediate, and Class III is for use where no special compaction is needed.)

When specifying Class II compaction, note in Section 025.9 Items of Work and Construction Details, the method (a, b, or c) that applies. Note also if one or more of the methods are to be excluded.

- h) Class of compaction for bedding. Also specify more passes or heavier equipment if more than minimum amounts specified in Section 025.8 Compaction of Bedding, may be needed.

025.4 METHODS SECTION 5, PLACEMENT

Method 1 — Intended for use whenever the grading of materials within the fill is not a critical element of the design.

Method 2 — Intended for use when the piping or cracking potential of the core zone is a critical element of the design or when the percentage of large rock is relatively low and special slope protection is desired.

025.5 ITEMS OF WORK AND CONSTRUCTION DETAILS

Starting at the top of page 025–4, prepare and outline job specific "Items of Work and Construction Details" (IWCD) in accordance with these instructions.