

### Introduction

The Williamson 8-Digit Hydrologic Unit Code (HUC) subbasin is comprised of 920,200 acres in Klamath County. Eighty-percent of the subbasin is public (59%) and private (21%) forestland. The remainder is mostly grass, hay, and pasture; and open water and wetlands. Resource concerns include streambank erosion, diminishing water quality and aquatic habitat, noxious weeds, and poor grazing practices and irrigation water management. Historically, controversial social, political, and economic issues have severely hampered the diffusion of conservation in the subbasin.

However, there are of late, increasingly more occurrences of cooperation leading to improved resource management.

There are 61 farms and ranches, and 101 farmers/ranchers in the subbasin. Most farms and ranches are viable operations, in fair to good financial health. Most operators are aware of local resource concerns and have a positive stewardship attitude. However, they tend to lack a conservation plan and are generally slow to adopt new management systems.


The Klamath Falls NRCS Service Center, the Klamath Soil and Water Conservation District, Klamath Watershed Council, and other local conservation organizations provide conservation assistance in the subbasin.

### Profile Contents


[Introduction](#)  
[Physical Description](#)  
[Land Use Map & Precipitation Map](#)  
[Common Resource Area](#)

[Resource Concerns](#)  
[Census and Social Data](#)  
[Progress/Status](#)  
[Footnotes/Bibliography](#)

### Relief Map



18010201  
Ownership Map



### Physical Description

[Back to Contents](#)

**ALL NUMBERS IN THIS PROFILE ARE FOR OREGON ONLY**

Land Cover/Land Use (NLCD <sup>2</sup> )	Ownership - (2003 Draft BLM Surface Map Set <sup>1</sup> )						Totals	%
	Public		Private		Tribal			
	Acres	%	Acres	%	Acres	%		
Forest	546,200	59%	192,200	21%	*	--	738,400	80%
Grain Crops	*	--	*	--	0	0%	*	--
Conservation Reserve Program Land <sup>a</sup>	0	0%	0	0%	0	0%	0	0%
Grass/Pasture/Hay	23,500	3%	53,400	6%	*	--	77,000	8%
Orchards/Vineyards	0	0%	0	0%	0	0%	0	0%
Row Crops	*	--	*	--	0	0%	*	--
Shrub/Rangelands	16,000	2%	10,600	1%	*	--	26,600	3%
Water/Wetlands/Developed/Barren	38,200	4%	37,600	4%	*	--	75,900	8%
<b>Oregon HUC Totals <sup>b</sup></b>	<b>623,900</b>	<b>68%</b>	<b>296,000</b>	<b>32%</b>	<b>*</b>	<b>--</b>	<b>920,100</b>	<b>100%</b>

\*: Less than one percent of total acres. See below for special considerations.

a: Estimate from Farm Service Agency records and includes CRP/CREP.

b: Totals are approximate due to rounding and small unknown acreages.

#### Special Considerations for This 8-Digit HUC:

Based on the NRCS, Upper Klamath Basin Rapid Subbasin Assessments:


- 62 percent of private forest is in industrial forest ownership.
- 65,100 acres are irrigated mostly as pasture and grass hay.
- A small acreage of grain and potatoes has been grown in the past in the vicinity of Upper Klamath and Agency Lakes. Much of this area is currently under wetland restoration.

Irrigated Lands (1997 NRI <sup>3</sup> Estimates for Non-Federal Lands Only)	Type of Land	ACRES	% of Irrigated Lands	% of HUC
	Cultivated Cropland	8,200	51%	<1%
	Uncultivated Cropland	1,200	8%	<1%
	Pastureland	6,600	41%	<1%
	<b>Total Irrigated Lands</b>	<b>16,000</b>	<b>100%</b>	<b>2%</b>


(Continued on the following pages)

[Back to Contents](#)

18010201  
Land use/Land cover Map



18010201  
Average Annual  
Precipitation in Inches




Eastern Oregon  
Precipitation Range

- Less than 9"
- 9" - 13"
- 13" - 17"
- 17" - 21"
- 21" - 35"
- Greater than 35"

**Common Resource Area Map**

[Back to Contents](#)

Only the major units are described below - for descriptions of all units within the HUC, go to: <http://ice.or.nrcs.usda.gov/website/cra/viewer.htm>



**3.3 – Olympic and Cascade Mountains - Southern Cascade Crest Montane Forest:** This unit comprises the southern end of the high Cascades. Vegetation is mountain hemlock, lodgepole pine, Shasta red fir, Pacific silver fir and noble fir. The unit has plateau topography and is characterized by numerous alpine lakes. Temperature regime is cryic; moisture regime is udic.

**3.4 – Olympic and Cascade Mountains - Cascade Subalpine-Alpine:** The Cascade Subalpine/Alpine CRA is an area of high, glaciated, volcanic peaks that rise above subalpine meadows. It is characterized by bare rock outcrop, lava flows and volcanic peaks. Elevations range from 5600 to 12000 feet. Active glaciation occurs on the highest volcanoes and decreases from north to south. The winters are very cold and the growing season is extremely short. Flora and Fauna adapted to high elevations include herbaceous and shrubby subalpine meadow vegetation and scattered patches of mountain hemlock, subalpine fir, and whitebark pine.

**6.10 – Cascade Mountains, Eastern Slope - Cold Wet Pumice Plateau Basins:** This unit is characterized by cold wet basins. The soils are dominated by ash and pumice from Mt. Mazama with extensive wetlands in Klamath and Sycan Marshes and groundwater quality issues in Lapine Basin. Temperature regime is cryic with aquatic soil conditions.

**6.11 – Cascade Mountains, Eastern Slope - Pumice Plateau Forest:** This unit occurs on the southern extreme of the MLRA and is characterized by nearly level to undulating pumice mantled plateaus dominated by lodgepole pine and ponderosa pine. The soils consist of deep deposits of ash and pumice from Mt. Mazama. Cold temperatures and frost limit the production of ponderosa pine. Temperature regime is cryic; moisture regime is xeric.

**Physical Description – Continued**


[Back to Contents](#)

		ACRES	ACRE-FEET			
<b>Irrigated Adjudicated Water Rights</b> (OWRD <sup>4</sup> )	Surface	46,227	138,685			
	Well	11,282	33,847			
	<b>Total Irrigated Adjudicated Water Rights</b>	<b>57,509</b>	<b>172,532</b>			
<b>Stream Flow Data</b>	USGS 11493500 WILLIAMSON RIVER NEAR KLAMATH AGENCY, OREG.	<b>Total Avg. Yield</b>	131,120			
		<b>May - Sept Yield</b>	26,936			
		<b>MILES</b>	<b>PERCENT</b>			
<b>Stream Data</b> <sup>5</sup>  <i>*Percent of Total Miles of Streams in HUC</i>	Total Miles – Major (100K Hydro GIS Layer)	435	--			
	303d/TMDL Listed Streams (DEQ)	95	22%			
	Anadromous Fish Presence (StreamNet)	0	0%			
	Bull Trout Presence (StreamNet)	0	0%			
		<b>ACRES</b>	<b>PERCENT</b>			
<b>Land Cover/Use</b> <sup>2</sup>  Based on a 100-foot stretch on both sides of all streams in the 100K Hydro GIS Layer	Forest	15,853	67%			
	Grain Crops	143	<1%			
	Grass/Pasture/Hay	3,153	13%			
	Orchards/Vineyards	0	0%			
	Row Crops	37	0%			
	Shrub/Rangelands – Includes CRP Lands	654	3%			
	Water/Wetlands/Developed/Barren	3,653	16%			
	<b>Total Acres of 100-foot Stream Buffers</b>	<b>23,493</b>	<b>--</b>			
<b>Land Capability Class</b>  <i>(Croplands &amp; Pasturelands Only)</i> <i>(1997 NRI<sup>3</sup> Estimates for Non-Federal Lands Only)</i>	<b>1</b> – slight limitations	0	0%			
	<b>2</b> – moderate limitations	4,000	23%			
	<b>3</b> – severe limitations	4,800	28%			
	<b>4</b> – very severe limitations	7,200	41%			
	<b>5</b> – no erosion hazard, but other limitations	1,400	8%			
	<b>6</b> – severe limitations; unsuitable for cultivation; limited to pasture, range, forest	0	0%			
	<b>7</b> – very severe limitations; unsuitable for cultivation; limited to grazing, forest, wildlife habitat	0	0%			
	<b>8</b> – miscellaneous areas; limited to recreation, wildlife habitat, water supply	0	0%			
	<b>Total Croplands &amp; Pasturelands</b>	<b>17,400</b>	<b>100%</b>			
<b>Confined Animal Feeding Operations – Oregon CAFO Permit – 12/2004</b>						
<b>Animal Type</b>	<b>Dairy</b>	<b>Feedlot</b>	<b>Poultry</b>	<b>Swine</b>	<b>Mink</b>	<b>Other</b>
<b>No. of Permitted Farms</b>	0	0	0	0	0	0
<b>No. of Permitted Animals</b>	0	0	0	0	0	0

### Resource Concerns

[Back to Contents](#)


**Tons of Soil Loss by Water Erosion:** Due to the limited amount of non-federal cropland and pastureland within this HUC, no reliable NRI soil loss estimates are available.



- ❖ All of the listed stream miles exceed state water quality standards for stream temperatures. Elevated stream temperatures may be due to inadequate riparian shade, stream channel widening, and other anthropogenic or natural sources.
- ❖ Conservation practices that can be used to address these water quality issues include irrigation water management, nutrient management, grazing management and riparian buffers.

Watershed Projects, Plans, Studies and Assessments			
NRCS Watershed Projects <sup>6</sup>		NRCS Watershed Plans, Studies & Assessments <sup>7</sup>	
Name	Status	Name	Status
None	None	Upper Klamath Subbasin Assessments (Williamson River)	Completed 2004
ODEQ TMDL's <sup>8</sup>		ODA Agricultural Water Quality Management Plans <sup>9</sup>	
Name	Status	Name	Status
Upper Klamath Lake Drainage	Completed	Klamath Headwaters	Completed
OWEB Watershed Council <sup>10</sup>		Watershed Council Assessments <sup>11</sup>	NWPCC Subbasin Plans & Assessments <sup>18</sup>
Klamath Watershed Council/Upper Williamson Catchment and Lower Williamson Watershed Working Group		Williamson Watershed Assessment	None

*(Continued on page 8)*



Map Footnote [417](#)

**Resource Concerns - Continued**

[Back to Contents](#)

Resource Concerns/Issues by Land Use							
SWAPA +H Concerns	Specific Resource Concern/Issue	Grass\Pasture\ Hay	Grain Crops	Row Crops	Perennial Crops (Orch/Vine/ Berries)	Shrub/Range	Forest
Soil Erosion	Concentrated Flow or Gully					X	X
	Streambank	X				X	X
Soil Condition	Soil Compaction	X					X
Water Quantity	Water Mgt. For Irrigated Land	X					
	Water Mgt. For Non-Irrigated Land					X	X
Water Quality, Surface	Nutrients & Organics	X					
	Suspended Sediments & Turbidity	X				X	
	Low Dissolved Oxygen	X					
	Temperature	X				X	
	Aquatic Habitat Suitability	X				X	X
Plant Suitability	To Site & Intended Use					X	X
Plant Condition	Productivity, Health & Vigor	X				X	X
	Noxious and Invasive Weeds	X				X	
Plant Management	Establishment, Growth, & Harvest					X	X
Human Economics	Low or Unreliable Profitability	X				X	
Human, Political	Inadequate availability of Cost Share Programs	X				X	X
	High Degree of Controversy	X				X	X

**Grass/Pasture/Hay Lands**

- While some irrigated pasture is well managed, many units are large with only boundary fences and wild flood irrigation making it difficult to practice intensive grazing or irrigation water management.
- While many riparian buffers or riparian pastures have established along area streams, many units still permit unrestricted grazing of riparian areas resulting in bank erosion thereby contributing to poor water quality.
- Fields used to produce hay usually are better managed resulting in fewer resource concerns.

**Range & Forest**

- Most range and forest units, used for livestock grazing, are large making it difficult to implement intense grazing rotations with available fences and watering facilities.
- Overstocked forests can result in higher canopy interception losses and evapo-transpiration rates reducing both water availability for vegetation and downstream discharge to the river or lake.

**General**

- Low profits from ranching, controversy over water use and water rights, endangered species concerns, and Tribal issues creates an atmosphere that in the past has discouraged landowner involvement in conservation activities. This is rapidly changing due to the efforts of agencies, organizations, Tribes and landowners, themselves, to reach out to find collaborative, workable solutions.

FEDERALLY LISTED THREATENED AND ENDANGERED SPECIES <sup>12</sup>	
THREATENED SPECIES	CANDIDATE SPECIES
<b>Mammals</b> - Canada lynx <b>Birds</b> – Bald eagle, Northern spotted owl <b>Fish</b> – Shortnose sucker, Lost River sucker, Warner sucker, Bull trout, Hutton Springs tui chub, Fosskett speckled dace <b>Plants</b> – Applegate's milk vetch	<b>Mammals</b> - Pacific fisher <b>Birds</b> – Yellow-billed cuckoo <b>Amphibians and Reptiles</b> – Columbia spotted frog, Oregon Spotted frog <b>Invertebrates</b> - Mardon skipper butterfly
	<b>PROPOSED SPECIES</b> None
<b>ESSENTIAL FISH HABITAT<sup>13</sup></b> - None	


### Census and Social Data<sup>/14</sup>

[Back to Contents](#)

**Number of Farms: 61**

**Number of Operators: 101**

- Full-Time Operators: **35**
- Part-Time Operators: **66**





### Estimated Level of Willingness and Ability to Participate in Conservation<sup>/15</sup>: **High**

Farmers and ranchers in the Williamson Subbasin are likely to have the ability and the willingness to adopt conservation and resource management systems (RMSs). Most are experienced, educated, and successful landowners, who run financially secure operations. However, these landowners may not usually be the first to adopt innovative management systems, so additional conservation information, marketing, and planning assistance may be needed to persuade these farmers and ranchers to adopt conservation and RMSs.

### Evaluation of Social Capital<sup>/16</sup>: **Low but increasing**


Social capital and the community's involvement in promoting conservation among agricultural landowners in the Williamson subbasin have not been significant. Other social, economic, and political issues have consumed most of the community's interest and energy. However, as of late, agricultural landowners in the subbasin are starting to work together and actively engage in concerted activities supporting local resource management. As community-wide interest in local resource concerns increases and local leadership becomes involved, the diffusion of conservation in the subbasin can be expected to increase.



### Progress/Status

[Back to Contents](#)

PRMS Data	FY99	FY00	FY01	FY02	FY03	Avg/Year	Total
Total Conservation Systems Planned (Acres)	4,151	6,558	1,704	0	2,081	2,899	14,494
Total Conservation Systems Applied (Acres)	0	0	1,704	1,660	200	713	3,564
Conservation Treatment Acres							
Waste Management	0	0	0	0	0	0	0
Buffers	0	0	0	0	18	4	18
Erosion Control	0	0	0	0	0	0	0
Irrigation Water Management	0	0	0	0	0	0	0
Nutrient Management	0	0	0	0	0	0	0
Pest Management	0	0	0	0	0	0	0
Prescribed Grazing	0	0	3,144	0	500	729	3,644
Trees & Shrubs	0	0	0	0	0	0	0
Conservation Tillage	0	0	0	0	0	0	0
Wildlife Habitat	136	3,000	1,441	94	209	976	4,880
Wetlands	0	1,200	0	0	0	240	1,200



*Estimates are based on information received from local conservationists in the watershed.*

- ❖ Progress over the last five years has been focused on:
  - ~ Prescribed grazing on irrigated pasture.
  - ~ Wildlife habitat management on riparian and wetland areas.
- ❖ Often pasture is not intensively farmed lacking adequate water and grazing management. A majority of ranches are operated by absentee landowners or lessees.
- ❖ Most range units are small and associated with larger forest, wet meadow or irrigated grazing units. Their condition is dependent upon the overall grazing management of the larger unit.
- ❖ Most private, industrial forest land meets state forest practice requirements.
- ❖ High cost and unreliable markets, limit forest management activities on private, non-industrial forest lands. A high percentage of these forestlands are overstocked with stagnate stands that reduce productivity for livestock grazing, wildlife or timber production.

### Lands Removed from Production through Farm Bill Programs

- ❖ Conservation Reserve Program (CRP): **None**
- ❖ Wetland Restoration Program (WRP): **3,340 acres**
- ❖ Conservation Reserve Enhancement Program (CREP): **None**

### Footnotes/Bibliography

[Back to Contents](#)

All data is provided "as is." There are no warranties, express or implied, including the warranty of fitness for a particular purpose, accompanying this document. Use for general planning purposes only.

1. Ownership Layer – Source: The 1:24,000 scale public ownership layer is the land ownership/management for public entities, including Federal, Tribal, State, and local entities. This is a seamless, statewide Oregon Public Ownership vector layer composed of fee ownership of lands by Federal, State, Tribal, county, and city agencies. The layer is comprised of the best available data compiled at 1:24,000 scale or larger, and the line work matches GCDB boundary locations and ORMAP standards where possible. The layer is available from the State of Oregon GIS Service Center: <http://www.gis.state.or.us/data/alphalist.html>. For current ownership status, consult official records at appropriate Federal, State, and county offices. Ownership classes grouped to calculate Federal ownership vs. non-Federal ownership by the Water Resources Planning Team.
2. National Land Cover Dataset (NLCD) - Originator: U.S. Geological Survey (USGS); Publication date: 19990631; Title: Oregon Land Cover Data Set, Edition: 1; Geospatial data presentation form: Raster digital data; Publisher: U.S. Geological Survey, Sioux Falls, SD, USA; Online linkage: <http://edcwww.cr.usgs.gov/programs/lccp/nationallandcover.html>; Abstract: These data can be used in a geographic information system (GIS) for any number of purposes, such as assessing wildlife habitat, water quality, pesticide runoff, land use change, etc. The State data sets are provided with a 300-meter buffer beyond the State border to facilitate combining the State files into larger regions.
3. ESTIMATES FROM THE 1997 NRI DATABASE (REVISED DECEMBER 2000) REPLACE ALL PREVIOUS REPORTS AND ESTIMATES. Comparisons made using data published for the 1982, 1987, or 1992 NRI may produce erroneous results. This is because of changes in statistical estimation protocols and because all data collected prior to 1997 were simultaneously reviewed (edited) as 1997 NRI data were collected. All definitions are available in the glossary. In addition, this December 2000 revision of the 1997 NRI data updates information released in December 1999 and corrects a computer error discovered in March 2000. For more information: <http://www.nrcs.usda.gov/technical/NRI/>
4. Irrigated Adjudicated Water Rights – Water Rights Information System (WRIS), Oregon Water Resources Department, <http://www.wrd.state.or.us/maps/wrlexport.shtml>
5. StreamNet is a cooperative venture of the Pacific Northwest's fish and wildlife agencies and tribes and is administered by the [Pacific States Marine Fisheries Commission](#). StreamNet provided data and data services in support of the region's fish and wildlife program and other efforts to manage and restore the region's aquatic resources. Official StreamNet website: <http://www.streamnet.org/>
6. Natural Resources Conservation Service, Watershed Projects Planned and Authorized, <http://www.nrcs.usda.gov/programs/watershed/Purpose>.
7. Natural Resources Conservation Service, Watershed Plans, Studies, and Assessments completed, [http://www.nrcs.usda.gov/programs/watershed/Surveys\\_Plng.html#Watershed%20Surveys%20and%20Plan](http://www.nrcs.usda.gov/programs/watershed/Surveys_Plng.html#Watershed%20Surveys%20and%20Plan)
8. Oregon Department of Environmental Quality Total Maximum Daily Loads, <http://www.deq.state.or.us/wq/TMDLs/TMDLs.htm>
9. Oregon Department of Agriculture, Agricultural Water Quality Management Plans, [http://www.oregon.gov/ODA/NRD/water\\_agplans.shtml](http://www.oregon.gov/ODA/NRD/water_agplans.shtml)

## Footnotes/Bibliography Continued

[Back to Contents](#)

All data is provided "as is." There are no warranties, express or implied, including the warranty of fitness for a particular purpose, accompanying this document. Use for general planning purposes only.

10. Oregon Watershed Enhancement Board, <http://oregon.gov/OWEB/WSHEDS/index.shtml>
11. Watershed Assessments completed by local watershed councils following the Oregon Watershed Assessment Manual, [http://oregon.gov/OWEB/docs/pubs/ws\\_assess\\_manual.shtml](http://oregon.gov/OWEB/docs/pubs/ws_assess_manual.shtml).
12. NRCS Field Office Technical Guide, Section II, Threatened and Endangered List.
13. Magnuson-Stevens Fishery Conservation and Management Act, Public Law 94-265. As amended through October 11, 1996.
14. Data were taken from the 2002 Agricultural Census and adjusted by percent of HUC in the county or by percent of zip code area in the HUC, depending on the level of data available. Data were also taken from the U.S. Population Census, 2000.
15. Conservation participation was estimated using NRCS Social Sciences Technical Note 1801, [Guide for Estimating Participation in Conservation](#), 2004. Four categories of indicators were evaluated: Personal characteristics, farm structural characteristics, perceptions of conservation, and community context. Estimates are based on information received from local conservationists in the watershed.
16. Social capital is an indicator of the community's ability and willingness to work together to solve problems. A high amount of social capital helps a community to be physically healthy, socially progressive, and economically vigorous. A low amount of social capital typically results in community conflict, lack of trust and respect, and unsuccessful attempts to solve problems. The evaluation is based on NRCS Technical Report Release 4.1, March, 2002: [Adding Up Social Capital: An Investment in Communities](#). Local conservationists provided information to measure social capital. Scores range from 0 to 76.
17. [Surface and Groundwater Resource Protection Map](#)
  - a. 2002 303d Listed Streams designated by Oregon Department of Environmental Quality and approved by the Environmental Protection Agency, Section 303d Clean Water Act, <http://www.deq.state.or.us/wq/303dlist/303dpage.htm>
  - b. Groundwater Management Areas designated by the Oregon Department of Environmental Quality, Oregon Revised Statutes – Ground Water ORS 468B.150 to ORS 468B.190, <http://www.deq.state.or.us/wq/groundwa/wqgw.htm>
  - c. Groundwater Restricted Areas designated by Oregon Water Resources Commission, Oregon Department of Water Resources, [http://egov.oregon.gov/OWRD/PUBS/aquabook\\_protections.shtml](http://egov.oregon.gov/OWRD/PUBS/aquabook_protections.shtml)
  - d. The Sole Source Aquifer (SSA) Protection Program is authorized by Section 1424(e) of the Safe Drinking Water Act of 1974 (Public Law 93-523, 42 U.S.C. 300 et. seq), <http://www.epa.gov/safewater/ssanp.html>
18. Subbasin assessments and plans are developed by local groups (SWCDs, watershed councils, tribes, and others) as part of the Northwest Power and Conservation Council's fish and wildlife program in the Columbia River Basin. This program is funded and implemented by the Bonneville Power Administration. <http://www.nwcouncil.org/fw/subbasinplanning/Default.htm>.