# 2010 Conservation Stewardship Program

| | General | Soil Erosion Concerns | | | | Soil Quality Functions | | | | | Water Quantity Concerns | | | Water Quality Concerns | | | | | Air Quality Concerns | | | | Plants | | Animal Concerns | | | | Energy Concerns |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | sheet, rill, wind, irrigation, | ephemeral, gully | streambank, shoreline* | road banks, construction sites* | organic matter depletion (habitat, compaction, water partitioning) | OM oxidation | salinity, other contaminants | nutrient cycling | compaction | excess water | insufficient water | inefficient use of irrigation water | sediment | nutrients | pesticides | pathogens | salinity | airborne soil particulates (PM) | greenhouse and ozone gases | chemical spray drift* | odors | quantity, diversity, health, vigor | declining populations-T&E species | Domestic Livestock-cover, food, and water | Terrestrial Wildlife-cover, food, connectivity, and water | Aquatic Wildlife-structure, food, water temperature | Declining populations-T&E species | energy conservation |
| 2 | **Do you have unpaved farm roads used by farm vehicles (does not include unpaved county roads or other unpaved public roads)** or other unpaved areas such as feedlots or material handling areas **that frequently result in significant dust generation, reducing visibility along the road or over the unpaved area for extended periods?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **If yes, check any of the following methods you regularly use to control dust.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Regularly spraying water to reduce the dust** | 2 | | | | | | | | | | | | | | | | | 2 | | | | | | | | | | -2 |
| | **Apply biodegradable oils to reduce the dust** | 3 | | | | | | | | | | | | | | | | | 4 | | | | | | | | | | -1 |
| | **Gravel surfacing** | 2 | | | | | | | | | | | | | | | | | 3 | | | | | | | | | | |
| | **Apply other environmentally benign dust control chemicals** | 3 | | | | | | | | | | | | | | | | | 4 | | | | | | | | | | -1 |
| 4 | **Identify each energy conservation reduction method used on your farm:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Have you replaced electric motors or engines on your farm with high efficiency models in the last 3 years?** | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | 5 |
| | **Do you use alternative energy sources (solar, wind, biofuels, green energy) to replace fossil fuel energy uses on your farm?** | | | | | | | | | | | | | | | | | | | 1 | | | | | | -1 | | -1 | 5 |
| | **Have you improved the efficiency of heating, cooling or drying operations on your farm in the last 3 years?** | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | 5 |
| | **Have you conducted an energy audit on your farm and are now implementing the energy audit actions?** | | | | | | | | | | | | | | | | | | | 1 | | | | | | | | | 5 |
| | **Have you performed a pumping plant evaluation during the last 3 years and implemented the recommendations?** | | | | | | | | | | | | | | | | | | | 2 | | | | | | | | | 5 |

# 2010 Conservation Stewardship Program

| | Cropland | Soil Erosion Concerns | | | | Soil Quality Functions | | | | | Water Quantity Concerns | | | Water Quality Concerns | | | | | Air Quality Concerns | | | | Plants | | Animal Concerns | | | | Energy Concerns |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | sheet, rill, wind, irrigation, | ephemeral, gully | streambank, shoreline* | road banks, construction sites* | organic matter depletion (habitat, compaction, water partitioning) | OM oxidation | salinity, other contaminants | nutrient cycling | compaction | excess water | insufficient water | inefficient use of irrigation water | sediment | nutrients | pesticides | pathogens | salinity | airborne soil particulates (PM) | greenhouse and ozone gases | chemical spray drift* | odors | quantity, diversity, health, vigor | declining populations-T&E species | Domestic Livestock-cover, food, and water | Terrestrial Wildlife-cover, food, connectivity, and water | Aquatic Wildlife-structure, food, water temperature | Declining populations-T&E species | energy conservation |
| **Rotation and Adjacent Habitat Information** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 | **Enter the length of your rotation or management system in "years".** The number of years is the time it takes to complete the entire rotation before you start with the first crop again. For example: corn-soybeans-corn-soybeans-wheat is a five year rotation. Winter wheat-corn-millet-fallow would be a four year rotation. For continuous cropping or permanent crops, such as orchards, use one year as your rotation length. If your cropping system is not fixed, pick your most commonly planted crops as an example. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | **Based on your rotation or management system, enter the number of your harvested crops that are included in each of the categories below (a-e). Crops are grouped based on residue quality and quantity.** Do not include cover crops in your responses. Examples: If you have corn and wheat in your rotation, you would enter a "2" for question 2d. For a corn and soybean rotation, enter "1" in 2c (for beans) and "1" in 2d (for corn). | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a) Enter the number of occurrences in your rotation or management system that include the following conditions**: low residue fallow crop periods, idle bare fields, or harvested sod. Sod harvested for turf is differentiated from hay (which is listed under 2e). | -5 | -5 | | | -5 | | | -4 | -3 | | | | | | | | | -4 | -3 | | | | | | | | | |
| | **b) Enter the number of harvested crops in your rotation or management system that are included in the list below** (or are similar to the list below if not listed): Artichokes, Asparagus, Beans dry edible, Bedding/garden plants, Beets, Broccoli, Brussels sprouts, Bulbs/corms/rhizomes/tubers-dry, Cabbage, Carrots, Cauliflower, Celery, Cilantro, Collards, Cucumbers, Daikon, Dill for oil, Eggplant, Endive, Escarole, Fava beans, Flower seeds, Flowers cut and cut florist greens, Foliage plants, Garlic, Ginger root, Ginseng, Green peas, Greens, Horseradish, Kale, Lettuce, Lima beans, Melons, Mustard greens, Nursery crops, Okra, Onions, Parsley, Peppers, Pimientos, Potted flowering plants, Pumpkins, Radishes, Rapini, Rutabagas, Shallots, Snap beans, Spinach, Squash, Strawberries, Tomatoes, Turnips, Vegetables, Watercress. | -3 | -3 | | | -3 | | | -2 | -2 | | | | | | | | | | | | | | | | | | | | |
| | **c) Enter the number of harvested crops in your rotation or management system that are included in the list below** (or are similar to the list below if not listed): Buckwheat, Canola, Castor beans, Chicory, Coffee and other woody perennials (orchards, vineyards) without cover in the alleys, Corn dry fodder hogged or grazed, Corn or sorghum silage, Cotton, Crambe, Flaxseed, Guar, Hops, Lentils, Mungbeans, Mustard seed, Pea type crops, Peanuts, Pineapples, Potatoes, Rapeseed, Safflower, Sage, Soybeans, Sugarbeets, Sunflower, Sweet potatoes, Tobacco, High Residue Fallow (>50% cover during the critical erosion period). | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **d) Enter the number of harvested crops in your rotation or management system that are included in the list below** (or are similar to the list below if not listed): Amaranth, Chufas, Corn Grain/Popcorn, Cranberries, Desert grass, Guava, Herbs perennial, Kenaf, Maple trees for syrup, Mint all for oil, Peppermint for oil, Rice, Sesame, Small Grains, Sorghum, Sugarcane, Teff, Woody perennials with cover in the alleys including Apricots, Berry/Fruit Crops (Trees and Shrubs), Coffee, Grapes, Nut Trees, Pine trees ornamental, Temples, other orchard/vineyards crops. | 3 | 3 | | | 3 | | | 2 | 2 | | 2 | | | | | | | | | | | | | | | | | | |
| | **e) Enter the number of harvested crops in your rotation or management system that are included in the list below** (or are similar to the list below if not listed): Dichondra, Grass Hay/Seed, Legume Hay /Seed, Lotus root, or similar herbaceous perennial crops. This does not include grass harvested for sod. | 5 | 5 | | | 5 | | | 4 | 3 | | 4 | | | | | | | | | | | | | | | | | |

# 2010 Conservation Stewardship Program

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3 | **Enter the number of times during your rotation or management system that you plant a cover crop that you do not harvest.** OR **for a vineyard, orchard or other permanent crop enter the percentage (expressed as a decimal number) of the time you maintain cover between the rows.** | 5 | 5 | | | 5 | | 1 | 5 | 5 | | | | 5 | 5 | 3 | 3 | 2 | 5 | 3 | | | 4 | | | 4 | 2 | 1 | 2 |
| 4 | **Enter the number of different crop species/types in your rotation or management system, including different types of cover crops.** For example, a corn, soybeans, wheat rotation with a fall cover crop would be 4. A corn, corn, soybean rotation would be 2. | 1 | 1 | | | 5 | | | 4 | 4 | 3 | | | 3 | 3 | 3 | 5 | 4 | 1 | | | | 5 | | | | | | |
| 5 | **Using a dependable source of water (precipitation or pumped), do you intentionally flood cropland for wetland wildlife when crops are not growing? To qualify, at least 1/3 of a field must be flooded.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.1 | **Cropland is intentionally flooded:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a) Less than 2 months per year**. | | | | | | | | | | | | | | | | | | | -1 | | | | | | 1 | 2 | | |
| | **b) 2 months per year** on heavy clay soils (Hydrologic group C or D). | | | | | | 1 | | | | | | | 1 | 1 | | | | | -1 | | | | | | 2 | 2 | 1 | |
| | **c) 3 months per year** on heavy clay soils (Hydrologic group C or D) | | | | | 2 | 2 | | | | | | | 1 | 1 | | | | | -2 | | | | | | 3 | 3 | 1 | |
| | **d) 4 months per year o**n heavy clay soils (Hydrologic group C or D). | | | | | 3 | 3 | | | | | | | 2 | 2 | | | | | -3 | | | | | | 4 | 3 | 2 | |
| | **e) More than 4 months per year** on heavy clay soils (Hydrologic group C or D). | | | | | 3 | 4 | | | | | | | 2 | 2 | | | | | -3 | | | | | | 5 | 3 | 2 | |
| 5.2 | **Cropland is intentionally flooded:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a) Less than 2 out of 3 years.** | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2 | 2 | |
| | **b) 2 out of 3 years**. | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 2 | 2 | |
| | **c) Annual flooding**. | | | | | | | | | | | | | | | | | | | | | | | | | 5 | 3 | 3 | |
| 5.3 | **Considering all of your cropland, what percentage is normally flooded?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a) Less than 33%** | | | | | | | | | | | | | | | | | | | | | | | | | 1 | 2 | 2 | |
| | **b) 33 - 50%** | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 2 | 2 | |
| | **c) 51 - 75%** | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 2 | 2 | |
| | **d) More than 75%** | | | | | | | | | | | | | | | | | | | | | | | | | 5 | 2 | 2 | |
| 6 | **Does your rotation, orchard or vineyard include hay or other grass or legume cover?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 6.1 | **How many years of hay or other perennial(s) do you have in your rotation?** OR **How often do you grow a cover between rows in your orchard or vineyard?** – include the establishment year. | 5 | 5 | | | 5 | | | 4 | 5 | | | | 5 | 4 | 2 | 2 | | 4 | 4 | | | 5 | | | 2 | | | |
| 6.2 | **Select the choice that best describes the mix of plants you are growing for hay. FROM STATE populated look up table - dominant** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** Hayland is composed of **species from List B**. | | | | | | | | | | | | | | | | | | | | | | | | | -5 | | -5 | |
| | **b)** Hayland is predominantly **species from List B** but **one or more species from List A** makes up **at least 30%** of the stand. | | | | | | | | | | | | | | | | | | | | | | 1 | | | 1 | | 1 | |
| | **c)** Hayland is composed of **1 or 2 species from List A** that make up **at least 60%** of the stand. | | | | | | | | | | | | | | | | | | | | | | 3 | | | 3 | | 3 | |
| | **d)** Hayland is composed of **3 or more species from List A** that make up **at least 60%** of the stand**.** | | | | | | | | | | | | | | | | | | | | | | 5 | | | 5 | | 5 | |
| 6.3 | **Select the choice that best describes your schedule for mowing hay.** This question assesses the impact of hay mowing practices on wildlife. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** The entire field is **cut during the nesting season** | | | | | | | | | | | | | | | | | | | | | | | | | -5 | | -5 | |
| | **b)** Up to **one half of the field is cut** during the nesting season (with some areas excluded for wildlife) using wildlife friendly techniques (such as minimum mowing height, flushing bars, mowing toward the outside of the field, mow only during daylight). | | | | | | | | | | | | | | | | | | | | | | | | | -1 | | -1 | |
| | **c)** Hay cut **after 75% of the nesting season is completed.** | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | |
| | **d)** Hay **cut not more than once per year** and is cut after 75% of the nesting season **using wildlife-friendly harvest techniques.** | | | | | | | | | | | | | | | | | | | | | | | | | 2 | | 2 | 2 |
| | **e)** Hay cut **not more than once per year** and is **cut after the nesting season.** | | | | | | | | | | | | | | | | | | | | | | | | | 3 | | 3 | 2 |
| | **f)** Hay **cut occasionally**, but **not each year** and is cut **before or after the nesting season** using wildlife-friendly harvest techniques. | | | | | 3 | | | | | | | | | | | | | | | | | | | | 5 | | 5 | 3 |

# 2010 Conservation Stewardship Program

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 7 | **Do you have any areas such as field borders, filter strips, buffers, odd areas, windbreaks, wetlands, brushy draws, hedgerows, seeps, shallow water areas, riparian areas, vegetated ditches, CRP land, native vegetated communities, center pivot corners or other similar areas** that provide wildlife, pollinator and/or beneficial insect habitat within or adjacent to your cropland (orchards, hayland, vineyards, etc.)? You must own or control these areas. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7.1 | **Select the choice that best describes the plants growing on the areas that provide wildlife, pollinator and/or beneficial insect habitat within or adjacent to the crop/hay field.** | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a) Less than 33%** of the vegetation is native or introduced species that provide food and cover for wildlife, pollinators, and/or beneficial insects. | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **b) 33 – 67%** of the vegetation is native or introduced species that provide food and cover for wildlife, pollinators, and/or beneficial insects. | | | | | | | | | | | | | | | | | | | | | 3 | | | 3 | | 3 | |
| | **c) More than 67%** of the vegetation is native or introduced species that provide food and cover for wildlife, pollinators, and/or beneficial insects. | | | | | | | | | | | | | | | | | | | | | 5 | | | 5 | | 5 | |
| 7.2 | **Select the choice that best describes the AMOUNT of wildlife, pollinator and/or beneficial insect habitat within or adjacent to the crop/hay field.** | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** Habitat is **less than 1%** of the crop/hay field. | | | | | | | | | | | | | | | | | | | | | | | | -5 | | -5 | |
| | **b)** Habitat is between **1% and 5%** of the crop/hay field. | | | | | | | | | | | | | | | | | | | | | 1 | | | 1 | 1 | 1 | |
| | **c)** Habitat is between **6% and 10 %** of the crop/hay field. | | | | | | | | | | | | | | | | | | | | | 3 | | | 3 | 2 | 3 | |
| | **d)** Habitat is more than **10%** of the crop/hay field. | | | | | | | | | | | | | | | | | | | | | 5 | | | 5 | 3 | 5 | |
| 7.3 | **Select the choice that best describes the average WIDTH of wildlife, pollinator and/or beneficial insect habitat within or adjacent to the crop/hay field.** | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a) less than 30** feet wide | | | | | | | | | | | | | | | | | | | | | | | | -5 | | -5 | |
| | **b) 30 to 75** feet wide | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | 1 | |
| | **c) 76 to 120** feet wide | | | | | | | | | | | | | | | | | | | | | | | | 3 | 2 | 3 | |
| | **d) more than 120** feet wide | | | | | | | | | | | | | | | | | | | | | | | | 5 | 3 | 5 | |
| 7.4 | **What is the average distance (ft.) from the center of the crop/hay field to the wildlife, pollinator and/or beneficial insect habitat?** | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a) More than 1320 feet** | | | | | | | | | | | | | | | | | | | | | | | | -2 | | -2 | |
| | **b) 660 to 1320 feet** | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | |
| | **c) 330 to 660 feet** | | | | | | | | | | | | | | | | | | | | | | | | 3 | | 3 | |
| | **d) Less than 330 feet** | | | | | | | | | | | | | | | | | | | | | | | | 5 | | 5 | |
| 8 | **Do you intentionally leave unharvested crops in the field for wildlife food/cover on an annual basis?** | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **Choose the answer below (a-b) that best describes how much you leave.** | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a) 1/4 – <1 acre of food plot or unharvested grain per 40 acres** of cropland (minimum 30 feet wide and next to noncrop cover). | 1 | 1 | | | 1 | | | 1 | | | | | 1 | | | | | 1 | 1 | | | | | | 2 | | 1 | |
| | **b) > 1 acre of food plot or unharvested grain per 40 acres** of cropland (minimum 30 feet wide and next to noncrop cover). | 2 | 2 | | | 2 | | | 2 | 1 | | | | 2 | 1 | | | | 2 | 2 | | | | | | 5 | | 1 | |
| **Water Conservation and Residue Management** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | **Before field operations, do you check soil moisture by methods such as moisture-by-feel or more sophisticated methods to minimize soil compaction?** | 2 | 0 | | | | | | | 4 | | 2 | | 2 | | | | | | | | 3 | | | | | | 1 |
| 10 | **Do you consistently use controlled traffic methods (either GPS or manual methods) to minimize soil compaction?** | 3 | 2 | | | | | 2 | | 5 | | 3 | | 3 | 1 | 1 | | | | | | 3 | | | | | | 2 |
| 11 | **Answer each residue management and/or tillage system question below:** | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a) Enter the number of crops in your rotation that have full width tillage, deeper than 4 inches that involves soil inversion and lifting (such as plows or deep disking).** This does not include fertilizer injectors. | -5 | -5 | | | -5 | -5 | | -3 | -4 | | -5 | | -5 | -4 | -4 | 1 | | -5 | -5 | | | | | | -5 | -4 | | -5 |
| | **b) Enter the number of crops in your rotation that have full width tillage deeper than 4 inches that involves soil fracturing and lifting (such as subsoilers, rippers or paraplows).** In orchards and vineyards, ignore alternate year cultivation in every other alleyway during the dry season to manage moisture competition. | -3 | -3 | | | -4 | -4 | | -2 | | | -4 | | -3 | -2 | -2 | 1 | | -3 | -5 | | | | | | -3 | -2 | | -5 |

# 2010 Conservation Stewardship Program

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **c) Enter the number of crops in your rotation that have full width tillage performed after harvest and leaves more than 30% residue cover.** In orchards and vineyards, ignore alternate year cultivation in every other alleyway during dry season to manage moisture competition. Does not include seedbed preparation immediately prior to planting of a cover crop. | | | | | -1 | -3 | | -1 | -1 | | 2 | | 1 | 1 | 1 | 1 | | -1 | -2 | | | | | | | | | -1 |
| | **d) Enter the number of crops in your rotation for which you use conservation tillage (includes mulch tillage) and maintain greater 30% residue cover after planting.** Residue cover includes crop residues, cover crops, composts or other natural mulch materials; it does not include plastic. | 1 | 1 | | | 0 | -2 | | | | | 2 | | 1 | 1 | 1 | 1 | | 1 | | | | | | | 1 | 1 | | |
| | **e) Enter the number of crops in your rotation for which you use a no till system that maintains greater than 50% residue cover after planting.** Residue cover includes crop residues, cover crops, composts or other natural mulch materials; it does not include plastic. | 3 | 3 | | | 3 | -1 | | 2 | 2 | | 4 | | 4 | 4 | 2 | 2 | | 3 | 3 | | | | | | 2 | 2 | | 3 |
| | **f) Enter the number of crops in your rotation for which you use a no till system that maintains greater than 75% residue cover after planting.** Residue cover includes crop residues, cover crops, composts or other natural mulch materials; it does not include plastic. For systems using perennials with no tillage after year of establishment, include the number of years of perennials. For vineyards, orchards or other permanent crops, enter 1 here. | 5 | 5 | | | 5 | | | 4 | 4 | | 5 | | 5 | 5 | 2 | 2 | 0 | 5 | 5 | | | | | | 3 | 3 | | 5 |
| **12** | **Select the choice that best describes the average condition of crop residues left in the field during the winter for wildlife cover. If none of these apply, do not answer and skip to 13.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | a. Fall tillage, undisturbed soybean residue or any kind of harvested silage. | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | | |
| | b. Crop residue chopped or shredded with no soil disturbance or grasses or legumes are included in the rotation and cover the field during winter. | | | | | | | | | | | | | | | | | | | | | | | | | 2 | 1 | | |
| | c. Crop residues are gleaned by livestock but no mechanical disturbance of residue or soils. | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 1 | | |
| | d. Crop residue, grain stubble, hay/forage crop, or cover crop left standing overwinter. Height is less than 8 inches. | | | | | | | | | | | | | | | | | | | | | | | | | 4 | 1 | | |
| | e. Crop residue, grain stubble, hay/forage crop, or cover crop left standing overwinter. Height is greater than 8 inches. | | | | | | | | | | | | | | | | | | | | | | | | | 5 | 1 | | |
| **Erosion, & Runoff Information** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **13** | **Is your cropland or hayland managed so there are no signs of erosion or gullies after a heavy rainfall, significant snowmelt, or irrigation?** | 5 | 5 | | | | | | | | | | | 5 | 4 | 4 | 3 | | | | | | 0 | | | | 3 | | |
| **14** | **Select any of the following practices that are applied on your cropland or hayland acres:** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | contour farming (330) | 2 | 2 | | | 1 | | 1 | | | | 1 | | 2 | 2 | | | | | | | | | | | | | | |
| | contour orchard or other fruit area (331) | 3 | 3 | | | 3 | | | 3 | 3 | | 1 | | 4 | 4 | 3 | | | 4 | | | | 3 | | | 1 | | | |
| | contour strip cropping (585) | 2 | 2 | | | 3 | | 2 | 2 | 1 | | 1 | | 3 | 3 | 2 | | | 2 | | | | 3 | | | | | | |
| | windbreaks (380) | 3 | 0 | | | 2 | | | | | | | | 3 | 2 | 2 | | | 5 | 1 | 3 | 3 | 2 | | | 3 | | | |
| | terraces (600) | 1 | 4 | | | | | | | | 4 | 1 | | 4 | 1 | | | | | | | | | | | | 2 | | |
| | diversions (362) | 1 | 3 | | | | | | | | 4 | 1 | | 4 | 1 | | | | | | | | | | | | 2 | | |
| | hillside ditch (423) | 1 | 3 | | | | | | | | 4 | | | 2 | | | | | | | | | | | | | | | |
| | grassed waterways (412) | 0 | 5 | | | | | | | | 4 | | | 4 | 1 | 2 | 2 | | | | | | | | | 1 | 3 | | |
| | grade stabilization structure (410) | 0 | 5 | | | | | | | | 4 | | | 2 | | | | | | | | | | | | | | | |
| | rock barrier (555) | 1 | 3 | | | | | | | | 4 | 1 | | 4 | 1 | | | | | | | | | | | | | | |
| | contour buffer strips (332) | 2 | 2 | | | 2 | | | | | | 1 | | 3 | 3 | 2 | 3 | | 2 | | | | 2 | | | 2 | 3 | | |
| | herbaceous wind barriers (603) | 2 | | | | 1 | | | | | | | | 2 | 2 | 2 | | | 4 | | 2 | | 2 | | | 1 | | | |
| | cross wind trap strips (589C) | 3 | | | | 1 | | | | | | | | 2 | 2 | 2 | | | 4 | | 2 | | 2 | | | 1 | | | |
| **Pest Management Information** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **15** | **Do you apply any pesticides on your crop or hayland acres?** | 5 | | | | 5 | | 5 | | | | | | | | 5 | | | | 3 | 5 | | | | | 4 | 5 | 4 | 4 |
| **15.1** | **Select the choice that best describes how you manage pests on your cropland or hayland acres.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** Pesticides are applied without documenting the pest population densities and locations. | | | | | -1 | | -1 | | | | | | | | -5 | | | | -2 | -2 | | | | | -3 | -4 | -5 | |
| | **b)** Some components of an Integrated Pest Management (IPM) system are used, such as pest-free seeds and transplants, cleaning tillage and harvesting equipment between fields, pest-resistant varieties, crop rotation, trap crops, pest scouting, biological pest controls, spot spraying, individual plant treatment, banding, directed spraying, manual removal, and scheduling irrigation to avoid disease development. | | | | | | | | | | | | | | | 3 | | | | 2 | 2 | | 1 | | | 1 | 1 | 1 | 1 |

# 2010 Conservation Stewardship Program

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | **c)** A full Integrated Pest Management (IPM) system is utilized with scouting and economic thresholds to manage pests and reduce pest management environmental risk. | | | | | 1 | | 1 | | | | | | | | 5 | | | | 5 | 5 | | 2 | | | 4 | 4 | 3 | 2 |
| **15.2** | Do you use an **environmental risk screening tool (such as WIN-PST or similar)** to reduce pesticide risk to soil and water resources? | | | | | | | | | | | | | | | 5 | | | | | 2 | | | | | 3 | 3 | 3 | |
| **Nutrient Management Information** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **16** | **Do you apply fertilizers or manure on your cropland or hayland acres?** | | | | | 2 | | | 2 | | | | | | 4 | | 4 | | | 3 | | 5 | | | | 1 | 3 | 3 | 4 |
| **16.1** | **Do you apply manure, compost, or other organic amendment to meet (but not exceed) crop nutrient needs?** | 2 | | | | 5 | | | 4 | 4 | | 3 | | | 1 | | | | | 2 | | -1 | 3 | | | | -1 | -1 | 3 |
| **16.2** | **Do you soil test** (or tissue test for orchards, vineyards, or other permanent crops) **on all crop and hayland fields at least once every 5 years** AND **do you use the test results to plan your nutrient application rates?** | | | | | 2 | | | 4 | | | | | | 3 | | | | | 1 | | | 3 | | | | | | 1 |
| **16.3** | **Do you apply fertilizers and manures based on established or realistic crop yields from crop records and do you give appropriate credit for nutrients** from manure, cover crops, irrigation water, previous crops, or organic matter, as applicable, by using analysis or book values for these sources to plan nutrient application rates and timing? | | | | | 3 | | | 3 | | | | | | 4 | | 3 | | | 3 | | 3 | 3 | | | | | | 2 |
| **16.4** | **Select all that apply when you apply fertilizer or manure.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** incorporate (within 24 hours) or inject manure or fertilizer at least 2 inches deep. | -2 | | | | 3 | | -1 | 3 | -2 | | 1 | | -1 | 2 | | 2 | | 1 | 3 | | 4 | 1 | | | | 1 | | 1 |
| | **b)** precision agriculture techniques are used in the application of fertilizer and manure. | | | | | | | | 3 | 1 | | | | | 5 | | | | | 3 | | | 3 | | 2 | | 2 | | 2 |
| | **c)** apply on 80% residue cover or 80% crop canopy. | | | | | | | | 2 | | | | | | 5 | | | | | | | | 3 | | | | | | |
| **16.5** | **Select the answer that best describes when you apply the majority of nutrients.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** Most of the manure or fertilizer is applied **more than one month** prior to planting or **more than one month** prior to "greenup" of perennial crops. | | | | | 1 | | | -5 | | | | | | -3 | | -3 | | | -3 | | -3 | | | | | -3 | -3 | -3 |
| | **b)** Most of the manure or fertilizer is applied **within one month** prior to planting or **within one month** prior to "greenup" for perennial crops. | | | | | 1 | | | 2 | | | | | | 4 | | | | | 2 | | | 2 | | | | -1 | | |
| | **c)** Most of the manure or fertilizer is applied **after crop** emergence or **after annual growth begins** (greenup) for perennial crops. | | | | | 1 | | | 3 | | | | | | 4 | | | | | 3 | | | 3 | | | | | | 2 |
| | **d)** Most of the manure or fertilizer is applied as a **split application** (pre-plant & post plant), according to soil tests or crop growth stages. Application split must be at least 50% post emergence. | | | | | 1 | | | 4 | -1 | | | | | 5 | | | | | 3 | | 0 | 4 | | | | 2 | 1 | 0 |
| **Salinity, Sodicity, and Irrigation Management** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **17** | **Do you have any Salinity or Sodicity (alkaline soils or seeps) concerns on your cropland or hayland acres?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **17.1** | **Do you manage saline seeps by using high water use, salt tolerant crops or cropping pattern** to manage or minimize salinity in the soil, surface water, and/or ground water? | 4 | 4 | | | 3 | | 5 | | | | | | | | | | 5 | | | | | 4 | | | | | | |
| **17.2** | **Do you manage nutrient application (type and rate) and irrigation based on your soil and irrigation water properties for your saline or sodic soils?** | 4 | 4 | | | 3 | | 5 | 3 | | | | | | | | | 5 | | | | | 4 | | | | | | |
| **18** | **Do you irrigate cropland and/or hayland?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **18.1** | **Do you measure the amount of water you use to irrigate?** | 3 | 1 | | | | | 2 | | | 4 | 3 | 5 | 2 | | | | 2 | | | | | 1 | | | | | | 4 |
| **18.2** | **Do you schedule your irrigations with some form of soil moisture or evapotranspiration monitoring?** | 3 | 1 | | | | | 3 | | | 4 | 4 | 5 | 2 | | | | 2 | | | | | 1 | | | | | | 4 |
| **18.3** | **Has your irrigation system been tested to measure distribution uniformity and changes made, if needed, based on the results of the tests?** | 3 | 1 | | | | | 3 | | | 4 | 4 | 5 | 2 | | | | 2 | | | | | 3 | | | | | | 4 |

# 2010 Conservation Stewardship Program

| | Pastureland | Soil Erosion Concerns | | | | Soil Quality Functions | | | | | Water Quantity Concerns | | | Water Quality Concerns | | | | | Air Quality Concerns | | | | Plants | | Animal Concerns | | | | Energy Concerns |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | sheet, rill, wind, irrigation, | ephemeral, gully | streambank, shoreline* | road banks, construction sites* | organic matter depletion (habitat, compaction, water partitioning) | OM oxidation | salinity, other contaminants | nutrient cycling | compaction | excess water | insufficient water | inefficient use of irrigation water | sediment | nutrients | pesticides | pathogens | salinity | airborne soil particulates (PM) | greenhouse and ozone gases | chemical spray drift* | odors | quantity, diversity, health, vigor | declining populations-T&E species | Domestic Livestock-cover, food, and water | Terrestrial Wildlife-cover, food, connectivity, and water | Aquatic Wildlife-structure, food, water temperature | Declining populations-T&E species | energy conservation |
| 1 | **Do you have an adequate grazing and roughage supply to meet forage demands of livestock and wildlife?** | 5 | 4 | 4 | | 4 | | 2 | 3 | 2 | | 3 | | 3 | 3 | 2 | 3 | | 2 | 2 | | | 5 | 2 | 5 | 3 | | | |
| 2 | **SELECT ONE (a-c) Grazing Management level BELOW** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** Forages are grazed below established minimum grazing heights. | -3 | -2 | -2 | | -2 | | -2 | -2 | -1 | | -1 | | -2 | -1 | -1 | -1 | | | | | | -3 | | -2 | -2 | | -2 | |
| | **b)** Forages are grazed at or above established minimum grazing heights. Spot grazing occurs on 50% or more of the acres. | 4 | 5 | 5 | | 4 | | 2 | 2 | 2 | | 2 | | | | | | | | | | | 3 | | 3 | 4 | | 4 | |
| | **c)** Forages are grazed at or above established minimum grazing heights. Spot grazing occurs on less than 50% of the acres. | 5 | 5 | 5 | | 5 | | 3 | 4 | 4 | | 4 | | 1 | 1 | 1 | 1 | | | | | | 5 | | 5 | 3 | | 3 | |
| 3 | **From the choices below (a-d) select the one that best describes the mix of plants growing in your pasture. FROM STATE populated look up table** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** One dominant perennial forage species. | | | | | | | | | | | | | | | | | | | | | | | | | -2 | | -1 | |
| | **b)** Two or more dominant forage species all from one functional group. | | | | | 1 | | | 1 | | | 1 | | | | | | | | | | | 2 | | 2 | 2 | | 2 | |
| | **c)** Two or more dominant forage species representing two functional groups. | | | | | 2 | | | 2 | | | 1 | | | | | | | | | | | 3 | | 3 | 4 | | 3 | |
| | **d)** Three or more dominant forage species representing at least two functional groups with at least one being a legume. | | | | | 3 | | | 3 | | | 2 | | | | | | | | | | | 5 | | 5 | 5 | | 4 | |
| 4 | **From the choices below (a-d) select the one that best describes the mix of plants growing in your pasture. FROM STATE populated look up table** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** Pasture vegetation is composed of **species from List B.** | | | | | | | | | | | | | | | | | | | | | | | | | -3 | | -3 | |
| | **b)** Pasture vegetation is predominantly **species from List B** but **one or more species from List A** make up **at least 30%** of the stand. | | | | | | | | | | | | | | | | | | | | | | | | 1 | 1 | | 1 | |
| | **c)** Pasture vegetation is composed of **1 or 2 species from List A** that make up **at least 60**% of the stand. | | | | | | | | | | | | | | | | | | | | | | | | 2 | 3 | | 2 | |
| | **d)** Pasture vegetation is composed of **3 or more species from List A** that make up **at least 60%** of the stand. | | | | | | | | | | | | | | | | | | | | | | | | 3 | 5 | | 3 | |
| 5 | **Do you have any areas such as field borders, filter strips, buffers, odd areas, windbreaks, wetlands, brushy draws, hedgerows, seeps, shallow water areas, riparian areas, center pivot corners, CRP land, or other similar areas** that provide wildlife habitat within or adjacent to your pasture? You must own or control these areas. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 5.1 | **From the choices below (a-c) select the answer that best describes the plants growing on these areas within or adjacent to the pasture.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a) Less than 33%** of the vegetation is native or introduced species that provide food and cover for wildlife, pollinators, and/or beneficial insects. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **b) 33 – 67%** of the vegetation is native or introduced species that provide food and cover for wildlife, pollinators, and/or beneficial insects. | | | | | | | | | | | | | | | | | | | | | | 3 | | | 3 | | 3 | |
| | **c) More than 67%** of the vegetation is native or introduced species that provide food and cover for wildlife, pollinators, and/or beneficial insects. | | | | | | | | | | | | | | | | | | | | | | 5 | | | 5 | | 5 | |
| 5.2 | **From the choices below select the answer that best describes the AMOUNT of suitable wildlife habitat within or adjacent to the pasture.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** Habitat less than **1%** of the pasture. | | | | | | | | | | | | | | | | | | 1 | 1 | | | | | | -5 | | -5 | |
| | **b)** Habitat is between **1% and 5%** of the pasture. | | | | | | | | | | | | | | | | | | 1 | 1 | | | | | | 1 | 1 | 1 | |
| | **c)** Habitat is between **6% and 10%** of the pasture. | | | | | | | | | | | | | | | | | | 1 | 1 | | | | | | 3 | 2 | 3 | |
| | **d)** Habitat more than **10%** of the pasture. | | | | | | | | | | | | | | | | | | 2 | 2 | | | | | | 5 | 3 | 5 | |

# 2010 Conservation Stewardship Program

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **5.3** | **From the choices below (a-d) select the answer that best describes the WIDTH of wildlife habitat within or adjacent to the pasture** (must be at least 0.1 acre or more) | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a) less than 30 feet** wide | | | | | | | | | | | | | | | | | | 1 | 1 | | | | | | -5 | | -5 | |
| | **b) 30 to 75 feet** wide | | | | | | | | | | | | | | | | | | 1 | 1 | | | | | | 1 | 1 | 1 | |
| | **c) 76 to 120 feet** wide | | | | | | | | | | | | | | | | | | 1 | 1 | | | | | | 3 | 2 | 3 | |
| | **d) more than 120 feet** wide | | | | | | | | | | | | | | | | | | 2 | 2 | | | | | | 5 | 3 | 5 | |
| **5.4** | **How far is the wildlife habitat from the center of the pasture?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** Average distance from the center of the pasture to the habitat is **more than 1320 feet** | | | | | | | | | | | | | | | | | | | | | | | | | -2 | | -2 | |
| | **b)** Average distance from the center of the pasture to the habitat is **660 to 1320 feet** | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | |
| | **c)** Average distance from the center of the pasture to the habitat is **330 to 660 feet** | | | | | | | | | | | | | | | | | | | | | | | | | 3 | | 3 | |
| | **d)** Average distance from the center of the pasture to the habitat is less than **330 feet** | | | | | | | | | | | | | | | | | | | | | | | | | 5 | | 5 | |
| **Water Bodies, Erosion, & Runoff Information** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **6** | **Do you manage access roads, stock trails and other critical areas to limit surface water runoff and control accelerated soil erosion? Gully erosion is stabilized.** | 2 | 5 | | | | | | | | | | | 4 | 3 | | 2 | | 2 | | | | | | | | 3 | 2 | |
| **7** | **Are livestock concentration areas such as feeding, watering and mineral areas located away from water bodies or have buffers to protect the water bodies from unfiltered runoff? If there are no water bodies or water courses on or adjacent to your pastureland, select Yes.** | | | | | | | | | | | | | 3 | 3 | | 3 | | | | | | | | | | 3 | 3 | |
| **Pest Management Information** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **8** | **Do you apply any pesticides on your pastureland acres?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **8.1** | **Select the choice (a-c) below that best describes how you manage pests on your pasture.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** Pesticides are applied **without using an Integrated Pest Management (IPM) system**. | | | | | -1 | | -1 | | | | | | | | -5 | | | | -2 | -2 | | | | | -3 | -4 | -5 | |
| | **b) Some components of an IPM system are utilized,** such as using pest-free seeds and transplants, feeding hay without any noxious weed seeds, scheduling irrigation to avoid situations conducive to disease development, using pest-resistant varieties, spot spraying, individual plant treatment, banding, directed spraying, hand hoeing, select non-invasive forage species, pest scouting, and biological pest controls. | | | | | 0 | | | | | | | | | | 3 | | | | 2 | 2 | | 1 | | | 1 | 1 | 1 | 1 |
| | **c)** A **full IPM system is utilized** with scouting and economic thresholds to manage pests and reduce pest management environmental risk, utilizing pest suppression techniques (including pesticide applications) only after monitoring (including pest scouting) verifies that a pest population has reached an economic threshold. | | | | | 1 | | 1 | | | | | | | | 5 | | | | 5 | 5 | | 2 | | 1 | 4 | 4 | 3 | 2 |
| **8.2** | Do you use an **environmental risk screening tool (such as WIN-PST or similar)** to reduce pesticide risk to soil and water resources? | | | | | | | | | | | | | | | 5 | | | | 0 | 2 | | | | | 3 | 3 | 3 | |
| **Nutrient Management Information** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **9** | **Do you apply fertilizers or manure on your pastureland?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **9.1** | **Do you soil test on your pastureland fields at least once every 5 years** AND **do you use the test results to plan your nutrient application rates?** | | | | | 2 | | | 4 | | | | | | 3 | | | | | 1 | | | 3 | | | | | | 1 |
| **9.2** | **Do you apply fertilizers and manures based on established or realistic forage yields from forage records and do you give appropriate credit for nutrients** from manure, irrigation water, supplemental feed, or organic matter, as applicable, by using analysis or book values for these sources to plan nutrient application rates and timing? | | | | | 3 | | | 3 | | | | | | 4 | | 3 | | | 3 | | 3 | 4 | | | | | | 2 |
| **9.3** | **Select all that apply to your methods of application of fertilizer or manure.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** inject manure or fertilizer at least 2 inches deep | -2 | | | | 3 | | -1 | 3 | -2 | | 1 | | -1 | 2 | | 2 | | 1 | 3 | | 4 | 1 | 0 | | | 1 | | 1 |
| | **b)** precision agriculture techniques are used in the application of fertilizer and manure. | | | | | | | | 3 | 1 | | | | | 5 | | | | | 3 | | 0 | 3 | | 2 | | 2 | | 2 |
| | **c)** apply on 80% surface cover with at least the minimum grazing heights. | | | | | | | | 2 | | | | | | 5 | | | | | | | | 3 | | | | | | |

# 2010 Conservation Stewardship Program

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **9.4** | **From choices below (a-b) select the answer that best describes when you apply the majority of nutrients.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** Most of the fertilizer or manure is applied at the beginning of the growing season as a top-dress. | | | | | | | | | | | | | | 3 | | 1 | | | | | -2 | | | | | | | |
| | **b)** Most of the fertilizer or manure is split applied; usually an initial application of 50% or less at the start of the growing season and then applied as needed after one or more grazing events during the year except following the last one of the growing season. | | | | | | | | | | | | | | 4 | | 3 | | | 3 | | | | | | | | | |
| **Salinity, Sodicity, and Irrigation Management** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **10** | **Do you have any Salinity or Sodicity (alkaline soils or seeps) concerns on your pastureland?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **10.1** | **Do you manage saline seeps discharge areas to maintain and/or improve existing salt tolerant vegetation?** | | | | | | | | | | | | | | | | | 4 | | | | | | | | | | | |
| **10.2** | **Do you manage nutrient application (type and rate) and irrigation based on your soil and irrigation water properties for your saline or sodic soils?** | | | | | | | 2 | | | | | | | | | | 4 | | | | | | | | | | | |
| **11** | **Do you use irrigation on your pastureland?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **11.1** | **Do you measure the amount of water you use to irrigate?** | 1 | | | | | | | | | 3 | 2 | 4 | 1 | | | | 1 | | | | | 1 | | | | | | 1 |
| **11.2** | **Do you schedule your irrigations with some form of soil moisture or evapotranspiration monitoring?** | 1 | | | | | | | | | 3 | 3 | 4 | 1 | | | | 1 | | | | | 1 | | | | | | 1 |
| **11.3** | **Has your system been tested to measure distribution uniformity and changes made based on the results of the tests?** | 1 | | | | | | | | | 3 | 3 | 4 | 1 | | | | 1 | | | | | 3 | | | | | | 1 |

# 2010 Conservation Stewardship Program

| | Rangeland | Soil Erosion Concerns | | | | Soil Quality Functions | | | | | Water Quantity Concerns | | | Water Quality Concerns | | | | | Air Quality Concerns | | | | Plants | | Animal Concerns | | | | Energy Concerns |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | sheet, rill, wind, irrigation, | ephemeral, gully | streambank, shoreline* | road banks, construction sites* | organic matter depletion (habitat, compaction, water partitioning) | OM oxidation | salinity, other contaminants | nutrient cycling | compaction | excess water | insufficient water | inefficient use of irrigation water | sediment | nutrients | pesticides | pathogens | salinity | airborne soil particulates (PM) | greenhouse and ozone gases | chemical spray drift* | odors | quantity, diversity, health, vigor | declining populations-T&E species | Domestic Livestock-cover, food, and water | Terrestrial Wildlife-cover, food, connectivity, and water | Aquatic Wildlife-structure, food, water temperature | Declining populations-T&E species | energy conservation |
| 1 | **Do you have an adequate grazing and roughage supply to meet forage demands of livestock and wildlife?** | 5 | 4 | 4 | | 4 | | 2 | 3 | 2 | | 3 | | 3 | 1 | | 1 | | 2 | 1 | | | 5 | 2 | 5 | 4 | | 2 | |
| 2 | **CHOOSE ONE (a-d) Grazing Management level BELOW** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** Rangeland is heavily grazed (more than 65% use). | -3 | -2 | -2 | | -2 | | -2 | -2 | -2 | | -2 | | -2 | -1 | | -1 | | -1 | -1 | | | -3 | -2 | -3 | -3 | -3 | -3 | |
| | **b)** Stocking rates are managed to achieve proper forage utilization. Rangeland is moderately grazed (35-65% use) with even grazing distribution. | 4 | 2 | 3 | | 4 | | 2 | 3 | 4 | | 2 | | | | | | | 1 | 1 | | | 4 | 1 | 5 | 1 | 1 | 1 | |
| | **c)** Stocking rates are managed to achieve proper forage utilization. Rangeland is moderately grazed (35-65% use) with some ungrazed or lightly grazed patches. | 4 | 2 | 3 | | 4 | | 2 | 3 | 3 | | 2 | | 2 | 2 | | 2 | | 1 | 1 | | | 4 | 1 | 5 | 3 | 2 | 2 | |
| | **d)** Rangeland is lightly grazed (less than 35% use) with numerous ungrazed areas creating a patchy appearance. | 5 | 4 | 4 | | 5 | | 3 | 4 | 5 | | 3 | | 3 | 3 | | 3 | | 2 | 2 | | | 5 | 3 | 5 | 5 | 4 | 4 | |
| 3 | **From the choices below (a-d) select the one that best describes the mix of plants growing on your rangeland.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** Rangeland acres are predominantly occupied by non-native plant species. Native plants have mostly been replaced due to invasion, grazing pressure or seeding to non-native species. | | | | | | | | | | | | | | | | | | | | | | -3 | -3 | -1 | -3 | | -3 | |
| | **b)** Number and kinds of plant species represent less than 1/3 of the potential native plant community for the natural site. Plants that increase under grazing pressure (e.g., "increasers") are abundant. | | | | | | | | | | | | | | | | | | | | | | -1 | -1 | | -1 | | -1 | |
| | **c)** Number and kinds of plant species on site is between 1/3 and 2/3rds of the number and kinds of plants typically expected for the natural site. | | | | | | | | | | | | | | | | | | | | | | 3 | 3 | 3 | 3 | | 3 | |
| | **d)** Number and kinds of plant species onsite represent more than 2/3rds of the number/kinds of plant species typical of natural site conditions. Plants that decrease under grazing pressure (i.e., "decreasers") are still abundant. | | | | | | | | | | | | | | | | | | | | | | 5 | 5 | 5 | 5 | | 5 | |
| 4 | **Do you have watering facilities such as tanks, troughs, etc.?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **How many of your Watering Facilities** (tanks, troughs, etc.) provide safe access and escape for wildlife, provide water during the frost free parts of the year, and are free of hazards for aerial drinking wildlife (bats, swallows, etc.). | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** less than 25% | | | | | | | | | | | | | | | | | | | | | | | | | -2 | | -2 | |
| | **b)** 25 to 50% | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | |
| | **c)** 51 to 75% | | | | | | | | | | | | | | | | | | | | | | | | | 3 | | 3 | |
| | **d)** more than 75% | | | | | | | | | | | | | | | | | | | | | | | | | 4 | | 4 | |
| 5 | **Do you apply any brush management?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **From the choices below (a-c) select the answer that best describes how brush is managed on your rangeland. Noxious and/or invasive woody species such as Russian Olive and Saltceadar may be totally removed, if possible.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** Woody species are not managed for wildlife. There is an evident browse line; or, brush is totally eliminated with brush management measures. | | | | | | | | | | | | | | | | | | | | | | -1 | -1 | | -5 | -3 | -3 | |
| | **b)** Woody species are managed so that populations are only partially eliminated with brush management measures. There is absence of a browse line, although hedging on key browse plants may be observed. | | | | | | | | | | | | | | | | | | | | | | 1 | | | 1 | 2 | 1 | |
| | **c)** Woody species are managed so that populations are only partially eliminated with brush management measures. Brush management is done in patterns and amounts developed with wildlife considerations. | | | | | | | | | | | | | | | | | | | | | | 3 | | | 5 | 3 | 5 | |

# 2010 Conservation Stewardship Program

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 6 | **Do you have any fences constructed with considerations for wildlife species and their movements?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **How much of your fencing** meets state wildlife agency or NRCS standards with considerations for wildlife species and their movements? | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** less than 25% | | | | | | | | | | | | | | | | | | | | | | | | | -5 | | -5 | |
| | **b)** 25 to 50% | | | | | | | | | | | | | | | | | | | | | | | | | -1 | | -1 | |
| | **c)** 51 to 75% | | | | | | | | | | | | | | | | | | | | | | | | | 1 | | 1 | |
| | **d)** more than 75% | | | | | | | | | | | | | | | | | | | | | | | | | 5 | | 5 | |
| **Water Bodies, Erosion, & Runoff Information** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | **Do you manage access roads, stock trails and other critical areas to limit surface water runoff and control accelerated soil erosion? Gully erosion is stabilized.** | 2 | 5 | | | | | | | | | | | 4 | 3 | | 2 | | 2 | | | | | | | | 3 | 2 | |
| 8 | **Are livestock concentration areas such as feeding, watering and mineral areas are located away from water bodies and water courses or have buffers to protect the water bodies and water courses from unfiltered runoff? If there are no water bodies or water courses on or adjacent to your rangeland, select Yes.** | | | | | | | | | | | | | 3 | 3 | | 3 | | | | | | | | | | 3 | 3 | |
| **Pest Management Information** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9 | **Do you apply any pesticides on your rangeland acres?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 9.1 | **Select the choice (a-c) below that best describes how you manage pests on your rangeland.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** Pesticides are applied **without using any Integrated Pest Management (IPM) system.** | | | | -3 | | -3 | | | | | | | | | -5 | | | | -2 | -2 | | | | | | -1 | -1 | |
| | **b) Some components of an IPM system are utilized**, such as using pest-free seeds and transplants, feeding hay without any noxious weed seeds, spot spraying, individual plant treatment, banding, directed spraying, hand hoeing, using pest-resistant varieties, selecting non-invasive forage species, pest scouting, and biological pest controls. | | | | 1 | | 2 | | | | | | | | | 3 | | | | 2 | 2 | | 3 | | 1 | 2 | 2 | 2 | 1 |
| | **c)** A **full IPM system is utilized** with scouting and economic thresholds to manage pests and reduce pest management environmental risk, utilizing pest suppression techniques (including pesticide applications) only after monitoring (including pest scouting) verifies that a pest population has reached an economic threshold. | | | | 4 | | 5 | | | | | | | | | 5 | | | | 5 | 5 | | 5 | | 3 | 4 | 4 | 4 | 2 |
| 9.2 | Do you use an **environmental risk screening tool (such as WIN-PST or similar)** to reduce pesticide risk to soil and water resources? | | | | | | 3 | | | | | | | | | 5 | | | | | 2 | | | | | | | | |
| **Salinity and Sodicity Management** | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | **Do you have any Salinity or Sodicity (alkaline soils or seeps) concerns on your rangeland acres?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10.1 | **Do you manage saline seeps discharge areas to maintain and/or improve existing salt tolerant vegetation?** | | | | | | 1 | | | | | | | | | | | 4 | | | | | | | | | | | |

# 2010 Conservation Stewardship Program

| | Water | Soil Erosion Concerns | | | | Soil Quality Functions | | | | | Water Quantity Concerns | | | Water Quality Concerns | | | | | Air Quality Concerns | | | | Plants | | Animal Concerns | | | | Energy Concerns |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | sheet, rill, wind, irrigation, | ephemeral, gully | streambank, shoreline* | road banks, construction sites* | organic matter depletion (habitat, compaction, water partitioning) | OM oxidation | salinity, other contaminants | nutrient cycling | compaction | excess water | insufficient water | inefficient use of irrigation water | sediment | nutrients | pesticides | pathogens | salinity | airborne soil particulates (PM) | greenhouse and ozone gases | chemical spray drift* | odors | quantity, diversity, health, vigor | declining populations-T&E species | Domestic Livestock-cover, food, and water | Terrestrial Wildlife-cover, food, connectivity, and water | Aquatic Wildlife-structure, food, water temperature | Declining populations-T&E species | energy conservation |
| | **1. Do you have any WATER BODIES** (lakes, ponds or wetlands) **on or adjacent to your property?** Wetlands farmed under natural conditions or farmed wetlands do not fit under this category. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **2** | **Consider all the lakes/ponds/wetlands on your property. What percentage of the total boundary of these areas has at least a 33-foot wide zone of diverse vegetation that is native to the site or introduced species that have become naturalized between the edge of the waterbody and adjacent land? This could be an established filter strip or other riparian buffer.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | a) less than 25% | | | 1 | | | | | | | | | | 1 | 1 | 1 | 1 | | | | | | | | | -5 | -3 | | |
| | b) 25% to 50% | | | 3 | | | | | | | | | | 3 | 3 | 3 | 3 | | | | | | | | | | | | |
| | c) 51% to 75% | | | 4 | | | | | | | | | | 4 | 4 | 4 | 4 | | | | | | | | | 3 | 2 | | |
| | d) more than 75% | | | 5 | | | | | | | | | | 5 | 5 | 5 | 5 | | | | | | | | | 5 | 4 | | |
| **3** | **Does upland runoff (surface or groundwater) empty directly—without filtration through a vegetated buffer—into any of the lakes/ponds/wetlands on your property?** | | | | | | | | | | | | | -5 | -5 | -5 | -5 | | | | | | | | | | -3 | | |
| | **4. Do you have any WATER COURSES** (ditches, sinkholes, intermittent or perennial streams, or rivers) **on or adjacent to your property?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **5** | **Do you pump (directly or indirectly) or divert water from a river or stream? If "Yes", select appropriate choice below.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** Water withdrawal completely dewaters stream habitat. | | | | | | | | | | | | | | | | | | | | | | | | | -5 | -5 | -5 | |
| | **b)** Water withdrawal diminishes streamflow; diversions or pumps are unscreened (for aquatic animals). | | | | | | | | | | | | | | | | | | | | | | | | | -3 | -3 | -3 | |
| | **c)** Water withdrawal diminishes streamflow; diversions or pumps are screened (for aquatic animals). | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 2 | 2 | |
| **6** | **Do you have instream structures on your property, such as diversion dams, road crossings (bridges or culverts), low-water crossings, and pumping stations. If "YES", select appropriate choice below.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** Structure blocks aquatic organisms from passing upstream or downstream during all or part of the year. | | | | | | | | | | | | | | | | | | | | | | | | | -5 | -5 | -5 | |
| | **b)** Structure could block aquatic organisms from passing upstream or downstream part or all of the year. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **c)** Structure does not block aquatic organisms from passing upstream or downstream at any time of the year. | | | | | | | | | | | | | | | | | | | | | | | | | 5 | 5 | 5 | |
| **7** | **Considering all water courses on your property, select the choice that best describes 90% of their total length. These areas could be established filter strips or other riparian buffers.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** The water course has little or no vegetated riparian area. Agricultural activities take place adjacent to the streambank within the state specified minimum distance for a water quality buffer. | | | -5 | | | | | | | | | | -5 | -5 | -5 | -5 | | | | -1 | | -5 | | | -5 | -5 | -5 | |
| | **b)** The water course is well vegetated. The width of the vegetation meets state minimum buffer width for water quality protection. | | | 3 | | | | | | | | | | 3 | 3 | 3 | 3 | | | | 1 | | 2 | | | 2 | 3 | | |
| | **c)** The water course is well vegetated. The width exceeds state minimum buffer width for water quality protection AND is at least 33 feet wide or 2.5 times as wide as the stream channel (up to a maximum of 100' for large streams). | | | 5 | | | | | | | | | | 5 | 5 | 5 | 5 | | | | 2 | | 3 | | | 3 | 5 | 1 | |

# 2010 Conservation Stewardship Program

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **8** | **Consider all water courses on your property and select the choice below which best describes your situation. Select the condition that best describes the species composition for 90% of the total length of the water courses on your property.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** Existing vegetation is dominated by a single species and is primarily non-native and may include invasive species. | | | | | | | | | | | | | | | | | | | | | | -5 | -5 | | -5 | 1 | -2 | |
| | **b)** Existing vegetation is diverse and is primarily non-native to the site. Invasive species are not present. | | | | | | | | | | | | | | | | | | | | | | 2 | | | 2 | 3 | | |
| | **c)** Existing vegetation is diverse and is predominately native to the site. | | | | | | | | | | | | | | | | | | | | | | 5 | 4 | | 5 | 5 | 2 | |
| **9** | **Do you maintain a minimum setback of 33 feet or greater when applying manure or pesticides** from all intermittent streams/ditches, perennial streams, ponds/lakes, surface water inlets and open sink holes? Spot spraying within the setback is permitted according to the pesticide label. | | | | | | | | | | | | | 5 | 5 | 5 | | | | | | | | | | 3 | 3 | | |

# 2010 Conservation Stewardship Program

| | Forest Land | Soil Erosion Concerns | | | | Soil Quality Functions | | | | | Water Quantity Concerns | | | Water Quality Concerns | | | | | Air Quality Concerns | | | | Plants | | Animal Concerns | | | | Energy Concerns |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| | | sheet, rill, wind, irrigation, | ephemeral, gully | streambank, shoreline* | road banks, construction sites* | organic matter depletion (habitat, compaction, water partitioning) | OM oxidation | salinity, other contaminants | nutrient cycling | compaction | excess water | insufficient water | inefficient use of irrigation water | sediment | nutrients | pesticides | pathogens | salinity | airborne soil particulates (PM) | greenhouse and ozone gases | chemical spray drift* | odors | quantity, diversity, health, vigor | declining populations-T&E species | Domestic Livestock-cover, food, and water | Terrestrial Wildlife-cover, food, connectivity, and water | Aquatic Wildlife-structure, food, water temperature | Declining populations-T&E species | energy conservation |
| 1 | **Select one of the following descriptions that best represents the majority of your forest land.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | a) A plantation consisting predominantly of one tree species with little or no understory. | 2 | 2 | | | 3 | | | 3 | -1 | | 2 | | 2 | | | | | 4 | 5 | | | 2 | -2 | | -4 | | -4 | |
| | b) A plantation consisting predominantly of one tree species, but has a variety of shrubs and/or grasses and forbs in the understory. | 4 | 4 | | | 4 | | | 4 | -1 | | 4 | | 4 | | | | | 4 | 5 | | | 4 | -1 | | 2 | | 2 | |
| | c) A forest consisting of tree species which naturally occur on the site. Trees are mostly even-aged, generally uniform in height, with little understory vegetation. | 1 | 1 | | | 3 | | | 3 | 1 | | 2 | | 1 | | | | | 4 | 5 | | | 3 | | | 1 | | 1 | |
| | d) A forest consisting of multiple tree species which naturally occur on the site (certain sites may naturally have only one tree species). Trees are uneven-aged (or occur in uneven-aged groups), with an array of tree heights, with little understory vegetation. The forest is actively managed to retain standing dead trees and large downed trees and limbs. | 3 | 3 | | | 4 | | | 4 | 2 | | 4 | | 3 | | | | | 4 | 5 | | | 4 | 1 | | 3 | | 3 | |
| | e) A forest consisting of multiple tree species which naturally occur on the site (certain sites may naturally have only one tree species). Trees are uneven-aged (or occur in uneven-aged groups) with an array of tree heights, and an understory shrub and or forb layer. The forest is actively managed to retain standing dead trees and downed large trees and limbs are abundant. The dead trees and debris are actively managed for wildlife habitat. | 5 | 5 | | | 5 | | | 5 | 3 | | 5 | | 5 | | | | | 5 | 5 | | | 5 | 5 | | 5 | | 5 | |
| 2 | **Has a thinning or improvement harvest been completed recently (past 10 years) on your forest land?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 2.1 | **From the choices below (a-c) select the answer that best describes the thinning or improvement harvesting.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | a) Thinning or improvement harvesting completed on <10% of forest land. | | | | | | | | | | | | | | | | | | | | | | 3 | | | 1 | | | |
| | b) Thinning or improvement harvesting completed on 10-25% of forest land. | | | | | | | | | -1 | | | | | | | | | | 1 | | | 4 | | | 2 | | 1 | |
| | c)Thinning or improvement harvesting completed on >25% of forest land. | | | | | | | | | -2 | | | | | | | | | | 2 | | | 5 | | | 3 | | 2 | |
| 2.2 | **For the forest trails, landings (areas where logs are stacked for loading) and roads used during thinning or harvest activities: SELECT ANY OF THE FOLLOWING THAT APPLY.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | a) Designated skid trails for logging/forest product removal were used to limit disturbance and compaction. | 1 | 1 | | | | | | | 2 | | | | 2 | | | | | | | | | | | | | | | 2 |
| | b) Water bars, culverts and/or rolling dips have been installed on roads and safely outletted. | 3 | 3 | | 3 | | | | | | 3 | | | 4 | | | | | | | | | | | | | | | |
| | c) Forest trails, landings and cut- and fill-slopes of roads are seeded following tree harvest. | 5 | 3 | | 3 | 2 | | | 1 | 1 | | | | 4 | | | | | 1 | | | | | | | 1 | | | |
| | d) During heavy use periods dust was controlled through the use of water, wood chips, rock surfacing or paving. | | | | | | | | | | | | | | | | | | 4 | | | | | | | | | | |
| 2.3 | **During the thinning or harvest, did you use practices to protect riparian areas such as riparian setbacks, minimum equipment activity in streams and riparian zones and low impact stream crossings when working near streams or watercourses?** | | 3 | 5 | | | | | | 2 | | | | 4 | | | | | | | | | 3 | | | 2 | 5 | 2 | |

# 2010 Conservation Stewardship Program

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| 3 | **Have you reforested suitable tree growing areas?** | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **From the choices below (a-c) select the answer that best describes the site preparation activities for tree planting or natural regeneration.** | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | a) Where a timber harvest has occurred, site preparation activities created bare mineral soil and removed slash on less than 10% of the land in the reforested unit. If tree planting took place on abandoned cropland or grassland little or no site preparation was done. | | | | | | | | | -1 | | | | | | | | | | | | | | | | | | 2 |
| | b) Where a timber harvest has occurred, site preparation activities created bare mineral soil and removed slash on 10-25% of the land in the reforested unit. If tree planting took place on abandoned cropland or grassland, a moderate level of site preparation was applied (mechanical and/or chemical destruction of existing vegetation). | -1 | -1 | | | -1 | | | -1 | -2 | | | | -1 | | -1 | | | -1 | | | | | | | -1 | | | 1 |
| | c) Where a timber harvest has occurred, site preparation activities created bare mineral soil and removed slash on more than 25% of the land in the reforested unit. If tree planting took place on abandoned cropland or grassland, heavy site preparation was applied (mechanical and/or chemical destruction of existing vegetation). | -2 | -2 | | | -2 | | | -2 | -3 | | | | -2 | | -2 | | | -2 | | | | | | | -2 | | | |
| 4 | **Do you control the access to your forest by people, vehicles, or livestock?** | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **From the choices below (a-c) select the answer that best describes the majority of your forest land.** | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | a) I monitor and control who and what comes on to my property. | 1 | 1 | | 1 | | | | | | | | | 1 | | | | | 1 | | | | 1 | 1 | | 1 | | 2 | |
| | b) I monitor, control and have my property posted. | 2 | 2 | | 2 | | | | | | | | | 2 | | | | | 2 | | | | 2 | 2 | | 2 | | 2 | |
| | c) I monitor and have my property posted, access points are fenced, gated. | 3 | 3 | | 3 | | | | | | | | | 3 | | | | | 3 | | | | 3 | 3 | | 2 | | 2 | |
| 5 | **Select any of the following measures (a-d) you have taken to reduce wildfire risks to your forest?** | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | a) There are access roads to all parts of the property suitable for pumper trucks and other fire vehicles. | -1 | -1 | | -2 | | | | | -2 | | | | -1 | | | | | | 3 | | | 3 | | | -2 | 2 | -2 | |
| | b) There are strategically located firebreaks. | -1 | -1 | | | | | | | -2 | | | | -1 | | | | | | 5 | | | 3 | | | 3 | 3 | 3 | |
| | c) There are strategically located fuelbreaks. | | | | | | | | | | | | | | | | | | | 3 | | | 3 | | | 3 | 3 | 3 | |
| | d) During the fire season water sources are available, clearly identified and accessible. | | | | | | | | | | | | | | | | | | | 3 | | | 3 | | | 3 | 3 | 3 | |
| **6. Do you have any WATER BODIES (lakes, ponds or wetlands) on or adjacent to your forest land?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 7 | **What percentage of the total boundary of these areas has at least a 33-foot wide zone of diverse vegetation that is native to the site or introduced species that have become naturalized between the edge of the waterbody and adjacent land?** | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | a) less than 25% | | | 1 | | | | | | | | | | 1 | 1 | | | | | | | | | | | -5 | -3 | | |
| | b) 26% but less than 50% | | | 3 | | | | | | | | | | 3 | 3 | | | | | | | | | | | | | | |
| | c) 50% - 75% | | | 4 | | | | | | | | | | 4 | 4 | | | | | | | | | | | 3 | 2 | | |
| | d) more than 75% | | | 5 | | | | | | | | | | 5 | 5 | | | | | | | | | | | 5 | 4 | | |
| 8 | **Does upland runoff (surface or groundwater) empty directly—without filtration through a vegetated buffer—into any of the lakes/ponds/wetlands on your forest land?** | | | | | | | | | | | | | -5 | -5 | | | | | | | | | | | | -5 | -2 | |
| **9. Do you have any WATER COURSES (ditches, intermittent or perennial streams, or rivers) on or adjacent to your forest land?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| 10 | **Do you pump (directly or indirectly) or divert water from a river or stream? If "Yes", select appropriate choice below.** | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | a) Water withdrawal completely dewaters stream habitat. | | | | | | | | | | | | | | | | | | | | | | | | | -5 | -5 | -5 | |
| | b) Water withdrawal diminishes streamflow; diversions or pumps are unscreened (for aquatic animals). | | | | | | | | | | | | | | | | | | | | | | | | | -3 | -3 | -3 | |
| | c) Water withdrawal diminishes streamflow; diversions or pumps are screened (for aquatic animals). | | | | | | | | | | | | | | | | | | | | | | | | | 3 | 2 | 2 | |

# 2010 Conservation Stewardship Program

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **11** | **Do you have instream structures on your property, such as diversion dams, road crossings (bridges or culverts), low-water crossings, and pumping stations. If "Yes", select appropriate choice below.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | a) Structure blocks aquatic organisms from passing upstream or downstream during all or part of the year. | | | | | | | | | | | | | | | | | | | | | | | | | -5 | -5 | -5 | |
| | b) Structure could block aquatic organisms from passing upstream or downstream part or all of the year. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | c) Structure does not block aquatic organisms from passing upstream or downstream at any time of the year. | | | | | | | | | | | | | | | | | | | | | | | | | 5 | 5 | 5 | |
| **12** | **Consider all streams and rivers on your forest land and select the choice below which best describes your situation. Select the condition that best describes 90% of the total length of the streams/rivers on your forest land.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** Natural vegetation sparse or absent along waterways. | | | -3 | | | | | | | | | | -3 | -2 | | | | | | | | | | | -5 | -5 | -5 | |
| | **b)** Natural vegetation is present along waterway but is not at least 33 feet wide or 2.5 times as wide as the stream channel. | | | 2 | | | | | | | | | | 2 | 2 | | | | | | | | | | | 1 | | | |
| | **c)** Natural vegetation is present along all margins of waterways capable of supporting vegetation AND is at least 33 feet wide or 2.5 times as wide as the stream channel. | | | 5 | | | | | | | | | | 5 | 5 | | | | | | | | | | | 5 | 3 | 3 | |
| **13** | **Consider all streams and rivers on your forest land. Select the choice below which best describes the condition of vegetation along 90% the streams or rivers on your forest land.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | **a)** Little or no natural vegetation on the majority of streambanks because of unmanaged livestock grazing, motorized vehicle access or other usage. | | | -5 | | | | | | | | | | -5 | -5 | | | | | | | | -3 | | | -5 | -5 | -5 | |
| | **b)** Natural vegetation is present, but species and age distribution is limited on at least 50% of the streambanks because of unmanaged livestock grazing, motorized vehicle access or other usage. | | | 1 | | | | | | | | | | 1 | 1 | | | | | | | | 1 | | | 1 | 1 | 1 | |
| | **c)** Natural vegetation is present with good species and age diversity because livestock and motorized vehicle access to all (100%) streambanks are managed and limited according to acceptable guidelines. | | | 5 | | | | | | | | | | 5 | 5 | | | | | | | | 4 | | | 4 | 3 | 3 | |
| **14** | **Is your forest grazed by livestock?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **14.1** | **Select the answer below that best describes how grazing is managed?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | a) Livestock usage is heavy and livestock have free access onto forest land with little or no attempt to manage grazing distribution. | -4 | -4 | | | -1 | | | -1 | -3 | | | | -4 | -2 | | -2 | | | -1 | | | -4 | -5 | -3 | -4 | | -4 | |
| | b ) Livestock usage is moderate to heavy but livestock are actively managed to control grazing distribution. | -1 | -1 | | | | | | | -2 | | | | -1 | -1 | | -1 | | | | | | -1 | -1 | 1 | | | | |
| | c) Grazing does not exceed forage production on any portion of the land. Livestock are managed to rest individual grazing units as needed to maintain optimal forage production. | 3 | 3 | | | 3 | | | 2 | | | | | 3 | 2 | | | | | | | | 2 | 2 | 4 | 2 | | 2 | |
| **15** | **Are you aware of any invasive or noxious non-native species occurring on your forest land?** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| **15.1** | **From the choices below (a-c) select the answer that best describes your invasive or noxious non-native species management.** | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | a) Invasive or noxious non-native species have been identified. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | b) Invasive or noxious non-native species have been identified and are being monitored to check extent and if they are spreading. | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | c) Invasive or noxious non-native species have been identified, control actions have been taken and monitoring continues. | | | | | | | | | | | | | | | | | | | | | | 3 | 1 | | 3 | | 3 | |

# 2010 Conservation Stewardship Program

| | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **16** | **Select one of the following answers that describes how pests are controlled on your forest land.** | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | a) Pesticides are applied without using an Integrated Pest Management (IPM) system. | | | | | | | | | | | | | | | -5 | | | | -2 | -2 | | | | | | | |
| | b) A full Integrated Pest Management system is not yet implemented, but one or more IPM management techniques that are appropriate for the site are utilized on a regular basis, such as: avoiding pests by timing of forest harvesting and controlling slash, reducing forest stocking to optimize tree health and pest resistance, favoring pest-resistant forest overstory and understory species, improving habitat for pest predators, using pest-free seeds and transplants, spot spraying, individual plant treatment, banding, directed spraying, hand hoeing, pest scouting, and biological pest controls. | | | | | | | | | | | | | | 3 | | | | 2 | 2 | | 3 | | | | | | |
| | c) A basic Integrated Pest Management (IPM) system is utilized with scouting and economic thresholds to manage pests and reduce pest management environmental risk, utilizing pest suppression techniques (including pesticide applications) only after monitoring (including pest scouting) verifies that a pest population has reached an economic threshold. | | | | | | | | | | | | | | 5 | | | | 5 | 5 | | 5 | | | | | | |