

## Agricultural Evaluation Worksheet

Merrimack-Belknap Soil Survey Update

*Advance Copy - Subject to Change*

Date of Download: 3/24/2006

<u>Map Unit Symbol</u>	<u>Map Unit Name</u>	<u>Farmland Class</u>	<u>NH SPI</u>	<u>Map Unit Acres</u>	<u>Accum. Acres</u>	<u>Accum. Acres %</u>
1	Occum fine sandy loam, frequently flooded	Prime farmland if protected from flooding or not frequently flooded during the growing season	100	588	588	0.06
401	Occum fine sandy loam, occasionally flooded	All areas are prime farmland	100	536	1124	0.12
24A	Agawam very fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	100	300	1424	0.16
24B	Agawam very fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	97.5	333	1757	0.19
101	Ondawa fine sandy loam, frequently flooded	Prime farmland if protected from flooding or not frequently flooded during the growing season	96.5	977	2734	0.30
201	Ondawa fine sandy loam, occasionally flooded	All areas are prime farmland	96.5	973	3707	0.41
27A	Groveton very fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	96.5	225	3932	0.43
27B	Groveton very fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	94	113	4045	0.44
42B	Canton fine sandy loam, 3 to 8 percent slopes	Farmland of statewide importance	93	112	4157	0.46
44B	Montauk fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	93	170	4327	0.47
66B	Paxton fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	93	909	5236	0.57
142B	Monadnock gravelly fine sandy loam, 3 to 8 percent slopes	Farmland of statewide importance	89.5	97	5333	0.58
166B	Marlow variant fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	89.5	4661	9994	1.10
442B	Monadnock variant gravelly fine sandy loam, 3 to 8 percent slopes	Farmland of statewide importance	89.5	164	10158	1.11
46B	Henniker fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	89.5	983	11141	1.22
56B	Becket fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	89.5	432	11573	1.27
76B	Marlow fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	89.5	998	12571	1.38
513A	Ninigret fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	89	363	12934	1.42
513B	Ninigret fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	86.5	168	13102	1.44
28A	Madawaska fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	85.5	644	13746	1.51
4	Pootatuck fine sandy loam, occasionally flooded	Prime farmland if protected from flooding or not frequently flooded during the growing season	85	987	14733	1.61
532B	Belgrade very fine sandy loam, 0 to 5 percent slopes	All areas are prime farmland	85	215	14948	1.64
104	Podunk fine sandy loam, frequently flooded	Prime farmland if protected from flooding or not frequently flooded during the growing season	81.5	3579	18527	2.03
5	Rippowam fine sandy loam, frequently flooded	Not prime farmland	81	992	19519	2.14
446B	Scituate-Newfields complex, 3 to 8 percent slopes	All areas are prime farmland	78	603	20122	2.20

## Agricultural Evaluation Worksheet

Merrimack-Belknap Soil Survey Update

*Advance Copy - Subject to Change*

Date of Download: 3/24/2006

<u>Map Unit</u> <u>Symbol</u>	<u>Map Unit Name</u>	<u>Farmland Class</u>	<u>NH SPI</u>	<u>Map Unit</u> <u>Acres</u>	<u>Accum.</u> <u>Acres</u>	<u>Accum.</u> <u>Acres %</u>
105	Rumney fine sandy loam, frequently flooded	Not prime farmland	77.5	3846	23968	2.63
43B	Canton fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	77	1345	25313	2.77
44C	Montauk fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	77	125	25438	2.79
45B	Montauk fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	77	1933	27371	3.00
66C	Paxton fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	77	991	28362	3.11
67B	Paxton fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	77	961	29323	3.21
458B	Metacomet fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	74.5	1332	30655	3.36
558B	Skerry fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	74.5	924	31579	3.46
142C	Monadnock gravelly fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	73.5	677	32256	3.53
143B	Monadnock gravelly fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	73.5	1153	33409	3.66
166C	Marlow variant fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	73.5	4404	37813	4.14
167B	Marlow variant fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	73.5	2832	40645	4.45
226B	Bice fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	73.5	113	40758	4.47
442C	Monadnock variant gravelly fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	73.5	379	41137	4.51
443B	Monadnock variant gravelly fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	73.5	1635	42772	4.69
46C	Henniker fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	73.5	1427	44199	4.84
47B	Henniker fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	73.5	1666	45865	5.03
56C	Becket fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	73.5	697	46562	5.10
57B	Becket fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	73.5	1472	48034	5.26
73B	Berkshire fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	73.5	16	48050	5.27
76C	Marlow fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	73.5	1424	49474	5.42
77B	Marlow fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	73.5	1129	50603	5.54
29B	Woodbridge fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	71.5	1987	52590	5.76
27C	Groveton very fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	71	198	52788	5.78
313	Deerfield fine sandy loam, 0 to 5 percent slopes	Farmland of statewide importance	69.5	2355	55143	6.04
378A	Dixfield fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	69	21	55164	6.04
478A	Dixfield variant fine sandy loam, 0 to 3 percent slopes	All areas are prime farmland	69	120	55284	6.06
378B	Dixfield fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	67.5	2743	58027	6.36
478B	Dixfield variant fine sandy loam, 3 to 8 percent slopes	All areas are prime farmland	67.5	7797	65824	7.21
532C	Belgrade very fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	67.5	80	65904	7.22

## Agricultural Evaluation Worksheet

Merrimack-Belknap Soil Survey Update

*Advance Copy - Subject to Change*

Date of Download: 3/24/2006

<u>Map Unit</u> <u>Symbol</u>	<u>Map Unit Name</u>	<u>Farmland Class</u>	<u>NH SPI</u>	<u>Map Unit</u> <u>Acres</u>	<u>Accum.</u> <u>Acres</u>	<u>Accum.</u> <u>Acres %</u>
533	Raynham silt loam	Not prime farmland	67	554	66458	7.28
538A	Squamscott fine sandy loam, 0 to 5 percent slopes	Not prime farmland	67	90	66548	7.29
613	Croghan fine sandy loam, 0 to 5 percent slopes	Farmland of statewide importance	66	15599	82147	9.00
2	Suncook loamy sand, occasionally flooded	Not prime farmland	63.5	876	83023	9.10
26A	Windsor loamy fine sand, 0 to 3 percent slopes	Farmland of local importance	63.5	1390	84413	9.25
333B	Roundabout very fine sandy loam, 0 to 5 percent slopes	Not prime farmland	63.5	51	84464	9.26
12B	Hinckley gravelly fine sandy loam, 3 to 8 percent slopes	Farmland of local importance	62	1118	85582	9.38
26B	Windsor loamy fine sand, 3 to 8 percent slopes	Farmland of local importance	62	5863	91445	10.02
447B	Scituate-Newfields complex, 3 to 8 percent slopes, very stony	Farmland of local importance	62	9594	101039	11.07
314A	Pipestone sand, 0 to 5 percent slopes	Not prime farmland	61.5	1733	102772	11.26
43C	Canton fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	61	2607	105379	11.55
45C	Montauk fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	61	4804	110183	12.07
67C	Paxton fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	61	2412	112595	12.34
102	Sunday loamy sand, occasionally flooded	Not prime farmland	60	1005	113600	12.45
220A	Boscawen fine sandy loam, 0 to 3 percent slopes	Farmland of local importance	60	388	113988	12.49
22A	Colton loamy fine sand, 0 to 3 percent slopes	Farmland of local importance	60	456	114444	12.54
35A	Champlain loamy fine sand, 0 to 3 percent slopes	Farmland of local importance	60	4554	118998	13.04
36A	Adams loamy sand, 0 to 3 percent slopes	Farmland of local importance	60	769	119767	13.12
459A	Metacomet fine sandy loam, 0 to 3 percent slopes, very stony	Farmland of local importance	60	70	119837	13.13
559A	Skerry fine sandy loam, 0 to 3 percent slopes, very stony	Farmland of local importance	60	71	119908	13.14
169B	Sunapee fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	58.5	2614	122522	13.43
220B	Boscawen fine sandy loam, 3 to 8 percent slopes	Farmland of local importance	58.5	1751	124273	13.62
22B	Colton loamy fine sand, 3 to 8 percent slopes	Farmland of local importance	58.5	2821	127094	13.93
269B	Sunapee variant fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	58.5	4353	131447	14.40
35B	Champlain loamy fine sand, 3 to 8 percent slopes	Farmland of local importance	58.5	10964	142411	15.60
36B	Adams loamy sand, 3 to 8 percent slopes	Farmland of local importance	58.5	2402	144813	15.87
458C	Metacomet fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	58.5	233	145046	15.89
459B	Metacomet fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	58.5	14304	159350	17.46
558C	Skerry fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	58.5	92	159442	17.47
559B	Skerry fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	58.5	11293	170735	18.71
214A	Naumburg sand, 0 to 5 percent slopes	Not prime farmland	58	9512	180247	19.75
143C	Monadnock gravelly fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	57.5	4986	185233	20.30

## Agricultural Evaluation Worksheet

Merrimack-Belknap Soil Survey Update

*Advance Copy - Subject to Change*

Date of Download: 3/24/2006

<u>Map Unit</u> <u>Symbol</u>	<u>Map Unit Name</u>	<u>Farmland Class</u>	<u>NH SPI</u>	<u>Map Unit</u> <u>Acres</u>	<u>Accum.</u> <u>Acres</u>	<u>Accum.</u> <u>Acres %</u>
167C	Marlow variant fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	57.5	9642	194875	21.35
226C	Bice fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	57.5	142	195017	21.37
443C	Monadnock variant gravelly fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	57.5	4235	199252	21.83
47C	Henniker fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	57.5	5658	204910	22.45
57C	Becket fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	57.5	9064	213974	23.45
73C	Berkshire fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	57.5	58	214032	23.45
77C	Marlow fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	57.5	8408	222440	24.37
129B	Woodbridge fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	55	1967	224407	24.59
180B	Windsor-Hollis complex, 3 to 8 percent slopes	Farmland of local importance	54	734	225141	24.67
379A	Dixfield fine sandy loam, 0 to 3 percent slopes, very stony	Farmland of local importance	53	11	225152	24.67
479A	Dixfield variant fine sandy loam, 0 to 3 percent slopes, very stony	Farmland of local importance	53	518	225670	24.73
250B	Chatfield-Hollis-Montauk complex, 3 to 8 percent slopes, very stony	Farmland of local importance	51.5	7632	233302	25.56
378C	Dixfield fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	51.5	1253	234555	25.70
379B	Dixfield fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	51.5	5456	240011	26.30
478C	Dixfield variant fine sandy loam, 8 to 15 percent slopes	Farmland of statewide importance	51.5	3044	243055	26.63
479B	Dixfield variant fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	51.5	11483	254538	27.89
190B	Adams-Lyman complex, 3 to 8 percent slopes	Farmland of local importance	50.5	439	254977	27.94
290B	Champlain-Woodstock complex, 3 to 8 percent slopes	Farmland of local importance	50.5	1700	256677	28.13
162B	Canaan-Berkshire fine sandy loam, 3 to 8 percent slopes, very stony	Not prime farmland	50	83	256760	28.13
380B	Tunbridge-Lyman-Becket complex, 3 to 8 percent slopes, very stony	Farmland of local importance	46.5	11808	268568	29.43
480B	Millsite-Woodstock-Henniker complex, 3 to 8 percent slopes, very stony	Farmland of local importance	46.5	19101	287669	31.52
12C	Hinckley gravelly fine sandy loam, 8 to 15 percent slopes	Farmland of local importance	46	1774	289443	31.72
26C	Windsor loamy fine sand, 8 to 15 percent slopes	Farmland of local importance	46	2832	292275	32.03
447C	Scituate-Newfields complex, 8 to 15 percent slopes, very stony	Farmland of local importance	46	5703	297978	32.65

## Agricultural Evaluation Worksheet

Merrimack-Belknap Soil Survey Update

*Advance Copy - Subject to Change*

Date of Download: 3/24/2006

<u>Map Unit</u> <u>Symbol</u>	<u>Map Unit Name</u>	<u>Farmland Class</u>	<u>NH SPI</u>	<u>Map Unit</u> <u>Acres</u>	<u>Accum.</u> <u>Acres</u>	<u>Accum.</u> <u>Acres %</u>
657A	Ridgebury fine sandy loam, 0 to 3 percent slopes, very stony	Not prime farmland	45.5	736	298714	32.73
657B	Ridgebury fine sandy loam, 3 to 8 percent slopes, very stony	Not prime farmland	44	5706	304420	33.36
27D	Groveton very fine sandy loam, 15 to 25 percent slopes	Farmland of local importance	43.5	54	304474	33.36
169C	Sunapee fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	42.5	1782	306256	33.56
220C	Boscawen fine sandy loam, 8 to 15 percent slopes	Farmland of local importance	42.5	2713	308969	33.86
22C	Colton loamy fine sand, 8 to 15 percent slopes	Farmland of local importance	42.5	3780	312749	34.27
269C	Sunapee variant fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	42.5	2543	315292	34.55
35C	Champlain loamy fine sand, 8 to 15 percent slopes	Farmland of local importance	42.5	4560	319852	35.05
36C	Adams loamy sand, 8 to 15 percent slopes	Farmland of local importance	42.5	2809	322661	35.36
459C	Metacomet fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	42.5	9596	332257	36.41
559C	Skerry fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	42.5	12777	345034	37.81
647A	Pillsbury fine sandy loam, 0 to 3 percent slopes, very stony	Not prime farmland	42	3887	348921	38.23
166D	Marlow variant fine sandy loam, 15 to 25 percent slopes	Farmland of local importance	41.5	1297	350218	38.38
46D	Henniker fine sandy loam, 15 to 25 percent slopes	Farmland of local importance	41.5	202	350420	38.40
56D	Becket fine sandy loam, 15 to 25 percent slopes	Farmland of local importance	41.5	71	350491	38.41
66D	Paxton fine sandy loam, 15 to 25 percent slopes	Farmland of local importance	41.5	334	350825	38.44
76D	Marlow fine sandy loam, 15 to 25 percent slopes	Farmland of local importance	41.5	280	351105	38.47
111B	Gloucester sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	40.5	565	351670	38.53
647B	Pillsbury fine sandy loam, 3 to 8 percent slopes, very stony	Not prime farmland	40.5	24680	376350	41.24
129C	Woodbridge fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	39	2721	379071	41.54
180C	Windsor-Hollis complex, 8 to 15 percent slopes	Farmland of local importance	38	1771	380842	41.73
250C	Chatfield-Hollis-Montauk complex, 8 to 15 percent slopes, very stony	Farmland of local importance	38	23501	404343	44.31
245B	Hermon variant fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	37	526	404869	44.36
55B	Hermon fine sandy loam, 3 to 8 percent slopes, very stony	Farmland of local importance	37	452	405321	44.41
379C	Dixfield fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	35.5	9610	414931	45.47
479C	Dixfield variant fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	35.5	8256	423187	46.37
162C	Canaan-Berkshire fine sandy loam, 8 to 15 percent slopes, very stony	Not prime farmland	35	330	423517	46.41

## Agricultural Evaluation Worksheet

Merrimack-Belknap Soil Survey Update

*Advance Copy - Subject to Change*

Date of Download: 3/24/2006

<u>Map Unit</u> <u>Symbol</u>	<u>Map Unit Name</u>	<u>Farmland Class</u>	<u>NH SPI</u>	<u>Map Unit</u> <u>Acres</u>	<u>Accum.</u> <u>Acres</u>	<u>Accum.</u> <u>Acres %</u>
190C	Adams-Lyman complex, 8 to 15 percent slopes	Farmland of local importance	35	895	424412	46.51
290C	Champlain-Woodstock complex, 8 to 15 percent slopes	Farmland of local importance	35	5246	429658	47.08
347A	Lyme and Moosilauke soils, 0 to 3 percent slopes, very stony	Not prime farmland	34.5	1680	431338	47.26
380C	Tunbridge-Lyman-Becket complex, 8 to 15 percent slopes, very stony	Farmland of local importance	34.5	55688	487026	53.37
480C	Millsite-Woodstock-Henniker complex, 8 to 15 percent slopes, very stony	Farmland of local importance	34.5	44665	531691	58.26
143D	Monadnock gravelly fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5	4632	536323	58.77
167D	Marlow variant fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5	8082	544405	59.65
226D	Bice fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5	42	544447	59.66
43D	Canton fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5	1089	545536	59.78
443D	Monadnock variant gravelly fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5	2062	547598	60.00
45D	Montauk fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5	2192	549790	60.24
47D	Henniker fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5	2883	552673	60.56
57D	Becket fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5	5931	558604	61.21
67D	Paxton fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5	2757	561361	61.51
73D	Berkshire fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5	260	561621	61.54
77D	Marlow fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	33.5	8615	570236	62.48
347B	Lyme and Moosilauke soils, 3 to 8 percent slopes, very stony	Not prime farmland	32	16691	586927	64.31
250D	Chatfield-Hollis-Montauk complex, 15 to 35 percent slopes, very stony	Not prime farmland	26.5	14545	601472	65.91
180D	Windsor-Hollis complex, 15 to 35 percent slopes	Not prime farmland	26	591	602063	65.97
459D	Metacomet fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	25	439	602502	66.02
559D	Skerry fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	25	2154	604656	66.26
111C	Gloucester sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	24.5	873	605529	66.35
162D	Canaan-Berkshire fine sandy loam, 15 to 35 percent slopes, very stony	Not prime farmland	24.5	60	605589	66.36
245C	Hermon variant fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	23	1695	607284	66.54

## Agricultural Evaluation Worksheet

Merrimack-Belknap Soil Survey Update

*Advance Copy - Subject to Change*

Date of Download: 3/24/2006

<u>Map Unit</u> <u>Symbol</u>	<u>Map Unit Name</u>	<u>Farmland Class</u>	<u>NH SPI</u>	<u>Map Unit</u> <u>Acres</u>	<u>Accum.</u> <u>Acres</u>	<u>Accum.</u> <u>Acres %</u>
547A	Walpole very fine sandy loam, 0 to 3 percent slopes, very stony	Not prime farmland	23	282	607566	66.57
55C	Hermon fine sandy loam, 8 to 15 percent slopes, very stony	Farmland of local importance	23	2310	609876	66.83
190D	Adams-Lyman complex, 15 to 35 percent slopes	Not prime farmland	22.5	647	610523	66.90
290D	Champlain-Woodstock complex, 15 to 35 percent slopes	Not prime farmland	22.5	2351	612874	67.16
380D	Tunbridge-Lyman-Becket complex, 15 to 25 percent slopes, very stony	Farmland of local importance	22	56545	669419	73.35
480D	Millsite-Woodstock-Henniker complex, 15 to 25 percent slopes, very stony	Not prime farmland	22	25400	694819	76.14
547B	Walpole very fine sandy loam, 3 to 8 percent slopes, very stony	Not prime farmland	21.5	2994	697813	76.46
245D	Hermon variant fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	19.5	473	698286	76.52
55D	Hermon fine sandy loam, 15 to 25 percent slopes, very stony	Farmland of local importance	19.5	593	698879	76.58
6	Saco mucky silt loam, frequently flooded	Not prime farmland	0	1039	699918	76.69
15	Searsport muck	Not prime farmland	0	5602	705520	77.31
49	Whitman muck, very stony	Not prime farmland	0	1201	706721	77.44
97	Greenwood and Ossipee soils, ponded	Not prime farmland	0	11018	717739	78.65
100	Udorthents, wet substratum	Not prime farmland	0	313	718052	78.68
115	Scarboro muck	Not prime farmland	0	407	718459	78.73
125	Scarboro muck, very stony	Not prime farmland	0	1707	720166	78.91
200	Udorthents, refuse substratum	Not prime farmland	0	122	720288	78.93
295	Greenwood mucky peat	Not prime farmland	0	12044	732332	80.25
299	Udorthents, smoothed	Not prime farmland	0	2131	734463	80.48
395	Chocorua mucky peat	Not prime farmland	0	16290	750753	82.26
398	Quarries	Not prime farmland	0	73	750826	82.27
399	Rock outcrop	Not prime farmland	0	843	751669	82.36
400	Udorthents, sandy	Not prime farmland	0	5495	757164	82.97
406	Medomak mucky silt loam, frequently flooded	Not prime farmland	0	2712	759876	83.26
495	Ossipee mucky peat	Not prime farmland	0	3032	762908	83.60
498	Urban land-Pootatuck complex, 0 to 3 percent slopes, protected	Not prime farmland	0	871	763779	83.69
500	Udorthents, loamy	Not prime farmland	0	334	764113	83.73
549	Peacham muck, very stony	Not prime farmland	0	4703	768816	84.24

## Agricultural Evaluation Worksheet

Merrimack-Belknap Soil Survey Update

*Advance Copy - Subject to Change*

Date of Download: 3/24/2006

<u>Map Unit</u> <u>Symbol</u>	<u>Map Unit Name</u>	<u>Farmland Class</u>	<u>NH SPI</u>	<u>Map Unit</u> <u>Acres</u>	<u>Accum.</u> <u>Acres</u>	<u>Accum.</u> <u>Acres %</u>
598	Windsor-Urban land complex, 0 to 8 percent slopes	Not prime farmland	0	3353	772169	84.61
680	Henniker-Urban land complex, 0 to 15 percent slopes	Not prime farmland	0	1577	773746	84.78
689	Adams-Urban land complex, 0 to 8 percent slopes	Not prime farmland	0	266	774012	84.81
690	Monadnock-Urban land complex, 0 to 15 percent slopes	Not prime farmland	0	12	774024	84.81
699	Urban land	Not prime farmland	0	1599	775623	84.99
789	Champlain-Urban land complex, 0 to 8 percent slopes	Not prime farmland	0	2691	778314	85.28
799	Urban land-Canton complex, 0 to 15 percent slopes	Not prime farmland	0	338	778652	85.32
12E	Hinckley gravelly fine sandy loam, 15 to 60 percent slopes	Not prime farmland	0	473	779125	85.37
141B	Hollis-Rock outcrop-Chatfield complex, 3 to 8 percent slopes	Not prime farmland	0	241	779366	85.40
141C	Hollis-Rock outcrop-Chatfield complex, 8 to 15 percent slopes	Not prime farmland	0	471	779837	85.45
141D	Hollis-Rock outcrop-Chatfield complex, 15 to 35 percent slopes	Not prime farmland	0	372	780209	85.49
141E	Hollis-Rock outcrop-Chatfield complex, 35 to 60 percent slopes	Not prime farmland	0	519	780728	85.55
143E	Monadnock gravelly fine sandy loam, 25 to 35 percent slopes, very stony	Not prime farmland	0	1537	782265	85.72
161C	Lyman-Tunbridge-Rock outcrop complex, 8 to 15 percent slopes	Not prime farmland	0	5365	787630	86.31
161D	Lyman-Tunbridge-Rock outcrop complex, 15 to 35 percent slopes	Not prime farmland	0	8420	796050	87.23
161E	Lyman-Tunbridge-Rock outcrop complex, 35 to 60 percent slopes	Not prime farmland	0	12698	808748	88.62
167E	Marlow variant fine sandy loam, 25 to 35 percent slopes, very stony	Not prime farmland	0	1690	810438	88.80
190E	Adams-Lyman complex, 35 to 60 percent slopes	Not prime farmland	0	147	810585	88.82
220E	Boscawen fine sandy loam, 15 to 60 percent slopes	Not prime farmland	0	638	811223	88.89
22E	Colton loamy fine sand, 15 to 60 percent slopes	Not prime farmland	0	873	812096	88.99
250E	Chatfield-Hollis-Montauk complex, 35 to 60 percent slopes, very stony	Not prime farmland	0	2441	814537	89.25
26E	Windsor loamy fine sand, 15 to 60 percent slopes	Not prime farmland	0	2468	817005	89.52
290E	Champlain-Woodstock complex, 35 to 60 percent slopes	Not prime farmland	0	103	817108	89.54
35E	Champlain loamy fine sand, 15 to 60 percent slopes	Not prime farmland	0	3563	820671	89.93
36E	Adams loamy sand, 15 to 60 percent slopes	Not prime farmland	0	1583	822254	90.10

## Agricultural Evaluation Worksheet

Merrimack-Belknap Soil Survey Update

*Advance Copy - Subject to Change*

Date of Download: 3/24/2006

<u>Map Unit</u> <u>Symbol</u>	<u>Map Unit Name</u>	<u>Farmland Class</u>	<u>NH SPI</u>	<u>Map Unit</u> <u>Acres</u>	<u>Accum.</u> <u>Acres</u>	<u>Accum.</u> <u>Acres %</u>
380E	Tunbridge-Lyman-Becket complex, 25 to 60 percent slopes, very stony	Not prime farmland	0	23593	845847	92.68
43E	Canton fine sandy loam, 25 to 35 percent slopes, very stony	Not prime farmland	0	288	846135	92.72
443E	Monadnock variant gravelly fine sandy loam, 25 to 35 percent slopes, very stony	Not prime farmland	0	119	846254	92.73
45E	Montauk fine sandy loam, 25 to 35 percent slopes, very stony	Not prime farmland	0	398	846652	92.77
461C	Woodstock-Millsite-Rock outcrop complex, 8 to 15 percent slopes	Not prime farmland	0	1319	847971	92.92
461D	Woodstock-Millsite-Rock outcrop complex, 15 to 35 percent slopes	Not prime farmland	0	871	848842	93.01
461E	Woodstock-Millsite-Rock outcrop complex, 35 to 60 percent slopes	Not prime farmland	0	985	849827	93.12
47E	Henniker fine sandy loam, 25 to 35 percent slopes, very stony	Not prime farmland	0	97	849924	93.13
480E	Millsite-Woodstock-Henniker complex, 25 to 60 percent slopes, very stony	Not prime farmland	0	4206	854130	93.59
55E	Hermon fine sandy loam, 25 to 35 percent slopes, very stony	Not prime farmland	0	475	854605	93.64
57E	Becket fine sandy loam, 25 to 35 percent slopes, very stony	Not prime farmland	0	1335	855940	93.79
67E	Paxton fine sandy loam, 25 to 35 percent slopes, very stony	Not prime farmland	0	400	856340	93.83
77E	Marlow fine sandy loam, 25 to 35 percent slopes, very stony	Not prime farmland	0	1292	857632	93.98
W	Water	Not prime farmland	0	54976	912608	100.00