

**Soil Quality Enhancement Activity – SQL05 – Use of deep rooted crops to break up soil compaction**



**Enhancement Description**

This enhancement is for the use of deep rooted crops to break up compacted soils and improve soil quality. Deep rooted crops can be perennial plants like alfalfa or annual plants like forage radish.

**Land Use Applicability**

Cropland

**Benefits**

Soils can have naturally occurring compacted layers (hard pans) or those that have been created through tillage or other farming activities. Deep rooted crops with large taproots can alleviate the effects of soil compaction by penetrating the compacted layer, creating pore space that allows air, water and crop roots to penetrate deeper in the soil profile. Eliminating soil compaction through the use of deep rooted crops increases infiltration, reduces surface

runoff, improves soil tilth and overall soil quality. It also eliminates the need for sub-soiling with a plow, thus saving fuel, reducing erosion and enhancing water quality.

**Conditions Where Enhancement Applies**

This enhancement applies to all crop land use acres.

**Criteria**

1. The selected crop must be one that has been identified as having the capability of alleviating soil compaction. State specific lists are available at your local NRCS Field Office.
2. If perennial plants are used and once established, they must be maintained annually by proper fertilization and mowing/harvesting.
3. Annual crops should be seeded early enough in the fall to allow for adequate growth to occur prior to winter. Follow specifications provide by your local NRCS Field Office.
4. No deep tillage is allowed to remove compacted layer.

**Adoption Requirements**

This enhancement is considered adopted when the selected deep rooted cover crop has been grown in a given rotation on the land use acre.



United States Department of Agriculture  
Natural Resources Conservation Service

2012 Ranking Period 1

**Documentation Requirements**

1. Written documentation for each year describing the following items:
  - a. Deep rooted crop(s) used and dated planted.
  - b. Cash crop planted and method used.
2. A map showing fields where the enhancement is applied.
3. Photographs of a representative number of fields showing deep rooted crops.

## Indiana CSP Enhancement Supplemental Information

### **SQL05 – Use of Deep Rooted Crops to Breakup Soil Compaction**

#### **General guidance and references:**

1. Seeding rates, seeding dates, species selection and approved mixes are found in the IN-FOTG- Section IV-[340-Cover Crop Standard](#), Job Sheet and/or the IN Seeding Tool
2. Frost dates- USDA –NASS-  
[http://www.nass.usda.gov/Statistics\\_by\\_State/Indiana/Publications/Annual\\_Statistical\\_Bulletin/0405/pg16.pdf](http://www.nass.usda.gov/Statistics_by_State/Indiana/Publications/Annual_Statistical_Bulletin/0405/pg16.pdf)
3. SARE- *Managing Cover Crops Profitably*-  
<http://www.sare.org/publications/covercrops.htm>

#### **Criteria**

##### **IN List of acceptable crops:**

1. A cover crop or cover crop mix, with no less than 50%, of the following: annual ryegrass, barley, cereal rye, triticale, wheat, brassicas, radish, rape, or any legume.
2. A winter cereal grain crop, with a legume or a non-legume with a tap root system (i.e. brassicas) inter-seeded or seeded within 2 weeks of harvest, as a cover crop.
3. Any perennial crop, with a 30% legume composition, which is maintained for at least 24 months.