

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
322	EQIP	Channel Bank Vegetation	Willow cutting pole planting	ft	2.5	PR	100
350	EQIP	Sediment Basin	Sediment Basin construction (doesn't included inlet or outlet pipe)	cuyd	3.6	PR	100
378	EQIP	Pond	Excavated or Embankment	cuyd	4.95	PR	100
380	EQIP	Windbreak/Shelterbelt Est.	Windbreak/Shelterbelt (total length of all rows)	ft	1.5	PR	100
382	EQIP	Fence	Barb Wire	ft	1.95	PR	100
382	EQIP	Fence	Barb Wire (Very Steep or Rocky Site)	ft	2.3	PR	100
382	EQIP	Fence	Corral	ft	10.8	PR	100
382	EQIP	Fence	Electric	ft	1.45	PR	100
382	EQIP	Fence	Jack (wood rail) Sites where post holes can't be dug	ft	4.85	PR	100
382	EQIP	Fence	Woven Wire	ft	3.35	PR	100
393	EQIP	Filter Strip	Filter Strip	ac	115	PR	100
428	EQIP	Irrigation Water Conveyance, Ditch & Canal Lining	Concrete Ditch, < 16"	ft	6.05	PR	100
428	EQIP	Irrigation Water Conveyance, Ditch & Canal Lining	Concrete Ditch, 16"	ft	7.15	PR	100
428	EQIP	Irrigation Water Conveyance, Ditch & Canal Lining	Concrete Ditch, 18"	ft	9	PR	100
428	EQIP	Irrigation Water Conveyance, Ditch & Canal Lining	Concrete Ditch, > 18"	ft	9.45	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	HDPE, PE or PVC Pipe < 1.5"	ft	1.8	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	HDPE, PE or PVC Pipe 1.5" - 2.0"	ft	2.15	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	HDPE, PE or PVC Pipe > 2"	ft	2.5	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure with Riser, 4"	ft	4	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure with Riser, 6"	ft	4.95	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure with Riser, 8"	ft	6.3	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure with Riser, 10"	ft	8.2	PR	100

430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure with Riser, 12"	ft	10.65	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure with Riser, 15"	ft	13.65	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 4"	ft	2.7	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 6"	ft	3.6	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 8"	ft	4.95	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 10"	ft	6.75	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 12"	ft	9	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 15"	ft	11.7	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 18"	ft	16.95	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 21"	ft	22.75	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 24"	ft	28.8	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 4" Through Rock	ft	16.2	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 6" Through Rock	ft	17.1	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 8" Through Rock	ft	18.45	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 10" Through Rock	ft	20.25	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 12" Through Rock	ft	22.5	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 15" Through Rock	ft	25.2	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 18" Through Rock	ft	34.95	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 21" Through Rock	ft	40.75	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 24" Through Rock	ft	46.8	PR	100

430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure with Riser 4"	ft	3.2	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure with Riser 6"	ft	3.6	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure with Riser 8"	ft	4.55	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure with Riser 10"	ft	6.1	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure with Riser 12"	ft	7.9	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure, 4"	ft	2	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure, 6"	ft	2.35	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure, 8"	ft	3.25	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure, 10"	ft	4.65	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure, 12"	ft	6.3	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure, 15"	ft	9.1	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure, 18"	ft	12.85	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure, 21"	ft	17.45	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure, 24"	ft	22.8	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 4"	ft	7.65	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 6"	ft	10.45	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 8"	ft	13.5	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 10"	ft	16.65	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 12"	ft	20.05	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 14"	ft	23.4	PR	100

430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 16"	ft	27.9	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 4" Through Rock	ft	21.15	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 6" Through Rock	ft	23.95	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 8" Through Rock	ft	27	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 10" Through Rock	ft	30.15	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 12" Through Rock	ft	33.55	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 14" Through Rock	ft	36.9	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 16" Through Rock	ft	45.9	PR	100
431	EQIP	Above Ground, Multi-Outlet Pipeline	Above Ground - Single Gated Pipe 6"	ft	3.1	PR	100
431	EQIP	Above Ground, Multi-Outlet Pipeline	Above Ground - Single Gated Pipe 8"	ft	3.8	PR	100
431	EQIP	Above Ground, Multi-Outlet Pipeline	Above Ground - Single Gated Pipe 10"	ft	4.5	PR	100
431	EQIP	Above Ground, Multi-Outlet Pipeline	Above Ground - Single Gated Pipe 12"	ft	5.15	PR	100
431	EQIP	Above Ground, Multi-Outlet Pipeline	Above Ground - Double Gated Pipe 6"	ft	3.5	PR	100
431	EQIP	Above Ground, Multi-Outlet Pipeline	Above Ground - Double Gated Pipe 8"	ft	4.1	PR	100
431	EQIP	Above Ground, Multi-Outlet Pipeline	Above Ground - Double Gated Pipe 10"	ft	4.9	PR	100
431	EQIP	Above Ground, Multi-Outlet Pipeline	Above Ground - Double Gated Pipe 12"	ft	5.4	PR	100
442	EQIP	Irrigation System, Sprinkler	Center Pivot or Linear Move	ac	585	PR	100
442	EQIP	Irrigation System, Sprinkler	Hand Line	ac	255	PR	100
442	EQIP	Irrigation System, Sprinkler	Pod System Pasture only	pod	210	PR	100
442	EQIP	Irrigation System, Sprinkler	Wheel Line	ac	555	PR	100
443	EQIP	Irrigation System, Surface & Subsurface	Surge Valve with Controller	no	2555	PR	100
449	EQIP	Irrigation Water Management	High Intensity, Electronic Moisture Sensing	ac	23.95	PR	100

449	EQIP	Irrigation Water Management	Low Intensity	ac	7.65	PR	100
464	EQIP	Irrigation Land Leveling	Irrigation Land Leveling	ac	225	PR	100
472	EQIP	Access Control	Livestock Exclusion (Riparian Only) for up to 3 yrs	ac	12.8	PR	100
512	EQIP	Pasture & Hayland Planting	Pasture & Hayland Planting (following crop)	ac	77	PR	100
512	EQIP	Pasture & Hayland Planting	Pasture & Hayland Planting (following sod)	ac	120	PR	100
516	EQIP	Pipeline	HDPE, PE or PVC Pipe < 2.0" 125 psi & greater	ft	1.55	PR	100
516	EQIP	Pipeline	HDPE, PE or PVC Pipe 2.0 - 3.0" 125 psi & greater	ft	2.15	PR	100
516	EQIP	Pipeline	Steel Pipe 1"	ft	3.6	PR	100
516	EQIP	Pipeline	Steel Pipe 1.5"	ft	6.45	PR	100
528	EQIP	Prescribed Grazing	Range or Pasture Site (\$3,500 Max. per Yr.)	aum	6.65	PR	100
533	EQIP	Pumping Plant	< 85 Watt Solar Power System (livestock only)	watt	35	PR	100
533	EQIP	Pumping Plant	85 to 170 Watt Solar Power System (livestock only)	watt	26.55	PR	100
533	EQIP	Pumping Plant	> 170 Solar Power System (livestock only)	watt	19.35	PR	100
533	EQIP	Pumping Plant	Windmill	millft	800	PR	100
533	EQIP	Pumping Plant	Driver rated < 5 hp	hp	765	PR	100
533	EQIP	Pumping Plant	Driver rated 5 - 10 hp	hp	480	PR	100
533	EQIP	Pumping Plant	Driver rated 10.0 - 25 hp	hp	350	PR	100
533	EQIP	Pumping Plant	Driver rated 25.1 - 50 hp	hp	280	PR	100
533	EQIP	Pumping Plant	Driver rated 50.1 - 70 hp	hp	225	PR	100
533	EQIP	Pumping Plant	Driver rated > 70 hp	hp	190	PR	100
533	EQIP	Pumping Plant	Driver rated 10.0 - 20 hp with VFD	hp	480	PR	100
533	EQIP	Pumping Plant	Driver rated 20.1 - 30 hp with VFD	hp	390	PR	100
533	EQIP	Pumping Plant	Driver rated 30.1 - 50 hp with VFD	hp	335	PR	100
533	EQIP	Pumping Plant	Driver rated 50.1 - 70 hp with VFD	hp	295	PR	100
533	EQIP	Pumping Plant	Driver rated > 70 hp with VFD	hp	260	PR	100
533	EQIP	Pumping Plant	Variable Frequency Drive up to 300 hp (added to existing pump)	hp	150	PR	100

533	EQIP	Pumping Plant	Variable Frequency Drive > 300 hp (added to existing pump)	hp	125	PR	100
533	EQIP	Pumping Plant	Driver rated 5 hp w/phase converter	hp	865	PR	100
533	EQIP	Pumping Plant	Driver rated 5.1 - 10 hp w/phase converter	hp	615	PR	100
533	EQIP	Pumping Plant	Driver rated 10.1 - 15 hp w/phase converter	hp	470	PR	100
533	EQIP	Pumping Plant	Driver rated 15.1 - 30 hp w/phase converter	hp	360	PR	100
533	EQIP	Pumping Plant	Driver rated > 30 hp w/phase converter	hp	270	PR	100
436	EQIP	Irrigation Regulating Reservoir	For Water Storage - Cubic Yard of Storage (Does not include Structure for Water Control or Pumping Plant)	cuyd	9.3	PR	100
561	EQIP	Heavy Use Area Protection	Heavy Use Area Protection - Concrete	sqft	3.45	PR	100
561	EQIP	Heavy Use Area Protection	Heavy Use Area Protection - Rock	sqft	1.12	PR	100
574	EQIP	Spring Development	Spring Development	no	2035	PR	100
580	EQIP	Streambank & Shoreline Protection	Bio-Engineering	ft	32.2	PR	100
580	EQIP	Streambank & Shoreline Protection	Rip-Rap/Barbs	ft	64	PR	100
584	EQIP	Channel Stabilization	Channel Stabilization	ft	49.25	PR	100
587	EQIP	Structure for Water Control	24" x 48" Tank Structure W/Lid	no	765	PR	100
587	EQIP	Structure for Water Control	36" x 60" Tank Structure W/Lid	no	900	PR	100
587	EQIP	Structure for Water Control	60" x 60" Tank Structure W/Lid	no	945	PR	100
587	EQIP	Structure for Water Control	72" x 60" Tank Structure W/Lid	no	1080	PR	100
587	EQIP	Structure for Water Control	12-18" CMP Pipe Structure	ft	81	PR	100
587	EQIP	Structure for Water Control	19-36" CMP Pipe Structure	ft	145	PR	100
587	EQIP	Structure for Water Control	37-48" CMP Pipe Structure	ft	235	PR	100
587	EQIP	Structure for Water Control	49-60" CMP Pipe Structure	ft	360	PR	100
587	EQIP	Structure for Water Control	61-90" CMP Pipe Structure	ft	585	PR	100
587	EQIP	Structure for Water Control	91"-120" CMP Pipe Structure	ft	720	PR	100
587	EQIP	Structure for Water Control	Concrete Structures	cuyd	465	PR	100
587	EQIP	Structure for Water Control	Precast Concrete Structures	no	880	PR	100
587	EQIP	Structure for Water Control	.1-3 cfs Steel Fabricated Structure	cfs	1915	PR	100

587	EQIP	Structure for Water Control	3-6 cfs Steel Fabricated Structure	cfs	1460	PR	100
587	EQIP	Structure for Water Control	> 6 cfs Steel Fabricated Structure	cfs	955	PR	100
587	EQIP	Structure for Water Control	Structure for Water Control with Fish Screen	cfs	3285	PR	100
590	EQIP	Nutrient Management	Basic	ac	5.95	PR	100
590	EQIP	Nutrient Management	High Intensive	ac	14.3	PR	100
590	EQIP	Nutrient Management	Precision Ag	ac	42.2	PR	100
614	EQIP	Watering Facility	CAFO - Simple Float Valve	no	225	PR	100
614	EQIP	Watering Facility	CAFO - Complex Float Valve	no	410	PR	100
614	EQIP	Watering Facility	Storage Tank (new) > 1,000 gallons	gal	.9	PR	100
614	EQIP	Watering Facility	Watering Facility - On Demand Trough (Frost Free)	no	1200	PR	100
614	EQIP	Watering Facility	Watering Facility < 500 gal	gal	2.45	PR	100
614	EQIP	Watering Facility	Watering Facility 501 - 700 gal	gal	1.85	PR	100
614	EQIP	Watering Facility	Watering Facility > 700 gal	gal	1.25	PR	100
620	EQIP	Underground Outlet	4" Non-perforated Plastic Pipe with Intake	ft	4.5	PR	100
620	EQIP	Underground Outlet	6" Non-perforated Plastic Pipe with Intake	ft	4.95	PR	100
620	EQIP	Underground Outlet	8" Non-perforated Plastic Pipe with Intake	ft	5.65	PR	100
620	EQIP	Underground Outlet	10" Non-perforated Plastic Pipe with Intake	ft	7.05	PR	100
620	EQIP	Underground Outlet	12" Non-perforated Plastic Pipe with Intake	ft	9.3	PR	100
620	EQIP	Underground Outlet	15" Non-perforated Plastic Pipe with Intake	ft	11.95	PR	100
642	EQIP	Water Well	Livestock Water Only - Not to exceed 500 feet	ft	43.2	PR	100
780	EQIP	Irrigation Water Conveyance, Pipeline	6" cmp	ft	8.2	PR	100
780	EQIP	Irrigation Water Conveyance, Pipeline	8" cmp	ft	9.25	PR	100
780	EQIP	Irrigation Water Conveyance, Pipeline	10" cmp	ft	10.6	PR	100
780	EQIP	Irrigation Water Conveyance, Pipeline	12" cmp	ft	12.15	PR	100

780	EQIP	Irrigation Water Conveyance, Pipeline	15" cmp	ft	14.2	PR	100
780	EQIP	Irrigation Water Conveyance, Pipeline	18" cmp	ft	16.9	PR	100
780	EQIP	Irrigation Water Conveyance, Pipeline	21" cmp	ft	20.25	PR	100
780	EQIP	Irrigation Water Conveyance, Pipeline	24" cmp	ft	23.9	PR	100
780	EQIP	Irrigation Water Conveyance, Pipeline	30" cmp	ft	29.15	PR	100
780	EQIP	Irrigation Water Conveyance, Pipeline	36" cmp	ft	34.9	PR	100
911	EQIP	Technical Assistance - Design	Technical Assistance Reimbursement for Design (Not to exceed TSP Rates)	no	0	AM	100
912	EQIP	Technical Assistance - Application	Technical Assistance Reimbursement for Application (Not to exceed TSP Rates)	no	0	AM	100
913	EQIP	Technical Assistance - Installation Check-Out	Technical Assistance Reimbursement for Installation Check-Out (Not to exceed TSP Rates)	no	0	AM	100