

<p>ID Supplement 515.101 g Eligible Costs Note: Used Materials</p>	<p>1. The following types of used materials are acceptable components in engineering conservation practices:</p> <ul style="list-style-type: none"> <li>• Used rubber tires in watering facilities (troughs).</li> <li>• Refurbished center pivot systems, wheel line and hand line laterals as components of sprinkler irrigation systems. Center pivots shall be equipped with a new nozzle package, new pipe gaskets and lower boots. All electrical components shall be checked and replaced as needed. Wheel line and hand line laterals shall be equipped with new nozzles, new/rebuilt sprinkler heads and pipe gaskets. Drains shall function and shall be replaced as needed. Mover motors shall be capable of moving the equipment as originally manufactured.</li> <li>• <b>Refurbished gated pipe.</b> Gated pipe shall be equipped with new pipe joint gaskets and all damaged or leaky gates shall be replaced with new/rebuilt gates.</li> <li>• <b>Rebuilt/overhauled pumps and motors.</b> Used pumps shall be equipped with new impellers, bearings and packing. Performance characteristics of pump shall meet design requirements for TDH, flow and efficiency. Motors shall be rebuilt.</li> <li>• <b>Miscellaneous fencing, wood and metal components of projects.</b> Limit the incorporation of used materials into practices for such components to easily accessible/non-critical portions of the project.</li> </ul>
--	---