

Plant Enhancement Activity – PLT15 – Establish pollinator and/or beneficial insect habitat



Enhancement Description

Seed nectar and pollen producing plants in non-cropped areas such as field borders, vegetative barriers, contour buffer strips, waterways, shelterbelts, windbreaks, conservation cover, and riparian forest and herbaceous buffers.

Land Use Applicability

Cropland, Pastureland, Rangeland, Forestland

Benefits

Increased habitat for pollinators will improve fruit set, size and quality, productivity per acre, biodiversity, beneficial insect populations, and the food base for many

wildlife species. The increased plant diversity of pollinator habitat will enhance wildlife habitat and may increase populations of other beneficial insects, reducing the need for pesticides.

Conditions Where Enhancement Applies

This enhancement applies to all crop, pasture, range or forest land use acres.

Habitat areas must be at least 0.5 acres for each 40 acres of the selected land use. Where the selected land use is less than 40 acres, the required amount of habitat will be reduced according to the ratio of 0.5 acres to 40 acres. Where the selected land use is greater than 40 acres, the 0.5 acre habitat areas must be interspersed in the larger land use area. For example, for an 80 acre parcel, the required 1 acre of habitat should not be located in one corner of the 80 acre field.

Criteria

Establish habitat for pollinators (A) and beneficial insects (B) as described below:

A. Pollinators

1. Lists of plants suitable for pollinator habitat will be developed by NRCS at the state level. The lists must emphasize as many native species as practical.
2. The habitat planting will include (as a minimum) three early, three mid, and three late flowering species from the NRCS state list including forbs, legumes, vines, shrubs, and/or trees. Plants that produce toxic nectar will not be planted.
3. Site preparation and plant establishment shall be accomplished according to the appropriate NRCS conservation practice and specifications. Management and/or maintenance activities such as mowing, haying, burning, or grazing must be conducted outside of the growing season or bloom period. Maintenance should be done on less than 1/3 of the acreage during any given year.
4. Insecticides and herbicides should not be used in the habitat planting area. Even natural herbicides and botanical insecticides can harm bees and other pollinators. If adjacent



crop areas are treated use one or more of the following actions to limit insecticides in the pollinator habitat area:

- a. Create insecticide free buffers in the first 25 feet of crop area,
 - b. Use application methods that minimizing drift to the adjacent habitat,
 - c. Apply active ingredients in the evening when most insect pollinators are not active.
5. The planted habitat areas must be regularly inspected for invasive and/or noxious plants or other plants that may compromise the purpose of this enhancement. Undesirable species should be controlled using the least damaging method.
 6. Any other use of the pollinator habitat area must not compromise its intended purpose.

B. Beneficial insects

1. Identify pest species and associated beneficial insects targeted for control
2. Inventory existing conditions on the farm to determine habitat needs of selected beneficial, including:
 - a. Permanent insectary sites
 - b. Augmentation of existing hedgerows, field borders or other odd areas adjacent to fields
 - c. Trap crop areas
3. Plant selection matched to attract identified beneficial insect
4. Amount of habitat required based on the beneficial insect dispersal ability and can be either annual or perennial cover
5. Lists of plants suitable for beneficial insect habitat will be developed by NRCS at the state level. The lists must emphasize as many native species as practical.

C. Planting Criteria for both pollinators and beneficial insects

1. Site selection should consider existing weed pressures and available methods of control, delay planting if weed pressure requires excessive treatment
2. Site preparation and plant establishment shall be accomplished according to the appropriate NRCS conservation practice and specifications
3. Successful establishment is determined by comparing field conditions with published plant density recommendations for the species for the region

D. Operation and Maintenance for both pollinators and beneficial insects

1. Management and/or maintenance activities such as mowing, haying, burning, or grazing must be conducted outside of the growing season or bloom period. Maintenance should be done on less than 1/3 of the acreage during any given year.
2. Insecticides and herbicides should not be used in the habitat planting area. Even non-synthetic herbicides and botanical insecticides can harm beneficial insects. If adjacent crop areas are treated use one or more of the following actions to limit insecticides in the pollinator habitat area:
 3. Create insecticide free buffers in the first 25 feet of crop area,
 4. Use application methods that minimize drift to the adjacent habitat,



5. The planted habitat areas must be regularly inspected for invasive and/or noxious plants or other plants that may compromise the purpose of this enhancement. Undesirable species should be controlled using the method least damaging method.
6. If habitat is part of an organic farming operation, only materials allowed according to the USDA National Organic Program's National List of Allowed and Prohibited Substances may be used.

Adoption Requirements

This enhancement is considered adopted when pollinator or beneficial habitat has been established that meet or exceed the above criteria, respectively, and the established habitat are maintained and functioning as intended.

Documentation Requirements

1. A map showing the location and dimension of the habitat areas
2. A list of pollinator or beneficial species planted
3. List of maintenance activities carried out to manage the habitat areas



United States Department of Agriculture
Natural Resources Conservation Service

IDAHO ADDENDUM 2012

Plant Enhancement Activity – PLT15 – *Establish Pollinator and/or Beneficial Insect Habitat*

Additional guidance for pollinator and beneficial habitat:

The use of any pesticides is prohibited within the pollinator habitat without a waiver from the Area Biologist or the ARC. The waiver will allow use of herbicide during site preparation (before planting) when necessary to control competing weeds. Site-specific weed problems shall be documented. Use of pesticides after the establishment phase is not allowed – other forms of weed control, such as mechanical, will be used instead. If other forms of weed control are not effective in controlling noxious or invasive weeds, then a waiver may be requested from the Area Biologist or ARC to use restricted spot spraying. All waivers should be requested formally from the Area Biologist or ARC, and approval letters should be placed in the case file. Refer to Criteria 4a for further information to protect the habitat from adjacent areas where pesticides are applied.

Beneficial organisms can reduce the need for pesticides and promote pollination. There are four types of beneficial organisms: pollinators, predators, parasites, and pathogens. To improve habitat for beneficial organisms at field edges and in odd areas:

- plant a variety of native shrubs, perennial grasses, and forbs
- allow non-noxious native weed species to bloom
- leave portions of your refuge areas untilled and un-mowed

Follow all operation and maintenance criteria. Management and maintenance activities must be conducted outside of the growing season or bloom period (typically April – September). Scout frequently to identify and control noxious weeds. Choose non-chemical methods to control noxious plants in beneficial insect habitat areas. Even “natural” insecticides (e.g., pyrethrums) can harm bees and other beneficial insects. **Refer to the bolded references below for lists of Pacific Northwest plants that attract pollinators and other beneficial organisms and their bloom period (early, mid, and late season) in Idaho.**

For additional information, refer to the following documents:

Idaho NRCS Biology Technical Note 1, Pollinators. ftp://ftp-fc.sc.gov.usda.gov/ID/technical/technotes/biology/biology_tn1_1011.pdf

Idaho NRCS Plant Materials Technical Note 2A, Plants for Pollinators in the Intermountain West. ftp://ftp-fc.sc.egov.usda.gov/ID/programs/technotes/tn2a_pollinators_1011.pdf

Idaho NRCS Plant Materials Technical Note 2B, Plants for Pollinators in the Inland Northwest. ftp://ftp-fc.sc.egov.usda.gov/ID/programs/technotes/tn2b_pollinators_1011.pdf

PNW Insect Management Handbook, Examples of Flowering Plants Visited by Beneficial Insects that can Aid in Biological Control Conservation. <http://uspest.org/pnw/insects?30IPMW05.dat>

USDA National Agroforestry Center, Agroforestry Note 35, *Pesticide Considerations for Native Bees in Agroforestry.* <http://www.unl.edu/nac/agroforestrynotes/an35g09.pdf>

Xerces Society. Pacific Northwest Plants for Native Bees. <http://www.xerces.org/wp-content/uploads/2010/01/pacificnw-plants-for-bees-xerces3.pdf>

Xerces Society. *Guidelines: Farming for Bees.* http://www.xerces.org/wp-content/uploads/2008/11/farming_for_bees_guidelines_xerces_society.pdf

Xerces Society. *Pollinators in Natural Areas – A Primer on Habitat Management.* http://www.xerces.org/wp-content/uploads/2008/11/pollinators_in_natural_areas_xerces_society.pdf

**This activity may NOT be used with the following enhancements:
AIR08, ANM05, ANM07, ANM09 (forest), ANM12, ANM21, ANM23,
ANM32, ANM33, ENR01, PLT06, PLT18, WQL05, WQL09**

Potential Duplicate Practices:

327 – Conservation Cover, 550 – Range Planting, 612 – Tree and Shrub Establishment, 512 – Forage and Biomass Planting, 380 – Windbreak and Shelterbelt Establishment, 386 – Field Border