

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
313	EQIP	Waste Storage Facility	Earthen Storage Facility < 50K ft3 Storage	CuFt	.46	PR	100
313	EQIP	Waste Storage Facility	Earthn Storage Facility>50K ft3 Storage	CuFt	.24	PR	100
313	EQIP	Waste Storage Facility	Earthen Storage FacilityHigh Water Table	CuFt	.8	PR	100
313	EQIP	Waste Storage Facility	Above Ground Steel/Concrete < 25K ft3 storage	CuFt	2.14	PR	100
313	EQIP	Waste Storage Facility	Above Ground Steel/Concrete 25-100K ft3 storage	CuFt	1.71	PR	100
313	EQIP	Waste Storage Facility	Above Ground Steel/Concrete >100K ft3 storage	CuFt	1.55	PR	100
313	EQIP	Waste Storage Facility	Drystack,earthen floor,no wall	SqFt	1	PR	100
313	EQIP	Waste Storage Facility	Dry stack, earthen floor, wood wall	SqFt	2.39	PR	100
313	EQIP	Waste Storage Facility	Dry Stack, earthen floor, concrete wall	SqFt	4.2	PR	100
313	EQIP	Waste Storage Facility	Dry Stack, concrete floor, no wall	SqFt	4.55	PR	100
313	EQIP	Waste Storage Facility	Dry Stack, concrete floor, wood wall	SqFt	6.51	PR	100
313	EQIP	Waste Storage Facility	Dry Stack, concrete floor, concrete wall	SqFt	8.33	PR	100
313	EQIP	Waste Storage Facility	Conc Tank, buried <5K, wi lid	CuFt	6.03	PR	100
313	EQIP	Waste Storage Facility	Conc Tank, buried 5K<15K, wi lid	CuFt	4.77	PR	100
313	EQIP	Waste Storage Facility	Conc Tank, Buried 15K<25K, wi lid	CuFt	4.1	PR	100
313	EQIP	Waste Storage Facility	Conc Tank, Buried 25K<50K, wi lid	CuFt	3.36	PR	100
313	EQIP	Waste Storage Facility	Conc Tank, Buried 50K<75K, wi lid	CuFt	2.77	PR	100
313	EQIP	Waste Storage Facility	Conc Tank, Buried 75K<110K, wi lid	CuFt	2.53	PR	100
313	EQIP	Waste Storage Facility	Conc Tank, Buried 110K or > wi lid	CuFt	2.24	PR	100
313	EQIP	Waste Storage Facility	Composted Bedded Pack, Concrete Floor, Concrete Wall	SqFt	5.24	PR	100
313	EQIP	Waste Storage Facility	Conc Tank, buried <5K	CuFt	4.03	PR	100
313	EQIP	Waste Storage Facility	Open Conc Tank, buried 5K<15K	CuFt	1.81	PR	100
313	EQIP	Waste Storage Facility	Open Conc Tank, Buried 15K<25K	CuFt	1.56	PR	100
313	EQIP	Waste Storage Facility	Open Conc Tank, Buried 25K<50K	CuFt	1.26	PR	100
313	EQIP	Waste Storage Facility	Open Conc Tank, Buried 50K<75K	CuFt	1	PR	100
313	EQIP	Waste Storage Facility	Open Conc Tank, Buried 75K<110K	CuFt	.89	PR	100
313	EQIP	Waste Storage Facility	Open Conc Tank, Buried 110K or >	CuFt	.76	PR	100
314	EQIP	Brush Management	Mechanical, Hand tools	Ac	74.03	PR	100
314	EQIP	Brush Management	Mechanical Light Equipment	Ac	17.31	PR	100
314	EQIP	Brush Management	Mechanical, Large Shrubs, Medium Infestation	Ac	226.62	PR	100
314	EQIP	Brush Management	Mechanical and Chemical	Ac	30.39	PR	100
314	EQIP	Brush Management	Mech & Chem, Cut stump plus chem treatment, pile & burn, chip, etc	Ac	569.84	PR	100
314	EQIP	Brush Management	Chemical - Ground Applied	Ac	14.77	PR	100
314	EQIP	Brush Management	Chemical, Aerial Fixed Wing	Ac	29.45	PR	100
315	EQIP	Herbaceous Weed Control	Biological Control - Targeted Grazing	Ac	61.07	PR	100
315	EQIP	Herbaceous Weed Control	Mechanical, Hand	Ac	41.67	PR	100
315	EQIP	Herbaceous Weed Control	Mechanical	Ac	22.23	PR	100
315	EQIP	Herbaceous Weed Control	Chemical, Spot	Ac	75.96	PR	100
315	EQIP	Herbaceous Weed Control	Chemical, Ground	Ac	42.31	PR	100
315	EQIP	Herbaceous Weed Control	Chemical, Aerial	Ac	31.38	PR	100
315	EQIP	Herbaceous Weed Control	Biological - Insects	Ac	45.3	PR	100
317	EQIP	Composting Facility	Composter, with concrete under wood bins (wood or concrete) only	SqFt	10.39	PR	100
317	EQIP	Composting Facility	Composter, concrete floor with concrete bins	SqFt	13.98	PR	100
317	EQIP	Composting Facility	Composter, windrow, all weather surface	SqFt	.78	PR	100
317	EQIP	Composting Facility	Composter, with compacted earth floor, windrow	SqFt	.31	PR	100
320	EQIP	Irrigation Canal or Lateral	Irrigation Canal	CuYd	5.14	PR	100
320	EQIP	Irrigation Canal or Lateral	Relocate Canal or Lateral	CuYd	7.15	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
324	EQIP	Deep Tillage	Deep Tillage less than 36 inches	Ac	17.88	PR	100
324	EQIP	Deep Tillage	Deep Tillage more than 36 inches	Ac	52.84	PR	100
326	EQIP	Clearing and Snagging	Clearing and Snagging - Light	LnFt	9.96	PR	100
326	EQIP	Clearing and Snagging	Clearing and Snagging - Medium	LnFt	10.08	PR	100
326	EQIP	Clearing and Snagging	Clearing and Snagging - Heavy	LnFt	11.45	PR	100
327	EQIP	Conservation Cover	Grass	Ac	126.93	PR	100
327	EQIP	Conservation Cover	Native Grass	Ac	102.35	PR	100
327	EQIP	Conservation Cover	Orchard or Vineyard Alleyways	Ac	60.29	PR	100
327	EQIP	Conservation Cover	Pollinator Habitat	Ac	285.61	PR	100
327	EQIP	Conservation Cover	Organic Introduced Mix	Ac	97.4	PR	100
327	EQIP	Conservation Cover	Organic Native Mix	Ac	187.86	PR	100
327	EQIP	Conservation Cover	Organic Pollinator Habitat	Ac	196.85	PR	100
328	EQIP	Conservation Crop Rotation	Standard Rotation	Ac	1.52	PR	100
328	EQIP	Conservation Crop Rotation	Irrigated to Dryland Rotation	Ac	265.82	PR	100
328	EQIP	Conservation Crop Rotation	Organic Rotation	Ac	12.13	PR	100
328	EQIP	Conservation Crop Rotation	Specialty Crops	Ac	30.32	PR	100
328	EQIP	Conservation Crop Rotation	Organic Specialty Crops	Ac	151.6	PR	100
328	EQIP	Conservation Crop Rotation	End gun removal (AWEP Only)	Ac	405.69	PR	100
329	EQIP	Residue and Tillage Management - No-Till/ Strip Till/ Direct Seed	No-Till/Strip-Till (\$15k/yr, 3 yr. max)	Ac	26.69	PR	100
329	EQIP	Residue and Tillage Management - No-Till/ Strip Till/ Direct Seed	Organic No-Till/Strip-Till (\$15k/yr, 3 yr. max)	Ac	30.26	PR	100
330	EQIP	Contour Farming	Contour Farming	Ac	5.74	PR	100
332	EQIP	Contour Buffer Strips	332-Native, Inc Forgone	Ac	662.58	PR	100
332	EQIP	Contour Buffer Strips	332-Introduced, Inc Forgone	Ac	563.55	PR	100
332	EQIP	Contour Buffer Strips	332-Wildlife/Pollinator, Inc Forgone	Ac	1236.74	PR	100
332	EQIP	Contour Buffer Strips	332-Organic Seed, Inc Forgone	Ac	637.73	PR	100
338	EQIP	Prescribed Burning	Understory Burn	Ac	8.68	PR	100
338	EQIP	Prescribed Burning	Site Preparation	Ac	32.93	PR	100
338	EQIP	Prescribed Burning	Pile Burning	Ea	58.58	PR	100
338	EQIP	Prescribed Burning	Level Terrain, Herbaceous Fuel < 640 ac.	Ac	14.61	PR	100
338	EQIP	Prescribed Burning	Level Terrain - Herbaceous Fuel >640 ac.	Ac	5.74	PR	100
338	EQIP	Prescribed Burning	Level Terrain, Volatile fuels < 4 ft tall, <640 ac	Ac	24.17	PR	100
338	EQIP	Prescribed Burning	Level Terrain, Volatile fuels < 4 ft tall, >640 ac	Ac	6.25	PR	100
338	EQIP	Prescribed Burning	Level Terrain, Volatile fuels > 4 ft tall, <640 ac	Ac	32.96	PR	100
338	EQIP	Prescribed Burning	Level Terrain, Volatile fuels > 4 ft tall, >640 ac	Ac	8.48	PR	100
340	EQIP	Cover Crop	Cover Crop-Chemical Kill	Ac	68.12	PR	100
340	EQIP	Cover Crop	Cover Crop-Mechanical Kill	Ac	71.68	PR	100
340	EQIP	Cover Crop	Legume-N Fixation	Ac	51.37	PR	100
340	EQIP	Cover Crop	Orchard/Vineyard Annual Cover Crop	Ac	80.78	PR	100
340	EQIP	Cover Crop	Organic Cover Crop	Ac	103.93	PR	100
342	EQIP	Critical Area Planting	Introduced species - drilled	Ac	75.04	PR	100
342	EQIP	Critical Area Planting	Organic Grass/legume mix-normal tillage	Ac	170.1	PR	100
342	EQIP	Critical Area Planting	Native species - drilled	Ac	54.46	PR	100
342	EQIP	Critical Area Planting	Grass/legume mix-moderate grading	Ac	257.35	PR	100
342	EQIP	Critical Area Planting	Native seeding-moderate grading	Ac	334.78	PR	100
342	EQIP	Critical Area Planting	Introduced species aerial applied	Ac	33.97	PR	100
342	EQIP	Critical Area Planting	Native species broadcast rate	Ac	96.35	PR	100
342	EQIP	Critical Area Planting	Introduced species broadcast rate	Ac	51.45	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
342	EQIP	Critical Area Planting	Native species aerial applied	Ac	140	PR	100
345	EQIP	Res. & Tillage Mgt, Mulch-till	Mulch Till, Dryland (\$10K/yr, 3 yr max)	Ac	34.51	PR	100
345	EQIP	Res. & Tillage Mgt, Mulch-till	Mulch Till, Irrigated (\$10K/yr, 3 yr max)	Ac	56.53	PR	100
346	EQIP	Residue and Tillage Management - Ridge Till	Ridge Till	Ac	30.63	PR	100
348	EQIP	Dam Diversion	Rock/Gravel Fill	CuYd	35.43	PR	100
348	EQIP	Dam Diversion	Earth Fill	CuYd	4.36	PR	100
348	EQIP	Dam Diversion	Earth Fill-Grouted Rock	CuYd	30.32	PR	100
348	EQIP	Dam Diversion	Sheet Pile Structure	SqFt	28.18	PR	100
348	EQIP	Dam Diversion	Reinforced Concrete Dam Diversion	CuYd	291.79	PR	100
348	EQIP	Dam Diversion	Sheet Pile with Rock Ramp	SqFt	39.63	PR	100
348	EQIP	Dam Diversion	Rock Structure	CuYd	126.47	PR	100
348	EQIP	Dam Diversion	Concrete Structure	CuYd	858.13	PR	100
348	EQIP	Dam Diversion	Wood Structure	Ft	420.18	PR	100
350	EQIP	Sediment Basin	Excavated volume	CuYd	1.53	PR	100
350	EQIP	Sediment Basin	Embankment earthen basin with no pipe	CuYd	2.4	PR	100
350	EQIP	Sediment Basin	Embankment, Earthen Basin with Pipe	CuYd	4.58	PR	100
355	EQIP	Well Water Testing	Basic Water Quality Test	Ea	221.4	PR	100
355	EQIP	Well Water Testing	Specialized Water Quality Test	Ea	498.71	PR	100
355	EQIP	Well Water Testing	Full Spectrum Water Quality Test	Ea	1209.82	PR	100
356	EQIP	Dike	Material haul < 1 mile	CuYd	4.41	PR	100
356	EQIP	Dike	Material haul > 1 mile	CuYd	4.81	PR	100
359	EQIP	Waste Treatment Lagoon	Waste Treatment Lagoon	CuFt	.15	PR	100
362	EQIP	Diversion	Diversion (cubic yard)	CuYd	4.45	PR	100
362	EQIP	Diversion	Diversion, Concrete	LnFt	53.99	PR	100
362	EQIP	Diversion	Diversion, Earthfill	CuYd	4.32	PR	100
362	EQIP	Diversion	Diversion, Excavation	CuYd	2.82	PR	100
366	EQIP	Anaerobic Digester	Small Plug Flow <1000 AU	AU	511.16	PR	100
366	EQIP	Anaerobic Digester	Medium Plug Flow 1000-2000 AU	AU	363.83	PR	100
366	EQIP	Anaerobic Digester	Large Plug Flow >2000 AU	AU	171.2	PR	100
366	EQIP	Anaerobic Digester	Small Complete Mix <1000 AU	AU	503.3	PR	100
366	EQIP	Anaerobic Digester	Medium Complete Mix 1000-2500 AU	AU	318.63	PR	100
366	EQIP	Anaerobic Digester	Large Complete Mix >2,500 AU	AU	244.35	PR	100
366	EQIP	Anaerobic Digester	Covered Lagoon/Holding Pond	AU	66.96	PR	100
367	EQIP	Roofs and Covers	Flexible Roof	SqFt	11.23	PR	100
367	EQIP	Roofs and Covers	Timber or Steel Sheet Roof	SqFt	9.68	PR	100
367	EQIP	Roofs and Covers	Steel Frame and Roof	SqFt	7.25	PR	100
367	EQIP	Roofs and Covers	Flexible Membrane Cover	SqFt	1.6	PR	100
367	EQIP	Roofs and Covers	Permeable Composite or Inorganic Cover	SqFt	3.26	PR	100
372	EQIP	Combustion System Improvement	Electric Motor in-lieu of IC Engine, < 37 kW	Ea	582.94	PR	100
372	EQIP	Combustion System Improvement	Electric Motor in-lieu of IC Engine, 37 to 73 kW	Ea	2624.48	PR	100
372	EQIP	Combustion System Improvement	Electric Motor in-lieu of IC Engine, 74 to 148 kW	Ea	6480.22	PR	100
372	EQIP	Combustion System Improvement	Electric Motor in-lieu of IC Engine, 148 to 295 kW	HP	86.93	PR	100
372	EQIP	Combustion System Improvement	Electric Motor in-lieu of IC Engine, > 295 kW	HP	88.46	PR	100
374	EQIP	Farmstead Energy Improvement	Lighting - CFL	Ea	13.91	PR	100
374	EQIP	Farmstead Energy Improvement	Lighting - LED	Ea	26.41	PR	100
374	EQIP	Farmstead Energy Improvement	Lighting - Linear Fluorescent	Ea	321.17	PR	100
374	EQIP	Farmstead Energy Improvement	Ventilation - Exhaust	Ea	1035.82	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
374	EQIP	Farmstead Energy Improvement	Ventilation - HAF	Ea	209.74	PR	100
374	EQIP	Farmstead Energy Improvement	Plate Cooler	Ea	9288.79	PR	100
374	EQIP	Farmstead Energy Improvement	Scroll Compressor	HP	1397.46	PR	100
374	EQIP	Farmstead Energy Improvement	Variable Speed Drive > 5 HP	HP	101.95	PR	100
374	EQIP	Farmstead Energy Improvement	Automatic Controller System	Ea	1395.84	PR	100
374	EQIP	Farmstead Energy Improvement	Motor Upgrade > 100 HP	HP	82.8	PR	100
374	EQIP	Farmstead Energy Improvement	Motor Upgrade 10 - 100 HP	HP	55.89	PR	100
374	EQIP	Farmstead Energy Improvement	Motor Upgrade > 1 and < 10 HP	HP	133.58	PR	100
374	EQIP	Farmstead Energy Improvement	Motor Upgrade ≤ 1 HP	Ea	419.1	PR	100
374	EQIP	Farmstead Energy Improvement	Heating - Radiant Tube	Ea	978.21	PR	100
374	EQIP	Farmstead Energy Improvement	Heating (Building)	kBTU/Hr	8.75	PR	100
374	EQIP	Farmstead Energy Improvement	Attic Insulation	SqFt	.52	PR	100
374	EQIP	Farmstead Energy Improvement	Wall Insulation	SqFt	2.15	PR	100
374	EQIP	Farmstead Energy Improvement	Sealant	SqFt	.92	PR	100
374	EQIP	Farmstead Energy Improvement	Greenhouse Screens	SqFt	1.51	PR	100
374	EQIP	Farmstead Energy Improvement	Grain Dryer	BTU/Hr	68.74	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvesting - Once per Year	Ac	297.74	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvesting - Twice per Year	Ac	595.48	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvesting - More Than Twice per Year	Ac	1190.97	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Solid-Set Sprinkler System, Less than 20 Acres	Ac	8465.08	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Solid-Set Sprinkler System, 20-60 Acres	Ac	6741.41	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Solid-Set Sprinkler System, Greater than 60 Acres	Ac	4297.29	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Truck-Mounted Mobile Sprinkler System	Ac	1157.96	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest-1/Yr and Solid-Set Sprinklers, Less than 20 Acres	Ac	8762.82	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest-1/Yr and Solid-Set Sprinklers, 20-60 Acres	Ac	7039.15	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest-1/Yr and Solid-Set Sprinklers, Greater than 60 Acres	Ac	4595.03	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest-1/Yr and Truck-Mounted Mobile Sprinkler System	Ac	1455.7	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest-2/Yr and Solid-Set Sprinklers, Less than 20 Acres	Ac	9060.56	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest-2/Yr and Solid-Set Sprinklers, 20-60 Acres	Ac	7336.9	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest-2/Yr and Solid-Set Sprinklers, Greater than 60 Acres	Ac	4892.77	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest-2/Yr and Truck-Mounted Mobile Sprinkler System	Ac	1753.45	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest- >2/Yr and Solid-Set Sprinklers, Less than 20 Acres	Ac	9656.05	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest- >2/Yr and Solid-Set Sprinklers, 20-60 Acres	Ac	7932.38	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest- >2/Yr and Solid-Set Sprinklers, Greater than 60 Acres	Ac	5488.26	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest- >2/Yr and Truck-Mounted Mobile Sprinkler System	Ac	2348.93	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Solid-Set Sprinkler System Labor	Ac	41.69	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest-1 per Year and Solid-Set Sprinkler System Labor	Ac	339.43	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest-2 per Year and Solid-Set Sprinkler System Labor	Ac	637.17	PR	100
375	EQIP	Dust Control from Animal Activity on Open Lot Surfaces	Manure Harvest- >2/Yr and Solid-Set Sprinkler System Labor	Ac	1232.66	PR	100
378	EQIP	Pond	Excavated Pit	CuYd	1.26	PR	100
378	EQIP	Pond	Embankment Pond without Pipe	CuYd	2.47	PR	100
378	EQIP	Pond	Embankment Pond with Metal or Plastic Pipe (CMP or HDPE)	CuYd	3.97	PR	100
378	EQIP	Pond	Embankment Pond with Pipe, CMP Riser & HDPE Barrel	CuYd	4.41	PR	100
380	EQIP	Windbreak/Shelterbelt Est.	1 row windbreak, shrubs, hand planted	Ft	.4	PR	100
380	EQIP	Windbreak/Shelterbelt Est.	1 row windbreak, trees, hand planted	Ft	.18	PR	100
380	EQIP	Windbreak/Shelterbelt Est.	2-row windbreak, shrubs, machine planted	Ft	.45	PR	100
380	EQIP	Windbreak/Shelterbelt Est.	2-row windbreak, trees, machine planted	Ft	.5	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
380	EQIP	Windbreak/Shelterbelt Est.	2-row windbreak, trees, machine planted- w/tree tubes	Ft	1.13	PR	100
380	EQIP	Windbreak/Shelterbelt Est.	3 or more row windbreak, shrub, machine planted	Ft	.95	PR	100
380	EQIP	Windbreak/Shelterbelt Est.	3 or more row windbreak, trees, machine planted	Ft	.47	PR	100
380	EQIP	Windbreak/Shelterbelt Est.	3 or more row windbreak, trees, machine planted-w/tree tubes	Ft	1.34	PR	100
380	EQIP	Windbreak/Shelterbelt Est.	Per plant 3 or more rows machine planted windbreak	Ea	3.67	PR	100
382	EQIP	Fence	Barbed/Smooth Wire	Ft	1.91	PR	100
382	EQIP	Fence	Wire Difficult	Ft	3.03	PR	100
382	EQIP	Fence	Woven Wire	Ft	2.62	PR	100
382	EQIP	Fence	Electric	Ft	1.46	PR	100
382	EQIP	Fence	Confinement	Ft	4.64	PR	100
382	EQIP	Fence	Safety	Ft	4.05	PR	100
382	EQIP	Fence	Wildlife Exclusion	Ft	4.45	PR	100
382	EQIP	Fence	Livestock Protection	Ft	1.6	PR	100
383	EQIP	Fuel Break	Structure	Ac	868	PR	100
383	EQIP	Fuel Break	Forested	Ac	622.79	PR	100
384	EQIP	Woody Residue Treatment	Woody residue/silvicultural slash treatment- light	Ac	160.19	PR	100
384	EQIP	Woody Residue Treatment	Chipping and hauling off-site	Ac	300.7	PR	100
384	EQIP	Woody Residue Treatment	Pile and Burn	Ac	280.82	PR	100
386	EQIP	Field Border	Field Border-Native, Inc Forgone	Ac	294.01	PR	100
386	EQIP	Field Border	Field Border, Introduced, Inc Forgone	Ac	201.88	PR	100
386	EQIP	Field Border	Field Border-Pollinator, Inc Forgone	Ac	190.87	PR	100
386	EQIP	Field Border	Field Border-Tree, Inc. Forgone	Ac	258.75	PR	100
386	EQIP	Field Border	Field Border-Organic Seed, Inc Forgone	Ac	257.43	PR	100
388	EQIP	Irrigation Field Ditch	Irrigation Field Ditch	CuYd	1.77	PR	100
390	EQIP	Riparian Herbaceous Cover	Aquatic Wildlife	Ac	3385.7	PR	100
390	EQIP	Riparian Herbaceous Cover	Plugging and Seeding	Ac	3624.99	PR	100
390	EQIP	Riparian Herbaceous Cover	Cool Season Grasses w/ Forbs	Ac	572.9	PR	100
391	EQIP	Riparian Forest Buffer	Small container, hand planted	Ac	2889.92	PR	100
393	EQIP	Filter Strip	Filter Strip, Native species: Forgone Income	Ac	495.02	PR	100
393	EQIP	Filter Strip	Filter Strip, Introduced species: Forgone Income	Ac	458.33	PR	100
393	EQIP	Filter Strip	Filter Strip, Native Species w/ Land Shaping: Forgone Income	Ac	616.69	PR	100
393	EQIP	Filter Strip	Filter Strip, Introduced Species w/ Land Shaping: Forgone Income	Ac	583.32	PR	100
394	EQIP	Firebreak	Constructed - Light Equipment	Ft	.03	PR	100
394	EQIP	Firebreak	Constructed - Medium equipment, flat-medium slopes	Ft	.18	PR	100
394	EQIP	Firebreak	Constructed - Medium equipment, steep slopes	Ft	.81	PR	100
394	EQIP	Firebreak	Vegetated permanent firebreak	Ft	.27	PR	100
394	EQIP	Firebreak	Constructed - Wide, bladed or disked firebreak	Ft	1.49	PR	100
395	EQIP	Stream Habitat Improvement	Riparian Zone Improvement-Forested	Ac	5471.75	PR	100
395	EQIP	Stream Habitat Improvement	Instream wood placement	Ac	11439.69	PR	100
395	EQIP	Stream Habitat Improvement	Instream rock placement	Ac	9029.38	PR	100
395	EQIP	Stream Habitat Improvement	Rock and wood structures	Ac	18162.08	PR	100
395	EQIP	Stream Habitat Improvement	Fish Barrier	CuYd	1172.69	PR	100
396	EQIP	Aquatic Organism Passage	Concrete Dam Removal	CuYd	93.69	PR	100
396	EQIP	Aquatic Organism Passage	Earthen Dam Removal	CuYd	40.74	PR	100
396	EQIP	Aquatic Organism Passage	Blockage Removal	CuYd	61.97	PR	100
396	EQIP	Aquatic Organism Passage	Nature-Like Fishway	Ac	66827.89	PR	100
396	EQIP	Aquatic Organism Passage	CMP Culvert	LnFt	524.43	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
396	EQIP	Aquatic Organism Passage	Bottomless Culvert	CuYd	427.02	PR	100
396	EQIP	Aquatic Organism Passage	Concrete Box Culvert	SqFt	27.59	PR	100
396	EQIP	Aquatic Organism Passage	Bridge	LnFt	1995.34	PR	100
396	EQIP	Aquatic Organism Passage	Concrete Ladder	VFt	9591.09	PR	100
396	EQIP	Aquatic Organism Passage	Complex Denil	VFt	49054.08	PR	100
396	EQIP	Aquatic Organism Passage	Alaskan Steeppass	VFt	6463.29	PR	100
396	EQIP	Aquatic Organism Passage	Low Water Crossing	CuYd	447.86	PR	100
396	EQIP	Aquatic Organism Passage	Paddlewheel Screen	CFS	5427.28	PR	100
396	EQIP	Aquatic Organism Passage	Rotating Drum Screen	CFS	694.25	PR	100
402	EQIP	Dam	Pipe Principal Spillway, CMP	CuYd	11.39	PR	100
402	EQIP	Dam	Pipe Principal Spillway, Reinforced Concrete	CuYd	13.17	PR	100
410	EQIP	Grade Stabilization Structure	Check Dams	Ton	32.68	PR	100
410	EQIP	Grade Stabilization Structure	Embankment, Pipe <= 6"	CuYd	3.58	PR	100
410	EQIP	Grade Stabilization Structure	Embankment, Pipe 8"-12"	CuYd	4.19	PR	100
410	EQIP	Grade Stabilization Structure	Embankment, Pipe >12"	CuYd	5.44	PR	100
410	EQIP	Grade Stabilization Structure	Embankment, Soil Treatment	CuYd	6.22	PR	100
410	EQIP	Grade Stabilization Structure	Pipe Drop, Plastic	SqFt	20.2	PR	100
410	EQIP	Grade Stabilization Structure	Pipe Drop, Steel	SqFt	11.93	PR	100
410	EQIP	Grade Stabilization Structure	Weir Drop Structures	SqFt	66.5	PR	100
410	EQIP	Grade Stabilization Structure	Rock Drop Structures	SqFt	47.82	PR	100
410	EQIP	Grade Stabilization Structure	Log Drop Structures	Ea	3326.6	PR	100
410	EQIP	Grade Stabilization Structure	Rock Chute	CuYd	69.41	PR	100
410	EQIP	Grade Stabilization Structure	Grade Control, Large	CuYd	1119.23	PR	100
412	EQIP	Grassed Waterway	Base Waterway	Ac	2303.75	PR	100
412	EQIP	Grassed Waterway	Grassed Waterway with Fabric Check Structures	Ac	2916.38	PR	100
422	EQIP	Hedgerow Planting	Pollinator Habitat	Ft	.9	PR	100
422	EQIP	Hedgerow Planting	Contour	Ft	.97	PR	100
422	EQIP	Hedgerow Planting	Wildlife machine plant	Ft	1	PR	100
422	EQIP	Hedgerow Planting	Wildlife Cool Season	Ft	.87	PR	100
428	EQIP	Irrigation Ditch Lining	Concrete Lining	SqYd	9.35	PR	100
428	EQIP	Irrigation Ditch Lining	Flexible Lining	SqYd	9.21	PR	100
428	EQIP	Irrigation Ditch Lining	Scenario A	SqYd	15.28	PR	100
428	EQIP	Irrigation Ditch Lining	GCL Liner	SqYd	12.99	PR	100
430	EQIP	Irrigation Pipeline	PVC (Iron Pipe Size) ≤ 8"	Lb	2.06	PR	100
430	EQIP	Irrigation Pipeline	PVC (Iron Pipe Size) ≥ 10"	Lb	1.62	PR	100
430	EQIP	Irrigation Pipeline	PVC (Plastic Irrigation Pipe) ≤ 8"	Lb	3.33	PR	100
430	EQIP	Irrigation Pipeline	PVC (Plastic Irrigation Pipe) ≥ 10"	Lb	1.84	PR	100
430	EQIP	Irrigation Pipeline	HDPE (Iron Pipe Size & Tubing) ≤ 8"	Lb	2.74	PR	100
430	EQIP	Irrigation Pipeline	HDPE (Iron Pipe Size & Tubing) ≥ 10"	Lb	2.33	PR	100
430	EQIP	Irrigation Pipeline	Surface HDPE (Iron Pipe Size & Tubing)	Lb	2.61	PR	100
430	EQIP	Irrigation Pipeline	HDPE (Corrugated Plastic Pipe)	Lb	2.06	PR	100
430	EQIP	Irrigation Pipeline	Steel (Iron Pipe Size) ≤ 8"	Lb	1.59	PR	100
430	EQIP	Irrigation Pipeline	Steel (Iron Pipe Size) ≥ 10"	Lb	1.47	PR	100
430	EQIP	Irrigation Pipeline	Surface Steel (Iron Pipe Size)	Lb	1.54	PR	100
430	EQIP	Irrigation Pipeline	Steel (Corrugated Steel Pipe)	Lb	.95	PR	100
430	EQIP	Irrigation Pipeline	Surface Aluminum (Aluminum Irrigation Pipe)	Lb	4.01	PR	100
430	EQIP	Irrigation Pipeline	Alfalfa Valve <=8"	Ea	498.73	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
430	EQIP	Irrigation Pipeline	Alfalfa Valve >=10'	Ea	682.66	PR	100
436	EQIP	Irrigation Reservoir	Embankment Dam with On-Site Borrow	CuYd	3.5	PR	100
436	EQIP	Irrigation Reservoir	Embankment Reservoir ≤ 30 Acre-Feet	CuYd	2.85	PR	100
436	EQIP	Irrigation Reservoir	Embankment Reservoir > 30 Acre-Feet	CuYd	2.86	PR	100
436	EQIP	Irrigation Reservoir	Excavated Tailwater Pit	CuYd	1.52	PR	100
436	EQIP	Irrigation Reservoir	Steel Tank	Gal	1.23	PR	100
436	EQIP	Irrigation Reservoir	Plastic Tank	Gal	1.07	PR	100
436	EQIP	Irrigation Reservoir	Fiberglass Tank	Gal	.73	PR	100
441	EQIP	Irrigation System, Microirrigation	SDI (Subsurface Drip Irrigation)	Ac	1213.32	PR	100
441	EQIP	Irrigation System, Microirrigation	Surface PE with emitters	Ac	1650.19	PR	100
441	EQIP	Irrigation System, Microirrigation	Microjet	Ac	779.72	PR	100
441	EQIP	Irrigation System, Microirrigation	Shelterbelt drip	Ft	.38	PR	100
441	EQIP	Irrigation System, Microirrigation	Upgrade Orchard system	Ac	365.53	PR	100
441	EQIP	Irrigation System, Microirrigation	Orchard system	Ac	1734.59	PR	100
441	EQIP	Irrigation System, Microirrigation	Hightunnel	SqFt	.14	PR	100
441	EQIP	Irrigation System, Microirrigation	truck garden	Ac	3065.35	PR	100
442	EQIP	Irrigation System, Sprinkler	Center Pivot System	LnFt	52.18	PR	100
442	EQIP	Irrigation System, Sprinkler	Linear Move System	LnFt	49.19	PR	100
442	EQIP	Irrigation System, Sprinkler	Wheel Line System	LnFt	8.8	PR	100
442	EQIP	Irrigation System, Sprinkler	Solid Set System	Ac	1611.74	PR	100
442	EQIP	Irrigation System, Sprinkler	Pod System	Ea	180.34	PR	100
442	EQIP	Irrigation System, Sprinkler	Renovation of Existing Sprinkler System	LnFt	4.41	PR	100
442	EQIP	Irrigation System, Sprinkler	Handline	LnFt	3.85	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	Surge Valve & Controller	Ea	1283.43	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	Aluminum Gated Pipe	Lb	3.57	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	Aluminum Gated Pipe and Surge Valve	Lb	4.14	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	Polyvinyl Chloride (PVC) Gated Pipe	Lb	1.08	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	Polyvinyl Chloride (PVC) Gated Pipe and Surge Valve	Lb	1.46	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	Poly Irrigation Tubing	Lb	2.13	PR	100
449	EQIP	Irrigation Water Management	Basic IWM or High tunnels	Ea	365.77	PR	100
449	EQIP	Irrigation Water Management	Intermediate IWM_YR1	Ea	1208.12	PR	100
449	EQIP	Irrigation Water Management	Intermediate IWM years 2 &3	Ea	508.9	PR	100
449	EQIP	Irrigation Water Management	Advanced IWM_YR1	Ea	2446.91	PR	100
449	EQIP	Irrigation Water Management	Advanced IWM years 2 & 3	Ea	1040.06	PR	100
449	EQIP	Irrigation Water Management	Basic Orchard	Ea	1208.87	PR	100
449	EQIP	Irrigation Water Management	Orchard w/Weather Station	Ea	3861.8	PR	100
450	EQIP	Anionic Polyacrylamide (PAM) Application	PAM Application	Lb	4.52	PR	100
464	EQIP	Irrigation Land Leveling	Irrigation Land Leveling	CuYd	1.51	PR	100
464	EQIP	Irrigation Land Leveling	Irrigation Land leveling (acre)	Ac	612.01	PR	100
466	EQIP	Land Smoothing	Minor Shaping	Ac	66.77	PR	100
472	EQIP	Access Control	Trails/Roads Access Control	Ea	513.45	PR	100
472	EQIP	Access Control	Animal exclusion from sensitive areas	Ft	.65	PR	100
472	EQIP	Access Control	Forest/Farm Access Control	Ft	.09	PR	100
472	EQIP	Access Control	Deferred Grazing	Ac	4.27	PR	100
484	EQIP	Mulching	Natural Material - Full Coverage	Ac	316.22	PR	100
484	EQIP	Mulching	Natural Material - Partial Coverage	Ac	44.98	PR	100
484	EQIP	Mulching	Erosion Control Blanket	SqFt	.15	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
484	EQIP	Mulching	Synthetic Material	Ac	2857.41	PR	100
484	EQIP	Mulching	Tree and Shrub	SqFt	.21	PR	100
490	EQIP	Tree & Shrub Site Preparation	Mechanical, Heavy	Ac	179.8	PR	100
490	EQIP	Tree & Shrub Site Preparation	Mechanical, Light	Ac	97.95	PR	100
490	EQIP	Tree & Shrub Site Preparation	Chemical, Ground Application	Ac	156.2	PR	100
490	EQIP	Tree & Shrub Site Preparation	Chemical, Aerial Application	Ac	49.43	PR	100
500	EQIP	Obstruction Removal	Removal and Disposal of Brush and Trees < 6 inch Diameter	Ac	726.32	PR	100
500	EQIP	Obstruction Removal	Removal and Disposal of Brush and Trees > 6 inch Diameter	Ac	1553.86	PR	100
500	EQIP	Obstruction Removal	Removal and Disposal of Fence	LnFt	.61	PR	100
500	EQIP	Obstruction Removal	Removal and Disposal of Rock and or Boulders	CuYd	76.08	PR	100
500	EQIP	Obstruction Removal	Removal and Disposal of Steel and or Concrete Structures	SqFt	8.88	PR	100
500	EQIP	Obstruction Removal	Removal and Disposal of Wood Structures	SqFt	9.16	PR	100
500	EQIP	Obstruction Removal	Feedlot Fence Removal	LnFt	4.41	PR	100
511	EQIP	Forage Harvest Management	Improved Forage Quality	Ac	1.59	PR	100
511	EQIP	Forage Harvest Management	Organic Preemptive Harvest	Ac	10.41	PR	100
511	EQIP	Forage Harvest Management	Perennial Crop - Directed Mowing	Ac	10.7	PR	100
512	EQIP	Forage and Biomass Planting	Seedbed Prep./Seeding- Intro. Perennial Cool Season Grasses w/ legume	Ac	41.16	PR	100
512	EQIP	Forage and Biomass Planting	Pollinator Friendly	Ac	310.59	PR	100
516	EQIP	Pipeline	PVC (Iron Pipe Size)	LnFt	1.65	PR	100
516	EQIP	Pipeline	HDPE (Iron Pipe Size & tubing)	LnFt	1.88	PR	100
516	EQIP	Pipeline	Surface HDPE (Iron Pipe Size & Tubing)	LnFt	1.15	PR	100
516	EQIP	Pipeline	Steel (Iron Pipe Size)	LnFt	4.95	PR	100
516	EQIP	Pipeline	Surface Steel (Iron Pipe Size)	LnFt	4.19	PR	100
516	EQIP	Pipeline	HDPE below frost line	LnFt	2.49	PR	100
516	EQIP	Pipeline	PVC below frost line	LnFt	2.11	PR	100
516	EQIP	Pipeline	Mountainous terrian	LnFt	4.42	PR	100
521A	EQIP	Pond Sealing or Lining, Flexible Membrane	Flexible Membrane - Uncovered without liner drainage or venting	SqYd	9.84	PR	100
521A	EQIP	Pond Sealing or Lining, Flexible Membrane	Flexible Membrane - Uncovered with liner drainage or venting	SqYd	14.41	PR	100
521A	EQIP	Pond Sealing or Lining, Flexible Membrane	Flexible Membrane - Covered without liner drainage or venting	SqYd	10.66	PR	100
521A	EQIP	Pond Sealing or Lining, Flexible Membrane	Flexible Membrane - Covered with liner drainage or venting	SqYd	15.33	PR	100
521C	EQIP	Pond Sealing or Lining, Bentonite Sealant	Bentonite Treatment - Covered	SqFt	1.01	PR	100
521D	EQIP	Pond Sealing or Lining, Compacted Clay Treatment	Material haul < 1 mile	CuYd	8.73	PR	100
521D	EQIP	Pond Sealing or Lining, Compacted Clay Treatment	Material haul > 1 mile	CuYd	141.37	PR	100
521D	EQIP	Pond Sealing or Lining, Compacted Clay Treatment	Ag Waste Liner	CuYd	8.24	PR	100
528	EQIP	Prescribed Grazing	Range Standard (\$10K/yr, 3 yr max)	Ac	1.68	PR	100
528	EQIP	Prescribed Grazing	Range Intensive (\$10K/yr, 3 yr max)	Ac	3.04	PR	100
528	EQIP	Prescribed Grazing	Habitat Mgt. Standard (\$10K/yr, 3 yr max)	Ac	2.84	PR	100
528	EQIP	Prescribed Grazing	Habitat Mgmt, Rest Rotation (\$10K/yr, 3 yr max)	Ac	6.84	PR	100
528	EQIP	Prescribed Grazing	Pasture Intensive (\$10K/yr, 3 yr max)	Ac	16.79	PR	100
533	EQIP	Pumping Plant	Electric-Powered Pump ≤ 3 Hp	BHP	626.42	PR	100
533	EQIP	Pumping Plant	Electric-Powered Pump ≤ 3 HP with Pressure Tank	BHP	824.42	PR	100
533	EQIP	Pumping Plant	Electric-Powered Pump >3 to 10 HP	BHP	503.96	PR	100
533	EQIP	Pumping Plant	Electric-Powered Pump >10 to 40 HP	BHP	326.34	PR	100
533	EQIP	Pumping Plant	Electric-Powered Pump >40 HP	BHP	202.72	PR	100
533	EQIP	Pumping Plant	Variable Frequency Drive	BHP	110.1	PR	100
533	EQIP	Pumping Plant	Internal Combustion-Powered Pump ≤ 7½ HP	BHP	202.32	PR	100
533	EQIP	Pumping Plant	Internal Combustion-Powered Pump > 7½ to 75 HP	BHP	197.5	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
533	EQIP	Pumping Plant	Internal Combustion-Powered Pump > 75 HP	BHP	132.75	PR	100
533	EQIP	Pumping Plant	Tractor Power Take Off (PTO) Pump	BHP	99.05	PR	100
533	EQIP	Pumping Plant	Windmill-Powered Pump	Ft	642.72	PR	100
533	EQIP	Pumping Plant	Photovoltaic-Powered Pump <= 250 ft total head	Ea	3705.44	PR	100
533	EQIP	Pumping Plant	Photovoltaic-Powered Pump 251-400 ft total head	Ea	4727.82	PR	100
533	EQIP	Pumping Plant	Photovoltaic-Powered Pump >400 ft total head	Ea	5750.19	PR	100
533	EQIP	Pumping Plant	Water Ram Pump	In	708.71	PR	100
533	EQIP	Pumping Plant	Livestock Nose Pump	Ea	855.84	PR	100
550	EQIP	Range Planting	Native, Standard Preparation	Ac	65.83	PR	100
550	EQIP	Range Planting	Native, Heavy Preparation	Ac	131.09	PR	100
550	EQIP	Range Planting	Native, Wildlife or Pollinator	Ac	307.96	PR	100
558	EQIP	Roof Runoff Structure	7-9" Aluminum Roof Gutter	LnFt	29.94	PR	100
558	EQIP	Roof Runoff Structure	Concrete Curb	LnFt	11.63	PR	100
558	EQIP	Roof Runoff Structure	Trench Drain	LnFt	8.02	PR	100
558	EQIP	Roof Runoff Structure	4-6" Aluminum Roof Gutter	LnFt	7.71	PR	100
558	EQIP	Roof Runoff Structure	7-9" Galvanized Steel Roof Gutter	LnFt	28.43	PR	100
558	EQIP	Roof Runoff Structure	4-6" Galvanized Steel Roof Gutter	LnFt	7.19	PR	100
560	EQIP	Access Road	New earth road in dry, level terrain.	LnFt	6.99	PR	100
560	EQIP	Access Road	New 6" gravel road in wet, level terrain	LnFt	13.74	PR	100
560	EQIP	Access Road	Rehabilitation of existing earth road in dry, level terrain	LnFt	1.68	PR	100
560	EQIP	Access Road	Rehabilitation of existing gravel road in wet, level terrain	LnFt	3.01	PR	100
560	EQIP	Access Road	New earth road in dry, sloped terrain	LnFt	4.86	PR	100
560	EQIP	Access Road	New 6" gravel road in wet, sloped terrain	LnFt	11.61	PR	100
560	EQIP	Access Road	Rehabilitation of existing earth road in wet, sloped terrain	LnFt	1.24	PR	100
560	EQIP	Access Road	Rehabilitation of existing gravel road in wet, sloped terrain	LnFt	2.59	PR	100
561	EQIP	Heavy Use Area Protection	Reinforced Concrete with Sand or Gravel Foundation	SqFt	2.75	PR	100
561	EQIP	Heavy Use Area Protection	Rock and Gravel on Geotextile	SqFt	.72	PR	100
561	EQIP	Heavy Use Area Protection	Rock and/or Gravel on GeoCell and Geotextile	SqFt	1.75	PR	100
561	EQIP	Heavy Use Area Protection	Fly Ash on Geotextile	SqFt	1.35	PR	100
561	EQIP	Heavy Use Area Protection	Bituminous Concrete Pavement	SqFt	1.85	PR	100
561	EQIP	Heavy Use Area Protection	Small Rock 1 to 4 Inches	SqFt	.54	PR	100
561	EQIP	Heavy Use Area Protection	Portable Fabricated Wind Shelter	LnFt	41.31	PR	100
561	EQIP	Heavy Use Area Protection	Permanent Fabricated Wind Shelter	LnFt	31.15	PR	100
574	EQIP	Spring Development	Spring Development	Ea	2298.59	PR	100
575	EQIP	Animal Trail or Walkway	Construct Trail or Walkway	SqFt	.16	PR	100
578	EQIP	Stream Crossing	Bridge	SqFt	33.38	PR	100
578	EQIP	Stream Crossing	Hard armored low water crossing	SqFt	2.58	PR	100
578	EQIP	Stream Crossing	Culvert installation	LnFt	2.35	PR	100
578	EQIP	Stream Crossing	Low water crossing using prefabricated products	SqFt	4.12	PR	100
578	EQIP	Stream Crossing	Stream Crossing, Pivot	LnFt	40.18	PR	100
580	EQIP	Streambank and Shoreline Protection	Bioengineering w/vegetation (scen. Description 1)	LnFt	25.16	PR	100
580	EQIP	Streambank and Shoreline Protection	Structural, Toewood w/vegetation (scen. Description 2)	LnFt	79.89	PR	100
580	EQIP	Streambank and Shoreline Protection	Structural, Toerock w/vegetation (scen. Description 3)	LnFt	83.3	PR	100
580	EQIP	Streambank and Shoreline Protection	Structural, Rock Riprap w/vegetation (scen. Description 4)	CuYd	62.78	PR	100
580	EQIP	Streambank and Shoreline Protection	Structural, Rock Vane w/vegetation (scen. Description 5)	LnFt	71.89	PR	100
580	EQIP	Streambank and Shoreline Protection	Structural, Rock Riprap Stream Barb w/vegetation (scen. Description 6)	CuYd	68.79	PR	100
580	EQIP	Streambank and Shoreline Protection	Structural, Rock Vane w/ J-hook w/vegetation (scen. Description 7)	LnFt	55.57	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
580	EQIP	Streambank and Shoreline Protection	Structural, Toewood w/VESL (scen. Description 8)	LnFt	95.85	PR	100
584	EQIP	Channel Bed Stabilization	Cross-Vane, Boulder (boulder or concrete or other fabricated materials)	CuYd	119.34	PR	100
584	EQIP	Channel Bed Stabilization	Cross-Vane, Log (wood and rock)	Ea	6376.45	PR	100
584	EQIP	Channel Bed Stabilization	Constructed Riffle, Rock Chute	CuYd	55.59	PR	100
584	EQIP	Channel Bed Stabilization	Constructed Riffle, Rock Chute with 2 cross-vanes	CuYd	89.71	PR	100
584	EQIP	Channel Bed Stabilization	Stream Restoration with Gravel	CuYd	44.18	PR	100
584	EQIP	Channel Bed Stabilization	Stream Restoration with Rock Structure	CuYd	57.79	PR	100
585	EQIP	Stripcropping	Stripcropping - water erosion	Ac	2.63	PR	100
585	EQIP	Stripcropping	Stripcropping - wind erosion	Ac	2.63	PR	100
587	EQIP	Structure for Water Control	Inlet Flashboard Riser, Metal	InFt	2.86	PR	100
587	EQIP	Structure for Water Control	Inline Flashboard Riser, Metal	InFt	3.01	PR	100
587	EQIP	Structure for Water Control	Commercial Inline Flashboard Riser	InFt	3.42	PR	100
587	EQIP	Structure for Water Control	Culvert <30 inches HDPE	InFt	1.37	PR	100
587	EQIP	Structure for Water Control	Culvert <30 inches CMP	InFt	1.6	PR	100
587	EQIP	Structure for Water Control	Slide Gate	Ft	1252.38	PR	100
587	EQIP	Structure for Water Control	Flap Gate	Ft	1168.76	PR	100
587	EQIP	Structure for Water Control	Flap Gate w/ Concrete Wall	CuYd	789.9	PR	100
587	EQIP	Structure for Water Control	Rock Checks for Water Surface Profile	Ton	32.97	PR	100
587	EQIP	Structure for Water Control	In-Stream Structure for Water Surface Profile	LnFt	172.66	PR	100
587	EQIP	Structure for Water Control	CMP Turnout	Ea	483.18	PR	100
587	EQIP	Structure for Water Control	Concrete Turnout Structure - Small	Ea	771.19	PR	100
587	EQIP	Structure for Water Control	Concrete Turnout Structure	Ea	2728.79	PR	100
587	EQIP	Structure for Water Control	Flow Meter with Mechanical Index	Inch	92.25	PR	100
587	EQIP	Structure for Water Control	Flow Meter with Electronic Index	In	110.73	PR	100
587	EQIP	Structure for Water Control	Flow Meter with Electronic Index & Telemetry	In	206.75	PR	100
587	EQIP	Structure for Water Control	Miscellaneous Structure, Extra Small	Ea	2504.58	PR	100
587	EQIP	Structure for Water Control	Miscellaneous Structure, Small	Ea	5103.43	PR	100
587	EQIP	Structure for Water Control	Miscellaneous Structure, Medium	Ea	8175.38	PR	100
587	EQIP	Structure for Water Control	Miscellaneous Structure, Large	Ea	16075.67	PR	100
587	EQIP	Structure for Water Control	Miscellaneous Structure, Very Large	CuYd	1120.4	PR	100
587	EQIP	Structure for Water Control	Wood Structure, Small	Ea	2124.63	PR	100
590	EQIP	Nutrient Management	Basic NM System (\$10K/yr, 3 yr max)	Ac	8.56	PR	100
590	EQIP	Nutrient Management	Basic Organic NM System (\$10K/yr, 3 yr max)	Ac	8.77	PR	100
590	EQIP	Nutrient Management	Small Farm/Diversified	Ea	468.32	PR	100
590	EQIP	Nutrient Management	Basic NM system with manure (\$10K/yr, 3 yr max)	Ac	9.31	PR	100
590	EQIP	Nutrient Management	Enhanced Nutrient Mgt (\$10K/yr, 3 yr max)	Ac	34.93	PR	100
590	EQIP	Nutrient Management	Precision NM System (\$10K/yr, 3 yr max)	Ac	23.82	PR	100
590	EQIP	Nutrient Management	Advanced NM Precision System (\$10K/yr, 3 yr max)	Ac	34.53	PR	100
590	EQIP	Nutrient Management	Adaptive NM	Ea	1448.1	PR	100
595	EQIP	Integrated Pest Management	Basic IPM - Field, ONE res. concern (\$10K/yr, 3 yr max)	Ac	11.14	PR	100
595	EQIP	Integrated Pest Management	Basic IPM - Field, MORE than ONE res. concern (\$10K/yr, 3 yr max)	Ac	15.07	PR	100
595	EQIP	Integrated Pest Management	Advanced IPM - Field, All identified res. concerns (\$10K/yr, 3 yr max)	Ac	22.29	PR	100
595	EQIP	Integrated Pest Management	Basic IPM - Fruit/Veg, ONE res. concern (\$10K/yr, 3 yr max)	Ac	62.83	PR	100
595	EQIP	Integrated Pest Management	Basic IPM - Fruit/Veg, MORE than ONE res. concern (\$10K/yr, 3 yr max)	Ac	81.09	PR	100
595	EQIP	Integrated Pest Management	Advanced IPM - Fruit/Veg, All identified res. concerns (\$10K/yr, 3 yr max)	Ac	124.19	PR	100
595	EQIP	Integrated Pest Management	Basic IPM - Orchard, ONE res. concern (\$10K/yr, 3 yr max)	Ac	81.09	PR	100
595	EQIP	Integrated Pest Management	Basic IPM - Orchard, MORE than ONE res. concern (\$10K/yr, 3 yr max)	Ac	124.19	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
595	EQIP	Integrated Pest Management	Advanced IPM - Orchard, All identified res. concerns (\$10K/yr, 3 yr max)	Ac	195.32	PR	100
595	EQIP	Integrated Pest Management	IPM Small/Diversified Systems (CSA, organic) - Farm, ONE res. concern	Ea	379.97	PR	100
595	EQIP	Integrated Pest Management	IPM Small/Diversified Systems (CSA, organic) - Farm, > ONE res. concern	Ea	496.75	PR	100
595	EQIP	Integrated Pest Management	IPM Small/Diversified Systems (CSA, organic) - Farm, All res. concerns	Ea	745.12	PR	100
595	EQIP	Integrated Pest Management	Risk Prevention IPM - All identified res. concerns (\$10K/yr, 3 yr max)	Ac	104.03	PR	100
600	EQIP	Terrace	Broadbased	LnFt	1.39	PR	100
600	EQIP	Terrace	Flat Channel	LnFt	2.28	PR	100
600	EQIP	Terrace	5 to 1 & 2 to 1	LnFt	.97	PR	100
600	EQIP	Terrace	Narrow Base < 8%	LnFt	1.16	PR	100
600	EQIP	Terrace	Narrow Base > 8%	LnFt	1.24	PR	100
601	EQIP	Vegetative Barriers	Vegetative Barrier: 3- to 5-foot wide	Ft	.11	PR	100
601	EQIP	Vegetative Barriers	Vegetative Barrier: greater than 5-foot wide	Ft	.14	PR	100
603	EQIP	Herbaceous Wind Barriers	Annual Species	Ft	.09	PR	100
603	EQIP	Herbaceous Wind Barriers	Perennial species	Ft	.1	PR	100
606	EQIP	Subsurface Drain	Corrugated Plastic Pipe (CPP), Single-Wall, ≤ 6"	Lb	5.16	PR	100
606	EQIP	Subsurface Drain	Enveloped Corrugated Plastic Pipe (CPP), Single-Wall, ≤ 6"	Lb	6.3	PR	100
606	EQIP	Subsurface Drain	Corrugated Plastic Pipe (CPP), Single-Wall, ≥ 8"	Lb	2.39	PR	100
606	EQIP	Subsurface Drain	Corrugated Plastic Pipe (CPP), Twin-Wall, ≥ 8"	Lb	2.28	PR	100
606	EQIP	Subsurface Drain	Pond Perimeter drain	Ft	16.16	PR	100
607	EQIP	Surface Drainage, Field Ditch	Field Drainage Ditch	CuYd	1.61	PR	100
608	EQIP	Surface Drainage, Main or Lateral	Main or Lateral Drainage Ditch	CuYd	1.61	PR	100
612	EQIP	Tree & Shrub Establishment	Individual tree - hand planting	Ea	.53	PR	100
612	EQIP	Tree & Shrub Establishment	Individual tree - hand planting - moderate protection	Ea	.93	PR	100
612	EQIP	Tree & Shrub Establishment	Individual tree - hand planting - high protection	Ea	1.3	PR	100
614	EQIP	Watering Facility	Permanent Drinking with Storage, less than 500 Gallon	Gal	1.99	PR	100
614	EQIP	Watering Facility	Permanent Drinking with Storage, 500 to 1000 Gallon	Gal	1.81	PR	100
614	EQIP	Watering Facility	Permanent Drinking with Storage, 1000 to 5000 Gallon	Gal	1.62	PR	100
614	EQIP	Watering Facility	Permanent Drinking with Storage, greater than 5000 Gallons	Gal	.75	PR	100
614	EQIP	Watering Facility	Automatic or Winter less than 450 Gallons, No Storage	Ea	729.85	PR	100
614	EQIP	Watering Facility	Winter, with Storage	Gal	2.87	PR	100
614	EQIP	Watering Facility	Storage Tank	Gal	.84	PR	100
620	EQIP	Underground Outlet	UO<=6"	LnFt	5.2	PR	100
620	EQIP	Underground Outlet	UO<=6" w Riser	LnFt	4.98	PR	100
620	EQIP	Underground Outlet	6"<UO<=12"	LnFt	7.04	PR	100
620	EQIP	Underground Outlet	6"<UO<=12" w Riser	LnFt	9.25	PR	100
620	EQIP	Underground Outlet	12"<UO<=18"	LnFt	14	PR	100
620	EQIP	Underground Outlet	18"<UO<=24"	LnFt	21.56	PR	100
620	EQIP	Underground Outlet	24"<UO<=30"	LnFt	29.05	PR	100
620	EQIP	Underground Outlet	UO<=4" w Riser	LnFt	3.49	PR	100
632	EQIP	Solid/Liquid Waste Separation Facility	Mechanical Separator	Ea	22517.49	PR	100
632	EQIP	Solid/Liquid Waste Separation Facility	Mechanical separation wo storage	Ea	31848.12	PR	100
632	EQIP	Solid/Liquid Waste Separation Facility	Earthen Settling Structure <=0.5 ac-ft design storage	CuFt	.38	PR	100
632	EQIP	Solid/Liquid Waste Separation Facility	Earthen Settling Structure >0.5 ac-ft design storage	CuFt	.17	PR	100
632	EQIP	Solid/Liquid Waste Separation Facility	Concrete Basin	CuFt	3.06	PR	100
632	EQIP	Solid/Liquid Waste Separation Facility	Concrete Sand Settling Lane	SqFt	3.29	PR	100
634	EQIP	Waste Transfer	Wastewater catch basin < 1000 gal.	Gal	5.22	PR	100
634	EQIP	Waste Transfer	Wastewater reception pit or basin 1000 to 5000 gal.	Gal	2.13	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
634	EQIP	Waste Transfer	Wastewater reception pit larger than 5000 gal.	Gal	1.62	PR	100
634	EQIP	Waste Transfer	Wastewater reception basin with 6" pipe to waste storage pond	Gal	2.65	PR	100
634	EQIP	Waste Transfer	Waste basin with 8" pipe to treatment site and 6" pipe to waste pond	Gal	2.13	PR	100
634	EQIP	Waste Transfer	Concrete Channel	SqFt	6.6	PR	100
634	EQIP	Waste Transfer	Concrete Channel with push-off wall at pond and safety gate	SqFt	10.69	PR	100
634	EQIP	Waste Transfer	Concrete channel transfer to medium sized wastewater basin	SqFt	13.96	PR	100
634	EQIP	Waste Transfer	Concrete waste transfer to med. basin w/ 6" pipe to waste storage pond	SqFt	16.46	PR	100
634	EQIP	Waste Transfer	Flush Sys. <1000 gal. cycle to waste pond-collection basin and 8 inch pipe	Gal	9.64	PR	100
634	EQIP	Waste Transfer	Wastewater Flush Transfer System - Pipes only	Ft	38.58	PR	100
634	EQIP	Waste Transfer	Hopper inlet with 24" diameter gravity pipeline to waste storage facility	Ft	85.87	PR	100
634	EQIP	Waste Transfer	Gravity flow 30" dia. conduit attached to an existing inlet structure	Ft	62.32	PR	100
634	EQIP	Waste Transfer	Low pressure flow 12" PVC conduit	Ft	33.68	PR	100
634	EQIP	Waste Transfer	PVC pipeline from waste storage pond to waste application site	Ft	16.21	PR	100
634	EQIP	Waste Transfer	Pressure Pipe at Headquarters	Ft	13.88	PR	100
634	EQIP	Waste Transfer	Pressure pipeline from waste storage pond to waste application site	Ft	6.46	PR	100
634	EQIP	Waste Transfer	Conveyor System	Ft	67.38	PR	100
634	EQIP	Waste Transfer	Agitator-small used for mixing a basin or pit < 10 ft. deep.	Ea	8987.81	PR	100
634	EQIP	Waste Transfer	Agitator-medium used for mixing a basin 10 to 15 ft. deep.	Ea	13606.7	PR	100
634	EQIP	Waste Transfer	Agitator-large used for mixing a tank over 15 ft. deep.	Ea	19683.14	PR	100
634	EQIP	Waste Transfer	Solid Waste Hauling	Ton-Mile	1.24	PR	100
634	EQIP	Waste Transfer	Liquid Waste Hauling	Gal	.01	PR	100
634	EQIP	Waste Transfer	Injection of Liquid Manure	Ea	33431.18	PR	100
635	EQIP	Vegetated Treatment Area	Runoff is delivered onto VTA via spreader ditch system	Ac	1091.05	PR	100
635	EQIP	Vegetated Treatment Area	Runoff is delivered onto VTA via pod irrigation system	Ac	1321.71	PR	100
635	EQIP	Vegetated Treatment Area	Runoff is delivered onto VTA via gated pipe	Ac	1257.59	PR	100
635	EQIP	Vegetated Treatment Area	Constructed VTA with runoff delivered via gravel filled spreader trench	Ac	2183.15	PR	100
635	EQIP	Vegetated Treatment Area	Constructed VTA with runoff delivered via gated pipe.	Ac	2351.28	PR	100
635	EQIP	Vegetated Treatment Area	RC Curb/spreader ditch delivery system for an Existing Vegetative Area	Ac	2692.7	PR	100
636	EQIP	Water Harvesting Catchment	Surface Catchment	SqYd	6.92	PR	100
636	EQIP	Water Harvesting Catchment	Elevated Catchment	SqYd	115.51	PR	100
638	EQIP	Water & Sediment Control Basin	WASCOB, Basic	CuYd	1.07	PR	100
638	EQIP	Water & Sediment Control Basin	WASCOB, Topsoil	CuYd	4.63	PR	100
642	EQIP	Water Well	Shallow Well, 100-foot depth or less	LnFt	31.57	PR	100
642	EQIP	Water Well	Typical Well, 100- to 600-foot depth with 4-inch Casing	LnFt	24.89	PR	100
642	EQIP	Water Well	Typical Well, 100- to 600-foot depth with 6-inch Casing	LnFt	31	PR	100
642	EQIP	Water Well	Deep Well, 600-foot depth or greater with 4-inch Casing	LnFt	20.37	PR	100
642	EQIP	Water Well	Deep Well, 600-foot depth or greater with 6-inch Casing	LnFt	26.52	PR	100
642	EQIP	Water Well	High Volume Shallow Well	Ea	11035.37	PR	100
642	EQIP	Water Well	High Volume Typical Well	Ea	48119.68	PR	100
642	EQIP	Water Well	High Volume Deep Well	Ea	52011.05	PR	100
644	EQIP	Wetland Wildlife Management	Nesting Structures	Ea	159.16	PR	100
644	EQIP	Wetland Wildlife Management	Monitoring & Management	Ac	153.27	PR	100
644	EQIP	Wetland Wildlife Management	Topographic Feature Creation	Ac	78.58	PR	100
645	EQIP	Upland Wildlife Habitat Management	Lek Monitoring	Ea	444.02	PR	100
645	EQIP	Upland Wildlife Habitat Management	Annual Food Plot	Ac	312.79	PR	100
645	EQIP	Upland Wildlife Habitat Management	Snag Creation-TreeToppingOrTreeGirdling	Ac	207.51	PR	100
646	EQIP	Shallow Water Development and Management	Shallow Water Management	Ac	102.03	PR	100

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
646	EQIP	Shallow Water Development and Management	Shallow Water Management-High Level	Ac	163.48	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Sod Release	LnFt	.05	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Thinning	LnFt	.48	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Pruning	LnFt	.39	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Tree/Shrub Removal with Chain Saw	LnFt	.39	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Removal <8 inches DBH with Skidsteer	LnFt	.79	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Removal > 8 inches DBH with Dozer	LnFt	1.19	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Supplemental Planting-Container	Ea	3.42	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Supplemental Plantings-Bare Root	Ea	3.77	PR	100
650	EQIP	Windbreak/Shelterbelt Renovation	Coppicing	LnFt	.56	PR	100
656	EQIP	Constructed Wetland	Small (i.e. <0.1 ac)	SqFt	.46	PR	100
656	EQIP	Constructed Wetland	Medium (i.e. 0.1 to 0.5 ac)	Ac	9691.33	PR	100
656	EQIP	Constructed Wetland	Large (i.e. > 0.5 ac)	Ac	6761.17	PR	100
657	EQIP	Wetland Restoration	Mineral Flat	Ac	151.19	PR	100
657	EQIP	Wetland Restoration	Riverine Levee Removal and Floodplain Features	Ac	396.43	PR	100
657	EQIP	Wetland Restoration	Depression Sediment Removal and Ditch Plug	Ac	992.13	PR	100
657	EQIP	Wetland Restoration	Riverine Channel and Floodplain Restoration	Ac	474.12	PR	100
658	EQIP	Wetland Creation	Wetland Creation, Wildlife Pond	Ac	2641.17	PR	100
659	EQIP	Wetland Enhancement	Mineral Flat	Ac	151.19	PR	100
659	EQIP	Wetland Enhancement	Riverine Levee Removal and Floodplain Features	Ac	437.17	PR	100
659	EQIP	Wetland Enhancement	Depression Sediment Removal and Ditch Plug	Ac	992.13	PR	100
659	EQIP	Wetland Enhancement	Riverine Channel and Floodplain Restoration	Ac	474.12	PR	100
660	EQIP	Tree Pruning	Pruning-Fire Hazard	Ac	203.45	PR	100
660	EQIP	Tree Pruning	Pruning-White Pine Blister Rust	Ac	203.45	PR	100
666	EQIP	Forest Stand Improvement	Non-Commercial Thinning, Mastication	Ac	387.58	PR	100
666	EQIP	Forest Stand Improvement	Pre-Commercial Thinning, High Intensity	Ac	344.32	PR	100
666	EQIP	Forest Stand Improvement	Pre-Commercial Thinning, Medium Intensity	Ac	233.71	PR	100
666	EQIP	Forest Stand Improvement	Pre-Commercial Thinning, Low Intensity	Ac	175.33	PR	100
666	EQIP	Forest Stand Improvement	Aspen Regeneration	Ac	175.65	PR	100
710	EQIP	Agricultural Secondary Containment Facility	Double Wall Tank upgrade from single walled tank	Gal	1.25	PR	100
710	EQIP	Agricultural Secondary Containment Facility	Earthen Containment	CuYd	.9	PR	100
710	EQIP	Agricultural Secondary Containment Facility	Corrugated Metal Wall Containment	SqFt	18.67	PR	100
710	EQIP	Agricultural Secondary Containment Facility	Concrete Containment Wall	Gal	1.34	PR	100
734	EQIP	Fish and Wildlife Structure	Nesting Boxes with pole and predator guard	Ea	115.29	PR	100
734	EQIP	Fish and Wildlife Structure	Nesting Boxes with pole and without predator guard	Ea	179.46	PR	100
734	EQIP	Fish and Wildlife Structure	Nesting and Rearing Box without pole	Ea	38.74	PR	100
734	EQIP	Fish and Wildlife Structure	Burrowing Owl Burrow	Ea	331.27	PR	100
734	EQIP	Fish and Wildlife Structure	Lunkers	Ea	2629.62	PR	100
734	EQIP	Fish and Wildlife Structure	Brush and Rock Piles	Ea	18.43	PR	100
734	EQIP	Fish and Wildlife Structure	Fence Markers	LnFt	.24	PR	100
734	EQIP	Fish and Wildlife Structure	Wildlife Friendly Fence Retrofit, Wire Only with Fence Markers	LnFt	1.48	PR	100
734	EQIP	Fish and Wildlife Structure	Escape Ramps	Ea	62.78	PR	100
798	EQIP	Seasonal High Tunnel for Crops	Contiguous US	SqFt	2.62	PR	100