

Practice_Code	Cost_Share_Program	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
313	EQIP	Waste Storage Facility	Size 1 - All Components, Based on Size and Component Cost Estimate	no	10000	PR	100
313	EQIP	Waste Storage Facility	Size 2 - All Components, Based on Size and Component Cost Estimate	no	17500	PR	100
313	EQIP	Waste Storage Facility	Size 3 - All Components, Based on Size and Component Cost Estimate	no	25000	PR	100
313	EQIP	Waste Storage Facility	Size 4 - All Components, Based on Size and Component Cost Estimate	no	32500	PR	100
313	EQIP	Waste Storage Facility	Size 5 - All Components, Based on Size and Component Cost Estimate	no	40000	PR	100
313	EQIP	Waste Storage Facility	Size 6 - All Components, Based on Size and Component Cost Estimate	no	47500	PR	100
313	EQIP	Waste Storage Facility	Size 7 - All Components, Based on Size and Component Cost Estimate	no	55000	PR	100
313	EQIP	Waste Storage Facility	Size 8 - All Components, Based on Size and Component Cost Estimate	no	62500	PR	100
314	EQIP	Brush Management	Sagebrush Chemical Treatment - (2,4,D)	ac	8.85	PR	100
314	EQIP	Brush Management	Sagebrush Chemical Treatment - (Tebuthiuron)	ac	14.65	PR	100
314	EQIP	Brush Management	Rabbit Brush Chemical Treatment, (2,4-D)	ac	11	PR	100
314	EQIP	Brush Management	Mechanical Removal Invasive Trees and Shrubs - Chaining	ac	77	PR	100
314	EQIP	Brush Management	Mechanical Removal Invasive Trees and Shrubs - Chain Saw	ac	91	PR	100
314	EQIP	Brush Management	Mechanical Removal Shrubs - Light Equipment (Mow/Brushhog/etc.)	ac	9.45	PR	100
314	EQIP	Brush Management	Mechanical Removal Invasive Trees - Heavy Equipment	ac	175	PR	100

315	EQIP	Herbaceous Weed Control (ac.)	Range land - ATV Herbicide Application	ac	26.5	PR	100
315	EQIP	Herbaceous Weed Control (ac.)	Range Land - Backpack Herbicide Application	ac	40	PR	100
322	EQIP	Channel Bank Vegetation	Willow cutting pole planting	ft	2.05	PR	100
327	EQIP	Conservation Cover	Native Vegetation	ac	125	PR	100
327	EQIP	Conservation Cover	Non-Native Vegetation	ac	55	PR	100
329	EQIP	Residue Management	No till (\$15,000 Cap per Year. 3 years only)	ac	30	PR	100
338	EQIP	Prescribed Burning	Forested Areas - Slash Piles (Must have prescribed burn certification.)	ac	50	PR	100
338	EQIP	Prescribed Burning	Forested Areas - Understory Burning (Must have prescribed burn certification.)	ac	115	PR	100
338	EQIP	Prescribed Burning	Rangeland - Plan and Burn (Must have prescribed burn certification.)	ac	36.25	PR	100
340	EQIP	Cover Crop	Cover Crop: not to exceed 160 acres	ac	30.75	PR	100
342	EQIP	Critical Area Planting	Critical Area Planting (All components with light shaping if needed) Not to exceed 5 ac.	ac	180	PR	100
342	EQIP	Critical Area Planting	Critical Area Planting (All components with moderate shaping) Not to exceed 5 ac	ac	220	PR	100
342	EQIP	Critical Area Planting	Critical Area Planting (All components with heavy shaping) Not to exceed 5 ac	ac	260	PR	100
342	EQIP	Critical Area Planting	Critical Area Planting - Seed bed preparation and seeding Without Shaping	ac	92	PR	100
345	EQIP	Residue Management	Mulch Till - Basic Dry Cropland (\$10,000 Cap per Year. 3 years only)	ac	15	PR	100
345	EQIP	Residue Management	Mulch Till - High Intensive Dry Cropland (\$10,000 Cap per Year. 3 years only)	ac	30	PR	100
345	EQIP	Residue Management	Mulch Till - High Intensity Irrigated Cropland (\$10,000 Cap per Year. 3 years only)	ac	30	PR	100

348	EQIP	Dam, Diversion	Dam, Diversion (Concrete)	no	8075	PR	100
348	EQIP	Dam, Diversion	Dam, Diversion (Rock)	no	6555	PR	100
350	EQIP	Sediment Basin	Sediment Basin construction (doesn't included inlet or outlet pipe)	cuyd	2	PR	100
362	EQIP	Diversion	Diversion	ft	1.35	PR	100
378	EQIP	Pond	Excavated or Embankment	cuyd	2.75	PR	100
380	EQIP	Windbreak/Shelterbelt Est.	Windbreak/Shelterbelt (total length of all rows)	ft	.85	PR	100
382	EQIP	Fence	Barb Wire	ft	1.65	PR	100
382	EQIP	Fence	Barb Wire (Very Steep or Rocky Site)	ft	1.95	PR	100
382	EQIP	Fence	Corral	ft	9	PR	100
382	EQIP	Fence	Electric	ft	1.2	PR	100
382	EQIP	Fence	Jack (wood rail) Sites where post holes can't be dug	ft	2.7	PR	100
382	EQIP	Fence	Woven Wire	ft	2.8	PR	100
383	EQIP	Fuel Break	Range - Brush Management - Mechanical	ac	9.45	PR	100
383	EQIP	Fuel Break	Range - Brush Management - Chemical	ac	7.8	PR	100
383	EQIP	Fuel Break	Forestland - Treatment of surface, ladder and crown fuels	ac	300	PR	100
383	EQIP	Fuel Break	Structure containment - Fuel break near structures (not to exceed 5 acres)	ac	425	PR	100
384	EQIP	Forest Slash Treatment	Remove and treat slash following pre-commercial thinning or site prep.	ac	100	PR	100
386	EQIP	Field Border	Seedbed Preparation, Seed & Seeding	ac	85	PR	100
390	EQIP	Riparian Herbaceous Cover	Riparian Herbaceous Cover - Seed Bed Preparation, Native Seed and Seeding	ac	130	PR	100
390	EQIP	Riparian Herbaceous Cover	Riparian Herbaceous Cover - Seed Bed Preparation, Native Seed and Seeding with Plant Plugs	ac	1005	PR	100
390	EQIP	Riparian Herbaceous Cover	Riparian Herbaceous Cover - Plant Plugs	plug	.95	PR	100
391	EQIP	Riparian Forest Buffer	Riparian Forest Buffer	ac	1740	PR	100

393	EQIP	Filter Strip	Seedbed Preparation, Seed & Seeding	ac	79	PR	100
394	EQIP	Fire Break	Chemical	ac	7.9	PR	100
394	EQIP	Fire Break	Mechanical	ac	9.45	PR	100
394	EQIP	Fire Break	Non-native plant seeding	ac	45.75	PR	100
395	EQIP	Stream Habitat Improvement & Management	Stream Habitat (Management) - Not exceed \$1,000 in payment	ac	330	PR	100
396	EQIP	Fish Passage	Concrete Structures	cuyd	375	PR	100
396	EQIP	Fish Passage	24"-36" CMP Pipe Structure	ft	135	PR	100
396	EQIP	Fish Passage	37"-48" CMP Pipe Structure	ft	220	PR	100
396	EQIP	Fish Passage	49"-60" CMP Pipe Structure	ft	310	PR	100
396	EQIP	Fish Passage	61"-90" CMP Pipe Structure	ft	450	PR	100
396	EQIP	Fish Passage	91"-120" CMP Pipe Structure	ft	615	PR	100
410	EQIP	Grade Stabilization Structure	Grade Stabilization Structure Earth Work & Seeding (< 4')	no	520	PR	100
410	EQIP	Grade Stabilization Structure	Grade Stabilization Structure Earth Work & Seeding (4' and greater)	no	695	PR	100
410	EQIP	Grade Stabilization Structure	Grade Stabilization Structure (Log Drop)	no	995	PR	100
410	EQIP	Grade Stabilization Structure	Grade Stabilization Structure (Rock Weir/Chute)	no	1265	PR	100
412	EQIP	Grassed Waterway	Grassed Waterway	ac	975	PR	100
412	EQIP	Grassed Waterway	Grassed Waterway (rock lined)	ac	5420	PR	100
428	EQIP	Irrigation Ditch Lining	Concrete Ditch, < 16"	ft	3.4	PR	100
428	EQIP	Irrigation Ditch Lining	Concrete Ditch, 16"	ft	4	PR	100
428	EQIP	Irrigation Ditch Lining	Concrete Ditch, 18"	ft	4.5	PR	100
428	EQIP	Irrigation Ditch Lining	Concrete Ditch, > 18"	ft	5.25	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	HDPE, PE or PVC Pipe < 2.0" 125 psi & greater	ft	.9	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	HDPE, PE or PVC Pipe 2.0 - 3.0" 125 psi & greater	ft	1.2	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 4" 125 psi & greater	ft	1.5	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 6" 125 psi & greater	ft	2	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 8" 125 psi & greater	ft	2.75	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 10" 125 psi & greater	ft	3.75	PR	100

430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 12" 125 psi & greater	ft	5	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 15" 125 psi & greater	ft	6.5	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 18" 125 psi & greater	ft	9.4	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure with Riser, 4" 125 psi & greater	ft	2.2	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure with Riser, 6" 125 psi & greater	ft	2.75	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure with Riser, 8" 125 psi & greater	ft	3.5	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure with Riser, 10" 125 psi & greater	ft	4.55	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure with Riser, 12" 125 psi & greater	ft	5.9	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure with Riser, 15" 125 psi & greater	ft	7.6	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 4" Through Rock 125 psi & greater	ft	9	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 6" Through Rock 125 psi & greater	ft	9.5	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 8" Through Rock 125 psi & greater	ft	10.25	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 10" Through Rock 125 psi & greater	ft	11.25	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 12" Through Rock 125 psi & greater	ft	12.5	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 15" Through Rock 125 psi & greater	ft	14	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure, 18" Through Rock 125 psi & greater	ft	19.4	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure with Riser, 4" Through Rock 125 psi & greater	ft	9.7	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure with Riser, 6" Through Rock 125 psi & greater	ft	10.25	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure with Riser, 8" Through Rock 125 psi & greater	ft	11	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure with Riser, 10" Through Rock 125 psi & greater	ft	12.05	PR	100

430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure with Riser, 12" Through Rock 125 psi & greater	ft	13.4	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	High Pressure with Riser, 15" Through Rock 125 psi & greater	ft	15.1	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure, 4" < 125 psi	ft	1.1	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure, 6" < 125 psi	ft	1.3	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure, 8" < 125 psi	ft	1.8	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure, 10" < 125 psi	ft	2.6	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure, 12" < 125 psi	ft	3.5	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure, 15" < 125 psi	ft	5.05	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure, 18" < 125 psi	ft	7.15	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure with Riser 4" < 125 psi	ft	1.8	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure with Riser 6" < 125 psi	ft	2	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure with Riser 8" < 125 psi	ft	2.55	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure with Riser 10" < 125 psi	ft	3.4	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Low Pressure with Riser 12" < 125 psi	ft	4.4	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	PVC > 18" Includes Tee, elbows, unions, etc.	lbs	.35	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	HDPE > 18" Includes tees, elbows, unions, etc.	lbs	.5	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	> 18" Pipe Installation Without Rock Trenching	ft	3.25	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	> 18" Pipe Installation With Rock Trenching	ft	11.1	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 4"	ft	4.25	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 6"	ft	5.8	PR	100

430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 8"	ft	7.5	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 10"	ft	9.25	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 12"	ft	11.15	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 14"	ft	13	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 16"	ft	15.5	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 4" Through Rock	ft	11.75	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 6" Through Rock	ft	13.3	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 8" Through Rock	ft	15	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 10" Through Rock	ft	16.75	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 12" Through Rock	ft	18.65	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 14" Through Rock	ft	20.5	PR	100
430	EQIP	Irrigation Water Conveyance, Pipeline	Steel Pipe 16" Through Rock	ft	25.5	PR	100
431	EQIP	Above Ground, Multi-Outlet Pipeline	Above Ground - Single Gated Pipe 6"	ft	1.7	PR	100
431	EQIP	Above Ground, Multi-Outlet Pipeline	Above Ground - Single Gated Pipe 8"	ft	2.1	PR	100
431	EQIP	Above Ground, Multi-Outlet Pipeline	Above Ground - Single Gated Pipe 10"	ft	2.5	PR	100
431	EQIP	Above Ground, Multi-Outlet Pipeline	Above Ground - Single Gated Pipe 12"	ft	2.85	PR	100
431	EQIP	Above Ground, Multi-Outlet Pipeline	Above Ground - Double Gated Pipe 6"	ft	1.95	PR	100
431	EQIP	Above Ground, Multi-Outlet Pipeline	Above Ground - Double Gated Pipe 8"	ft	2.3	PR	100
431	EQIP	Above Ground, Multi-Outlet Pipeline	Above Ground - Double Gated Pipe 10"	ft	2.7	PR	100
431	EQIP	Above Ground, Multi-Outlet Pipeline	Above Ground - Double Gated Pipe 12"	ft	3	PR	100

436	EQIP	Irrigation Regulating Reservoir	For Water Storage - Cubic Yard of Storage (Does not include Structure for Water Control or Pumping Plant)	cuyd	5.15	PR	100
441	EQIP	Irrigation System, Micro-irrigation	Irrigation System, Micro-irrigation (cropland)	ac	715	PR	100
441	EQIP	Irrigation System, Micro-irrigation	Irrigation System, Micro-irrigation (for trees)	ac	810	PR	100
441	EQIP	Irrigation System, Micro-irrigation	Irrigation System, Subsurface Drip (cropland)	ac	1200	PR	100
442	EQIP	Irrigation System, Sprinkler	Center Pivot or Linear Move	ac	325	PR	100
442	EQIP	Irrigation System, Sprinkler	Hand Line	ac	140	PR	100
442	EQIP	Irrigation System, Sprinkler	Pod System Pasture only	ac	235	PR	100
442	EQIP	Irrigation System, Sprinkler	Wheel Line	ac	310	PR	100
443	EQIP	Irrigation System, Surface & Subsurface	Surge Valve with Controller	no	1325	PR	100
449	EQIP	Irrigation Water Management	High Intensity, Electronic Moisture Sensing	ac	25.05	PR	100
449	EQIP	Irrigation Water Management	Low Intensity - Hand feel method	ac	7.55	PR	100
449	EQIP	Irrigation Water Management	Potato Bed Planter W/Watermark Sensors	ac	33.30	PR	100
464	EQIP	Irrigation Land Leveling	Irrigation Land Leveling	ac	125	PR	100
472	EQIP	Access Control	Livestock Exclusion (Riparian Only) for up to 3 yrs	ac	11.65	PR	100
490	EQIP	Tree/Shrub Site Preparation	Chain saw cut or hand work	ac	135	PR	100
490	EQIP	Tree/Shrub Site Preparation	Light Site Prep	ac	65	PR	100
490	EQIP	Tree/Shrub Site Preparation	Mastication	ac	265	PR	100
490	EQIP	Tree/Shrub Site Preparation	Mechanical	ac	150	PR	100
490	EQIP	Tree/Shrub Site Preparation	Aerial Application	ac	37.5	PR	100
512	EQIP	Pasture & Hayland Planting	Pasture & Hayland Planting (following crop)	ac	42.6	PR	100
512	EQIP	Pasture & Hayland Planting	Pasture & Hayland Planting (following sod)	ac	66	PR	100
516	EQIP	Pipeline	HDPE, PE or PVC Pipe < 2.0" 125 psi & greater	ft	1.3	PR	100
516	EQIP	Pipeline	HDPE, PE or PVC Pipe 2.0 - 3.0" 125 psi & greater	ft	1.8	PR	100
516	EQIP	Pipeline	Steel Pipe 1"	ft	3	PR	100
516	EQIP	Pipeline	Steel Pipe 1.5"	ft	5.4	PR	100

528	EQIP	Prescribed Grazing	Rangeland (\$8,000 Cap per Year. 3 years only)	ac	1.4	PR	100
528	EQIP	Prescribed Grazing	Irrigated Pasture (\$8,000 Cap per Year. 3 years only)	ac	21.7	PR	100
528	EQIP	Prescribed Grazing	Naturalized pasture, grazed forest (\$8,000 Cap per Year. 3 years only)	ac	2	PR	100
533	EQIP	Pumping Plant	< 85 Watt Solar Power System (livestock only)	watt	19.45	PR	100
533	EQIP	Pumping Plant	85 to 170 Watt Solar Power System (livestock only)	watt	14.75	PR	100
533	EQIP	Pumping Plant	> 170 Solar Power System (livestock only)	watt	10.75	PR	100
533	EQIP	Pumping Plant	Windmill	millft	445	PR	100
533	EQIP	Pumping Plant	Driver rated < 5 hp	hp	425	PR	100
533	EQIP	Pumping Plant	Driver rated 5 - 10 hp	hp	265	PR	100
533	EQIP	Pumping Plant	Driver rated 10.0 - 25 hp	hp	195	PR	100
533	EQIP	Pumping Plant	Driver rated 25.1 - 50 hp	hp	155	PR	100
533	EQIP	Pumping Plant	Driver rated 50.1 - 70 hp	hp	125	PR	100
533	EQIP	Pumping Plant	Driver rated > 70 hp	hp	105	PR	100
533	EQIP	Pumping Plant	Driver rated 10.0 - 20 hp with VFD	hp	265	PR	100
533	EQIP	Pumping Plant	Driver rated 20.1 - 30 hp with VFD	hp	215	PR	100
533	EQIP	Pumping Plant	Driver rated 30.1 - 50 hp with VFD	hp	185	PR	100
533	EQIP	Pumping Plant	Driver rated 50.1 - 70 hp with VFD	hp	165	PR	100
533	EQIP	Pumping Plant	Driver rated > 70 hp with VFD	hp	145	PR	100
533	EQIP	Pumping Plant	Variable Frequency Drive up to 300 hp (added to existing pump)	hp	83	PR	100
533	EQIP	Pumping Plant	Variable Frequency Drive > 300 hp (added to existing pump)	hp	70	PR	100
533	EQIP	Pumping Plant	Driver rated 5 hp w/phase converter	hp	480	PR	100
533	EQIP	Pumping Plant	Driver rated 5.1 - 10 hp w/phase converter	hp	340	PR	100
533	EQIP	Pumping Plant	Driver rated 10.1 - 15 hp w/phase converter	hp	260	PR	100
533	EQIP	Pumping Plant	Driver rated 15.1 - 30 hp w/phase converter	hp	200	PR	100
533	EQIP	Pumping Plant	Driver rated > 30 hp w/phase converter	hp	150	PR	100
550	EQIP	Range Planting	Site Prep, Native Seed and Seeding	ac	140	PR	100

550	EQIP	Range Planting	Non-Native, Site Prep, Seed and Seeding	ac	50	PR	100
550	EQIP	Range Planting	Native Seed and Seeding W/O Site Prep	ac	115	PR	100
550	EQIP	Range Planting	Non-Native Seed and Seeding W/O Site Prep	ac	26.4	PR	100
558	EQIP	Roof Runoff Structure	Roof Runoff Structure Gutters and Downspouts	ft	2.85	PR	100
560	EQIP	Access Road	Rail Road Bridge with Abutments	ft	255	PR	100
560	EQIP	Access Road	Shaping and Spot Rocking	ft	1.35	PR	100
560	EQIP	Access Road	Road Reconstruction	ft	4.35	PR	100
561	EQIP	Heavy Use Area Protection	Heavy Use Area Protection - Concrete	sqft	2.85	PR	100
561	EQIP	Heavy Use Area Protection	Heavy Use Area Protection - Rock	sqft	1	PR	100
574	EQIP	Spring Development	Spring Development	no	1130	PR	100
574	EQIP	Spring Development	Retrofit Plumbing	no	160	PR	100
575	EQIP	Animal Trails and Walkways	Crushed Stone Trail Without Geotextile Fabric	LnFt	2.2	PR	100
575	EQIP	Animal Trails and Walkways	Crushed Stone Trail With Geotextile Fabric	LnFt	3.8	PR	100
578	EQIP	Stream Crossing	Stream Crossing	no	1480	PR	100
580	EQIP	Streambank & Shoreline Protection	Bio-Engineering	ft	26.85	PR	100
580	EQIP	Streambank & Shoreline Protection	Kootenai Co. Slicken soils	ft	39.6	PR	100
580	EQIP	Streambank & Shoreline Protection	Rip-Rap/Barbs	ft	54	PR	100
584	EQIP	Channel Stabilization	Channel Stabilization	ft	41.05	PR	100
587	EQIP	Structure for Water Control	24" x 48" Tank Structure W/Lid	no	425	PR	100
587	EQIP	Structure for Water Control	36" x 60" Tank Structure W/Lid	no	500	PR	100
587	EQIP	Structure for Water Control	60" x 60" Tank Structure W/Lid	no	525	PR	100
587	EQIP	Structure for Water Control	72" x 60" Tank Structure W/Lid	no	600	PR	100
587	EQIP	Structure for Water Control	12-18" CMP Pipe Structure	ft	45	PR	100
587	EQIP	Structure for Water Control	19-36" CMP Pipe Structure	ft	80	PR	100
587	EQIP	Structure for Water Control	37-48" CMP Pipe Structure	ft	130	PR	100
587	EQIP	Structure for Water Control	49-60" CMP Pipe Structure	ft	200	PR	100
587	EQIP	Structure for Water Control	61-90" CMP Pipe Structure	ft	325	PR	100
587	EQIP	Structure for Water Control	91"-120" CMP Pipe Structure	ft	400	PR	100
587	EQIP	Structure for Water Control	Concrete Structures	cuyd	260	PR	100
587	EQIP	Structure for Water Control	Precast Concrete Structures	no	490	PR	100

587	EQIP	Structure for Water Control	.1-3 cfs Steel Fabricated Structure	cfs	1065	PR	100
587	EQIP	Structure for Water Control	3-6 cfs Steel Fabricated Structure	cfs	810	PR	100
587	EQIP	Structure for Water Control	> 6 cfs Steel Fabricated Structure	cfs	530	PR	100
587	EQIP	Structure for Water Control	Structure for Water Control with Fish Screen	cfs	1825	PR	100
587	EQIP	Structure for Water Control	<275 gpm Flow Meter	no	650	PR	100
587	EQIP	Structure for Water Control	275 - 800 gpm Flow Meter	no	800	PR	100
587	EQIP	Structure for Water Control	801 - 1,400 gpm Flow Meter	no	1000	PR	100
587	EQIP	Structure for Water Control	1,401 - 2,200 gpm Flow Meter	no	1200	PR	100
587	EQIP	Structure for Water Control	> 2,200 gpm Flow Meter	no	1500	PR	100
590	EQIP	Nutrient Management	Basic (\$8,000 Cap per Year. 3 years only)	ac	3.85	PR	100
590	EQIP	Nutrient Management	High Intensive (\$8,000 Cap per Year. 3 years only)	ac	10.8	PR	100
590	EQIP	Nutrient Management	Precision Ag (\$8,000 Cap per Year. 3 years only)	ac	34.05	PR	100
595	EQIP	Pest Management	Dry Cropland/Dry or Irrigated Hayland - Basic (\$8,000 Cap per Year. 3 years only)	ac	15	PR	100
595	EQIP	Pest Management	Dry Cropland/Dry or Irrigated Hayland - High Intensive (\$8,000 Cap per Year. 3 years only)	ac	22.5	PR	100
595	EQIP	Pest Management	Irrigated Cropland Basic (\$8,000 Cap per Year. 3 years only)	ac	15	PR	100
595	EQIP	Pest Management	Irrigated Cropland High Intensive (\$8,000 Cap per Year. 3 years only)	ac	30	PR	100
595	EQIP	Pest Management	Precision Ag (\$8,000 Cap per Year. 3 years only)	ac	49.5	PR	100
595	EQIP	Pest Management	Grazed Land (\$8,000 Cap per Year. 3 years only)	ac	6	PR	100
600	EQIP	Terrace	Terrace	ft	1.45	PR	100
606	EQIP	Subsurface Drain	Perforated Plastic, 4"	ft	.75	PR	100
606	EQIP	Subsurface Drain	Perforated Plastic, 6"	ft	1.45	PR	100
606	EQIP	Subsurface Drain	Perforated Plastic, 8"	ft	2.6	PR	100
606	EQIP	Subsurface Drain	Perforated Plastic, 10"	ft	3.85	PR	100
606	EQIP	Subsurface Drain	Perforated Plastic, 12"	ft	4.73	PR	100
612	EQIP	Tree and Shrub Establishment	Conifer seedlings used to establish forestlands to desired stocking levels	tree	.4	PR	100

612	EQIP	Tree and Shrub Establishment	Planted tree with chemical spot treatment and alternative browse protection applied	tree	.65	PR	100
612	EQIP	Tree and Shrub Establishment	Planted tree with tree tube and chemical spot treatment	tree	.9	PR	100
614	EQIP	Watering Facility	CAFO - Simple Float Valve	no	130	PR	100
614	EQIP	Watering Facility	CAFO - Complex Float Valve	no	230	PR	100
614	EQIP	Watering Facility	CAFO - Pump back System	no	4630	PR	100
614	EQIP	Watering Facility	CAFO - Well Backflow Valve	no	280	PR	100
614	EQIP	Watering Facility	Storage Tank (new) > 1,000 gallons	gal	.5	PR	100
614	EQIP	Watering Facility	Watering Facility - On Demand Trough (Frost Free)	no	670	PR	100
614	EQIP	Watering Facility	Watering Facility < 500 gal	gal	1.4	PR	100
614	EQIP	Watering Facility	Watering Facility 501 - 700 gal	gal	1.05	PR	100
614	EQIP	Watering Facility	Watering Facility > 700 gal	gal	.7	PR	100
620	EQIP	Underground Outlet	4" Non-perforated Plastic Pipe with Intake	ft	2.5	PR	100
620	EQIP	Underground Outlet	6" Non-perforated Plastic Pipe with Intake	ft	2.75	PR	100
620	EQIP	Underground Outlet	8" Non-perforated Plastic Pipe with Intake	ft	3.15	PR	100
620	EQIP	Underground Outlet	10" Non-perforated Plastic Pipe with Intake	ft	3.9	PR	100
620	EQIP	Underground Outlet	12" Non-perforated Plastic Pipe with Intake	ft	5.15	PR	100
620	EQIP	Underground Outlet	15" Non-perforated Plastic Pipe with Intake	ft	6.65	PR	100
620	EQIP	Underground Outlet	6" CMP	ft	4.55	PR	100
620	EQIP	Underground Outlet	8" CMP	ft	5.2	PR	100
620	EQIP	Underground Outlet	10" CMP	ft	5.9	PR	100
620	EQIP	Underground Outlet	12" CMP	ft	6.75	PR	100
638	EQIP	Water & Sediment Control Basin	Water & Sediment Control Basin earth work & seeding (< 4' embankment)	no	495	PR	100
638	EQIP	Water & Sediment Control Basin	Water & Sediment Control Basin earth work & seeding (4' and greater embankment)	no	660	PR	100
642	EQIP	Water Well	Livestock Water Only - Not to exceed 500 feet	ft	24	PR	100

643	EQIP	Restoration and Management of Rare or Declining Habitats	Forest - Seedlings	tree	.55	PR	100
643	EQIP	Restoration and Management of Rare or Declining Habitats	Forest - Seedlings W/Tubes	tree	1.35	PR	100
643	EQIP	Restoration and Management of Rare or Declining Habitats	Forest - Seedlings Planted with BrowsePro	tree	.95	PR	100
643	EQIP	Restoration and Management of Rare or Declining Habitats	Range - Native plant seeding	ac	140	PR	100
644	EQIP	Wetland Wildlife Habitat Mgmt.	Wildlife Wetland Habitat Mgmt. (\$2,000 Cap per Year. 3 years only)	no	185	PR	100
645	EQIP	Upland Wildlife Habitat Management	Southern Idaho Ground Squirrel Control - Raptor Perch (single year payment)	no	270	PR	100
645	EQIP	Upland Wildlife Habitat Management	Upland Wildlife Habitat Mgmt. (\$2,000 Cap per Year. 3 years only)	no	185	PR	100
645	EQIP	Upland Wildlife Habitat Management	Management on Expiring CRP Acres (\$2,000 Cap per Year. 3 years only) Acres contracted based on design criteria for the vegetative practice.)	ac	54.4	PR	100
645	EQIP	Upland Wildlife Habitat Management	Wildlife Escape Ramp - Water Troughs (single year payment)	no	43.45	PR	100
656	EQIP	Constructed Wetland	For Surface Irrigated Runoff	no	14385	PR	100
657	EQIP	Wetland Restoration	Wetland Restoration - Management & Structures	ac	470	PR	100
658	EQIP	Wetland Creation	Wetland Creation	ac	935	PR	100
659	EQIP	Wetland Enhancement	Wetland Enhancement (Riparian Area)	ac	195	PR	100
659	EQIP	Wetland Enhancement	Wetland Enhancement (To Create Open Water)	ac	225	PR	100
660	EQIP	Tree and Shrub Pruning	Control ladder fuel and White Pine Blister Rust	ac	135	PR	100
666	EQIP	Forest Stand Improvement	Up to 2" diameter stands	ac	125	PR	100
666	EQIP	Forest Stand Improvement	2" to 4" diameter stands	ac	140	PR	100
666	EQIP	Forest Stand Improvement	> 4" diameter stands (pre-commercial harvest)	ac	165	PR	100
666	EQIP	Forest Stand Improvement	Mastication	ac	265	PR	100

780	EQIP	Irrigation Water Conveyance, Pipeline	6" cmp	ft	4.55	PR	100
780	EQIP	Irrigation Water Conveyance, Pipeline	8" cmp	ft	5.15	PR	100
780	EQIP	Irrigation Water Conveyance, Pipeline	10" cmp	ft	5.9	PR	100
780	EQIP	Irrigation Water Conveyance, Pipeline	12" cmp	ft	6.75	PR	100
780	EQIP	Irrigation Water Conveyance, Pipeline	15" cmp	ft	7.9	PR	100
780	EQIP	Irrigation Water Conveyance, Pipeline	18" cmp	ft	9.4	PR	100
780	EQIP	Irrigation Water Conveyance, Pipeline	21" cmp	ft	11.25	PR	100
780	EQIP	Irrigation Water Conveyance, Pipeline	24" cmp	ft	13.3	PR	100
780	EQIP	Irrigation Water Conveyance, Pipeline	30" cmp	ft	16.2	PR	100
780	EQIP	Irrigation Water Conveyance, Pipeline	36" cmp	ft	19.4	PR	100
911	EQIP	Technical Assistance - Design	Technical Assistance Reimbursement for Design (Not to exceed TSP Rates)	no	0	AM	100
912	EQIP	Technical Assistance - Application	Technical Assistance Reimbursement for Application (Not to exceed TSP Rates)	no	0	AM	100
913	EQIP	Technical Assistance - Installation Check-Out	Technical Assistance Reimbursement for Installation Check-Out (Not to exceed TSP Rates)	no	0	AM	100