


# SOIL SURVEYS *can help you...*



## Homebuyers

---

*The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or family status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326W Whitten Building, 1400 Independence Avenue SW, Washington, DC 20250-9410, or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.*

**USDA NRCS**

Natural Resources Conservation Service—Lakewood, Colorado

July 2000

## Homebuyers

**A**re you planning to build or buy a house? If so, you're about to make the biggest purchase most people ever make. You've probably spent a long time thinking about your new home's design and location. But did you know that a soil survey and careful onsite investigation can help you decide where to build or buy—and can warn you of possible soil-related hazards? Published soil surveys are available from the **Natural Resources Conservation Service (NRCS)**.

### Can your soil do the job?

**T**he foundation supports the walls; the walls support the roof—and the soil supports them all. But how can you tell if the soil will be a good “home” for your house? You need to answer some important questions:

- ◆ Is the soil stable, or does it have properties that can cause the foundation or walls to crack?
- ◆ Is the soil in an area that is subject to flooding?
- ◆ Will storm runoff drain safely away from the house and lot, or will it turn your yard—or basement—into a pond?
- ◆ Does the soil have a seasonal high water table that can cause a basement to flood or a septic system to fail?
- ◆ Is the soil deep enough for a basement to be dug economically? For garden and landscape plants to take root and thrive?
- ◆ Is the soil so steep that erosion may be severe?

A soil survey can help answer these and many other questions about soil. It can also help you decide whether you should hire a professional to investigate a site for problems.

## What is a soil survey?

**A** soil survey contains maps and a description of each major soil in the survey area—generally a county. More importantly, the survey tells how soil properties affect a wide range of rural and urban land uses.

Soil surveys are conducted by the NRCS in cooperation with other federal, state and local agencies. There's a good chance a soil survey for your area has been published; if not, NRCS personnel can provide soil information and may have soil maps for your area.

Like any tool, a soil survey is helpful only if you know what it can and cannot do—and if you use it accordingly. The survey does not replace careful onsite investigation or analysis by a soil engineer or other professional.



*NRCS conducts onsite soil evaluations.*


## Is all soil more or less alike?

**S**oil scientists have identified tens of thousands of different kinds of soil in the United States. Most soil consists of three distinct layers: surface layer, subsoil and parent material or bedrock. Each soil has unique physical and chemical properties. These properties interact. By studying the interaction, soil scientists and other professionals can predict how a soil will respond to specific land use and management. More than 25 soil properties are important in determining suitability of the soil for home sites, septic tank absorption systems, play areas, and lawns and landscaping.

## What does a soil map show?

**T**he site you are interested in can be located on the soil map. Soil boundaries on the map are drawn on an aerial photo base. A soil identified on the map is the dominant one in the land area within the boundaries, but small areas of other types of soil may also be present. Areas of contrasting soil may be

*Part of a detailed soil map from a soil survey published by the NRCS.*



only a few feet apart. Furthermore, filling, grading and excavating a home site can change the drainage pattern and can affect—for better or for worse—the suitability of the soil for various uses. Usually, however, the mapped soil is present on a given site and you should consider what the survey says about that soil. The survey also describes the most likely kinds of contrasting soil and its position on the landscape.

By finding your area of interest on a soil survey map and reading what the survey says about the soil, you can learn about the suitability of an area for home sites.

## Should your home have a special design?

**M**any soil hazards can be overcome by special structural design or installation. Homebuyers who are aware of potential hazards can obtain assistance from consultants for special investigations and designs. For example, soil wetness can be reduced by subsurface drains. Structural problems due to soil shrinking and swelling can be prevented by a foundation designed to withstand the extra stress.

If a home site of interest to you is in a flood-prone area, it's best to find another site. Damage from flooding can be reduced, however, by professionally designed and installed flood-proofing measures such as grading to raise the site above expected flood level.

## Is the soil deep enough?

**I**f the soil is shallow over hard rock, digging a basement will be difficult. Generally, soil at least 6 feet deep is needed for basements. Because most plants grow poorly on shallow soil, you may need to buy topsoil or use other aids to establish vegetation. The soil survey indicates areas where bedrock is generally at a depth of less than 5 or 6 feet.

## Is the soil stable?

**M**ineral soil consists mainly of sand, silt and clay particles. In some clayey soils the foundation may shift or settle unevenly. The results can be a cracked foundation and walls. Some clayey soil expands as it absorbs water and shrinks as it dries. This shrinking and swelling can move a house several inches up and down. Unless the foundation is designed to withstand the extra stress, it is likely to crack. The house may also need a special foundation if the soil is organic, such as peat or muck. Even if the structure remains intact, the soil may settle away from the foundation.

The soil survey indicates whether the mapped soil is organic or mineral. It estimates the amount of sand, silt and clay in each mineral soil. It indicates whether the soil has the potential for shrinking and swelling or has other properties that may cause instability.



*Shrinking and swelling of soil cracked the wall of this building. Soil surveys show soil properties that indicate such hazards.*

## Is there potential for flooding?

**M**any people whose homes have been severely damaged by floods were not aware that their homes were built on flood plains along streams. Because flood plains are generally level, they may seem desirable as home sites. Before you buy a house or home site, however, find out the potential for flooding.

A stream may overflow only once in 5 to 10 years or longer, but the chance of eventual damage to homes on flood plains is high. Even a small stream can become a raging torrent after long or heavy rains. Soil surveys estimate the likely hazard and duration of flooding on each mapped soil. They also show the extent of flooding in flood-prone areas. The chance of flooding can increase at a site as more development occurs upstream. Storm runoff increases as natural vegetation is cleared and the soil is covered by houses, other buildings, parking lots and roads. When runoff exceeds the stream's carrying capacity, the stream overflows.

In addition to the information in soil surveys, NRCS can provide other data that can reduce flood damage.



*Building on a flood plain is risky.*

## Will you need a way to remove excess water?

**S**ome soil absorbs water rapidly; in other soil, water soaks in slowly. Several soil properties determine the rate of water movement through the soil. The soil survey estimates this rate, indicating whether drainage is likely to be a problem. You should carefully study the drainage pattern on a home site. When rain falls, where will runoff water flow? To determine the drainage pattern, visit the site during a storm and watch what happens.

If drainage is a problem, you may need special measures such as subsurface drains. Or the soil may require grading so that water flows away from the house and lot in a manner that does not cause erosion, sedimentation or flooding downhill. You may need to hire a professional to evaluate the site and design drainage measures.

## Is the soil suitable for a septic tank absorption field?

**I**f a house is located beyond existing sewer lines, a septic tank absorption field may be required. However, the field may not function if the soil is not suitable. If the soil absorbs waste slowly, effluent from the drain field may rise to the surface. If the soil is too steep, effluent may surface downhill. If the soil has a seasonal high water table, the field may function in dry weather but not when the soil is saturated. If the soil is shallow to bedrock, a drain field may not be feasible without considerable expense.

For each mapped soil, the survey indicates permeability, slope, depth to seasonal high water table, frequency of flooding, and other soil properties that affect the suitability of soil for a septic tank absorption field.

## Does the soil have a seasonal high water table?

**Y**ou can't tell whether a soil has a high water table just by walking over the site. The water table may be at a safe depth during most of the year, but may rise during the wet season. When a seasonal high water table rises close to the soil surface, basements can be flooded, septic tank absorption fields can fail, and plants can be damaged or killed. The soil survey indicates whether a mapped soil has a seasonal high water table and estimates the average depth to the water table.



*A seasonal high water table is one of the soil properties that can cause septic tank absorption fields to fail.*

## Is erosion a hazard?

**S**oil varies in its resistance to erosion, but erosion is generally worse in sloping areas. Soil surveys indicate the erodibility of each mapped soil.


Bare, eroded areas detract from a home's appearance, and erosion can have serious consequences. Erosion along the foundation of a house can eventually undermine it. Gullies may form. Mud from eroded areas can build up on your driveway or sidewalk or in other places. When surface runoff carries eroded soil into a local stream, the sediment can damage water quality, clog reservoirs, and increase the chance of downstream flooding.

The best defense against erosion is to control runoff and protect the soil with grasses, shrubs and other adapted plants. The soil survey indicates the suitability of each mapped soil for lawns and landscaping plants.

Erosion can be severe on construction sites where the soil is bulldozed and cleared of vegetation. Some communities require builders to control erosion and sediment before and during construction. You should find out the requirements for your area. Mulch, sediment traps and a temporary cover of fast-growing grasses help control erosion on construction sites. NRCS personnel can provide information on these and other measures for controlling erosion on home sites.

## How can you get a soil survey?

**T**o request a soil survey or other soil information, contact your local **NRCS** office. **NRCS** is listed in municipal telephone directories under "*United States Government, Department of Agriculture.*" There is an **NRCS** office in almost every county. You can also request soil information from the Cooperative Extension office in your county and from your conservation district. Conservation districts are local units of state government.



*Erosion control is important—even before you move in.*