

Practice	Cost_Share_Progr	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
313	EQIP	Waste Storage Facility	Concrete Sump/Box	cu yd	263	PR	100
313	EQIP	Waste Storage Facility	Earth Moving/Storage Ponds	cu yd	2.25	PR	100
313	EQIP	Waste Storage Facility	Solid Separators - Concrete Pad or Basin Pad	sq ft	3.75	PR	100
313	EQIP	Waste Storage Facility	Solid Separators - Screen	sq ft	450	PR	100
328	EQIP	Conservation Crop Rotation	Growing crops in a planned sequence on the same fields. (\$10,000 cap per contract year)	ac	22.58	PR	100
328	EQIP	Conservation Crop Rotation	Conservation Crop Rotation implementing a required 12 month cover crop, must be irrigated only for initial establishment. Located in Ground Water Deficit Areas. (\$22,500 cap per contract year)	ac	150.99	PR	100
329	EQIP	Residue and Tillage Management, No Till/Strip Till	No Till/Strip Till/Direct Seed (\$5,000 cap per contract year)	ac	33.73	PR	100
338	EQIP	Prescribed Burning	Prescribed Burning (\$10,000 cap per contract year)	ac	5.00	PR	100
340	EQIP	Cover Crop	Cover Crop - Irrigated(\$10,000 cap per contract year)	ac	37.50	PR	100
340	EQIP	Cover Crop	Cover Crop (\$10,000 cap per contract year)	ac	18.75	PR	100
340	EQIP	Cover Crop	Cover Crop -Irrigated Legume (\$15,000 cap per contract year)Seed Mix > 50% legume, Achieve > 50% flowering prior to termination, Irrigation applied to meet cover crop Consumptive Use.	ac	120	PR	100
340	EQIP	Cover Crop	Cover Crop -Orchards (\$10,000 cap per contract year)	ac	25	PR	100
342	EQIP	Critical Area Planting	Hydroseeding	ac	157	PR	100
342	EQIP	Critical Area Planting	Seeding and mulching critical area.	ac	240	PR	100
344	EQIP	Residue and Tillage Management, Seasonal	Mulching Orchard Prunings (On-site mulching of pruned orchard materials) (\$5,000 cap per contract year)	ac	75	PR	100
344	EQIP	Residue and Tillage Management, Seasonal	Seasonal (\$5,000 cap per contract year).	ac	6	PR	100
345	EQIP	Residue and Tillage Management, Mulch Till	Mulch Till (\$5,000 cap per contract year).	ac	8.55	PR	100
346	EQIP	Residue and Tillage Management, Ridge Till	Ridge Till (\$5,000 cap per contract year)	ac	8.55	PR	100
350	EQIP	Sediment Basin	Earthmoving	cu yd	2.25	PR	100
378	EQIP	Pond	Earthmoving	cu yd	2.25	PR	100
378	EQIP	Pond	Earthmoving Remote Location (> 10 miles travelled from maintained public road)	cu yd	3.45	PR	100
380	EQIP	Windbreak/Shelterbelt Establishment	Dormant Whips, containerized seedlings or Bare root	ea	2.70	PR	100
380	EQIP	Windbreak/Shelterbelt Establishment	Pole Plantings	ea	6.30	PR	100
380	EQIP	Windbreak/Shelterbelt Establishment	Potted Stock- Planted	ea	9.75	PR	100
382	EQIP	Fence	Standard Barbed Wire. 4 strand minimum. Smooth Country < 15% slopes, moderately deep or deeper soils	ft	2.29	PR	100
382	EQIP	Fence	Big Game Exclusion	ft	4.98	PR	100
382	EQIP	Fence	Modify fence to meet wildlife criteria	ft	1	PR	100
382	EQIP	Fence	Power Fence - Pasture Only	ft	1.35	PR	100
382	EQIP	Fence	Standard Barbed Wire. 4 strand minimum. Remote Country or wilderness, material packed in by horse, mule, person at least 1/2 mile from a road.	ft	4.58	PR	100
382	EQIP	Fence	Standard Barbed. 4 strand minimum. Rough Country - > 15% slopes or < 15% slopes with shallow soil (<20")	ft	3.20	PR	100
382	EQIP	Fence	Woven Wire - Pasture only	ft	3.44	PR	100
382	EQIP	Fence	Cattle Guard. Not on a govt maintained road. As part of new fence installation only. (\$4320 cap)	ft	360	PR	100
390	EQIP	Riparian Herbaceous Cover	Hydroseeding, Natives Only	ac	93.75	PR	100
390	EQIP	Riparian Herbaceous Cover	Live Plant Roll/Mat or sprigs, Natives Only	sq ft	6.75	PR	100
390	EQIP	Riparian Herbaceous Cover	Plugs or Propagules, Natives Only	ea	1.20	PR	100
390	EQIP	Riparian Herbaceous Cover	Seeding, Native Only	ac	120	PR	100
391	EQIP	Riparian Forest Buffer	Dormant Whips, containerized seedlings or bareroot, Natives Only	ea	2.70	PR	100
391	EQIP	Riparian Forest Buffer	Pole Plantings, Natives Only	ea	6.30	PR	100

Practice	Coast_Share_Progr	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
391	EQIP	Riparian Forest Buffer	Potted Stock - Planted Natives Only	ea	9.75	PR	100
393	EQIP	Filter Strip	Seeding	ac	120	PR	100
398	EQIP	Fish Raceway or Tank	Raceway or Tank	lf	6.75	PR	100
399	EQIP	Fishpond Management	Aeration System	ea	750	PR	100
399	EQIP	Fishpond Management	Fishpond Management	ac	375	PR	100
399	EQIP	Fishpond Management	Solar Aeration System for over 2 acres	ea	7500	PR	100
399	EQIP	Fishpond Management	Solar Aeration System for up to 2 acres	ea	3750	PR	100
428	EQIP	Irrigation Ditch Lining	1 ft. Bottom Ditch (Carry Ditch)	ft	7.50	PR	100
428	EQIP	Irrigation Ditch Lining	1 ft. Bottom Ditch w/ Gates, Culverts, & 15cfs or > Turnouts, Installed Out of Ditch & Under Road	ft	37.50	PR	100
428	EQIP	Irrigation Ditch Lining	1 ft. Bottom Ditch w/ Gates, Culverts, 5-10 cfs Turnouts, Installed Out of Ditch & Under Road	ft	34.50	PR	100
428	EQIP	Irrigation Ditch Lining	1 ft. Bottom Ditch w/ Gates, Culverts, Ditch Ports w/Erosion Control, Installed Out of Ditch & Under Road	ft	32.25	PR	100
428	EQIP	Irrigation Ditch Lining	1 ft. Bottom Ditch w/ Gates, Culverts, Ditch Ports, Installed Out of Ditch & Under Road	ft	30	PR	100
428	EQIP	Irrigation Ditch Lining	1 ft. Bottom Ditch, Gates & Culverts	ft	11.25	PR	100
428	EQIP	Irrigation Ditch Lining	1 ft. Bottom Ditch, Gates & Culverts with Port Outlets	ft	16.50	PR	100
428	EQIP	Irrigation Ditch Lining	1 ft. Bottom Ditch, Gates, Culverts with 5-10 cfs high flow turnouts	ft	13.50	PR	100
428	EQIP	Irrigation Ditch Lining	1 ft. Bottom Ditch, Gates, Culverts, with greater than 10 cfs high flow turnouts w/erosion control	ft	25.50	PR	100
428	EQIP	Irrigation Ditch Lining	1.5' bottom nonreinforced concrete lining or notched concrete ditch	ft	19.50	PR	100
428	EQIP	Irrigation Ditch Lining	1.5' bottom nonreinforced concrete lining w/ports, gates, culverts	ft	21.75	PR	100
428	EQIP	Irrigation Ditch Lining	2 foot bottom Carry Ditch	ft	12.75	PR	100
428	EQIP	Irrigation Ditch Lining	2 foot bottom, Gates, Culverts	ft	15	PR	100
428	EQIP	Irrigation Ditch Lining	2 foot bottom, Gates, Culverts and Outlets	ft	19.50	PR	100
428	EQIP	Irrigation Ditch Lining	2 ft. Bottom Ditch w/ Gates, Culverts, & 15cfs or > Turnouts, Installed Out of Ditch & Under Road	ft	43.50	PR	100
428	EQIP	Irrigation Ditch Lining	2 ft. Bottom Ditch w/ Gates, Culverts, Ditch Ports w/Erosion Control, Installed Out of Ditch & Under Road	ft	36.25	PR	100
428	EQIP	Irrigation Ditch Lining	2 ft. Bottom Ditch w/ Gates, Culverts, Ditch Ports, Installed Out of Ditch & Under Road	ft	34	PR	100
430	EQIP	Irrigation Pipeline	4-8" diameter with fittings. High Pressure, PIP	ft	7.38	PR	100
430	EQIP	Irrigation Pipeline	10-12" diameter with fittings. High Pressure, PIP	ft	12.54	PR	100
430	EQIP	Irrigation Pipeline	15" diameter with fittings. High Pressure, PIP	ft	13.87	PR	100
430	EQIP	Irrigation Pipeline	18" diameter with fittings. High Pressure, PIP	ft	17.51	PR	100
430	EQIP	Irrigation Pipeline	21" diameter with fittings. High Pressure, PIP	ft	27.26	PR	100
430	EQIP	Irrigation Pipeline	24" diameter with fittings. High Pressure, PIP	ft	32.89	PR	100
430	EQIP	Irrigation Pipeline	27" diameter with fittings. High Pressure, PIP	ft	44.12	PR	100
430	EQIP	Irrigation Pipeline	30" or Greater diameter with fittings. High Pressure, PIP	ft	46.40	PR	100
430	EQIP	Irrigation Pipeline	4-8" diameter with fittings. Low Pressure, PIP	ft	7.06	PR	100
430	EQIP	Irrigation Pipeline	10-12" diameter with fittings. Low Pressure, PIP	ft	12.17	PR	100
430	EQIP	Irrigation Pipeline	15" diameter with fittings. Low Pressure, PIP	ft	14.27	PR	100
430	EQIP	Irrigation Pipeline	6-8" with outlets riser, outlets, overflow valve, and concrete erosion control. Low Pressure, PIP	ft	7.97	PR	100
430	EQIP	Irrigation Pipeline	10-12" with outlets riser, outlets, overflow valve, and concrete erosion control. Low Pressure, PIP	ft	13.99	PR	100

Practice_Coost_Share_Progr	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate	
430	EQIP	Irrigation Pipeline	15" with outlets riser, outlets, overflow valve, and concrete erosion control. Low Pressure, PIP	ft	19.34	PR	100
430	EQIP	Irrigation Pipeline	18" or greater with riser, outlets, overflow valve, and concrete erosion control. High Pressure, PIP	ft	22.97	PR	100
430	EQIP	Irrigation Pipeline	<12" Steel pipe and fittings	ft	24.18	PR	100
436	EQIP	Irrigation Storage Reservoir	Earthmoving	cu yd	2.25	PR	100
441	EQIP	Irrigation System, Micro-irrigation	Subsurface	ac	1875	PR	100
441	EQIP	Irrigation System, Micro-irrigation	Surface and subsurface retrofit - replacement of drip tubing or tape on existing systems greater than 10 years old (Underground pipe and filters still function properly)	ac	600	PR	100
441	EQIP	Irrigation System, Micro-irrigation	Surface, PVC mains w/ PE hose laterals & emitters or sprayers	ac	1125	PR	100
442	EQIP	Irrigation System, Sprinkler	Center pivot or linear sprinkler, retrofit new drops on reduced spacing (systems 5 years old or less)	ft	7.50	PR	100
442	EQIP	Irrigation System, Sprinkler	Center pivot, poly lined. 30" Drops.	ft	54	PR	100
442	EQIP	Irrigation System, Sprinkler	Center pivot, poly lined. 60" Drops.	ft	50	PR	100
442	EQIP	Irrigation System, Sprinkler	Center Pivot. Low pressure. 30" drops.	ft	48	PR	100
442	EQIP	Irrigation System, Sprinkler	Center Pivot. Low pressure. 60" drops.	ft	45	PR	100
442	EQIP	Irrigation System, Sprinkler	Lateral Move/Linear Move w/Hose Drag	ft	67.50	PR	100
442	EQIP	Irrigation System, Sprinkler	Permanent or Portable Solid Set	ac	1800	PR	100
442	EQIP	Irrigation System, Sprinkler	Side Roll	ft	15	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	10-12" Rigid Gated Pipeline, Aluminum	ft	10.50	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	15-18" Rigid Gated Pipeline, Aluminum	ft	15.75	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	4-8" Rigid Gated Pipeline, Aluminum	ft	6.75	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	<12" Rigid Gated Pipeline, Plastic	ft	5.25	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	<12" Rigid Gated Pipeline, Plastic, with universal hydrant	ft	9	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	12" or great Rigid Gate Pipeline, Plastic	ft	11.25	PR	100
443	EQIP	Irrigation System, Surface and Subsurface	12" or greater Rigid Gated Pipeline, Plastic, with universal hydrant	ft	15.75	PR	100
449	EQIP	Irrigation Water Management	Irrigation Water Management. Updated system due to installation of new structural practices.(\$2500 cap per year)	ac	5.1	PR	100
449	EQIP	Irrigation Water Management	New Irrigation Water Management System (\$10,000 cap per contract year)	ac	10.05	PR	100
449	EQIP	Irrigation Water Management	New IWM Plan w/on Farm weather station and auto soil moisture monitoring devices (\$10,000 cap per contract year)	ac	20.10	PR	100
457	EQIP	Mine Shaft and Adit Closing	Bat Gates for mines and caves. High Strength.	sq ft	120	PR	100
457	EQIP	Mine Shaft and Adit Closing	Bat Gates for mines and caves. Typical.	sq ft	84	PR	100
464	EQIP	Irrigation Land Leveling	Earth Moving	cu yd	1.8	PR	100
464	EQIP	Irrigation Land Leveling	Earthmoving Remote Location (> 10 miles travelled from maintained public road)	cu yd	3	PR	100
512	EQIP	Forage and Biomass Planting	New planting to address priority resource concerns	ac	75	PR	100
516	EQIP	Pipeline	Galvanized Steel <2" dia	ft	4.74	PR	100
516	EQIP	Pipeline	High Density PE <2" dia	ft	3.38	PR	100
516	EQIP	Pipeline	PE & PVC, 1 1/4 -2" dia	ft	2.89	PR	100
516	EQIP	Pipeline	PE or PVC, greater than 2" dia	ft	4.63	PR	100
516	EQIP	Pipeline	CMP or Steel 10-12" Large Diameter Pipe for Water Catchments	ft	24.18	PR	100
521A	EQIP	Pond Sealing or Lining	Flexible Membrane	sq yd	6.49	PR	100

Practice	Coast_Share_Progr	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
521B	EQIP	Pond Sealing or Lining	Soil Dispersant	cu yd	10.39	PR	100
521B	EQIP	Pond Sealing or Lining	Soda Ash	cu yd	3.02	PR	100
521C	EQIP	Pond Sealing or Lining	Bentonite	cu yd	5.68	PR	100
521D	EQIP	Pond Sealing or Lining	Compacted Clay Treatment	cu yd	2.26	PR	100
528	EQIP	Prescribed Grazing	Range - New prescribed grazing plan (\$10,000 cap per contract year) Max payment 3 years.	ac	1.95	PR	100
528	EQIP	Prescribed Grazing	Irrigated Pasture: New prescribed grazing plan.(\$10,000 cap per contract year).Max pymnt 3 yrs.	ac	9	PR	100
528	EQIP	Prescribed Grazing	Prescribed grazing. Updated plan due to installation of new structural practices. (\$10,000 cap per contract year). Max payment 3 years. Limit - one paid plan update per ranch.	ac	1.10	PR	100
528	EQIP	Prescribed Grazing	Deferred Grazing in association with vegetative practice applications. (\$2000 cap per contract year)	ac	1.10	PR	100
533	EQIP	Pumping Plant	Irrigation Pumping Plant (Limited to booster pumps for sprinklers and pumps delivering from irrigation storage or tailwater recovery)	ea	7500	PR	100
533	EQIP	Pumping Plant	Irrigation Pumping Plant (To match pumping capacity to new irrigation system, only for conversion from surface system to sprinkler or micro irrigation, must show a minimum of 10% water savings)	ea	7500	PR	100
533	EQIP	Pumping Plant	Livestock pumping plant with solar panels over 400 ft.	ea	10500	PR	100
533	EQIP	Pumping Plant	Livestock pumping plant with solar panels to 200 ft.	ea	4500	PR	100
533	EQIP	Pumping Plant	Livestock pumping plant with solar panels to 200-400 ft.	ea	7500	PR	100
533	EQIP	Pumping Plant	Livestock pumping plant, 230 ft. or more of lift (non solar)	ea	6000	PR	100
533	EQIP	Pumping Plant	Livestock pumping plant, less than 230 ft. of lift (non solar)	ea	3750	PR	100
533	EQIP	Pumping Plant	Variable Speed	ea	10500	PR	100
533	EQIP	Pumping Plant	Windmill 16 foot or more	ea	18750	PR	100
533	EQIP	Pumping Plant	Windmill 8-14 foot	ea	12375	PR	100
548	EQIP	Grazing Land Mechanical Treatment	Pitting, furrowing, ripping to establish vegetation	ac	33.75	PR	100
550	EQIP	Range Planting	Plugs or Propagules	ea	1.13	PR	100
550	EQIP	Range Planting	Seeding, Approved Non-Natives	ac	50	PR	100
550	EQIP	Range Planting	Seeding, Native Species	ac	120	PR	100
560	EQIP	Access Road	Earthmoving to control road and roadside erosion	cu yd	1.50	PR	100
560	EQIP	Access Road	Relocate to address a resource concern (\$20,000 cap per contract)	ft	9.75	PR	100
574	EQIP	Spring Development	Spring Development	ea	1313	PR	100
580	EQIP	Streambank and Shoreline Protection	Dormant Whips, Bareroot or containerized seedlings	ea	2.70	PR	100
580	EQIP	Streambank and Shoreline Protection	Gabions	cu yd	113	PR	100
580	EQIP	Streambank and Shoreline Protection	Pole Plantings	ea	6.30	PR	100
580	EQIP	Streambank and Shoreline Protection	Potted Stock, Planted	ea	9.75	PR	100
580	EQIP	Streambank and Shoreline Protection	Riprap, Rock veins, weirs, barbs	cu yd	48.75	PR	100
580	EQIP	Streambank and Shoreline Protection	Seeding, Natives Only	ac	120	PR	100
580	EQIP	Streambank and Shoreline Protection	Spider / Kelner Jacks	ft	113	PR	100
584	EQIP	Channel Stabilization	Riffle bar, hand placed	cu yd	97.50	PR	100
584	EQIP	Channel Stabilization	Riffle bar, mechanized placement	cu yd	30	PR	100
584	EQIP	Channel Stabilization	Stream Channel Stabilization	ft	11.63	PR	100
587	EQIP	Structure for Water Control	Concrete box	cy	780.64	PR	100
587	EQIP	Structure for Water Control	Ditch water measuring weir and gauge	ea	157.63	PR	100
587	EQIP	Structure for Water Control	Flowmeter, 8 inch or greater	ea	891	PR	100
587	EQIP	Structure for Water Control	Flowmeter, less than 8 inch	ea	631.13	PR	100
587	EQIP	Structure for Water Control	High Flow Turnout (stand alone practice, not associated with new ditch)	ea	1374.53	PR	100
587	EQIP	Structure for Water Control	Level Basin Drainback Structure	ea	1232.71	PR	100

Practice_Coost_Share_Progr	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate	
590	EQIP	Nutrient Management	New Nutrient Management Plan - Precision application (\$10,000 cap per contract year)	ac	21.08	PR	100
590	EQIP	Nutrient Management	New Nutrient Management Plan (\$10,000 cap per contract year)	ac	10.05	PR	100
595	EQIP	Pest Management	Mechanical Infested acres only	ac	11.25	PR	100
595	EQIP	Pest Management	Biological Infested acres only	ac	187.50	PR	100
595	EQIP	Pest Management	Chemical Infested acres only	ac	56.25	PR	100
595	EQIP	Pest Management	New Integrated Pest Management Plan - Infested cropland acres only	ac	15	PR	100
612	EQIP	Tree/Shrub Establishment	Potted Stock - Planted, Forest or Agroforestry Only	ea	9.75	PR	100
614	EQIP	Watering Facility	Retrofit existing tanks/troughs to meet wildlife criteria in standard	ea	50	PR	100
614	EQIP	Watering Facility	Storage tank	gal	1.05	PR	100
614	EQIP	Watering Facility	Trough - Pre Fabricated	gal	1.12	PR	100
614	EQIP	Watering Facility	Trough - Site Built	gal	1.43	PR	100
614	EQIP	Watering Facility	Remote Stock Water Monitor - Critical Watering Facilities - Remote Locations, greater than 30 miles from headquarters. One per ranch.	ea	1425	PR	100
614	EQIP	Watering Facility	Storage tank for water catchment for Irrigation	gal	1.05	PR	100
633	EQIP	Waste Utilization	Waste Utilization (\$10,000 cap per contract year)	ac	15	PR	100
636	EQIP	Water Harvesting Catchment	Water Harvesting Catchment	sq yd	8.44	PR	100
638	EQIP	Water & Sediment Control Basin	Earth Moving	cu yd	1.69	PR	100
640	EQIP	Waterspreading	Waterspreading	ft	1.13	PR	100
642	EQIP	Water Well	Livestock - Up to 8" drilled & cased (\$38,000 cap per well)	ft	38	PR	100
642	EQIP	Water Well	Livestock-Up to 8"drilled &cased. Remote (> 10 miles travelled from maintained public roads) (\$60,000 cap per well)	ft	60	PR	100
643	EQIP	Restoration and Management of Declining Habitats	Restoration and Management of Declining Habitats	ac	20	PR	100
643	EQIP	Restoration and Management of Declining Habitats	Restoration and Management of Declining Habitats (\$10,000 cap per contract year)	ac	20	PR	100
644	EQIP	Wetland Wildlife Habitat Mgmt.	Wetland Wildlife Habitat Management	ac	60	PR	100
645	EQIP	Upland Wildlife Habitat Mgmt.	Planting to improve food or cover for wildlife	ac	120	PR	100
645	EQIP	Upland Wildlife Habitat Mgmt.	Leave portion of crop unharvested for wildlife (\$5000 cap per year)	ac	563	PR	100
646	EQIP	Shallow Water Mgmt. for Wildlife	Shallow Water Management for Wildlife (\$5,000 cap per year)	ac	60	PR	100
647	EQIP	Early Successional Habitat Dvlpmnt/Mgmt	Existing vegetation disturbance (\$5,000 cap per year)	ac	20	PR	100
657	EQIP	Wetland Restoration	Earthmoving	cu yd	2.25	PR	100
657	EQIP	Wetland Restoration	Earthmoving Remote Location (> 10 miles travelled from maintained public road)	cu yd	3.30	PR	100
657	EQIP	Wetland Restoration	Live plant Roll mat, Native Only	sq ft	3.75	PR	100
657	EQIP	Wetland Restoration	Plugs or Propagules, Native Only	ea	1.20	PR	100
657	EQIP	Wetland Restoration	Wetland species seed & seeding, Native Only	ac	120	PR	100
658	EQIP	Wetland Creation	Earthmoving	cu yd	2.25	PR	100
658	EQIP	Wetland Creation	Earthmoving Remote Location (> 10 miles travelled from maintained public road)	cu yd	3.30	PR	100
658	EQIP	Wetland Creation	Live plant roll/mat, Native Only	sq ft	3.75	PR	100
658	EQIP	Wetland Creation	Plugs or Propagules, Native Only	ea	1.20	PR	100
658	EQIP	Wetland Creation	Wetland species seed & seeding, Native Only	ac	120	PR	100
659	EQIP	Wetland Enhancement	Earthmoving	cu yd	2.25	PR	100
659	EQIP	Wetland Enhancement	Earthmoving Remote Location (> 10 miles travelled from maintained public road)	cu yd	3.30	PR	100
659	EQIP	Wetland Enhancement	Live plant roll/mat	sq ft	3.75	PR	100
659	EQIP	Wetland Enhancement	Plugs or Propagules	ea	1.20	PR	100
659	EQIP	Wetland Enhancement	Wetland species seed & seeding	ac	98	PR	100
666	EQIP	Forest Stand Improvement	Forest Stand Improvement - Thin to natural spacing	ac	110	PR	100
734	EQIP	Fish and Wildlife Structure	Access improvement or prevention: Includes, escape structures, predation guards	ea	75	PR	100

Practice_Cost_Share_Progr	Practice_Name	Component	Unit_Type	Unit_Cost	Cost_Type	Share_Rate
734	Fish and Wildlife Structure	Artificial Cover: Includes Brush piles, rock piles, woody debris habitat	cu yd	300	PR	100
734	Fish and Wildlife Structure	Artificial Nesting/Perching structure (Includes, birdhouses, bat houses, waterfowl nest box, Owl box, Bee box, Raptor pole, and nest platforms.)	ea	75	PR	100
734	Fish and Wildlife Structure	Bat Condo	ea	5000	PR	100
734	Fish and Wildlife Structure	In- Stream/Channel Structures: (based On a current fish barrier design and estimate) Includes Fish free pools, spawning reef, fish barrier, Overhanging bank creation, fish crib.	cu yd	1875	PR	100
734	Fish and Wildlife Structure	Natural Cover Manipulation: Includes tree snags (creating), tree shelters	ea	150	PR	100
798	Seasonal High Tunnel System for Crops	Seasonal High Tunnel (Hoop House) (max 2160 sq ft)	sq ft	1.88	PR	100