

Renewable Energy Wind Applications Primer



Presenters

- Peter Robinson, Water Mngt Engineer
 - (503) 273-2417
 - Peter.Robinson@por.usda.gov
- Charles Zuller, Environmental Engineer
 - (503)273-2423
 - Charles.Zuller@por.usda.gov

Renewable Energy Definition

Renewable energy is naturally replenished energy generated from natural resources such as sunlight, wind, rain, tides, biomass, and geothermal heat.

What is Wind?

- Wind is a byproduct of solar energy resulting from uneven heating and cooling of the earth.
 - This creates atmospheric pressure gradients
 - Gradients force air movement from areas of high pressure to low pressure
- Approximately 2% of solar energy reaching the earth is converted to wind.

Wind or Solar

Wind Energy

- No nearby wind breaks
- Tower 75 – 200 feet tall
- 24-hour production?
- Wind speed range
- Geographical variations
- 17 – 38% availability
- 20 – 40% conversion efficiency
- 20-year life span

Solar Energy

- Unobstructed southern view
- Array perpendicular to sun
- Production 9 am to 3 pm
- Seasonal variations
- Geographical variations
- 10 – 25 % availability
- 10 – 15% conversion efficiency
- 25-year life span

Applicable Conservation Practice Standards


- Pumping Plant (533)
- Watering Facility (614)
- Pipeline (516)
- Water Well (642)



Wind Energy Basics


- Site assessment
- Windmills (mechanical)
- Turbines (electrical)
 - Small-scale (< 1 kW)
 - Residential-scale (< 10 kW)
 - Utility-scale (> 10 kW)

Wind Energy (continued)



Wind Power Classification				
Wind Power Class	Resource Potential	Wind Power Density at 50 m W/m^2	Wind Speed ^a at 50 m m/s	Wind Speed ^a at 50 m mph
	3 Fair	300 - 400	6.4 - 7.0	14.3 - 15.7
	4 Good	400 - 500	7.0 - 7.5	15.7 - 16.8
	5 Excellent	500 - 600	7.5 - 8.0	16.8 - 17.9
	6 Outstanding	600 - 800	8.0 - 8.8	17.9 - 19.7
	7 Superb	800 - 1600	8.8 - 11.1	19.7 - 24.8


^a Wind speeds are based on a Weibull k value of 2.0



Wind Resource Potential


Office of Energy Efficiency and Renewable Energy
U.S. Department of Energy

Rank	State
1	North Dakota
2	Texas
3	Kansas
4	South Dakota
5	Montana
6	Nebraska
7	Wyoming
8	Oklahoma
9	Minnesota
10	Iowa
11	Colorado
12	New Mexico
13	Idaho
14	Michigan
15	New York
16	Illinois
17	California



http://www.windpoweringamerica.gov/wind_maps.asp for info by state.

Wind Energy Distribution




Wind Resources

- For accurate assessment of complicated sites, wind speed and direction is typically monitored for 2-3 years at 10 and 50 meters (32 to 160 feet).
- Costs range from \$3,000 - \$10,000.



Wind Mills



Meopham Green, Kent 1820.

Wind Turbines



Small (≤ 10 kW)

- Farms
- Remote Applications

(e.g. water pumping, telecom sites, ice making)



Intermediate (10-250 kW)


- Village Power
- Hybrid Systems
- Distributed Power



Large (250 kW - 2+MW)

- Central Station Wind Farms
- Distributed Power

Relative Heights



Empire State
1250'

Eiffel Tower
986'

UMass Library
297'

1.5 MW Turbine
356'

Medium Turbine
212'

Farm Turbine
142'

Siting and Sizing Considerations

- Power Needs (energy audit)
- Wind Resources:
 - Speed and direction
 - Turbulence
- Design Considerations
- Operation & Maintenance
- Accessibility
- Regulations

Small Farm Applications

Livestock Watering

\$2,000 - \$3,000




Net Metering (home)

\$30,000 – \$40,000




Wind Resources




Wind Turbine Site Conditions

Flow over hills and obstacles


Good Sites



Bad Sites




Obstacles




Design Considerations


- Air Density (ρ)
- Rotor Efficiency (C_p)
- Blade Area (A)
- Wind Speed (V)
- Power: $P = 1/2 \rho C_p A^2 V^3$
- For a given turbine, double the wind speed and the power output increases by a factor of eight.




Energy per year from wind turbines



Bergey XL.1 Power Curve adjusted to Std Cond (1 min avg)




Theoretical vs. Actual




Wind Turbine

Basic Parts of a Small Wind Electric System




02979312m

Wind Turbine Details



Wind Turbine System

Navitron Ltd - Wind Turbine Wiring Diagram Generator



O&M Costs

- Annual O & M 2-3% of Installed Cost
- Vary by Site and System Age
 - Insurance
 - Land costs
 - Repairs and replacements
 - Spare parts
 - Administration

Accessibility

- How far from the needed power should you site a turbine?
- How often will maintenance be required?
- How do you access the turbine?

Regulations

- Land use
- Zoning
- Setback requirements
- Environmental laws

Environmental Considerations

- Birds, bats, other wildlife
- Aesthetics
- Noise
- Health effects(?)

Environmental Benefits

- No SO_x or NO_x
- No particulates
- No mercury
- No CO₂
- **No water**



Advantages and Disadvantages of Wind Energy

- Advantages
 - **Environmentally friendly**
 - **Economically competitive with kinds of electrical generation**
 - **Favorable economic impacts**
- Disadvantages
 - **Highly variable**
 - **Complimentary power supply often necessary**
 - **Location specific**

Installed Costs for Energy Systems (your prices will vary)


Wind Turbine

- 400 watt - \$3.00/watt
- 1,000 watt - \$3.50/watt
- 10,000 watt - \$3.00/watt

Solar PV

- 400 watt - \$2.50/watt
- 1,000 watt - \$4.00/watt
- 6,000 watt - \$4.00/watt

Relative Costs of Electricity Generation Technologies (2003 Canadian cents per kilowatt-hour)



Source: Canadian Energy Research Institute

Education Materials

- Workshops/events
- Wind coalitions
- Regional/State web sites
- Landowner guides
- Small wind guides
- State wind guides
- Wind calendar
- Technical support
- Earth Day materials
- Presentations
- Regional leveraging
- On-line tools

Energy Efficiency and Renewable Energy Network (EREN) U.S. Department of Energy

WIND POWERING AMERICA Wind Powering America

Wind Powering America *Regional Activities* *Native Americans* *Public Power*

Wind Powering America is a commitment to dramatically increase the use of wind energy in the United States. This initiative will establish new sources of energy for farmers, Native Americans, and other rural communities and meet the growing demand for electricity.

Through Wind Powering America, the United States will achieve targeted regional economic development, protect the local environment, reduce air pollution, lessen the risks of global climate change, and increase energy security.

Learn about Wind Powering America events happening in your area by visiting our [activities page](#) and [calendar](#).

Send your comments to the [Wind Powering America](#) page. DOE | EREN | NRCS

Small Wind Electric Systems
A U.S. Consumer's Guide

U.S. Department of Energy

Database of Renewable Energy Incentives

www.dsireusa.org

- Each State-Financial Incentives from city/county/state/federal governments
- State Rules, Regulations and Policies
- Utility Incentives

Additional Information Resources

- NRCS wind energy assessment tool
 - <http://www.ruralenergy.wisc.edu/>
- National Sustainable Agricultural Information Service
 - <http://attra.ncat.org> - publications and tools.

Renewable Energy Opportunities

- Technologies are advancing rapidly
 - Decreasing costs
 - Increasing efficiency
- Finally, check the following web sites:
 - **National Renewable Energy Laboratory**
 - <http://www.nrel.gov/>
 - **Energy Efficiency & Renewable Energy**
 - <http://www.eere.energy.gov/>

Wind Energy Applications



A Brief Overview of Wind Power in the U.S.A.

1. Early American settlers: European technology
2. Self regulating and pivoting blades for high winds: 1857
 - Provided year round water allowed much of the Great Plains to be settled between 1870 & 1920

A Brief Overview of Wind Power in the U.S.A.

3. Wind power to produce electricity

- Rural Electrification Administration ended this phase
- 1930's power for farmsteads

4. Today

- Beginning in the 1970's
- Uses modern aerodynamics learned from the aerospace industry

Uses of Wind Power

- Pump Water
 - Mechanical Windmill
- Produce Electric Power (and then pump water with the electricity)
 - Wind Turbine

Power Requirements

- Solar-PV water pumping systems less than 1.5 kW are more likely to be used in U.S. than wind powered water pumping systems due to:
 - a better match to water demand,
 - less maintenance requirements (e.g. fewer moving parts), and
 - a larger area of land with a good solar resource than with a good wind resource.
- As power requirements increase however, a wind only or a hybrid wind/solar water pumping system is desirable until the price per Watt for solar-PV modules can be decreased significantly and/or efficiency of Solar-PV modules can be improved significantly.

Conditions for Stand-Alone Wind System

- You live in an area with average annual wind speeds of at least 9 miles per hour (4.0 meters per second).
- A grid connection is not available or can only be made through an expensive extension. The cost of running a power line to a remote site to connect with the utility grid can be prohibitive, ranging from \$15,000 to more than \$50,000 per mile, depending on terrain.
- You acknowledge the intermittent nature of wind power and have a strategy for using intermittent resources to meet your power needs


Solar vs. Wind

Where to draw the line?


- In general, mechanical windmills and solar pumps are best for small quantities of water and low pumping heads.
- Wind-electric systems, such as 1.5 and 10 kW units, are better for large-scale livestock watering applications, small plot irrigation, and village water supply.

Making the Decision

- Analyzing the monthly water demand requirement;
- Conducting a resource assessment;
- Deciding whether a wind or solar water pumping system would be best.



Wind Speeds Increase with Height



Analyzing the monthly water demand requirement

- Need to know the height the water needs to be lifted
- Need to know the water demand

Water Use Information					
<i>Type of Use</i>	<i>Seasonal Water Requirement (Gal./Day)</i>				<i>Comments (# or type of animals, type of irrigation, etc.)</i>
	<i>Summer</i>	<i>Fall</i>	<i>Winter</i>	<i>Spring</i>	
<i>Livestock</i>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<i>Wildlife</i>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<i>Irrigation</i>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<i>Domestic/Potable</i>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<i>Other</i>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>
<i>Total Requirement</i>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>	<input type="text"/>


Use a reservoir (e.g. large tank) if...

- Water supply systems with a water reservoir are used where ...
 - for short periods, the wind energy is insufficient to run the pump
 - there is a need for a back-up water source.
- As the turbine noise level increases with the wind speed, siting of the wind turbine near a residence is not recommended.

Mechanical Windmills

- Mechanical windmills are still in production and thousands are installed every year.
- The amazing thing is that the design of these windmills has not changed for over a hundred years. The reason is that they were so well designed in the first place.
- The major U.S. manufacturers are Aermotor (San Angelo, TX) and Dempster (Beatrice, NE).
- We have a list of manufacturers

- Mechanical windmills use a positive displacement pump



Payment Schedule: Pumping Plant (533) Windmill

- \$5,800

Typical Implementation Scenario

- Complete windmill system - 12 ft fan and head to pump 2 gpm for livestock watering.
- A pumping facility installed to transfer water for a conservation need, usually for livestock watering, filling ponds, ditches or wetlands; or pumping from wells, ponds, streams and other sources.

Payment Schedule: Pumping Plant (533) Windmill with Tower

\$1,022/mill-ft

Typical Implementation Scenario

- Complete windmill system with a new tower to pump livestock water, 30-foot tower (does not include well).
- A pumping facility installed to transfer water for a conservation need, including removing excess surface or ground water; filling ponds, ditches or wetlands; or pumping from wells, ponds, streams and other sources.

Windmills vs Turbines

- Windmills work very well at low wind speeds, so they tend to give more reliable water supply than wind-electric systems.
- The wind-electric systems are more efficient over a wide range of wind speeds, they can pump higher volumes of water, and the wind turbine can be placed far from the well.

Wind & Solar Powered Helical Pumps

50 m head, 6 SQF-2 pump

Bushland, TX




Figure 9. Daily comparisons of wind and solar powered water pumped at the 50 m pumping depth. Minimum volume is approximately 7,000 liters per day.

- 10 kW turbine
- VS.
- 1,800 kW turbine

	Richmond Wind Ranch	Wild Horse Wind Farm
Turbine	Bergey Excel	Vestas V80
Blade Length	11 feet	129 feet
Tower Height	100 feet	221 feet
Max Watt Output	10 KW	1,800 KW per turbine
Estimated Average Wind Speed	12 MPH	15 MPH
Estimated Annual KWhr	17 MWhrs	5,055 MWhrs per turbine
Households Powered ¹	1.3	421 per turbine

1. Based on an average annual household power consumption of 12 MWhrs.







Figure 1. The 1000 W wind turbine installed on a 19.2 m tilt-up guyed pipe tower (Bushland, TX).



One example: 900 Watt Wind Turbine

- From Oct. 2005 to Mar. 2008
- Lorentz helical pump was powered by wind energy at the USDA-ARS Conservation and Production Research Laboratory (CPRL) near Bushland, TX.

One example: 900 Watt Wind Turbine

- The wind turbine used was a Southwest Windpower (Flagstaff, AZ) Whisper 100 (2.1 m or 7 ft rotor diameter) which generated 3-phase variable voltage, variable frequency AC electricity.
- The wind powered version required an additional controller manufactured by Lorentz to rectify the electricity to DC before entering the primary controller.



Fig.4. 3-Way Switch and Controllers Used on Wind Powered Water Pumping System. (Bushland, TX).





Fig. 5. Lorentz Helical Pump and Motor with Pump Shaft on Right (Bushland, TX).

One example: 900 Watt Wind Turbine


- For the Bushland, TX site, the wind powered helical pump system demonstrated the ability to pump enough water to meet the daily requirements of:
 - 120 beef cattle at 50 m (164 ft) pumping depth
 - 60 beef cattle at a 100 m (328 ft) pumping depth.



Bushland, TX (1995-6 Wind Distribution, HH=18.5m)

Fig. 12. Daily Water Volume of Lorentz HR07-2 Helical Pump Powered by SWWP Whisper 100.

MONTHLY ENERGY



3 kW
Turbine

Payment Schedule: Renewable Energy Production (716) Wind Turbine < 50 kW

\$1,875/kW

Typical Implementation Scenario

- Wind turbine, < 50kW capacity, consisting of blades, rotor, generator, over-speed control mechanism, tower, and electrical control system
- A facility for producing energy from renewable resources

Summary

- In general, mechanical windmills and solar pumps are best for small quantities of water and low pumping heads.
- Wind-electric systems, such as 1.5 and 10 kW units, are better for large-scale livestock watering applications, small plot irrigation, and village water supply.

Questions?