

Code	Practice	Component	Units	Unit Cost	Cost Share	Cost Type
102	Comprehensive Nutrient Management Plan - Written	HU-Non-Dairy Operation Less Than 300 AU with Land Application	no	7261.61	100%	PR
102	Comprehensive Nutrient Management Plan - Written	Dairy Operation Less Than 300 AU with Land Application	no	7549.85	100%	PR
102	Comprehensive Nutrient Management Plan - Written	HU-Non-Dairy Operation Greater Than or Equal to 700 AU with Land Application	no	11298.6	100%	PR
102	Comprehensive Nutrient Management Plan - Written	Dairy Operation Greater Than or Equal to 300 AU and Less Than 700 AU with Land Application	no	8627.08	100%	PR
102	Comprehensive Nutrient Management Plan - Written	Livestock Operation Less Than 300 AU without Land Application	no	5450.6	100%	PR
102	Comprehensive Nutrient Management Plan - Written	HU-Livestock Operation Less Than 300 AU without Land Application	no	6540.72	100%	PR
102	Comprehensive Nutrient Management Plan - Written	HU-CNMP Greater Than 300 AU without Land Application (Minimal Engineer Assistance)	no	2799	100%	PR
102	Comprehensive Nutrient Management Plan - Written	CNMP Greater Than 300 AU without Land Application (Minimal Engineer Assistance)	no	2332.5	100%	PR
102	Comprehensive Nutrient Management Plan - Written	CNMP Less Than or Equal to 300 AU with Land Application (Minimal Engineer Assistance)	no	3509.93	100%	PR
102	Comprehensive Nutrient Management Plan - Written	HU-Dairy Operation Less Than 300 AU with Land Application	no	9059.82	100%	PR
102	Comprehensive Nutrient Management Plan - Written	HU-CNMP Greater Than 300 AU with Land Application (Minimal Engineer Assistance)	no	5531.76	100%	PR
102	Comprehensive Nutrient Management Plan - Written	HU-Dairy Operation Greater Than or Equal to 700 AU with Land Application	no	11511.84	100%	PR
102	Comprehensive Nutrient Management Plan - Written	HU-Livestock Operation Greater Than 300 AU without Land Application	no	8125.7	100%	PR
102	Comprehensive Nutrient Management Plan - Written	Livestock Operation Greater Than 300 AU without Land Application	no	6771.41	100%	PR
102	Comprehensive Nutrient Management Plan - Written	Dairy Operation Greater Than or Equal to 700 AU with Land Application	no	9593.2	100%	PR
102	Comprehensive Nutrient Management Plan - Written	CNMP Greater Than 300 AU with Land Application (Minimal Engineer Assistance)	no	4609.8	100%	PR
102	Comprehensive Nutrient Management Plan - Written	CNMP Less Than or Equal to 300 AU without Land Application (Minimal Engineer Assistance)	no	2054.74	100%	PR
102	Comprehensive Nutrient Management Plan - Written	HU-CNMP Less Than or Equal to 300 AU without Land Application (Minimal Engineer Assistance)	no	2465.69	100%	PR
102	Comprehensive Nutrient Management Plan - Written	HU-Non-Dairy Operation Greater Than or Equal to 300 AU and Less Than 700 AU with Land Application	no	9353.39	100%	PR
102	Comprehensive Nutrient Management Plan - Written	Non-Dairy Operation Less Than 300 AU with Land Application	no	6051.35	100%	PR
102	Comprehensive Nutrient Management Plan - Written	HU-Dairy Operation Greater Than or Equal to 300 AU and Less Than 700 AU with Land Application	no	10352.49	100%	PR
102	Comprehensive Nutrient Management Plan - Written	Non-Dairy Operation Greater Than or Equal to 700 AU with Land Application	no	9415.5	100%	PR
102	Comprehensive Nutrient Management Plan - Written	HU-CNMP Less Than or Equal to 300 AU with Land Application (Minimal Engineer Assistance)	no	4211.91	100%	PR

102	Comprehensive Nutrient Management Plan - Written	Non-Dairy Operation Greater Than or Equal to 300 AU and Less Than 700 AU with Land Application	no	7794.5	100%	PR
104	Nutrient Management Plan - Written	HU-Nutrient Management CAP 104 Greater Than 300 Acres (Not part of a CNMP)	no	3412.8	100%	PR
104	Nutrient Management Plan - Written	HU-Nutrient Management CAP 104 - 101-300 Acres (Element of a CNMP)	no	4777.92	100%	PR
104	Nutrient Management Plan - Written	Nutrient Management CAP 104 Greater Than 300 Acres (Element of a CNMP)	no	4834.8	100%	PR
104	Nutrient Management Plan - Written	HU-Nutrient Management CAP 104 Less Than or Equal to 100 Acres (Element of a CNMP)	no	3412.8	100%	PR
104	Nutrient Management Plan - Written	HU-Nutrient Management CAP 104 Greater Than 300 Acres (Element of a CNMP)	no	5801.76	100%	PR
104	Nutrient Management Plan - Written	Nutrient Management CAP 104- 101-300 Acres (Not part of a CNMP)	no	2275.2	100%	PR
104	Nutrient Management Plan - Written	HU-Nutrient Management CAP 104- 101-300 Acres (Not part of a CNMP)	no	2730.24	100%	PR
104	Nutrient Management Plan - Written	HU-Nutrient Management CAP Less Than or Equal to 100 Acres (Not part of a CNMP)	no	2047.68	100%	PR
104	Nutrient Management Plan - Written	Nutrient Management CAP 104 Less Than or Equal to 100 Acres (Element of a CNMP)	no	2844	100%	PR
104	Nutrient Management Plan - Written	Nutrient Management CAP 104 - 101-300 Acres (Element of a CNMP)	no	3981.6	100%	PR
104	Nutrient Management Plan - Written	Nutrient Management CAP 104 Greater Than 300 Acres (Not part of a CNMP)	no	2844	100%	PR
104	Nutrient Management Plan - Written	Nutrient Management CAP Less Than or Equal to 100 Acres (Not part of a CNMP)	no	1706.4	100%	PR
106	Forest Management Plan - Written	FMP 501 to 1000 acres	no	3882.06	100%	PR
106	Forest Management Plan - Written	FMP 21 to 100 acres	no	1294.02	100%	PR
106	Forest Management Plan - Written	HU-FMP Greater Than 1000 acres	no	5823.09	100%	PR
106	Forest Management Plan - Written	FMP Greater Than 1000 acres	no	4852.58	100%	PR
106	Forest Management Plan - Written	FMP 101 to 250 acres	no	2318.45	100%	PR
106	Forest Management Plan - Written	HU-FMP 101 to 250 acres	no	2782.14	100%	PR
106	Forest Management Plan - Written	HU-FMP 21 to 100 acres	no	1552.82	100%	PR
106	Forest Management Plan - Written	FMP Less Than or Equal to 20 acres	no	1024.43	100%	PR
106	Forest Management Plan - Written	HU-FMP 251 to 500 acres	no	4011.46	100%	PR
106	Forest Management Plan - Written	HU-FMP 501 to 1000 acres	no	4658.47	100%	PR
106	Forest Management Plan - Written	HU-FMP Less Than or Equal to 20 acres	no	1229.32	100%	PR

106	Forest Management Plan - Written	FMP 251 to 500 acres	no	3342.89	100%	PR
108	Feed Management Plan - Written	HU-Feed Management Plan	Ea	2162.45	100%	PR
108	Feed Management Plan - Written	Feed Management Plan	Ea	1802.04	100%	PR
110	Grazing Management Plan - Written	HU-Grazing Management Plan 1501 to 5000 acres	no	4013.82	100%	PR
110	Grazing Management Plan - Written	Grazing Management Plan Greater Than 5000 acres	no	3902.33	100%	PR
110	Grazing Management Plan - Written	Grazing Management Plan Less Than or Equal to 100 acres	no	1672.43	100%	PR
110	Grazing Management Plan - Written	HU-Grazing Management Plan Less Than or Equal to 100 acres	no	2006.91	100%	PR
110	Grazing Management Plan - Written	HU-Grazing Management Plan Greater Than 5000 acres	no	4682.79	100%	PR
110	Grazing Management Plan - Written	HU-Grazing Management Plan 501 to 1500 acres	no	3344.85	100%	PR
110	Grazing Management Plan - Written	Grazing Management Plan 101 to 500 acres	no	2229.9	100%	PR
110	Grazing Management Plan - Written	Grazing Management Plan 1501 to 5000 acres	no	3344.85	100%	PR
110	Grazing Management Plan - Written	HU-Grazing Management Plan 101 to 500 acres	no	2675.88	100%	PR
110	Grazing Management Plan - Written	Grazing Management Plan 501 to 1500 acres	no	2787.38	100%	PR
112	Prescribed Burning Plan - Written	HU-Prescribed Burning Plan Less Than or Equal to 20 Acres	no	323.51	100%	PR
112	Prescribed Burning Plan - Written	HU-Prescribed Burning Plan 251-500 Acres	no	1035.22	100%	PR
112	Prescribed Burning Plan - Written	HU-Prescribed Burning Plan Greater Than 1000 Acres	no	1552.82	100%	PR
112	Prescribed Burning Plan - Written	Prescribed Burning Plan Greater Than 1000 Acres	no	1294.02	100%	PR
112	Prescribed Burning Plan - Written	Prescribed Burning Plan 101-250 Acres	no	647.01	100%	PR
112	Prescribed Burning Plan - Written	HU-Prescribed Burning Plan 101-250 Acres	no	776.41	100%	PR
112	Prescribed Burning Plan - Written	HU-Prescribed Burning Plan 21-100 Acres	no	517.61	100%	PR
112	Prescribed Burning Plan - Written	Prescribed Burning Plan 21-100 Acres	no	431.34	100%	PR
112	Prescribed Burning Plan - Written	HU-Prescribed Burning Plan 501-1000 Acres	no	1294.02	100%	PR
112	Prescribed Burning Plan - Written	Prescribed Burning Plan Less Than or Equal to 20 Acres	no	269.59	100%	PR
112	Prescribed Burning Plan - Written	Prescribed Burning Plan 251-500 Acres	no	862.68	100%	PR

112	Prescribed Burning Plan - Written	Prescribed Burning Plan 501-1000 Acres	no	1078.35	100%	PR
114	Integrated Pest Management Plan - Written	IPM Management CAP Large - Greater Than 250 Acres	no	2844	100%	PR
114	Integrated Pest Management Plan - Written	IPM Management CAP Medium 51 - 250 Acres	no	1820.16	100%	PR
114	Integrated Pest Management Plan - Written	HU-IPM Management CAP Small-Specialty Less Than 50 Acres	no	1706.4	100%	PR
114	Integrated Pest Management Plan - Written	HU-IPM Management CAP Large - Greater Than 250 Acres	no	3412.8	100%	PR
114	Integrated Pest Management Plan - Written	HU-IPM Management CAP Medium 51 - 250 Acres	no	2184.19	100%	PR
114	Integrated Pest Management Plan - Written	IPM Management CAP Small-Specialty Less Than 50 Acres	no	1422	100%	PR
118	Irrigation Water Management Plan - Written	Irrigation Water Management CAP with pump test	no	3662.59	100%	PR
118	Irrigation Water Management Plan - Written	HU-Irrigation Water Management Conservation Activity Plan CAP	no	2796.89	100%	PR
118	Irrigation Water Management Plan - Written	HU-Irrigation Water Management CAP with pump test	no	4395.11	100%	PR
118	Irrigation Water Management Plan - Written	Irrigation Water Management Conservation Activity Plan CAP	no	2330.74	100%	PR
128	Agricultural Energy Management Plan - Written	AgEMP Small, Four Enterprises	no	3326	100%	PR
128	Agricultural Energy Management Plan - Written	HU-AgEMP Small, Four Enterprises	no	3991.19	100%	PR
128	Agricultural Energy Management Plan - Written	HU-AgEMP Small, Two Enterprise	no	2827.51	100%	PR
128	Agricultural Energy Management Plan - Written	HU-AgEMP Small, Three Enterprise	no	3270.25	100%	PR
128	Agricultural Energy Management Plan - Written	HU-AgEMP Medium, One Enterprise	no	2274.19	100%	PR
128	Agricultural Energy Management Plan - Written	AgEMP Medium Two Enterprises	no	3186.31	100%	PR
128	Agricultural Energy Management Plan - Written	AgEMP Small, Three Enterprise	no	2725.21	100%	PR
128	Agricultural Energy Management Plan - Written	HU-AgEMP 128 Large, Four Enterprise	no	6542.69	100%	PR
128	Agricultural Energy Management Plan - Written	AgEMP Large, Two Enterprises	no	4349.32	100%	PR
128	Agricultural Energy Management Plan - Written	AgEMP Large, Three Enterprise	no	4784.86	100%	PR
128	Agricultural Energy Management Plan - Written	HU-AgEMP Small, One Enterprise	no	1831.46	100%	PR
128	Agricultural Energy Management Plan - Written	AgEMP Small, One Enterprise	no	1526.21	100%	PR
128	Agricultural Energy Management Plan - Written	HU-AgEMP Large, One Enterprise	no	2995.14	100%	PR

128	Agricultural Energy Management Plan - Written	AgEMP Large, One Enterprise	no	2495.95	100%	PR
128	Agricultural Energy Management Plan - Written	HU-AgEMP Medium, Three Enterprise	no	4266.31	100%	PR
128	Agricultural Energy Management Plan - Written	HU-AgEMP Large, Three Enterprise	no	5741.83	100%	PR
128	Agricultural Energy Management Plan - Written	AgEMP 128 Medium, Four Enterprise	no	4156.04	100%	PR
128	Agricultural Energy Management Plan - Written	AgEMP Medium, Three Enterprise	no	3555.26	100%	PR
128	Agricultural Energy Management Plan - Written	HU-AgEMP Medium Two Enterprises	no	3823.57	100%	PR
128	Agricultural Energy Management Plan - Written	HU-AgEMP 128 Medium, Four Enterprise	no	4987.25	100%	PR
128	Agricultural Energy Management Plan - Written	AgEMP Small, Two Enterprise	no	2356.26	100%	PR
128	Agricultural Energy Management Plan - Written	AgEMP Medium, One Enterprise	no	1895.16	100%	PR
128	Agricultural Energy Management Plan - Written	AgEMP 128 Large, Four Enterprise	no	5452.24	100%	PR
128	Agricultural Energy Management Plan - Written	HU-AgEMP Large, Two Enterprises	no	5219.18	100%	PR
130	Drainage Water Management Plan - Written	HU-DWMP - Tile Map Available	no	2375.88	100%	PR
130	Drainage Water Management Plan - Written	DWMP - No Tile Map Available	no	2361.98	100%	PR
130	Drainage Water Management Plan - Written	HU-DWMP - No Tile Map Available	no	2834.38	100%	PR
130	Drainage Water Management Plan - Written	DWMP - Tile Map Available	no	1979.9	100%	PR
138	Conservation Plan Supporting Organic Transition - Written	Conservation Plan Supporting Organic Transition CAP	no	2277.65	100%	PR
138	Conservation Plan Supporting Organic Transition - Written	Conservation Plan Supporting Organic Transition CAP No Local TSP	no	3555.36	100%	PR
138	Conservation Plan Supporting Organic Transition - Written	HU-Conservation Plan Supporting Organic Transition CAP	no	2733.18	100%	PR
138	Conservation Plan Supporting Organic Transition - Written	HU-Conservation Plan Supporting Organic Transition CAP No Local TSP	no	4266.43	100%	PR
142	Fish and Wildlife Habitat Plan - Written	HU-Fish and Wildlife Habitat Management CAP	no	2902.66	100%	PR
142	Fish and Wildlife Habitat Plan - Written	Fish and Wildlife Habitat Management CAP	no	2418.89	100%	PR
146	Pollinator Habitat Plan - Written	HU-Pollinator Habitat Enhancement Plan CAP - No Local TSP	no	4215.77	100%	PR
146	Pollinator Habitat Plan - Written	Pollinator Habitat Enhancement Plan CAP - No Local TSP	no	3513.14	100%	PR
146	Pollinator Habitat Plan - Written	Pollinator Habitat Enhancement Plan CAP	no	2418.89	100%	PR

146	Pollinator Habitat Plan - Written	HU-Pollinator Habitat Enhancement Plan CAP	no	2902.66	100%	PR
154	IPM Herbicide Resistance Weed Conservation Plan - Written	HU-IPM Herbicide Resistance Weed Management CAP Large - Greater Than 250 Acres	no	4095.36	100%	PR
154	IPM Herbicide Resistance Weed Conservation Plan - Written	HU-IPM Herbicide Resistance Weed Management CAP Small-Specialty Less Than or Equal to 50 Acres	no	2047.68	100%	PR
154	IPM Herbicide Resistance Weed Conservation Plan - Written	IPM Herbicide Resistance Weed Management CAP Small-Specialty Less Than or Equal to 50 Acres	no	1706.4	100%	PR
154	IPM Herbicide Resistance Weed Conservation Plan - Written	HU-IPM Herbicide Resistance Weed Management CAP Medium 51 - 250 Acres	no	2661.98	100%	PR
154	IPM Herbicide Resistance Weed Conservation Plan - Written	IPM Herbicide Resistance Weed Management CAP Medium 51 - 250 Acres	no	2218.32	100%	PR
154	IPM Herbicide Resistance Weed Conservation Plan - Written	IPM Herbicide Resistance Weed Management CAP Large - Greater Than 250 Acres	no	3412.8	100%	PR
313	Waste Storage Facility	Above Ground Steel/Concrete Storage Facility, greater than 100,000 cubic foot storage	cu ft	1.57	100%	PR
313	Waste Storage Facility	HU-Dry Stack, Concrete Floor, Concrete Walls	sq ft	10.8	100%	PR
313	Waste Storage Facility	Concrete Tank with Lid, Buried, 5,000 to 14,999 cubic foot storage	cu ft	5.26	100%	PR
313	Waste Storage Facility	HU-Concrete Tank with Lid, Buried, 5,000 to 14,999 cubic foot storage	cu ft	6.31	100%	PR
313	Waste Storage Facility	Dry Stack, Concrete Floor, Concrete Walls	sq ft	9	100%	PR
313	Waste Storage Facility	Concrete Tank with Lid, Buried, less than 5,000 cubic foot storage	cu ft	6.76	100%	PR
313	Waste Storage Facility	HU-Concrete Tank with Lid, Buried, 50,000 to 74,999 cubic foot storage	cu ft	3.6	100%	PR
313	Waste Storage Facility	HU-Earthen Storage Facility, greater than or equal to 50,000 cubic foot storage	cu ft	0.34	100%	PR
313	Waste Storage Facility	Dry Stack, Concrete Floor, NO Walls	sq ft	4.57	100%	PR
313	Waste Storage Facility	HU-Concrete Tank with Lid, Buried, 75,000 to 109,999 cubic foot storage	cu ft	3.29	100%	PR
313	Waste Storage Facility	Concrete Tank with Lid, Buried, 25,000 to 49,999 cubic foot storage	cu ft	3.65	100%	PR
313	Waste Storage Facility	HU-Dry Stack, Concrete Floor, NO Walls	sq ft	5.49	100%	PR
313	Waste Storage Facility	HU-Earthen Storage Facility, less than 50,000 cubic foot storage	cu ft	0.65	100%	PR
313	Waste Storage Facility	HU-Above Ground Steel/Concrete Storage Facility, 25,000 to 100,000 cubic foot storage	cu ft	2.35	100%	PR
313	Waste Storage Facility	HU-Earthen Storage Facility, High Water Table	cu ft	1.12	100%	PR
313	Waste Storage Facility	Concrete Tank with Lid, Buried, 75,000 to 109,999 cubic foot storage	cu ft	2.74	100%	PR
313	Waste Storage Facility	Concrete Tank with Lid, Buried, equal to or greater than 110,000 cubic foot storage	cu ft	2.42	100%	PR

313	Waste Storage Facility	Earthen Storage Facility, High Water Table	cu ft	0.94	100%	PR
313	Waste Storage Facility	HU-Concrete Tank with Lid, Buried, equal to or greater than 110,000 cubic foot storage	cu ft	2.91	100%	PR
313	Waste Storage Facility	HU-Above Ground Steel/Concrete Storage Facility, greater than 100,000 cubic foot storage	cu ft	1.89	100%	PR
313	Waste Storage Facility	Concrete Tank with Lid, Buried, 15,000 to 24,999 cubic foot storage	cu ft	4.5	100%	PR
313	Waste Storage Facility	HU-Concrete Tank with Lid, Buried, less than 5,000 cubic foot storage	cu ft	8.11	100%	PR
313	Waste Storage Facility	HU-Above Ground Steel/Concrete Storage Facility, less than 25,000 cubic foot storage	cu ft	6.02	100%	PR
313	Waste Storage Facility	Above Ground Steel/Concrete Storage Facility, 25,000 to 100,000 cubic foot storage	cu ft	1.96	100%	PR
313	Waste Storage Facility	HU-Concrete Tank with Lid, Buried, 15,000 to 24,999 cubic foot storage	cu ft	5.4	100%	PR
313	Waste Storage Facility	Concrete Tank with Lid, Buried, 50,000 to 74,999 cubic foot storage	cu ft	3	100%	PR
313	Waste Storage Facility	Earthen Storage Facility, greater than or equal to 50,000 cubic foot storage	cu ft	0.28	100%	PR
313	Waste Storage Facility	Earthen Storage Facility, less than 50,000 cubic foot storage	cu ft	0.54	100%	PR
313	Waste Storage Facility	HU-Concrete Tank with Lid, Buried, 25,000 to 49,999 cubic foot storage	cu ft	4.38	100%	PR
313	Waste Storage Facility	Above Ground Steel/Concrete Storage Facility, less than 25,000 cubic foot storage	cu ft	5.01	100%	PR
314	Brush Management	HU-Mechanical and Chemical, Cut Stump plus Chemical Treatment, Pile and Burn, Chip, etc.	ac	610.31	100%	PR
314	Brush Management	HU-Mechanical, Heavy Equipment, Large Woody Vegetation, Medium Infestations	ac	339.13	100%	PR
314	Brush Management	HU-Mechanical, Hand tools	ac	136.41	100%	PR
314	Brush Management	Mechanical, Hand tools	ac	113.68	100%	PR
314	Brush Management	HU-Chemical, Individual Plant Treatment	ac	31.04	100%	PR
314	Brush Management	Mechanical, Heavy Equipment, Large Woody Vegetation, Medium Infestations	ac	282.61	100%	PR
314	Brush Management	Chemical, Individual Plant Treatment	ac	25.87	100%	PR
314	Brush Management	Mechanical and Chemical, Cut Stump plus Chemical Treatment, Pile and Burn, Chip, etc.	ac	508.59	100%	PR
315	Herbaceous Weed Control	Biological Control - Insects	ac	46.35	100%	PR
315	Herbaceous Weed Control	Chemical, Spot Treatment	ac	60.18	100%	PR
315	Herbaceous Weed Control	HU-Chemical, Ground Application	ac	52.56	100%	PR

315	Herbaceous Weed Control	HU-Biological Control - Insects	ac	55.62	100%	PR
315	Herbaceous Weed Control	Chemical, Aerial Application	ac	20.99	100%	PR
315	Herbaceous Weed Control	HU-Chemical, Aerial Application	ac	31.48	100%	PR
315	Herbaceous Weed Control	HU-Mechanical, Hand Tools	ac	60.15	100%	PR
315	Herbaceous Weed Control	HU-Chemical, Spot Treatment	ac	108.33	100%	PR
315	Herbaceous Weed Control	Chemical, Ground Application	ac	35.04	100%	PR
315	Herbaceous Weed Control	Mechanical, Hand Tools	ac	33.42	100%	PR
316	Animal Mortality Facility	HU-Static Pile, Wood Bin(s)	sq ft	14.1	100%	PR
316	Animal Mortality Facility	HU-Static Pile, Concrete Pad	sq ft	8.17	100%	PR
316	Animal Mortality Facility	Static Pile, Concrete Pad	sq ft	6.81	100%	PR
316	Animal Mortality Facility	Static Pile, Concrete Bin	sq ft	26.83	100%	PR
316	Animal Mortality Facility	HU-Static Pile, Concrete Bin	sq ft	32.19	100%	PR
316	Animal Mortality Facility	Static Pile, Wood Bin(s)	sq ft	11.75	100%	PR
317	Composting Facility	HU-Composter, Windrow, with Compacted Earth Floor	sq ft	0.44	100%	PR
317	Composting Facility	Composter, Windrow, with Compacted Earth Floor	sq ft	0.37	100%	PR
317	Composting Facility	Bins, wood or concrete walls on concrete slab	sq ft	13.57	100%	PR
317	Composting Facility	HU-Composter, Windrow, All-Weather Surface	sq ft	1.1	100%	PR
317	Composting Facility	HU-Bins, wood or concrete walls on concrete slab	sq ft	16.28	100%	PR
317	Composting Facility	Composter, Windrow, All-Weather Surface	sq ft	0.92	100%	PR
319	On-Farm Secondary Containment Facility	HU-Corrugated Metal Wall Containment	sq ft	24.79	100%	PR
319	On-Farm Secondary Containment Facility	HU-Modular Block Containment Wall	sq ft	26.48	100%	PR
319	On-Farm Secondary Containment Facility	HU-Double Wall Tank	gal	1.17	100%	PR
319	On-Farm Secondary Containment Facility	Earthen Containment	CuYd	35.57	100%	PR
319	On-Farm Secondary Containment Facility	HU-Earthen Containment	CuYd	42.68	100%	PR

319	On-Farm Secondary Containment Facility	Concrete Containment Wall	CuYd	753.77	100%	PR
319	On-Farm Secondary Containment Facility	Corrugated Metal Wall Containment	sq ft	20.66	100%	PR
319	On-Farm Secondary Containment Facility	Modular Block Containment Wall	sq ft	22.06	100%	PR
319	On-Farm Secondary Containment Facility	Double Wall Tank	gal	0.97	100%	PR
319	On-Farm Secondary Containment Facility	HU-Concrete Containment Wall	CuYd	904.52	100%	PR
320	Irrigation Canal or Lateral	HU-Irrigation Canal	CuYd	2.24	100%	PR
320	Irrigation Canal or Lateral	Relocate Canal or Lateral	CuYd	2.4	100%	PR
320	Irrigation Canal or Lateral	Irrigation Canal	CuYd	1.47	100%	PR
320	Irrigation Canal or Lateral	HU-Relocate Canal or Lateral	CuYd	3.6	100%	PR
325	High Tunnel System	High Tunnel, Low Wind or Snow Load, Intensive Sun	sq ft	2.2	100%	PR
325	High Tunnel System	Contiguous US	sq ft	1.95	100%	PR
325	High Tunnel System	HU-High Tunnel, Low Wind or Snow Load, Intensive Sun	sq ft	3.96	100%	PR
325	High Tunnel System	HU-Contiguous US	sq ft	3.5	100%	PR
327	Conservation Cover	HU-Pollinator Species with Forgone Income	ac	636.43	100%	PR
327	Conservation Cover	Pollinator Species with Forgone Income	ac	565.1	100%	PR
328	Conservation Crop Rotation	Specialty Crops Organic and Non-Organic	ac	22.64	100%	PR
328	Conservation Crop Rotation	HU-Basic Rotation Organic and Non-Organic	ac	5.09	100%	PR
328	Conservation Crop Rotation	Basic Rotation Organic and Non-Organic	ac	4.25	100%	PR
328	Conservation Crop Rotation	HU-Specialty Crops Organic and Non-Organic	ac	27.17	100%	PR
329	Residue and Tillage Management, No-Till	No-Till/Strip-Till	ac	14.78	100%	PR
329	Residue and Tillage Management, No-Till	HU-No-Till/Strip-Till	ac	17.73	100%	PR
338	Prescribed Burning	HU-Level Terrain, High-Volatile Woody Fuel, less than 4-foot tall, less than or equal to 640 acres	ac	16.23	100%	PR
338	Prescribed Burning	HU-Site Preparation	ac	29.9	100%	PR
338	Prescribed Burning	Understory Burn	ac	60.29	100%	PR

338	Prescribed Burning	Level Terrain, Herbaceous and/or Low-Volatile Woody Fuel, less than or equal to 640 acres	ac	6.36	100%	PR
338	Prescribed Burning	Site Preparation	ac	16.61	100%	PR
338	Prescribed Burning	HU-Understory Burn	ac	108.51	100%	PR
338	Prescribed Burning	Level Terrain, High-Volatile Woody Fuel, less than 4-foot tall, less than or equal to 640 acres	ac	9.02	100%	PR
338	Prescribed Burning	HU-Level Terrain, Herbaceous and/or Low-Volatile Woody Fuel, less than or equal to 640 acres	ac	11.46	100%	PR
340	Cover Crop	HU-Cover Crop Adaptive Management	Ea	2234.21	100%	PR
340	Cover Crop	HU-Cover Crop - Basic and organic/non-organic	ac	74.42	100%	PR
340	Cover Crop	Cover Crop Adaptive Management	Ea	1861.84	100%	PR
340	Cover Crop	Cover Crop Multiple Species Organic and Non-Organic	ac	72.83	100%	PR
340	Cover Crop	Cover Crop - Basic and organic/non-organic	ac	62.01	100%	PR
340	Cover Crop	HU-Cover Crop Multiple Species Organic and Non-Organic	ac	87.39	100%	PR
342	Critical Area Planting	HU-Native and Introduced Vegetation - Moderate Grading	ac	559.97	100%	PR
342	Critical Area Planting	HU-Introduced Species, Minimal Site Preparation	ac	51.93	100%	PR
342	Critical Area Planting	Introduced Species, Minimal Site Preparation	ac	43.27	100%	PR
342	Critical Area Planting	HU-Vegetation-normal tillage (Organic and Non-Organic)	ac	211.21	100%	PR
342	Critical Area Planting	Native Species, Minimal Site Preparation	ac	114.85	100%	PR
342	Critical Area Planting	Vegetation-normal tillage (Organic and Non-Organic)	ac	176.01	100%	PR
342	Critical Area Planting	Native and Introduced Vegetation - Moderate Grading	ac	466.64	100%	PR
342	Critical Area Planting	HU-Native Species, Minimal Site Preparation	ac	137.82	100%	PR
345	Residue and Tillage Management, Reduced Till	Residue and Tillage Management, Reduced Till	ac	15.7	100%	PR
345	Residue and Tillage Management, Reduced Till	HU-Residue and Tillage Management, Reduced Till	ac	18.84	100%	PR
348	Dam, Diversion	Wood Structure	ft	396.48	100%	PR
348	Dam, Diversion	Wood Structure, with Apron, Sidewalls, and Toewall	sq ft	221.54	100%	PR
348	Dam, Diversion	HU-Rock Structure	CuYd	141.65	100%	PR

348	Dam, Diversion	Earth Fill	CuYd	4.03	100%	PR
348	Dam, Diversion	HU-Earth Fill	CuYd	6.05	100%	PR
348	Dam, Diversion	Concrete Structure	CuYd	1395.79	100%	PR
348	Dam, Diversion	HU-Wood Structure	ft	594.71	100%	PR
348	Dam, Diversion	HU-Wood Structure, with Apron, Sidewalls, and Toewall	sq ft	332.31	100%	PR
348	Dam, Diversion	HU-Concrete Structure	CuYd	2093.68	100%	PR
348	Dam, Diversion	Rock Structure	CuYd	94.44	100%	PR
351	Well Decommissioning	HU-Drilled Well, greater than 300-foot depth	ft	9.52	100%	PR
351	Well Decommissioning	Drilled Well, 300-foot depth or less	ft	4.26	100%	PR
351	Well Decommissioning	Drilled Well, greater than 300-foot depth	ft	7.93	100%	PR
351	Well Decommissioning	Shallow Well, 25-foot depth or less	ft	60.56	100%	PR
351	Well Decommissioning	HU-Shallow Well, 25-foot depth or less	ft	72.68	100%	PR
351	Well Decommissioning	HU-Drilled Well, 300-foot depth or less	ft	5.11	100%	PR
355	Groundwater Testing	HU-Basic Water Quality Test	Ea	222.34	100%	PR
355	Groundwater Testing	Basic Water Quality Test	Ea	185.28	100%	PR
356	Dike	Material Haul, less than or equal to 1 Mile	CuYd	3.34	100%	PR
356	Dike	HU-Material Haul, greater than 1 Mile	CuYd	5.49	100%	PR
356	Dike	HU-Material Haul, less than or equal to 1 Mile	CuYd	5	100%	PR
356	Dike	Material Haul, greater than 1 Mile	CuYd	3.66	100%	PR
360	Waste Facility Closure	HU-Liquid Waste Impoundment Conversion to Fresh Water Storage with 75% Liquids and 25% Solids	cu ft	0.16	100%	PR
360	Waste Facility Closure	Liquid Waste Impoundment Conversion to Fresh Water Storage with 75% Liquids and 25% Solids	cu ft	0.14	100%	PR
360	Waste Facility Closure	Demolition of Concrete Waste Storage Structure	cu ft	1.91	100%	PR
360	Waste Facility Closure	Liquid Waste Impoundment Closure with 75% Liquids and 25% Solids	cu ft	0.18	100%	PR
360	Waste Facility Closure	HU-Demolition of Concrete Waste Storage Structure	cu ft	2.29	100%	PR

360	Waste Facility Closure	HU-Liquid Waste Impoundment Closure with 75% Liquids and 25% Solids	cu ft	0.22	100%	PR
360	Waste Facility Closure	HU-Feedlot Closure, Soil Remediation	cu ft	0.25	100%	PR
360	Waste Facility Closure	Feedlot Closure, Soil Remediation	cu ft	0.21	100%	PR
362	Diversion	HU-Diversion, Earth Berm (Lin. Ft.), less than 15 cubic yard per 100 feet	ft	2.02	100%	PR
362	Diversion	Diversion, Earth Berm (cubic yard)	CuYd	5.02	100%	PR
362	Diversion	Diversion, Earth Berm (Lin. Ft.), less than 15 cubic yard per 100 feet	ft	1.69	100%	PR
362	Diversion	Diversion, Concrete Tee Wall	ft	59.05	100%	PR
362	Diversion	HU-Diversion, Earth Berm (cubic yard)	CuYd	6.03	100%	PR
362	Diversion	Diversion, Excavation	CuYd	3.45	100%	PR
362	Diversion	HU-Diversion, Concrete Tee Wall	ft	70.87	100%	PR
362	Diversion	HU-Diversion, Excavation	CuYd	4.14	100%	PR
367	Roofs and Covers	Flexible Roof	sq ft	10.45	100%	PR
367	Roofs and Covers	Timber or Steel Sheet Roof	sq ft	9.35	100%	PR
367	Roofs and Covers	HU-Timber or Steel Sheet Roof	sq ft	11.22	100%	PR
367	Roofs and Covers	HU-Flexible Roof	sq ft	12.54	100%	PR
367	Roofs and Covers	HU-Flexible Membrane Cover	sq ft	2.23	100%	PR
367	Roofs and Covers	Wood Framed Roof and Building (for manure handling equipment in locations with sub-zero winter conditions)	sq ft	51.21	100%	PR
367	Roofs and Covers	HU-Wood Framed Roof and Building (for manure handling equipment in locations with sub-zero winter conditions)	sq ft	61.45	100%	PR
367	Roofs and Covers	Flexible Membrane Cover	sq ft	1.86	100%	PR
374	FARMSTEAD ENERGY IMPROVEMENT	Motor Upgrade, greater than 1 to less than 10 Horsepower (HP)	HP	463.79	100%	PR
374	FARMSTEAD ENERGY IMPROVEMENT	Heating, Building (1,000BTU/Hour)	kBTU/Hr	6.46	100%	PR
374	FARMSTEAD ENERGY IMPROVEMENT	Motor Upgrade, 10 to 100 Horsepower (HP)	HP	66.47	100%	PR
374	FARMSTEAD ENERGY IMPROVEMENT	HU-Scroll Compressor	HP	3263.09	100%	PR
374	FARMSTEAD ENERGY IMPROVEMENT	Variable Speed Drive, greater than 5 Horsepower (HP)	HP	124.34	100%	PR

374	FARMSTEAD ENERGY IMPROVEMENT	Motor Upgrade, greater than 100 Horsepower (HP)	HP	82.74	100%	PR
374	FARMSTEAD ENERGY IMPROVEMENT	HU-Heating, Radiant Tube System	Ea	1436.66	100%	PR
374	FARMSTEAD ENERGY IMPROVEMENT	HU-Motor Upgrade, less than or equal to 1 Horsepower (HP)	HP	555.79	100%	PR
374	FARMSTEAD ENERGY IMPROVEMENT	Automatic Controller System	Ea	763.59	100%	PR
374	FARMSTEAD ENERGY IMPROVEMENT	Scroll Compressor	HP	2175.39	100%	PR
374	FARMSTEAD ENERGY IMPROVEMENT	HU-Motor Upgrade, greater than 100 Horsepower (HP)	HP	148.94	100%	PR
374	FARMSTEAD ENERGY IMPROVEMENT	Motor Upgrade, less than or equal to 1 Horsepower (HP)	HP	308.77	100%	PR
374	FARMSTEAD ENERGY IMPROVEMENT	Plate Cooler	Ea	3547.6	100%	PR
374	FARMSTEAD ENERGY IMPROVEMENT	HU-Automatic Controller System	Ea	1374.47	100%	PR
374	FARMSTEAD ENERGY IMPROVEMENT	HU-Plate Cooler	Ea	6385.68	100%	PR
374	FARMSTEAD ENERGY IMPROVEMENT	HU-Heating, Building (1,000BTU/Hour)	kBTU/Hr	11.63	100%	PR
374	FARMSTEAD ENERGY IMPROVEMENT	HU-Motor Upgrade, greater than 1 to less than 10 Horsepower (HP)	HP	695.69	100%	PR
374	FARMSTEAD ENERGY IMPROVEMENT	HU-Motor Upgrade, 10 to 100 Horsepower (HP)	HP	119.65	100%	PR
374	FARMSTEAD ENERGY IMPROVEMENT	Heating, Radiant Tube System	Ea	798.14	100%	PR
374	FARMSTEAD ENERGY IMPROVEMENT	HU-Variable Speed Drive, greater than 5 Horsepower (HP)	HP	223.81	100%	PR
378	Pond	HU-Excavated Pit	CuYd	3.6	100%	PR
378	Pond	Embankment Pond with Corrugated Metal Pipe (CMP) Riser and High Density Polyethylene (HDPE) Barrel (includes Polyvinyl Chloride (PVC) Sheet Pile)	CuYd	3.3	100%	PR
378	Pond	HU-Embankment Pond with Corrugated Metal Pipe (CMP) Riser and High Density Polyethylene (HDPE) Barrel (includes Polyvinyl Chloride (PVC) Sheet Pile)	CuYd	4.94	100%	PR
378	Pond	Excavated Pit	CuYd	2	100%	PR
380	Windbreak/Shelterbelt Establishment	HU-Per Plant, Three Rows or More, Trees, Machine Planted	Ea	1.8	100%	PR
380	Windbreak/Shelterbelt Establishment	Per Plant, Three Rows or More, Trees, Machine Planted	Ea	1.5	100%	PR
382	Fence	Protection, Sensitive Areas / Threatened, Endangered, and/or Sensitive Species	ft	3.76	100%	PR
382	Fence	HU-Barbed/Smooth Wire	ft	2.27	100%	PR
382	Fence	Wire Difficult	ft	1.87	100%	PR

382	Fence	HU-Protection, Sensitive Areas / Threatened, Endangered, and/or Sensitive Species	ft	4.51	100%	PR
382	Fence	Barbed/Smooth Wire	ft	1.26	100%	PR
382	Fence	HU-Wire Difficult	ft	2.81	100%	PR
382	Fence	HU-Electric	ft	1.6	100%	PR
382	Fence	HU-Chain Link Safety Fence	ft	14.6	100%	PR
382	Fence	Chain Link Safety Fence	ft	12.17	100%	PR
382	Fence	Woven Wire	ft	1.55	100%	PR
382	Fence	HU-Woven Wire/No Climb Safety Fence	ft	5.32	100%	PR
382	Fence	Electric	ft	1.33	100%	PR
382	Fence	Woven Wire/No Climb Safety Fence	ft	3.13	100%	PR
382	Fence	HU-Woven Wire	ft	2.64	100%	PR
383	Fuel Break	HU-National Forestry Initiative	ac	1648.58	100%	PR
383	Fuel Break	HU-Structure	ac	1218.1	100%	PR
383	Fuel Break	Forested	ac	690.66	100%	PR
383	Fuel Break	HU-Forested	ac	828.79	100%	PR
383	Fuel Break	National Forestry Initiative	ac	1373.82	100%	PR
383	Fuel Break	Structure	ac	1015.08	100%	PR
384	Woody Residue Treatment	HU-Pile and Burn	ac	359.16	100%	PR
384	Woody Residue Treatment	Chipping	ac	363.03	100%	PR
384	Woody Residue Treatment	Pile and Burn	ac	299.3	100%	PR
384	Woody Residue Treatment	HU-Chipping	ac	435.64	100%	PR
386	Field Border	Field Border, Introduced Species	ac	65.2	100%	PR
386	Field Border	HU-Field Border, Native Species	ac	110.47	100%	PR
386	Field Border	Field Border, Native Species, Forgone Income	ac	454.57	100%	PR

386	Field Border	Field Border, Pollinator	ac	135.1	100%	PR
386	Field Border	Field Border, Pollinator, Forgone Income	ac	497.62	100%	PR
386	Field Border	HU-Field Border, Native Species, Forgone Income	ac	472.99	100%	PR
386	Field Border	Field Border, Native Species	ac	92.06	100%	PR
386	Field Border	HU-Field Border, Pollinator	ac	162.13	100%	PR
386	Field Border	HU-Field Border, Introduced Species	ac	78.24	100%	PR
386	Field Border	HU-Field Border, Pollinator, Forgone Income	ac	524.64	100%	PR
388	Irrigation Field Ditch	HU-Irrigation Field Ditch, 10 to 20 cubic feet per second	ft	2.95	100%	PR
388	Irrigation Field Ditch	HU-Irrigation Field Ditch, greater than 20 cubic feet per second	ft	4.35	100%	PR
388	Irrigation Field Ditch	Irrigation Field Ditch, less than 2.5 cubic feet per second	ft	0.74	100%	PR
388	Irrigation Field Ditch	HU-Irrigation Field Ditch, less than 2.5 cubic feet per second	ft	1.1	100%	PR
388	Irrigation Field Ditch	Irrigation Field Ditch, 2.5 to 10 cubic feet per second	ft	1.2	100%	PR
388	Irrigation Field Ditch	Irrigation Field Ditch, greater than 20 cubic feet per second	ft	2.9	100%	PR
388	Irrigation Field Ditch	Irrigation Field Ditch, 10 to 20 cubic feet per second	ft	1.97	100%	PR
388	Irrigation Field Ditch	HU-Irrigation Field Ditch, 2.5 to 10 cubic feet per second	ft	1.8	100%	PR
390	Riparian Herbaceous Cover	HU-Aquatic Wildlife	ac	3885.96	100%	PR
390	Riparian Herbaceous Cover	HU-Cool Season Grasses with Forbs	ac	844.71	100%	PR
390	Riparian Herbaceous Cover	Cool Season Grasses with Forbs	ac	469.28	100%	PR
390	Riparian Herbaceous Cover	Aquatic Wildlife	ac	2158.86	100%	PR
391	Riparian Forest Buffer	Per Plant, Trees and/or Shrub, Machine Planted with Protection Tubes	Ea	5.05	100%	PR
391	Riparian Forest Buffer	HU-Per Plant, Trees and/or Shrub, Machine Planted with Protection Tubes	Ea	7.58	100%	PR
391	Riparian Forest Buffer	Per Plant, Trees and/or Shrub, Hand Planted with Protection Tubes	Ea	6.58	100%	PR
391	Riparian Forest Buffer	HU-Per Plant, Trees and/or Shrub, Hand Planted with Protection Tubes	Ea	9.87	100%	PR
393	Filter Strip	Filter Strip, Introduced species, Forgone Income	ac	449.17	100%	PR

393	Filter Strip	HU-Filter Strip, Native species, Forgone Income	ac	531.12	100%	PR
393	Filter Strip	Filter Strip, Native species, Forgone Income	ac	456.18	100%	PR
393	Filter Strip	HU-Filter Strip, Introduced species, Forgone Income	ac	518.49	100%	PR
394	Firebreak	Vegetated, Permanent	ft	0.21	100%	PR
394	Firebreak	Constructed, Medium Equipment, Steep Slopes	ft	0.54	100%	PR
394	Firebreak	HU-Constructed, Medium Equipment, Flat to Medium Slopes	ft	0.31	100%	PR
394	Firebreak	HU-Constructed, Medium Equipment, Steep Slopes	ft	1.34	100%	PR
394	Firebreak	Constructed, Medium Equipment, Flat to Medium Slopes	ft	0.17	100%	PR
394	Firebreak	HU-Vegetated, Permanent	ft	0.37	100%	PR
394	Firebreak	HU-Constructed, Light Equipment	ft	0.03	100%	PR
394	Firebreak	Constructed, Light Equipment	ft	0.02	100%	PR
396	Aquatic Organism Passage	Blockage Removal	CuYd	35.75	100%	PR
396	Aquatic Organism Passage	HU-Low Water Crossing	CuYd	605.25	100%	PR
396	Aquatic Organism Passage	Nature-Like Fishway	ac	72746.15	100%	PR
396	Aquatic Organism Passage	HU-Earthen Dam Removal	CuYd	57.52	100%	PR
396	Aquatic Organism Passage	HU-Nature-Like Fishway	ac	87295.38	100%	PR
396	Aquatic Organism Passage	Low Water Crossing	CuYd	504.38	100%	PR
396	Aquatic Organism Passage	Short Alaskan Steeppass	Vft	3232.37	100%	PR
396	Aquatic Organism Passage	HU-Short Alaskan Steeppass	Vft	3878.84	100%	PR
396	Aquatic Organism Passage	Earthen Dam Removal	CuYd	47.93	100%	PR
396	Aquatic Organism Passage	HU-Blockage Removal	CuYd	42.9	100%	PR
410	Grade Stabilization Structure	HU-Embankment, with a Principal Spillway Pipe greater than 12 inches	CuYd	6.08	100%	PR
410	Grade Stabilization Structure	Embankment, with a Principal Spillway Pipe greater than 12 inches	CuYd	4.05	100%	PR
410	Grade Stabilization Structure	Grade Control, Large	CuYd	1442.35	100%	PR

410	Grade Stabilization Structure	HU-Concrete Block	sq ft	8.52	100%	PR
410	Grade Stabilization Structure	Concrete Block	sq ft	4.73	100%	PR
410	Grade Stabilization Structure	HU-Grade Control, Large	CuYd	2163.52	100%	PR
412	Grassed Waterway	With Checks	ac	2262.74	100%	PR
412	Grassed Waterway	HU-Base Waterway	ac	3323.32	100%	PR
412	Grassed Waterway	Base Waterway	ac	1846.29	100%	PR
412	Grassed Waterway	HU-With Checks	ac	4072.93	100%	PR
428	Irrigation Ditch Lining	HU-Buried Flexible Liner	SqYd	17.05	100%	PR
428	Irrigation Ditch Lining	Flexible Lining	SqYd	6.09	100%	PR
428	Irrigation Ditch Lining	Buried Flexible Liner	SqYd	10.66	100%	PR
428	Irrigation Ditch Lining	Concrete Lining	SqYd	7	100%	PR
428	Irrigation Ditch Lining	GCL Liner	SqYd	10.05	100%	PR
428	Irrigation Ditch Lining	HU-GCL Liner	SqYd	15.07	100%	PR
428	Irrigation Ditch Lining	HU-Flexible Lining	SqYd	9.75	100%	PR
428	Irrigation Ditch Lining	HU-Concrete Lining	SqYd	10.5	100%	PR
430	Irrigation Pipeline	High Density Polyethylene (HDPE), Iron Pipe Size (IPS) and Tubing, greater than or equal to 10 inch	Lb	1.32	100%	PR
430	Irrigation Pipeline	HU-Steel, Corrugated Steel Pipe	Lb	1.07	100%	PR
430	Irrigation Pipeline	Alfalfa Valve, less than or equal to 8 inch	Ea	227.57	100%	PR
430	Irrigation Pipeline	Surface High Density Polyethylene (HDPE), Iron Pipe Size (IPS) and Tubing	Lb	1.49	100%	PR
430	Irrigation Pipeline	Polyvinyl Chloride (PVC), Pipe, less than or equal to 8 inch	Lb	1.39	100%	PR
430	Irrigation Pipeline	HU-Polyvinyl Chloride (PVC), Pipe, greater than or equal to 10 inch	Lb	1.69	100%	PR
430	Irrigation Pipeline	HU-Steel, Iron Pipe Size (IPS), less than or equal to 8 inch	Lb	1.75	100%	PR
430	Irrigation Pipeline	HU-Steel, Iron Pipe Size (IPS), greater than or equal to 10 inch	Lb	1.63	100%	PR
430	Irrigation Pipeline	HU-High Density Polyethylene (HDPE), Iron Pipe Size (IPS) and Tubing, greater than or equal to 10 inch	Lb	2.38	100%	PR

430	Irrigation Pipeline	Surface Aluminum, Aluminum Irrigation Pipe	Lb	2.96	100%	PR
430	Irrigation Pipeline	HU-Horizontal Boring	ft	129.5	100%	PR
430	Irrigation Pipeline	High Density Polyethylene (HDPE), Iron Pipe Size (IPS) and Tubing, less than or equal to 8 inch	Lb	1.54	100%	PR
430	Irrigation Pipeline	Polyvinyl Chloride (PVC), Pipe, greater than or equal to 10 inch	Lb	1.13	100%	PR
430	Irrigation Pipeline	HU-Surface High Density Polyethylene (HDPE), Iron Pipe Size (IPS) and Tubing	Lb	2.69	100%	PR
430	Irrigation Pipeline	Steel, Corrugated Steel Pipe	Lb	0.71	100%	PR
430	Irrigation Pipeline	High Density Polyethylene (HDPE), Corrugated Plastic Pipe	Lb	1.4	100%	PR
430	Irrigation Pipeline	HU-Polyvinyl Chloride (PVC), Pipe, less than or equal to 8 inch	Lb	2.08	100%	PR
430	Irrigation Pipeline	Steel, Iron Pipe Size (IPS), greater than or equal to 10 inch	Lb	1.08	100%	PR
430	Irrigation Pipeline	Surface Steel, Iron Pipe Size (IPS)	Lb	1.07	100%	PR
430	Irrigation Pipeline	HU-Alfalfa Valve, less than or equal to 8 inch	Ea	341.36	100%	PR
430	Irrigation Pipeline	HU-Surface Aluminum, Aluminum Irrigation Pipe	Lb	4.44	100%	PR
430	Irrigation Pipeline	HU-Alfalfa Valve, greater than or equal to 10 inch	Ea	517.65	100%	PR
430	Irrigation Pipeline	HU-High Density Polyethylene (HDPE), Iron Pipe Size (IPS) and Tubing, less than or equal to 8 inch	Lb	2.77	100%	PR
430	Irrigation Pipeline	HU-High Density Polyethylene (HDPE), Corrugated Plastic Pipe	Lb	2.09	100%	PR
430	Irrigation Pipeline	HU-Surface Steel, Iron Pipe Size (IPS)	Lb	1.6	100%	PR
430	Irrigation Pipeline	Steel, Iron Pipe Size (IPS), less than or equal to 8 inch	Lb	1.16	100%	PR
430	Irrigation Pipeline	Alfalfa Valve, greater than or equal to 10 inch	Ea	345.1	100%	PR
430	Irrigation Pipeline	Horizontal Boring	ft	86.33	100%	PR
441	Irrigation System, Microirrigation	HU-Shelterbelt Drip	sq ft	0.05	100%	PR
441	Irrigation System, Microirrigation	High Tunnel	sq ft	0.22	100%	PR
441	Irrigation System, Microirrigation	HU-Orchard System	ac	3159.49	100%	PR
441	Irrigation System, Microirrigation	HU-Truck Garden	ac	2329.84	100%	PR
441	Irrigation System, Microirrigation	HU-Subsurface Drip Irrigation (SDI)	ac	1644.22	100%	PR

441	Irrigation System, Microirrigation	HU-Micro-jet	ac	2527.83	100%	PR
441	Irrigation System, Microirrigation	Surface drip tubing Vineyard	ac	1222.55	100%	PR
441	Irrigation System, Microirrigation	HU-High Tunnel	sq ft	0.37	100%	PR
441	Irrigation System, Microirrigation	Orchard System	ac	2106.33	100%	PR
441	Irrigation System, Microirrigation	Truck Garden	ac	1294.35	100%	PR
441	Irrigation System, Microirrigation	Subsurface Drip Irrigation (SDI)	ac	1370.18	100%	PR
441	Irrigation System, Microirrigation	Shelterbelt Drip	sq ft	0.03	100%	PR
441	Irrigation System, Microirrigation	HU-Surface drip tubing Vineyard	ac	1833.83	100%	PR
441	Irrigation System, Microirrigation	Micro-jet	ac	2106.52	100%	PR
442	Sprinkler System	Center Pivot System	ft	23.07	100%	PR
442	Sprinkler System	HU-Pod System	Ea	209.5	100%	PR
442	Sprinkler System	HU-Renovation of Existing Sprinkler System	ft	6.2	100%	PR
442	Sprinkler System	Handline	ft	1.26	100%	PR
442	Sprinkler System	HU-Linear Move System	ft	73.95	100%	PR
442	Sprinkler System	Pod System	Ea	83.8	100%	PR
442	Sprinkler System	HU-Handline	ft	3.16	100%	PR
442	Sprinkler System	HU-Traveling Gun System, greater than 3-inch Hose	Ea	41714.81	100%	PR
442	Sprinkler System	Wheel Line System	ft	5.13	100%	PR
442	Sprinkler System	Linear Move System	ft	29.58	100%	PR
442	Sprinkler System	Renovation of Existing Sprinkler System	ft	2.48	100%	PR
442	Sprinkler System	HU-Wheel Line System	ft	12.83	100%	PR
442	Sprinkler System	HU-Center Pivot System	ft	57.67	100%	PR
442	Sprinkler System	Traveling Gun System, greater than 3-inch Hose	Ea	34762.34	100%	PR
443	Irrigation System, Surface and Subsurface	HU-Surge Valve with Controller	Ea	1667.41	100%	PR

443	Irrigation System, Surface and Subsurface	HU-Polyvinyl Chloride (PVC) Gated Pipe	Lb	1.8	100%	PR
443	Irrigation System, Surface and Subsurface	Surge Valve with Controller	Ea	1111.61	100%	PR
443	Irrigation System, Surface and Subsurface	Polyvinyl Chloride (PVC) Gated Pipe	Lb	1.2	100%	PR
449	Irrigation Water Management	HU-Intermediate IWM, Years 2 and 3	Ea	543.46	100%	PR
449	Irrigation Water Management	HU-Basic IWM, Contracted	Ea	572.7	100%	PR
449	Irrigation Water Management	HU-Intermediate IWM, Year 1, Contracted	Ea	1457.69	100%	PR
449	Irrigation Water Management	Advanced IWM, Year 1	Ea	3679.84	100%	PR
449	Irrigation Water Management	Advanced IWM, Years 2 and 3, Contracted	Ea	841.28	100%	PR
449	Irrigation Water Management	Intermediate IWM, Years 2 and 3	Ea	452.88	100%	PR
449	Irrigation Water Management	Basic Orchard or Truck Garden	Ea	1003.66	100%	PR
449	Irrigation Water Management	Advanced IWM, Year 1, Contracted	Ea	4068.23	100%	PR
449	Irrigation Water Management	HU-Advanced IWM, Year 1	Ea	4415.81	100%	PR
449	Irrigation Water Management	HU-Advanced IWM, Years 2 and 3, Contracted	Ea	1009.53	100%	PR
449	Irrigation Water Management	HU-Advanced IWM, Year 1, Contracted	Ea	4881.88	100%	PR
449	Irrigation Water Management	HU-Basic IWM or High Tunnel	Ea	339.66	100%	PR
449	Irrigation Water Management	HU-Intermediate IWM, Year 1	Ea	1146.98	100%	PR
449	Irrigation Water Management	Intermediate IWM, Year 1	Ea	955.82	100%	PR
449	Irrigation Water Management	Intermediate IWM, Year 1, Contracted	Ea	1214.75	100%	PR
449	Irrigation Water Management	Intermediate IWM, Years 2 and 3, Contracted	Ea	711.81	100%	PR
449	Irrigation Water Management	Basic IWM or High Tunnel	Ea	283.05	100%	PR
449	Irrigation Water Management	HU-Orchard/Truck Garden with Weather Station	Ea	4060.1	100%	PR
449	Irrigation Water Management	HU-Basic Orchard or Truck Garden	Ea	1204.39	100%	PR
449	Irrigation Water Management	HU-Intermediate IWM, Years 2 and 3, Contracted	Ea	854.17	100%	PR
449	Irrigation Water Management	Orchard/Truck Garden with Weather Station	Ea	3383.42	100%	PR

449	Irrigation Water Management	Basic IWM, Contracted	Ea	477.25	100%	PR
449	Irrigation Water Management	HU-Advanced IWM, Years 2 and 3	Ea	543.46	100%	PR
449	Irrigation Water Management	Advanced IWM, Years 2 and 3	Ea	452.88	100%	PR
462	Precision Land Forming	Shaping Existing Lot Acre	ac	3324.28	100%	PR
462	Precision Land Forming	HU-Shaping Relocation New Feedlot	ac	3872.06	100%	PR
462	Precision Land Forming	HU-Shaping Existing Lot Acre	ac	3989.14	100%	PR
462	Precision Land Forming	Minor Shaping	ac	2203.45	100%	PR
462	Precision Land Forming	HU-Minor Shaping	ac	2644.14	100%	PR
462	Precision Land Forming	Shaping Relocation New Feedlot	ac	3226.72	100%	PR
464	Irrigation Land Leveling	HU-Irrigation Land Leveling (cubic Yard)	CuYd	1.67	100%	PR
464	Irrigation Land Leveling	Irrigation Land Leveling (cubic Yard)	CuYd	0.67	100%	PR
472	Access Control	Monitoring	ac	19.45	100%	PR
472	Access Control	HU-Monitoring	ac	23.34	100%	PR
484	Mulching	HU-Erosion Control Blanket, Extended Term	sq ft	1.16	100%	PR
484	Mulching	Erosion Control Blanket, Short Term	sq ft	0.11	100%	PR
484	Mulching	Orchards	ac	1502.9	100%	PR
484	Mulching	HU-Natural Material, Full Coverage	ac	337.73	100%	PR
484	Mulching	HU-Tree and Shrub	sq ft	0.25	100%	PR
484	Mulching	Natural Material, Full Coverage	ac	281.44	100%	PR
484	Mulching	HU-Orchards	ac	1803.47	100%	PR
484	Mulching	HU-Erosion Control Blanket, Short Term	sq ft	0.13	100%	PR
484	Mulching	Tree and Shrub	sq ft	0.21	100%	PR
484	Mulching	Erosion Control Blanket, Extended Term	sq ft	0.97	100%	PR
490	Tree/Shrub Site Preparation	HU-Chemical, Hand Application	ac	105.77	100%	PR

490	Tree/Shrub Site Preparation	Mechanical, Light	ac	92.45	100%	PR
490	Tree/Shrub Site Preparation	Chemical, Hand Application	ac	88.14	100%	PR
490	Tree/Shrub Site Preparation	HU-Mechanical, Light	ac	110.94	100%	PR
500	Obstruction Removal	Shed and Barn Removal	sq ft	2.4	100%	PR
500	Obstruction Removal	Removal and Disposal of Wood Structures	sq ft	5.91	100%	PR
500	Obstruction Removal	Removal and Disposal of Steel and/or Concrete Structures	sq ft	11.38	100%	PR
500	Obstruction Removal	HU-Feedlot Fence Removal	ft	6.5	100%	PR
500	Obstruction Removal	Feedlot Fence Removal	ft	5.41	100%	PR
500	Obstruction Removal	HU-Removal and Disposal of Wood Structures	sq ft	7.1	100%	PR
500	Obstruction Removal	HU-Removal and Disposal of Steel and/or Concrete Structures	sq ft	13.65	100%	PR
500	Obstruction Removal	HU-Shed and Barn Removal	sq ft	2.88	100%	PR
500	Obstruction Removal	HU-Removal and Disposal of Fence	ft	0.83	100%	PR
500	Obstruction Removal	Removal and Disposal of Fence	ft	0.7	100%	PR
511	Forage Harvest Management	Perennial Crops, Delayed Mowing	ac	92	100%	PR
511	Forage Harvest Management	Improved Forage Quality	ac	0.94	100%	PR
511	Forage Harvest Management	HU-Perennial Crops, Delayed Mowing	ac	92.28	100%	PR
511	Forage Harvest Management	HU-Improved Forage Quality	ac	1.69	100%	PR
512	Forage and Biomass Planting	HU-Pollinator Friendly, with Foregone Income included	ac	499.82	100%	PR
512	Forage and Biomass Planting	Pollinator Friendly, with Foregone Income included	ac	452.8	100%	PR
512	Forage and Biomass Planting	Seedbed Preparation, Seed and Seeding, Introduced Perennial Grasses with Legume	ac	54.4	100%	PR
512	Forage and Biomass Planting	HU-Seedbed Preparation, Seed and Seeding, Introduced Perennial Grasses with Legume	ac	81.6	100%	PR
516	Livestock Pipeline	HU-Adverse Conditions	ft	5.56	100%	PR
516	Livestock Pipeline	Horizontal Boring	ft	30.75	100%	PR
516	Livestock Pipeline	HU-Surface Steel, Iron Pipe Size (IPS)	ft	4.51	100%	PR

516	Livestock Pipeline	Below Frost PVC, HDPE, IPS, PE	ft	1.2	100%	PR
516	Livestock Pipeline	Adverse Conditions	ft	3.09	100%	PR
516	Livestock Pipeline	HU-Buried PVC, IPS, HDPE, PE	ft	1.62	100%	PR
516	Livestock Pipeline	Surface Steel, Iron Pipe Size (IPS)	ft	2.51	100%	PR
516	Livestock Pipeline	HU-Horizontal Boring	ft	55.36	100%	PR
516	Livestock Pipeline	Buried PVC, IPS, HDPE, PE	ft	1.08	100%	PR
516	Livestock Pipeline	HU-Below Frost PVC, HDPE, IPS, PE	ft	2.16	100%	PR
516	Livestock Pipeline	Surface High Density Polyethylene (HDPE), Iron Pipe Size (IPS) and Tubing	ft	0.6	100%	PR
516	Livestock Pipeline	HU-Surface High Density Polyethylene (HDPE), Iron Pipe Size (IPS) and Tubing	ft	1.08	100%	PR
516	Livestock Pipeline	HU-Steel, Iron Pipe Size (IPS)	ft	5.75	100%	PR
516	Livestock Pipeline	Steel, Iron Pipe Size (IPS)	ft	3.2	100%	PR
528	Prescribed Grazing	HU-Pasture, Standard	ac	6.09	100%	PR
528	Prescribed Grazing	Pasture Moderate, Small Acreage	ac	33.3	100%	PR
528	Prescribed Grazing	Pasture Moderate, Large Acreage	ac	15.24	100%	PR
528	Prescribed Grazing	HU-Habitat Management, Standard	ac	2.68	100%	PR
528	Prescribed Grazing	HU-Habitat Management, Rest Rotation	ac	6.7	100%	PR
528	Prescribed Grazing	Range, Deferment	ac	5.56	100%	PR
528	Prescribed Grazing	HU-Range, Standard, 80 to 1,500 Acres	ac	1.69	100%	PR
528	Prescribed Grazing	Pasture, Standard	ac	5.08	100%	PR
528	Prescribed Grazing	Pasture Intensive, Small Acreage	ac	57.61	100%	PR
528	Prescribed Grazing	HU-Range, Standard, greater than 10,000 Acres	ac	0.36	100%	PR
528	Prescribed Grazing	Habitat Management, Rest Rotation	ac	5.75	100%	PR
528	Prescribed Grazing	HU-Pasture Moderate, Small Acreage	ac	39.96	100%	PR
528	Prescribed Grazing	Range, Standard, 80 to 1,500 Acres	ac	1.41	100%	PR

528	Prescribed Grazing	HU-Pasture Intensive, Small Acreage	ac	69.14	100%	PR
528	Prescribed Grazing	Habitat Management, Standard	ac	2.24	100%	PR
528	Prescribed Grazing	Range, Standard, greater than 10,000 Acres	ac	0.3	100%	PR
528	Prescribed Grazing	Pasture Intensive, Large Acreage	ac	28.55	100%	PR
528	Prescribed Grazing	Range, Standard, 1,501 to 10,000 Acres	ac	0.63	100%	PR
528	Prescribed Grazing	HU-Range, Deferment	ac	5.67	100%	PR
528	Prescribed Grazing	HU-Pasture Moderate, Large Acreage	ac	18.29	100%	PR
528	Prescribed Grazing	HU-Range, Standard, 1,501 to 10,000 Acres	ac	0.75	100%	PR
528	Prescribed Grazing	HU-Pasture Intensive, Large Acreage	ac	34.26	100%	PR
533	Pumping Plant	HU-Lagoon PTO	Ea	13207.41	100%	PR
533	Pumping Plant	HU-Photovoltaic-Powered Pump, greater than 400 ft total head	Ea	12611.67	100%	PR
533	Pumping Plant	Tractor Power Take Off (PTO) Pump	HP	137.52	100%	PR
533	Pumping Plant	Well Pump Test	Ea	2933.45	100%	PR
533	Pumping Plant	Internal Combustion-Powered Pump, greater than 75 Horse Power	HP	199.81	100%	PR
533	Pumping Plant	Electric-Powered Pump, greater than 30 Horse Power	HP	131.53	100%	PR
533	Pumping Plant	HU-Photovoltaic-Powered Pump, less than or equal to 250 ft total head	Ea	8151.19	100%	PR
533	Pumping Plant	HU-Windmill-Powered Pump	ft	939.04	100%	PR
533	Pumping Plant	Variable Frequency Drive	HP	129.48	100%	PR
533	Pumping Plant	Internal Combustion-Powered Pump, greater than ??? to 75 Horse Power	HP	330.79	100%	PR
533	Pumping Plant	Electric-Powered Pump, less than or equal to 3 Horse Power	HP	866.6	100%	PR
533	Pumping Plant	HU-Internal Combustion-Powered Pump, greater than ??? to 75 Horse Power	HP	496.18	100%	PR
533	Pumping Plant	HU-Internal Combustion-Powered Pump, less than or equal to ??? Horse Power	HP	564.07	100%	PR
533	Pumping Plant	Internal Combustion-Powered Pump, less than or equal to ??? Horse Power	HP	376.05	100%	PR
533	Pumping Plant	Lagoon PTO	Ea	11006.17	100%	PR

533	Pumping Plant	HU-Variable Frequency Drive	HP	194.22	100%	PR
533	Pumping Plant	Photovoltaic-Powered Pump, 251 to 400 ft total head	Ea	4615.39	100%	PR
533	Pumping Plant	HU-Electric-Powered Pump, greater than 3 to 10 Horse Power	HP	679.25	100%	PR
533	Pumping Plant	Electric-Powered Pump, less than or equal to 3 Horse Power with Pressure Tank	HP	1477.92	100%	PR
533	Pumping Plant	HU-Electric-Powered Pump, less than or equal to 3 Horse Power	HP	1559.88	100%	PR
533	Pumping Plant	HU-Electric-Powered Pump, greater than 30 Horse Power	HP	197.29	100%	PR
533	Pumping Plant	HU-Internal Combustion-Powered Pump, greater than 75 Horse Power	HP	299.72	100%	PR
533	Pumping Plant	HU-Electric-Powered Pump, less than or equal to 3 Horse Power with Pressure Tank	HP	2660.26	100%	PR
533	Pumping Plant	HU-Photovoltaic-Powered Pump, 251 to 400 ft total head	Ea	8307.69	100%	PR
533	Pumping Plant	HU-Tractor Power Take Off (PTO) Pump	HP	165.03	100%	PR
533	Pumping Plant	Water Ram Pump	In	468.1	100%	PR
533	Pumping Plant	Electric-Powered Pump, greater than 3 to 10 Horse Power	HP	452.83	100%	PR
533	Pumping Plant	Soft Start <= 25 hp	HP	51.17	100%	PR
533	Pumping Plant	HU-Water Ram Pump	In	842.58	100%	PR
533	Pumping Plant	HU-Well Pump Test	Ea	5280.21	100%	PR
533	Pumping Plant	Photovoltaic-Powered Pump, less than or equal to 250 ft total head	Ea	4528.44	100%	PR
533	Pumping Plant	HU-Turbine Pump Bowl Replacement	HP	136.65	100%	PR
533	Pumping Plant	Soft Start >= 90 hp	HP	18.75	100%	PR
533	Pumping Plant	HU-Soft Start >= 90 hp	HP	28.12	100%	PR
533	Pumping Plant	Turbine Pump Bowl Replacement	HP	91.1	100%	PR
533	Pumping Plant	HU-Soft Start 30-75 hp	HP	43.19	100%	PR
533	Pumping Plant	Windmill-Powered Pump	ft	521.69	100%	PR
533	Pumping Plant	HU-Electric-Powered Pump, greater than 10 to 30 Horse Power	HP	294.49	100%	PR
533	Pumping Plant	Photovoltaic-Powered Pump, greater than 400 ft total head	Ea	7006.48	100%	PR

533	Pumping Plant	HU-Soft Start <= 25 hp	HP	76.76	100%	PR
533	Pumping Plant	Soft Start 30-75 hp	HP	28.79	100%	PR
533	Pumping Plant	Electric-Powered Pump, greater than 10 to 30 Horse Power	HP	196.32	100%	PR
548	Grazing Land Mechanical Treatment	Range, Mechanical Treatment	ac	12.56	100%	PR
548	Grazing Land Mechanical Treatment	HU-Range, Mechanical Treatment	ac	22.61	100%	PR
550	Range Planting	HU-Native, Standard Preparation	ac	148.94	100%	PR
550	Range Planting	Native, Wildlife or Pollinator	ac	527.52	100%	PR
550	Range Planting	Native, Standard Preparation	ac	124.96	100%	PR
550	Range Planting	HU-Native, Wildlife or Pollinator	ac	589.47	100%	PR
558	Roof Runoff Structure	4- to 6-Inch Aluminum Roof Gutter	ft	8.19	100%	PR
558	Roof Runoff Structure	Concrete Curb	ft	13.18	100%	PR
558	Roof Runoff Structure	HU-4- to 6-Inch Aluminum Roof Gutter	ft	9.83	100%	PR
558	Roof Runoff Structure	HU-Concrete Curb	ft	15.82	100%	PR
558	Roof Runoff Structure	HU-7- to 9-Inch Aluminum Roof Gutter	ft	15.7	100%	PR
558	Roof Runoff Structure	HU-Trench Drain	ft	11.41	100%	PR
558	Roof Runoff Structure	7- to 9-Inch Aluminum Roof Gutter	ft	13.09	100%	PR
558	Roof Runoff Structure	Trench Drain	ft	9.51	100%	PR
560	Access Road	HU-Rehabilitation of Existing 6-inch Gravel Road in Wet, Level Terrain	ft	4.24	100%	PR
560	Access Road	New Earth Road in Dry, Level Terrain	ft	5.29	100%	PR
560	Access Road	HU-New Earth Road in Dry, Level Terrain	ft	7.94	100%	PR
560	Access Road	New 6-inch Gravel Road in Wet, Level Terrain	ft	10.64	100%	PR
560	Access Road	Rehabilitation of Existing 6-inch Gravel Road in Wet, Level Terrain	ft	2.35	100%	PR
560	Access Road	HU-New 6-inch Gravel Road in Wet, Level Terrain	ft	15.96	100%	PR
561	Heavy Use Area Protection	Rock and Gravel on Geotextile	sq ft	1.11	100%	PR

561	Heavy Use Area Protection	HU-Rock and Gravel on Geotextile	sq ft	1.33	100%	PR
570	Stormwater Runoff Control	HU-Straw Wattles	ft	2.05	100%	PR
570	Stormwater Runoff Control	HU-Straw Bale Dam	ft	6.46	100%	PR
570	Stormwater Runoff Control	Silt Fence	ft	1.24	100%	PR
570	Stormwater Runoff Control	HU-Silt Fence	ft	1.49	100%	PR
570	Stormwater Runoff Control	Straw Bale Dam	ft	5.38	100%	PR
570	Stormwater Runoff Control	Straw Wattles	ft	1.71	100%	PR
574	Spring Development	HU-Spring Development	Ea	3326.38	100%	PR
574	Spring Development	Spring Development	Ea	1847.99	100%	PR
575	Trails and Walkways	Natural Trail or Walkway	sq ft	0.19	100%	PR
575	Trails and Walkways	HU-Natural Trail or Walkway	sq ft	0.23	100%	PR
576	Livestock Shelter Structure	Permanent Fabricated Wind Shelter	ft	25.61	100%	PR
576	Livestock Shelter Structure	Portable Fabricated Wind Shelter, less than 8 foot height.	ft	22.67	100%	PR
576	Livestock Shelter Structure	HU-Permanent Fabricated Wind Shelter	ft	30.74	100%	PR
576	Livestock Shelter Structure	Portable Fabricated Wind Shelter, equal to or greater than 8 foot	ft	31.27	100%	PR
576	Livestock Shelter Structure	HU-Portable Fabricated Wind Shelter, less than 8 foot height.	ft	27.21	100%	PR
576	Livestock Shelter Structure	HU-Portable Fabricated Wind Shelter, equal to or greater than 8 foot	ft	37.52	100%	PR
578	Stream Crossing	Hard-armored Low-water Crossing	sq ft	2.64	100%	PR
578	Stream Crossing	HU-Hard-armored Low-water Crossing	sq ft	4.76	100%	PR
578	Stream Crossing	HU-Low-water Stream using Prefabricated Products	sq ft	7.78	100%	PR
578	Stream Crossing	HU-Culvert Installation	DialInFt	3.67	100%	PR
578	Stream Crossing	Low-water Stream using Prefabricated Products	sq ft	4.32	100%	PR
578	Stream Crossing	Culvert Installation	DialInFt	2.04	100%	PR
580	Streambank and Shoreline Protection	Bioengineered with Vegetation, less than or equal to 50 cfs bankfull flow (annual grasses/ fescue/ shrub/ willow-cuttings,revetments,vertical bundles)	ft	9.26	100%	PR

580	Streambank and Shoreline Protection	HU-Structural, Toewood w/Vegetation (large wood members w/root wads-bankfull bench construction/bank shaping/riparian-corridor revegetation/rock riprap)	ft	71.53	100%	PR
580	Streambank and Shoreline Protection	HU-Bioengineered with Vegetation, less than or equal to 50 cfs bankfull flow (annual grasses/ fescue/ shrub/ willow-cuttings,revetments,vertical bundles)	ft	13.89	100%	PR
580	Streambank and Shoreline Protection	HU-Structural, Rock Riprap w/Vegetation (bankfull bench construction/bank shaping/riparian-corridor revegetation/rock riprap)	CuYd	75.4	100%	PR
580	Streambank and Shoreline Protection	Structural, Rock Riprap w/Vegetation (bankfull bench construction/bank shaping/riparian-corridor revegetation/rock riprap)	CuYd	50.27	100%	PR
580	Streambank and Shoreline Protection	HU-Structural, Rock Riprap Stream Barb with Vegetation	CuYd	78.53	100%	PR
580	Streambank and Shoreline Protection	Structural, Rock Riprap Stream Barb with Vegetation	CuYd	52.36	100%	PR
580	Streambank and Shoreline Protection	Bioengineered w/Vegetation (annual grasses/fescue/shrub/willow-cuttings,revetments,vertical bundles/bankfull bench construction/bank shaping/fabric)	ft	16.17	100%	PR
580	Streambank and Shoreline Protection	HU-Bioengineered w/Vegetation (annual grasses/fescue/shrub/willow-cuttings,revetments,vertical bundles/bankfull bench construction/bank shaping/fabric)	ft	24.25	100%	PR
580	Streambank and Shoreline Protection	Structural, Toewood w/Vegetation (large wood members w/root wads-bankfull bench construction/bank shaping/riparian-corridor revegetation/rock riprap)	ft	47.69	100%	PR
582	Open Channel	HU-Eexcavation and Fill, Normal Conditions	CuYd	5.5	100%	PR
582	Open Channel	HU-Excavation, Difficult Conditions	CuYd	2.73	100%	PR
582	Open Channel	Excavation, Normal Conditions	CuYd	1.35	100%	PR
582	Open Channel	HU-Excavation, Normal Conditions	CuYd	2.02	100%	PR
582	Open Channel	Excavation, Difficult Conditions	CuYd	1.82	100%	PR
582	Open Channel	Eexcavation and Fill, Normal Conditions	CuYd	3.67	100%	PR
582	Open Channel	Excavation and Fill, Difficult Conditions	CuYd	4.14	100%	PR
582	Open Channel	Less than 50 cfs Bankfull Channel Flow	ft	4.08	100%	PR
582	Open Channel	HU-Excavation and Fill, Difficult Conditions	CuYd	6.21	100%	PR
582	Open Channel	HU-Less than 50 cfs Bankfull Channel Flow	ft	6.13	100%	PR
584	Channel Bed Stabilization	HU-Cross-Vane, Log (wood and rock)	Ea	8677.71	100%	PR
584	Channel Bed Stabilization	Stream Restoration with Rock Structure	CuYd	48.4	100%	PR
584	Channel Bed Stabilization	Less than 50 cfs Bankfull Gravel Substrate	ft	3.45	100%	PR
584	Channel Bed Stabilization	HU-Stream Restoration with Rock Structure	CuYd	72.6	100%	PR
584	Channel Bed Stabilization	HU-Less than 50 cfs Bankfull Gravel Substrate	ft	5.17	100%	PR

584	Channel Bed Stabilization	Stream Restoration with Gravel	CuYd	35.7	100%	PR
584	Channel Bed Stabilization	HU-Stream Restoration with Gravel	CuYd	53.55	100%	PR
584	Channel Bed Stabilization	HU-Cross-Vane, Boulder (boulder or concrete or other fabricated materials)	CuYd	134.01	100%	PR
584	Channel Bed Stabilization	Cross-Vane, Boulder (boulder or concrete or other fabricated materials)	CuYd	89.34	100%	PR
584	Channel Bed Stabilization	Cross-Vane, Log (wood and rock)	Ea	5785.14	100%	PR
585	Stripcropping	Stripcropping - wind and water erosion	ac	1.22	100%	PR
585	Stripcropping	HU-Stripcropping - wind and water erosion	ac	1.46	100%	PR
587	Structure for Water Control	HU-Miscellaneous Structure, Large	Ea	18235.23	100%	PR
587	Structure for Water Control	Floating Active Screen < or = 6'	Ea	2408.48	100%	PR
587	Structure for Water Control	Miscellaneous Structure, Large	Ea	12156.82	100%	PR
587	Structure for Water Control	Floating Active Screen > 6'	Ea	4244.64	100%	PR
587	Structure for Water Control	HU-Miscellaneous Structure, Winter, Very Large	CuYd	2904.86	100%	PR
587	Structure for Water Control	HU-Slide Gate	ft	1511.96	100%	PR
587	Structure for Water Control	Ccorrugated Metal Pipe (CMP) Turnout	Ea	364.19	100%	PR
587	Structure for Water Control	Miscellaneous Structure, Very Large	CuYd	1517.15	100%	PR
587	Structure for Water Control	Miscellaneous Structure, Small	Ea	3927.95	100%	PR
587	Structure for Water Control	Miscellaneous Structure, Winter, Very Large	CuYd	1936.57	100%	PR
587	Structure for Water Control	HU-Ccorrugated Metal Pipe (CMP) Turnout	Ea	546.29	100%	PR
587	Structure for Water Control	InLINE Flashboard Riser, Metal	DialnFt	1.95	100%	PR
587	Structure for Water Control	HU-Culvert, less than 30 inches High Density Polyethylene (HDPE)	DialnFt	1.72	100%	PR
587	Structure for Water Control	HU-Floating Active Screen > 6'	Ea	5093.57	100%	PR
587	Structure for Water Control	HU-Miscellaneous Structure, Small	Ea	5891.93	100%	PR
587	Structure for Water Control	HU-Active Screen	Ea	4674.36	100%	PR
587	Structure for Water Control	Active Screen	Ea	3116.24	100%	PR

587	Structure for Water Control	HU-Stationary Screen	cfs	2880.34	100%	PR
587	Structure for Water Control	HU-Culvert, Less than 30 inches Corrugated Metal Pipe (CMP)	DialnFt	1.94	100%	PR
587	Structure for Water Control	Miscellaneous Structure, Extra Small	Ea	1938.55	100%	PR
587	Structure for Water Control	HU-Flow Meter with Electronic Index	In	328.69	100%	PR
587	Structure for Water Control	HU-Miscellaneous Structure, Extra Small	Ea	2907.82	100%	PR
587	Structure for Water Control	Flow Meter with Electronic Index	In	273.91	100%	PR
587	Structure for Water Control	HU-Floating Active Screen < or = 6'	Ea	2890.17	100%	PR
587	Structure for Water Control	Miscellaneous Structure, Medium	Ea	6063.07	100%	PR
587	Structure for Water Control	Stationary Screen	cfs	2400.29	100%	PR
587	Structure for Water Control	Culvert, Less than 30 inches Corrugated Metal Pipe (CMP)	DialnFt	1.29	100%	PR
587	Structure for Water Control	Culvert, less than 30 inches High Density Polyethylene (HDPE)	DialnFt	1.15	100%	PR
587	Structure for Water Control	Flow Meter with Mechanical Index	In	139.04	100%	PR
587	Structure for Water Control	HU-Miscellaneous Structure, Medium	Ea	9094.6	100%	PR
587	Structure for Water Control	Slide Gate	ft	1007.98	100%	PR
587	Structure for Water Control	Concrete or Steel Pipe, greater than or equal to 30-inch diameter	DialnFt	1.79	100%	PR
587	Structure for Water Control	HU-InLINE Flashboard Riser, Metal	DialnFt	2.92	100%	PR
587	Structure for Water Control	HU-Flow Meter with Mechanical Index	In	166.85	100%	PR
587	Structure for Water Control	HU-Concrete or Steel Pipe, greater than or equal to 30-inch diameter	DialnFt	2.69	100%	PR
587	Structure for Water Control	HU-Miscellaneous Structure, Very Large	CuYd	2275.72	100%	PR
590	Nutrient Management	Small Farm NM (Non-Organic/Organic)	Ea	118.34	100%	PR
590	Nutrient Management	HU-Basic NM with Manure and/or Compost (Non-Organic/Organic)	ac	5.02	100%	PR
590	Nutrient Management	NM grid/zone soil sampling, variable rate, soil nitrate/plant tissue test (Non-Organic/Organic)	ac	16.98	100%	PR
590	Nutrient Management	Basic NM (Non-Organic/Organic)	ac	2.42	100%	PR
590	Nutrient Management	Basic NM with Manure and/or Compost (Non-Organic/Organic)	ac	4.18	100%	PR

590	Nutrient Management	Adaptive NM	Ea	1316.22	100%	PR
590	Nutrient Management	HU-Adaptive NM	Ea	1579.46	100%	PR
590	Nutrient Management	HU-Basic NM (Non-Organic/Organic)	ac	2.9	100%	PR
590	Nutrient Management	HU-NM grid/zone soil sampling, variable rate, soil nitrate/plant tissue test (Non-Organic/Organic)	ac	20.38	100%	PR
590	Nutrient Management	HU-Small Farm NM (Non-Organic/Organic)	Ea	142.01	100%	PR
595	Integrated Pest Management (IPM)	HU-Basic, Small or Diversified Systems (CSA, organic), Farm, MORE than ONE resource concern	Ea	580.59	100%	PR
595	Integrated Pest Management (IPM)	Basic, Small or Diversified Systems (CSA, organic), Farm, MORE than ONE resource concern	Ea	483.83	100%	PR
603	Herbaceous Wind Barriers	Cool Season Annual/Perennial Species	LnFt	0.04	100%	PR
603	Herbaceous Wind Barriers	HU-Cool Season Annual/Perennial Species	LnFt	0.08	100%	PR
606	Subsurface Drain	HU-Enveloped Corrugated Plastic Pipe (CPP), Single-Wall, less than or equal to 6-inch	Lb	8.82	100%	PR
606	Subsurface Drain	Corrugated Plastic Pipe (CPP), Twin-Wall, greater than or equal to 8-inch	Lb	2.11	100%	PR
606	Subsurface Drain	HU-Pond Perimeter Drain	ft	15.72	100%	PR
606	Subsurface Drain	Pond Perimeter Drain	ft	13.1	100%	PR
606	Subsurface Drain	HU-Corrugated Plastic Pipe (CPP), Single-Wall, greater than or equal to 8-inch	Lb	3.1	100%	PR
606	Subsurface Drain	Enveloped Corrugated Plastic Pipe (CPP), Single-Wall, less than or equal to 6-inch	Lb	4.9	100%	PR
606	Subsurface Drain	Corrugated Plastic Pipe (CPP), Single-Wall, less than or equal to 6-inch	Lb	3.93	100%	PR
606	Subsurface Drain	HU-Corrugated Plastic Pipe (CPP), Twin-Wall, greater than or equal to 8-inch	Lb	3.79	100%	PR
606	Subsurface Drain	Corrugated Plastic Pipe (CPP), Single-Wall, greater than or equal to 8-inch	Lb	1.72	100%	PR
606	Subsurface Drain	HU-Corrugated Plastic Pipe (CPP), Single-Wall, less than or equal to 6-inch	Lb	7.07	100%	PR
607	Surface Drain, Field Ditch	Field Drainage Ditch	CuYd	1.21	100%	PR
607	Surface Drain, Field Ditch	HU-Field Drainage Ditch	CuYd	2.19	100%	PR
610	Salinity and Sodic Soil Management	HU-Dryland Monitor Wells, Year 1	ac	77.49	100%	PR
610	Salinity and Sodic Soil Management	HU-Dryland Electromagnetic Induction (EMI), Year 1	ac	31.75	100%	PR
610	Salinity and Sodic Soil Management	Dryland Electromagnetic Induction (EMI), Year 1	ac	26.46	100%	PR

610	Salinity and Sodic Soil Management	HU-Prevent Dry Intense Cropping	ac	175.49	100%	PR
610	Salinity and Sodic Soil Management	Prevent Dry Intense Cropping	ac	146.24	100%	PR
610	Salinity and Sodic Soil Management	Dryland Monitor Wells, Year 1	ac	64.58	100%	PR
612	Tree/Shrub Establishment	HU-Forested Area, Per Plant, Tree, Hand Planted with Protection Tubes	Ea	1.63	100%	PR
612	Tree/Shrub Establishment	Forested Area, Per Plant, Tree, Hand Planted with Protection Tubes	Ea	1.36	100%	PR
612	Tree/Shrub Establishment	HU-Riparian Area, Per Plant, Tree/Shrub, Hand Planted	Ea	6.96	100%	PR
612	Tree/Shrub Establishment	Forested Area, Per Plant, Tree, Hand Planted	Ea	0.61	100%	PR
612	Tree/Shrub Establishment	Riparian Area, Per Plant, Tree/Shrub, Hand Planted	Ea	5.8	100%	PR
612	Tree/Shrub Establishment	HU-Riparian Area, Per Plant, Tree/Shrub, Machine Planted	Ea	5.83	100%	PR
612	Tree/Shrub Establishment	Riparian Area, Per Plant, Tree/Shrub, Machine Planted	Ea	4.86	100%	PR
612	Tree/Shrub Establishment	HU-Forested Area, Per Plant, Tree, Hand Planted	Ea	0.73	100%	PR
614	Watering Facility	HU-Permanent Drinking with Storage, less than 500 Gallons	gal	3.11	100%	PR
614	Watering Facility	Winter, with Storage	gal	2.23	100%	PR
614	Watering Facility	HU-Automatic or Winter, No Storage, less than 450 Gallons	Ea	1119.09	100%	PR
614	Watering Facility	Permanent Drinking with Storage, 500 to 1,000 Gallons	gal	1.49	100%	PR
614	Watering Facility	HU-Winter, with Storage	gal	4.01	100%	PR
614	Watering Facility	Permanent Drinking with Storage, 1,000 to 5,000 Gallons	gal	1.33	100%	PR
614	Watering Facility	HU-Storage Tank	gal	1.04	100%	PR
614	Watering Facility	Permanent Drinking with Storage, less than 500 Gallons	gal	1.73	100%	PR
614	Watering Facility	HU-Permanent Drinking with Storage, 500 to 1,000 Gallons	gal	2.68	100%	PR
614	Watering Facility	HU-Permanent Drinking with Storage, greater than 5,000 gallons	gal	1.1	100%	PR
614	Watering Facility	Automatic or Winter, No Storage, less than 450 Gallons	Ea	621.72	100%	PR
614	Watering Facility	HU-Permanent Drinking with Storage, 1,000 to 5,000 Gallons	gal	2.39	100%	PR
614	Watering Facility	Permanent Drinking with Storage, greater than 5,000 gallons	gal	0.61	100%	PR

614	Watering Facility	Storage Tank	gal	0.58	100%	PR
620	Underground Outlet	Approved Plastic Pipe, greater than 12-inch to less than or equal to 18-inch	ft	16.49	100%	PR
620	Underground Outlet	Approved Plastic Pipe, greater than 6-inch to less than or equal to 12-inch, with Riser	ft	9.08	100%	PR
620	Underground Outlet	Approved Plastic Pipe, Less than or Equal to 6-inch, with Riser	ft	4.73	100%	PR
620	Underground Outlet	Approved Plastic Pipe, Less than or Equal to 6-inch	ft	6.43	100%	PR
620	Underground Outlet	HU-Approved Plastic Pipe, Less than or Equal to 6-inch	ft	7.69	100%	PR
620	Underground Outlet	Approved Plastic Pipe, greater than 6-inch to less than or equal to 12-inch	ft	7.93	100%	PR
620	Underground Outlet	HU-Approved Plastic Pipe, greater than 6-inch to less than or equal to 12-inch	ft	9.49	100%	PR
620	Underground Outlet	HU-Approved Plastic Pipe, greater than 12-inch to less than or equal to 18-inch	ft	19.75	100%	PR
620	Underground Outlet	HU-Approved Plastic Pipe, greater than 6-inch to less than or equal to 12-inch, with Riser	ft	10.87	100%	PR
620	Underground Outlet	HU-Approved Plastic Pipe, Less than or Equal to 6-inch, with Riser	ft	5.67	100%	PR
632	Waste Separation Facility	Mechanical Separation, Screw Press	Ea	32561.07	100%	PR
632	Waste Separation Facility	Mechanical Separation, General	Ea	23192.64	100%	PR
632	Waste Separation Facility	Earthen Settling Structure, greater than 0.5 ac-ft design storage	cu ft	0.23	100%	PR
632	Waste Separation Facility	HU-Mechanical Separation, Screw Press	Ea	39073.28	100%	PR
632	Waste Separation Facility	Earthen Settling Structure, less than or equal to 0.5 ac-ft design storage	cu ft	0.52	100%	PR
632	Waste Separation Facility	Concrete Basin	cu ft	4.51	100%	PR
632	Waste Separation Facility	HU-Mechanical Separation, General	Ea	27831.16	100%	PR
632	Waste Separation Facility	HU-Earthen Settling Structure, less than or equal to 0.5 ac-ft design storage	cu ft	0.62	100%	PR
632	Waste Separation Facility	HU-Earthen Settling Structure, greater than 0.5 ac-ft design storage	cu ft	0.28	100%	PR
632	Waste Separation Facility	HU-Concrete Basin	cu ft	5.41	100%	PR
634	Waste Transfer	Hard-hose Reel System	Ea	36759.71	100%	PR
634	Waste Transfer	Hard-hose Reel System with Booster incorporated into Traveler	Ea	45165.09	100%	PR
634	Waste Transfer	Concrete Channel	sq ft	7.28	100%	PR

634	Waste Transfer	Agitator, Large, Used for Mixing a Tank, greater than 15-foot depth	Ea	19948.07	100%	PR
634	Waste Transfer	HU-Pressure Flow through Pipeline from Waste Storage Pond to Waste Application Site	ft	9.2	100%	PR
634	Waste Transfer	HU-Wastewater Catch Basin, less than 1,000 gallons	gal	6.88	100%	PR
634	Waste Transfer	Concrete Channel, with Push-off Wall at Pond and Safety Gate	sq ft	11.83	100%	PR
634	Waste Transfer	HU-Agitator, Small, Used for Mixing a Basin or Pit, less than 10-foot depth	Ea	10622.39	100%	PR
634	Waste Transfer	HU-Pressure Pipe at Headquarters	ft	19.07	100%	PR
634	Waste Transfer	Agitator, Medium, Used for Mixing a Basin, 10- to 15-foot depth	Ea	13653.51	100%	PR
634	Waste Transfer	HU-Conveyor System	ft	59.48	100%	PR
634	Waste Transfer	HU-Concrete Channel, with Push-off Wall at Pond and Safety Gate	sq ft	14.19	100%	PR
634	Waste Transfer	HU-Hard-hose Reel System	Ea	44111.65	100%	PR
634	Waste Transfer	HU-Hard-hose Reel System with Booster incorporated into Traveler	Ea	54198.11	100%	PR
634	Waste Transfer	Wastewater Reception Pit or Basin, 1,000 to 5,000 gallons	gal	2.4	100%	PR
634	Waste Transfer	Wastewater Catch Basin, less than 1,000 gallons	gal	5.73	100%	PR
634	Waste Transfer	Pressure Pipe at Headquarters	ft	15.89	100%	PR
634	Waste Transfer	HU-Concrete Channel	sq ft	8.74	100%	PR
634	Waste Transfer	HU-Wastewater Reception Pit or Basin, 1,000 to 5,000 gallons	gal	2.88	100%	PR
634	Waste Transfer	HU-Hopper Inlet, with 24-inch Diameter Gravity Pipeline to Waste Storage Facility	ft	116.03	100%	PR
634	Waste Transfer	Hopper Inlet, with 24-inch Diameter Gravity Pipeline to Waste Storage Facility	ft	96.69	100%	PR
634	Waste Transfer	HU-Agitator, Medium, Used for Mixing a Basin, 10- to 15-foot depth	Ea	16384.21	100%	PR
634	Waste Transfer	Conveyor System	ft	49.57	100%	PR
634	Waste Transfer	HU-Agitator, Large, Used for Mixing a Tank, greater than 15-foot depth	Ea	23937.69	100%	PR
634	Waste Transfer	Pressure Flow through Pipeline from Waste Storage Pond to Waste Application Site	ft	7.66	100%	PR
634	Waste Transfer	Agitator, Small, Used for Mixing a Basin or Pit, less than 10-foot depth	Ea	8851.99	100%	PR
635	Vegetated Treatment Area	HU-Existing VTA with wastewater delivered via a weir system	ac	1623.94	100%	PR

635	Vegetated Treatment Area	HU-Existing VTA with wastewater delivered via gated pipe	ac	1766.97	100%	PR
635	Vegetated Treatment Area	HU-Constructed VTA with runoff delivered via gated pipe	ac	3364.63	100%	PR
635	Vegetated Treatment Area	HU-Existing Area, Pod Sprinkler System Distribution	ac	2536.4	100%	PR
635	Vegetated Treatment Area	Existing VTA with wastewater delivered via a weir system	ac	1353.28	100%	PR
635	Vegetated Treatment Area	Constructed VTA with runoff delivered via gated pipe	ac	2803.86	100%	PR
635	Vegetated Treatment Area	Existing Area, Pod Sprinkler System Distribution	ac	2113.67	100%	PR
635	Vegetated Treatment Area	Existing VTA with wastewater delivered via gated pipe	ac	1472.48	100%	PR
635	Vegetated Treatment Area	Constructed VTA with runoff delivered via gravel filled spreader trench	ac	2682.77	100%	PR
635	Vegetated Treatment Area	HU-Constructed VTA with runoff delivered via gravel filled spreader trench	ac	3219.32	100%	PR
638	Water and Sediment Control Basin	WASCOB, Basic	CuYd	0.84	100%	PR
638	Water and Sediment Control Basin	WASCOB, Topsoil	CuYd	3.63	100%	PR
638	Water and Sediment Control Basin	HU-WASCOB, Topsoil	CuYd	6.53	100%	PR
638	Water and Sediment Control Basin	HU-WASCOB, Basic	CuYd	1.51	100%	PR
642	Water Well	HU-Typical Well, 100- to 600-foot depth with 4-inch Casing	LnFt	53.95	100%	PR
642	Water Well	Deep Well, 1000-foot depth or greater with 6-inch Casing	LnFt	32.58	100%	PR
642	Water Well	Deep Well, 1000-foot depth or greater with 4-inch Casing	LnFt	21.19	100%	PR
642	Water Well	Shallow Well 50 Foot Depth or Less	LnFt	52.67	100%	PR
642	Water Well	Shallow Well, 50 to 100-foot depth	LnFt	34.61	100%	PR
642	Water Well	Typical Well, 100- to 600-foot depth with 4-inch Casing	LnFt	29.97	100%	PR
642	Water Well	HU-Deep Well, 1000-foot depth or greater with 6-inch Casing	LnFt	58.65	100%	PR
642	Water Well	HU-Deep Well, 1000-foot depth or greater with 4-inch Casing	LnFt	38.14	100%	PR
642	Water Well	Typical Well, 600- to 1000-foot depth with 6-inch Casing	LnFt	26.85	100%	PR
642	Water Well	HU-Shallow Well 50 Foot Depth or Less	LnFt	79	100%	PR
642	Water Well	HU-Typical Well, 600- to 1000-foot depth with 6-inch Casing	LnFt	40.27	100%	PR

642	Water Well	HU-Shallow Well, 50 to 100-foot depth	LnFt	51.91	100%	PR
643	Restoration and Management of Rare and Declining Habitats	HU-Monitoring, Management, High Intensity and Complexity, Includes Foregone Income for Grazing Land	ac	30.97	100%	PR
643	Restoration and Management of Rare and Declining Habitats	Monitoring, Management, High Intensity and Complexity, Includes Foregone Income for Grazing Land	ac	26.44	100%	PR
644	Wetland Wildlife Habitat Management	HU-Topographic Feature Creation	ac	275.49	100%	PR
644	Wetland Wildlife Habitat Management	Topographic Feature Creation	ac	264.31	100%	PR
644	Wetland Wildlife Habitat Management	HU-Monitoring and Management	ac	228.21	100%	PR
644	Wetland Wildlife Habitat Management	Monitoring and Management	ac	224.92	100%	PR
645	Upland Wildlife Habitat Management	HU-Snag Creation, TreeTopping Or Tree Girdling	ac	122.02	100%	PR
645	Upland Wildlife Habitat Management	HU-Monitoring, Management, Foregone Income, May Require Training, Medium Intensity and Medium Complexity	ac	226.95	100%	PR
645	Upland Wildlife Habitat Management	Honeybee Monitoring	ac	17.7	100%	PR
645	Upland Wildlife Habitat Management	HU-Lek Monitoring	Ea	456.34	100%	PR
645	Upland Wildlife Habitat Management	HU-Monitoring, Management, No Foregone Income, No Training Required, Low Intensity and Low Complexity	ac	15.89	100%	PR
645	Upland Wildlife Habitat Management	Monitoring, Management, No Foregone Income, No Training Required, Low Intensity and Low Complexity	ac	13.24	100%	PR
645	Upland Wildlife Habitat Management	HU-Honeybee Habitat Multi Species Mix with Monitoring and Foregone Income	ac	301.15	100%	PR
645	Upland Wildlife Habitat Management	Monitoring, Management, Foregone Income, May Require Training, Medium Intensity and Medium Complexity	ac	223.86	100%	PR
645	Upland Wildlife Habitat Management	HU-Honeybee Monitoring	ac	21.24	100%	PR
645	Upland Wildlife Habitat Management	HU-Monitoring, Management, Foregone Income, May Require Training, High Intensity and High Complexity	ac	236.01	100%	PR
645	Upland Wildlife Habitat Management	Lek Monitoring	Ea	380.28	100%	PR
645	Upland Wildlife Habitat Management	Snag Creation, TreeTopping Or Tree Girdling	ac	101.68	100%	PR
645	Upland Wildlife Habitat Management	Monitoring, Management, Foregone Income, May Require Training, High Intensity and High Complexity	ac	231.41	100%	PR
645	Upland Wildlife Habitat Management	Honeybee Habitat Multi Species Mix with Monitoring and Foregone Income	ac	285.7	100%	PR
647	Early Successional Habitat Development/Management	HU-Disking	ac	85.71	100%	PR
647	Early Successional Habitat Development/Management	Disking	ac	47.62	100%	PR
647	Early Successional Habitat Development/Management	Mowing	ac	115.93	100%	PR

647	Early Successional Habitat Development/Management	HU-Mowing	ac	208.67	100%	PR
649	Structures for Wildlife	HU-Wildlife Structures of Low Intensity with Low Complexity	ac	32.43	100%	PR
649	Structures for Wildlife	Escape Ramp	Ea	55.72	100%	PR
649	Structures for Wildlife	Wildlife Structures of Low Intensity with Low Complexity	ac	27.03	100%	PR
649	Structures for Wildlife	Fence Markers, Vinyl Undersill	ft	0.11	100%	PR
649	Structures for Wildlife	HU-Fence Markers, Vinyl Undersill	ft	0.13	100%	PR
649	Structures for Wildlife	HU-Escape Ramp	Ea	66.86	100%	PR
650	Windbreak/Shelterbelt Renovation	Removal with Skidsteer, less than or equal to 8-inch Tree Diameter at Breast Height (DBH)	ft	0.97	100%	PR
650	Windbreak/Shelterbelt Renovation	Thinning	ft	0.53	100%	PR
650	Windbreak/Shelterbelt Renovation	HU-Removal with Skidsteer, less than or equal to 8-inch Tree Diameter at Breast Height (DBH)	ft	1.16	100%	PR
650	Windbreak/Shelterbelt Renovation	HU-Thinning	ft	0.64	100%	PR
650	Windbreak/Shelterbelt Renovation	HU-Supplemental Plantings, Bare-root (partial windbreak)	Ea	4.39	100%	PR
650	Windbreak/Shelterbelt Renovation	Tree/Shrub Removal with Chainsaw	ft	0.46	100%	PR
650	Windbreak/Shelterbelt Renovation	HU-Pruning	ft	0.54	100%	PR
650	Windbreak/Shelterbelt Renovation	Pruning	ft	0.45	100%	PR
650	Windbreak/Shelterbelt Renovation	Supplemental Plantings, Bare-root (partial windbreak)	Ea	3.66	100%	PR
650	Windbreak/Shelterbelt Renovation	Removal with Dozer, greater than 8-inch Tree Diameter at Breast Height (DBH)	ft	1.45	100%	PR
650	Windbreak/Shelterbelt Renovation	Sod Release	ft	0.06	100%	PR
650	Windbreak/Shelterbelt Renovation	HU-Tree/Shrub Removal with Chainsaw	ft	0.55	100%	PR
650	Windbreak/Shelterbelt Renovation	HU-Sod Release	ft	0.07	100%	PR
650	Windbreak/Shelterbelt Renovation	HU-Removal with Dozer, greater than 8-inch Tree Diameter at Breast Height (DBH)	ft	1.74	100%	PR
655	Forest Trails and Landings	HU-Trail and Landing Installation	ft	1.97	100%	PR
655	Forest Trails and Landings	Trail and Landing Installation	ft	1.1	100%	PR
657	Wetland Restoration	HU-Drained Wetland	CuYd	7.53	100%	PR

657	Wetland Restoration	Drain tile removal	LnFt	6.3	100%	PR
657	Wetland Restoration	Embankment - Fill Height <= 3 feet	CuYd	7.8	100%	PR
657	Wetland Restoration	HU-Embankment - Fill Height <= 3 feet	CuYd	9.02	100%	PR
657	Wetland Restoration	HU-Drain tile removal	LnFt	7.56	100%	PR
657	Wetland Restoration	HU-Ditchplug	CuYd	8.93	100%	PR
657	Wetland Restoration	Ditchplug	CuYd	8.01	100%	PR
657	Wetland Restoration	Drained Wetland	CuYd	6.27	100%	PR
659	Wetland Enhancement	HU-Embankment - Fill Height <= 3 feet	CuYd	9.02	100%	PR
659	Wetland Enhancement	Excavated Depressional Area.	cu ft	5.12	100%	PR
659	Wetland Enhancement	Embankment - Fill Height <= 3 feet	CuYd	7.8	100%	PR
659	Wetland Enhancement	HU-Excavated Depressional Area.	cu ft	6.14	100%	PR
660	Tree/Shrub Pruning	HU-High Height	ac	317.49	100%	PR
660	Tree/Shrub Pruning	High Height	ac	264.58	100%	PR
666	Forest Stand Improvement	Aspen Regeneration	ac	190.87	100%	PR
666	Forest Stand Improvement	HU-Aspen Regeneration	ac	229.04	100%	PR
666	Forest Stand Improvement	Pre-Commercial Thinning, High Intensity	ac	362.68	100%	PR
666	Forest Stand Improvement	HU-Pre-Commercial Thinning, High Intensity	ac	435.22	100%	PR
666	Forest Stand Improvement	HU-Improved Forest Health	ac	254.49	100%	PR
666	Forest Stand Improvement	Improved Forest Health	ac	212.07	100%	PR
670	Lighting System Improvement	Lighting - Pulse-Start Metal Halide	Ea	16.4	100%	PR
670	Lighting System Improvement	Lighting - Linear Fluorescent	Ea	179.17	100%	PR
670	Lighting System Improvement	Lighting - LED	Ea	12.17	100%	PR
670	Lighting System Improvement	Lighting - CFL	Ea	9.52	100%	PR
670	Lighting System Improvement	HU-Lighting - Linear Fluorescent	Ea	322.51	100%	PR

670	Lighting System Improvement	HU-Lighting - Pulse-Start Metal Halide	Ea	29.52	100%	PR
670	Lighting System Improvement	HU-Lighting - LED	Ea	21.91	100%	PR
670	Lighting System Improvement	HU-Lighting - CFL	Ea	17.13	100%	PR
672	Building Envelope Improvement	HU-Building Envelope - Attic Insulation	sq ft	0.69	100%	PR
672	Building Envelope Improvement	Building Envelope - Attic Insulation	sq ft	0.38	100%	PR
672	Building Envelope Improvement	Building Envelope - Sealant	ft	0.81	100%	PR
672	Building Envelope Improvement	HU-Building Envelope - Wall Insulation	sq ft	1.67	100%	PR
672	Building Envelope Improvement	HU-Building Envelope - Sealant	ft	1.45	100%	PR
672	Building Envelope Improvement	Building Envelope - Wall Insulation	sq ft	0.93	100%	PR
770	Livestock Confinement Facility	HU-Livestock Confinement	ft	25.49	100%	PR
770	Livestock Confinement Facility	Livestock Confinement	ft	21.24	100%	PR
800	Controlling Existing Flowing Wells	HU-Existing Uncontrolled Flowing Well,100-foot depth or greater with 2-inch or larger Casing	Ea	18823.02	100%	PR
800	Controlling Existing Flowing Wells	Existing Uncontrolled Flowing Well,100-foot depth or greater with 2-inch or larger Casing	Ea	15685.85	100%	PR
910	TA Planning	TSP-Technical Services-Conservation Planning	no	0	100%	AM
911	TA Design	TSP-Technical Services-Design Services	no	0	100%	AM
912	TA Application	TSP-Technical Services-Installation Oversight	no	0	100%	AM
913	TA Check-Out	TSP-Technical Services-Checkout Certification	no	0	100%	AM