


SIDE VIEW




END VIEW

STRAW OR GRASS HAY BALES

NOTES:


1. Bales shall be tied or retied with plastic twine. Wire tied bales are not permitted.
2. Stakes shall be of sufficient size to provide required strength. Broken stakes shall be replaced as needed.



SILT FENCE DETAIL

NOTES:

1. Trench dimensions: 6" deep; minimum 6" wide. Compacted backfill with the bottom 6" of fabric in trench.
2. Post spacing shall be as needed to properly support silt fence but shall not exceed 8 feet.
3. Drainage area above silt fence should not exceed flow capacity of geotextile (approximately 2 acres).
4. Post shall be driven into ground a sufficient distance as needed to properly support silt fence.
5. Wood posts shall be minimum 1 1/2" x 1 1/2" for softwoods such as Pine and minimum 1 1/8" x 1 1/8" for hardwoods such as Oak.



Length of Sediment Basin = 50'

TYPICAL CROSS SECTION OF SEDIMENT BASIN

NOTES:

1. Basin as drawn, contains approximately 40 cubic yards of excavation.
2. Size and location of basin may be adjusted as staked in the field.
3. Excavation and cleanout of sediment basins will be paid for as excavation.

DRAFT
NOT FOR
CONSTRUCTION

Date	
Designed	
Drawn	
Checked	
Approved	

GENERIC TEMPORARY POLLUTION AND EROSION CONTROL PLAN FOR SMALL FLOODWATER RETARDING DAM



File Name	
Drawing Name	29-N-505B
Sheet	of