



## F.A.Q. for Garmin GPSMAP 78 Units

Updated: 06/06/13

### 1 - General

Q1.2: I've collected data and downloaded points to DNRGPS and ArcMap but my points are not showing up in the right place.

A1.2: Make sure the unit itself was set to WGS84 or NAD83 for *Map Datum* settings. If not, then you'll need to change your setting to WGS84 or NAD83 and you may have to collect your points again. If the GPS unit had the correct *Map Datum* settings, check that DNRGPS has a correct projection set under [File → Set Projection](#). The proper setting for Indiana would be *NAD83 UTM Zone 16N* to match the current default setting for Toolkit, and most other ArcMap projects in Indiana.

### 2 - Settings

Q2.1: What GPS, Position, and Datum settings should be in place when collecting data?

A2.1: *GPS*: WAAS/EGNOS  
*Position Format*: UTM UPS or hddd°mm'ss.s"  
*Map Datum*: WGS84 (Note: NAD83 is also acceptable)

Q2.2: Does the *Position Format* setting affect the data that I transfer off of the GPS?

A2.2: Generally speaking, no. The *Position Format* setting controls the coordinates displayed onscreen while using the GPS unit. You should use a setting appropriate for the type of work you are doing and the part of the world where you are working. In this case either the UTM coordinates or lat/long value readouts are valid. The unit will always transfer out lat/long values to external software, regardless of this setting. The external software then controls the projection/datum formats of the final file created.



### 3 - Display

Q3.1: There are no Brightness settings in the *Display* menu. How do I adjust the brightness of the screen?

A3.1: While the unit is powered on, tap the Power button on the side of the unit. A screen will appear with a bar graphic indicating brightness. Use the rocker button to adjust the screen brightness. Press the Quit button to exit the brightness screen and return to the previous screen.

### 4 - Map Data

Q4.1: I don't see a detailed base map on the map screen when using my unit.

A4.1: You need a microSD card with Topo 100k data when using the GPSMap 78. With this card, the Topo 100k base map needs to be Enabled under [Setup > Map > Map Information](#). This SD card was provided in the SW area for use with Oregon 550 units and can be substituted for use with the GPS Map 78 units.

### 5 - Accuracy

Q5.1: What is the accuracy of the unit?

A5.1: Absolute Accuracy, Horizontal: 3 to 5 meters using the WAAS setting

Q5.2: How do I get the best accuracy results when using the unit?

A5.2: Stay away from tall vegetation, structures, vehicles, and low lying areas surrounded by steep terrain to get the best satellite fix. All handheld GPS units in this area of the world perform best when the user faces south. This unit performs about the same when held upright or flat.

### 6 – Backpack

Q6.1: Can I connect the unit to the Orange Backpack?

A6.1: Yes, the unit has connections for 4 pin serial as well as a connection point for the small wire that runs to the antenna. The unit must be changed from Garmin Serial to NMEA output mode under setup if using the backpack. See backpack related task guides for more information.



## 7 – Downloading Data

**Q7.1:** When I load data from GPSMap GPX files to DNRGPS, I can only load data from a single day (or a single Track). How do I get multiple waypoint or track files out of the GPSMap 78 unit into a single DNR Garmin session?

**A7.1:** The *Base Camp* program from Garmin will allow a user to see and manage all data on the GPSMap 78 GPS unit. When you connect the GPSMap 78 unit to the computer, Base Camp should display it under devices and you can **click** the **All Data** folder to see all data on the unit, regardless of data type or date of collection.

- While in *Base Camp*, **right-click** the **My Collection** folder under the **Library** heading and choose *New List*.
- An entry will be created with your cursor placed and ready to name your new *List*. **Type** a name for the new *List* such as your project name or a descriptive name for your points.
- Next, **click** the **All Data** folder listed under your GPSMap 78 device and from it **select** all the waypoints or tracks of interest. You can select multiple points or tracks by using *Shift + Click* or *Ctrl + Click*, as needed. To reiterate, you can select multiple waypoints or multiple tracks, but it is not recommended to combine waypoint and track data in a single selection.
- With all your points or tracks of interest selected, you can then **right-click** any of the selected items, **highlight Send To**, and then **click** the name of the *List* you created in the Base Camp *Library/My Collection*. The points will be moved to the chosen *List*.
- Next, **click** the name of the *List* you created earlier and you will see the points you sent to that *List*. You can now save this *List* as a standalone GPX file.
- With your *List* highlighted, **click** *File > Export > Export [List Name]*.
- Make sure the file type is GPS eXchange Format (\*.gpx), and then **navigate** to a directory where you'd like to save your data. **Type** a name for the file to be saved and **click Save**.
- You can now start DNRGPS and load the GPX file you just saved using the *File > Load From File...* procedure. Once the file is in DNRGPS, you can work with it normally.

See the related *Base Camp* guides for screenshots and additional details.

## 8 – Uploading Data

**Q8.1:** When I use Upload from DNRGPS or when I save a GPX file from DNR Garmin to the connected GPSMap 78 unit, my data does not load to the unit at all.

**A8.1:** See the *Uploading Data to a GPS Unit* for the proper upload procedure. Also, make sure the unit is set to Garmin Serial mode. Finally, you may need to deactivate extra tabular fields in the DNRGPS data table that are not needed. These extra fields can sometimes interfere with a clean upload. Refer to the *DNRGPS Settings for NRCS Users* guide for details on setting Waypoint and Track Properties to manage your data fields.