



United States
Department of
Agriculture



NRCS

Natural
Resources
Conservation
Service

In cooperation with Iowa
Agriculture and Home
Economics Experiment
Station and Cooperative
Extension Service, Iowa
State University, and
Division of Soil
Conservation, Iowa
Department of Agriculture
and Land Stewardship

Soil Survey of Bremer County, Iowa

Part II



Iowa Department of
Agriculture and
Land Stewardship

IOWA STATE UNIVERSITY

Iowa Agriculture and Home Economics
Experiment Station

IOWA STATE UNIVERSITY

University Extension



How To Use This Soil Survey

This survey is divided into three parts. Part I includes general information about the survey area; descriptions of the general soil map units, detailed soil map units, and soil series in the area; and a description of how the soils formed. Part II describes the use and management of the soils and the major soil properties. This part may be updated as further information about soil management becomes available. Part III includes the maps.

On the **general soil map**, the survey area is divided into groups of soils called associations. This map is useful in planning the use and management of large areas.

To find information about your area of interest, locate that area on the map, identify the name of the soil associations on the color-coded map legend, and then refer to the section **General Soil Map Units** in Part I for a general description of the soils in your area.

The detailed soil maps can be useful in planning the use and management of small areas.

To find information about your area of interest, locate that area on the **Index to Map Sheets** in Part III. Note the number of the map sheet, and turn to that sheet. Locate your area of interest on the map sheet. Note the map unit symbols that are in that area. The **Contents** in Part I lists the map units and shows the page where each map unit is described.

The **Contents** in Part II shows which table has information on a specific land use or soil property for each detailed soil map unit. Also, see the **Contents** in Part I and Part II for other sections of this publication that may address your specific needs.

This soil survey is a publication of the National Cooperative Soil Survey, a joint effort of the United States Department of Agriculture and other Federal agencies, State agencies including the Agricultural Experiment Stations, and local agencies. The Natural Resources Conservation Service (NRCS) has leadership for the Federal part of the National Cooperative Soil Survey.

Major fieldwork for this soil survey was completed in 2007. Soil names and descriptions were approved in 2008. Unless otherwise indicated, statements in this publication refer to conditions in the survey area in 2008. The most current official data are available through the NRCS Web Soil Survey (<http://soils.usda.gov>).

This survey was made cooperatively by the Natural Resources Conservation Service; the Iowa Agriculture and Home Economics Experiment Station and Cooperative Extension Service, Iowa State University; the Division of Soil Conservation, Iowa Department of Agriculture and Land Stewardship; and the Bremer County Board of Supervisors. The survey is part of the technical assistance furnished to the Bremer County Soil and Water Conservation District.

Soil maps in this survey may be copied without permission. Enlargement of these maps, however, could cause misunderstanding of the detail of mapping. If enlarged, maps do not show the small areas of contrasting soils that could have been shown at a larger scale.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotope, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD). To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Cover: Corn grows well in long, gently sloping areas of Readlyn loam, 1 to 3 percent slopes.

Additional information about the Nation's natural resources is available online from the Natural Resources Conservation Service at <http://www.nrcs.usda.gov>.

Contents

How To Use This Soil Survey	i
Introduction to Part II	1
Interpretive Ratings	1
Rating Class Terms	2
Numerical Ratings	2
Table: Classification of the Soils	2
Table: Acreage and Proportionate Extent of the Soils	3
Agronomy	5
Cropland Management Considerations	6
Table: Cropland Management Considerations	8
Crop Yield Estimates	17
Land Capability Classification	17
Corn Suitability Rating	18
Crop Yields	18
Pasture Yields	18
Table: Land Capability, Corn Suitability Rating, and Yields per Acre of Crops	19
Table: Land Capability and Yields per Acre of Pasture	24
Prime Farmland and Other Important Farmland	29
Table: Prime Farmland and Other Important Farmland	30
Agricultural Waste Management	32
Table: Agricultural Waste Management	34
Recreational Development	47
Table: Camp Areas, Picnic Areas, and Playgrounds	49
Table: Paths, Trails, and Golf Fairways	58
Engineering	65
Building Site Development	66
Table: Dwellings and Small Commercial Buildings	68
Table: Roads and Streets, Shallow Excavations, and Lawns and Landscaping	76
Sanitary Facilities	85
Table: Sewage Disposal	88
Table: Landfills	99
Construction Materials	108
Table: Source of Sand and Gravel	110
Table: Source of Reclamation Material, Roadfill, and Topsoil	118
Water Management	128
Table: Ponds and Embankments	129
Soil Properties	139
Engineering Properties	140
Table: Engineering Properties	141

Physical Properties	161
Table: Physical Properties of the Soils	163
Chemical Properties	177
Table: Chemical Properties of the Soils	178
Water Features	188
Table: Water Features	190
Soil Features	219
Table: Soil Features	220

Issued 2009

Soil Survey of Bremer County, Iowa

Introduction to Part II

This soil survey is an inventory and evaluation of the soils in the survey area. It can be used to adjust land uses to the limitations and potentials of natural resources and the environment. Also, it can help to prevent soil-related failures in land uses.

In preparing a soil survey, soil scientists, conservationists, engineers, and others collect extensive field data about the nature and behavioral characteristics of the soils. They collect data on erosion, droughtiness, flooding, and other factors that affect various soil uses and management. Field experience and collected data on soil properties and performance are used as a basis in predicting soil behavior.

This part of the soil survey includes interpretations for various uses of the soils and data on soil properties. This information can be used to plan the use and management of soils for crops and pasture or as sites for buildings, sanitary facilities, highways and other transportation systems, and parks and other recreational facilities. It can be used to identify the potentials and limitations of each soil for specific land uses and to help prevent construction failures caused by unfavorable soil properties.

Soils are rated in their natural state. No unusual modification of the soil site or material is made other than that which is considered normal practice for the rated use. Even though soils may have limitations, it is important to remember that engineers and others can modify soil features or can design or adjust the plans for a structure to compensate for most of the limitations. Most of these practices, however, are costly. The final decision in selecting a site for a particular use generally involves weighing the costs of site preparation and maintenance.

Planners and others using soil survey information can evaluate the effect of specific land uses on productivity and on the environment in the survey area. The survey can help planners to maintain or create a land use pattern in harmony with the natural soil.

Contractors can use this survey to locate sources of gravel, sand, reclamation material, roadfill, and topsoil. They can use it to identify areas where bedrock, wetness, or very firm soil layers can cause difficulty in excavation.

Health officials, highway officials, engineers, and others may also find this survey useful. The survey can help them plan the safe disposal of wastes and locate sites for pavements, sidewalks, campgrounds, playgrounds, lawns, and trees and shrubs.

The table "Classification of the Soils" is at the end of this section. Information about the system of soil taxonomy used by the Natural Resources Conservation Service is available in Part I of this publication. The extent of the map units in this survey area is shown in the table "Acreage and Proportionate Extent of the Soils."

Interpretive Ratings

The interpretive tables in this survey rate the soils in the survey area for various uses. Many of the tables identify the limitations that affect specified uses and indicate

Soil Survey of Bremer County, Iowa—Part II

the severity of those limitations. The ratings in these tables are both verbal and numerical.

Rating Class Terms

Rating classes are expressed in the tables in terms that indicate the extent to which the soils are limited by all of the soil features that affect a specified use or in terms that indicate the suitability of the soils for the use. Thus, the tables may show limitation classes or suitability classes. Terms for the limitation classes are *not limited*, *somewhat limited*, and *very limited*. The suitability ratings are expressed as *well suited*, *moderately suited*, *poorly suited*, and *unsuited* or as *good*, *fair*, and *poor*.

Numerical Ratings

Numerical ratings in the tables indicate the relative severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.00 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the use and the point at which the soil feature is not a limitation. The limitations appear in order from the most limiting to the least limiting. Thus, if more than one limitation is identified, the most severe limitation is listed first and the least severe one is listed last.

Classification of the Soils

(An asterisk in the first column indicates a taxadjunct to the series. See text in Part I for a description of those characteristics that are outside the range of the series)

Soil name	Family or higher taxonomic class
Atkinson-----	Fine-loamy, mixed, superactive, mesic Typic Argiudolls
Backbone-----	Coarse-loamy, mixed, superactive, mesic Mollic Hapludalfs
Bassett-----	Fine-loamy, mixed, superactive, mesic Mollic Hapludalfs
Billett-----	Coarse-loamy, mixed, superactive, mesic Mollic Hapludalfs
Bremer-----	Fine, smectitic, mesic Typic Argiaquolls
Burkhardt-----	Sandy, mixed, mesic Typic Hapludolls
Chelsea-----	Mixed, mesic Lamellic Udipsamments
Clyde-----	Fine-loamy, mixed, superactive, mesic Typic Endoaquolls
Coland-----	Fine-loamy, mixed, superactive, mesic Cumulic Endoaquolls
Coloma-----	Mixed, mesic Lamellic Udipsamments
Copaston-----	Loamy, mixed, superactive, mesic Lithic Hapludolls
Dickinson-----	Coarse-loamy, mixed, superactive, mesic Typic Hapludolls
Dinsdale-----	Fine-silty, mixed, superactive, mesic Typic Argiudolls
Flagler-----	Coarse-loamy, mixed, superactive, mesic Pachic Hapludolls
Floyd-----	Fine-loamy, mixed, superactive, mesic Aquic Pachic Hapludolls
Fort Dodge-----	Fine-loamy, mixed, superactive, mesic Cumulic Hapludolls
Hayfield-----	Fine-loamy over sandy or sandy-skeletal, mixed, superactive, mesic Aquollic Hapludalfs
Hoopeston-----	Coarse-loamy, mixed, superactive, mesic Aquic Hapludolls
Joy-----	Fine-silty, mixed, superactive, mesic Aquic Hapludolls
Kasson-----	Fine-loamy, mixed, superactive, mesic Mollic Oxyaquic Hapludalfs
Kenyon-----	Fine-loamy, mixed, superactive, mesic Typic Hapludolls
Klinger-----	Fine-silty, mixed, superactive, mesic Aquic Hapludolls
Klingmore-----	Fine-silty, mixed, superactive, mesic Aquic Hapludolls
Klossner-----	Loamy, mixed, euic, mesic Terric Haplosaprists
Lawler-----	Fine-loamy over sandy or sandy-skeletal, mixed, superactive, mesic Aquic Hapludolls
Marquis-----	Fine-loamy, mixed, superactive, mesic Oxyaquic Hapludolls

Soil Survey of Bremer County, Iowa—Part II

Classification of the Soils--Continued

Soil name	Family or higher taxonomic class
Marshan-----	Fine-loamy over sandy or sandy-skeletal, mixed, superactive, mesic Typic Endoaquolls
Maxfield-----	Fine-silty, mixed, superactive, mesic Typic Endoaquolls
Maxmore-----	Fine-silty, mixed, superactive, mesic Typic Endoaquolls
Olin-----	Coarse-loamy, mixed, superactive, mesic Typic Hapludolls
Oran-----	Fine-loamy, mixed, superactive, mesic Aquollic Hapludalfs
Orion-----	Coarse-silty, mixed, superactive, nonacid, mesic Aquic Udifluvents
Ostrander-----	Fine-loamy, mixed, superactive, mesic Typic Hapludolls
*Plano-----	Fine-silty, mixed, superactive, mesic Pachic Argiudolls
Port Byron-----	Fine-silty, mixed, superactive, mesic Typic Hapludolls
*Port Byron-----	Fine-silty, mixed, superactive, mesic Dystric Eutrudepts
Readlyn-----	Fine-loamy, mixed, superactive, mesic Aquic Hapludolls
Rockton-----	Fine-loamy, mixed, superactive, mesic Typic Argiudolls
Sattre-----	Fine-loamy over sandy or sandy-skeletal, mixed, superactive, mesic Mollic Hapludalfs
Saude-----	Coarse-loamy over sandy or sandy-skeletal, mixed, superactive, mesic Typic Hapludalfs
Seaton-----	Fine-silty, mixed, superactive, mesic Typic Hapludalfs
Selmass-----	Fine-loamy, mixed, superactive, mesic Typic Endoaquolls
Shandep-----	Fine-loamy, mixed, superactive, mesic Cumulic Endoaquolls
Sigglekov-----	Sandy, mixed, mesic Aquic Udorthents
Sparta-----	Sandy, mixed, mesic Entic Hapludolls
Spillville-----	Fine-loamy, mixed, superactive, mesic Cumulic Hapludolls
Tripoli-----	Fine-loamy, mixed, superactive, mesic Typic Endoaquolls
Waukee-----	Fine-loamy over sandy or sandy-skeletal, mixed, superactive, mesic Typic Hapludolls

Acreage and Proportionate Extent of the Soils

Map symbol	Soil name	Acres	Percent
41B	Sparta loamy fine sand, 2 to 5 percent slopes-----	4,425	1.6
41C	Sparta loamy fine sand, 5 to 9 percent slopes-----	2,099	0.7
43	Bremer silty clay loam, 0 to 2 percent slopes, rarely flooded-----	179	*
50B	Coloma loamy sand, 2 to 5 percent slopes, rarely flooded-----	404	0.1
63B	Chelsea loamy fine sand, 2 to 5 percent slopes-----	441	0.2
63C	Chelsea loamy fine sand, 5 to 9 percent slopes-----	788	0.3
63E	Chelsea loamy fine sand, 9 to 18 percent slopes-----	359	0.1
83B	Kenyon loam, 2 to 5 percent slopes-----	14,472	5.1
83C	Kenyon loam, 5 to 9 percent slopes-----	4,937	1.8
84	Clyde silty clay loam, 0 to 3 percent slopes-----	28,177	10.0
109B	Backbone sandy loam, 2 to 5 percent slopes-----	166	*
109C	Backbone sandy loam, 5 to 9 percent slopes-----	183	*
109D	Backbone sandy loam, 9 to 14 percent slopes-----	138	*
127	Plano silty clay loam, 0 to 2 percent slopes, rarely flooded-----	592	0.2
135	Coland clay loam, 0 to 2 percent slopes, occasionally flooded-----	2,378	0.8
153	Shandep loam, ponded, 0 to 1 percent slopes, occasionally flooded-----	1,122	0.4
173	Hoopeston sandy loam, terrace, 0 to 2 percent slopes, rarely flooded-----	1,188	0.4
175B	Dickinson fine sandy loam, 2 to 5 percent slopes-----	5,279	1.9
175C	Dickinson fine sandy loam, 5 to 9 percent slopes-----	827	0.3
178	Waukee loam, 0 to 2 percent slopes, rarely flooded-----	7,781	2.8
178B	Waukee loam, 2 to 5 percent slopes, rarely flooded-----	2,311	0.8
178C	Waukee loam, 5 to 9 percent slopes, rarely flooded-----	109	*
184	Klinger silty clay loam, 1 to 3 percent slopes-----	4,279	1.5
198B	Floyd loam, 1 to 4 percent slopes-----	25,793	9.2
221	Klossner muck, 1 to 3 percent slopes-----	435	0.2
284B	Flagler sandy loam, 1 to 4 percent slopes, rarely flooded-----	1,120	0.4

See footnote at end of table.

Soil Survey of Bremer County, Iowa—Part II

Acreage and Proportionate Extent of the Soils--Continued

Map symbol	Soil name	Acres	Percent
285	Burkhardt sandy loam, 0 to 2 percent slopes, rarely flooded-----	418	0.1
285C	Burkhardt sandy loam, 2 to 9 percent slopes, rarely flooded-----	298	0.1
323B	Fort Dodge loam, 1 to 4 percent slopes-----	3,781	1.3
344D	Copaston loam, 5 to 14 percent slopes-----	396	0.1
344G	Copaston loam, 14 to 30 percent slopes-----	408	0.1
354	Aquolls, ponded, 0 to 1 percent slopes-----	962	0.3
377B	Dinsdale silty clay loam, 2 to 5 percent slopes-----	963	0.3
377C	Dinsdale silty clay loam, 5 to 9 percent slopes-----	44	*
382	Maxfield silty clay loam, 0 to 2 percent slopes-----	3,884	1.4
391B	Clyde-Floyd complex, 1 to 4 percent slopes-----	3,150	1.1
394B	Ostrander loam, 2 to 5 percent slopes-----	4,195	1.5
394C	Ostrander loam, 5 to 9 percent slopes-----	1,196	0.4
395B	Marquis loam, 2 to 5 percent slopes-----	12,415	4.4
398	Tripoli clay loam, 0 to 2 percent slopes-----	33,804	12.0
399	Readlyn loam, 1 to 3 percent slopes-----	35,139	12.5
408B	Olin fine sandy loam, 2 to 5 percent slopes-----	1,483	0.5
471	Oran loam, 1 to 3 percent slopes-----	5,639	2.0
485	Spillville loam, 0 to 2 percent slopes, occasionally flooded-----	1,926	0.7
582B	Kasson loam, 2 to 5 percent slopes-----	4,051	1.4
582C	Kasson loam, 5 to 9 percent slopes-----	452	0.2
585	Spillville-Coland complex, 0 to 2 percent slopes, occasionally flooded---	2,595	0.9
620B	Port Byron silt loam, 2 to 5 percent slopes-----	781	0.3
620C2	Port Byron silt loam, 5 to 9 percent slopes, moderately eroded-----	768	0.3
626	Hayfield loam, 0 to 2 percent slopes, rarely flooded-----	4,548	1.6
663B	Seaton silt loam, 2 to 5 percent slopes-----	408	0.1
663C	Seaton silt loam, 5 to 9 percent slopes-----	963	0.3
663D2	Seaton silt loam, 9 to 14 percent slopes, moderately eroded-----	295	0.1
663D3	Seaton silt loam, 9 to 14 percent slopes, severely eroded-----	144	*
663E2	Seaton silt loam, 14 to 18 percent slopes, moderately eroded-----	384	0.1
663G	Seaton silt loam, 18 to 40 percent slopes-----	969	0.3
775	Billett sandy loam, 0 to 2 percent slopes-----	464	0.2
775B	Billett sandy loam, 2 to 5 percent slopes-----	816	0.3
775C	Billett sandy loam, 5 to 9 percent slopes-----	412	0.1
778	Sattre loam, 0 to 2 percent slopes, rarely flooded-----	1,642	0.6
813B	Atkinson loam, 2 to 5 percent slopes-----	1,221	0.4
813C	Atkinson loam, 5 to 9 percent slopes-----	278	*
814B	Rockton loam, 2 to 5 percent slopes-----	794	0.3
814C	Rockton loam, 5 to 9 percent slopes-----	1,024	0.4
814D	Rockton loam, 9 to 14 percent slopes-----	204	*
884	Klingmore silty clay loam, 1 to 3 percent slopes-----	655	0.2
930	Orion silt loam, 0 to 2 percent slopes, occasionally flooded-----	568	0.2
982	Maxmore silty clay loam, 0 to 2 percent slopes-----	1,136	0.4
1152	Marshan clay loam, 0 to 2 percent slopes, rarely flooded-----	7,744	2.8
1226	Lawler loam, 0 to 2 percent slopes, rarely flooded-----	5,146	1.8
1585	Spillville, channeled-Coland, channeled-Aquolls, ponded, complex, 0 to 2 percent slopes, frequently flooded-----	6,681	2.4
1586	Sigglekov-Fluvaquents, channeled-Aquents, ponded, complex, 0 to 2 percent slopes, frequently flooded-----	6,269	2.2
4946	Udorthents-Interstate highway complex, 0 to 5 percent slopes-----	1,212	0.4
5010	Pits, sand and gravel-----	56	*
5030	Pits, limestone quarries-----	200	*
5040	Udorthents, loamy-----	495	0.2
5080	Udorthents, sanitary landfill-----	70	*
8041	Sparta loamy sand, terrace, 0 to 2 percent slopes, rarely flooded-----	990	0.4
8041B	Sparta loamy sand, terrace, 2 to 5 percent slopes, rarely flooded-----	1,223	0.4
8175B	Dickinson fine sandy loam, terrace, 1 to 4 percent slopes, rarely flooded	2,643	0.9
AW	Animal waste lagoon-----	2	*
SL	Sewage lagoon-----	45	*
W	Water-----	2,669	0.9
	Total-----	281,100	100.0

* Less than 0.1 percent.

Agronomy

This section provides some general information about managing the soils for crops and for hay and pasture. The Iowa corn suitability rating system and the system of land capability classification used by the Natural Resources Conservation Service are explained, and the estimated yields of the main crops and hay and pasture plants are listed for each soil. Prime farmland is described, and interpretations for agricultural waste management are provided.

Planners of management systems for individual fields or farms should consider obtaining specific information from the local office of the Natural Resources Conservation Service or the Cooperative Extension Service.

Cropland Management Considerations

The management concerns affecting the use of the detailed soil map units in the county for crops are shown in the table “Cropland Management Considerations” at the end of this section. The main concerns in managing nonirrigated cropland are conserving moisture, controlling wind erosion and water erosion, and maintaining soil fertility.

Conserving moisture consists primarily of reducing the evaporation and runoff rates and increasing the water infiltration rate. Applying conservation tillage and conservation cropping systems, farming on the contour, stripcropping, establishing field windbreaks, and leaving crop residue on the surface conserve moisture.

Generally, a combination of several practices is needed to control wind erosion and water erosion. Conservation tillage, stripcropping, field windbreaks, contour farming, conservation cropping systems, crop residue management, terraces, diversions, and grassed waterways help to prevent excessive soil loss.

Measures that are effective in maintaining soil fertility include applying fertilizer, both organic and inorganic, including manure; incorporating crop residue or green manure crops into the soil; and using proper crop rotations. Controlling erosion helps to prevent the loss of organic matter and plant nutrients and thus helps to maintain productivity, although the level of fertility can be reduced even in areas where erosion is controlled. All soils used for nonirrigated crops respond well to applications of fertilizer.

Some of the considerations shown in the table cannot be easily overcome. These are channels, flooding, gullies, and ponding.

Additional considerations are as follows:

Lime content, limited available water capacity, limited content of organic matter, potential poor tilth and compaction, and restricted permeability.—These limitations can be minimized by incorporating green manure crops, manure, or crop residue into the soil; applying a system of conservation tillage; and using conservation cropping systems. Also, crops may respond well to additions of phosphate fertilizer to soils that have a high content of lime.

Potential for ground-water contamination.—The proper use of nutrients and pesticides can reduce the risk of ground-water contamination.

Potential for surface-water contamination.—The risk of surface-water contamination can be reduced by the proper use of nutrients and pesticides and by conservation farming practices that reduce the runoff rate.

Surface crusting.—This limitation retards seedling development after periods of heavy rainfall.

Surface rock fragments.—This limitation causes rapid wear of tillage equipment. It cannot be easily overcome.

Surface stones.—Stones or boulders on or near the surface can hinder normal tillage unless they are removed.

Salt content.—In areas where this is a limitation, only salt-tolerant crops should be grown.

On irrigated soils the main management concerns are efficient water use, nutrient management, control of erosion, pest and weed control, and timely planting and harvesting for a successful crop. An irrigation system that provides optimum control and distribution of water at minimum cost is needed. Overirrigation wastes water, leaches plant nutrients, and causes erosion. Also, it can increase wetness and soil salinity.

Explanation of Criteria

Acid soil.—The pH is less than 6.1.

Channeled.—The word “channeled” is included in the map unit name.

Soil Survey of Bremer County, Iowa—Part II

Dense layer.—The bulk density is 1.80 g/cc or greater within the soil profile.

Depth to rock.—The depth to bedrock is less than 40 inches.

Eroded.—The word “eroded” is included in the map unit name.

Excessive permeability.—Saturated hydraulic conductivity is 42 micrometers per second or more within the soil profile.

Flooding.—Flooding is occasional, frequent, or very frequent.

Gullied.—The word “gullied” is included in the map unit name.

High content of organic matter.—The surface layer has more than 20 percent organic matter.

Lime content.—The pH is 7.4 or more in the surface layer, or the wind erodibility group is 4L.

Limited available water capacity.—The available water capacity calculated to a depth of 60 inches or to a root-limiting layer is 6 inches or less.

Limited content of organic matter.—The content of organic matter is 2 percent or less in the surface layer.

Ponding.—Ponding duration is assigned to the map unit component. Water is above the surface.

Potential poor tilth and compaction.—The content of clay is 27 percent or more in the surface layer.

Potential for ground-water contamination (by nutrients or pesticides).—The depth to a seasonal high water table is 4 feet or less, the saturated hydraulic conductivity of any layer is more than 42 micrometers per second, or the depth to bedrock is less than 60 inches.

Potential for surface-water contamination (by nutrients or pesticides).—The map unit component is occasionally, frequently, or very frequently flooded, is subject to ponding, is assigned to hydrologic group C or D and has a slope of more than 2 percent, is assigned to hydrologic group A and has a slope of more than 6 percent, or is assigned to hydrologic group B, has a slope of 3 percent or more, and has a K factor of more than 0.17.

Previously eroded.—The word “eroded” is included in the map unit name.

Restricted permeability.—Saturated hydraulic conductivity is less than 0.42 micrometer per second within the soil profile.

Salt content.—The electrical conductivity is 4 or more in the surface layer or 8 or more within a depth of 30 inches.

Slope (equipment limitation).—The slope is more than 15 percent.

Surface crusting.—The content of clay is 27 percent or more and the content of organic matter is 2 percent or less in the surface layer.

Surface rock fragments (equipment limitation).—The terms describing the texture of the surface layer include any rock fragment modifier, except for gravelly, channery, stony, very stony, extremely stony, bouldery, very bouldery, and extremely bouldery.

Surface stones (equipment limitation).—The word “stony” or “bouldery” is included in the description of the surface layer, or 0.01 to 0.1 percent of the surface is covered by stones or boulders.

Water erosion.—Either the slope is 6 percent or more, or the slope is more than 3 percent and less than 6 percent and the surface layer is not sandy.

Water table.—A water table is within 2.5 feet of the surface.

Wind erosion.—The wind erodibility group is 1, 2, 3, or 4L.

Hydrologic groups are described under the heading “Water Features.” Erosion factors (e.g., K factor) and wind erodibility groups are described under the heading “Physical Properties.”

Soil Survey of Bremer County, Iowa—Part II

Cropland Management Considerations

(See text for a description of the considerations listed in this table)

Map symbol and soil name	Pct. of map unit	Cropland management considerations
41B: Sparta-----	80	Acid soil Limited available water capacity Limited content of organic matter Potential for ground-water contamination Wind erosion
41C: Sparta-----	80	Acid soil Limited available water capacity Limited content of organic matter Potential for ground-water contamination Potential for surface-water contamination Wind erosion
43: Bremer-----	100	Potential poor tilth and compaction Potential for ground-water contamination Water table
50B: Coloma-----	85	Limited available water capacity Limited content of organic matter Potential for ground-water contamination Wind erosion
63B: Chelsea-----	90	Limited available water capacity Limited content of organic matter Potential for ground-water contamination Wind erosion
63C: Chelsea-----	85	Limited available water capacity Limited content of organic matter Potential for ground-water contamination Potential for surface-water contamination Wind erosion
63E: Chelsea-----	85	Slope Limited available water capacity Limited content of organic matter Potential for ground-water contamination Potential for surface-water contamination Water erosion Wind erosion
83B: Kenyon-----	75	Potential for ground-water contamination Potential for surface-water contamination Restricted permeability Water erosion
83C: Kenyon-----	75	Potential for ground-water contamination Potential for surface-water contamination Restricted permeability Water erosion

Soil Survey of Bremer County, Iowa—Part II

Cropland Management Considerations--Continued

Map symbol and soil name	Pct. of map unit	Cropland management considerations
84: Clyde-----	80	Potential for ground-water contamination Restricted permeability Water table
109B: Backbone-----	100	Acid soil Depth to rock Limited available water capacity Limited content of organic matter Potential for ground-water contamination Potential for surface-water contamination Restricted permeability Water erosion Wind erosion
109C: Backbone-----	100	Acid soil Depth to rock Limited available water capacity Limited content of organic matter Potential for ground-water contamination Potential for surface-water contamination Restricted permeability Water erosion Wind erosion
109D: Backbone-----	100	Acid soil Depth to rock Limited available water capacity Limited content of organic matter Potential for ground-water contamination Potential for surface-water contamination Restricted permeability Water erosion Wind erosion
127: Plano, rarely flooded-----	85	Potential for ground-water contamination
135: Coland, occasionally flooded	85	Flooding Potential poor tilth and compaction Potential for ground-water contamination Potential for surface-water contamination Water table
153: Shandep, ponded, occasionally flooded-----	75	Ponding Potential poor tilth and compaction Potential for ground-water contamination Potential for surface-water contamination Water table
173: Hoopeston, rarely flooded----	100	Excessive permeability Potential for ground-water contamination Water table

Soil Survey of Bremer County, Iowa—Part II

Cropland Management Considerations--Continued

Map symbol and soil name	Pct. of map unit	Cropland management considerations
175B: Dickinson-----	90	Limited available water capacity Potential for ground-water contamination Water erosion Wind erosion
175C: Dickinson-----	100	Limited available water capacity Potential for ground-water contamination Potential for surface-water contamination Water erosion Wind erosion
178: Waukee, rarely flooded-----	85	Acid soil Potential for ground-water contamination
178B: Waukee, rarely flooded-----	95	Acid soil Potential for ground-water contamination Potential for surface-water contamination Water erosion
178C: Waukee, rarely flooded-----	95	Acid soil Potential for ground-water contamination Potential for surface-water contamination Water erosion
184: Klinger-----	100	Potential for ground-water contamination Restricted permeability Water table
198B: Floyd-----	90	Potential for ground-water contamination Potential for surface-water contamination Restricted permeability Water erosion Water table
221: Klossner-----	100	High content of organic matter Potential for ground-water contamination Restricted permeability Water table Wind erosion
284B: Flagler-----	90	Excessive permeability Limited available water capacity Potential for ground-water contamination Water erosion Wind erosion
285: Burkhardt-----	100	Limited available water capacity Potential for ground-water contamination Wind erosion

Soil Survey of Bremer County, Iowa—Part II

Cropland Management Considerations--Continued

Map symbol and soil name	Pct. of map unit	Cropland management considerations
285C: Burkhardt-----	100	Limited available water capacity Potential for ground-water contamination Potential for surface-water contamination Water erosion Wind erosion
323B: Fort Dodge-----	85	Potential for ground-water contamination Water erosion
344D: Copaston-----	90	Depth to rock Lime content Limited available water capacity Potential for ground-water contamination Potential for surface-water contamination Restricted permeability Water erosion Wind erosion
344G: Copaston-----	85	Slope Depth to rock Lime content Limited available water capacity Potential for ground-water contamination Potential for surface-water contamination Restricted permeability Water erosion Wind erosion
354: Aquolls, ponded-----	90	Onsite investigation required
377B: Dinsdale-----	90	Potential for ground-water contamination Potential for surface-water contamination Restricted permeability Water erosion
377C: Dinsdale-----	90	Potential for ground-water contamination Potential for surface-water contamination Restricted permeability Water erosion
382: Maxfield-----	100	Potential poor tilth and compaction Potential for ground-water contamination Restricted permeability Water table
391B: Clyde-----	60	Potential for ground-water contamination Restricted permeability Water erosion Water table

Soil Survey of Bremer County, Iowa—Part II

Cropland Management Considerations--Continued

Map symbol and soil name	Pct. of map unit	Cropland management considerations
391B: Floyd-----	35	Potential for ground-water contamination Potential for surface-water contamination Restricted permeability Water erosion Water table
394B: Ostrander-----	75	Potential for surface-water contamination Restricted permeability Water erosion
394C: Ostrander-----	85	Potential for surface-water contamination Restricted permeability Water erosion
395B: Marquis-----	80	Potential for ground-water contamination Potential for surface-water contamination Restricted permeability Water erosion Water table
398: Tripoli-----	90	Potential poor tilth and compaction Potential for ground-water contamination Restricted permeability Water table
399: Readlyn-----	85	Potential for ground-water contamination Restricted permeability Water table
408B: Olin-----	80	Potential for ground-water contamination Potential for surface-water contamination Restricted permeability Water erosion Wind erosion
471: Oran-----	85	Potential for ground-water contamination Restricted permeability Water table
485: Spillville, occasionally flooded-----	80	Flooding Potential for ground-water contamination Potential for surface-water contamination Water table
582B: Kasson-----	90	Potential for ground-water contamination Potential for surface-water contamination Restricted permeability Water erosion Water table

Soil Survey of Bremer County, Iowa—Part II

Cropland Management Considerations--Continued

Map symbol and soil name	Pct. of map unit	Cropland management considerations
582C: Kasson-----	80	Potential for ground-water contamination Potential for surface-water contamination Restricted permeability Water erosion Water table
585: Spillville, occasionally flooded-----	50	Flooding Potential for ground-water contamination Potential for surface-water contamination Water table
Coland, occasionally flooded	30	Flooding Potential poor tilth and compaction Potential for ground-water contamination Potential for surface-water contamination Water table
620B: Port Byron-----	90	Potential for surface-water contamination Water erosion
620C2: Port Byron-----	100	Potential for surface-water contamination Previously eroded Water erosion
626: Hayfield, rarely flooded----	90	Acid soil Potential for ground-water contamination Water table
663B: Seaton-----	100	Limited content of organic matter Potential for surface-water contamination Water erosion
663C: Seaton-----	100	Limited content of organic matter Potential for surface-water contamination Water erosion
663D2: Seaton, moderately eroded----	90	Limited content of organic matter Potential for surface-water contamination Previously eroded Water erosion
663D3: Seaton, severely eroded-----	90	Limited content of organic matter Potential for surface-water contamination Previously eroded Water erosion
663E2: Seaton, moderately eroded----	90	Slope Limited content of organic matter Potential for surface-water contamination Previously eroded Water erosion

Soil Survey of Bremer County, Iowa—Part II

Cropland Management Considerations--Continued

Map symbol and soil name	Pct. of map unit	Cropland management considerations
663G: Seaton-----	90	Slope Limited content of organic matter Potential for surface-water contamination Water erosion
775: Billett-----	100	Excessive permeability Limited content of organic matter Potential for ground-water contamination Wind erosion
775B: Billett-----	100	Excessive permeability Limited content of organic matter Potential for ground-water contamination Water erosion Wind erosion
775C: Billett-----	100	Excessive permeability Limited content of organic matter Potential for ground-water contamination Potential for surface-water contamination Water erosion Wind erosion
778: Sattre, rarely flooded-----	85	Potential for ground-water contamination
813B: Atkinson-----	90	Acid soil Potential for ground-water contamination Potential for surface-water contamination Restricted permeability Water erosion
813C: Atkinson-----	85	Acid soil Potential for ground-water contamination Potential for surface-water contamination Restricted permeability Water erosion
814B: Rockton-----	90	Depth to rock Limited available water capacity Potential for ground-water contamination Potential for surface-water contamination Restricted permeability Water erosion
814C: Rockton-----	85	Depth to rock Limited available water capacity Potential for ground-water contamination Potential for surface-water contamination Restricted permeability Water erosion

Soil Survey of Bremer County, Iowa—Part II

Cropland Management Considerations--Continued

Map symbol and soil name	Pct. of map unit	Cropland management considerations
814D: Rockton-----	90	Depth to rock Limited available water capacity Potential for ground-water contamination Potential for surface-water contamination Restricted permeability Water erosion
884: Klingmore-----	100	Potential for ground-water contamination Restricted permeability Water table
930: Orion, occasionally flooded--	100	Flooding Potential for ground-water contamination Potential for surface-water contamination Water table
982: Maxmore-----	100	Potential for ground-water contamination Restricted permeability Water table
1152: Marshan, rarely flooded-----	75	Potential for ground-water contamination Water table
1226: Lawler, rarely flooded-----	80	Potential for ground-water contamination Water table
1585: Spillville, channeled-----	40	Flooding Channeled Potential for ground-water contamination Potential for surface-water contamination Water table
Coland, channeled-----	35	Flooding Channeled Potential poor tilth and compaction Potential for ground-water contamination Potential for surface-water contamination Water table
Aquolls, ponded-----	15	Onsite investigation required
1586: Sigglekov, frequently flooded	55	Flooding Channeled Limited available water capacity Limited content of organic matter Potential for ground-water contamination Potential for surface-water contamination Water table Wind erosion
Fluvaquents, frequently flooded-----	30	Onsite investigation required
Aquents, ponded-----	15	Onsite investigation required

Soil Survey of Bremer County, Iowa—Part II

Cropland Management Considerations--Continued

Map symbol and soil name	Pct. of map unit	Cropland management considerations
4946: Udorthents-----	65	Onsite investigation required
Interstate highway-----	35	Not applicable
5010. Pits, sand and gravel		
5030. Pits, limestone quarries		
5040: Udorthents, loamy-----	100	Onsite investigation required
5080. Udorthents, sanitary landfill		
8041: Sparta, terrace, rarely flooded-----	80	Acid soil Limited available water capacity Limited content of organic matter Potential for ground-water contamination Wind erosion
8041B: Sparta, terrace, rarely flooded-----	80	Acid soil Limited available water capacity Limited content of organic matter Potential for ground-water contamination Wind erosion
8175B: Dickinson, terrace, rarely flooded-----	100	Excessive permeability Limited available water capacity Potential for ground-water contamination Water erosion Wind erosion
AW. Animal waste lagoon		
SL. Sewage lagoon		
W. Water		

Crop Yield Estimates

The tables “Land Capability, Corn Suitability Rating, and Yields per Acre of Crops” and “Land Capability and Yields per Acre of Pasture” are described in this section. Crops other than those shown in the tables are grown in the survey area, but estimated yields are not listed because the acreage of such crops is small. The local office of the Natural Resources Conservation Service or the Cooperative Extension Service can provide information about the management and productivity of the soils for those crops.

Land Capability Classification

Land capability classification shows, in a general way, the suitability of soils for most kinds of field crops. Crops that require special management are excluded. The soils are grouped according to their limitations for field crops, the risk of damage if they are used for crops, and the way they respond to management. The criteria used in grouping the soils do not include major and generally expensive landforming that would change slope, depth, or other characteristics of the soils, nor do they include possible but unlikely major reclamation projects. Capability classification is not a substitute for interpretations designed to show suitability and limitations of groups of soils for forestland or for engineering purposes.

In the capability system, soils are generally grouped at three levels—capability class, subclass, and unit.

Capability classes, the broadest groups, are designated by the numbers 1 through 8. The numbers indicate progressively greater limitations and narrower choices for practical use. The classes are defined as follows:

Class 1 soils have slight limitations that restrict their use.

Class 2 soils have moderate limitations that restrict the choice of plants or that require moderate conservation practices.

Class 3 soils have severe limitations that restrict the choice of plants or that require special conservation practices, or both.

Class 4 soils have very severe limitations that restrict the choice of plants or that require very careful management, or both.

Class 5 soils are subject to little or no erosion but have other limitations, impractical to remove, that restrict their use mainly to pasture, rangeland, forestland, or wildlife habitat.

Class 6 soils have severe limitations that make them generally unsuitable for cultivation and that restrict their use mainly to pasture, rangeland, forestland, or wildlife habitat.

Class 7 soils have very severe limitations that make them unsuitable for cultivation and that restrict their use mainly to grazing, forestland, or wildlife habitat.

Class 8 soils and miscellaneous areas have limitations that preclude commercial plant production and that restrict their use to recreational purposes, wildlife habitat, watershed, or esthetic purposes.

Capability subclasses are soil groups within one class. They are designated by adding a small letter, *e*, *w*, *s*, or *c*, to the class numeral, for example, 2*e*. The letter *e* shows that the main hazard is the risk of erosion unless close-growing plant cover is maintained; *w* shows that water in or on the soil interferes with plant growth or cultivation (in some soils the wetness can be partly corrected by artificial drainage); *s* shows that the soil is limited mainly because it is shallow, droughty, or stony; and *c*, used in only some parts of the United States, shows that the chief limitation is climate that is very cold or very dry.

In class 1 there are no subclasses because the soils of this class have few limitations. Class 5 contains only the subclasses indicated by *w*, *s*, or *c* because the

soils in class 5 are subject to little or no erosion. They have other limitations that restrict their use to pasture, rangeland, forestland, or wildlife habitat.

Capability units are soil groups within a subclass. The soils in a capability unit are enough alike to be suited to the same crops and pasture plants, to require similar management, and to have similar productivity. Capability units are generally designated by adding an Arabic numeral to the subclass symbol, for example, 2e-4 and 3e-6. These units are not given in all soil surveys.

[Reference: United States Department of Agriculture, Soil Conservation Service. 1961. Land capability classification. USDA Handbook 210.]

Corn Suitability Rating

The corn suitability rating (CSR) system was developed in Iowa to rate the productivity of each different kind of soil for row crops. CSRs provide a relative ranking of all soils mapped in the State of Iowa. They can be used to compare the potential yield production of one soil with that of other soils. Ratings range from 5 to 100. A rating of 5 indicates severe limitations for row crop production. Soil properties and weather conditions are the dominant factors that affect productivity.

Crop Yields

The average yields per acre that can be expected of the principal crops under a high level of management are shown in the table. In any given year, yields may be higher or lower than those indicated in the table because of variations in rainfall and other climatic factors.

The yields are based mainly on the experience and records of farmers, conservationists, and extension agents. Available yield data from nearby counties and results of field trials and demonstrations also are considered.

The management needed to obtain the indicated yields of the various crops depends on the kind of soil and the crop. Management can include drainage, erosion control, and protection from flooding; the proper planting and seeding rates; suitable high-yielding crop varieties; appropriate and timely tillage; control of weeds, plant diseases, and harmful insects; favorable soil reaction and optimum levels of nitrogen, phosphorus, potassium, and trace elements for each crop; effective use of crop residue, barnyard manure, and green manure crops; and harvesting that ensures the smallest possible loss.

The estimated yields reflect the productive capacity of each soil for each of the principal crops. Yields are likely to increase as new production technology is developed. The productivity of a given soil compared with that of other soils, however, is not likely to change.

Pasture Yields

Some pasture yields are expressed in the table in terms of animal unit months. An animal unit month (AUM) is the amount of forage required by one mature cow of approximately 1,000 pounds weight, with or without a calf, for 1 month.

The local office of the Natural Resources Conservation Service or the Cooperative Extension Service can provide information about forage yields other than those shown in the table.

Soil Survey of Bremer County, Iowa—Part II

Land Capability, Corn Suitability Rating, and Yields per Acre of Crops

(The crop yield estimates were determined through recent research conducted by Iowa State University. They are based on a high level of management and are for nonirrigated areas. See text for additional information. Absence of a yield indicates that the soil is not suited to the crop or the crop generally is not grown on the soil)

Map symbol and soil name	Pct. of map unit	Land capability	Corn suitability rating	Corn	Soybeans	Oats
				Bu	Bu	Bu
41B----- Sparta	80	4s	40	144	39	58
41C----- Sparta	80	4s	25	124	33	50
43----- Bremer	100	2w	82	201	54	80
50B----- Coloma	85	4s	36	139	38	56
63B----- Chelsea	90	4s	36	139	38	56
63C----- Chelsea	85	4s	21	118	32	47
63E----- Chelsea	85	6s	5	97	26	39
83B----- Kenyon	75	2e	86	206	56	82
83C----- Kenyon	75	3e	71	186	50	74
84----- Clyde	80	2w	76	193	52	77
109B----- Backbone	100	4s	25	124	33	50
109C----- Backbone	100	4s	10	104	28	42
109D----- Backbone	100	6s	5	97	26	39
127----- Plano, rarely flooded	85	1	95	218	59	87
135----- Coland, occasionally flooded	85	2w	80	198	53	79
153----- Shandep, ponded, occasionally flooded	75	3w	60	171	46	68
173----- Hoopeston, rarely flooded	100	2s	60	171	46	68
175B----- Dickinson	90	3e	55	164	44	66

Soil Survey of Bremer County, Iowa—Part II

Land Capability, Corn Suitability Rating, and Yields per Acre of Crops--Continued

Map symbol and soil name	Pct. of map unit	Land capability	Corn suitability rating	Corn	Soybeans	Oats
				Bu	Bu	Bu
175C----- Dickinson	100	3e	40	144	39	58
178----- Waukee, rarely flooded	85	2s	79	197	53	79
178B----- Waukee, rarely flooded	95	2e	74	190	51	76
178C----- Waukee, rarely flooded	95	3e	59	170	46	68
184----- Klinger	100	1	90	212	57	85
198B----- Floyd	90	2w	80	198	53	79
221----- Klossner	100	3w	50	158	43	63
284B----- Flagler	90	3e	45	151	41	60
285----- Burkhardt	100	3s	30	131	35	52
285C----- Burkhardt	100	3e	5	97	26	39
323B----- Fort Dodge	85	2e	72	187	50	75
344D----- Copaston	90	4s	5	97	26	39
344G----- Copaston	85	6e	5	97	26	39
354----- Aquolls, ponded	90	5w	5	97	26	39
377B----- Dinsdale	90	2e	90	212	57	85
377C----- Dinsdale	90	3e	75	191	52	76
382----- Maxfield	100	2w	90	212	57	85
391B----- Clyde----- Floyd-----	60 35	2w 2w	72	187	50	75
394B----- Ostrander	75	2e	85	205	55	82
394C----- Ostrander	85	3e	70	185	50	74

Soil Survey of Bremer County, Iowa—Part II

Land Capability, Corn Suitability Rating, and Yields per Acre of Crops--Continued

Map symbol and soil name	Pct. of map unit	Land capability	Corn suitability rating	Corn	Soybeans	Oats
				Bu	Bu	Bu
395B----- Marquis	80	2e	89	210	57	84
398----- Tripoli	90	2w	81	199	54	80
399----- Readlyn	85	1	91	213	58	85
408B----- Olin	80	2e	66	179	48	72
471----- Oran	85	1	86	206	56	82
485----- Spillville, occasionally flooded	80	2w	92	214	58	86
582B----- Kasson	90	2e	84	203	55	81
582C----- Kasson	80	3e	69	183	49	73
585----- Spillville, occasionally flooded----- Coland, occasionally flooded-----	50 30	2w 2w	86	171	46	68
620B----- Port Byron	90	2e	95	218	59	87
620C2----- Port Byron	100	3e	78	195	53	78
626----- Hayfield, rarely flooded	90	2s	67	180	49	72
663B----- Seaton	100	2e	85	205	55	82
663C----- Seaton	100	3e	70	185	50	74
663D2----- Seaton, moderately eroded	90	3e	58	168	45	67
663D3----- Seaton, severely eroded	90	4e	55	164	44	66
663E2----- Seaton, moderately eroded	90	4e	48	155	42	62
663G----- Seaton	90	6e	20	117	32	47

Soil Survey of Bremer County, Iowa—Part II

Land Capability, Corn Suitability Rating, and Yields per Acre of Crops--Continued

Map symbol and soil name	Pct. of map unit	Land capability	Corn suitability rating	Corn	Soybeans	Oats
				Bu	Bu	Bu
775----- Billett	100	2e	57	167	45	67
775B----- Billett	100	2e	52	160	43	64
775C----- Billett	100	3e	37	140	38	56
778----- Sattre, rarely flooded	85	2s	74	190	51	76
813B----- Atkinson	90	2e	80	198	53	79
813C----- Atkinson	85	3e	65	178	48	71
814B----- Rockton	90	2e	58	168	45	67
814C----- Rockton	85	3e	43	148	40	59
814D----- Rockton	90	4e	33	135	36	54
884----- Klingmore	100	1	95	218	59	87
930----- Orion, occasionally flooded	100	2w	75	191	52	76
982----- Maxmore	100	2w	93	216	58	86
1152----- Marshan, rarely flooded	75	2w	68	182	49	73
1226----- Lawler, rarely flooded	80	2s	72	187	50	75
1585----- Spillville, channeled--- Coland, channeled----- Aguolls, ponded-----	40 35 15	5w 5w 5w	5	97	26	39
1586----- Sigglekov, frequently flooded----- Fluvaquents, frequently flooded----- Aquents, ponded-----	55 30 15	5w 7w 5w	5	97	26	39
4946. Udorthents-Interstate highway						
5010. Pits, sand and gravel						

Soil Survey of Bremer County, Iowa—Part II

Land Capability, Corn Suitability Rating, and Yields per Acre of Crops--Continued

Map symbol and soil name	Pct. of map unit	Land capability	Corn suitability rating	Corn	Soybeans	Oats
				Bu	Bu	Bu
5030. Pits, limestone quarries						
5040----- Udorthents, loamy	100	---	5	---	---	---
5080. Udorthents, sanitary landfill						
8041----- Sparta, terrace, rarely flooded	80	4s	45	151	41	60
8041B----- Sparta, terrace, rarely flooded	80	4s	40	144	39	58
8175B----- Dickinson, terrace, rarely flooded	100	3e	55	164	44	66
AW. Animal waste lagoon						
SL. Sewage lagoon						
W. Water						

Soil Survey of Bremer County, Iowa—Part II

Land Capability and Yields per Acre of Pasture

(Yields are those that can be expected under a high level of management. They are for nonirrigated areas. Absence of a yield indicates that the soil is not suited to the crop or the crop generally is not grown on the soil)

Map symbol and soil name	Pct. of map unit	Land capability	Bromegrass-	Smooth	Kentucky	Bromegrass-
			alfalfa hay	bromegrass	bluegrass	alfalfa
			Tons	AUM*	AUM*	AUM*
41B----- Sparta	80	4s	3.5	3.5	2.1	4.4
41C----- Sparta	80	4s	3.4	3.5	2.0	4.4
43----- Bremer	100	2w	3.3	4.5	2.7	5.6
50B----- Coloma	85	4s	2.8	2.7	1.6	3.4
63B----- Chelsea	90	4s	3.1	3.0	1.8	3.8
63C----- Chelsea	85	4s	2.8	2.8	1.7	3.5
63E----- Chelsea	85	6s	2.6	2.6	1.5	3.3
83B----- Kenyon	75	2e	6.6	6.4	3.8	8.0
83C----- Kenyon	75	3e	6.3	6.2	3.7	7.8
84----- Clyde	80	2w	4.5	5.9	3.5	7.4
109B----- Backbone	100	4s	2.2	2.1	1.3	2.6
109C----- Backbone	100	4s	2.0	1.9	1.1	2.4
109D----- Backbone	100	6s	1.8	1.7	1.0	2.1
127----- Plano, rarely flooded	85	1	6.6	6.5	3.9	8.1
135----- Coland, occasionally flooded	85	2w	4.2	5.6	3.4	7.0
153----- Shandep, ponded, occasionally flooded	75	3w	3.1	4.2	2.5	5.3
173----- Hoopeston, rarely flooded	100	2s	4.7	4.6	2.8	5.8

See footnote at end of table.

Soil Survey of Bremer County, Iowa—Part II

Land Capability and Yields per Acre of Pasture--Continued

Map symbol and soil name	Pct. of map unit	Land capability	Brome-grass-	Smooth	Kentucky	Brome-grass-
			alfalfa hay	brome-grass	bluegrass	alfalfa
			Tons	AUM*	AUM*	AUM*
175B----- Dickinson	90	3e	4.5	4.4	2.6	5.5
175C----- Dickinson	100	3e	4.4	4.3	2.6	5.4
178----- Waukee, rarely flooded	85	2s	5.4	5.3	3.2	6.6
178B----- Waukee, rarely flooded	95	2e	5.4	5.3	3.1	6.6
178C----- Waukee, rarely flooded	95	3e	4.9	5.0	3.1	6.3
184----- Klinger	100	1	6.7	6.9	4.1	8.6
198B----- Floyd	90	2w	5.7	6.0	3.6	7.5
221----- Klossner	100	3w	3.5	4.7	2.8	5.9
284B----- Flagler	90	3e	3.4	3.3	1.9	4.1
285----- Burkhardt	100	3s	2.2	2.1	1.3	2.6
285C----- Burkhardt	100	3e	1.9	1.8	1.1	2.3
323B----- Fort Dodge	85	2e	6.4	6.2	3.7	7.8
344D----- Copaston	90	4s	2.6	2.5	1.5	3.1
344G----- Copaston	85	6e	1.8	1.8	1.1	2.3
354----- Aguolls, ponded	90	5w	---	1.6	---	2.0
377B----- Dinsdale	90	2e	6.7	6.6	4.0	8.3
377C----- Dinsdale	90	3e	6.5	6.4	3.8	8.0
382----- Maxfield	100	2w	4.8	6.6	4.0	8.3
391B----- Clyde----- Floyd-----	60 35	2w 2w	4.8	5.9	3.5	7.4
394B----- Ostrander	75	2e	6.5	6.3	3.8	7.9

See footnote at end of table.

Soil Survey of Bremer County, Iowa—Part II

Land Capability and Yields per Acre of Pasture--Continued

Map symbol and soil name	Pct. of map unit	Land capability	Brome-grass-	Smooth	Kentucky	Brome-grass-
			alfalfa hay	brome-grass	bluegrass	alfalfa
			Tons	AUM*	AUM*	AUM*
394C----- Ostrander	85	3e	6.3	6.1	3.7	7.6
395B----- Marquis	80	2e	6.6	6.4	3.8	8.0
398----- Tripoli	90	2w	4.8	6.3	3.8	7.9
399----- Readlyn	85	1	6.1	6.5	3.9	8.1
408B----- Olin	80	2e	5.5	5.4	3.2	6.8
471----- Oran	85	1	6.0	6.1	3.7	7.6
485----- Spillville, occasionally flooded	80	2w	5.7	6.2	3.7	7.8
582B----- Kasson	90	2e	6.0	5.9	3.5	7.4
582C----- Kasson	80	3e	5.8	5.7	3.4	7.1
585----- Spillville, occasionally flooded----- Coland, occasionally flooded-----	50 30	2w 2w	5.1	5.9	3.5	7.4
620B----- Port Byron	90	2e	7.0	6.8	4.1	8.5
620C2----- Port Byron	100	3e	6.6	6.5	3.9	8.5
626----- Hayfield, rarely flooded	90	2s	4.7	4.9	2.9	6.1
663B----- Seaton	100	2e	6.3	6.1	3.7	7.6
663C----- Seaton	100	3e	5.9	5.7	3.4	7.1
663D2----- Seaton, moderately eroded	90	3e	5.5	5.4	3.2	6.8
663D3----- Seaton, severely eroded	90	4e	5.3	5.2	3.1	6.5
663E2----- Seaton, moderately eroded	90	4e	4.8	4.7	2.8	5.9

See footnote at end of table.

Soil Survey of Bremer County, Iowa—Part II

Land Capability and Yields per Acre of Pasture--Continued

Map symbol and soil name	Pct. of map unit	Land capability	Bromegrass-	Smooth	Kentucky	Bromegrass-
			alfalfa hay	bromegrass	bluegrass	alfalfa
			Tons	AUM*	AUM*	AUM*
663G----- Seaton	90	6e	4.1	4.0	2.4	5.0
775----- Billett	100	2e	4.3	4.2	2.5	5.3
775B----- Billett	100	2e	4.2	4.1	2.5	5.1
775C----- Billett	100	3e	3.9	3.8	2.3	4.8
778----- Sattre, rarely flooded	85	2s	5.1	5.0	3.0	6.3
813B----- Atkinson	90	2e	5.8	5.7	3.4	7.1
813C----- Atkinson	85	3e	5.3	5.1	3.1	6.4
814B----- Rockton	90	2e	4.6	4.5	2.7	5.6
814C----- Rockton	85	3e	4.2	4.1	2.5	5.1
814D----- Rockton	90	4e	3.8	3.7	2.2	4.6
884----- Klingmore	100	1	6.8	7.0	4.2	8.8
930----- Orion, occasionally flooded	100	2w	5.4	5.2	3.1	6.5
982----- Maxmore	100	2w	4.9	6.7	4.0	8.4
1152----- Marshan, rarely flooded	75	2w	3.9	4.9	2.9	6.1
1226----- Lawler, rarely flooded	80	2s	5.1	5.2	3.2	6.5
1585----- Spillville, channeled--- Coland, channeled----- Aguolls, ponded-----	40 35 15	5w 5w 5w	0.9	1.2	0.7	1.5
1586----- Sigglekov, frequently flooded----- Fluvaquents, frequently flooded----- Aquents, ponded-----	55 30 15	5w 7w 5w	0.6	0.8	0.5	1.0

See footnote at end of table.

Soil Survey of Bremer County, Iowa—Part II

Land Capability and Yields per Acre of Pasture--Continued

Map symbol and soil name	Pct. of map unit	Land capability	Bromegrass-	Smooth	Kentucky	Bromegrass-
			alfalfa hay	bromegrass	bluegrass	alfalfa
			Tons	AUM*	AUM*	AUM*
4946. Udorthents-Interstate highway						
5010. Pits, sand and gravel						
5030. Pits, limestone quarries						
5040. Udorthents, loamy						
5080. Udorthents, sanitary landfill						
8041----- Sparta, terrace, rarely flooded	80	4s	3.7	3.6	2.2	6.2
8041B----- Sparta, terrace, rarely flooded	80	4s	3.5	3.5	2.1	5.9
8175B----- Dickinson, terrace, rarely flooded	100	3e	4.6	4.5	2.7	7.7
AW. Animal waste lagoon						
SL. Sewage lagoon						
W. Water						

* Animal unit month: The amount of forage required to feed one mature cow, of approximately 1,000 pounds weight, with or without a calf, for 30 days.

Prime Farmland and Other Important Farmland

The table “Prime Farmland and Other Important Farmland” lists the map units in the survey area that are considered prime farmland and farmland of statewide importance. This list does not constitute a recommendation for a particular land use.

In an effort to identify the extent and location of important farmlands, the Natural Resources Conservation Service, in cooperation with other interested Federal, State, and local government organizations, has inventoried land that can be used for the production of the Nation’s food supply.

Prime farmland is of major importance in meeting the Nation’s short- and long-range needs for food and fiber. Because the supply of high-quality farmland is limited, the U.S. Department of Agriculture recognizes that responsible levels of government, as well as individuals, should encourage and facilitate the wise use of our Nation’s prime farmland.

Prime farmland, as defined by the U.S. Department of Agriculture, is land that has the best combination of physical and chemical characteristics for producing food, feed, forage, fiber, and oilseed crops and is available for these uses. It could be cultivated land, pastureland, forestland, or other land, but it is not urban or built-up land or water areas. The soil quality, growing season, and moisture supply are those needed for the soil to economically produce sustained high yields of crops when proper management, including water management, and acceptable farming methods are applied. In general, prime farmland has an adequate and dependable supply of moisture from precipitation or irrigation, a favorable temperature and growing season, acceptable acidity or alkalinity, an acceptable salt and sodium content, and few or no rocks. The water supply is dependable and of adequate quality. Prime farmland is permeable to water and air. It is not excessively erodible or saturated with water for long periods, and it either is not frequently flooded during the growing season or is protected from flooding. Slope ranges mainly from 0 to 6 percent. More detailed information about the criteria for prime farmland is available at the local office of the Natural Resources Conservation Service.

A recent trend in land use in some areas has been the loss of some prime farmland to industrial and urban uses. The loss of prime farmland to other uses puts pressure on marginal lands, which generally are more erodible, droughty, and less productive and cannot be easily cultivated.

For some soils identified in the table as prime farmland, measures that overcome a hazard or limitation, such as flooding, wetness, and droughtiness, are needed. Onsite evaluation is needed to determine whether or not the hazard or limitation has been overcome by corrective measures.

In some areas, land that does not meet the criteria for prime farmland is considered to be *farmland of statewide importance* for the production of food, feed, fiber, forage, and oilseed crops. The criteria for defining and delineating farmland of statewide importance are determined by the appropriate State agencies. Generally, this land includes areas of soils that nearly meet the requirements for prime farmland and that economically produce high yields of crops when treated and managed according to acceptable farming methods. Some areas may produce as high a yield as prime farmland if conditions are favorable. Farmland of statewide importance may include tracts of land that have been designated for agriculture by State law.

Soil Survey of Bremer County, Iowa—Part II

Prime Farmland and Other Important Farmland

(Only the soils considered prime or important farmland are listed. Urban or built-up areas of the soils listed are not considered prime or important farmland. If a soil is prime or important farmland only under certain conditions, such as "where drained," those conditions are specified)

Map symbol	Map unit name	Farmland classification
41B	Sparta loamy fine sand, 2 to 5 percent slopes	Farmland of statewide importance
41C	Sparta loamy fine sand, 5 to 9 percent slopes	Farmland of statewide importance
43	Bremer silty clay loam, 0 to 2 percent slopes, rarely flooded	Prime farmland where drained
50B	Coloma loamy sand, 2 to 5 percent slopes, rarely flooded	Farmland of statewide importance
63B	Chelsea loamy fine sand, 2 to 5 percent slopes	Farmland of statewide importance
63C	Chelsea loamy fine sand, 5 to 9 percent slopes	Farmland of statewide importance
63E	Chelsea loamy fine sand, 9 to 18 percent slopes	Farmland of statewide importance
83B	Kenyon loam, 2 to 5 percent slopes	Prime farmland
83C	Kenyon loam, 5 to 9 percent slopes	Farmland of statewide importance
84	Clyde silty clay loam, 0 to 3 percent slopes	Prime farmland where drained
109B	Backbone sandy loam, 2 to 5 percent slopes	Farmland of statewide importance
109C	Backbone sandy loam, 5 to 9 percent slopes	Farmland of statewide importance
109D	Backbone sandy loam, 9 to 14 percent slopes	Farmland of statewide importance
127	Plano silty clay loam, 0 to 2 percent slopes, rarely flooded	Prime farmland
135	Coland clay loam, 0 to 2 percent slopes, occasionally flooded	Prime farmland where drained
153	Shandep loam, ponded, 0 to 1 percent slopes, occasionally flooded	Prime farmland where drained
173	Hoopeston sandy loam, terrace, 0 to 2 percent slopes, rarely flooded	Prime farmland
175B	Dickinson fine sandy loam, 2 to 5 percent slopes	Prime farmland
175C	Dickinson fine sandy loam, 5 to 9 percent slopes	Farmland of statewide importance
178	Waukee loam, 0 to 2 percent slopes, rarely flooded	Prime farmland
178B	Waukee loam, 2 to 5 percent slopes, rarely flooded	Prime farmland
178C	Waukee loam, 5 to 9 percent slopes, rarely flooded	Farmland of statewide importance
184	Klinger silty clay loam, 1 to 3 percent slopes	Prime farmland
198B	Floyd loam, 1 to 4 percent slopes	Prime farmland
221	Klossner muck, 1 to 3 percent slopes	Farmland of statewide importance
284B	Flagler sandy loam, 1 to 4 percent slopes, rarely flooded	Farmland of statewide importance
285	Burkhardt sandy loam, 0 to 2 percent slopes, rarely flooded	Farmland of statewide importance
285C	Burkhardt sandy loam, 2 to 9 percent slopes, rarely flooded	Farmland of statewide importance
323B	Fort Dodge loam, 1 to 4 percent slopes	Prime farmland
344D	Copaston loam, 5 to 14 percent slopes	Farmland of statewide importance
344G	Copaston loam, 14 to 30 percent slopes	Farmland of statewide importance
377B	Dinsdale silty clay loam, 2 to 5 percent slopes	Prime farmland
377C	Dinsdale silty clay loam, 5 to 9 percent slopes	Farmland of statewide importance
382	Maxfield silty clay loam, 0 to 2 percent slopes	Prime farmland where drained
391B	Clyde-Floyd complex, 1 to 4 percent slopes	Prime farmland where drained
394B	Ostrander loam, 2 to 5 percent slopes	Prime farmland
394C	Ostrander loam, 5 to 9 percent slopes	Farmland of statewide importance
395B	Marquis loam, 2 to 5 percent slopes	Prime farmland
398	Tripoli clay loam, 0 to 2 percent slopes	Prime farmland where drained
399	Readlyn loam, 1 to 3 percent slopes	Prime farmland
408B	Olin fine sandy loam, 2 to 5 percent slopes	Prime farmland
471	Oran loam, 1 to 3 percent slopes	Prime farmland
485	Spillville loam, 0 to 2 percent slopes, occasionally flooded	Prime farmland
582B	Kasson loam, 2 to 5 percent slopes	Prime farmland
582C	Kasson loam, 5 to 9 percent slopes	Farmland of statewide importance
585	Spillville-Coland complex, 0 to 2 percent slopes, occasionally flooded	Prime farmland where drained
620B	Port Byron silt loam, 2 to 5 percent slopes	Prime farmland
620C2	Port Byron silt loam, 5 to 9 percent slopes, moderately eroded	Farmland of statewide importance
626	Hayfield loam, 0 to 2 percent slopes, rarely flooded	Prime farmland
663B	Seaton silt loam, 2 to 5 percent slopes	Prime farmland
663C	Seaton silt loam, 5 to 9 percent slopes	Farmland of statewide importance

Soil Survey of Bremer County, Iowa—Part II

Prime Farmland and Other Important Farmland--Continued

Map symbol	Map unit name	Farmland classification
663D2	Seaton silt loam, 9 to 14 percent slopes, moderately eroded	Farmland of statewide importance
663D3	Seaton silt loam, 9 to 14 percent slopes, severely eroded	Farmland of statewide importance
663E2	Seaton silt loam, 14 to 18 percent slopes, moderately eroded	Farmland of statewide importance
663G	Seaton silt loam, 18 to 40 percent slopes	Farmland of statewide importance
775	Billett sandy loam, 0 to 2 percent slopes	Prime farmland
775B	Billett sandy loam, 2 to 5 percent slopes	Prime farmland
775C	Billett sandy loam, 5 to 9 percent slopes	Farmland of statewide importance
778	Sattre loam, 0 to 2 percent slopes, rarely flooded	Prime farmland
813B	Atkinson loam, 2 to 5 percent slopes	Prime farmland
813C	Atkinson loam, 5 to 9 percent slopes	Farmland of statewide importance
814B	Rockton loam, 2 to 5 percent slopes	Prime farmland
814C	Rockton loam, 5 to 9 percent slopes	Farmland of statewide importance
814D	Rockton loam, 9 to 14 percent slopes	Farmland of statewide importance
884	Klingmore silty clay loam, 1 to 3 percent slopes	Prime farmland
930	Orion silt loam, 0 to 2 percent slopes, occasionally flooded	Prime farmland
982	Maxmore silty clay loam, 0 to 2 percent slopes	Prime farmland where drained
1152	Marshan clay loam, 0 to 2 percent slopes, rarely flooded	Prime farmland where drained
1226	Lawler loam, 0 to 2 percent slopes, rarely flooded	Prime farmland
1585	Spillville, channeled-Coland, channeled-Aquolls, ponded, complex, 0 to 2 percent slopes, frequently flooded	Farmland of statewide importance
1586	Sigglekov-Fluvaquents, channeled-Aquents, ponded, complex, 0 to 2 percent slopes, frequently flooded	Farmland of statewide importance
8041	Sparta loamy sand, terrace, 0 to 2 percent slopes, rarely flooded	Farmland of statewide importance
8041B	Sparta loamy sand, terrace, 2 to 5 percent slopes, rarely flooded	Farmland of statewide importance
8175B	Dickinson fine sandy loam, terrace, 1 to 4 percent slopes, rarely flooded	Prime farmland

Agricultural Waste Management

The table “Agricultural Waste Management” is described in this section.

Soil properties are important considerations in areas where soils are used as sites for the treatment and disposal of organic waste and wastewater. Selection of soils with properties that favor waste management can help to prevent environmental damage.

This table shows the degree and kind of soil limitations affecting the treatment of agricultural waste, including municipal and food-processing wastewater and effluent from lagoons or storage ponds. Municipal wastewater is the waste stream from a municipality. It contains domestic waste and may contain industrial waste. It may have received primary or secondary treatment. It is rarely untreated sewage. Food-processing wastewater results from the preparation of fruits, vegetables, milk, cheese, and meats for public consumption. In places it is high in content of sodium and chloride. In the context of this table, the effluent in lagoons and storage ponds is from facilities used to treat or store food-processing wastewater or domestic or animal waste. Domestic and food-processing wastewater is very dilute, and the effluent from the facilities that treat or store it commonly is very low in content of carbonaceous and nitrogenous material; the content of nitrogen commonly ranges from 10 to 30 milligrams per liter. The wastewater from animal waste treatment lagoons or storage ponds, however, has much higher concentrations of these materials, mainly because the manure has not been diluted as much as the domestic waste. The content of nitrogen in this wastewater generally ranges from 50 to 2,000 milligrams per liter. When wastewater is applied, checks should be made to ensure that nitrogen, heavy metals, and salts are not added in excessive amounts.

The ratings in the table are for waste management systems that not only dispose of and treat organic waste or wastewater but also are beneficial to crops. The ratings are both verbal and numerical. Rating class terms indicate the extent to which the soils are limited by all of the soil features that affect agricultural waste management. *Not limited* indicates that the soil has features that are very favorable for the specified use. Good performance and very low maintenance can be expected. *Somewhat limited* indicates that the soil has features that are moderately favorable for the specified use. The limitations can be overcome or minimized by special planning, design, or installation. Fair performance and moderate maintenance can be expected. *Very limited* indicates that the soil has one or more features that are unfavorable for the specified use. The limitations generally cannot be overcome without major soil reclamation, special design, or expensive installation procedures. Poor performance and high maintenance can be expected.

Numerical ratings in the tables indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.01 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the use (1.00) and the point at which the soil feature is not a limitation (0.00).

Application of manure and food-processing waste not only disposes of waste material but also can improve crop production by increasing the supply of nutrients in the soils where the material is applied. Manure is the excrement of livestock and poultry, and food-processing waste is damaged fruit and vegetables and the peelings, stems, leaves, pits, and soil particles removed in food preparation. The manure and food-processing waste are solid, slurry, or liquid. Their nitrogen content varies. A high content of nitrogen limits the application rate. Toxic or otherwise dangerous wastes, such as those mixed with the lye used in food processing, are not considered in the ratings.

The ratings are based on the soil properties that affect absorption, plant growth, microbial activity, erodibility, the rate at which the waste is applied, and the method by which the waste is applied. The properties that affect absorption include permeability,

depth to a water table, ponding, the sodium adsorption ratio, depth to bedrock or a cemented pan, and available water capacity. The properties that affect plant growth and microbial activity include reaction, the sodium adsorption ratio, salinity, and bulk density. The wind erodibility group, the soil erosion factor K, and slope are considered in estimating the likelihood that wind erosion or water erosion will transport the waste material from the application site. Stones, cobbles, a water table, ponding, and flooding can hinder the application of waste. Permanently frozen soils are unsuitable for waste treatment.

Application of sewage sludge not only disposes of waste material but also can improve crop production by increasing the supply of nutrients in the soils where the material is applied. In the context of this table, sewage sludge is the residual product of the treatment of municipal sewage. The solid component consists mainly of cell mass, primarily bacteria cells that developed during secondary treatment and have incorporated soluble organics into their own bodies. The sludge has small amounts of sand, silt, and other solid debris. The content of nitrogen varies. Some sludge has constituents that are toxic to plants or hazardous to the food chain, such as heavy metals and exotic organic compounds, and should be analyzed chemically prior to use.

The content of water in the sludge ranges from about 98 percent to less than 40 percent. The sludge is considered liquid if it is more than about 90 percent water, slurry if it is about 50 to 90 percent water, and solid if it is less than about 50 percent water.

The ratings in the table are based on the soil properties that affect absorption, plant growth, microbial activity, erodibility, the rate at which the sludge is applied, and the method by which the sludge is applied. The properties that affect absorption, plant growth, and microbial activity include permeability, depth to a water table, ponding, the sodium adsorption ratio, depth to bedrock or a cemented pan, available water capacity, reaction, salinity, and bulk density. The wind erodibility group, the soil erosion factor K, and slope are considered in estimating the likelihood that wind erosion or water erosion will transport the waste material from the application site. Stones, cobbles, a water table, ponding, and flooding can hinder the application of sludge. Permanently frozen soils are unsuitable for waste treatment.

Disposal of wastewater by irrigation not only disposes of municipal wastewater and wastewater from food-processing plants, lagoons, and storage ponds but also can improve crop production by increasing the amount of water available to crops. The ratings in the table are based on the soil properties that affect the design, construction, management, and performance of the irrigation system. The properties that affect design and management include the sodium adsorption ratio, depth to a water table, ponding, available water capacity, permeability, slope, and flooding. The properties that affect construction include stones, cobbles, depth to bedrock or a cemented pan, depth to a water table, and ponding. The properties that affect performance include depth to bedrock or a cemented pan, bulk density, the sodium adsorption ratio, salinity, reaction, and the cation-exchange capacity, which is used to estimate the capacity of a soil to adsorb heavy metals. Permanently frozen soils are not suitable for disposal of wastewater by irrigation.

A soil feature considered in the ratings for application of manure, sewage sludge, and wastewater is depth to the top of a water table (saturated zone). During August, September, and October, this depth is generally more than 60 cm in normal years. For soils that are limited by wetness, “Nov-Jul” indicates the most problematic months of the year for application of manure, sewage sludge, and wastewater. These soils may be slow to drain and can become waterlogged and boggy during periods of heavy precipitation.

Soil Survey of Bremer County, Iowa—Part II

Agricultural Waste Management

(Onsite investigation may be needed to validate the interpretations in this table and to confirm the identity of the soil on a given site. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
41B: Sparta-----	80	Somewhat limited Leaching Too acid	0.45 0.02	Somewhat limited Too acid	0.07	Somewhat limited Too steep for surface application Too acid	0.08 0.07
41C: Sparta-----	80	Somewhat limited Leaching Too acid	0.45 0.02	Somewhat limited Too acid	0.07	Somewhat limited Too steep for surface application Too acid Too steep for sprinkler application	0.92 0.07 0.02
43: Bremer-----	100	Very limited Depth to saturated zone (Nov-Jul)	1.00	Very limited Depth to saturated zone (Nov-Jul) Flooding	1.00 0.40	Very limited Depth to saturated zone (Nov-Jul)	1.00
50B: Coloma-----	85	Somewhat limited Leaching Droughty Too acid	0.45 0.24 0.18	Somewhat limited Too acid Flooding Droughty	0.67 0.40 0.24	Somewhat limited Too acid Droughty	0.67 0.24
63B: Chelsea-----	90	Somewhat limited Leaching Droughty	0.45 0.06	Somewhat limited Droughty	0.06	Somewhat limited Too steep for surface application Droughty	0.08 0.06
63C: Chelsea-----	85	Somewhat limited Leaching Droughty	0.45 0.06	Somewhat limited Droughty	0.06	Somewhat limited Too steep for surface application Droughty Too steep for sprinkler application	0.92 0.06 0.02

Soil Survey of Bremer County, Iowa—Part II

Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
63E: Chelsea-----	85	Very limited Slope Leaching Droughty	1.00 0.45 0.06	Very limited Slope Droughty	1.00 0.06	Very limited Too steep for surface application Too steep for sprinkler application Droughty	1.00 1.00 0.06
83B: Kenyon-----	75	Very limited Slow water movement Dense layer	1.00 1.00	Very limited Slow water movement	1.00	Very limited Slow water movement	1.00
83C: Kenyon-----	75	Very limited Slow water movement Dense layer	1.00 1.00	Very limited Slow water movement	1.00	Very limited Slow water movement Too steep for surface application Too steep for sprinkler application	1.00 0.92 0.02
84: Clyde-----	80	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Leaching	1.00 1.00 0.70	Very limited Slow water movement Depth to saturated zone (Nov-Jul)	1.00 1.00	Very limited Slow water movement Depth to saturated zone (Nov-Jul)	1.00 1.00
109B: Backbone-----	100	Somewhat limited Droughty Depth to bedrock	0.84 0.46	Somewhat limited Droughty Depth to bedrock	0.84 0.46	Somewhat limited Droughty Depth to bedrock Too steep for surface application	0.84 0.46 0.08
109C: Backbone-----	100	Somewhat limited Droughty Depth to bedrock	0.84 0.46	Somewhat limited Droughty Depth to bedrock	0.84 0.46	Somewhat limited Too steep for surface application Droughty Depth to bedrock	0.92 0.84 0.46

Soil Survey of Bremer County, Iowa—Part II

Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food-processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
109D: Backbone-----	100	Somewhat limited Droughty Slope Depth to bedrock	 0.84 0.63 0.46	Somewhat limited Droughty Slope Depth to bedrock	 0.84 0.63 0.46	Very limited Too steep for surface application Droughty Too steep for sprinkler application	 1.00 0.84 0.78
127: Plano, rarely flooded-----	85	Not limited		Somewhat limited Flooding	0.40	Not limited	
135: Coland, occasionally flooded-----	85	Very limited Depth to saturated zone (Nov-Jul) Leaching Flooding	 1.00 0.70 0.60	Very limited Depth to saturated zone (Nov-Jul) Flooding	 1.00 1.00	Very limited Depth to saturated zone (Nov-Jul) Flooding	 1.00 0.60
153: Shandep, ponded, occasionally flooded-----	75	Very limited Depth to saturated zone (Nov-Jul) Ponding Leaching	 1.00 1.00 0.70	Very limited Depth to saturated zone (Nov-Jul) Ponding Flooding	 1.00 1.00 0.40	Very limited Depth to saturated zone (Nov-Jul) Ponding	 1.00 1.00
173: Hoopeston, rarely flooded-----	100	Very limited Filtering capacity Depth to saturated zone (Nov-Jul) Too acid	 1.00 1.00 0.02	Very limited Filtering capacity Depth to saturated zone (Nov-Jul) Flooding	 1.00 1.00 0.40	Very limited Filtering capacity Depth to saturated zone (Nov-Jul) Too acid	 1.00 1.00 0.07
175B: Dickinson-----	90	Somewhat limited Leaching Droughty	 0.45 0.05	Somewhat limited Droughty	0.05	Somewhat limited Too steep for surface application Droughty	 0.08 0.05
175C: Dickinson-----	100	Somewhat limited Leaching Droughty	 0.45 0.05	Somewhat limited Droughty	0.05	Somewhat limited Too steep for surface application Droughty Too steep for sprinkler application	 0.92 0.05 0.02

Soil Survey of Bremer County, Iowa—Part II

Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
178: Waukee, rarely flooded-----	85	Somewhat limited Too acid	0.03	Somewhat limited Flooding Too acid	0.40 0.14	Somewhat limited Too acid	0.14
178B: Waukee, rarely flooded-----	95	Somewhat limited Too acid	0.03	Somewhat limited Flooding Too acid	0.40 0.14	Somewhat limited Too acid Too steep for surface application	0.14 0.08
178C: Waukee, rarely flooded-----	95	Somewhat limited Too acid	0.03	Somewhat limited Flooding Too acid	0.40 0.14	Somewhat limited Too steep for surface application Too acid Too steep for sprinkler application	0.92 0.14 0.02
184: Klinger-----	100	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Too acid	1.00 1.00 0.02	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Too acid	1.00 1.00 0.07	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Too acid	1.00 1.00 0.07
198B: Floyd-----	90	Very limited Slow water movement Depth to saturated zone (Nov-Jul)	1.00 1.00	Very limited Slow water movement Depth to saturated zone (Nov-Jul)	1.00 1.00	Very limited Slow water movement Depth to saturated zone (Nov-Jul)	1.00 1.00
221: Klossner-----	100	Very limited Depth to saturated zone (Nov-Jul) Leaching Too acid	1.00 0.90 0.02	Very limited Depth to saturated zone (Nov-Jul) Too acid	1.00 0.07	Very limited Depth to saturated zone (Nov-Jul) Too acid	1.00 0.07
284B: Flagler-----	90	Very limited Filtering capacity Leaching Droughty	1.00 0.45 0.13	Very limited Filtering capacity Flooding Droughty	1.00 0.40 0.13	Very limited Filtering capacity Droughty	1.00 0.13

Soil Survey of Bremer County, Iowa—Part II

Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
285: Burkhardt-----	100	Somewhat limited Droughty Leaching Too acid	0.91 0.45 0.02	Somewhat limited Droughty Flooding Too acid	0.91 0.40 0.07	Somewhat limited Droughty Too acid	0.91 0.07
285C: Burkhardt-----	100	Somewhat limited Droughty Leaching Too acid	0.91 0.45 0.02	Somewhat limited Droughty Flooding Too acid	0.91 0.40 0.07	Somewhat limited Droughty Too steep for surface application Too acid	0.91 0.32 0.07
323B: Fort Dodge-----	85	Not limited		Not limited		Not limited	
344D: Copaston-----	90	Very limited Depth to bedrock Droughty Runoff	1.00 1.00 0.40	Very limited Depth to bedrock Droughty Slope	1.00 1.00 0.04	Very limited Depth to bedrock Droughty Too steep for surface application	1.00 1.00 1.00
344G: Copaston-----	85	Very limited Depth to bedrock Droughty Slope	1.00 1.00 1.00	Very limited Depth to bedrock Droughty Slope	1.00 1.00 1.00	Very limited Too steep for surface application Depth to bedrock Droughty	1.00 1.00 1.00
354: Aquolls, ponded----	90	Not rated		Not rated		Not rated	
377B: Dinsdale-----	90	Very limited Slow water movement Too acid	1.00 0.02	Very limited Slow water movement Too acid	1.00 0.07	Very limited Slow water movement Too acid	1.00 0.07
377C: Dinsdale-----	90	Very limited Slow water movement Too acid	1.00 0.02	Very limited Slow water movement Too acid	1.00 0.07	Very limited Slow water movement Too steep for surface application Too acid	1.00 0.92 0.07
382: Maxfield-----	100	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Leaching	1.00 1.00 0.70	Very limited Slow water movement Depth to saturated zone (Nov-Jul)	1.00 1.00	Very limited Slow water movement Depth to saturated zone (Nov-Jul)	1.00 1.00

Soil Survey of Bremer County, Iowa—Part II

Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
391B: Clyde-----	60	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Leaching	1.00 1.00 0.70	Very limited Slow water movement Depth to saturated zone (Nov-Jul)	1.00 1.00	Very limited Slow water movement Depth to saturated zone (Nov-Jul)	1.00 1.00
Floyd-----	35	Very limited Slow water movement Depth to saturated zone (Nov-Jul)	1.00 1.00	Very limited Slow water movement Depth to saturated zone (Nov-Jul)	1.00 1.00	Very limited Slow water movement Depth to saturated zone (Nov-Jul)	1.00 1.00
394B: Ostrander-----	75	Very limited Slow water movement	1.00	Very limited Slow water movement	1.00	Very limited Slow water movement Too steep for surface application	1.00 0.08
394C: Ostrander-----	85	Very limited Slow water movement	1.00	Very limited Slow water movement	1.00	Very limited Slow water movement Too steep for surface application	1.00 0.68
395B: Marquis-----	80	Very limited Slow water movement Depth to saturated zone (Nov-Jul)	1.00 1.00	Very limited Slow water movement Depth to saturated zone (Nov-Jul)	1.00 1.00	Very limited Slow water movement Depth to saturated zone (Nov-Jul)	1.00 1.00
398: Tripoli-----	90	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Leaching	1.00 1.00 0.70	Very limited Slow water movement Depth to saturated zone (Nov-Jul)	1.00 1.00	Very limited Slow water movement Depth to saturated zone (Nov-Jul)	1.00 1.00
399: Readlyn-----	85	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Too acid	1.00 1.00 0.02	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Too acid	1.00 1.00 0.07	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Too acid	1.00 1.00 0.07

Soil Survey of Bremer County, Iowa—Part II

Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
408B: Olin-----	80	Very limited Slow water movement	1.00	Very limited Slow water movement	1.00	Very limited Slow water movement Too steep for surface application	1.00 0.08
471: Oran-----	85	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Dense layer	1.00 1.00 1.00	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Too acid	1.00 1.00 0.07	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Too acid	1.00 1.00 0.07
485: Spillville, occasionally flooded-----	80	Very limited Depth to saturated zone (Nov-Jul) Flooding	1.00 0.60	Very limited Depth to saturated zone (Nov-Jul) Flooding	1.00 1.00	Very limited Depth to saturated zone (Nov-Jul) Flooding	1.00 0.60
582B: Kasson-----	90	Very limited Slow water movement Dense layer Depth to saturated zone (Nov-Jul)	1.00 1.00 1.00	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Too acid	1.00 1.00 0.07	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Too steep for surface application	1.00 1.00 0.08
582C: Kasson-----	80	Very limited Slow water movement Dense layer Depth to saturated zone (Nov-Jul)	1.00 1.00 1.00	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Too acid	1.00 1.00 0.07	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Too steep for surface application	1.00 1.00 0.92
585: Spillville, occasionally flooded-----	50	Very limited Depth to saturated zone (Nov-Jul) Flooding	1.00 0.60	Very limited Depth to saturated zone (Nov-Jul) Flooding	1.00 1.00	Very limited Depth to saturated zone (Nov-Jul) Flooding	1.00 0.60

Soil Survey of Bremer County, Iowa—Part II

Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
585: Coland, occasionally flooded-----	30	Very limited Depth to saturated zone (Nov-Jul) Leaching Flooding	1.00 0.70 0.60	Very limited Depth to saturated zone (Nov-Jul) Flooding	1.00 1.00	Very limited Depth to saturated zone (Nov-Jul) Flooding	1.00 0.60
620B: Port Byron-----	90	Not limited		Not limited		Somewhat limited Too steep for surface application	0.08
620C2: Port Byron-----	100	Not limited		Not limited		Somewhat limited Too steep for surface application Too steep for sprinkler application	0.92 0.02
626: Hayfield, rarely flooded-----	90	Very limited Depth to saturated zone (Nov-Jul)	1.00	Very limited Depth to saturated zone (Nov-Jul) Flooding	1.00 0.40	Very limited Depth to saturated zone (Nov-Jul)	1.00
663B: Seaton-----	100	Not limited		Not limited		Not limited	
663C: Seaton-----	100	Not limited		Not limited		Somewhat limited Too steep for surface application Too steep for sprinkler application	0.92 0.02
663D2: Seaton, moderately eroded-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Too steep for surface application Too steep for sprinkler application	1.00 0.78

Soil Survey of Bremer County, Iowa—Part II

Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
663D3: Seaton, severely eroded-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Too steep for surface application Too steep for sprinkler application	1.00 0.78
663E2: Seaton, moderately eroded-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Too steep for surface application Too steep for sprinkler application	1.00 1.00
663G: Seaton-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Too steep for sprinkler application Too steep for surface application	1.00 1.00
775: Billett-----	100	Very limited Filtering capacity Leaching Too acid	1.00 0.45 0.02	Very limited Filtering capacity Too acid	1.00 0.07	Very limited Filtering capacity Too acid	1.00 0.07
775B: Billett-----	100	Very limited Filtering capacity Leaching Too acid	1.00 0.45 0.02	Very limited Filtering capacity Too acid	1.00 0.07	Very limited Filtering capacity Too steep for surface application Too acid	1.00 0.08 0.07
775C: Billett-----	100	Very limited Filtering capacity Leaching Too acid	1.00 0.45 0.02	Very limited Filtering capacity Too acid	1.00 0.07	Very limited Filtering capacity Too steep for surface application Too acid	1.00 0.92 0.07
778: Sattre, rarely flooded-----	85	Somewhat limited Too acid	0.01	Somewhat limited Flooding Too acid	0.40 0.03	Somewhat limited Too acid	0.03

Soil Survey of Bremer County, Iowa—Part II

Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
813B: Atkinson-----	90	Very limited Slow water movement Too acid	1.00 0.03	Very limited Slow water movement Too acid	1.00 0.14	Very limited Slow water movement Too acid	1.00 0.14
813C: Atkinson-----	85	Very limited Slow water movement Too acid	1.00 0.03	Very limited Slow water movement Too acid	1.00 0.14	Very limited Slow water movement Too steep for surface application Too acid	1.00 0.92 0.14
814B: Rockton-----	90	Very limited Slow water movement Depth to bedrock Too acid	1.00 0.35 0.02	Very limited Slow water movement Depth to bedrock Too acid	1.00 0.35 0.07	Very limited Slow water movement Depth to bedrock Too acid	1.00 0.35 0.07
814C: Rockton-----	85	Very limited Slow water movement Depth to bedrock Too acid	1.00 0.35 0.02	Very limited Slow water movement Depth to bedrock Too acid	1.00 0.35 0.07	Very limited Slow water movement Too steep for surface application Depth to bedrock	1.00 0.92 0.35
814D: Rockton-----	90	Very limited Slow water movement Slope Depth to bedrock	1.00 0.63 0.35	Very limited Slow water movement Slope Depth to bedrock	1.00 0.63 0.35	Very limited Slow water movement Too steep for surface application Too steep for sprinkler application	1.00 1.00 0.78
884: Klingmore-----	100	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Too acid	1.00 1.00 0.02	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Too acid	1.00 1.00 0.07	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Too acid	1.00 1.00 0.07
930: Orion, occasionally flooded-----	100	Very limited Depth to saturated zone (Nov-Jul) Flooding	1.00 0.60	Very limited Depth to saturated zone (Nov-Jul) Flooding	1.00 1.00	Very limited Depth to saturated zone (Nov-Jul) Flooding	1.00 0.60

Soil Survey of Bremer County, Iowa—Part II

Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
982: Maxmore-----	100	Very limited Slow water movement Depth to saturated zone (Nov-Jul) Leaching	1.00 1.00 0.70	Very limited Slow water movement Depth to saturated zone (Nov-Jul)	1.00 1.00	Very limited Slow water movement Depth to saturated zone (Nov-Jul)	1.00 1.00
1152: Marshan, rarely flooded-----	75	Very limited Depth to saturated zone (Nov-Jul) Leaching	1.00 0.70	Very limited Depth to saturated zone (Nov-Jul) Flooding	1.00 0.40	Very limited Depth to saturated zone (Nov-Jul)	1.00
1226: Lawler, rarely flooded-----	80	Very limited Depth to saturated zone (Nov-Jul)	1.00	Very limited Depth to saturated zone (Nov-Jul) Flooding	1.00 0.40	Very limited Depth to saturated zone (Nov-Jul)	1.00
1585: Spillville, channeled-----	40	Very limited Depth to saturated zone (Nov-Jul) Flooding	1.00 1.00	Very limited Depth to saturated zone (Nov-Jul) Flooding	1.00 1.00	Very limited Depth to saturated zone (Nov-Jul) Flooding	1.00 1.00
Coland, channeled---	35	Very limited Depth to saturated zone (Nov-Jul) Flooding Leaching	1.00 1.00 0.70	Very limited Depth to saturated zone (Nov-Jul) Flooding	1.00 1.00	Very limited Depth to saturated zone (Nov-Jul) Flooding	1.00 1.00
Aquolls, ponded-----	15	Not rated		Not rated		Not rated	
1586: Sigglekov, frequently flooded	55	Very limited Depth to saturated zone (Nov-Jul) Flooding Droughty	1.00 1.00 0.96	Very limited Depth to saturated zone (Nov-Jul) Flooding Droughty	1.00 1.00 0.96	Very limited Depth to saturated zone (Nov-Jul) Flooding Droughty	1.00 1.00 0.96
Fluvaquents, frequently flooded	30	Not rated		Not rated		Not rated	
Aquents, ponded-----	15	Not rated		Not rated		Not rated	
4946: Udorthents-----	65	Not rated		Not rated		Not rated	
Interstate highway--	35	Not rated		Not rated		Not rated	

Soil Survey of Bremer County, Iowa—Part II

Agricultural Waste Management--Continued

Map symbol and soil name	Pct. of map unit	Application of manure and food- processing waste		Application of sewage sludge		Disposal of wastewater by irrigation	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5010: Pits, sand and gravel-----	100	Not rated		Not rated		Not rated	
5030: Pits, limestone quarries-----	100	Not rated		Not rated		Not rated	
5040: Udorthents, loamy---	100	Not rated		Not rated		Not rated	
5080: Udorthents, sanitary landfill-----	100	Not rated		Not rated		Not rated	
8041: Sparta, terrace, rarely flooded----	80	Somewhat limited Leaching Too acid	0.45 0.02	Somewhat limited Flooding Too acid	0.40 0.07	Somewhat limited Too acid	0.07
8041B: Sparta, terrace, rarely flooded----	80	Somewhat limited Leaching Too acid	0.45 0.02	Somewhat limited Flooding Too acid	0.40 0.07	Somewhat limited Too acid	0.07
8175B: Dickinson, terrace, rarely flooded----	100	Very limited Filtering capacity Leaching Droughty	1.00 0.45 0.05	Very limited Filtering capacity Flooding Droughty	1.00 0.40 0.05	Very limited Filtering capacity Too steep for surface application Droughty	1.00 0.08 0.05
AW: Animal waste lagoon	100	Not rated		Not rated		Not rated	
SL: Sewage lagoon-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	

Recreational Development

The titles of the tables described in this section are:

- “Camp Areas, Picnic Areas, and Playgrounds”
- “Paths, Trails, and Golf Fairways”

In the tables described in this section, the soils of the survey area are rated according to limitations that affect their suitability for recreational development. The ratings are both verbal and numerical. Rating class terms indicate the extent to which the soils are limited by all of the soil features that affect the recreational uses. *Not limited* indicates that the soil has features that are very favorable for the specified use. Good performance and very low maintenance can be expected. *Somewhat limited* indicates that the soil has features that are moderately favorable for the specified use. The limitations can be overcome or minimized by special planning, design, or installation. Fair performance and moderate maintenance can be expected. *Very limited* indicates that the soil has one or more features that are unfavorable for the specified use. The limitations generally cannot be overcome without major soil reclamation, special design, or expensive installation procedures. Poor performance and high maintenance can be expected.

Numerical ratings in the tables indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.01 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the use (1.00) and the point at which the soil feature is not a limitation (0.00).

The ratings in the tables are based on restrictive soil features, such as wetness, slope, and texture of the surface layer. Susceptibility to flooding is considered. Not considered in the ratings, but important in evaluating a site, are the location and accessibility of the area, the size and shape of the area and its scenic quality, vegetation, access to water, potential water impoundment sites, and access to public sewer lines. The capacity of the soil to absorb septic tank effluent and the ability of the soil to support vegetation also are important. Soils that are subject to flooding are limited for recreational uses by the duration and intensity of flooding and the season when flooding occurs. In planning recreational facilities, onsite assessment of the height, duration, intensity, and frequency of flooding is essential.

The information in these tables can be supplemented by other information in this survey, for example, interpretations for dwellings without basements, for local roads and streets, and for septic tank absorption fields.

Camp areas require site preparation, such as shaping and leveling the tent and parking areas, stabilizing roads and intensively used areas, and installing sanitary facilities and utility lines. Camp areas are subject to heavy foot traffic and some vehicular traffic. The ratings are based on the soil properties that affect the ease of developing camp areas and the performance of the areas after development. Slope, stoniness, and depth to bedrock or a cemented pan are the main concerns affecting the development of camp areas. The soil properties that affect the performance of the areas after development are those that influence trafficability and promote the growth of vegetation, especially in heavily used areas. For good trafficability, the surface of camp areas should absorb rainfall readily, remain firm under heavy foot traffic, and

not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Picnic areas are subject to heavy foot traffic. Most vehicular traffic is confined to access roads and parking areas. The ratings are based on the soil properties that affect the ease of developing picnic areas and that influence trafficability and the growth of vegetation after development. Slope and stoniness are the main concerns affecting the development of picnic areas. For good trafficability, the surface of picnic areas should absorb rainfall readily, remain firm under heavy foot traffic, and not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Playgrounds require soils that are nearly level, are free of stones, and can withstand intensive foot traffic. The ratings are based on the soil properties that affect the ease of developing playgrounds and that influence trafficability and the growth of vegetation after development. Slope and stoniness are the main concerns affecting the development of playgrounds. For good trafficability, the surface of the playgrounds should absorb rainfall readily, remain firm under heavy foot traffic, and not be dusty when dry. The soil properties that influence trafficability are texture of the surface layer, depth to a water table, ponding, flooding, permeability, and large stones. The soil properties that affect the growth of plants are depth to bedrock or a cemented pan, permeability, and toxic substances in the soil.

Paths and trails for hiking and horseback riding should require little or no slope modification through cutting and filling. The ratings are based on the soil properties that affect trafficability and erodibility. These properties are stoniness, depth to a water table, ponding, flooding, slope, and texture of the surface layer.

Off-road motorcycle trails require little or no site preparation. They are not covered with surfacing material or vegetation. Considerable compaction of the soil material is likely. The ratings are based on the soil properties that influence erodibility, trafficability, dustiness, and the ease of revegetation. These properties are stoniness, slope, depth to a water table, ponding, flooding, and texture of the surface layer.

Golf fairways are subject to heavy foot traffic and some light vehicular traffic. Cutting or filling may be required. Irrigation is not considered in the ratings. The ratings are based on the soil properties that affect plant growth and trafficability after vegetation is established. The properties that affect plant growth are reaction; depth to a water table; ponding; depth to bedrock or a cemented pan; the available water capacity in the upper 40 inches; the content of salts, sodium, or calcium carbonate; and sulfidic materials. The properties that affect trafficability are flooding, depth to a water table, ponding, slope, stoniness, and the amount of sand, clay, or organic matter in the surface layer. The suitability of the soil for traps, tees, roughs, and greens is not considered in the ratings.

Soil Survey of Bremer County, Iowa—Part II

Camp Areas, Picnic Areas, and Playgrounds

(Onsite investigation may be needed to validate the interpretations in this table and to confirm the identity of the soil on a given site. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
41B: Sparta-----	80	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy Slope Gravel content	0.95 0.50 0.22
41C: Sparta-----	80	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Too sandy Gravel content	1.00 0.95 0.22
43: Bremer-----	100	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
50B: Coloma-----	85	Very limited Flooding Too sandy	1.00 0.88	Somewhat limited Too sandy	0.88	Somewhat limited Too sandy Slope	0.88 0.12
63B: Chelsea-----	90	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy Slope	0.95 0.50
63C: Chelsea-----	85	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Very limited Slope Too sandy	1.00 0.95
63E: Chelsea-----	85	Very limited Slope Too sandy	1.00 0.95	Very limited Slope Too sandy	1.00 0.95	Very limited Slope Too sandy	1.00 0.95
83B: Kenyon-----	75	Somewhat limited Slow water movement	0.99	Somewhat limited Slow water movement	0.99	Somewhat limited Slow water movement Slope	0.99 0.12
83C: Kenyon-----	75	Somewhat limited Slow water movement	0.99	Somewhat limited Slow water movement	0.99	Very limited Slope Slow water movement	1.00 0.99
84: Clyde-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Soil Survey of Bremer County, Iowa—Part II

Camp Areas, Picnic Areas, and Playgrounds--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
109B: Backbone-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
						Depth to bedrock	0.46
109C: Backbone-----	100	Not limited		Not limited		Very limited Slope	1.00
						Depth to bedrock	0.46
109D: Backbone-----	100	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
						Depth to bedrock	0.46
127: Plano, rarely flooded-----	85	Very limited Flooding	1.00	Not limited		Not limited	
135: Coland, occasionally flooded-----	85	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
153: Shandep, ponded, occasionally flooded-----	75	Very limited Depth to saturated zone Flooding Ponding	1.00 1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00
173: Hoopeston, rarely flooded-----	100	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
175B: Dickinson-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
175C: Dickinson-----	100	Not limited		Not limited		Very limited Slope	1.00
178: Waukee, rarely flooded-----	85	Very limited Flooding	1.00	Not limited		Not limited	
178B: Waukee, rarely flooded-----	95	Very limited Flooding	1.00	Not limited		Somewhat limited Slope	0.50

Soil Survey of Bremer County, Iowa—Part II

Camp Areas, Picnic Areas, and Playgrounds--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
178C: Waukee, rarely flooded-----	95	Very limited Flooding	1.00	Not limited		Very limited Slope	1.00
184: Klinger-----	100	Very limited Depth to saturated zone Slow water movement	1.00 0.99	Very limited Depth to saturated zone Slow water movement	1.00 0.99	Very limited Depth to saturated zone Slow water movement	1.00 0.99
198B: Floyd-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope	1.00 0.12
221: Klossner-----	100	Not rated		Not rated		Not rated	
284B: Flagler-----	90	Very limited Flooding	1.00	Not limited		Somewhat limited Gravel content	0.04
285: Burkhardt-----	100	Very limited Flooding	1.00	Not limited		Not limited	
285C: Burkhardt-----	100	Very limited Flooding	1.00	Not limited		Somewhat limited Slope	0.88
323B: Fort Dodge-----	85	Not limited		Not limited		Not limited	
344D: Copaston-----	90	Very limited Depth to bedrock Slope	1.00 0.04	Very limited Depth to bedrock Slope	1.00 0.04	Very limited Depth to bedrock Slope Gravel content	1.00 1.00 0.27
344G: Copaston-----	85	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope Depth to bedrock	1.00 1.00	Very limited Slope Depth to bedrock Gravel content	1.00 1.00 0.27
354: Aquolls, ponded----	90	Not rated		Not rated		Not rated	
377B: Dinsdale-----	90	Somewhat limited Slow water movement	0.99	Somewhat limited Slow water movement	0.99	Somewhat limited Slow water movement Slope	0.99 0.12

Soil Survey of Bremer County, Iowa—Part II

Camp Areas, Picnic Areas, and Playgrounds--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
377C: Dinsdale-----	90	Somewhat limited Slow water movement	0.99	Somewhat limited Slow water movement	0.99	Very limited Slope Slow water movement	1.00 0.99
382: Maxfield-----	100	Very limited Depth to saturated zone Slow water movement	1.00 0.99	Very limited Depth to saturated zone Slow water movement	1.00 0.99	Very limited Depth to saturated zone Slow water movement	1.00 0.99
391B: Clyde-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Floyd-----	35	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Slope	1.00 0.12
394B: Ostrander-----	75	Somewhat limited Slow water movement	0.99	Somewhat limited Slow water movement	0.99	Somewhat limited Slow water movement Slope	0.99 0.50
394C: Ostrander-----	85	Somewhat limited Slow water movement	0.99	Somewhat limited Slow water movement	0.99	Very limited Slope Slow water movement	1.00 0.99
395B: Marquis-----	80	Somewhat limited Slow water movement Depth to saturated zone	0.99 0.39	Somewhat limited Slow water movement Depth to saturated zone	0.99 0.19	Somewhat limited Slow water movement Depth to saturated zone Slope	0.99 0.39 0.12
398: Tripoli-----	90	Very limited Depth to saturated zone Slow water movement	1.00 0.99	Very limited Depth to saturated zone Slow water movement	1.00 0.99	Very limited Depth to saturated zone Slow water movement	1.00 0.99
399: Readlyn-----	85	Very limited Depth to saturated zone Slow water movement	1.00 0.99	Very limited Depth to saturated zone Slow water movement	1.00 0.99	Very limited Depth to saturated zone Slow water movement	1.00 0.99

Soil Survey of Bremer County, Iowa—Part II

Camp Areas, Picnic Areas, and Playgrounds--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
408B: Olin-----	80	Somewhat limited Slow water movement	0.99	Somewhat limited Slow water movement	0.99	Somewhat limited Slow water movement Slope	0.99 0.50
471: Oran-----	85	Very limited Depth to saturated zone Slow water movement	1.00 0.99	Very limited Depth to saturated zone Slow water movement	1.00 0.99	Very limited Depth to saturated zone Slow water movement	1.00 0.99
485: Spillville, occasionally flooded-----	80	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
582B: Kasson-----	90	Somewhat limited Slow water movement Depth to saturated zone	0.99 0.39	Somewhat limited Slow water movement Depth to saturated zone	0.99 0.19	Somewhat limited Slow water movement Slope Depth to saturated zone	0.99 0.50 0.39
582C: Kasson-----	80	Somewhat limited Slow water movement Depth to saturated zone	0.99 0.39	Somewhat limited Slow water movement Depth to saturated zone	0.99 0.19	Very limited Slope Slow water movement Depth to saturated zone	1.00 0.99 0.39
585: Spillville, occasionally flooded-----	50	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Coland, occasionally flooded-----	30	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
620B: Port Byron-----	90	Not limited		Not limited		Somewhat limited Slope	0.50
620C2: Port Byron-----	100	Not limited		Not limited		Very limited Slope	1.00

Soil Survey of Bremer County, Iowa—Part II

Camp Areas, Picnic Areas, and Playgrounds--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
626: Hayfield, rarely flooded-----	90	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
663B: Seaton-----	100	Not limited		Not limited		Somewhat limited Slope	0.12
663C: Seaton-----	100	Not limited		Not limited		Very limited Slope	1.00
663D2: Seaton, moderately eroded-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
663D3: Seaton, severely eroded-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
663E2: Seaton, moderately eroded-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
663G: Seaton-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
775: Billett-----	100	Not limited		Not limited		Not limited	
775B: Billett-----	100	Not limited		Not limited		Somewhat limited Slope	0.50
775C: Billett-----	100	Not limited		Not limited		Very limited Slope	1.00
778: Sattre, rarely flooded-----	85	Very limited Flooding	1.00	Not limited		Not limited	
813B: Atkinson-----	90	Not limited		Not limited		Somewhat limited Slope	0.12
813C: Atkinson-----	85	Not limited		Not limited		Very limited Slope	1.00

Soil Survey of Bremer County, Iowa—Part II

Camp Areas, Picnic Areas, and Playgrounds--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
814B: Rockton-----	90	Somewhat limited Slow water movement	0.99	Somewhat limited Slow water movement	0.99	Somewhat limited Slow water movement Depth to bedrock Slope	0.99 0.35 0.12
814C: Rockton-----	85	Somewhat limited Slow water movement	0.99	Somewhat limited Slow water movement	0.99	Very limited Slope Slow water movement Depth to bedrock	1.00 0.99 0.35
814D: Rockton-----	90	Somewhat limited Slow water movement Slope	0.99 0.63	Somewhat limited Slow water movement Slope	0.99 0.63	Very limited Slope Slow water movement Depth to bedrock	1.00 0.99 0.35
884: Klingmore-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
930: Orion, occasionally flooded-----	100	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
982: Maxmore-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1152: Marshan, rarely flooded-----	75	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1226: Lawler, rarely flooded-----	80	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1585: Spillville, channeled-----	40	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 1.00

Soil Survey of Bremer County, Iowa—Part II

Camp Areas, Picnic Areas, and Playgrounds--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1585: Coland, channeled---	35	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 1.00
Aquolls, ponded-----	15	Not rated		Not rated		Not rated	
1586: Sigglekov, frequently flooded	55	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 1.00
Fluvaquents, frequently flooded	30	Not rated		Not rated		Not rated	
Aquents, ponded-----	15	Not rated		Not rated		Not rated	
4946: Udorthents-----	65	Not rated		Not rated		Not rated	
Interstate highway--	35	Not rated		Not rated		Not rated	
5010: Pits, sand and gravel-----	100	Not rated		Not rated		Not rated	
5030: Pits, limestone quarries-----	100	Not rated		Not rated		Not rated	
5040: Udorthents, loamy---	100	Not rated		Not rated		Not rated	
5080: Udorthents, sanitary landfill-----	100	Not rated		Not rated		Not rated	
8041: Sparta, terrace, rarely flooded-----	80	Very limited Flooding Too sandy	1.00 0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy Gravel content	0.95 0.22
8041B: Sparta, terrace, rarely flooded-----	80	Very limited Flooding Too sandy	1.00 0.95	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy Gravel content Slope	0.95 0.22 0.12
8175B: Dickinson, terrace, rarely flooded-----	100	Very limited Flooding	1.00	Not limited		Somewhat limited Slope	0.50

Soil Survey of Bremer County, Iowa—Part II

Camp Areas, Picnic Areas, and Playgrounds--Continued

Map symbol and soil name	Pct. of map unit	Camp areas		Picnic areas		Playgrounds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
AW: Animal waste lagoon	100	Not rated		Not rated		Not rated	
SL: Sewage lagoon-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	

Soil Survey of Bremer County, Iowa—Part II

Paths, Trails, and Golf Fairways

(Onsite investigation may be needed to validate the interpretations in this table and to confirm the identity of the soil on a given site. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
41B: Sparta-----	80	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.07
41C: Sparta-----	80	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.07
43: Bremer-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
50B: Coloma-----	85	Somewhat limited Too sandy	0.88	Somewhat limited Too sandy	0.88	Somewhat limited Droughty	0.89
63B: Chelsea-----	90	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.28
63C: Chelsea-----	85	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.28
63E: Chelsea-----	85	Somewhat limited Too sandy Slope	0.95 0.02	Somewhat limited Too sandy	0.95	Very limited Slope Droughty	1.00 0.28
83B: Kenyon-----	75	Not limited		Not limited		Not limited	
83C: Kenyon-----	75	Not limited		Not limited		Not limited	
84: Clyde-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
109B: Backbone-----	100	Not limited		Not limited		Somewhat limited Depth to bedrock Droughty	0.46 0.02
109C: Backbone-----	100	Not limited		Not limited		Somewhat limited Depth to bedrock Droughty	0.46 0.02

Soil Survey of Bremer County, Iowa—Part II

Paths, Trails, and Golf Fairways--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
109D: Backbone-----	100	Not limited		Not limited		Somewhat limited Slope Depth to bedrock Droughty	0.63 0.46 0.02
127: Plano, rarely flooded-----	85	Not limited		Not limited		Not limited	
135: Coland, occasionally flooded-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 1.00 0.60
153: Shandep, ponded, occasionally flooded-----	75	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00 1.00
173: Hoopeston, rarely flooded-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
175B: Dickinson-----	90	Not limited		Not limited		Not limited	
175C: Dickinson-----	100	Not limited		Not limited		Not limited	
178: Waukee, rarely flooded-----	85	Not limited		Not limited		Not limited	
178B: Waukee, rarely flooded-----	95	Not limited		Not limited		Not limited	
178C: Waukee, rarely flooded-----	95	Not limited		Not limited		Not limited	
184: Klinger-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
198B: Floyd-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Soil Survey of Bremer County, Iowa—Part II

Paths, Trails, and Golf Fairways--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
221: Klossner-----	100	Not rated		Not rated		Very limited Depth to saturated zone	1.00
284B: Flagler-----	90	Not limited		Not limited		Not limited	
285: Burkhardt-----	100	Not limited		Not limited		Somewhat limited Droughty	0.52
285C: Burkhardt-----	100	Not limited		Not limited		Somewhat limited Droughty	0.52
323B: Fort Dodge-----	85	Not limited		Not limited		Not limited	
344D: Copaston-----	90	Not limited		Not limited		Very limited Depth to bedrock Droughty Slope	1.00 0.57 0.04
344G: Copaston-----	85	Somewhat limited Slope	0.50	Not limited		Very limited Depth to bedrock Slope Droughty	1.00 1.00 0.57
354: Aquolls, ponded----	90	Not rated		Not rated		Not rated	
377B: Dinsdale-----	90	Not limited		Not limited		Not limited	
377C: Dinsdale-----	90	Not limited		Not limited		Not limited	
382: Maxfield-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
391B: Clyde-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
Floyd-----	35	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
394B: Ostrander-----	75	Not limited		Not limited		Not limited	
394C: Ostrander-----	85	Not limited		Not limited		Not limited	

Soil Survey of Bremer County, Iowa—Part II

Paths, Trails, and Golf Fairways--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
395B: Marquis-----	80	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
398: Tripoli-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
399: Readlyn-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
408B: Olin-----	80	Not limited		Not limited		Not limited	
471: Oran-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
485: Spillville, occasionally flooded-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
582B: Kasson-----	90	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
582C: Kasson-----	80	Not limited		Not limited		Somewhat limited Depth to saturated zone	0.19
585: Spillville, occasionally flooded-----	50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
Coland, occasionally flooded-----	30	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
620B: Port Byron-----	90	Not limited		Not limited		Not limited	

Soil Survey of Bremer County, Iowa—Part II

Paths, Trails, and Golf Fairways--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
620C2: Port Byron-----	100	Not limited		Not limited		Not limited	
626: Hayfield, rarely flooded-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
663B: Seaton-----	100	Not limited		Not limited		Not limited	
663C: Seaton-----	100	Not limited		Not limited		Not limited	
663D2: Seaton, moderately eroded-----	90	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
663D3: Seaton, severely eroded-----	90	Very limited Water erosion	1.00	Very limited Water erosion	1.00	Somewhat limited Slope	0.63
663E2: Seaton, moderately eroded-----	90	Very limited Water erosion Slope	1.00 0.02	Very limited Water erosion	1.00	Very limited Slope	1.00
663G: Seaton-----	90	Very limited Water erosion Slope	1.00 1.00	Very limited Water erosion	1.00	Very limited Slope	1.00
775: Billett-----	100	Not limited		Not limited		Not limited	
775B: Billett-----	100	Not limited		Not limited		Not limited	
775C: Billett-----	100	Not limited		Not limited		Not limited	
778: Sattre, rarely flooded-----	85	Not limited		Not limited		Not limited	
813B: Atkinson-----	90	Not limited		Not limited		Not limited	
813C: Atkinson-----	85	Not limited		Not limited		Not limited	
814B: Rockton-----	90	Not limited		Not limited		Somewhat limited Depth to bedrock	0.35

Soil Survey of Bremer County, Iowa—Part II

Paths, Trails, and Golf Fairways--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
814C: Rockton-----	85	Not limited		Not limited		Somewhat limited Depth to bedrock	0.35
814D: Rockton-----	90	Not limited		Not limited		Somewhat limited Slope Depth to bedrock	0.63 0.35
884: Klingmore-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
930: Orion, occasionally flooded-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Flooding	1.00 0.60
982: Maxmore-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1152: Marshan, rarely flooded-----	75	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1226: Lawler, rarely flooded-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
1585: Spillville, channeled-----	40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
Coland, channeled---	35	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone	1.00 1.00
Aquolls, ponded-----	15	Not rated		Not rated		Not rated	
1586: Sigglekov, frequently flooded	55	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Flooding Depth to saturated zone Droughty	1.00 1.00 0.98

Soil Survey of Bremer County, Iowa—Part II

Paths, Trails, and Golf Fairways--Continued

Map symbol and soil name	Pct. of map unit	Paths and trails		Off-road motorcycle trails		Golf fairways	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1586: Fluvaquents, frequently flooded	30	Not rated		Not rated		Not rated	
Aquents, ponded-----	15	Not rated		Not rated		Not rated	
4946: Udorthents-----	65	Not rated		Not rated		Not rated	
Interstate highway--	35	Not rated		Not rated		Not rated	
5010: Pits, sand and gravel-----	100	Not rated		Not rated		Not rated	
5030: Pits, limestone quarries-----	100	Not rated		Not rated		Not rated	
5040: Udorthents, loamy---	100	Not rated		Not rated		Not rated	
5080: Udorthents, sanitary landfill-----	100	Not rated		Not rated		Not rated	
8041: Sparta, terrace, rarely flooded-----	80	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.07
8041B: Sparta, terrace, rarely flooded-----	80	Somewhat limited Too sandy	0.95	Somewhat limited Too sandy	0.95	Somewhat limited Droughty	0.07
8175B: Dickinson, terrace, rarely flooded-----	100	Not limited		Not limited		Not limited	
AW: Animal waste lagoon	100	Not rated		Not rated		Not rated	
SL: Sewage lagoon-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	

Engineering

This section provides information for planning land uses related to urban development and to water management. Soils are rated for various uses, and the most limiting features are identified. Ratings are given for building site development, sanitary facilities, construction materials, and water management. The ratings are based on observed performance of the soils and on the data in the tables described under the heading "Soil Properties."

Information in this section is intended for land use planning, for evaluating land use alternatives, and for planning site investigations prior to design and construction. The information, however, has limitations. For example, estimates and other data generally apply only to that part of the soil between the surface and a depth of 5 to 7 feet. Because of the map scale, small areas of different soils may be included within the mapped areas of a specific soil.

The information is not site specific and does not eliminate the need for onsite investigation of the soils or for testing and analysis by personnel experienced in the design and construction of engineering works.

Government ordinances and regulations that restrict certain land uses or impose specific design criteria were not considered in preparing the information in this section. Local ordinances and regulations should be considered in planning, in site selection, and in design.

Soil properties, site features, and observed performance were considered in determining the ratings in this section. During the fieldwork for this soil survey, determinations were made about particle-size distribution, liquid limit, plasticity index, soil reaction, depth to bedrock, hardness of bedrock within 5 to 7 feet of the surface, soil wetness, depth to a water table, ponding, slope, likelihood of flooding, natural soil structure aggregation, and soil density. Data were collected about kinds of clay minerals, mineralogy of the sand and silt fractions, and the kinds of adsorbed cations. Estimates were made for erodibility, permeability, corrosivity, shrink-swell potential, available water capacity, and other behavioral characteristics affecting engineering uses.

This information can be used to evaluate the potential of areas for residential, commercial, industrial, and recreational uses; make preliminary estimates of construction conditions; evaluate alternative routes for roads, streets, highways, pipelines, and underground cables; evaluate alternative sites for sanitary landfills, septic tank absorption fields, and sewage lagoons; plan detailed onsite investigations of soils and geology; locate potential sources of gravel, sand, reclamation material, roadfill, and topsoil; plan structures for water management; and predict performance of proposed small structures and pavements by comparing the performance of existing similar structures on the same or similar soils.

The information in the tables, along with the soil maps, the soil descriptions, and other data provided in this survey, can be used to make additional interpretations.

Some of the terms used in this soil survey have a special meaning in soil science and are defined in the Glossary, which is in Part I of this publication.

Building Site Development

The titles of the tables described in this section are:

- “Dwellings and Small Commercial Buildings”
- “Roads and Streets, Shallow Excavations, and Lawns and Landscaping”

Soil properties influence the development of building sites, including the selection of the site, the design of the structure, construction, performance after construction, and maintenance. The tables described in this section show the degree and kind of soil limitations that affect dwellings with and without basements, small commercial buildings, local roads and streets, shallow excavations, and lawns and landscaping.

The ratings in the tables are both verbal and numerical. Rating class terms indicate the extent to which the soils are limited by all of the soil features that affect building site development. *Not limited* indicates that the soil has features that are very favorable for the specified use. Good performance and very low maintenance can be expected. *Somewhat limited* indicates that the soil has features that are moderately favorable for the specified use. The limitations can be overcome or minimized by special planning, design, or installation. Fair performance and moderate maintenance can be expected. *Very limited* indicates that the soil has one or more features that are unfavorable for the specified use. The limitations generally cannot be overcome without major soil reclamation, special design, or expensive installation procedures. Poor performance and high maintenance can be expected.

Numerical ratings in the tables indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.01 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the use (1.00) and the point at which the soil feature is not a limitation (0.00).

Dwellings are single-family houses of three stories or less. For dwellings without basements, the foundation is assumed to consist of spread footings of reinforced concrete built on undisturbed soil at a depth of 2 feet or at the depth of maximum frost penetration, whichever is deeper. For dwellings with basements, the foundation is assumed to consist of spread footings of reinforced concrete built on undisturbed soil at a depth of about 7 feet. The ratings for dwellings are based on the soil properties that affect the capacity of the soil to support a load without movement and on the properties that affect excavation and construction costs. The properties that affect the load-supporting capacity include depth to a water table, ponding, flooding, subsidence, linear extensibility (shrink-swell potential), and compressibility. Compressibility is inferred from the Unified classification. The properties that affect the ease and amount of excavation include depth to a water table, ponding, flooding, slope, depth to bedrock or a cemented pan, hardness of bedrock or a cemented pan, and the amount and size of rock fragments.

Small commercial buildings are structures that are less than three stories high and do not have basements. The foundation is assumed to consist of spread footings of reinforced concrete built on undisturbed soil at a depth of 2 feet or at the depth of maximum frost penetration, whichever is deeper. The ratings are based on the soil properties that affect the capacity of the soil to support a load without movement and on the properties that affect excavation and construction costs. The properties that affect the load-supporting capacity include depth to a water table, ponding, flooding, subsidence, linear extensibility (shrink-swell potential), and compressibility (which is inferred from the Unified classification). The properties that affect the ease and amount of excavation include flooding, depth to a water table, ponding, slope, depth to bedrock or a cemented pan, hardness of bedrock or a cemented pan, and the amount and size of rock fragments.

Local roads and streets have an all-weather surface and carry automobile and light truck traffic all year. They have a subgrade of cut or fill soil material; a base of gravel,

crushed rock, or soil material stabilized by lime or cement; and a surface of flexible material (asphalt), rigid material (concrete), or gravel with a binder. The ratings are based on the soil properties that affect the ease of excavation and grading and the traffic-supporting capacity. The properties that affect the ease of excavation and grading are depth to bedrock or a cemented pan, hardness of bedrock or a cemented pan, depth to a water table, ponding, flooding, the amount of large stones, and slope. The properties that affect the traffic-supporting capacity are soil strength (as inferred from the AASHTO group index number), subsidence, linear extensibility (shrink-swell potential), the potential for frost action, depth to a water table, and ponding.

Shallow excavations are trenches or holes dug to a maximum depth of 5 or 6 feet for graves, utility lines, open ditches, or other purposes. The ratings are based on the soil properties that influence the ease of digging and the resistance to sloughing. Depth to bedrock or a cemented pan, hardness of bedrock or a cemented pan, the amount of large stones, and dense layers influence the ease of digging, filling, and compacting. Depth to the seasonal high water table, flooding, and ponding may restrict the period when excavations can be made. Slope influences the ease of using machinery. Soil texture, depth to the water table, and linear extensibility (shrink-swell potential) influence the resistance to sloughing.

Lawns and landscaping require soils on which turf and ornamental trees and shrubs can be established and maintained. Irrigation is not considered in the ratings. The ratings are based on the soil properties that affect plant growth and trafficability after vegetation is established. The properties that affect plant growth are reaction; depth to a water table; ponding; depth to bedrock or a cemented pan; the available water capacity in the upper 40 inches; the content of salts, sodium, or calcium carbonate; and sulfidic materials. The properties that affect trafficability are flooding, depth to a water table, ponding, slope, stoniness, and the amount of sand, clay, or organic matter in the surface layer.

Soil Survey of Bremer County, Iowa—Part II

Dwellings and Small Commercial Buildings

(Onsite investigation may be needed to validate the interpretations in this table and to confirm the identity of the soil on a given site. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
41B: Sparta-----	80	Not limited		Not limited		Not limited	
41C: Sparta-----	80	Not limited		Not limited		Somewhat limited Slope	0.88
43: Bremer-----	100	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00
50B: Coloma-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
63B: Chelsea-----	90	Not limited		Not limited		Not limited	
63C: Chelsea-----	85	Not limited		Not limited		Somewhat limited Slope	0.88
63E: Chelsea-----	85	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
83B: Kenyon-----	75	Not limited		Somewhat limited Depth to saturated zone	0.61	Not limited	
83C: Kenyon-----	75	Not limited		Somewhat limited Depth to saturated zone	0.61	Somewhat limited Slope	0.88
84: Clyde-----	80	Very limited Depth to saturated zone Shrink-swell	1.00 0.18	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.18
109B: Backbone-----	100	Somewhat limited Depth to hard bedrock	0.46	Very limited Depth to hard bedrock	1.00	Somewhat limited Depth to hard bedrock	0.46

Soil Survey of Bremer County, Iowa—Part II

Dwellings and Small Commercial Buildings--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
109C: Backbone-----	100	Somewhat limited Depth to hard bedrock	0.46	Very limited Depth to hard bedrock	1.00	Somewhat limited Slope Depth to hard bedrock	0.88 0.46
109D: Backbone-----	100	Somewhat limited Slope Depth to hard bedrock	0.63 0.46	Very limited Depth to hard bedrock Slope	1.00 0.63	Very limited Slope Depth to hard bedrock	1.00 0.46
127: Plano, rarely flooded-----	85	Very limited Flooding Shrink-swell	1.00 0.82	Very limited Flooding Shrink-swell	1.00 0.82	Very limited Flooding Shrink-swell	1.00 0.82
135: Coland, occasionally flooded-----	85	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
153: Shandep, ponded, occasionally flooded-----	75	Very limited Flooding Depth to saturated zone Ponding	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Ponding	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Ponding	1.00 1.00 1.00
173: Hoopeston, rarely flooded-----	100	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
175B: Dickinson-----	90	Not limited		Not limited		Not limited	
175C: Dickinson-----	100	Not limited		Not limited		Somewhat limited Slope	0.88
178: Waukee, rarely flooded-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
178B: Waukee, rarely flooded-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00

Soil Survey of Bremer County, Iowa—Part II

Dwellings and Small Commercial Buildings--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
178C: Waukee, rarely flooded-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding Slope	1.00 0.88
184: Klinger-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 0.32	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.32
198B: Floyd-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
221: Klossner-----	100	Very limited Subsidence Depth to saturated zone Organic matter content	1.00 1.00 1.00	Very limited Subsidence Depth to saturated zone Shrink-swell	1.00 1.00 0.32	Very limited Subsidence Depth to saturated zone Organic matter content	1.00 1.00 1.00
284B: Flagler-----	90	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
285: Burkhardt-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
285C: Burkhardt-----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding Slope	1.00 0.12
323B: Fort Dodge-----	85	Not limited		Not limited		Not limited	
344D: Copaston-----	90	Very limited Depth to hard bedrock Slope	1.00 0.04	Very limited Depth to hard bedrock Slope	1.00 0.04	Very limited Depth to hard bedrock Slope	1.00 1.00
344G: Copaston-----	85	Very limited Depth to hard bedrock Slope	1.00 1.00	Very limited Depth to hard bedrock Slope	1.00 1.00	Very limited Slope Depth to hard bedrock	1.00 1.00
354: Aquolls, ponded-----	90	Not rated		Not rated		Not rated	
377B: Dinsdale-----	90	Somewhat limited Shrink-swell	0.68	Somewhat limited Depth to saturated zone	0.61	Somewhat limited Shrink-swell	0.68

Soil Survey of Bremer County, Iowa—Part II

Dwellings and Small Commercial Buildings--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
377C: Dinsdale-----	90	Somewhat limited Shrink-swell	0.68	Somewhat limited Depth to saturated zone	0.61	Somewhat limited Slope Shrink-swell	0.88 0.68
382: Maxfield-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 0.18	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.18
391B: Clyde-----	60	Very limited Depth to saturated zone Shrink-swell	1.00 0.18	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.18
Floyd-----	35	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
394B: Ostrander-----	75	Not limited		Not limited		Not limited	
394C: Ostrander-----	85	Not limited		Not limited		Somewhat limited Slope	0.50
395B: Marquis-----	80	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
398: Tripoli-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
399: Readlyn-----	85	Very limited Depth to saturated zone Shrink-swell	1.00 0.01	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Shrink-swell	1.00 0.01
408B: Olin-----	80	Not limited		Not limited		Not limited	
471: Oran-----	85	Very limited Depth to saturated zone Shrink-swell	1.00 0.06	Very limited Depth to saturated zone Shrink-swell	1.00 0.06	Very limited Depth to saturated zone Shrink-swell	1.00 0.06
485: Spillville, occasionally flooded-----	80	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00

Soil Survey of Bremer County, Iowa—Part II

Dwellings and Small Commercial Buildings--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
582B: Kasson-----	90	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
582C: Kasson-----	80	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Slope Depth to saturated zone	0.88 0.39
585: Spillville, occasionally flooded-----	50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Coland, occasionally flooded-----	30	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
620B: Port Byron-----	90	Not limited		Not limited		Not limited	
620C2: Port Byron-----	100	Not limited		Not limited		Somewhat limited Slope	0.88
626: Hayfield, rarely flooded-----	90	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
663B: Seaton-----	100	Not limited		Not limited		Not limited	
663C: Seaton-----	100	Not limited		Not limited		Somewhat limited Slope	0.88
663D2: Seaton, moderately eroded-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
663D3: Seaton, severely eroded-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00

Soil Survey of Bremer County, Iowa—Part II

Dwellings and Small Commercial Buildings--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
663E2: Seaton, moderately eroded-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
663G: Seaton-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
775: Billett-----	100	Not limited		Not limited		Not limited	
775B: Billett-----	100	Not limited		Not limited		Not limited	
775C: Billett-----	100	Not limited		Not limited		Somewhat limited Slope	0.88
778: Sattre, rarely flooded-----	85	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
813B: Atkinson-----	90	Somewhat limited Shrink-swell	0.32	Somewhat limited Depth to hard bedrock Shrink-swell	0.42 0.32	Somewhat limited Shrink-swell	0.32
813C: Atkinson-----	85	Somewhat limited Shrink-swell	0.32	Somewhat limited Depth to hard bedrock Shrink-swell	0.42 0.32	Somewhat limited Slope Shrink-swell	0.88 0.32
814B: Rockton-----	90	Somewhat limited Depth to hard bedrock	0.35	Very limited Depth to hard bedrock	1.00	Somewhat limited Depth to hard bedrock	0.35
814C: Rockton-----	85	Somewhat limited Depth to hard bedrock	0.35	Very limited Depth to hard bedrock	1.00	Somewhat limited Slope Depth to hard bedrock	0.88 0.35
814D: Rockton-----	90	Somewhat limited Slope Depth to hard bedrock	0.63 0.35	Very limited Depth to hard bedrock Slope	1.00 0.63	Very limited Slope Depth to hard bedrock	1.00 0.35
884: Klingmore-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50

Soil Survey of Bremer County, Iowa—Part II

Dwellings and Small Commercial Buildings--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
930: Orion, occasionally flooded-----	100	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
982: Maxmore-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 0.68	Very limited Depth to saturated zone Shrink-swell	1.00 0.68	Very limited Depth to saturated zone Shrink-swell	1.00 0.68
1152: Marshan, rarely flooded-----	75	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
1226: Lawler, rarely flooded-----	80	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
1585: Spillville, channeled-----	40	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Coland, channeled---	35	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
Aquolls, ponded-----	15	Not rated		Not rated		Not rated	
1586: Sigglekov, frequently flooded	55	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00
Fluvaquents, frequently flooded	30	Not rated		Not rated		Not rated	
Aquents, ponded-----	15	Not rated		Not rated		Not rated	
4946: Udorthents-----	65	Not rated		Not rated		Not rated	
Interstate highway--	35	Not rated		Not rated		Not rated	

Soil Survey of Bremer County, Iowa—Part II

Dwellings and Small Commercial Buildings--Continued

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5010: Pits, sand and gravel-----	100	Not rated		Not rated		Not rated	
5030: Pits, limestone quarries-----	100	Not rated		Not rated		Not rated	
5040: Udorthents, loamy---	100	Not rated		Not rated		Not rated	
5080: Udorthents, sanitary landfill-----	100	Not rated		Not rated		Not rated	
8041: Sparta, terrace, rarely flooded----	80	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
8041B: Sparta, terrace, rarely flooded----	80	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
8175B: Dickinson, terrace, rarely flooded----	100	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
AW: Animal waste lagoon	100	Not rated		Not rated		Not rated	
SL: Sewage lagoon-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	

Soil Survey of Bremer County, Iowa—Part II

Roads and Streets, Shallow Excavations, and Lawns and Landscaping

(Onsite investigation may be needed to validate the interpretations in this table and to confirm the identity of the soil on a given site. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
41B: Sparta-----	80	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.07
41C: Sparta-----	80	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.07
43: Bremer-----	100	Very limited Depth to saturated zone Frost action Low strength	1.00 1.00 1.00	Very limited Depth to saturated zone Cutbanks cave	1.00 0.10	Very limited Depth to saturated zone	1.00
50B: Coloma-----	85	Somewhat limited Flooding	0.40	Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.89
63B: Chelsea-----	90	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.28
63C: Chelsea-----	85	Not limited		Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.28
63E: Chelsea-----	85	Very limited Slope	1.00	Very limited Cutbanks cave Slope	1.00 1.00	Very limited Slope Droughty	1.00 0.28
83B: Kenyon-----	75	Somewhat limited Frost action Low strength	0.50 0.22	Somewhat limited Depth to saturated zone Dense layer Cutbanks cave	0.61 0.50 0.10	Not limited	
83C: Kenyon-----	75	Somewhat limited Frost action Low strength	0.50 0.22	Somewhat limited Depth to saturated zone Dense layer Cutbanks cave	0.61 0.50 0.10	Not limited	
84: Clyde-----	80	Very limited Depth to saturated zone Frost action Low strength	1.00 1.00 1.00	Very limited Depth to saturated zone Dense layer Cutbanks cave	1.00 0.50 0.10	Very limited Depth to saturated zone	1.00

Soil Survey of Bremer County, Iowa—Part II

Roads and Streets, Shallow Excavations, and Lawns and Landscaping--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
109B: Backbone-----	100	Somewhat limited Frost action Depth to hard bedrock	0.50 0.46	Very limited Depth to hard bedrock Cutbanks cave	1.00 0.10	Somewhat limited Depth to bedrock Drougthy	0.46 0.02
109C: Backbone-----	100	Somewhat limited Frost action Depth to hard bedrock	0.50 0.46	Very limited Depth to hard bedrock Cutbanks cave	1.00 0.10	Somewhat limited Depth to bedrock Drougthy	0.46 0.02
109D: Backbone-----	100	Somewhat limited Slope Frost action Depth to hard bedrock	0.63 0.50 0.46	Very limited Depth to hard bedrock Slope Cutbanks cave	1.00 0.63 0.10	Somewhat limited Slope Depth to bedrock Drougthy	0.63 0.46 0.02
127: Plano, rarely flooded-----	85	Very limited Frost action Low strength Shrink-swell	1.00 1.00 0.82	Somewhat limited Cutbanks cave	0.10	Not limited	
135: Coland, occasionally flooded-----	85	Very limited Depth to saturated zone Frost action Flooding	1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Flooding Cutbanks cave	1.00 0.60 0.10	Very limited Depth to saturated zone Flooding	1.00 0.60
153: Shandep, ponded, occasionally flooded-----	75	Very limited Depth to saturated zone Frost action Low strength	1.00 1.00 1.00 1.00	Very limited Cutbanks cave Depth to saturated zone Ponding	1.00 1.00 1.00	Very limited Depth to saturated zone Ponding	1.00 1.00
173: Hoopeston, rarely flooded-----	100	Very limited Depth to saturated zone Frost action Flooding	1.00 1.00 1.00 0.40	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
175B: Dickinson-----	90	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
175C: Dickinson-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	

Soil Survey of Bremer County, Iowa—Part II

Roads and Streets, Shallow Excavations, and Lawns and Landscaping--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
178: Waukee, rarely flooded-----	85	Somewhat limited Flooding	0.40	Very limited Cutbanks cave	1.00	Not limited	
178B: Waukee, rarely flooded-----	95	Somewhat limited Flooding	0.40	Very limited Cutbanks cave	1.00	Not limited	
178C: Waukee, rarely flooded-----	95	Somewhat limited Flooding	0.40	Very limited Cutbanks cave	1.00	Not limited	
184: Klinger-----	100	Very limited Depth to saturated zone Frost action Low strength	1.00 1.00 1.00	Very limited Depth to saturated zone Dense layer Cutbanks cave	1.00 0.50 0.10	Very limited Depth to saturated zone	1.00
198B: Floyd-----	90	Very limited Depth to saturated zone Frost action Low strength	1.00 1.00 1.00	Very limited Depth to saturated zone Dense layer Cutbanks cave	1.00 0.50 0.10	Very limited Depth to saturated zone	1.00
221: Klossner-----	100	Very limited Depth to saturated zone Subsidence Frost action	1.00 1.00 1.00	Very limited Depth to saturated zone Organic matter content Dense layer	1.00 1.00 0.50	Very limited Depth to saturated zone	1.00
284B: Flagler-----	90	Somewhat limited Flooding	0.40	Very limited Cutbanks cave	1.00	Not limited	
285: Burkhardt-----	100	Somewhat limited Flooding	0.40	Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.52
285C: Burkhardt-----	100	Somewhat limited Flooding	0.40	Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.52
323B: Fort Dodge-----	85	Very limited Low strength Frost action	1.00 0.50	Very limited Cutbanks cave	1.00	Not limited	
344D: Copaston-----	90	Very limited Depth to hard bedrock Frost action Slope	1.00 0.50 0.04	Very limited Depth to hard bedrock Cutbanks cave Slope	1.00 0.10 0.04	Very limited Depth to bedrock Droughty Slope	1.00 0.57 0.04

Soil Survey of Bremer County, Iowa—Part II

Roads and Streets, Shallow Excavations, and Lawns and Landscaping--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
344G: Copaston-----	85	Very limited Depth to hard bedrock Slope Frost action	 1.00 1.00 0.50	Very limited Depth to hard bedrock Slope Cutbanks cave	 1.00 1.00 0.10	Very limited Depth to bedrock Slope Droughty	 1.00 1.00 0.57
354: Aquolls, ponded----	90	Not rated		Not rated		Not rated	
377B: Dinsdale-----	90	Very limited Frost action Low strength Shrink-swell	 1.00 1.00 0.68	Somewhat limited Depth to saturated zone Dense layer Cutbanks cave	 0.61 0.50 0.10	Not limited	
377C: Dinsdale-----	90	Very limited Frost action Low strength Shrink-swell	 1.00 1.00 0.68	Somewhat limited Depth to saturated zone Dense layer Cutbanks cave	 0.61 0.50 0.10	Not limited	
382: Maxfield-----	100	Very limited Depth to saturated zone Frost action Low strength	 1.00 1.00 1.00	Very limited Depth to saturated zone Dense layer Cutbanks cave	 1.00 0.50 0.10	Very limited Depth to saturated zone	 1.00
391B: Clyde-----	60	Very limited Depth to saturated zone Frost action Low strength	 1.00 1.00 1.00	Very limited Depth to saturated zone Dense layer Cutbanks cave	 1.00 0.50 0.10	Very limited Depth to saturated zone	 1.00
Floyd-----	35	Very limited Depth to saturated zone Frost action Low strength	 1.00 1.00 1.00	Very limited Depth to saturated zone Dense layer Cutbanks cave	 1.00 0.50 0.10	Very limited Depth to saturated zone	 1.00
394B: Ostrander-----	75	Somewhat limited Low strength Frost action	 0.78 0.50	Somewhat limited Dense layer Cutbanks cave	 0.50 0.10	Not limited	
394C: Ostrander-----	85	Somewhat limited Low strength Frost action	 0.78 0.50	Somewhat limited Dense layer Cutbanks cave	 0.50 0.10	Not limited	
395B: Marquis-----	80	Somewhat limited Frost action Depth to saturated zone	 0.50 0.19	Very limited Depth to saturated zone Dense layer Cutbanks cave	 1.00 0.50 0.10	Somewhat limited Depth to saturated zone	 0.19

Soil Survey of Bremer County, Iowa—Part II

Roads and Streets, Shallow Excavations, and Lawns and Landscaping--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
398: Tripoli-----	90	Very limited Depth to saturated zone Frost action Low strength	1.00 1.00 0.22	Very limited Depth to saturated zone Dense layer Cutbanks cave	1.00 0.50 0.10	Very limited Depth to saturated zone	1.00
399: Readlyn-----	85	Very limited Depth to saturated zone Frost action Low strength	1.00 1.00 1.00	Very limited Depth to saturated zone Dense layer Cutbanks cave	1.00 0.50 0.10	Very limited Depth to saturated zone	1.00
408B: Olin-----	80	Somewhat limited Frost action	0.50	Somewhat limited Dense layer Cutbanks cave	0.50 0.10	Not limited	
471: Oran-----	85	Very limited Depth to saturated zone Frost action Low strength	1.00 1.00 0.78	Very limited Depth to saturated zone Dense layer Cutbanks cave	1.00 0.50 0.10	Very limited Depth to saturated zone	1.00
485: Spillville, occasionally flooded-----	80	Very limited Depth to saturated zone Flooding Low strength	1.00 1.00 0.78	Very limited Depth to saturated zone Flooding Cutbanks cave	1.00 0.60 0.10	Very limited Depth to saturated zone Flooding	1.00 0.60
582B: Kasson-----	90	Somewhat limited Frost action Low strength Depth to saturated zone	0.50 0.22 0.19	Very limited Depth to saturated zone Dense layer Cutbanks cave	1.00 0.50 0.10	Somewhat limited Depth to saturated zone	0.19
582C: Kasson-----	80	Somewhat limited Frost action Low strength Depth to saturated zone	0.50 0.22 0.19	Very limited Depth to saturated zone Dense layer Cutbanks cave	1.00 0.50 0.10	Somewhat limited Depth to saturated zone	0.19
585: Spillville, occasionally flooded-----	50	Very limited Depth to saturated zone Flooding Low strength	1.00 1.00 0.78	Very limited Depth to saturated zone Flooding Cutbanks cave	1.00 0.60 0.10	Very limited Depth to saturated zone Flooding	1.00 0.60

Soil Survey of Bremer County, Iowa—Part II

Roads and Streets, Shallow Excavations, and Lawns and Landscaping--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
585: Coland, occasionally flooded-----	30	Very limited Depth to saturated zone Frost action Flooding	1.00 1.00 1.00	Very limited Depth to saturated zone Flooding Cutbanks cave	1.00 0.60 0.10	Very limited Depth to saturated zone Flooding	1.00 0.60
620B: Port Byron-----	90	Very limited Frost action Low strength	1.00 1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
620C2: Port Byron-----	100	Very limited Frost action Low strength	1.00 1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
626: Hayfield, rarely flooded-----	90	Very limited Depth to saturated zone Frost action Low strength	1.00 1.00 0.78	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
663B: Seaton-----	100	Very limited Frost action Low strength	1.00 1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
663C: Seaton-----	100	Very limited Frost action Low strength	1.00 1.00	Somewhat limited Cutbanks cave	0.10	Not limited	
663D2: Seaton, moderately eroded-----	90	Very limited Frost action Low strength Slope	1.00 1.00 0.63	Somewhat limited Slope Cutbanks cave	0.63 0.10	Somewhat limited Slope	0.63
663D3: Seaton, severely eroded-----	90	Very limited Frost action Low strength Slope	1.00 1.00 0.63	Somewhat limited Slope Cutbanks cave	0.63 0.10	Somewhat limited Slope	0.63
663E2: Seaton, moderately eroded-----	90	Very limited Frost action Slope Low strength	1.00 1.00 1.00	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00

Soil Survey of Bremer County, Iowa—Part II

Roads and Streets, Shallow Excavations, and Lawns and Landscaping--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
663G: Seaton-----	90	Very limited Slope Frost action Low strength	1.00 1.00 1.00	Very limited Slope Cutbanks cave	1.00 0.10	Very limited Slope	1.00
775: Billett-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
775B: Billett-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
775C: Billett-----	100	Somewhat limited Frost action	0.50	Very limited Cutbanks cave	1.00	Not limited	
778: Sattre, rarely flooded-----	85	Somewhat limited Flooding	0.40	Very limited Cutbanks cave	1.00	Not limited	
813B: Atkinson-----	90	Very limited Low strength Frost action Shrink-swell	1.00 0.50 0.32	Somewhat limited Depth to hard bedrock Too clayey Cutbanks cave	0.42 0.12 0.10	Not limited	
813C: Atkinson-----	85	Very limited Low strength Frost action Shrink-swell	1.00 0.50 0.32	Somewhat limited Depth to hard bedrock Too clayey Cutbanks cave	0.42 0.12 0.10	Not limited	
814B: Rockton-----	90	Very limited Low strength Frost action Depth to hard bedrock	1.00 0.50 0.35	Very limited Depth to hard bedrock Cutbanks cave Too clayey	1.00 0.10 0.01	Somewhat limited Depth to bedrock	0.35
814C: Rockton-----	85	Very limited Low strength Frost action Depth to hard bedrock	1.00 0.50 0.35	Very limited Depth to hard bedrock Cutbanks cave Too clayey	1.00 0.10 0.01	Somewhat limited Depth to bedrock	0.35
814D: Rockton-----	90	Very limited Low strength Slope Frost action	1.00 0.63 0.50	Very limited Depth to hard bedrock Slope Cutbanks cave	1.00 0.63 0.10	Somewhat limited Slope Depth to bedrock	0.63 0.35

Soil Survey of Bremer County, Iowa—Part II

Roads and Streets, Shallow Excavations, and Lawns and Landscaping--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
884: Klingmore-----	100	Very limited Depth to saturated zone Frost action Low strength	1.00 1.00 1.00	Very limited Depth to saturated zone Dense layer Cutbanks cave	1.00 0.50 0.10	Very limited Depth to saturated zone	1.00
930: Orion, occasionally flooded-----	100	Very limited Depth to saturated zone Frost action Flooding	1.00 1.00 1.00	Very limited Cutbanks cave Depth to saturated zone Flooding	1.00 1.00 0.60	Very limited Depth to saturated zone Flooding	1.00 0.60
982: Maxmore-----	100	Very limited Depth to saturated zone Frost action Low strength	1.00 1.00 1.00	Very limited Depth to saturated zone Dense layer Cutbanks cave	1.00 0.50 0.10	Very limited Depth to saturated zone	1.00
1152: Marshan, rarely flooded-----	75	Very limited Depth to saturated zone Frost action Flooding	1.00 1.00 1.00 0.40	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
1226: Lawler, rarely flooded-----	80	Very limited Depth to saturated zone Frost action Flooding	1.00 1.00 1.00 0.40	Very limited Cutbanks cave Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
1585: Spillville, channeled-----	40	Very limited Depth to saturated zone Flooding Low strength	1.00 1.00 1.00 0.78	Very limited Depth to saturated zone Flooding Cutbanks cave	1.00 0.80 0.10	Very limited Flooding Depth to saturated zone	1.00 1.00
Coland, channeled---	35	Very limited Depth to saturated zone Frost action Flooding	1.00 1.00 1.00	Very limited Depth to saturated zone Flooding Cutbanks cave	1.00 0.80 0.10	Very limited Flooding Depth to saturated zone	1.00 1.00
Aquolls, ponded-----	15	Not rated		Not rated		Not rated	

Soil Survey of Bremer County, Iowa—Part II

Roads and Streets, Shallow Excavations, and Lawns and Landscaping--Continued

Map symbol and soil name	Pct. of map unit	Local roads and streets		Shallow excavations		Lawns and landscaping	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1586: Sigglekov, frequently flooded	55	Very limited Depth to saturated zone Flooding	1.00 1.00	Very limited Cutbanks cave Depth to saturated zone Flooding	1.00 1.00 0.80	Very limited Flooding Depth to saturated zone Droughty	1.00 1.00 0.98
Fluvaquents, frequently flooded	30	Not rated		Not rated		Not rated	
Aquents, ponded-----	15	Not rated		Not rated		Not rated	
4946: Udorthents-----	65	Not rated		Not rated		Not rated	
Interstate highway--	35	Not rated		Not rated		Not rated	
5010: Pits, sand and gravel-----	100	Not rated		Not rated		Not rated	
5030: Pits, limestone quarries-----	100	Not rated		Not rated		Not rated	
5040: Udorthents, loamy---	100	Not rated		Not rated		Not rated	
5080: Udorthents, sanitary landfill-----	100	Not rated		Not rated		Not rated	
8041: Sparta, terrace, rarely flooded-----	80	Somewhat limited Flooding	0.40	Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.07
8041B: Sparta, terrace, rarely flooded-----	80	Somewhat limited Flooding	0.40	Very limited Cutbanks cave	1.00	Somewhat limited Droughty	0.07
8175B: Dickinson, terrace, rarely flooded-----	100	Somewhat limited Frost action Flooding	0.50 0.40	Very limited Cutbanks cave	1.00	Not limited	
AW: Animal waste lagoon	100	Not rated		Not rated		Not rated	
SL: Sewage lagoon-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	

Sanitary Facilities

The titles of the tables described in this section are:

- “Sewage Disposal”
- “Landfills”

These tables show the degree and kind of soil limitations that affect septic tank absorption fields, sewage lagoons, sanitary landfills, and daily cover for landfill. The ratings are both verbal and numerical. Rating class terms indicate the extent to which the soils are limited by all of the soil features that affect these uses. *Not limited* indicates that the soil has features that are very favorable for the specified use. Good performance and very low maintenance can be expected. *Somewhat limited* indicates that the soil has features that are moderately favorable for the specified use. The limitations can be overcome or minimized by special planning, design, or installation. Fair performance and moderate maintenance can be expected. *Very limited* indicates that the soil has one or more features that are unfavorable for the specified use. The limitations generally cannot be overcome without major soil reclamation, special design, or expensive installation procedures. Poor performance and high maintenance can be expected.

Numerical ratings in the tables indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.01 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the use (1.00) and the point at which the soil feature is not a limitation (0.00).

Septic tank absorption fields are areas in which effluent from a septic tank is distributed into the soil through subsurface tiles or perforated pipe. Only that part of the soil between depths of 24 and 60 inches is evaluated. The ratings are based on the soil properties that affect absorption of the effluent, construction and maintenance of the system, and public health. Permeability, depth to a water table, ponding, depth to bedrock or a cemented pan, and flooding affect absorption of the effluent. Stones and boulders, ice, and bedrock or a cemented pan interfere with installation. Subsidence interferes with installation and maintenance. Excessive slope may cause lateral seepage and surfacing of the effluent in downslope areas.

Some soils are underlain by loose sand and gravel or fractured bedrock at a depth of less than 4 feet below the distribution lines. In these soils the absorption field may not adequately filter the effluent, particularly when the system is new. As a result, the ground water may become contaminated.

Sewage lagoons are shallow ponds constructed to hold sewage while aerobic bacteria decompose the solid and liquid wastes. Lagoons should have a nearly level floor surrounded by cut slopes or embankments of compacted soil. Nearly impervious soil material for the lagoon floor and sides is required to minimize seepage and contamination of ground water. Considered in the ratings are slope, permeability, depth to a water table, ponding, depth to bedrock or a cemented pan, flooding, large stones, and content of organic matter.

Soil permeability is a critical property affecting the suitability for sewage lagoons. Most porous soils eventually become sealed when they are used as sites for sewage lagoons. Until sealing occurs, however, the hazard of pollution is severe. Soils that have a permeability rate of more than 2 inches per hour are too porous for the proper functioning of sewage lagoons. In these soils, seepage of the effluent can result in contamination of the ground water. Ground-water contamination is also a hazard if fractured bedrock is within a depth of 40 inches, if the water table is high enough to raise the level of sewage in the lagoon, or if floodwater overtops the lagoon.

A high content of organic matter is detrimental to proper functioning of the lagoon because it inhibits aerobic activity. Slope, bedrock, and cemented pans can cause construction problems, and large stones can hinder compaction of the lagoon floor. If the lagoon is to be uniformly deep throughout, the slope must be gentle enough and the soil material must be thick enough over bedrock or a cemented pan to make land smoothing practical.

A *trench sanitary landfill* is an area where solid waste is placed in successive layers in an excavated trench. The waste is spread, compacted, and covered daily with a thin layer of soil excavated at the site. When the trench is full, a final cover of soil material at least 2 feet thick is placed over the landfill. The ratings in the table are based on the soil properties that affect the risk of pollution, the ease of excavation, trafficability, and revegetation. These properties include permeability, depth to bedrock or a cemented pan, depth to a water table, ponding, slope, flooding, texture, stones and boulders, highly organic layers, soil reaction, and content of salts and sodium. Unless otherwise stated, the ratings apply only to that part of the soil within a depth of about 6 feet. For deeper trenches, onsite investigation may be needed.

Hard, nonrippable bedrock, creviced bedrock, or highly permeable strata in or directly below the proposed trench bottom can affect the ease of excavation and the hazard of ground-water pollution. Slope affects construction of the trenches and the movement of surface water around the landfill. It also affects the construction and performance of roads in areas of the landfill.

Soil texture and consistence affect the ease with which the trench is dug and the ease with which the soil can be used as daily or final cover. They determine the workability of the soil when dry and when wet. Soils that are plastic and sticky when wet are difficult to excavate, grade, or compact and are difficult to place as a uniformly thick cover over a layer of refuse.

The soil material used as the final cover for a trench landfill should be suitable for plants. It should not have excess sodium or salts and should not be too acid. The surface layer generally has the best workability, the highest content of organic matter, and the best potential for plants. Material from the surface layer should be stockpiled for use as the final cover.

In an *area sanitary landfill*, solid waste is placed in successive layers on the surface of the soil. The waste is spread, compacted, and covered daily with a thin layer of soil from a source away from the site. A final cover of soil material at least 2 feet thick is placed over the completed landfill. The ratings in the table are based on the soil properties that affect trafficability and the risk of pollution. These properties include flooding, permeability, depth to a water table, ponding, slope, and depth to bedrock or a cemented pan.

Flooding is a serious problem because it can result in pollution in areas downstream from the landfill. If permeability is too rapid or if fractured bedrock, a fractured cemented pan, or the water table is close to the surface, the leachate can contaminate the water supply. Slope is a consideration because of the extra grading required to maintain roads in the steeper areas of the landfill. Also, leachate may flow along the surface of the soils in the steeper areas and cause difficult seepage problems.

Daily cover for landfill is the soil material that is used to cover compacted solid waste in an area sanitary landfill. The soil material is obtained offsite, transported to the landfill, and spread over the waste. The ratings in the table also apply to the final cover for a landfill. They are based on the soil properties that affect workability, the ease of digging, and the ease of moving and spreading the material over the refuse daily during wet and dry periods. These properties include soil texture, depth to a

Soil Survey of Bremer County, Iowa—Part II

water table, ponding, rock fragments, slope, depth to bedrock or a cemented pan, reaction, and content of salts, sodium, or lime.

Loamy or silty soils that are free of large stones and excess gravel are the best cover for a landfill. Clayey soils may be sticky and difficult to spread; sandy soils are subject to wind erosion.

Slope affects the ease of excavation and of moving the cover material. Also, it can influence runoff, erosion, and reclamation of the borrow area.

After soil material has been removed, the soil material remaining in the borrow area must be thick enough over bedrock, a cemented pan, or the water table to permit revegetation. The soil material used as the final cover for a landfill should be suitable for plants. It should not have excess sodium, salts, or lime and should not be too acid.

Soil Survey of Bremer County, Iowa—Part II

Sewage Disposal

(Onsite investigation may be needed to validate the interpretations in this table and to confirm the identity of the soil on a given site. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
41B: Sparta-----	80	Very limited Filtering capacity Seepage, bottom layer	1.00 1.00	Very limited Seepage Slope	1.00 0.32
41C: Sparta-----	80	Very limited Filtering capacity Seepage, bottom layer	1.00 1.00	Very limited Slope Seepage	1.00 1.00
43: Bremer-----	100	Very limited Depth to saturated zone Slow water movement Flooding	1.00 0.99 0.40	Very limited Depth to saturated zone Flooding Seepage	1.00 0.40 0.01
50B: Coloma-----	85	Very limited Filtering capacity Seepage, bottom layer Flooding	1.00 1.00 0.40	Very limited Seepage Flooding Slope	1.00 0.40 0.08
63B: Chelsea-----	90	Very limited Filtering capacity Seepage, bottom layer	1.00 1.00	Very limited Seepage Slope	1.00 0.32
63C: Chelsea-----	85	Very limited Filtering capacity Seepage, bottom layer	1.00 1.00	Very limited Slope Seepage	1.00 1.00
63E: Chelsea-----	85	Very limited Slope Filtering capacity Seepage, bottom layer	1.00 1.00 1.00	Very limited Slope Seepage	1.00 1.00

Soil Survey of Bremer County, Iowa—Part II

Sewage Disposal--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
83B: Kenyon-----	75	Very limited Slow water movement Depth to saturated zone	1.00 0.99	Somewhat limited Depth to saturated zone Slope Seepage	0.71 0.08 0.01
83C: Kenyon-----	75	Very limited Slow water movement Depth to saturated zone	1.00 0.99	Very limited Slope Depth to saturated zone Seepage	1.00 0.71 0.01
84: Clyde-----	80	Very limited Slow water movement Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.01
109B: Backbone-----	100	Very limited Depth to bedrock Slow water movement	1.00 0.99	Very limited Depth to hard bedrock Seepage Slope	1.00 1.00 0.32
109C: Backbone-----	100	Very limited Depth to bedrock Slow water movement	1.00 0.99	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
109D: Backbone-----	100	Very limited Depth to bedrock Slow water movement Slope	1.00 0.99 0.63	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
127: Plano, rarely flooded-----	85	Very limited Seepage, bottom layer Slow water movement Flooding	1.00 0.99 0.40	Very limited Seepage Flooding	1.00 0.40
135: Coland, occasionally flooded-----	85	Very limited Flooding Depth to saturated zone Slow water movement	1.00 1.00 0.99	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.01

Soil Survey of Bremer County, Iowa—Part II

Sewage Disposal--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
153: Shandep, ponded, occasionally flooded-----	75	Very limited Depth to saturated zone Seepage, bottom layer Ponding	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage Ponding	1.00 1.00 1.00
173: Hoopeston, rarely flooded-----	100	Very limited Depth to saturated zone Seepage, bottom layer Filtering capacity	1.00 1.00 1.00	Very limited Seepage Depth to saturated zone Flooding	1.00 1.00 0.40
175B: Dickinson-----	90	Very limited Filtering capacity Seepage, bottom layer	1.00 1.00	Very limited Seepage Slope	1.00 0.32
175C: Dickinson-----	100	Very limited Filtering capacity Seepage, bottom layer	1.00 1.00	Very limited Slope Seepage	1.00 1.00
178: Waukee, rarely flooded-----	85	Very limited Seepage, bottom layer Slow water movement Flooding	1.00 0.99 0.40	Very limited Seepage Flooding	1.00 0.40
178B: Waukee, rarely flooded-----	95	Very limited Seepage, bottom layer Slow water movement Flooding	1.00 0.99 0.40	Very limited Seepage Flooding Slope	1.00 0.40 0.32
178C: Waukee, rarely flooded-----	95	Very limited Seepage, bottom layer Slow water movement Flooding	1.00 0.99 0.40	Very limited Slope Seepage Flooding	1.00 1.00 0.40

Soil Survey of Bremer County, Iowa—Part II

Sewage Disposal--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
184: Klinger-----	100	Very limited Slow water movement Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.01
198B: Floyd-----	90	Very limited Slow water movement Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope Seepage	1.00 0.08 0.01
221: Klossner-----	100	Very limited Depth to saturated zone Subsidence Slow water movement	1.00 1.00 0.98	Very limited Depth to saturated zone Organic matter content Seepage	1.00 1.00 0.02
284B: Flagler-----	90	Very limited Seepage, bottom layer Filtering capacity Flooding	1.00 1.00 0.40	Very limited Seepage Flooding	1.00 0.40
285: Burkhardt-----	100	Very limited Filtering capacity Seepage, bottom layer Flooding	1.00 1.00 0.40	Very limited Seepage Flooding	1.00 0.40
285C: Burkhardt-----	100	Very limited Filtering capacity Seepage, bottom layer Flooding	1.00 1.00 0.40	Very limited Seepage Slope Flooding	1.00 0.68 0.40
323B: Fort Dodge-----	85	Very limited Filtering capacity Seepage, bottom layer	1.00 1.00	Very limited Seepage	1.00
344D: Copaston-----	90	Very limited Depth to bedrock Seepage, bottom layer Slope	1.00 1.00 0.04	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00

Soil Survey of Bremer County, Iowa—Part II

Sewage Disposal--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
344G: Copaston-----	85	Very limited Depth to bedrock Slope Seepage, bottom layer	1.00 1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 1.00
354: Aguolls, ponded----	90	Not rated		Not rated	
377B: Dinsdale-----	90	Very limited Slow water movement Depth to saturated zone	1.00 0.99	Somewhat limited Depth to saturated zone Slope Seepage	0.71 0.08 0.01
377C: Dinsdale-----	90	Very limited Slow water movement Depth to saturated zone	1.00 0.99	Very limited Slope Depth to saturated zone Seepage	1.00 0.71 0.01
382: Maxfield-----	100	Very limited Slow water movement Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.01
391B: Clyde-----	60	Very limited Slow water movement Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.01
Floyd-----	35	Very limited Slow water movement Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope Seepage	1.00 0.08 0.01
394B: Ostrander-----	75	Very limited Slow water movement	1.00	Somewhat limited Slope Seepage	0.32 0.01
394C: Ostrander-----	85	Very limited Slow water movement	1.00	Somewhat limited Slope Seepage	0.92 0.01
395B: Marquis-----	80	Very limited Slow water movement Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope Seepage	1.00 0.08 0.01

Soil Survey of Bremer County, Iowa—Part II

Sewage Disposal--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
398: Tripoli-----	90	Very limited Slow water movement Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.01
399: Readlyn-----	85	Very limited Slow water movement Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.01
408B: Olin-----	80	Very limited Slow water movement	1.00	Very limited Seepage Slope	1.00 0.32
471: Oran-----	85	Very limited Slow water movement Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.01
485: Spillville, occasionally flooded-----	80	Very limited Flooding Depth to saturated zone Slow water movement	1.00 1.00 0.99	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.01
582B: Kasson-----	90	Very limited Slow water movement Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope Seepage	1.00 0.32 0.01
582C: Kasson-----	80	Very limited Slow water movement Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Slope Seepage	1.00 1.00 0.01
585: Spillville, occasionally flooded-----	50	Very limited Flooding Depth to saturated zone Slow water movement	1.00 1.00 0.99	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.01

Soil Survey of Bremer County, Iowa—Part II

Sewage Disposal--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
585: Coland, occasionally flooded-----	30	Very limited Flooding Depth to saturated zone Slow water movement	1.00 1.00 0.99	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.01
620B: Port Byron-----	90	Somewhat limited Slow water movement	0.99	Somewhat limited Slope Seepage	0.32 0.01
620C2: Port Byron-----	100	Somewhat limited Slow water movement	0.99	Very limited Slope Seepage	1.00 0.01
626: Hayfield, rarely flooded-----	90	Very limited Depth to saturated zone Seepage, bottom layer Slow water movement	1.00 1.00 0.99	Very limited Depth to saturated zone Seepage Flooding	1.00 1.00 0.40
663B: Seaton-----	100	Somewhat limited Slow water movement	0.99	Somewhat limited Slope Seepage	0.08 0.01
663C: Seaton-----	100	Somewhat limited Slow water movement	0.99	Very limited Slope Seepage	1.00 0.01
663D2: Seaton, moderately eroded-----	90	Somewhat limited Slow water movement Slope	0.99 0.63	Very limited Slope Seepage	1.00 0.01
663D3: Seaton, severely eroded-----	90	Somewhat limited Slow water movement Slope	0.99 0.63	Very limited Slope Seepage	1.00 0.01
663E2: Seaton, moderately eroded-----	90	Very limited Slope Slow water movement	1.00 0.99	Very limited Slope Seepage	1.00 0.01

Soil Survey of Bremer County, Iowa—Part II

Sewage Disposal--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
663G: Seaton-----	90	Very limited Slope Slow water movement	1.00 0.99	Very limited Slope Seepage	1.00 0.01
775: Billett-----	100	Very limited Seepage, bottom layer Filtering capacity	1.00 1.00	Very limited Seepage	1.00
775B: Billett-----	100	Very limited Seepage, bottom layer Filtering capacity	1.00 1.00	Very limited Seepage Slope	1.00 0.32
775C: Billett-----	100	Very limited Seepage, bottom layer Filtering capacity	1.00 1.00	Very limited Seepage Slope	1.00 1.00
778: Sattre, rarely flooded-----	85	Very limited Seepage, bottom layer Slow water movement Flooding	1.00 0.99 0.40	Very limited Seepage Flooding	1.00 0.40
813B: Atkinson-----	90	Very limited Slow water movement Depth to bedrock	1.00 0.78	Somewhat limited Depth to hard bedrock Slope Seepage	0.42 0.08 0.02
813C: Atkinson-----	85	Very limited Slow water movement Depth to bedrock	1.00 0.78	Very limited Slope Depth to hard bedrock Seepage	1.00 0.42 0.02
814B: Rockton-----	90	Very limited Slow water movement Depth to bedrock	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 0.08 0.02

Soil Survey of Bremer County, Iowa—Part II

Sewage Disposal--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
814C: Rockton-----	85	Very limited Slow water movement Depth to bedrock	1.00 1.00	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 0.02
814D: Rockton-----	90	Very limited Slow water movement Depth to bedrock Slope	1.00 1.00 0.63	Very limited Depth to hard bedrock Slope Seepage	1.00 1.00 0.02
884: Klingmore-----	100	Very limited Slow water movement Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.01
930: Orion, occasionally flooded-----	100	Very limited Flooding Depth to saturated zone Slow water movement	1.00 1.00 0.99	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.01
982: Maxmore-----	100	Very limited Slow water movement Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Seepage	1.00 0.01
1152: Marshan, rarely flooded-----	75	Very limited Depth to saturated zone Seepage, bottom layer Slow water movement	1.00 1.00 0.99	Very limited Depth to saturated zone Seepage Flooding	1.00 1.00 0.40
1226: Lawler, rarely flooded-----	80	Very limited Depth to saturated zone Seepage, bottom layer Slow water movement	1.00 1.00 0.99	Very limited Depth to saturated zone Seepage Flooding	1.00 1.00 0.40

Soil Survey of Bremer County, Iowa—Part II

Sewage Disposal--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
1585: Spillville, channeled-----	40	Very limited Flooding Depth to saturated zone Slow water movement	1.00 1.00 0.99	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.01
Coland, channeled---	35	Very limited Flooding Depth to saturated zone Slow water movement	1.00 1.00 0.99	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 0.01
Aquolls, ponded-----	15	Not rated		Not rated	
1586: Sigglekov, frequently flooded	55	Very limited Flooding Depth to saturated zone Filtering capacity	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00
Fluvaquents, frequently flooded	30	Not rated		Not rated	
Aquents, ponded-----	15	Not rated		Not rated	
4946: Udorthents-----	65	Not rated		Not rated	
Interstate highway--	35	Not rated		Not rated	
5010: Pits, sand and gravel-----	100	Not rated		Not rated	
5030: Pits, limestone quarries-----	100	Not rated		Not rated	
5040: Udorthents, loamy---	100	Not rated		Not rated	
5080: Udorthents, sanitary landfill-----	100	Not rated		Not rated	
8041: Sparta, terrace, rarely flooded-----	80	Very limited Filtering capacity Seepage, bottom layer Flooding	1.00 1.00 0.40	Very limited Seepage Flooding	1.00 0.40

Soil Survey of Bremer County, Iowa—Part II

Sewage Disposal--Continued

Map symbol and soil name	Pct. of map unit	Septic tank absorption fields		Sewage lagoons	
		Rating class and limiting features	Value	Rating class and limiting features	Value
8041B: Sparta, terrace, rarely flooded-----	80	Very limited		Very limited	
		Filtering capacity	1.00	Seepage	1.00
		Seepage, bottom layer	1.00	Flooding	0.40
		Flooding	0.40	Slope	0.08
8175B: Dickinson, terrace, rarely flooded-----	100	Very limited		Very limited	
		Seepage, bottom layer	1.00	Seepage	1.00
		Filtering capacity	1.00	Flooding	0.40
		Flooding	0.40	Slope	0.32
AW: Animal waste lagoon	100	Not rated		Not rated	
SL: Sewage lagoon-----	100	Not rated		Not rated	
W: Water-----	100	Not rated		Not rated	

Soil Survey of Bremer County, Iowa—Part II

Landfills

(Onsite investigation may be needed to validate the interpretations in this table and to confirm the identity of the soil on a given site. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
41B: Sparta-----	80	Very limited Too sandy Seepage, bottom layer	1.00 1.00	Very limited Seepage	1.00	Very limited Too sandy Seepage	1.00 1.00
41C: Sparta-----	80	Very limited Too sandy Seepage, bottom layer	1.00 1.00	Very limited Seepage	1.00	Very limited Too sandy Seepage	1.00 1.00
43: Bremer-----	100	Very limited Depth to saturated zone Too clayey Flooding	1.00 0.50 0.40	Very limited Depth to saturated zone Flooding	1.00 0.40	Very limited Depth to saturated zone Hard to compact Too clayey	1.00 1.00 0.50
50B: Coloma-----	85	Very limited Too sandy Seepage, bottom layer Flooding	1.00 1.00 0.40	Very limited Seepage Flooding	1.00 0.40	Very limited Too sandy Seepage	1.00 1.00
63B: Chelsea-----	90	Very limited Too sandy Seepage, bottom layer	1.00 1.00	Very limited Seepage	1.00	Very limited Too sandy Seepage	1.00 1.00
63C: Chelsea-----	85	Very limited Too sandy Seepage, bottom layer	1.00 1.00	Very limited Seepage	1.00	Very limited Too sandy Seepage	1.00 1.00
63E: Chelsea-----	85	Very limited Too sandy Slope Seepage, bottom layer	1.00 1.00 1.00	Very limited Slope Seepage	1.00 1.00	Very limited Too sandy Slope Seepage	1.00 1.00 1.00
83B: Kenyon-----	75	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	
83C: Kenyon-----	75	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Not limited	

Soil Survey of Bremer County, Iowa—Part II

Landfills--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
84: Clyde-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
109B: Backbone-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock Seepage	1.00 1.00
109C: Backbone-----	100	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock Seepage	1.00 1.00	Very limited Depth to bedrock Seepage	1.00 1.00
109D: Backbone-----	100	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to bedrock Seepage Slope	1.00 1.00 0.63	Very limited Depth to bedrock Seepage Slope	1.00 1.00 0.63
127: Plano, rarely flooded-----	85	Very limited Seepage, bottom layer Too clayey Flooding	1.00 0.50 0.40	Somewhat limited Flooding	0.40	Somewhat limited Too clayey	0.50
135: Coland, occasionally flooded-----	85	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Hard to compact Too clayey	1.00 1.00 1.00 0.50
153: Shandep, ponded, occasionally flooded-----	75	Very limited Depth to saturated zone Seepage, bottom layer Ponding	1.00 1.00 1.00 1.00	Very limited Depth to saturated zone Ponding Flooding	1.00 1.00 1.00 0.40	Very limited Depth to saturated zone Hard to compact Ponding	1.00 1.00 1.00 1.00
173: Hoopeston, rarely flooded-----	100	Very limited Depth to saturated zone Seepage, bottom layer Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Seepage Flooding	1.00 1.00 1.00 0.40	Very limited Depth to saturated zone Seepage	1.00 1.00

Soil Survey of Bremer County, Iowa—Part II

Landfills--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
175B: Dickinson-----	90	Very limited Too sandy Seepage, bottom layer	1.00 1.00	Very limited Seepage	1.00	Very limited Too sandy Seepage	1.00 1.00
175C: Dickinson-----	100	Very limited Too sandy Seepage, bottom layer	1.00 1.00	Very limited Seepage	1.00	Very limited Too sandy Seepage	1.00 1.00
178: Waukee, rarely flooded-----	85	Very limited Too sandy Seepage, bottom layer Flooding	1.00 1.00 0.40	Very limited Seepage Flooding	1.00 0.40	Very limited Too sandy Seepage	1.00 1.00
178B: Waukee, rarely flooded-----	95	Very limited Too sandy Seepage, bottom layer Flooding	1.00 1.00 0.40	Very limited Seepage Flooding	1.00 0.40	Very limited Too sandy Seepage	1.00 1.00
178C: Waukee, rarely flooded-----	95	Very limited Too sandy Seepage, bottom layer Flooding	1.00 1.00 0.40	Very limited Seepage Flooding	1.00 0.40	Very limited Too sandy Seepage	1.00 1.00
184: Klinger-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
198B: Floyd-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
221: Klossner-----	100	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
284B: Flagler-----	90	Very limited Seepage, bottom layer Too sandy Flooding	1.00 0.50 0.40	Very limited Seepage Flooding	1.00 0.40	Very limited Seepage Too sandy	1.00 0.50

Soil Survey of Bremer County, Iowa—Part II

Landfills--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
285: Burkhardt-----	100	Very limited Too sandy Seepage, bottom layer Flooding	1.00 1.00 0.40	Very limited Seepage Flooding	1.00 0.40	Very limited Too sandy Seepage Gravel content	1.00 1.00 0.12
285C: Burkhardt-----	100	Very limited Too sandy Seepage, bottom layer Flooding	1.00 1.00 0.40	Very limited Seepage Flooding	1.00 0.40	Very limited Too sandy Seepage Gravel content	1.00 1.00 0.12
323B: Fort Dodge-----	85	Very limited Seepage, bottom layer	1.00	Very limited Seepage	1.00	Very limited Seepage	1.00
344D: Copaston-----	90	Very limited Depth to bedrock Seepage, bottom layer Slope	1.00 1.00 0.04	Very limited Depth to bedrock Slope	1.00 0.04	Very limited Depth to bedrock Seepage Slope	1.00 1.00 0.04
344G: Copaston-----	85	Very limited Depth to bedrock Slope Seepage, bottom layer	1.00 1.00 1.00	Very limited Depth to bedrock Slope	1.00 1.00	Very limited Depth to bedrock Slope Seepage	1.00 1.00 1.00
354: Aquolls, ponded----	90	Not rated		Very limited Ponding Depth to saturated zone	1.00 1.00	Not rated	
377B: Dinsdale-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
377C: Dinsdale-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Too clayey	0.50
382: Maxfield-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
391B: Clyde-----	60	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00

Soil Survey of Bremer County, Iowa—Part II

Landfills--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
391B: Floyd-----	35	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
394B: Ostrander-----	75	Not limited		Not limited		Not limited	
394C: Ostrander-----	85	Not limited		Not limited		Not limited	
395B: Marquis-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.86
398: Tripoli-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
399: Readlyn-----	85	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
408B: Olin-----	80	Not limited		Very limited Seepage	1.00	Not limited	
471: Oran-----	85	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
485: Spillville, occasionally flooded-----	80	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
582B: Kasson-----	90	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.86
582C: Kasson-----	80	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.86

Soil Survey of Bremer County, Iowa—Part II

Landfills--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
585: Spillville, occasionally flooded-----	50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Coland, occasionally flooded-----	30	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Hard to compact Too clayey	1.00 1.00 0.50
620B: Port Byron-----	90	Not limited		Not limited		Not limited	
620C2: Port Byron-----	100	Not limited		Not limited		Not limited	
626: Hayfield, rarely flooded-----	90	Very limited Depth to saturated zone Too sandy Seepage, bottom layer	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Too sandy Seepage	1.00 1.00 1.00
663B: Seaton-----	100	Not limited		Not limited		Not limited	
663C: Seaton-----	100	Not limited		Not limited		Not limited	
663D2: Seaton, moderately eroded-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
663D3: Seaton, severely eroded-----	90	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63
663E2: Seaton, moderately eroded-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
663G: Seaton-----	90	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
775: Billett-----	100	Very limited Seepage, bottom layer	1.00	Very limited Seepage	1.00	Very limited Seepage	1.00

Soil Survey of Bremer County, Iowa—Part II

Landfills--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
775B: Billett-----	100	Very limited Seepage, bottom layer	1.00	Very limited Seepage	1.00	Very limited Seepage	1.00
775C: Billett-----	100	Very limited Seepage, bottom layer	1.00	Very limited Seepage	1.00	Very limited Seepage	1.00
778: Sattre, rarely flooded-----	85	Very limited Too sandy Seepage, bottom layer Flooding	1.00 1.00 0.40	Very limited Seepage Flooding	1.00 0.40	Very limited Too sandy Seepage	1.00 1.00
813B: Atkinson-----	90	Very limited Depth to bedrock Too clayey	1.00 0.50	Somewhat limited Depth to bedrock	0.42	Somewhat limited Too clayey Depth to bedrock	0.50 0.42
813C: Atkinson-----	85	Very limited Depth to bedrock Too clayey	1.00 0.50	Somewhat limited Depth to bedrock	0.42	Somewhat limited Too clayey Depth to bedrock	0.50 0.42
814B: Rockton-----	90	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
814C: Rockton-----	85	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00	Very limited Depth to bedrock	1.00
814D: Rockton-----	90	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to bedrock Slope	1.00 0.63	Very limited Depth to bedrock Slope	1.00 0.63
884: Klingmore-----	100	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50
930: Orion, occasionally flooded-----	100	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
982: Maxmore-----	100	Very limited Depth to saturated zone Too clayey	1.00 0.50	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone Too clayey	1.00 0.50

Soil Survey of Bremer County, Iowa—Part II

Landfills--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1152: Marshan, rarely flooded-----	75	Very limited Depth to saturated zone Too sandy Seepage, bottom layer	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Too sandy Seepage	1.00 1.00 1.00
1226: Lawler, rarely flooded-----	80	Very limited Depth to saturated zone Too sandy Seepage, bottom layer	1.00 1.00 1.00	Very limited Depth to saturated zone Seepage Flooding	1.00 1.00 0.40	Very limited Depth to saturated zone Too sandy Seepage	1.00 1.00 1.00
1585: Spillville, channeled-----	40	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone	1.00
Coland, channeled---	35	Very limited Flooding Depth to saturated zone Too clayey	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Depth to saturated zone Hard to compact Too clayey	1.00 1.00 0.50
Aquolls, ponded----	15	Not rated		Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Not rated	
1586: Sigglekov, frequently flooded	55	Very limited Flooding Depth to saturated zone Too sandy	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Seepage	1.00 1.00 1.00	Very limited Depth to saturated zone Too sandy Seepage	1.00 1.00 1.00
Fluvaquents, frequently flooded	30	Not rated		Very limited Flooding Depth to saturated zone	1.00 1.00	Not rated	
Aquents, ponded----	15	Not rated		Very limited Flooding Ponding Depth to saturated zone	1.00 1.00 1.00	Not rated	

Soil Survey of Bremer County, Iowa—Part II

Landfills--Continued

Map symbol and soil name	Pct. of map unit	Trench sanitary landfill		Area sanitary landfill		Daily cover for landfill	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
4946:							
Udorthents-----	65	Not rated		Not rated		Not rated	
Interstate highway--	35	Not rated		Not rated		Not rated	
5010:							
Pits, sand and gravel-----	100	Not rated		Not rated		Not rated	
5030:							
Pits, limestone quarries-----	100	Not rated		Not rated		Not rated	
5040:							
Udorthents, loamy---	100	Not rated		Not rated		Not rated	
5080:							
Udorthents, sanitary landfill-----	100	Not rated		Not rated		Not rated	
8041:							
Sparta, terrace, rarely flooded-----	80	Very limited		Very limited		Very limited	
		Too sandy	1.00	Seepage	1.00	Too sandy	1.00
		Seepage, bottom layer	1.00	Flooding	0.40	Seepage	1.00
		Flooding	0.40				
8041B:							
Sparta, terrace, rarely flooded-----	80	Very limited		Very limited		Very limited	
		Too sandy	1.00	Seepage	1.00	Too sandy	1.00
		Seepage, bottom layer	1.00	Flooding	0.40	Seepage	1.00
		Flooding	0.40				
8175B:							
Dickinson, terrace, rarely flooded-----	100	Very limited		Very limited		Very limited	
		Seepage, bottom layer	1.00	Seepage	1.00	Too sandy	1.00
		Too sandy	1.00	Flooding	0.40	Seepage	1.00
		Flooding	0.40				
AW:							
Animal waste lagoon	100	Not rated		Not rated		Not rated	
SL:							
Sewage lagoon-----	100	Not rated		Not rated		Not rated	
W:							
Water-----	100	Not rated		Not rated		Not rated	

Construction Materials

The titles of the tables described in this section are:

- “Source of Sand and Gravel”
- “Source of Reclamation Material, Roadfill, and Topsoil”

These tables give information about the soils as potential sources of gravel, sand, reclamation material, roadfill, and topsoil. Normal compaction, minor processing, and other standard construction practices are assumed.

Gravel and *sand* are natural aggregates suitable for commercial use with a minimum of processing. They are used in many kinds of construction. Specifications for each use vary widely. In the table “Source of Sand and Gravel,” only the likelihood of finding material in suitable quantity is evaluated. The suitability of the material for specific purposes is not evaluated, nor are factors that affect excavation of the material. The properties used to evaluate the soil as a source of sand or gravel are gradation of grain sizes (as indicated by the Unified classification of the soil), the thickness of suitable material, and the content of rock fragments. If the bottom layer of the soil contains sand or gravel, the soil is considered a likely source regardless of thickness. The assumption is that the sand or gravel layer below the depth of observation exceeds the minimum thickness.

The soils are rated as *improbable*, *possible*, *probable*, or *very likely* sources of gravel. The bottom layer and the thickest layer of the soils are assigned numerical ratings. These ratings indicate the likelihood that the layer is a source of gravel. The number 0.00 indicates an improbable source; 0.01 to 0.39, a possible source; 0.40 to 0.99, a probable source; and 1.00, a very likely source.

The soils are rated *good*, *fair*, or *poor* as potential sources of sand. A rating of good or fair means that the source material is likely to be in or below the soil. The bottom layer and the thickest layer of the soils are assigned numerical ratings. The larger the number, the greater the likelihood that the layer is a source of sand.

In the table “Source of Reclamation Material, Roadfill, and Topsoil,” the rating class terms are *good*, *fair*, and *poor*. The features that limit the soils as sources of these materials are specified in the tables. The numerical ratings given after the specified features indicate the degree to which the features limit the soils as sources of reclamation material, roadfill, and topsoil. The lower the number, the greater the limitation.

Reclamation material is used in areas that have been drastically disturbed by surface mining or similar activities. When these areas are reclaimed, layers of soil material or unconsolidated geological material, or both, are replaced in a vertical sequence. The reconstructed soil favors plant growth. The ratings in the table do not apply to quarries and other mined areas that require an offsite source of reconstruction material. The ratings are based on the soil properties that affect erosion and stability of the surface and the productive potential of the reconstructed soil. These properties include the content of sodium, salts, and calcium carbonate; reaction; available water capacity; erodibility; texture; content of rock fragments; and content of organic matter and other features that affect fertility.

Roadfill is soil material that is excavated in one place and used in road embankments in another place. In this table, the soils are rated as a source of roadfill for low embankments, generally less than 6 feet high and less exacting in design than higher embankments.

The ratings are for the whole soil, from the surface to a depth of about 5 feet. It is assumed that soil layers will be mixed when the soil material is excavated and spread.

The ratings are based on the amount of suitable material and on soil properties that affect the ease of excavation and the performance of the material after it is in

place. The thickness of the suitable material is a major consideration. The ease of excavation is affected by large stones, depth to a water table, and slope. How well the soil performs in place after it has been compacted and drained is determined by its strength (as inferred from the AASHTO classification of the soil) and linear extensibility (shrink-swell potential).

Topsoil is used to cover an area so that vegetation can be established and maintained. The upper 40 inches of a soil is evaluated for use as topsoil. Also evaluated is the reclamation potential of the borrow area. The ratings are based on the soil properties that affect plant growth; the ease of excavating, loading, and spreading the material; and reclamation of the borrow area. Toxic substances, soil reaction, and the properties that are inferred from soil texture, such as available water capacity and fertility, affect plant growth. The ease of excavating, loading, and spreading is affected by rock fragments, slope, depth to a water table, soil texture, and thickness of suitable material. Reclamation of the borrow area is affected by slope, depth to a water table, rock fragments, depth to bedrock or a cemented pan, and toxic material.

The surface layer of most soils is generally preferred for topsoil because of its organic matter content. Organic matter greatly increases the absorption and retention of moisture and nutrients for plant growth.

Soil Survey of Bremer County, Iowa—Part II

Source of Sand and Gravel

(Onsite investigation may be needed to validate the interpretations in this table and to confirm the identity of the soil on a given site. The ratings given for the thickest layer are for the thickest layer above and excluding the bottom layer. The numbers in the value columns range from 0.00 to 0.99. The greater the value, the greater the likelihood that the bottom layer or thickest layer of the soil is a source of sand or gravel. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Potential as source of gravel		Potential as source of sand	
		Rating class	Value	Rating class	Value
41B: Sparta-----	80	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.27
		Bottom layer	0.00	Bottom layer	0.35
41C: Sparta-----	80	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.27
		Bottom layer	0.00	Bottom layer	0.35
43: Bremer-----	100	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
50B: Coloma-----	85	Improbable		Fair	
		Thickest layer	0.00	Bottom layer	0.31
		Bottom layer	0.00	Thickest layer	0.75
63B: Chelsea-----	90	Improbable		Fair	
		Thickest layer	0.00	Bottom layer	0.12
		Bottom layer	0.00	Thickest layer	0.12
63C: Chelsea-----	85	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.12
		Bottom layer	0.00	Bottom layer	0.12
63E: Chelsea-----	85	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.12
		Bottom layer	0.00	Bottom layer	0.12
83B: Kenyon-----	75	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
83C: Kenyon-----	75	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
84: Clyde-----	80	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00

Soil Survey of Bremer County, Iowa—Part II

Source of Sand and Gravel--Continued

Map symbol and soil name	Pct. of map unit	Potential as source of gravel		Potential as source of sand	
		Rating class	Value	Rating class	Value
109B: Backbone-----	100	Improbable		Fair	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.06
109C: Backbone-----	100	Improbable		Fair	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.06
109D: Backbone-----	100	Improbable		Fair	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.06
127: Plano, rarely flooded-----	85	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.00
		Bottom layer	0.00	Bottom layer	0.33
135: Coland, occasionally flooded-----	85	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.00
		Bottom layer	0.00	Bottom layer	0.03
153: Shandep, ponded, occasionally flooded-----	75	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.00
		Bottom layer	0.00	Bottom layer	0.09
173: Hoopeston, rarely flooded-----	100	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.03
		Bottom layer	0.00	Bottom layer	0.31
175B: Dickinson-----	90	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.00
		Bottom layer	0.00	Bottom layer	0.36
175C: Dickinson-----	100	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.00
		Bottom layer	0.00	Bottom layer	0.36
178: Waukee, rarely flooded-----	85	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.09
		Bottom layer	0.00	Bottom layer	0.68
178B: Waukee, rarely flooded-----	95	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.09
		Bottom layer	0.00	Bottom layer	0.68

Soil Survey of Bremer County, Iowa—Part II

Source of Sand and Gravel--Continued

Map symbol and soil name	Pct. of map unit	Potential as source of gravel		Potential as source of sand	
		Rating class	Value	Rating class	Value
178C: Waukee, rarely flooded-----	95	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.09
		Bottom layer	0.00	Bottom layer	0.68
184: Klinger-----	100	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
198B: Floyd-----	90	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
221: Klossner-----	100	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
284B: Flagler-----	90	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.04
		Bottom layer	0.00	Bottom layer	0.08
285: Burkhardt-----	100	Improbable		Fair	
		Thickest layer	0.00	Bottom layer	0.10
		Bottom layer	0.00	Thickest layer	0.10
285C: Burkhardt-----	100	Improbable		Fair	
		Thickest layer	0.00	Bottom layer	0.10
		Bottom layer	0.00	Thickest layer	0.10
323B: Fort Dodge-----	85	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.00
		Bottom layer	0.00	Bottom layer	0.10
344D: Copaston-----	90	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.00
		Bottom layer	0.00	Bottom layer	0.03
344G: Copaston-----	85	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.00
		Bottom layer	0.00	Bottom layer	0.03
354: Aquolls, ponded----	90	Not rated		Not rated	
377B: Dinsdale-----	90	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00

Soil Survey of Bremer County, Iowa—Part II

Source of Sand and Gravel--Continued

Map symbol and soil name	Pct. of map unit	Potential as source of gravel		Potential as source of sand	
		Rating class	Value	Rating class	Value
377C: Dinsdale-----	90	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
382: Maxfield-----	100	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
391B: Clyde-----	60	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
Floyd-----	35	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
394B: Ostrander-----	75	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
394C: Ostrander-----	85	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
395B: Marquis-----	80	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
398: Tripoli-----	90	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
399: Readlyn-----	85	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
408B: Olin-----	80	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
471: Oran-----	85	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
485: Spillville, occasionally flooded-----	80	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00

Soil Survey of Bremer County, Iowa—Part II

Source of Sand and Gravel--Continued

Map symbol and soil name	Pct. of map unit	Potential as source of gravel		Potential as source of sand	
		Rating class	Value	Rating class	Value
582B: Kasson-----	90	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
582C: Kasson-----	80	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
585: Spillville, occasionally flooded-----	50	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
Coland, occasionally flooded-----	30	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.00
		Bottom layer	0.00	Bottom layer	0.03
620B: Port Byron-----	90	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
620C2: Port Byron-----	100	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
626: Hayfield, rarely flooded-----	90	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.00
		Bottom layer	0.00	Bottom layer	0.54
663B: Seaton-----	100	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
663C: Seaton-----	100	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
663D2: Seaton, moderately eroded-----	90	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
663D3: Seaton, severely eroded-----	90	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00

Soil Survey of Bremer County, Iowa—Part II

Source of Sand and Gravel--Continued

Map symbol and soil name	Pct. of map unit	Potential as source of gravel		Potential as source of sand	
		Rating class	Value	Rating class	Value
663E2: Seaton, moderately eroded-----	90	Improbable Thickest layer Bottom layer	0.00 0.00	Poor Bottom layer Thickest layer	0.00 0.00
663G: Seaton-----	90	Improbable Thickest layer Bottom layer	0.00 0.00	Poor Bottom layer Thickest layer	0.00 0.00
775: Billett-----	100	Improbable Thickest layer Bottom layer	0.00 0.00	Fair Thickest layer Bottom layer	0.04 0.08
775B: Billett-----	100	Improbable Thickest layer Bottom layer	0.00 0.00	Fair Thickest layer Bottom layer	0.04 0.08
775C: Billett-----	100	Improbable Thickest layer Bottom layer	0.00 0.00	Fair Thickest layer Bottom layer	0.04 0.08
778: Sattre, rarely flooded-----	85	Improbable Thickest layer Bottom layer	0.00 0.00	Fair Thickest layer Bottom layer	0.00 0.11
813B: Atkinson-----	90	Improbable Thickest layer Bottom layer	0.00 0.00	Poor Bottom layer Thickest layer	0.00 0.00
813C: Atkinson-----	85	Improbable Thickest layer Bottom layer	0.00 0.00	Poor Bottom layer Thickest layer	0.00 0.00
814B: Rockton-----	90	Improbable Thickest layer Bottom layer	0.00 0.00	Poor Bottom layer Thickest layer	0.00 0.00
814C: Rockton-----	85	Improbable Thickest layer Bottom layer	0.00 0.00	Poor Bottom layer Thickest layer	0.00 0.00
814D: Rockton-----	90	Improbable Thickest layer Bottom layer	0.00 0.00	Poor Bottom layer Thickest layer	0.00 0.00
884: Klingmore-----	100	Improbable Thickest layer Bottom layer	0.00 0.00	Poor Bottom layer Thickest layer	0.00 0.00

Soil Survey of Bremer County, Iowa—Part II

Source of Sand and Gravel--Continued

Map symbol and soil name	Pct. of map unit	Potential as source of gravel		Potential as source of sand	
		Rating class	Value	Rating class	Value
930: Orion, occasionally flooded-----	100	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
982: Maxmore-----	100	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
1152: Marshan, rarely flooded-----	75	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.29
		Bottom layer	0.00	Bottom layer	0.82
1226: Lawler, rarely flooded-----	80	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.00
		Bottom layer	0.00	Bottom layer	0.82
1585: Spillville, channeled-----	40	Improbable		Poor	
		Thickest layer	0.00	Bottom layer	0.00
		Bottom layer	0.00	Thickest layer	0.00
Coland, channeled---	35	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.00
		Bottom layer	0.00	Bottom layer	0.03
Aquolls, ponded-----	15	Not rated		Not rated	
1586: Sigglekov, frequently flooded	55	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.41
		Bottom layer	0.00	Bottom layer	0.52
Fluvaquents, frequently flooded	30	Not rated		Not rated	
Aquents, ponded-----	15	Not rated		Not rated	
4946: Udorthents-----	65	Not rated		Not rated	
Interstate highway--	35	Not rated		Not rated	
5010: Pits, sand and gravel-----	100	Not rated		Not rated	
5030: Pits, limestone quarries-----	100	Not rated		Not rated	

Soil Survey of Bremer County, Iowa—Part II

Source of Sand and Gravel--Continued

Map symbol and soil name	Pct. of map unit	Potential as source of gravel		Potential as source of sand	
		Rating class	Value	Rating class	Value
5040: Udorthents, loamy---	100	Not rated		Not rated	
5080: Udorthents, sanitary landfill-----	100	Not rated		Not rated	
8041: Sparta, terrace, rarely flooded-----	80	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.27
		Bottom layer	0.00	Bottom layer	0.35
8041B: Sparta, terrace, rarely flooded-----	80	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.27
		Bottom layer	0.00	Bottom layer	0.35
8175B: Dickinson, terrace, rarely flooded-----	100	Improbable		Fair	
		Thickest layer	0.00	Thickest layer	0.00
		Bottom layer	0.00	Bottom layer	0.36
AW: Animal waste lagoon	100	Not rated		Not rated	
SL: Sewage lagoon-----	100	Not rated		Not rated	
W: Water-----	100	Not rated		Not rated	

Soil Survey of Bremer County, Iowa—Part II

Source of Reclamation Material, Roadfill, and Topsoil

(Onsite investigation may be needed to validate the interpretations in this table and to confirm the identity of the soil on a given site. The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.00 to 0.99. The smaller the value, the greater the limitation. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Potential as source of reclamation material		Potential as source of roadfill		Potential as source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
41B: Sparta-----	80	Poor Too sandy Wind erosion Low content of organic matter	0.00 0.00 0.12	Good		Poor Too sandy Rock fragments	0.00 0.95
41C: Sparta-----	80	Poor Too sandy Wind erosion Low content of organic matter	0.00 0.00 0.12	Good		Poor Too sandy Rock fragments	0.00 0.95
43: Bremer-----	100	Fair Too clayey Water erosion Too acid	0.05 0.90 0.95	Poor Wetness Low strength Shrink-swell	0.00 0.00 0.44	Poor Wetness Too clayey	0.00 0.04
50B: Coloma-----	85	Poor Wind erosion Too sandy Low content of organic matter	0.00 0.00 0.12	Good		Poor Too sandy	0.00
63B: Chelsea-----	90	Poor Too sandy Wind erosion Low content of organic matter	0.00 0.00 0.12	Good		Poor Too sandy	0.00
63C: Chelsea-----	85	Poor Too sandy Wind erosion Low content of organic matter	0.00 0.00 0.12	Good		Poor Too sandy	0.00
63E: Chelsea-----	85	Poor Too sandy Wind erosion Low content of organic matter	0.00 0.00 0.12	Fair Slope	0.98	Poor Too sandy Slope	0.00 0.00
83B: Kenyon-----	75	Fair Low content of organic matter Too acid	0.50 0.97	Fair Low strength	0.78	Fair Rock fragments	0.59

Soil Survey of Bremer County, Iowa—Part II

Source of Reclamation Material, Roadfill, and Topsoil--Continued

Map symbol and soil name	Pct. of map unit	Potential as source of reclamation material		Potential as source of roadfill		Potential as source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
83C: Kenyon-----	75	Fair Low content of organic matter Too acid	0.50 0.97	Fair Low strength	0.78	Fair Rock fragments	0.59
84: Clyde-----	80	Fair Low content of organic matter Water erosion	0.12 0.99	Poor Wetness Shrink-swell	0.00 0.99	Poor Wetness Rock fragments	0.00 0.98
109B: Backbone-----	100	Fair Droughty Depth to bedrock Too acid	0.16 0.54 0.74	Poor Depth to bedrock	0.00	Fair Depth to bedrock Rock fragments	0.54 0.99
109C: Backbone-----	100	Fair Droughty Depth to bedrock Too acid	0.16 0.54 0.74	Poor Depth to bedrock	0.00	Fair Depth to bedrock Rock fragments	0.54 0.99
109D: Backbone-----	100	Fair Droughty Depth to bedrock Too acid	0.16 0.54 0.74	Poor Depth to bedrock	0.00	Fair Slope Depth to bedrock Rock fragments	0.37 0.54 0.99
127: Plano, rarely flooded-----	85	Fair Too clayey Low content of organic matter Water erosion	0.82 0.88 0.90	Poor Low strength Shrink-swell	0.00 0.95	Fair Too clayey	0.59
135: Coland, occasionally flooded-----	85	Fair Too clayey	0.98	Poor Wetness Low strength	0.00 0.00	Poor Wetness Too clayey	0.00 0.98
153: Shandep, ponded, occasionally flooded-----	75	Good		Poor Wetness Low strength	0.00 0.00	Poor Wetness	0.00
173: Hoopeston, rarely flooded-----	100	Fair Low content of organic matter Too acid	0.68 0.97	Poor Wetness	0.00	Poor Wetness	0.00

Soil Survey of Bremer County, Iowa—Part II

Source of Reclamation Material, Roadfill, and Topsoil--Continued

Map symbol and soil name	Pct. of map unit	Potential as source of reclamation material		Potential as source of roadfill		Potential as source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
175B: Dickinson-----	90	Fair		Good		Good	
		Low content of organic matter	0.12				
		Too acid	0.84				
		Droughty	0.95				
175C: Dickinson-----	100	Fair		Good		Good	
		Low content of organic matter	0.12				
		Too acid	0.84				
		Droughty	0.95				
178: Waukee, rarely flooded-----	85	Fair		Good		Fair	
		Low content of organic matter	0.12			Rock fragments	0.50
		Too acid	0.74				
178B: Waukee, rarely flooded-----	95	Fair		Good		Fair	
		Low content of organic matter	0.12			Rock fragments	0.50
		Too acid	0.74				
178C: Waukee, rarely flooded-----	95	Fair		Good		Fair	
		Low content of organic matter	0.12			Rock fragments	0.50
		Too acid	0.74				
184: Klinger-----	100	Fair		Poor		Poor	
		Low content of organic matter	0.12	Wetness	0.00	Wetness	0.00
		Too acid	0.84	Low strength	0.00		
		Water erosion	0.90				
198B: Floyd-----	90	Fair		Poor		Poor	
		Low content of organic matter	0.12	Wetness	0.00	Wetness	0.00
				Low strength	0.78		
221: Klossner-----	100	Poor		Poor		Not rated	
		Wind erosion	0.00	Wetness	0.00		
		Too acid	0.97	Low strength	0.00		
284B: Flagler-----	90	Fair		Good		Fair	
		Low content of organic matter	0.12			Rock fragments	0.99
		Too acid	0.84				
		Droughty	0.87				

Soil Survey of Bremer County, Iowa—Part II

Source of Reclamation Material, Roadfill, and Topsoil--Continued

Map symbol and soil name	Pct. of map unit	Potential as source of reclamation material		Potential as source of roadfill		Potential as source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
285: Burkhardt-----	100	Poor Too sandy Droughty Low content of organic matter	0.00 0.09 0.12	Good		Poor Too sandy Rock fragments Hard to reclaim (rock fragments)	0.00 0.00 0.26
285C: Burkhardt-----	100	Poor Too sandy Droughty Low content of organic matter	0.00 0.09 0.12	Good		Poor Too sandy Rock fragments Hard to reclaim (rock fragments)	0.00 0.00 0.26
323B: Fort Dodge-----	85	Good		Poor Low strength	0.00	Good	
344D: Copaston-----	90	Poor Depth to bedrock Droughty	0.00 0.00	Poor Depth to bedrock	0.00	Poor Depth to bedrock Rock fragments Slope	0.00 0.82 0.96
344G: Copaston-----	85	Poor Depth to bedrock Droughty	0.00 0.00	Poor Depth to bedrock Slope	0.00 0.50	Poor Depth to bedrock Slope Rock fragments	0.00 0.00 0.82
354: Aquolls, ponded----	90	Not rated		Not rated		Not rated	
377B: Dinsdale-----	90	Fair Low content of organic matter Water erosion Too clayey	0.12 0.90 0.92	Poor Low strength Shrink-swell	0.00 0.99	Fair Too clayey	0.76
377C: Dinsdale-----	90	Fair Low content of organic matter Water erosion Too clayey	0.12 0.90 0.92	Poor Low strength Shrink-swell	0.00 0.99	Fair Too clayey	0.76
382: Maxfield-----	100	Fair Low content of organic matter Too clayey	0.12 0.98	Poor Wetness Low strength Shrink-swell	0.00 0.00 0.99	Poor Wetness Too clayey	0.00 0.98
391B: Clyde-----	60	Fair Low content of organic matter Water erosion	0.12 0.99	Poor Wetness Shrink-swell	0.00 0.99	Poor Wetness Rock fragments	0.00 0.98

Soil Survey of Bremer County, Iowa—Part II

Source of Reclamation Material, Roadfill, and Topsoil--Continued

Map symbol and soil name	Pct. of map unit	Potential as source of reclamation material		Potential as source of roadfill		Potential as source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
391B: Floyd-----	35	Fair Low content of organic matter	0.12	Poor Wetness Low strength	0.00 0.78	Poor Wetness	0.00
394B: Ostrander-----	75	Fair Low content of organic matter Too acid Water erosion	0.12 0.97 0.99	Poor Low strength	0.00	Good	
394C: Ostrander-----	85	Fair Low content of organic matter Too acid Water erosion	0.12 0.97 0.99	Poor Low strength	0.00	Good	
395B: Marquis-----	80	Fair Low content of organic matter Too acid Water erosion	0.50 0.97 0.99	Fair Wetness	0.53	Fair Wetness Rock fragments	0.53 0.88
398: Tripoli-----	90	Fair Low content of organic matter	0.12	Poor Wetness Low strength	0.00 0.78	Poor Wetness Rock fragments	0.00 0.82
399: Readlyn-----	85	Fair Low content of organic matter Too acid	0.12 0.84	Poor Wetness	0.00	Poor Wetness Rock fragments	0.00 0.82
408B: Olin-----	80	Fair Low content of organic matter Too acid Water erosion	0.12 0.74 0.99	Fair Low strength	0.78	Good	
471: Oran-----	85	Fair Low content of organic matter Too acid Water erosion	0.12 0.84 0.99	Poor Wetness	0.00	Poor Wetness Rock fragments	0.00 0.76
485: Spillville, occasionally flooded-----	80	Good		Poor Wetness Low strength	0.00 0.22	Poor Wetness	0.00

Soil Survey of Bremer County, Iowa—Part II

Source of Reclamation Material, Roadfill, and Topsoil--Continued

Map symbol and soil name	Pct. of map unit	Potential as source of reclamation material		Potential as source of roadfill		Potential as source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
582B: Kasson-----	90	Fair Low content of organic matter Too acid	0.12 0.88	Fair Wetness Low strength	0.53 0.78	Fair Wetness Rock fragments	0.53 0.82
582C: Kasson-----	80	Fair Low content of organic matter Too acid	0.12 0.88	Fair Wetness Low strength	0.53 0.78	Fair Wetness Rock fragments	0.53 0.82
585: Spillville, occasionally flooded-----	50	Good		Poor Wetness Low strength	0.00 0.22	Poor Wetness	0.00
Coland, occasionally flooded-----	30	Fair Too clayey	0.98	Poor Wetness Low strength	0.00 0.00	Poor Wetness Too clayey	0.00 0.98
620B: Port Byron-----	90	Fair Low content of organic matter Water erosion	0.50 0.99	Good		Good	
620C2: Port Byron-----	100	Fair Low content of organic matter Water erosion	0.50 0.99	Poor Low strength	0.00	Good	
626: Hayfield, rarely flooded-----	90	Fair Low content of organic matter Too acid	0.12 0.74	Poor Wetness	0.00	Poor Wetness	0.00
663B: Seaton-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.97 0.99	Poor Low strength	0.00	Good	
663C: Seaton-----	100	Fair Low content of organic matter Too acid Water erosion	0.12 0.97 0.99	Poor Low strength	0.00	Good	

Soil Survey of Bremer County, Iowa—Part II

Source of Reclamation Material, Roadfill, and Topsoil--Continued

Map symbol and soil name	Pct. of map unit	Potential as source of reclamation material		Potential as source of roadfill		Potential as source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
663D2: Seaton, moderately eroded-----	90	Fair		Poor		Fair	
		Low content of organic matter	0.12	Low strength	0.00	Slope	0.37
		Too acid	0.97				
		Water erosion	0.99				
663D3: Seaton, severely eroded-----	90	Fair		Poor		Fair	
		Low content of organic matter	0.12	Low strength	0.00	Slope	0.37
		Too acid	0.97				
		Water erosion	0.99				
663E2: Seaton, moderately eroded-----	90	Fair		Poor		Poor	
		Low content of organic matter	0.12	Low strength	0.00	Slope	0.00
		Too acid	0.97	Slope	0.98		
		Water erosion	0.99				
663G: Seaton-----	90	Fair		Poor		Poor	
		Low content of organic matter	0.12	Slope	0.00	Slope	0.00
		Too acid	0.97	Low strength	0.00		
		Water erosion	0.99				
775: Billett-----	100	Fair		Good		Good	
		Low content of organic matter	0.12				
		Too acid	0.84				
775B: Billett-----	100	Fair		Good		Good	
		Low content of organic matter	0.12				
		Too acid	0.84				
775C: Billett-----	100	Fair		Good		Good	
		Low content of organic matter	0.12				
		Too acid	0.84				
778: Sattre, rarely flooded-----	85	Fair		Good		Fair	
		Low content of organic matter	0.12			Rock fragments	0.76
		Too acid	0.84				

Soil Survey of Bremer County, Iowa—Part II

Source of Reclamation Material, Roadfill, and Topsoil--Continued

Map symbol and soil name	Pct. of map unit	Potential as source of reclamation material		Potential as source of roadfill		Potential as source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
813B: Atkinson-----	90	Fair Too acid	0.74	Poor Low strength Depth to bedrock Shrink-swell	0.00 0.58 0.92	Fair Rock fragments	0.88
813C: Atkinson-----	85	Fair Too acid	0.74	Poor Low strength Depth to bedrock Shrink-swell	0.00 0.58 0.92	Fair Rock fragments	0.88
814B: Rockton-----	90	Fair Depth to bedrock Too acid Low content of organic matter	0.65 0.84 0.88	Poor Depth to bedrock Low strength Shrink-swell	0.00 0.00 0.96	Fair Depth to bedrock	0.65
814C: Rockton-----	85	Fair Depth to bedrock Too acid Low content of organic matter	0.65 0.84 0.88	Poor Depth to bedrock Low strength Shrink-swell	0.00 0.00 0.96	Fair Depth to bedrock	0.65
814D: Rockton-----	90	Fair Depth to bedrock Too acid Low content of organic matter	0.65 0.84 0.88	Poor Depth to bedrock Low strength Shrink-swell	0.00 0.00 0.96	Fair Slope Depth to bedrock	0.37 0.65
884: Klingmore-----	100	Fair Too acid Low content of organic matter Too clayey	0.84 0.88 0.98	Poor Wetness Low strength Shrink-swell	0.00 0.00 0.92	Poor Wetness Too clayey	0.00 0.70
930: Orion, occasionally flooded-----	100	Fair Water erosion	0.99	Poor Wetness Low strength	0.00 0.22	Poor Wetness	0.00
982: Maxmore-----	100	Fair Too clayey	0.92	Poor Wetness Low strength Shrink-swell	0.00 0.00 0.90	Poor Wetness Too clayey	0.00 0.76
1152: Marshan, rarely flooded-----	75	Poor Too sandy Low content of organic matter	0.00 0.12	Poor Wetness	0.00	Poor Too sandy Wetness Hard to reclaim (rock fragments)	0.00 0.00 0.12

Soil Survey of Bremer County, Iowa—Part II

Source of Reclamation Material, Roadfill, and Topsoil--Continued

Map symbol and soil name	Pct. of map unit	Potential as source of reclamation material		Potential as source of roadfill		Potential as source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1226: Lawler, rarely flooded-----	80	Fair Low content of organic matter Too acid	0.12 0.84	Poor Wetness	0.00	Poor Wetness Hard to reclaim (rock fragments) Rock fragments	0.00 0.12 0.68
1585: Spillville, channeled-----	40	Good		Poor Wetness Low strength	0.00 0.22	Poor Wetness	0.00
Coland, channeled---	35	Fair Too clayey	0.98	Poor Wetness Low strength	0.00 0.00	Poor Wetness Too clayey	0.00 0.98
Aquolls, ponded----	15	Not rated		Not rated		Not rated	
1586: Sigglekov, frequently flooded	55	Poor Too sandy Droughty Low content of organic matter	0.00 0.04 0.12	Poor Wetness	0.00	Poor Too sandy Wetness Rock fragments	0.00 0.00 0.92
Fluvaquents, frequently flooded	30	Not rated		Not rated		Not rated	
Aquents, ponded----	15	Not rated		Not rated		Not rated	
4946: Udorthents-----	65	Not rated		Not rated		Not rated	
Interstate highway--	35	Not rated		Not rated		Not rated	
5010: Pits, sand and gravel-----	100	Not rated		Not rated		Not rated	
5030: Pits, limestone quarries-----	100	Not rated		Not rated		Not rated	
5040: Udorthents, loamy---	100	Not rated		Not rated		Not rated	
5080: Udorthents, sanitary landfill-----	100	Not rated		Not rated		Not rated	
8041: Sparta, terrace, rarely flooded----	80	Poor Too sandy Wind erosion Low content of organic matter	0.00 0.00 0.12	Good		Poor Too sandy Rock fragments	0.00 0.95

Soil Survey of Bremer County, Iowa—Part II

Source of Reclamation Material, Roadfill, and Topsoil--Continued

Map symbol and soil name	Pct. of map unit	Potential as source of reclamation material		Potential as source of roadfill		Potential as source of topsoil	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
8041B: Sparta, terrace, rarely flooded-----	80	Poor Too sandy Wind erosion Low content of organic matter	0.00 0.00 0.12	Good		Poor Too sandy Rock fragments	0.00 0.95
8175B: Dickinson, terrace, rarely flooded-----	100	Fair Low content of organic matter Too acid Droughty	0.12 0.84 0.95	Good		Good	
AW: Animal waste lagoon	100	Not rated		Not rated		Not rated	
SL: Sewage lagoon-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	

Water Management

The table “Ponds and Embankments” gives information on the soil properties and site features that affect water management. The degree and kind of soil limitations are given for pond reservoir areas; embankments, dikes, and levees; and aquifer-fed excavated ponds. The ratings are both verbal and numerical. Rating class terms indicate the extent to which the soils are limited by all of the soil features that affect these uses. *Not limited* indicates that the soil has features that are very favorable for the specified use. Good performance and very low maintenance can be expected. *Somewhat limited* indicates that the soil has features that are moderately favorable for the specified use. The limitations can be overcome or minimized by special planning, design, or installation. Fair performance and moderate maintenance can be expected. *Very limited* indicates that the soil has one or more features that are unfavorable for the specified use. The limitations generally cannot be overcome without major soil reclamation, special design, or expensive installation procedures. Poor performance and high maintenance can be expected.

Numerical ratings in the table indicate the severity of individual limitations. The ratings are shown as decimal fractions ranging from 0.01 to 1.00. They indicate gradations between the point at which a soil feature has the greatest negative impact on the use (1.00) and the point at which the soil feature is not a limitation (0.00).

Pond reservoir areas hold water behind a dam or embankment. Soils best suited to this use have low seepage potential in the upper 60 inches. The seepage potential is determined by the permeability of the soil and the depth to fractured bedrock or other permeable material. Excessive slope can affect the storage capacity of the reservoir area.

Embankments, dikes, and levees are raised structures of soil material, generally less than 20 feet high, constructed to impound water or to protect land against overflow. Embankments that have zoned construction (core and shell) are not considered. In this table, the soils are rated as a source of material for embankment fill. The ratings apply to the soil material below the surface layer to a depth of about 5 feet. It is assumed that soil layers will be uniformly mixed and compacted during construction.

The ratings do not indicate the ability of the natural soil to support an embankment. Soil properties to a depth even greater than the height of the embankment can affect performance and safety of the embankment. Generally, deeper onsite investigation is needed to determine these properties.

Soil material in embankments must be resistant to seepage, piping, and erosion and have favorable compaction characteristics. Unfavorable features include less than 5 feet of suitable material and a high content of stones or boulders, organic matter, or salts or sodium. A high water table affects the amount of usable material. It also affects trafficability.

Aquifer-fed excavated ponds are pits or dugouts that extend to a ground-water aquifer or to a depth below a permanent water table. Excluded are ponds that are fed only by surface runoff and embankment ponds that impound water 3 feet or more above the original surface. Excavated ponds are affected by depth to a permanent water table, permeability of the aquifer, and quality of the water as inferred from the salinity of the soil. Depth to bedrock and the content of large stones affect the ease of excavation.

Soil Survey of Bremer County, Iowa—Part II

Ponds and Embankments

(Onsite investigation may be needed to validate the interpretations in this table and to confirm the identity of the soil on a given site. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table)

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
41B: Sparta-----	80	Very limited Seepage Slope	1.00 0.08	Somewhat limited Seepage	0.35	Very limited Depth to water	1.00
41C: Sparta-----	80	Very limited Seepage Slope	1.00 0.92	Somewhat limited Seepage	0.35	Very limited Depth to water	1.00
43: Bremer-----	100	Somewhat limited Seepage	0.14	Very limited Depth to saturated zone Hard to pack	1.00 0.14	Somewhat limited Slow refill Cutbanks cave	0.86 0.10
50B: Coloma-----	85	Very limited Seepage	1.00	Somewhat limited Seepage	0.75	Very limited Depth to water	1.00
63B: Chelsea-----	90	Very limited Seepage Slope	1.00 0.08	Somewhat limited Seepage	0.12	Very limited Depth to water	1.00
63C: Chelsea-----	85	Very limited Seepage Slope	1.00 0.92	Somewhat limited Seepage	0.12	Very limited Depth to water	1.00
63E: Chelsea-----	85	Very limited Slope Seepage	1.00 1.00	Somewhat limited Seepage	0.12	Very limited Depth to water	1.00
83B: Kenyon-----	75	Not limited		Somewhat limited Piping	0.33	Very limited Slow refill Depth to saturated zone Cutbanks cave	1.00 0.81 0.10
83C: Kenyon-----	75	Somewhat limited Slope	0.92	Somewhat limited Piping	0.33	Very limited Slow refill Depth to saturated zone Cutbanks cave	1.00 0.81 0.10
84: Clyde-----	80	Somewhat limited Seepage	0.14	Very limited Depth to saturated zone Piping	1.00 0.06	Somewhat limited Slow refill Cutbanks cave	0.86 0.10

Soil Survey of Bremer County, Iowa—Part II

Ponds and Embankments--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
109B: Backbone-----	100	Very limited Seepage Depth to bedrock Slope	 1.00 0.86 0.08	Somewhat limited Thin layer Seepage	 0.86 0.06	Very limited Depth to water	 1.00
109C: Backbone-----	100	Very limited Seepage Slope Depth to bedrock	 1.00 0.92 0.86	Somewhat limited Thin layer Seepage	 0.86 0.06	Very limited Depth to water	 1.00
109D: Backbone-----	100	Very limited Slope Seepage Depth to bedrock	 1.00 1.00 0.86	Somewhat limited Thin layer Seepage	 0.86 0.06	Very limited Depth to water	 1.00
127: Plano, rarely flooded-----	85	Very limited Seepage	 1.00	Somewhat limited Seepage Piping	 0.33 0.17	Very limited Depth to water	 1.00
135: Coland, occasionally flooded-----	85	Somewhat limited Seepage	 0.14	Very limited Depth to saturated zone Piping Seepage	 1.00 0.08 0.03	Somewhat limited Slow refill Cutbanks cave	 0.86 0.10
153: Shandep, ponded, occasionally flooded-----	75	Very limited Seepage	 1.00	Very limited Depth to saturated zone Ponding Piping	 1.00 1.00 0.73	Very limited Cutbanks cave	 1.00
173: Hoopeston, rarely flooded-----	100	Very limited Seepage	 1.00	Very limited Depth to saturated zone Seepage	 1.00 0.31	Very limited Cutbanks cave	 1.00
175B: Dickinson-----	90	Very limited Seepage Slope	 1.00 0.08	Somewhat limited Seepage	 0.36	Very limited Depth to water	 1.00
175C: Dickinson-----	100	Very limited Seepage Slope	 1.00 0.92	Somewhat limited Seepage	 0.36	Very limited Depth to water	 1.00

Soil Survey of Bremer County, Iowa—Part II

Ponds and Embankments--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
178: Waukee, rarely flooded-----	85	Very limited Seepage	1.00	Somewhat limited Seepage	0.68	Very limited Depth to water	1.00
178B: Waukee, rarely flooded-----	95	Very limited Seepage Slope	1.00 0.08	Somewhat limited Seepage	0.68	Very limited Depth to water	1.00
178C: Waukee, rarely flooded-----	95	Very limited Seepage Slope	1.00 0.92	Somewhat limited Seepage	0.68	Very limited Depth to water	1.00
184: Klinger-----	100	Somewhat limited Seepage	0.14	Very limited Depth to saturated zone Piping	1.00 0.14	Somewhat limited Slow refill Cutbanks cave	0.86 0.10
198B: Floyd-----	90	Somewhat limited Seepage	0.14	Very limited Depth to saturated zone Piping	1.00 0.54	Somewhat limited Slow refill Cutbanks cave	0.86 0.10
221: Klossner-----	100	Somewhat limited Seepage	0.19	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.81 0.10
284B: Flagler-----	90	Very limited Seepage	1.00	Somewhat limited Seepage	0.08	Very limited Depth to water	1.00
285: Burkhardt-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.10	Very limited Depth to water	1.00
285C: Burkhardt-----	100	Very limited Seepage Slope	1.00 0.32	Somewhat limited Seepage	0.10	Very limited Depth to water	1.00
323B: Fort Dodge-----	85	Very limited Seepage	1.00	Somewhat limited Piping Seepage	0.93 0.10	Very limited Depth to water	1.00
344D: Copaston-----	90	Very limited Depth to bedrock Slope Seepage	1.00 1.00 0.19	Very limited Thin layer Seepage	1.00 0.03	Very limited Depth to water	1.00

Soil Survey of Bremer County, Iowa—Part II

Ponds and Embankments--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
344G: Copaston-----	85	Very limited Slope Depth to bedrock Seepage	1.00 1.00 0.19	Very limited Thin layer Seepage	1.00 0.03	Very limited Depth to water	1.00
354: Aquolls, ponded----	90	Not limited		Not rated		Not rated	
377B: Dinsdale-----	90	Somewhat limited Seepage	0.14	Somewhat limited Piping	0.05	Very limited Slow refill Depth to saturated zone Cutbanks cave	1.00 0.81 0.10
377C: Dinsdale-----	90	Somewhat limited Slope Seepage	0.92 0.14	Somewhat limited Piping	0.05	Very limited Slow refill Depth to saturated zone Cutbanks cave	1.00 0.81 0.10
382: Maxfield-----	100	Somewhat limited Seepage	0.14	Very limited Depth to saturated zone Piping	1.00 0.02	Somewhat limited Slow refill Cutbanks cave	0.86 0.10
391B: Clyde-----	60	Somewhat limited Seepage	0.14	Very limited Depth to saturated zone Piping	1.00 0.06	Somewhat limited Slow refill Cutbanks cave	0.86 0.10
Floyd-----	35	Somewhat limited Seepage	0.14	Very limited Depth to saturated zone Piping	1.00 0.54	Somewhat limited Slow refill Cutbanks cave	0.86 0.10
394B: Ostrander-----	75	Somewhat limited Seepage Slope	0.14 0.08	Somewhat limited Piping	0.23	Very limited Depth to water	1.00
394C: Ostrander-----	85	Somewhat limited Slope Seepage	0.68 0.14	Somewhat limited Piping	0.23	Very limited Depth to water	1.00
395B: Marquis-----	80	Somewhat limited Seepage	0.14	Very limited Depth to saturated zone Piping	0.99 0.47	Very limited Slow refill Cutbanks cave Depth to saturated zone	1.00 0.10 0.01

Soil Survey of Bremer County, Iowa—Part II

Ponds and Embankments--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
398: Tripoli-----	90	Somewhat limited Seepage	0.14	Very limited Depth to saturated zone Piping	1.00 0.09	Somewhat limited Slow refill Cutbanks cave	0.86 0.10
399: Readlyn-----	85	Somewhat limited Seepage	0.14	Very limited Depth to saturated zone Piping	1.00 0.35	Somewhat limited Slow refill Cutbanks cave	0.86 0.10
408B: Olin-----	80	Very limited Seepage Slope	1.00 0.08	Somewhat limited Piping	0.79	Very limited Depth to water	1.00
471: Oran-----	85	Not limited		Very limited Depth to saturated zone Piping	1.00 0.27	Somewhat limited Slow refill Cutbanks cave	0.86 0.10
485: Spillville, occasionally flooded-----	80	Somewhat limited Seepage	0.14	Very limited Depth to saturated zone Piping	1.00 0.69	Somewhat limited Slow refill Cutbanks cave	0.86 0.10
582B: Kasson-----	90	Somewhat limited Seepage Slope	0.14 0.08	Very limited Depth to saturated zone Piping	0.99 0.40	Very limited Slow refill Cutbanks cave Depth to saturated zone	1.00 0.10 0.01
582C: Kasson-----	80	Somewhat limited Slope Seepage	0.92 0.14	Very limited Depth to saturated zone Piping	0.99 0.40	Very limited Slow refill Cutbanks cave Depth to saturated zone	1.00 0.10 0.01
585: Spillville, occasionally flooded-----	50	Somewhat limited Seepage	0.14	Very limited Depth to saturated zone Piping	1.00 0.69	Somewhat limited Slow refill Cutbanks cave	0.86 0.10
Coland, occasionally flooded-----	30	Somewhat limited Seepage	0.14	Very limited Depth to saturated zone Piping Seepage	1.00 0.08 0.03	Somewhat limited Slow refill Cutbanks cave	0.86 0.10

Soil Survey of Bremer County, Iowa—Part II

Ponds and Embankments--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
620B: Port Byron-----	90	Somewhat limited Seepage Slope	0.14 0.08	Somewhat limited Piping	0.94	Very limited Depth to water	1.00
620C2: Port Byron-----	100	Somewhat limited Slope Seepage	0.92 0.14	Somewhat limited Piping	0.90	Very limited Depth to water	1.00
626: Hayfield, rarely flooded-----	90	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.54	Very limited Cutbanks cave	1.00
663B: Seaton-----	100	Somewhat limited Seepage	0.14	Somewhat limited Piping	0.97	Very limited Depth to water	1.00
663C: Seaton-----	100	Somewhat limited Slope Seepage	0.92 0.14	Somewhat limited Piping	0.97	Very limited Depth to water	1.00
663D2: Seaton, moderately eroded-----	90	Very limited Slope Seepage	1.00 0.14	Somewhat limited Piping	0.96	Very limited Depth to water	1.00
663D3: Seaton, severely eroded-----	90	Very limited Slope Seepage	1.00 0.14	Somewhat limited Piping	0.97	Very limited Depth to water	1.00
663E2: Seaton, moderately eroded-----	90	Very limited Slope Seepage	1.00 0.14	Somewhat limited Piping	0.96	Very limited Depth to water	1.00
663G: Seaton-----	90	Very limited Slope Seepage	1.00 0.14	Somewhat limited Piping	0.96	Very limited Depth to water	1.00
775: Billett-----	100	Very limited Seepage	1.00	Somewhat limited Seepage	0.08	Very limited Depth to water	1.00
775B: Billett-----	100	Very limited Seepage Slope	1.00 0.08	Somewhat limited Seepage	0.08	Very limited Depth to water	1.00

Soil Survey of Bremer County, Iowa—Part II

Ponds and Embankments--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
775C: Billett-----	100	Very limited Seepage Slope	 1.00 0.92	Somewhat limited Seepage	 0.08	Very limited Depth to water	 1.00
778: Sattre, rarely flooded-----	85	Very limited Seepage	1.00	Somewhat limited Seepage	0.11	Very limited Depth to water	1.00
813B: Atkinson-----	90	Somewhat limited Seepage Depth to bedrock	0.19 0.10	Somewhat limited Thin layer Piping	0.11 0.01	Very limited Depth to water	1.00
813C: Atkinson-----	85	Somewhat limited Slope Seepage Depth to bedrock	0.92 0.19 0.10	Somewhat limited Thin layer Piping	0.11 0.01	Very limited Depth to water	1.00
814B: Rockton-----	90	Somewhat limited Depth to bedrock Seepage	0.83 0.19	Somewhat limited Thin layer Piping	0.83 0.04	Very limited Depth to water	1.00
814C: Rockton-----	85	Somewhat limited Slope Depth to bedrock Seepage	0.92 0.83 0.19	Somewhat limited Thin layer Piping	0.83 0.04	Very limited Depth to water	1.00
814D: Rockton-----	90	Very limited Slope Depth to bedrock Seepage	1.00 0.83 0.19	Somewhat limited Thin layer Piping	0.83 0.04	Very limited Depth to water	1.00
884: Klingmore-----	100	Somewhat limited Seepage	0.14	Very limited Depth to saturated zone Piping	1.00 0.01	Somewhat limited Slow refill Cutbanks cave	0.86 0.10
930: Orion, occasionally flooded-----	100	Somewhat limited Seepage	0.14	Very limited Depth to saturated zone Piping	1.00 1.00	Very limited Cutbanks cave Slow refill	1.00 0.86
982: Maxmore-----	100	Somewhat limited Seepage	0.14	Very limited Depth to saturated zone	1.00	Somewhat limited Slow refill Cutbanks cave	0.86 0.10

Soil Survey of Bremer County, Iowa—Part II

Ponds and Embankments--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1152: Marshan, rarely flooded-----	75	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.82	Very limited Cutbanks cave	1.00
1226: Lawler, rarely flooded-----	80	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.82	Very limited Cutbanks cave	1.00
1585: Spillville, channeled-----	40	Somewhat limited Seepage	0.14	Very limited Depth to saturated zone Piping	1.00 0.78	Somewhat limited Slow refill Cutbanks cave	0.86 0.10
Coland, channeled---	35	Somewhat limited Seepage	0.14	Very limited Depth to saturated zone Piping Seepage	1.00 0.08 0.03	Somewhat limited Slow refill Cutbanks cave	0.86 0.10
Aquolls, ponded----	15	Not limited		Not rated		Not rated	
1586: Sigglekov, frequently flooded	55	Very limited Seepage	1.00	Very limited Depth to saturated zone Seepage	1.00 0.52	Very limited Cutbanks cave	1.00
Fluvaquents, frequently flooded	30	Not limited		Not rated		Not rated	
Aquents, ponded----	15	Not limited		Not rated		Not rated	
4946: Udorthents-----	65	Not limited		Not rated		Not rated	
Interstate highway--	35	Not rated		Not rated		Not rated	
5010: Pits, sand and gravel-----	100	Not rated		Not rated		Not rated	
5030: Pits, limestone quarries-----	100	Not rated		Not rated		Not rated	
5040: Udorthents, loamy---	100	Not rated		Not rated		Not rated	

Soil Survey of Bremer County, Iowa—Part II

Ponds and Embankments--Continued

Map symbol and soil name	Pct. of map unit	Pond reservoir areas		Embankments, dikes, and levees		Aquifer-fed excavated ponds	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
5080: Udorthents, sanitary landfill-----	100	Not rated		Not rated		Not rated	
8041: Sparta, terrace, rarely flooded-----	80	Very limited Seepage	1.00	Somewhat limited Seepage	0.35	Very limited Depth to water	1.00
8041B: Sparta, terrace, rarely flooded-----	80	Very limited Seepage	1.00	Somewhat limited Seepage	0.35	Very limited Depth to water	1.00
8175B: Dickinson, terrace, rarely flooded-----	100	Very limited Seepage Slope	1.00 0.08	Somewhat limited Seepage	0.36	Very limited Depth to water	1.00
AW: Animal waste lagoon	100	Not rated		Not rated		Not rated	
SL: Sewage lagoon-----	100	Not rated		Not rated		Not rated	
W: Water-----	100	Not rated		Not rated		Not rated	

Soil Properties

Data relating to soil properties are collected during the course of the soil survey.

Soil properties are determined by field examination of the soils and by laboratory index testing of some benchmark soils. Established standard procedures are followed. During the survey, many shallow borings are made and examined to identify and classify the soils and to delineate them on the soil maps. Samples are taken from some typical profiles and tested in the laboratory to determine particle-size distribution, plasticity, and compaction characteristics.

Estimates of soil properties are based on field examinations, on laboratory tests of samples from the survey area, and on laboratory tests of samples of similar soils in nearby areas. Tests verify field observations, verify properties that cannot be estimated accurately by field observation, and help to characterize key soils.

The estimates of soil properties are shown in tables. They include engineering index properties, physical and chemical properties, and pertinent soil and water features.

Engineering Properties

The table described in this section gives the engineering classifications and the range of engineering properties for the layers of each soil in the survey area.

Depth to the upper and lower boundaries of each layer is indicated.

Texture is given in the standard terms used by the U.S. Department of Agriculture. These terms are defined according to percentages of sand, silt, and clay in the fraction of the soil that is less than 2 millimeters in diameter. “Loam,” for example, is soil that is 7 to 27 percent clay, 28 to 50 percent silt, and less than 52 percent sand. If the content of particles coarser than sand is 15 percent or more, an appropriate modifier is added, for example, “gravelly.” Textural terms are defined in the Glossary in Part I.

Classification of the soils is determined according to the Unified soil classification system (ASTM) and the system adopted by the American Association of State Highway and Transportation Officials (AASHTO).

The Unified system classifies soils according to properties that affect their use as construction material. Soils are classified according to particle-size distribution of the fraction less than 3 inches in diameter and according to plasticity index, liquid limit, and organic matter content. Sandy and gravelly soils are identified as GW, GP, GM, GC, SW, SP, SM, and SC; silty and clayey soils as ML, CL, OL, MH, CH, and OH; and highly organic soils as PT. Soils exhibiting engineering properties of two groups can have a dual classification, for example, CL-ML.

The AASHTO system classifies soils according to those properties that affect roadway construction and maintenance. In this system, the fraction of a mineral soil that is less than 3 inches in diameter is classified in one of seven groups from A-1 through A-7 on the basis of particle-size distribution, liquid limit, and plasticity index. Soils in group A-1 are coarse grained and low in content of fines (silt and clay). At the other extreme, soils in group A-7 are fine grained. Highly organic soils are classified in group A-8 on the basis of visual inspection.

If laboratory data are available, the A-1, A-2, and A-7 groups are further classified as A-1-a, A-1-b, A-2-4, A-2-5, A-2-6, A-2-7, A-7-5, or A-7-6. As an additional refinement, the suitability of a soil as subgrade material can be indicated by a group index number. Group index numbers range from 0 for the best subgrade material to 20 or higher for the poorest.

Rock fragments larger than 10 inches in diameter and 3 to 10 inches in diameter are indicated as a percentage of the total soil on a dry-weight basis. The percentages are estimates determined mainly by converting volume percentage in the field to weight percentage.

Percentage (of soil particles) passing designated sieves is the percentage of the soil fraction less than 3 inches in diameter based on an oven-dry weight. The sieves, numbers 4, 10, 40, and 200 (USA Standard Series), have openings of 4.76, 2.00, 0.420, and 0.074 millimeters, respectively. Estimates are based on laboratory tests of soils sampled in the survey area and in nearby areas and on estimates made in the field.

Liquid limit and plasticity index (Atterberg limits) indicate the plasticity characteristics of a soil. The estimates are based on test data from the survey area or from nearby areas and on field examination.

References:

- American Association of State Highway and Transportation Officials (AASHTO). 2004. Standard specifications for transportation materials and methods of sampling and testing. 24th edition.
- American Society for Testing and Materials (ASTM). 2005. Standard classification of soils for engineering purposes. ASTM Standard D2487-00.

Engineering Properties

(Absence of an entry indicates that data were not estimated)

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
41B: Sparta-----	0-8	Loamy fine sand, fine sand, loamy sand, sand	SM, SC-SM	A-2-4	0	0	86-100	72-100	66-98	18-33	0-25	NP-6
	8-15	Loamy fine sand, fine sand, loamy sand, sand	SM, SC-SM	A-2-4	0	0	86-100	72-100	66-98	18-33	0-22	NP-6
	15-72	Fine sand, loamy fine sand, loamy sand, sand	SP-SM, SC-SM	A-2-4, A-3	0	0	87-100	75-100	68-98	7-17	0-20	NP-4
	72-80	Loamy fine sand, fine sand, sand	SP-SM, SC-SM	A-3, A-2-4	0	0	88-100	76-100	70-100	7-18	0-20	NP-5
41C: Sparta-----	0-8	Loamy fine sand, fine sand, loamy sand, sand, loamy fine sand	SM, SC-SM	A-2-4	0	0	86-100	72-100	66-98	18-33	0-25	NP-6
	8-15	Loamy fine sand, fine sand, loamy sand, sand	SM, SC-SM	A-2-4	0	0	86-100	72-100	66-98	18-33	0-22	NP-6
	15-72	Fine sand, loamy fine sand, loamy sand, sand	SP-SM, SC-SM	A-2-4, A-3	0	0	87-100	75-100	68-98	7-17	0-20	NP-4
	72-80	Loamy fine sand, fine sand, sand	SP-SM, SC-SM	A-2-4, A-3	0	0	88-100	76-100	70-100	7-18	0-20	NP-5
43: Bremer-----	0-8	Silty clay loam	MH, ML	A-7-5, A-7-6	0	0	100	100	95-100	84-93	47-60	18-25
	8-19	Silty clay loam	MH, ML	A-7-5, A-7-6	0	0	100	100	95-100	84-93	45-58	18-25
	19-42	Silty clay loam, silty clay	CH, CL	A-7-6	0	0	100	100	93-100	82-89	47-56	25-30
	42-60	Silty clay loam	CL	A-7-6	0	0	100	100	96-100	86-92	43-50	23-27
50B: Coloma-----	0-8	Loamy sand	SM, SC-SM	A-2-4	0	0	84-100	84-100	61-82	16-29	0-25	NP-6
	8-39	Sand, fine sand, loamy fine sand, loamy sand	SP-SM, SC	A-2-4, A-3	0	0	85-100	84-100	63-89	6-21	0-26	NP-9
	39-80	Loamy sand, sand, sandy loam	SM, SP-SM, SC	A-2-4, A-3	0	0	85-100	84-100	62-87	6-22	0-25	NP-9

Engineering Properties--Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
					Pct	Pct					Pct	
63B: Chelsea-----	In											
	0-8	Loamy fine sand, fine sand	SC-SM, SC	A-2-4	0	0	100	100	92-99	23-30	20-28	4-9
	8-15	Fine sand, loamy fine sand	SC-SM, SM	A-2-4	0	0	100	100	91-96	15-20	16-21	2-6
	15-36	Fine sand, loamy fine sand	SC-SM, SM	A-2-4	0	0	100	100	91-96	15-20	16-21	2-6
	36-70	Fine sand, loamy fine sand, loamy sand, fine sandy loam, sandy loam	SC-SM, SM	A-2-4	0	0	100	100	91-96	15-20	16-21	2-6
63C: Chelsea-----	0-8	Loamy fine sand, fine sand	SC-SM, SC	A-2-4	0	0	100	100	92-99	23-30	20-28	4-9
	8-15	Fine sand, loamy fine sand	SC-SM, SM	A-2-4	0	0	100	100	91-96	15-20	16-21	2-6
	15-36	Fine sand, loamy fine sand	SC-SM, SM	A-2-4	0	0	100	100	91-96	15-20	16-21	2-6
	36-70	Sandy loam, fine sand, loamy fine sand, loamy sand, fine sandy loam	SC-SM, SM	A-2-4	0	0	100	100	66-71	15-20	16-21	2-6
63E: Chelsea-----	0-8	Loamy fine sand, fine sand	SC-SM, SC	A-2-4	0	0	100	100	92-99	23-30	20-28	4-9
	8-15	Fine sand, loamy fine sand	SC-SM, SM	A-2-4	0	0	100	100	91-96	15-20	16-21	2-6
	15-36	Fine sand, loamy fine sand	SC-SM, SM	A-2-4	0	0	100	100	91-96	15-20	16-21	2-6
	36-70	Sandy loam, fine sand, loamy fine sand, loamy sand, fine sandy loam	SC-SM, SM	A-2-4	0	0	100	100	66-71	15-20	16-21	2-6
83B: Kenyon-----	0-8	Loam, silt loam	CL	A-6, A-7-6	0	0	100	95-100	80-93	58-70	34-44	11-18
	8-14	Loam, silt loam	CL	A-6, A-7-6	0	0	100	95-100	80-93	58-70	32-42	12-18
	14-19	Loam, sandy clay loam, silt loam	CL	A-6, A-7-6	0	0	100	95-100	80-93	58-70	29-42	12-18
	19-55	Loam, clay loam, sandy clay loam	CL, SC	A-6, A-7-6	0	0-5	89-95	73-90	62-86	46-65	29-42	13-21
	55-79	Loam	CL, SC	A-6	0	0-4	90-95	75-91	65-83	48-62	29-35	13-16

Engineering Properties--Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
83C: Kenyon-----	0-8	Loam, silt loam	CL	A-6, A-7-6	0	0	100	95-100	80-93	58-70	34-44	11-18
	8-14	Loam, silt loam	CL	A-6, A-7-6	0	0	100	95-100	80-93	58-70	32-42	12-18
	14-19	Loam, sandy clay loam, silt loam	CL	A-6, A-7-6	0	0	100	95-100	80-93	58-70	29-42	12-18
	19-55	Loam, clay loam, sandy clay loam	CL, SC	A-6, A-7-6	0	0-5	89-95	73-90	62-86	46-65	29-42	13-21
	55-79	Loam	CL, SC	A-6	0	0-4	90-95	75-91	65-83	48-62	29-35	13-16
84: Clyde-----	0-8	Silty clay loam, clay loam, loam	MH, ML	A-7-5	0	0-5	94-100	89-100	84-100	74-91	47-61	17-22
	8-17	Silty clay loam, clay loam	MH, CL, ML	A-7-6, A-7-5	0	0-5	94-100	89-100	86-100	77-90	42-54	19-22
	17-23	Silty clay loam, clay loam	CL	A-7-6, A-6	0	0-5	94-100	89-100	86-100	77-90	40-50	19-22
	23-28	Clay loam, silty clay loam	CL	A-7-6, A-6	0	0-5	95-100	84-95	73-91	63-79	32-44	15-21
	28-41	Silty clay loam, clay loam	CL	A-7-6, A-6	0	0-5	95-100	84-95	77-95	68-85	32-44	15-21
	41-44	Sandy loam, loam	SC, SC-SM	A-2-4, A-4	0	1-4	85-95	71-91	52-71	25-36	21-27	6-9
	44-62	Loam, clay loam	CL, SC	A-6	0	1-4	90-95	75-91	65-85	48-65	29-39	13-19
	62-66	Loam, clay loam	CL, SC	A-6	0	1-4	90-95	75-91	65-85	48-65	29-39	13-19
109B: Backbone-----	0-8	Sandy loam	SC, SC-SM	A-4, A-2-4, A-6	0	0	100	100	72-82	34-44	21-32	4-12
	8-24	Sandy loam, loamy fine sand	SC, SC-SM	A-2-4, A-2-6	0	0-1	91-95	86-95	62-74	26-35	23-29	7-12
	24-30	Clay loam, sandy clay loam, clay	CL, SC, CH	A-7-6, A-6	0	1-9	87-97	74-97	55-91	40-71	29-51	13-29
	30-80	Bedrock	---	---	---	---	---	---	---	---	---	---
109C: Backbone-----	0-8	Sandy loam	SC, SC-SM	A-4, A-2-4, A-6	0	0	100	100	72-82	34-44	21-32	4-12
	8-24	Sandy loam, loamy fine sand	SC, SC-SM	A-2-4, A-2-6	0	0-1	91-95	86-95	62-74	26-35	23-29	7-12
	24-30	Clay loam, sandy clay loam, clay	CL, SC, CH	A-7-6, A-6	0	1-9	87-97	74-97	55-91	40-71	29-51	13-29
	30-80	Bedrock	---	---	---	---	---	---	---	---	---	---

Engineering Properties--Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
109D: Backbone-----	0-8	Sandy loam	SC, SC-SM	A-4, A-2-4, A-6	0	0	100	100	72-82	34-44	21-32	4-12
	8-24	Sandy loam, loamy fine sand	SC, SC-SM	A-2-4, A-2-6	0	0-1	91-95	86-95	62-74	26-35	23-29	7-12
	24-30	Clay loam, sandy clay loam, clay	CL, SC, CH	A-7-6, A-6	0	1-9	87-97	74-97	55-91	40-71	29-51	13-29
	30-80	Bedrock	---	---	---	---	---	---	---	---	---	---
127: Plano, rarely flooded-----	0-8	Silty clay loam, silt loam	CL, CH	A-7-6, A-6	0	0	100	100	100	90-95	37-54	13-25
	8-14	Silt loam, silty clay loam	CL, CH	A-6, A-7-6	0	0	100	100	100	90-95	31-51	13-25
	14-43	Silty clay loam	CL	A-7-6, A-6	0	0	100	100	95-100	85-95	30-47	13-25
	43-49	Silt loam, silty clay loam	CL	A-6, A-7-6	0	0	100	100	90-100	83-98	35-41	17-21
	49-53	Clay loam	CL, SC	A-6, A-4, A- 7-6	0	0	90-100	85-100	60-90	40-75	24-43	9-23
	53-60	Sandy loam	SC, SM	A-2-6, A-1-b, A-6	0	0	90-100	75-100	45-85	20-50	16-30	2-13
	60-72	Sandy loam, loam, loamy sand	SM, SP-SM, SC	A-2-4, A-2-6	0	0	90-100	75-100	60-80	5-20	16-30	2-13
135: Coland, occasionally flooded-----	0-8	Clay loam, silty clay loam	MH, ML	A-7-5, A-7-6	0	0	100	100	90-98	78-86	47-59	18-24
	8-32	Silty clay loam, clay loam	MH, CL, ML	A-7-6, A-7-5	0	0	100	100	95-100	84-92	43-57	18-24
	32-40	Clay loam, loam	CL, CH	A-7-6, A-6	0	0	100	100	88-98	72-82	39-53	17-25
	40-44	Sandy loam, clay loam, loam	SC, SC-SM	A-6, A-2-4, A-7-6	0	0	100	89-100	62-86	29-48	22-42	7-19
	44-52	Loam, clay loam, sandy loam	CL, CL-ML	A-6, A-4, A- 7-6	0	0	100	89-100	72-97	51-73	22-42	7-19
	52-60	Sandy loam, clay loam, loam	SC, SC-SM	A-6, A-2-4	0	0	100	89-100	62-86	29-48	22-40	7-19

Engineering Properties--Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
153: Shandep, ponded, occasionally flooded-----	0-8	Clay loam	MH	A-7-5	0	0	95-100	89-100	79-94	62-75	51-61	18-22
	8-29	Clay loam	MH	A-7-5	0	0	95-100	89-100	79-94	62-75	51-61	18-22
	29-37	Clay loam, silty clay loam, loam	CL	A-7-6, A-6	0	0	95-100	90-100	78-93	59-71	38-48	18-22
	37-45	Loam, sandy loam	CL-ML, SC-SM	A-4	0	0	96-100	79-100	67-88	44-60	18-23	4-7
	45-60	Loamy sand, gravelly loamy coarse sand, gravelly coarse sand	SM, SP-SM, SC-SM	A-2-4, A-1-b	0	0-4	73-92	50-92	38-75	12-27	0-20	NP-4
173: Hoopeston, rarely flooded	0-8	Sandy loam, loam	SC, SC-SM, CL	A-4	0	0	90-100	81-100	59-83	36-55	23-34	4-11
	8-14	Sandy loam, loam	SC, SC-SM, CL	A-4, A-6	0	0	90-100	81-100	59-83	36-55	23-34	4-11
	14-38	Sandy loam, fine sandy loam	SC, SC-SM	A-4, A-2-4, A-6	0	0	91-100	81-100	60-80	30-43	22-29	7-12
	38-60	Sand, loamy sand, fine sand	SM, SP-SM, SC-SM	A-2-4, A-3	0	0	91-100	82-100	62-84	9-19	0-21	NP-6
175B: Dickinson-----	0-8	Fine sandy loam, sandy loam, loam	SC, SC-SM	A-4, A-6	0	0	100	100	90-96	41-47	25-33	7-11
	8-18	Fine sandy loam, sandy loam, loam	SC, SC-SM	A-4, A-6	0	0	100	100	89-97	39-47	21-33	6-11
	18-30	Fine sandy loam, sandy loam	SC, SC-SM	A-4, A-6	0	0	100	100	89-97	39-47	20-28	6-12
	30-36	Loamy sand, loamy fine sand, sand, fine sand	SM, SC-SM	A-2-4	0	0	100	100	78-83	21-26	16-21	2-6
	36-60	Sand, fine sand, loamy sand, loamy fine sand	SM, SP-SM, SC-SM	A-2-4	0	0	100	100	78-83	12-17	16-21	2-6
175C: Dickinson-----	0-8	Fine sandy loam, sandy loam, loam	SC, SC-SM	A-4, A-6	0	0	100	100	90-96	41-47	25-33	7-11
	8-18	Fine sandy loam, sandy loam, loam	SC, SC-SM	A-4, A-6	0	0	100	100	89-97	39-47	21-33	6-11
	18-30	Fine sandy loam, sandy loam	SC, SC-SM	A-4, A-6	0	0	100	100	89-97	39-47	20-28	6-12
	30-36	Loamy sand, loamy fine sand, sand, fine sand	SM, SC-SM	A-2-4	0	0	100	100	78-83	21-26	16-21	2-6
	36-60	Sand, fine sand, loamy sand, loamy fine sand	SM, SP-SM, SC-SM	A-2-4	0	0	100	100	78-83	12-17	16-21	2-6

Engineering Properties--Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
178: Waukee, rarely flooded-----	0-8	Loam, silt loam	CL, ML	A-6, A-7-6	0	0	100	88-100	75-92	54-68	34-42	11-16
	8-18	Loam, silt loam	CL	A-6	0	0	100	88-100	75-92	54-68	32-40	12-16
	18-33	Loam, sandy clay loam	CL, SC	A-6, A-7-6	0	0-3	84-95	68-90	58-84	43-64	28-41	12-19
	33-48	Loamy sand, loamy coarse sand, sand, coarse sand, gravelly loamy coarse sand	SM, SP-SM, SC-SM	A-2-4, A-1-a	0-4	0-10	65-100	29-100	22-81	6-28	0-20	NP-4
	48-80	Sand, loamy sand, loamy coarse sand, coarse sand, gravelly loamy coarse sand	SP-SM, SP, SC-SM	A-2-4, A-1-a	0-4	0-10	65-100	29-100	22-80	2-13	0-20	NP-4
178B: Waukee, rarely flooded-----	0-8	Loam, silt loam	CL, ML	A-6, A-7-6	0	0	100	88-100	75-92	54-68	34-42	11-16
	8-18	Loam, silt loam	CL	A-6	0	0	100	88-100	75-92	54-68	32-40	12-16
	18-33	Loam, sandy clay loam	CL, SC	A-6, A-7-6	0	0-3	84-95	68-90	58-84	43-64	28-41	12-19
	33-48	Loamy sand, loamy coarse sand, sand, coarse sand, gravelly loamy coarse sand	SM, SP-SM, SC-SM	A-2-4, A-1-a	0-4	0-10	65-100	29-100	22-81	6-28	0-20	NP-4
	48-80	Sand, loamy sand, loamy coarse sand, coarse sand, gravelly loamy coarse sand	SP-SM, SP, SC-SM	A-2-4, A-1-a	0-4	0-10	65-100	29-100	22-80	2-13	0-20	NP-4
178C: Waukee, rarely flooded-----	0-8	Loam, silt loam	CL, ML	A-6, A-7-6	0	0	100	88-100	75-92	54-68	34-42	11-16
	8-18	Loam, silt loam	CL	A-6	0	0	100	88-100	75-92	54-68	32-40	12-16
	18-33	Loam, sandy clay loam	CL, SC	A-6, A-7-6	0	0-3	84-95	68-90	58-84	43-64	28-41	12-19
	33-48	Loamy sand, loamy coarse sand, sand, coarse sand, gravelly loamy coarse sand	SM, SP-SM, SC-SM	A-2-4, A-1-a	0-4	0-10	65-100	29-100	22-81	6-28	0-20	NP-4
	48-80	Sand, loamy sand, loamy coarse sand, coarse sand, gravelly loamy coarse sand	SP-SM, SP, SC-SM	A-2-4, A-1-a	0-4	0-10	65-100	29-100	22-80	2-13	0-20	NP-4

Engineering Properties--Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
184: Klinger-----	0-8	Silty clay loam, silt loam	ML, MH	A-7-5, A-7-6	0	0	100	100	96-100	92-97	45-52	17-21
	8-14	Silty clay loam, silt loam	CL, ML	A-7-6, A-6	0	0	100	100	96-100	92-97	39-50	17-21
	14-19	Silty clay loam	CL	A-7-6, A-6	0	0	100	100	98-100	94-97	39-48	19-21
	19-29	Silty clay loam	CL	A-7-6, A-6	0	0	100	100	97-100	93-100	39-49	19-25
	29-59	Loam, clay loam	CL	A-6	0	0-4	90-95	75-91	72-91	58-77	29-39	13-19
	59-79	Loam	CL	A-6	0	0-4	90-95	75-91	72-91	58-77	29-39	13-19
198B: Floyd-----	0-8	Loam, clay loam	ML	A-7-6, A-6, A-7-5	0	0	100	100	87-95	64-72	40-50	13-19
	8-24	Loam, clay loam	ML, CL	A-7-6, A-6	0	0	100	100	87-95	64-72	34-48	13-19
	24-33	Sandy clay loam, loam	SC	A-6, A-2-6	0	1-5	89-95	73-90	60-80	32-45	29-38	12-16
	33-41	Sandy loam, loam, sandy clay loam	SC, SM	A-2-4, A-1-b, A-6	0	1-5	88-94	71-89	48-77	22-44	18-36	3-16
	41-50	Loam, clay loam	CL, SC	A-6, A-7-6	0	1-5	89-95	73-90	61-86	45-66	27-42	12-21
	50-80	Loam, clay loam	CL, SC	A-6, A-7-6	0	1-4	90-96	75-91	63-87	46-67	27-41	12-21
221: Klossner-----	0-10	Muck	PT	A-8	0	0	---	---	---	---	---	---
	10-26	Muck	PT	A-8	0	0	---	---	---	---	---	---
	26-36	Mucky silty clay loam, mucky clay loam	OH, ML	A-7-5, A-4	0	0	100	100	86-100	77-97	35-86	9-23
	36-48	Silty clay loam	OH, ML	A-7-5, A-4	0	0	100	100	84-100	75-95	35-86	9-23
	48-65	Clay loam, loam	CL, SM, MH	A-7-6, A-2-4	0	0	90-100	62-100	43-97	33-81	18-55	3-25
	65-80	Loam, clay loam	CL, SM, MH	A-6, A-2-4	0	0	90-100	62-100	46-100	32-79	18-55	3-25
284B: Flagler-----	0-8	Sandy loam, fine sandy loam	SC, SC-SM	A-4, A-2-4, A-6	0	0	95-100	84-95	62-76	32-42	25-33	7-11
	8-15	Sandy loam, fine sandy loam	SC, SC-SM	A-4, A-2-4, A-6	0	0	95-100	84-95	76-91	34-45	24-33	7-11
	15-22	Sandy loam	SC, SC-SM	A-2-4, A-6	0	0	95-100	84-95	62-76	31-41	24-33	7-11
	22-33	Sandy loam	SC-SM, SC	A-2-4, A-4	0	0	95-100	84-95	63-76	30-39	20-27	6-9
	33-65	Loamy sand, sand	SM, SC-SM	A-2-4	0	0-1	86-95	71-91	54-75	19-30	0-20	NP-4

Engineering Properties--Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
285: Burkhardt-----	0-8	Sandy loam, loam	SC-SM, SM, SC	A-4, A-2-4	0	0	95-100	85-100	59-78	34-48	19-28	2-8
	8-17	Sandy loam	SC-SM, SM, SC	A-4, A-2-4	0	0	95-100	85-100	62-81	30-43	19-28	2-8
	17-19	Loamy sand, gravelly coarse sand, sand	SM, SW-SM	A-2-4, A-1-a	0	0	66-100	37-100	28-81	10-31	0-18	NP-3
	19-29	Stratified sand to gravelly coarse sand, coarse sand	SM, SW-SM	A-2-4, A-1-a	0	0	66-88	37-88	28-65	10-25	0-18	NP-3
	29-60	Stratified sand to gravelly coarse sand, stratified gravelly coarse sand, coarse sand	SM, SW-SM	A-2-4, A-1-a	0	0	66-88	37-88	28-65	10-25	0-18	NP-3
285C: Burkhardt-----	0-8	Sandy loam, loam	SC-SM, SM, SC	A-4, A-2-4	0	0	95-100	85-100	59-78	34-48	19-28	2-8
	8-17	Sandy loam	SC-SM, SM, SC	A-4, A-2-4	0	0	95-100	85-100	62-81	30-43	19-28	2-8
	17-19	Loamy sand, gravelly coarse sand, sand	SM, SW-SM	A-2-4, A-1-a	0	0	66-100	37-100	28-81	10-31	0-18	NP-3
	19-29	Stratified sand to gravelly coarse sand, coarse sand	SM, SW-SM	A-2-4, A-1-a	0	0	66-88	37-88	28-65	10-25	0-18	NP-3
	29-60	Stratified sand to gravelly coarse sand, stratified gravelly coarse sand, coarse sand	SM, SW-SM	A-2-4, A-1-a	0	0	66-88	37-88	28-65	10-25	0-18	NP-3
323B: Fort Dodge-----	0-8	Loam	CL	A-6, A-7-6	0	0-5	100	94-100	82-93	60-70	36-44	13-18
	8-39	Loam	CL	A-6, A-7-6	0	0-5	100	94-100	82-93	60-70	36-44	13-18
	39-58	Loam, clay loam	CL	A-7-6, A-6	0	0-5	100	90-100	77-94	58-72	36-46	15-21
	58-80	Loamy coarse sand, sand, coarse sand, gravelly sand	SM, SC-SM	A-2-4, A-1-b	0	0-9	91-100	81-100	47-64	20-31	0-21	NP-4
344D: Copaston-----	0-7	Loam	SC, ML	A-6, A-4, A- 7-6	0	0-5	95-100	71-100	56-95	36-66	28-50	9-21
	7-11	Fine sandy loam	SC	A-6, A-2-4	0	0-5	95-100	73-100	66-97	31-48	25-31	9-13
	11-18	Sandy loam	SC, CL	A-2-6, A-2-4, A-7-6	0-1	0-5	91-100	69-100	51-90	26-53	24-41	9-21
	18-80	Bedrock	---	---	---	---	---	---	---	---	---	---

Engineering Properties--Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index	
			Unified	AASHTO	>10	3-10	4	10	40	200			
					inches	inches							
					Pct	Pct					Pct		
344G: Copaston-----	In												
	0-7	Loam	SC, ML	A-6, A-4, A-7-6	0	0-5	95-100	71-100	56-95	36-66	28-50	9-21	
	7-11	Fine sandy loam	SC	A-6, A-2-4	0	0-5	95-100	73-100	66-97	31-48	25-31	9-13	
	11-18	Sandy loam	SC, CL	A-2-6, A-2-4, A-7-6	0-1	0-5	91-100	69-100	51-90	26-53	24-41	9-21	
	18-80	Bedrock	---	---	---	---	---	---	---	---	---	---	
354. Aquolls, ponded													
377B: Dinsdale-----	0-8	Silty clay loam, silt loam	CL	A-7-6	0	0	100	100	96-100	92-96	41-47	17-20	
	8-12	Silty clay loam, silt loam	CL	A-7-6, A-6	0	0	100	100	96-100	92-96	39-45	17-20	
	12-19	Silty clay loam	CL	A-7-6	0	0	100	100	98-100	94-98	42-48	21-24	
	19-34	Silty clay loam	CL	A-7-6	0	0	100	100	98-100	94-98	41-48	21-24	
	34-46	Loam, clay loam	CL	A-6	0	0-4	90-95	79-91	76-91	61-77	29-39	13-19	
	46-80	Loam, clay loam	CL	A-6	0	0-4	90-95	79-91	76-91	61-77	29-39	13-19	
377C: Dinsdale-----	0-8	Silty clay loam, silt loam	CL	A-7-6	0	0	100	100	96-100	92-96	41-47	17-20	
	8-12	Silty clay loam, silt loam	CL	A-7-6, A-6	0	0	100	100	96-100	92-96	39-45	17-20	
	12-19	Silty clay loam	CL	A-7-6	0	0	100	100	98-100	94-98	42-48	21-24	
	19-34	Silty clay loam	CL	A-7-6	0	0	100	100	98-100	94-98	41-48	21-24	
	34-46	Loam, clay loam	CL	A-6	0	0-4	90-95	79-91	76-91	61-77	29-39	13-19	
	46-80	Loam, clay loam	CL	A-6	0	0-4	90-95	79-91	76-91	61-77	29-39	13-19	
382: Maxfield-----	0-8	Silty clay loam	MH, ML	A-7-5	0	0	100	100	95-100	91-99	49-62	18-24	
	8-19	Silty clay loam	MH, CL	A-7-5, A-7-6	0	0	100	100	95-100	91-99	43-57	18-24	
	19-29	Silty clay loam	CL	A-7-6, A-6	0	0	100	100	95-100	91-100	36-48	17-24	
	29-55	Loam, clay loam	CL	A-6, A-7-6	0	0-4	90-95	79-91	74-91	59-82	29-46	13-25	
	55-80	Loam, clay loam	CL	A-6, A-7-6	0	0-4	90-95	79-91	74-91	59-82	29-46	13-25	

Engineering Properties--Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10 inches	3-10 inches	4	10	40	200		
			In		Pct	Pct					Pct	
391B: Clyde-----	0-8	Silty clay loam, clay loam, loam	MH, ML	A-7-5	0	0-5	94-100	89-100	84-100	74-91	47-61	17-22
	8-17	Silty clay loam, clay loam	MH, CL, ML	A-7-6, A-7-5	0	0-5	94-100	89-100	86-100	77-90	42-54	19-22
	17-23	Silty clay loam, clay loam	CL	A-7-6, A-6	0	0-5	94-100	89-100	86-100	77-90	40-50	19-22
	23-28	Clay loam, silty clay loam	CL	A-7-6, A-6	0	0-5	95-100	84-95	73-91	63-79	32-44	15-21
	28-41	Silty clay loam, clay loam	CL	A-7-6, A-6	0	0-5	95-100	84-95	77-95	68-85	32-44	15-21
	41-44	Sandy loam, loam	SC, SC-SM	A-2-4, A-4	0	1-4	85-95	71-91	52-71	25-36	21-27	6-9
	44-62	Loam, clay loam	CL, SC	A-6	0	1-4	90-95	75-91	65-85	48-65	29-39	13-19
	62-66	Loam, clay loam	CL, SC	A-6	0	1-4	90-95	75-91	65-85	48-65	29-39	13-19
Floyd-----	0-8	Loam, clay loam	ML	A-7-6, A-6, A-7-5	0	0	100	100	87-95	64-72	40-50	13-19
	8-24	Loam, clay loam	ML, CL	A-7-6, A-6	0	0	100	100	87-95	64-72	34-48	13-19
	24-33	Sandy clay loam, loam	SC	A-6, A-2-6	0	1-5	89-95	73-90	60-80	32-45	29-38	12-16
	33-41	Sandy loam, loam, sandy clay loam	SC, SM	A-2-4, A-1-b, A-6	0	1-5	88-94	71-89	48-77	22-44	18-36	3-16
	41-50	Loam, clay loam	CL, SC	A-6, A-7-6	0	1-5	89-95	73-90	61-86	45-66	27-42	12-21
	50-80	Loam, clay loam	CL, SC	A-6, A-7-6	0	1-4	90-96	75-91	63-87	46-67	27-41	12-21
394B: Ostrander-----	0-8	Loam, silt loam	CL, ML	A-6, A-7-6	0	0	100	95-100	85-99	68-81	34-45	11-18
	8-19	Loam, silt loam	CL, ML	A-6, A-7-6	0	0	100	95-100	83-97	67-80	34-45	11-18
	19-31	Loam, silt loam	CL	A-6, A-7-6	0	0	95-100	90-100	77-94	56-71	29-41	12-19
	31-45	Loam, clay loam	CL	A-6, A-7-6	0	1-4	96-100	87-100	71-94	51-71	27-41	12-21
	45-79	Loam, clay loam	CL	A-6, A-7-6	0	1-4	96-100	87-100	71-94	51-71	27-41	12-21
394C: Ostrander-----	0-8	Loam, silt loam	CL, ML	A-6, A-7-6	0	0	100	95-100	85-99	68-81	34-45	11-18
	8-19	Loam, silt loam	CL, ML	A-6, A-7-6	0	0	100	95-100	83-97	67-80	34-45	11-18
	19-31	Loam, silt loam	CL	A-6, A-7-6	0	0	95-100	90-100	77-94	56-71	29-41	12-19
	31-45	Loam, clay loam	CL	A-6, A-7-6	0	1-4	96-100	87-100	71-94	51-71	27-41	12-21
	45-79	Loam, clay loam	CL	A-6, A-7-6	0	1-4	96-100	87-100	71-94	51-71	27-41	12-21
395B: Marquis-----	0-8	Loam	CL	A-6, A-7-6	0	0	100	95-100	80-93	58-70	34-44	11-18
	8-19	Loam	CL	A-6, A-7-6	0	0	100	95-100	80-93	58-70	34-44	11-18
	19-24	Loam	CL, SC	A-6, A-7-6	0	0-5	89-95	78-90	66-86	49-65	31-44	13-21
	24-54	Loam	CL	A-6	0	0-4	90-95	79-91	69-83	50-62	29-36	13-16
	54-80	Loam	CL	A-6	0	0-4	90-95	79-91	69-83	50-62	29-35	13-16

Engineering Properties--Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
398: Tripoli-----	0-8	Clay loam, silty clay loam	MH	A-7-5	0	0	100	100	89-93	70-74	50-56	19-22
	8-18	Clay loam, silty clay loam	MH, CL, ML	A-7-6, A-7-5	0	0	100	100	89-93	70-74	46-54	19-22
	18-24	Clay loam	CL	A-6, A-7-6	0	1-4	89-95	78-90	67-83	51-64	32-42	15-19
	24-38	Loam	CL	A-6	0	1-4	89-95	78-90	68-84	50-64	31-40	15-19
	38-66	Loam, clay loam	CL	A-6	0	1-4	90-95	79-91	68-85	50-65	29-39	13-19
399: Readlyn-----	0-8	Loam, clay loam	ML	A-7-6, A-6, A-7-5	0	0	100	100	85-95	62-72	37-49	11-19
	8-19	Loam, clay loam	ML, CL	A-7-6, A-6	0	0	100	100	85-95	62-72	34-47	11-19
	19-24	Loam	CL	A-6, A-7-6	0	1-4	89-95	78-90	68-84	50-64	34-44	15-19
	24-46	Clay loam, loam	CL	A-6, A-7-6	0	1-4	89-95	78-90	67-83	51-64	32-42	15-19
	46-79	Loam	CL, SC	A-6	0	1-4	90-96	80-91	68-84	49-62	27-35	12-16
408B: Olin-----	0-8	Fine sandy loam, sandy loam	SC, SC-SM	A-4, A-6	0	0	100	95-100	85-96	39-47	25-33	7-11
	8-19	Fine sandy loam, sandy loam	SC, SC-SM	A-4, A-6	0	0	100	95-100	85-96	38-46	24-32	7-12
	19-31	Sandy loam	SC, SC-SM	A-4, A-2-4, A-6	0	0	100	95-100	70-80	35-43	22-29	7-12
	31-53	Loam, clay loam, sandy clay loam	CL	A-6	0	1-4	89-95	78-90	67-85	50-65	29-39	13-19
	53-80	Loam, clay loam	CL	A-6	0	1-4	90-95	79-91	68-85	50-65	29-39	13-19
471: Oran-----	0-8	Loam, silt loam	CL, ML	A-6, A-4, A- 7-6	0	0	100	100	85-93	61-69	32-42	10-16
	8-13	Loam, silt loam	CL, SC	A-6, A-4	0	1-5	90-95	79-95	67-88	48-65	26-36	10-16
	13-18	Loam, silt loam	CL	A-6, A-4	0	0	100	100	85-93	61-69	26-36	10-16
	18-45	Clay loam, loam, sandy clay loam	CL, SC	A-6, A-7-6	0	1-4	89-95	74-90	62-83	45-63	31-41	15-21
	45-80	Loam	CL, SC	A-6	0	1-4	89-95	74-90	64-84	47-63	29-37	13-18
485: Spillville, occasionally flooded-----	0-8	Loam	ML	A-7-6, A-6	0	0	100	95-100	81-93	58-70	36-46	11-18
	8-54	Loam	CL	A-6, A-7-6	0	0	100	95-100	81-93	58-70	29-44	12-18
	54-79	Loam, sandy loam, sandy clay loam	CL	A-6, A-4	0	0	100	95-100	79-93	56-69	26-38	9-16

Engineering Properties--Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
582B: Kasson-----	0-8	Loam, silt loam	CL	A-6, A-7-6	0	0	100	95-100	81-92	58-69	33-42	11-17
	8-11	Silt loam, loam	CL	A-6	0	0	100	95-100	85-96	69-80	28-37	12-17
	11-20	Loam, clay loam, sandy clay loam	CL, SC	A-6	0	1-4	90-95	75-91	65-85	48-65	29-39	13-19
	20-41	Loam, clay loam, sandy clay loam	CL, SC	A-6	0	1-4	90-95	75-91	65-85	48-65	29-39	13-19
	41-53	Loam	CL, SC	A-6	0	1-4	86-96	77-92	66-86	49-65	29-39	13-19
	53-69	Loam	CL, SC	A-6	0	1-4	90-96	77-92	67-83	49-62	29-35	13-16
	69-80	Loam	CL, SC	A-6	0	1-4	90-96	77-92	67-83	49-62	29-35	13-16
582C: Kasson-----	0-8	Loam, silt loam	CL	A-6, A-7-6	0	0	100	95-100	81-92	58-69	33-42	11-17
	8-11	Silt loam, loam	CL	A-6	0	0	100	95-100	85-96	69-80	28-37	12-17
	11-20	Loam, clay loam, sandy clay loam	CL, SC	A-6	0	1-4	90-95	75-91	65-85	48-65	29-39	13-19
	20-41	Loam, clay loam, sandy clay loam	CL, SC	A-6	0	1-4	90-95	75-91	65-85	48-65	29-39	13-19
	41-53	Loam	CL, SC	A-6	0	1-4	86-96	77-92	66-86	49-65	29-39	13-19
	53-69	Loam	CL, SC	A-6	0	1-4	90-96	77-92	67-83	49-62	29-35	13-16
	69-80	Loam	CL, SC	A-6	0	1-4	90-96	77-92	67-83	49-62	29-35	13-16
585: Spillville, occasionally flooded-----	0-8	Loam	ML	A-7-6, A-6	0	0	100	95-100	81-93	58-70	36-46	11-18
	8-54	Loam	CL	A-6, A-7-6	0	0	100	95-100	81-93	58-70	29-44	12-18
	54-80	Loam, sandy loam, sandy clay loam	CL	A-6, A-4	0	0	100	95-100	79-93	56-69	26-38	9-16
Coland, occasionally flooded-----	0-8	Clay loam, silty clay loam	MH, ML	A-7-5, A-7-6	0	0	100	100	90-98	78-86	47-59	18-24
	8-32	Silty clay loam, clay loam	MH, CL, ML	A-7-6, A-7-5	0	0	100	100	95-100	84-92	43-57	18-24
	32-40	Clay loam, loam	CL, CH	A-7-6, A-6	0	0	100	100	88-98	72-82	39-53	17-25
	40-44	Sandy loam, clay loam, loam	SC, SC-SM	A-6, A-2-4, A-7-6	0	0	100	89-100	62-86	29-48	22-42	7-19
	44-52	Loam, clay loam, sandy loam	CL, CL-ML	A-6, A-4, A- 7-6	0	0	100	89-100	72-97	51-73	22-42	7-19
	52-60	Sandy loam, clay loam, loam	SC, SC-SM	A-6, A-2-4	0	0	100	89-100	62-86	29-48	22-40	7-19

Engineering Properties--Continued

Map symbol and soil name	Depth In	USDA texture	Classification		Fragments		Percentage passing sieve number --				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
					Pct	Pct					Pct	
620B:												
Port Byron-----	0-8	Silt loam	CL, CL-ML, ML	A-4, A-6	0	0	100	100	94-100	86-96	27-38	6-13
	8-13	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	94-100	86-96	22-34	6-13
	13-31	Silt loam, silty clay loam	CL	A-6, A-4, A-7-6	0	0	100	100	90-100	86-100	24-42	9-21
	31-52	Silt loam	CL, CL-ML	A-6, A-4	0	0	100	100	90-100	83-98	22-39	7-19
	52-59	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	94-100	86-96	18-28	4-12
	59-80	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	94-100	86-96	18-28	4-12
620C2:												
Port Byron-----	0-8	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	94-100	86-96	22-36	6-13
	8-31	Silt loam, silty clay loam	CL	A-6, A-4, A-7-6	0	0	100	100	90-100	86-100	24-42	9-21
	31-52	Silt loam	CL, CL-ML	A-6, A-4	0	0	100	100	90-100	83-98	22-39	7-19
	52-59	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	94-100	86-96	18-28	4-12
	59-80	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	94-100	86-96	18-28	4-12
626:												
Hayfield, rarely flooded-----	0-8	Loam, silt loam	CL, ML	A-7-6, A-6	0	0	100	100	85-94	68-77	34-45	11-18
	8-13	Loam, silt loam	CL	A-6	0	0	100	100	85-94	68-77	28-39	12-19
	13-29	Loam, clay loam, sandy clay loam	CL	A-6, A-7-6	0	0	95-100	83-100	70-96	51-74	27-42	12-21
	29-80	Coarse sand, sand, loamy coarse sand, loamy sand	SW-SM, SM	A-1-b	0	0-3	85-100	66-95	29-47	7-14	0-17	NP-2
663B:												
Seaton-----	0-8	Silt loam	CL, CL-ML	A-6, A-4	0	0	100	100	94-100	86-96	24-36	7-15
	8-15	Silt loam	CL, CL-ML	A-6, A-4	0	0	100	100	94-100	86-96	23-34	7-15
	15-44	Silt loam	CL	A-6, A-4	0	0	100	100	92-100	85-98	24-38	9-19
	44-70	Silt loam, silt	CL, CL-ML	A-4, A-6	0	0	100	100	94-100	86-96	20-30	6-13
	70-80	Silt loam, silt	CL, CL-ML	A-4, A-6	0	0	100	100	94-100	86-96	20-30	6-13
663C:												
Seaton-----	0-8	Silt loam	CL, CL-ML	A-6, A-4	0	0	100	100	94-100	86-96	24-36	7-15
	8-15	Silt loam	CL, CL-ML	A-6, A-4	0	0	100	100	94-100	86-96	23-34	7-15
	15-44	Silt loam	CL	A-6, A-4	0	0	100	100	92-100	85-98	24-38	9-19
	44-70	Silt loam, silt	CL, CL-ML	A-4, A-6	0	0	100	100	94-100	86-96	20-30	6-13
	70-80	Silt loam, silt	CL, CL-ML	A-4, A-6	0	0	100	100	94-100	86-96	20-30	6-13

Engineering Properties--Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
663D2: Seaton, moderately eroded-----	0-8	Silt loam	CL, CL-ML	A-6, A-4	0	0	100	100	94-100	86-96	24-36	7-15
	8-44	Silt loam	CL	A-6, A-4	0	0	100	100	92-100	85-98	24-38	9-19
	44-70	Silt loam, silt	CL, CL-ML	A-4, A-6	0	0	100	100	94-100	86-96	20-30	6-13
	70-80	Silt loam, silt	CL, CL-ML	A-4, A-6	0	0	100	100	94-100	86-96	20-30	6-13
663D3: Seaton, severely eroded-----	0-8	Silt loam	CL, CL-ML	A-6, A-4	0	0	100	100	92-100	84-94	22-34	7-15
	8-44	Silt loam	CL	A-6, A-4	0	0	100	100	92-100	85-98	24-38	9-19
	44-70	Silt loam, silt	CL, CL-ML	A-4, A-6	0	0	100	100	94-100	86-96	20-30	6-13
	70-95	Silt loam, silt	CL, CL-ML	A-4, A-6	0	0	100	100	94-100	86-96	20-30	6-13
663E2: Seaton, moderately eroded-----	0-8	Silt loam	CL, CL-ML	A-6, A-4	0	0	100	100	94-100	86-96	24-36	7-15
	8-44	Silt loam	CL	A-6, A-4	0	0	100	100	92-100	85-98	24-38	9-19
	44-70	Silt loam, silt	CL, CL-ML	A-4, A-6	0	0	100	100	94-100	86-96	20-30	6-13
	70-80	Silt loam, silt	CL, CL-ML	A-4, A-6	0	0	100	100	94-100	86-96	20-30	6-13
663G: Seaton-----	0-4	Silt loam	CL, CL-ML	A-6, A-4	0	0	100	100	94-100	86-96	24-36	7-15
	4-9	Silt loam	CL, CL-ML	A-6, A-4	0	0	100	100	94-100	86-96	23-34	7-15
	9-44	Silt loam	CL	A-6, A-4	0	0	100	100	92-100	85-98	24-38	9-19
	44-70	Silt loam, silt	CL, CL-ML	A-4, A-6	0	0	100	100	94-100	86-96	20-30	6-13
	70-80	Silt loam, silt	CL, CL-ML	A-4, A-6	0	0	100	100	94-100	86-96	20-30	6-13
775: Billett-----	0-8	Sandy loam, fine sandy loam	SC-SM, SM, SC	A-4, A-2-4	0	0	100	95-100	69-82	33-45	18-29	2-9
	8-13	Sandy loam, fine sandy loam	SC, SC-SM	A-4, A-2-4, A-6	0	0	100	95-100	69-81	33-43	21-29	6-12
	13-28	Sandy loam, fine sandy loam, loam	SC, SC-SM	A-4, A-2-4, A-6	0	0	100	95-100	69-81	33-43	20-28	6-12
	28-41	Loamy sand, sandy loam	SC, SC-SM	A-2-4, A-2-6	0	0	96-100	81-100	62-86	13-27	18-28	4-12
	41-47	Sandy loam, loamy sand	SC, SC-SM	A-2-4, A-6	0	0	96-100	81-100	58-82	27-44	18-28	4-12
	47-52	Loamy sand, loamy fine sand, fine sand, sand	SM	A-2-4	0	0-4	86-100	68-100	52-82	18-32	0-19	NP-3
	52-60	Gravelly loamy sand, gravelly sand, loamy sand, sand	SM	A-2-4, A-1-b	0	0-4	86-100	64-100	49-82	17-32	0-19	NP-3

Engineering Properties--Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
775B: Billett-----	0-8	Sandy loam, fine sandy loam	SC-SM, SM, SC	A-4, A-2-4	0	0	100	95-100	69-82	33-45	18-29	2-9
	8-13	Sandy loam, fine sandy loam	SC, SC-SM	A-4, A-2-4, A-6	0	0	100	95-100	69-81	33-43	21-29	6-12
	13-28	Sandy loam, fine sandy loam, loam	SC, SC-SM	A-4, A-2-4, A-6	0	0	100	95-100	69-81	33-43	20-28	6-12
	28-41	Loamy sand, sandy loam	SC, SC-SM	A-2-4, A-2-6	0	0	96-100	81-100	62-86	13-27	18-28	4-12
	41-47	Sandy loam, loamy sand	SC, SC-SM	A-2-4, A-6	0	0	96-100	81-100	58-82	27-44	18-28	4-12
	47-52	Loamy sand, loamy fine sand, sand, fine sand	SM	A-2-4	0	0-4	86-100	68-100	52-82	18-32	0-19	NP-3
	52-60	Gravelly loamy sand, loamy sand, gravelly sand, sand	SM	A-2-4, A-1-b	0	0-4	86-100	64-100	49-82	17-32	0-19	NP-3
775C: Billett-----	0-8	Sandy loam, fine sandy loam	SC-SM, SM, SC	A-4, A-2-4	0	0	100	95-100	69-82	33-45	18-29	2-9
	8-13	Sandy loam, fine sandy loam	SC, SC-SM	A-4, A-2-4, A-6	0	0	100	95-100	69-81	33-43	21-29	6-12
	13-28	Sandy loam, fine sandy loam, loam	SC, SC-SM	A-4, A-2-4, A-6	0	0	100	95-100	69-81	33-43	20-28	6-12
	28-41	Loamy sand, sandy loam	SC, SC-SM	A-2-4, A-2-6	0	0	96-100	81-100	62-86	13-27	18-28	4-12
	41-47	Sandy loam, loamy sand	SC, SC-SM	A-2-4, A-6	0	0	96-100	81-100	58-82	27-44	18-28	4-12
	47-52	Loamy sand, loamy fine sand, fine sand, sand	SM	A-2-4	0	0-4	86-100	68-100	52-82	18-32	0-19	NP-3
	52-60	Gravelly loamy sand, gravelly sand, loamy sand, sand	SM	A-2-4, A-1-b	0	0-4	86-100	64-100	49-82	17-32	0-19	NP-3
778: Sattre, rarely flooded-----	0-8	Loam	CL	A-6	0	0	100	89-100	77-92	55-68	32-40	12-16
	8-13	Loam	CL	A-6	0	0	100	89-100	77-92	55-68	29-38	12-16
	13-17	Loam, clay loam	CL, SC	A-6	0	0-5	87-100	69-100	59-95	43-72	28-40	12-19
	17-32	Loam, sandy clay loam, clay loam	CL, SC	A-6	0	0-5	87-100	69-100	59-95	43-72	28-40	12-19
	32-35	Sandy loam, loam, sandy clay loam, clay loam	SC, CL	A-6, A-2-6	0	0-5	87-100	69-100	54-88	34-59	28-40	12-19
	35-60	Sand, gravelly coarse sand, gravelly sand	SM, SP-SM, SC-SM	A-2-4, A-1-b	0	1-9	84-92	53-92	35-66	8-20	0-20	NP-4

Engineering Properties--Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
813B: Atkinson-----	0-8	Loam	CL, ML	A-6, A-7-6	0	0	100	95-100	81-92	59-68	34-42	11-16
	8-13	Loam	CL, ML	A-6, A-7-6	0	0	100	95-100	81-92	59-68	32-42	12-16
	13-24	Loam, clay loam, sandy clay loam	CL	A-6, A-7-6	0	1-4	91-95	78-95	69-91	52-71	36-46	16-22
	24-45	Clay loam, loam, sandy clay loam	CL, SC	A-7-6, A-6	0	1-4	91-95	78-95	62-90	46-70	31-49	13-25
	45-50	Clay	CH	A-7-6	0	1-9	87-97	74-97	67-96	54-80	50-62	29-37
	50-80	Bedrock	---	---	---	---	---	---	---	---	---	---
813C: Atkinson-----	0-8	Loam	CL, ML	A-6, A-7-6	0	0	100	95-100	81-92	59-68	34-42	11-16
	8-13	Loam	CL, ML	A-6, A-7-6	0	0	100	95-100	81-92	59-68	32-42	12-16
	13-24	Loam, clay loam, sandy clay loam	CL	A-6, A-7-6	0	1-4	91-95	78-95	69-91	52-71	36-46	16-22
	24-45	Clay loam, loam, sandy clay loam	CL, SC	A-7-6, A-6	0	1-4	91-95	78-95	62-90	46-70	31-49	13-25
	45-50	Clay	CH	A-7-6	0	1-9	87-97	74-97	67-96	54-80	50-62	29-37
	50-80	Bedrock	---	---	---	---	---	---	---	---	---	---
814B: Rockton-----	0-8	Loam	CL, SC, ML	A-6, A-7-6	0	0	89-100	79-100	67-94	49-71	34-45	11-18
	8-15	Loam	CL, SC, ML	A-6, A-7-6	0	0	89-100	79-100	67-94	49-71	34-45	11-18
	15-26	Loam, clay loam, sandy clay loam	CL	A-6, A-7-6	0	0	90-100	80-100	72-99	54-77	36-47	17-25
	26-31	Clay, silty clay, clay loam	CH, CL	A-7-6	0	0-1	90-100	79-100	69-100	55-94	45-72	25-45
	31-80	Bedrock	---	---	---	---	---	---	---	---	---	---
814C: Rockton-----	0-8	Loam	CL, SC, ML	A-6, A-7-6	0	0	89-100	79-100	67-94	49-71	34-45	11-18
	8-15	Loam	CL, SC, ML	A-6, A-7-6	0	0	89-100	79-100	67-94	49-71	34-45	11-18
	15-26	Loam, clay loam, sandy clay loam	CL	A-6, A-7-6	0	0	90-100	80-100	72-99	54-77	36-47	17-25
	26-31	Clay, silty clay, clay loam	CH, CL	A-7-6	0	0-1	90-100	79-100	69-100	55-94	45-72	25-45
	31-80	Bedrock	---	---	---	---	---	---	---	---	---	---
814D: Rockton-----	0-8	Loam	CL, SC, ML	A-6, A-7-6	0	0	89-100	79-100	67-94	49-71	34-45	11-18
	8-15	Loam	CL, SC, ML	A-6, A-7-6	0	0	89-100	79-100	67-94	49-71	34-45	11-18
	15-26	Loam, clay loam, sandy clay loam	CL	A-6, A-7-6	0	0	90-100	80-100	72-99	54-77	36-47	17-25
	26-31	Clay, silty clay, clay loam	CH, CL	A-7-6	0	0-1	90-100	79-100	69-100	55-94	45-72	25-45
	31-80	Bedrock	---	---	---	---	---	---	---	---	---	---

Engineering Properties--Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
884: Klingmore-----	0-8	Silty clay loam, silt loam	ML, MH	A-7-5, A-7-6	0	0	100	100	97-100	93-97	46-52	18-21
	8-19	Silty clay loam, silt loam	ML, CL	A-7-6	0	0	100	100	97-100	93-97	44-50	18-21
	19-56	Silty clay loam, silt loam	CL	A-7-6, A-6	0	0	100	100	94-100	90-99	37-47	18-25
	56-80	Loam, clay loam	CL	A-6	0	0-4	90-95	75-91	72-91	58-77	29-39	13-19
930: Orion, occasionally flooded-----	0-8	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	93-100	85-95	21-34	4-11
	8-32	Silt loam	CL, CL-ML	A-4, A-6	0	0	100	100	93-100	85-95	21-34	4-11
	32-39	Silt loam, silty clay loam	ML, CL-ML, MH	A-7-6, A-4, A-7-5	0	0	100	100	87-100	80-100	25-57	4-20
	39-60	Stratified silt loam to very fine sand	CL, CL-ML	A-4, A-6	0	0	82-100	74-100	70-100	65-100	18-28	4-12
982: Maxmore-----	0-8	Silty clay loam, silt loam	MH, ML	A-7-5	0	0	100	100	93-100	89-99	47-62	17-24
	8-20	Silty clay loam, silt loam	MH, CL	A-7-5, A-7-6	0	0	100	100	93-100	89-99	41-57	17-24
	20-50	Silty clay loam, silt loam	CL	A-7-6, A-6	0	0	100	100	93-100	89-99	36-49	17-25
	50-80	Loam, clay loam	CL	A-6	0	0-4	90-95	75-91	72-91	58-77	29-39	13-19
1152: Marshan, rarely flooded-----	0-8	Clay loam, loam, silty clay loam	MH, ML	A-7-5, A-7-6	0	0	94-100	89-100	80-100	69-88	45-57	17-24
	8-14	Silty clay loam, loam, clay loam	CL, MH	A-7-6, A-6	0	0	94-100	89-100	84-100	74-93	39-55	17-25
	14-18	Silty clay loam, loam, clay loam	CL, CH	A-7-6, A-6	0	0	95-100	90-100	84-100	75-93	37-51	17-25
	18-23	Silty clay loam, loam, clay loam	CL	A-7-6, A-6	0	0	95-100	90-100	84-100	75-93	36-47	17-25
	23-30	Loam, clay loam, sandy loam	CL, SC	A-6, A-7-6	0	0	95-100	71-100	59-96	43-74	28-42	12-21
	30-40	Sand, gravelly sand	SP-SM, SP	A-3, A-2-4	0	0-3	90-95	70-90	53-72	4-10	0-17	NP-2
	40-60	Gravelly sand, sand	SP-SM, SP	A-1-b, A-1-a, A-2-4	0	0-3	73-95	25-90	19-72	2-10	0-17	NP-2

Engineering Properties--Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plasticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
1226: Lawler, rarely flooded-----	0-8	Loam, silt loam	ML	A-7-6, A-6	0	0	100	88-100	75-94	55-72	36-47	11-18
	8-19	Loam, silt loam	CL, ML	A-6, A-7-6	0	0	100	88-100	75-94	55-72	33-45	11-18
	19-38	Loam, sandy clay loam	CL, SC	A-6, A-7-6	0	0-5	89-95	73-90	63-85	46-64	30-42	13-19
	38-80	Gravelly sand, sand	SP-SM, SP	A-1-b, A-1-a, A-2-4	0	0-3	73-95	25-90	19-72	2-10	0-17	NP-2
1585: Spillville, channeled-----	0-54	Loam	ML	A-7-6, A-6	0	0	100	95-100	81-93	58-70	36-46	11-18
	54-80	Loam, sandy loam, sandy clay loam	CL	A-6, A-4	0	0	100	95-100	79-93	56-69	26-38	9-16
Coland, channeled-----	0-32	Clay loam, silty clay loam	MH, ML	A-7-5, A-7-6	0	0	100	100	90-98	78-86	47-59	18-24
	32-40	Clay loam, loam	CL, CH	A-7-6, A-6	0	0	100	100	88-98	72-82	39-53	17-25
	40-44	Sandy loam, clay loam, loam	SC, SC-SM	A-6, A-2-4, A-7-6	0	0	100	89-100	62-86	29-48	22-42	7-19
	44-52	Loam, clay loam, sandy loam	CL, CL-ML	A-6, A-4, A- 7-6	0	0	100	89-100	72-97	51-73	22-42	7-19
	52-60	Sandy loam, clay loam, loam	SC, SC-SM	A-6, A-4	0	0	100	89-100	62-86	29-48	22-40	7-19
Aquolls, ponded.												
1586: Sigglekov, frequently flooded-----	0-9	Loam, sandy loam, silt loam	CL-ML, CL	A-4	0	0	100	100	85-90	59-64	21-28	6-9
	9-15	Sandy loam, loamy sand, sand	SM, SC-SM	A-4, A-2-4	0	0	90-100	79-95	59-78	31-44	0-21	NP-6
	15-35	Sand, loamy sand, sandy loam	SP-SM, SC-SM	A-2-4, A-3	0	0	90-100	79-95	60-80	7-16	0-21	NP-6
	35-80	Coarse sand, loamy sand, sandy loam	SP-SM, SC-SM	A-1-b, A-2-4	0	0	90-100	79-95	36-51	7-16	0-21	NP-6
Fluvaquents, frequently flooded.												
Aquents, ponded.												

Engineering Properties--Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plasticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
4946. Udorthents- Interstate highway												
5010. Pits, sand and gravel												
5030. Pits, limestone quarries												
5040. Udorthents, loamy												
5080. Udorthents, sanitary landfill												
8041: Sparta, terrace, rarely flooded												
	0-8	Loamy sand, loamy fine sand, fine sand, sand	SM, SC-SM	A-2-4	0	0	86-100	72-100	53-81	14-27	0-25	NP-6
	8-15	Loamy fine sand, loamy sand, fine sand, sand	SM, SC-SM	A-2-4	0	0	86-100	72-100	66-98	18-33	0-22	NP-6
	15-72	Fine sand, loamy fine sand, loamy sand, sand	SP-SM, SC-SM	A-2-4, A-3	0	0	87-100	75-100	68-98	7-17	0-20	NP-4
	72-80	Loamy fine sand, fine sand, sand	SP-SM, SC-SM	A-3, A-2-4	0	0	88-100	76-100	70-100	7-18	0-20	NP-5
8041B: Sparta, terrace, rarely flooded												
	0-8	Loamy sand, loamy fine sand, fine sand, sand	SM, SC-SM	A-2-4	0	0	86-100	72-100	53-81	14-27	0-25	NP-6
	8-15	Loamy fine sand, loamy sand, fine sand, sand	SM, SC-SM	A-2-4	0	0	86-100	72-100	66-98	18-33	0-22	NP-6
	15-72	Fine sand, sand, loamy fine sand, loamy sand	SP-SM, SC-SM	A-2-4, A-3	0	0	87-100	75-100	68-98	7-17	0-20	NP-4
	72-80	Loamy fine sand, fine sand, sand	SP-SM, SC-SM	A-3, A-2-4	0	0	88-100	76-100	70-100	7-18	0-20	NP-5

Engineering Properties--Continued

Map symbol and soil name	Depth	USDA texture	Classification		Fragments		Percentage passing sieve number--				Liquid limit	Plas- ticity index
			Unified	AASHTO	>10	3-10	4	10	40	200		
					inches	inches						
	In				Pct	Pct					Pct	
8175B: Dickinson, terrace, rarely flooded-----	0-8	Fine sandy loam, sandy loam, loam	SC, SC-SM	A-4, A-6	0	0	100	100	90-96	41-47	25-33	7-11
	8-18	Fine sandy loam, sandy loam, loam	SC, SC-SM	A-4, A-6	0	0	100	100	89-97	39-47	21-33	6-11
	18-30	Fine sandy loam, sandy loam	SC, SC-SM	A-4, A-6	0	0	100	100	89-97	39-47	20-28	6-12
	30-36	Loamy sand, loamy fine sand, fine sand, sand	SM, SC-SM	A-2-4	0	0	100	100	78-83	21-26	16-21	2-6
	36-60	Sand, fine sand, loamy sand, loamy fine sand	SM, SP-SM, SC-SM	A-2-4	0	0	100	100	78-83	12-17	16-21	2-6
AW. Animal waste lagoon												
SL. Sewage lagoon												
W. Water												

Physical Properties

The table described in this section shows estimates of some physical characteristics and features that affect soil behavior. These estimates are given for the layers of each soil in the survey area. The estimates are based on field observations and on test data for these and similar soils.

Depth to the upper and lower boundaries of each layer is indicated.

Clay as a soil separate consists of mineral soil particles that are less than 0.002 millimeter in diameter. In the table, the estimated clay content of each soil layer is given as a percentage, by weight, of the soil material that is less than 2 millimeters in diameter.

The amount and kind of clay affect the fertility and physical condition of the soil and the ability of the soil to adsorb cations and to retain moisture. They influence shrink-swell potential, permeability, plasticity, the ease of soil dispersion, and other soil properties. The amount and kind of clay in a soil also affect tillage and earthmoving operations.

Moist bulk density is the weight of soil (oven-dry) per unit volume. Volume is measured when the soil is at field moisture capacity, that is, the moisture content at $1/3$ - or $1/10$ -bar (33kPa or 10kPa) moisture tension. Weight is determined after the soil is dried at 105 degrees C. In the table, the estimated moist bulk density of each soil horizon is expressed in grams per cubic centimeter of soil material that is less than 2 millimeters in diameter. Bulk density data are used to compute linear extensibility, shrink-swell potential, available water capacity, total pore space, and other soil properties. The moist bulk density of a soil indicates the pore space available for water and roots. Depending on soil texture, a bulk density of more than 1.4 can restrict water storage and root penetration. Moist bulk density is influenced by texture, kind of clay, content of organic matter, and soil structure.

Saturated hydraulic conductivity refers to the ability of a soil to transmit water or air. The term “permeability,” as used in soil surveys, indicates saturated hydraulic conductivity (Ksat). The estimates in the table indicate the rate of water movement, in micrometers per second, when the soil is saturated. They are based on soil characteristics observed in the field, particularly structure, porosity, and texture. Permeability is considered in the design of soil drainage systems and septic tank absorption fields.

Available water capacity refers to the quantity of water that the soil is capable of storing for use by plants. The capacity for water storage is given in inches of water per inch of soil for each soil layer. The capacity varies, depending on soil properties that affect retention of water. The most important properties are the content of organic matter, soil texture, bulk density, and soil structure. Available water capacity is an important factor in the choice of plants or crops to be grown and in the design and management of irrigation systems. Available water capacity is not an estimate of the quantity of water actually available to plants at any given time.

Linear extensibility refers to the change in length of an unconfined clod as moisture content is decreased from a moist to a dry state. It is an expression of the volume change between the water content of the clod at $1/3$ - or $1/10$ -bar tension (33kPa or 10kPa tension) and oven dryness. The volume change is reported in the table as percent change for the whole soil. Volume change is influenced by the amount and type of clay minerals in the soil.

Linear extensibility is used to determine the shrink-swell potential of soils. The shrink-swell potential is low if the soil has a linear extensibility of less than 3 percent; moderate if 3 to 6 percent; high if 6 to 9 percent; and very high if more than 9 percent. If the linear extensibility is more than 3, shrinking and swelling can cause damage to buildings, roads, and other structures and to plant roots. Special design commonly is needed.

Organic matter is the plant and animal residue in the soil at various stages of decomposition. In the table, the estimated content of organic matter is expressed as a percentage, by weight, of the soil material that is less than 2 millimeters in diameter.

The content of organic matter in a soil can be maintained by returning crop residue to the soil. Organic matter has a positive effect on available water capacity, water infiltration, soil organism activity, and tilth. It is a source of nitrogen and other nutrients for crops and soil organisms.

Erosion factors are shown in the table as the K factor (K_w and K_f) and the T factor. Erosion factor K indicates the susceptibility of a soil to sheet and rill erosion by water. Factor K is one of six factors used in the Universal Soil Loss Equation (USLE) and the Revised Universal Soil Loss Equation (RUSLE) to predict the average annual rate of soil loss by sheet and rill erosion in tons per acre per year. The estimates are based primarily on percentage of silt, sand, and organic matter and on soil structure and permeability. Values of K range from 0.02 to 0.69. Other factors being equal, the higher the value, the more susceptible the soil is to sheet and rill erosion by water.

Erosion factor K_w indicates the erodibility of the whole soil. The estimates are modified by the presence of rock fragments.

Erosion factor K_f indicates the erodibility of the fine-earth fraction, or the material less than 2 millimeters in size.

Erosion factor T is an estimate of the maximum average annual rate of soil erosion by wind or water that can occur without affecting crop productivity over a sustained period. The rate is in tons per acre per year.

Wind erodibility groups are made up of soils that have similar properties affecting their susceptibility to wind erosion in cultivated areas. The soils assigned to group 1 are the most susceptible to wind erosion, and those assigned to group 8 are the least susceptible. The groups are described in the "National Soil Survey Handbook," which is available in local offices of the Natural Resources Conservation Service or on the Internet.

Wind erodibility index is a numerical value indicating the susceptibility of soil to wind erosion, or the tons per acre per year that can be expected to be lost to wind erosion. There is a close correlation between wind erosion and the texture of the surface layer, the size and durability of surface clods, rock fragments, organic matter, and a calcareous reaction. Soil moisture and frozen soil layers also influence wind erosion.

Physical Properties of the Soils

(Entries under "Erosion factors--T" apply to the entire profile. Entries under "Wind erodibility group" and "Wind erodibility index" apply only to the surface layer. Absence of an entry indicates that data were not estimated)

Map symbol and soil name	Pct. of map unit	Depth	Clay	Moist bulk density	Saturated hydraulic conductivity	Available water capacity	Linear extensibility	Organic matter	Erosion factors			Wind erodibility group	Wind erodibility index
									Kw	Kf	T		
		In	Pct	g/cc	um/sec	In/in	Pct	Pct					
41B: Sparta-----	80	0-8	3-10	1.20-1.40	10.00-705.00	0.09-0.12	0.0-0.0	1.0-2.0	.17	.17	5	2	134
		8-15	3-10	1.20-1.40	10.00-705.00	0.09-0.12	0.0-0.0	0.5-1.0	.17	.17			
		15-72	1-8	1.40-1.60	10.00-705.00	0.05-0.11	0.0-0.0	0.0-0.5	.15	.15			
		72-80	0-9	1.50-1.70	10.00-705.00	0.04-0.07	0.0-0.0	0.0-0.5	.15	.15			
41C: Sparta-----	80	0-8	3-10	1.20-1.40	10.00-705.00	0.09-0.12	0.0-0.0	1.0-2.0	.17	.17	5	2	134
		8-15	3-10	1.20-1.40	10.00-705.00	0.09-0.12	0.0-0.0	0.5-1.0	.17	.17			
		15-72	1-8	1.40-1.60	10.00-705.00	0.05-0.11	0.0-0.0	0.0-0.5	.15	.15			
		72-80	0-9	1.50-1.70	10.00-705.00	0.04-0.07	0.0-0.0	0.0-0.5	.15	.15			
43: Bremer-----	100	0-8	27-36	1.25-1.30	1.00-10.00	0.21-0.23	3.2-6.1	5.0-7.0	.32	.32	5	7	38
		8-19	27-36	1.25-1.30	1.00-10.00	0.21-0.23	3.2-6.1	4.0-6.0	.32	.32			
		19-42	35-42	1.30-1.40	1.00-10.00	0.15-0.17	5.8-8.0	1.0-2.0	.43	.43			
		42-60	32-38	1.40-1.45	1.00-10.00	0.18-0.20	4.8-6.7	0.5-1.0	.43	.43			
50B: Coloma-----	85	0-8	0-10	1.35-1.65	10.00-705.00	0.07-0.12	0.0-0.0	1.0-2.0	.15	.15	5	1	250
		8-39	0-14	1.50-1.65	10.00-705.00	0.05-0.10	0.0-0.0	0.0-1.0	.15	.15			
		39-80	0-14	1.50-1.65	10.00-705.00	0.05-0.10	0.0-0.0	0.0-0.5	.15	.15			
63B: Chelsea-----	90	0-8	8-15	1.50-1.55	10.00-705.00	0.10-0.15	0.0-0.0	0.5-1.5	.17	.17	5	2	134
		8-15	5-10	1.55-1.70	10.00-705.00	0.06-0.08	0.0-0.0	0.0-0.5	.17	.17			
		15-36	5-10	1.55-1.70	10.00-705.00	0.06-0.08	0.0-0.0	0.0-0.5	.17	.17			
		36-70	5-10	1.55-1.70	10.00-705.00	0.06-0.08	0.0-0.0	0.0-0.5	.17	.17			
63C: Chelsea-----	85	0-8	8-15	1.50-1.55	10.00-705.00	0.10-0.15	0.0-0.0	0.5-1.5	.17	.17	5	2	134
		8-15	5-10	1.55-1.70	10.00-705.00	0.06-0.08	0.0-0.0	0.0-0.5	.17	.17			
		15-36	5-10	1.55-1.70	10.00-705.00	0.06-0.08	0.0-0.0	0.0-0.5	.17	.17			
		36-70	5-10	1.55-1.70	10.00-705.00	0.06-0.08	0.0-0.0	0.0-0.5	.17	.17			
63E: Chelsea-----	85	0-8	8-15	1.50-1.55	10.00-705.00	0.10-0.15	0.0-0.0	0.5-1.5	.17	.17	5	2	134
		8-15	5-10	1.55-1.70	10.00-705.00	0.06-0.08	0.0-0.0	0.0-0.5	.17	.17			
		15-36	5-10	1.55-1.70	10.00-705.00	0.06-0.08	0.0-0.0	0.0-0.5	.17	.17			
		36-70	5-10	1.55-1.70	10.00-705.00	0.06-0.08	0.0-0.0	0.0-0.5	.17	.17			

Physical Properties of the Soils--Continued

Map symbol and soil name	Pct. of map unit	Depth	Clay	Moist bulk density	Saturated hydraulic conductivity	Available water capacity	Linear extensibility	Organic matter	Erosion factors			Wind erodibility group	Wind erodibility index
									Kw	Kf	T		
		In	Pct	g/cc	um/sec	In/in	Pct	Pct					
83B: Kenyon-----	75	0-8	18-26	1.40-1.45	1.00-10.00	0.20-0.22	0.4-2.9	3.0-4.0	.24	.24	5	6	48
		8-14	18-26	1.40-1.45	1.00-10.00	0.20-0.22	0.4-2.9	2.0-3.0	.24	.24			
		14-19	18-26	1.40-1.45	1.00-10.00	0.20-0.22	0.4-2.9	1.0-3.0	.24	.24			
		19-55	20-30	1.75-1.90	0.01-1.00	0.17-0.19	1.0-4.2	0.0-1.0	.28	.28			
		55-79	20-24	1.75-1.90	0.01-1.00	0.17-0.19	1.0-2.3	0.0-0.5	.37	.37			
83C: Kenyon-----	75	0-8	18-26	1.40-1.45	1.00-10.00	0.20-0.22	0.4-2.9	3.0-4.0	.24	.24	5	6	48
		8-14	18-26	1.40-1.45	1.00-10.00	0.20-0.22	0.4-2.9	2.0-3.0	.24	.24			
		14-19	18-26	1.40-1.45	1.00-10.00	0.20-0.22	0.4-2.9	1.0-3.0	.24	.24			
		19-55	20-30	1.75-1.90	0.01-1.00	0.17-0.19	1.0-4.2	0.0-1.0	.28	.28			
		55-79	20-24	1.75-1.90	0.01-1.00	0.17-0.19	1.0-2.3	0.0-0.5	.37	.37			
84: Clyde-----	80	0-8	25-32	1.35-1.40	1.00-10.00	0.21-0.23	2.6-4.8	6.0-9.0	.28	.28	5	7	38
		8-17	28-32	1.35-1.40	1.00-10.00	0.21-0.23	3.5-4.8	2.0-6.0	.28	.28			
		17-23	28-32	1.35-1.40	1.00-10.00	0.21-0.23	3.5-4.8	1.0-4.0	.28	.28			
		23-28	22-30	1.45-1.65	1.00-10.00	0.18-0.20	1.6-4.2	0.5-2.0	.37	.37			
		28-41	22-30	1.45-1.65	1.00-10.00	0.18-0.20	1.6-4.2	0.5-2.0	.37	.37			
		41-44	10-15	1.60-1.70	1.00-10.00	0.11-0.13	0.0-0.0	0.5-1.0	.37	.37			
		44-62	20-28	1.75-1.90	0.01-1.00	0.17-0.19	1.0-3.5	0.0-0.5	.37	.37			
		62-66	20-28	1.75-1.90	0.01-1.00	0.17-0.19	1.0-3.5	0.0-0.5	.37	.37			
109B: Backbone-----	100	0-8	8-18	1.50-1.55	10.00-100.00	0.12-0.14	0.0-0.4	1.0-2.0	.20	.20	3	3	86
		8-24	12-18	1.55-1.65	10.00-100.00	0.11-0.13	0.0-0.4	0.5-1.0	.20	.20			
		24-30	20-40	1.50-1.60	1.00-10.00	0.12-0.15	1.0-7.3	0.0-0.5	.37	.37			
		30-80	---	---	0.01-10.00	---	---	---	---	---			
109C: Backbone-----	100	0-8	8-18	1.50-1.55	10.00-100.00	0.12-0.14	0.0-0.4	1.0-2.0	.20	.20	3	3	86
		8-24	12-18	1.55-1.65	10.00-100.00	0.11-0.13	0.0-0.4	0.5-1.0	.20	.20			
		24-30	20-40	1.50-1.60	1.00-10.00	0.12-0.15	1.0-7.3	0.0-0.5	.37	.37			
		30-80	---	---	0.01-10.00	---	---	---	---	---			
109D: Backbone-----	100	0-8	8-18	1.50-1.55	10.00-100.00	0.12-0.14	0.0-0.4	1.0-2.0	.20	.20	3	3	86
		8-24	12-18	1.55-1.65	10.00-100.00	0.11-0.13	0.0-0.4	0.5-1.0	.20	.20			
		24-30	20-40	1.50-1.60	1.00-10.00	0.12-0.15	1.0-7.3	0.0-0.5	.37	.37			
		30-80	---	---	0.01-10.00	---	---	---	---	---			

Physical Properties of the Soils--Continued

Map symbol and soil name	Pct. of map unit	Depth	Clay	Moist bulk density	Saturated hydraulic conductivity	Available water capacity	Linear extensibility	Organic matter	Erosion factors			Wind erodibility group	Wind erodibility index
									Kw	Kf	T		
		In	Pct	g/cc	um/sec	In/in	Pct	Pct					
127: Plano, rarely flooded	85	0-8	20-35	1.30-1.35	1.00-10.00	0.21-0.23	1.0-5.8	3.5-4.5	.28	.28	5	6	48
		8-14	20-35	1.30-1.35	1.00-10.00	0.21-0.23	1.0-5.8	1.0-3.0	.28	.28			
		14-43	20-35	1.30-1.40	1.00-10.00	0.18-0.20	1.0-5.8	0.5-1.0	.43	.43			
		43-49	25-30	1.40-1.55	1.00-10.00	0.18-0.20	2.6-4.2	0.0-0.5	.37	.37			
		49-53	15-32	1.30-1.55	1.00-100.00	0.09-0.16	0.0-4.8	0.0-0.5	.37	.37			
		53-60	5-20	1.45-1.65	1.00-100.00	0.07-0.10	0.0-1.0	0.0-0.5	.15	.20			
		60-72	5-20	1.55-1.65	1.00-100.00	0.08-0.10	0.0-1.0	0.0-0.5	.20	.20			
135: Coland, occasionally flooded-----	85	0-8	27-35	1.40-1.50	1.00-10.00	0.20-0.22	3.2-5.8	5.0-7.0	.24	.24	5	6	48
		8-32	27-35	1.40-1.50	1.00-10.00	0.20-0.22	3.2-5.8	3.0-6.0	.24	.24			
		32-40	25-35	1.40-1.50	1.00-10.00	0.20-0.22	2.6-5.8	2.0-4.0	.24	.24			
		40-44	12-28	1.50-1.65	1.00-10.00	0.13-0.17	0.0-3.5	0.0-2.0	.28	.28			
		44-52	12-28	1.50-1.65	1.00-10.00	0.13-0.17	0.0-3.5	0.0-2.0	.28	.28			
		52-60	12-28	1.50-1.65	1.00-10.00	0.13-0.17	0.0-3.5	0.0-1.0	.28	.28			
153: Shandep, ponded, occasionally flooded-----	75	0-8	27-32	1.35-1.40	1.00-10.00	0.20-0.23	3.2-4.8	7.0-9.0	.24	.24	4	6	48
		8-29	27-32	1.35-1.40	1.00-10.00	0.20-0.23	3.2-4.8	7.0-9.0	.24	.24			
		29-37	26-32	1.40-1.60	1.00-10.00	0.17-0.20	2.9-4.8	1.0-3.0	.24	.24			
		37-45	8-12	1.60-1.70	1.00-10.00	0.12-0.14	0.0-0.0	0.0-0.5	.17	.24			
		45-60	2-8	1.60-1.70	10.00-100.00	0.02-0.04	0.0-0.0	0.0-0.5	.10	.15			
173: Hoopeston, rarely flooded-----	100	0-8	8-18	1.35-1.70	10.00-100.00	0.12-0.15	0.0-0.4	2.0-3.0	.28	.28	4	5	56
		8-14	8-18	1.35-1.70	10.00-100.00	0.12-0.15	0.0-0.4	2.0-3.0	.28	.28			
		14-38	12-18	1.45-1.70	10.00-100.00	0.12-0.17	0.0-0.4	0.2-1.0	.28	.28			
		38-60	2-10	1.50-1.70	100.00-705.00	0.05-0.10	0.0-0.0	0.1-0.5	.17	.17			
175B: Dickinson-----	90	0-8	12-18	1.50-1.55	10.00-100.00	0.12-0.15	0.0-0.4	1.5-2.5	.20	.20	4	3	86
		8-18	10-18	1.45-1.55	10.00-100.00	0.12-0.15	0.0-0.4	0.5-2.5	.20	.20			
		18-30	10-18	1.45-1.55	10.00-100.00	0.12-0.15	0.0-0.4	0.0-0.5	.20	.20			
		30-36	5-10	1.55-1.65	10.00-705.00	0.08-0.10	0.0-0.0	0.0-0.5	.20	.20			
		36-60	5-10	1.60-1.70	10.00-705.00	0.02-0.04	0.0-0.0	0.0-0.5	.15	.15			

Physical Properties of the Soils--Continued

Map symbol and soil name	Pct. of map unit	Depth	Clay	Moist bulk density	Saturated hydraulic conductivity	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
									Kw	Kf	T		
		In	Pct	g/cc	um/sec	In/in	Pct	Pct					
175C: Dickinson-----	100	0-8	12-18	1.50-1.55	10.00-100.00	0.12-0.15	0.0-0.4	1.5-2.5	.20	.20	4	3	86
		8-18	10-18	1.45-1.55	10.00-100.00	0.12-0.15	0.0-0.4	0.5-2.5	.20	.20			
		18-30	10-18	1.45-1.55	10.00-100.00	0.12-0.15	0.0-0.4	0.0-0.5	.20	.20			
		30-36	5-10	1.55-1.65	10.00-705.00	0.08-0.10	0.0-0.0	0.0-0.5	.20	.20			
		36-60	5-10	1.60-1.70	10.00-705.00	0.02-0.04	0.0-0.0	0.0-0.5	.15	.15			
178: Waukee, rarely flooded-----	85	0-8	18-24	1.40-1.45	1.00-10.00	0.20-0.22	0.4-2.3	3.0-4.0	.24	.24	4	6	48
		8-18	18-24	1.40-1.45	1.00-10.00	0.20-0.22	0.4-2.3	2.0-3.0	.24	.24			
		18-33	18-27	1.40-1.50	1.00-10.00	0.15-0.19	0.4-3.2	0.5-2.0	.28	.28			
		33-48	2-8	1.50-1.75	10.00-705.00	0.02-0.06	0.0-0.0	0.0-0.5	.10	.17			
		48-80	2-8	1.50-1.75	10.00-705.00	0.02-0.06	0.0-0.0	0.0-0.5	.10	.17			
178B: Waukee, rarely flooded-----	95	0-8	18-24	1.40-1.45	1.00-10.00	0.20-0.22	0.4-2.3	3.0-4.0	.24	.24	4	6	48
		8-18	18-24	1.40-1.45	1.00-10.00	0.20-0.22	0.4-2.3	2.0-3.0	.24	.24			
		18-33	18-27	1.40-1.50	1.00-10.00	0.15-0.19	0.4-3.2	0.5-2.0	.28	.28			
		33-48	2-8	1.50-1.75	10.00-705.00	0.02-0.06	0.0-0.0	0.0-0.5	.10	.17			
		48-80	2-8	1.50-1.75	10.00-705.00	0.02-0.06	0.0-0.0	0.0-0.5	.10	.17			
178C: Waukee, rarely flooded-----	95	0-8	18-24	1.40-1.45	1.00-10.00	0.20-0.22	0.4-2.3	3.0-4.0	.24	.24	4	6	48
		8-18	18-24	1.40-1.45	1.00-10.00	0.20-0.22	0.4-2.3	2.0-3.0	.24	.24			
		18-33	18-27	1.40-1.50	1.00-10.00	0.15-0.19	0.4-3.2	0.5-2.0	.28	.28			
		33-48	2-8	1.50-1.75	10.00-705.00	0.02-0.06	0.0-0.0	0.0-0.5	.10	.17			
		48-80	2-8	1.50-1.75	10.00-705.00	0.02-0.06	0.0-0.0	0.0-0.5	.10	.17			
184: Klinger-----	100	0-8	25-30	1.30-1.35	1.00-10.00	0.22-0.24	2.6-4.2	5.0-6.0	.28	.28	5	7	38
		8-14	25-30	1.30-1.35	1.00-10.00	0.22-0.24	2.6-4.2	2.0-5.0	.28	.28			
		14-19	27-30	1.30-1.35	1.00-10.00	0.22-0.24	3.2-4.2	1.0-4.0	.28	.28			
		19-29	28-35	1.35-1.45	1.00-10.00	0.18-0.20	3.5-5.8	0.5-2.0	.43	.43			
		29-59	20-28	1.75-1.90	0.01-1.00	0.17-0.19	1.0-3.5	0.0-0.5	.43	.43			
		59-79	20-28	1.75-1.90	0.01-1.00	0.17-0.19	1.0-3.5	0.0-0.5	.43	.43			
198B: Floyd-----	90	0-8	20-28	1.35-1.40	1.00-10.00	0.20-0.22	1.0-3.5	5.0-6.0	.24	.24	5	6	48
		8-24	20-28	1.35-1.40	1.00-10.00	0.20-0.22	1.0-3.5	2.0-5.0	.24	.24			
		24-33	18-24	1.40-1.60	1.00-10.00	0.16-0.18	0.4-2.3	1.0-2.0	.32	.32			
		33-41	6-24	1.35-1.40	1.00-10.00	0.11-0.13	0.0-2.3	0.5-1.0	.32	.32			
		41-50	18-30	1.75-1.90	0.01-1.00	0.16-0.18	0.4-4.2	0.0-1.0	.32	.32			
		50-80	18-30	1.75-1.90	0.01-1.00	0.16-0.18	0.4-4.2	0.0-0.5	.32	.32			

Physical Properties of the Soils--Continued

Map symbol and soil name	Pct. of map unit	Depth	Clay	Moist bulk density	Saturated hydraulic conductivity	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
									Kw	Kf	T		
		In	Pct	g/cc	um/sec	In/in	Pct	Pct					
221: Klossner-----	100	0-10	25-30	0.30-0.40	0.10-10.00	0.35-0.45	---	50-100	.28	.28	5	2	134
		10-26	25-30	0.30-0.40	0.10-10.00	0.35-0.45	---	50-100	.28	.28			
		26-36	15-35	0.15-0.30	0.10-10.00	0.35-0.45	0.0-5.8	5.0-20	.37	.37			
		36-48	15-35	0.15-0.30	0.10-10.00	0.35-0.45	0.0-5.8	5.0-20	.37	.37			
		48-65	7-35	1.75-1.90	0.10-10.00	0.14-0.22	0.0-5.8	0.0-5.0	.37	.37			
		65-80	7-35	1.75-1.90	0.10-10.00	0.14-0.22	0.0-5.8	0.0-5.0	.37	.37			
284B: Flagler-----	90	0-8	12-18	1.50-1.55	10.00-100.00	0.12-0.14	0.0-0.4	1.5-2.5	.20	.20	4	3	86
		8-15	12-18	1.50-1.55	10.00-100.00	0.12-0.14	0.0-0.4	1.0-2.5	.20	.20			
		15-22	12-18	1.50-1.55	10.00-100.00	0.12-0.14	0.0-0.4	1.0-2.5	.20	.20			
		22-33	10-15	1.55-1.60	10.00-100.00	0.11-0.13	0.0-0.0	0.0-1.0	.20	.20			
		33-65	2-8	1.60-1.75	100.00-705.00	0.02-0.04	0.0-0.0	0.0-0.5	.20	.20			
285: Burkhardt-----	100	0-8	5-13	1.35-1.55	1.00-100.00	0.11-0.15	0.0-0.0	1.5-2.5	.20	.20	2	3	86
		8-17	5-13	1.35-1.55	1.00-100.00	0.11-0.15	0.0-0.0	1.5-2.5	.20	.20			
		17-19	1-6	1.50-1.80	10.00-705.00	0.03-0.11	0.0-0.0	0.0-0.5	.10	.15			
		19-29	1-6	1.50-1.80	10.00-705.00	0.02-0.04	0.0-0.0	0.0-0.5	.10	.10			
		29-60	1-6	1.50-1.80	10.00-705.00	0.02-0.04	0.0-0.0	0.0-0.5	.10	.10			
285C: Burkhardt-----	100	0-8	5-13	1.35-1.55	1.00-100.00	0.11-0.15	0.0-0.0	1.5-2.5	.20	.20	2	3	86
		8-17	5-13	1.35-1.55	1.00-100.00	0.11-0.15	0.0-0.0	1.5-2.5	.20	.20			
		17-19	1-6	1.50-1.80	10.00-705.00	0.03-0.11	0.0-0.0	0.0-0.5	.10	.15			
		19-29	1-6	1.50-1.80	10.00-705.00	0.02-0.04	0.0-0.0	0.0-0.5	.10	.10			
		29-60	1-6	1.50-1.80	10.00-705.00	0.02-0.04	0.0-0.0	0.0-0.5	.10	.10			
323B: Fort Dodge-----	85	0-8	20-26	1.35-1.40	1.00-100.00	0.20-0.22	1.0-2.9	3.0-4.0	.24	.24	5	6	48
		8-39	20-26	1.35-1.40	1.00-100.00	0.20-0.22	1.0-2.9	3.0-4.0	.24	.24			
		39-58	22-30	1.40-1.65	1.00-100.00	0.16-0.18	1.6-4.2	2.0-3.0	.28	.28			
		58-80	2-8	1.65-1.75	10.00-705.00	0.05-0.07	0.0-0.0	0.0-1.0	.10	.17			
344D: Copaston-----	90	0-7	14-30	1.30-1.45	10.00-100.00	0.18-0.20	0.0-4.2	2.0-5.0	.28	.24	1	4L	86
		7-11	14-20	1.40-1.60	10.00-100.00	0.15-0.17	0.0-1.0	0.5-1.0	.28	.28			
		11-18	14-30	1.45-1.65	10.00-100.00	0.12-0.14	0.0-4.2	0.0-0.5	.28	.28			
		18-80	---	---	0.01-10.00	---	---	---	---	---			
344G: Copaston-----	85	0-7	14-30	1.30-1.45	10.00-100.00	0.18-0.20	0.0-4.2	2.0-5.0	.28	.24	1	4L	86
		7-11	14-20	1.40-1.60	10.00-100.00	0.15-0.17	0.0-1.0	0.5-1.0	.28	.28			
		11-18	14-30	1.45-1.65	10.00-100.00	0.12-0.14	0.0-4.2	0.0-0.5	.28	.28			
		18-80	---	---	0.01-10.00	---	---	---	---	---			

Physical Properties of the Soils--Continued

Map symbol and soil name	Pct. of map unit	Depth	Clay	Moist bulk density	Saturated hydraulic conductivity	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
									Kw	Kf	T		
		In	Pct	g/cc	um/sec	In/in	Pct	Pct					
354. Aquolls, ponded													
377B: Dinsdale-----	90	0-8	25-29	1.25-1.30	1.00-10.00	0.21-0.23	2.6-3.9	3.0-4.0	.28	.28	5	7	38
		8-12	25-29	1.25-1.30	1.00-10.00	0.21-0.23	2.6-3.9	2.0-3.0	.28	.28			
		12-19	30-34	1.30-1.35	1.00-10.00	0.18-0.20	4.2-5.4	1.0-2.0	.28	.28			
		19-34	30-34	1.30-1.35	1.00-10.00	0.18-0.20	4.2-5.4	0.5-2.0	.43	.43			
		34-46	20-28	1.75-1.90	0.01-1.00	0.17-0.19	1.0-3.5	0.0-0.5	.43	.43			
		46-80	20-28	1.75-1.90	0.01-1.00	0.17-0.19	1.0-3.5	0.0-0.5	.43	.43			
377C: Dinsdale-----	90	0-8	25-29	1.25-1.30	1.00-10.00	0.21-0.23	2.6-3.9	3.0-4.0	.28	.28	5	7	38
		8-12	25-29	1.25-1.30	1.00-10.00	0.21-0.23	2.6-3.9	2.0-3.0	.28	.28			
		12-19	30-34	1.30-1.35	1.00-10.00	0.18-0.20	4.2-5.4	1.0-2.0	.28	.28			
		19-34	30-34	1.30-1.35	1.00-10.00	0.18-0.20	4.2-5.4	0.5-2.0	.43	.43			
		34-46	20-28	1.75-1.90	0.01-1.00	0.17-0.19	1.0-3.5	0.0-0.5	.43	.43			
		46-80	20-28	1.75-1.90	0.01-1.00	0.17-0.19	1.0-3.5	0.0-0.5	.43	.43			
382: Maxfield-----	100	0-8	27-35	1.35-1.40	1.00-10.00	0.21-0.23	3.2-5.8	6.0-8.0	.28	.28	5	7	38
		8-19	27-35	1.35-1.40	1.00-10.00	0.21-0.23	3.2-5.8	3.0-6.0	.28	.28			
		19-29	25-34	1.40-1.50	1.00-10.00	0.18-0.20	2.6-5.4	0.5-2.0	.32	.32			
		29-55	20-35	1.75-1.90	0.01-1.00	0.17-0.19	1.0-5.8	0.0-0.5	.32	.32			
		55-80	20-35	1.75-1.90	0.01-1.00	0.17-0.19	1.0-5.8	0.0-0.5	.32	.32			
391B: Clyde-----	60	0-8	25-32	1.35-1.40	1.00-10.00	0.21-0.23	2.6-4.8	6.0-9.0	.28	.28	5	7	48
		8-17	28-32	1.35-1.40	1.00-10.00	0.21-0.23	3.5-4.8	2.0-6.0	.28	.28			
		17-23	28-32	1.35-1.40	1.00-10.00	0.21-0.23	3.5-4.8	1.0-4.0	.28	.28			
		23-28	22-30	1.45-1.65	1.00-10.00	0.18-0.20	1.6-4.2	0.5-2.0	.37	.37			
		28-41	22-30	1.45-1.65	1.00-10.00	0.18-0.20	1.6-4.2	0.5-2.0	.37	.37			
		41-44	10-15	1.60-1.70	1.00-10.00	0.11-0.13	0.0-0.0	0.5-1.0	.37	.37			
		44-62	20-28	1.75-1.90	0.01-1.00	0.17-0.19	1.0-3.5	0.0-0.5	.37	.37			
		62-66	20-28	1.75-1.90	0.01-1.00	0.17-0.19	1.0-3.5	0.0-0.5	.37	.37			
Floyd-----	35	0-8	20-28	1.35-1.40	1.00-10.00	0.20-0.22	1.0-3.5	5.0-6.0	.24	.24	5	7	48
		8-24	20-28	1.35-1.40	1.00-10.00	0.20-0.22	1.0-3.5	2.0-5.0	.24	.24			
		24-33	18-24	1.40-1.60	1.00-10.00	0.16-0.18	0.4-2.3	1.0-2.0	.32	.32			
		33-41	6-24	1.35-1.40	1.00-10.00	0.11-0.13	0.0-2.3	0.5-1.0	.32	.32			
		41-50	18-30	1.75-1.90	0.01-1.00	0.16-0.18	0.4-4.2	0.0-1.0	.32	.32			
		50-80	18-30	1.75-1.90	0.01-1.00	0.16-0.18	0.4-4.2	0.0-0.5	.32	.32			

Physical Properties of the Soils--Continued

Map symbol and soil name	Pct. of map unit	Depth	Clay	Moist bulk density	Saturated hydraulic conductivity	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind	Wind
									Kw	Kf	T	erodi- bility group	erodi- bility index
394B: Ostrander-----	75	0-8	18-27	1.45-1.55	1.00-10.00	0.20-0.24	0.4-3.2	3.0-4.0	.28	.28	5	6	48
		8-19	18-27	1.45-1.55	1.00-10.00	0.20-0.24	0.4-3.2	3.0-4.0	.28	.28			
		19-31	18-27	1.45-1.55	1.00-10.00	0.17-0.20	0.4-3.2	1.0-2.0	.28	.28			
		31-45	18-30	1.75-1.90	0.01-1.00	0.17-0.19	0.4-4.2	0.0-0.5	.37	.37			
		45-79	18-30	1.75-1.90	0.01-1.00	0.17-0.19	0.4-4.2	0.0-0.5	.37	.37			
394C: Ostrander-----	85	0-8	18-27	1.45-1.55	1.00-10.00	0.20-0.24	0.4-3.2	3.0-4.0	.28	.28	5	6	48
		8-19	18-27	1.45-1.55	1.00-10.00	0.20-0.24	0.4-3.2	3.0-4.0	.28	.28			
		19-31	18-27	1.45-1.55	1.00-10.00	0.17-0.20	0.4-3.2	1.0-2.0	.28	.28			
		31-45	18-30	1.75-1.90	0.01-1.00	0.17-0.19	0.4-4.2	0.0-0.5	.37	.37			
		45-79	18-30	1.75-1.90	0.01-1.00	0.17-0.19	0.4-4.2	0.0-0.5	.37	.37			
395B: Marquis-----	80	0-8	18-26	1.40-1.45	1.00-10.00	0.20-0.22	0.4-2.9	3.0-4.0	.24	.24	5	6	48
		8-19	18-26	1.40-1.45	1.00-10.00	0.20-0.22	0.4-2.9	3.0-4.0	.24	.24			
		19-24	20-30	1.45-1.65	1.00-10.00	0.17-0.19	1.0-4.2	1.0-2.0	.28	.28			
		24-54	20-24	1.75-1.90	0.01-1.00	0.17-0.19	1.0-2.3	0.0-1.0	.37	.37			
		54-80	20-24	1.75-1.90	0.01-1.00	0.17-0.19	1.0-2.3	0.0-0.5	.37	.37			
398: Tripoli-----	90	0-8	28-32	1.40-1.45	1.00-10.00	0.19-0.21	3.5-4.8	6.0-7.0	.24	.24	5	6	48
		8-18	28-32	1.40-1.45	1.00-10.00	0.19-0.21	3.5-4.8	4.0-6.0	.24	.24			
		18-24	22-28	1.45-1.70	1.00-10.00	0.17-0.19	1.6-3.5	0.5-2.0	.24	.24			
		24-38	22-28	1.75-1.90	0.01-1.00	0.17-0.19	1.6-3.5	0.0-1.0	.28	.28			
		38-66	20-28	1.75-1.90	0.01-1.00	0.17-0.19	1.0-3.5	0.0-0.5	.28	.28			
399: Readlyn-----	85	0-8	18-28	1.35-1.40	1.00-10.00	0.20-0.22	0.4-3.5	4.5-5.5	.24	.24	5	6	48
		8-19	18-28	1.35-1.40	1.00-10.00	0.20-0.22	0.4-3.5	3.0-4.5	.24	.24			
		19-24	22-28	1.45-1.70	1.00-10.00	0.17-0.19	1.6-3.5	1.0-3.0	.32	.32			
		24-46	22-28	1.75-1.90	0.01-1.00	0.17-0.19	1.6-3.5	0.5-2.0	.24	.24			
		46-79	18-24	1.75-1.90	0.01-1.00	0.17-0.19	0.4-2.3	0.0-0.5	.32	.32			
408B: Olin-----	80	0-8	12-18	1.45-1.50	10.00-100.00	0.13-0.15	0.0-0.4	1.5-2.5	.20	.20	5	3	86
		8-19	12-18	1.45-1.50	10.00-100.00	0.13-0.15	0.0-0.4	1.0-2.0	.20	.20			
		19-31	12-18	1.45-1.50	10.00-100.00	0.13-0.15	0.0-0.4	0.0-1.0	.20	.20			
		31-53	20-28	1.75-1.90	0.01-1.00	0.17-0.19	1.0-3.5	0.0-0.5	.37	.37			
		53-80	20-28	1.75-1.90	0.01-1.00	0.17-0.19	1.0-3.5	0.0-0.5	.37	.37			

Physical Properties of the Soils--Continued

Map symbol and soil name	Pct. of map unit	Depth	Clay	Moist bulk density	Saturated hydraulic conductivity	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
									Kw	Kf	T		
		In	Pct	g/cc	um/sec	In/in	Pct	Pct					
471: Oran-----	85	0-8	16-24	1.40-1.45	1.00-10.00	0.18-0.20	0.0-2.3	3.0-4.0	.24	.24	5	6	48
		8-13	16-24	1.40-1.45	1.00-10.00	0.18-0.20	0.0-2.3	0.5-1.0	.32	.32			
		13-18	16-24	1.40-1.45	1.00-10.00	0.18-0.20	0.0-2.3	0.5-1.0	.32	.32			
		18-45	22-30	1.75-1.90	0.01-1.00	0.17-0.19	1.6-4.2	0.0-0.5	.37	.37			
		45-80	20-26	1.75-1.90	0.01-1.00	0.17-0.19	1.0-2.9	0.0-0.5	.37	.37			
485: Spillville, occasionally flooded	80	0-8	18-26	1.45-1.55	1.00-10.00	0.19-0.21	0.4-2.9	4.0-5.0	.24	.24	5	6	48
		8-54	18-26	1.45-1.55	1.00-10.00	0.19-0.21	0.4-2.9	1.0-4.0	.24	.24			
		54-79	14-24	1.55-1.70	1.00-10.00	0.15-0.18	0.0-2.3	1.0-2.0	.28	.28			
582B: Kasson-----	90	0-8	18-25	1.45-1.50	1.00-10.00	0.19-0.21	0.4-2.6	2.5-3.5	.28	.28	5	6	48
		8-11	18-25	1.45-1.50	1.00-10.00	0.19-0.21	0.4-2.6	0.5-1.0	.28	.28			
		11-20	20-28	1.65-1.75	1.00-10.00	0.17-0.19	1.0-3.5	0.0-0.5	.28	.28			
		20-41	20-28	1.75-1.90	0.01-1.00	0.17-0.19	1.0-3.5	0.0-0.5	.28	.28			
		41-53	20-28	1.75-1.90	0.01-1.00	0.17-0.19	1.0-3.5	0.0-0.5	.28	.28			
		53-69	20-24	1.75-1.90	0.01-1.00	0.17-0.19	1.0-2.3	0.0-0.5	.37	.37			
		69-80	20-24	1.75-1.90	0.01-1.00	0.17-0.19	1.0-2.3	0.0-0.5	.37	.37			
582C: Kasson-----	80	0-8	18-25	1.45-1.50	1.00-10.00	0.19-0.21	0.4-2.6	2.5-3.5	.28	.28	5	6	48
		8-11	18-25	1.45-1.50	1.00-10.00	0.19-0.21	0.4-2.6	0.5-1.0	.28	.28			
		11-20	20-28	1.65-1.75	1.00-10.00	0.17-0.19	1.0-3.5	0.0-0.5	.28	.28			
		20-41	20-28	1.75-1.90	0.01-1.00	0.17-0.19	1.0-3.5	0.0-0.5	.28	.28			
		41-53	20-28	1.75-1.90	0.01-1.00	0.17-0.19	1.0-3.5	0.0-0.5	.28	.28			
		53-69	20-24	1.75-1.90	0.01-1.00	0.17-0.19	1.0-2.3	0.0-0.5	.37	.37			
		69-80	20-24	1.75-1.90	0.01-1.00	0.17-0.19	1.0-2.3	0.0-0.5	.37	.37			
585: Spillville, occasionally flooded	50	0-8	18-26	1.45-1.55	1.00-10.00	0.19-0.21	0.4-2.9	4.0-5.0	.24	.24	5	6	48
		8-54	18-26	1.45-1.55	1.00-10.00	0.19-0.21	0.4-2.9	1.0-4.0	.24	.24			
		54-80	14-24	1.55-1.70	1.00-10.00	0.15-0.18	0.0-2.3	1.0-2.0	.28	.28			
Coland, occasionally flooded-----	30	0-8	27-35	1.40-1.50	1.00-10.00	0.20-0.22	3.2-5.8	5.0-7.0	.24	.24	5	6	48
		8-32	27-35	1.40-1.50	1.00-10.00	0.20-0.22	3.2-5.8	3.0-6.0	.24	.24			
		32-40	25-35	1.40-1.50	1.00-10.00	0.20-0.22	2.6-5.8	2.0-4.0	.24	.24			
		40-44	12-28	1.50-1.65	1.00-10.00	0.13-0.17	0.0-3.5	0.0-2.0	.28	.28			
		44-52	12-28	1.50-1.65	1.00-10.00	0.13-0.17	0.0-3.5	0.0-2.0	.28	.28			
		52-60	12-28	1.50-1.65	1.00-10.00	0.13-0.17	0.0-3.5	0.0-1.0	.28	.28			

Physical Properties of the Soils--Continued

Map symbol and soil name	Pct. of map unit	Depth	Clay	Moist bulk density	Saturated hydraulic conductivity	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
									Kw	Kf	T		
		In	Pct	g/cc	um/sec	In/in	Pct	Pct					
620B: Port Byron-----	90	0-8	10-20	1.25-1.40	1.00-10.00	0.22-0.24	0.0-1.0	3.0-4.0	.37	.37	5	6	48
		8-13	10-20	1.30-1.45	1.00-10.00	0.20-0.22	0.0-1.0	1.0-2.0	.37	.37			
		13-31	15-30	1.40-1.55	1.00-10.00	0.18-0.22	0.0-4.2	0.0-1.0	.37	.37			
		31-52	12-27	1.40-1.55	1.00-10.00	0.20-0.22	0.0-3.2	0.0-1.0	.37	.37			
		52-59	8-18	1.45-1.60	1.00-10.00	0.14-0.22	0.0-0.4	0.0-0.5	.32	.32			
		59-80	8-18	1.45-1.60	1.00-10.00	0.14-0.22	0.0-0.4	0.0-0.5	.32	.32			
620C2: Port Byron-----	100	0-8	10-20	1.25-1.40	1.00-10.00	0.22-0.24	0.0-1.0	1.0-3.0	.37	.37	5	6	48
		8-31	15-30	1.40-1.55	1.00-10.00	0.18-0.22	0.0-4.2	0.0-1.0	.37	.37			
		31-52	12-27	1.40-1.55	1.00-10.00	0.20-0.22	0.0-3.2	0.0-1.0	.37	.37			
		52-59	8-18	1.45-1.60	1.00-10.00	0.14-0.22	0.0-0.4	0.0-0.5	.32	.32			
		59-80	8-18	1.45-1.60	1.00-10.00	0.14-0.22	0.0-0.4	0.0-0.5	.32	.32			
626: Hayfield, rarely flooded-----	90	0-8	18-27	1.30-1.50	1.00-10.00	0.20-0.24	0.4-3.2	3.0-4.0	.32	.32	4	6	48
		8-13	18-27	1.30-1.50	1.00-10.00	0.20-0.24	0.4-3.2	0.5-1.0	.32	.32			
		13-29	18-30	1.40-1.55	1.00-10.00	0.17-0.22	0.4-4.2	0.0-1.0	.32	.32			
		29-80	0-5	1.55-1.65	10.00-705.00	0.02-0.04	0.0-0.0	0.0-0.5	.15	.15			
663B: Seaton-----	100	0-8	12-22	1.25-1.40	1.00-10.00	0.22-0.24	0.0-1.6	1.0-2.0	.37	.37	5	6	56
		8-15	12-22	1.25-1.40	1.00-10.00	0.20-0.22	0.0-1.6	0.5-1.0	.37	.37			
		15-44	14-27	1.40-1.55	1.00-10.00	0.20-0.22	0.0-3.2	0.0-0.5	.37	.37			
		44-70	10-20	1.45-1.60	1.00-10.00	0.20-0.22	0.0-1.0	0.0-0.5	.37	.37			
		70-80	10-20	1.45-1.60	1.00-10.00	0.20-0.22	0.0-1.0	0.0-0.5	.37	.37			
663C: Seaton-----	100	0-8	12-22	1.25-1.40	1.00-10.00	0.22-0.24	0.0-1.6	1.0-2.0	.37	.37	5	6	56
		8-15	12-22	1.25-1.40	1.00-10.00	0.20-0.22	0.0-1.6	0.5-1.0	.37	.37			
		15-44	14-27	1.40-1.55	1.00-10.00	0.20-0.22	0.0-3.2	0.0-0.5	.37	.37			
		44-70	10-20	1.45-1.60	1.00-10.00	0.20-0.22	0.0-1.0	0.0-0.5	.37	.37			
		70-80	10-20	1.45-1.60	1.00-10.00	0.20-0.22	0.0-1.0	0.0-0.5	.37	.37			
663D2: Seaton, moderately eroded-----	90	0-8	12-22	1.25-1.40	1.00-10.00	0.22-0.24	0.0-1.6	0.8-2.0	.37	.37	5	6	56
		8-44	14-27	1.40-1.55	1.00-10.00	0.20-0.22	0.0-3.2	0.0-0.5	.37	.37			
		44-70	10-20	1.45-1.60	1.00-10.00	0.20-0.22	0.0-1.0	0.0-0.5	.37	.37			
		70-80	10-20	1.45-1.60	1.00-10.00	0.20-0.22	0.0-1.0	0.0-0.5	.37	.37			

Physical Properties of the Soils--Continued

Map symbol and soil name	Pct. of map unit	Depth	Clay	Moist bulk density	Saturated hydraulic conductivity	Available water capacity	Linear extensibility	Organic matter	Erosion factors			Wind erodibility group	Wind erodibility index
									Kw	Kf	T		
		In	Pct	g/cc	um/sec	In/in	Pct	Pct					
663D3: Seaton, severely eroded-----	90	0-8	12-22	1.25-1.40	1.00-10.00	0.22-0.24	0.0-1.6	0.2-1.0	.37	.37	4	6	56
		8-44	14-27	1.40-1.55	1.00-10.00	0.20-0.22	0.0-3.2	0.0-0.5	.37	.37			
		44-70	10-20	1.45-1.60	1.00-10.00	0.20-0.22	0.0-1.0	0.0-0.5	.37	.37			
		70-95	10-20	1.45-1.60	1.00-10.00	0.20-0.22	0.0-1.0	0.0-0.5	.37	.37			
663E2: Seaton, moderately eroded-----	90	0-8	12-22	1.25-1.40	1.00-10.00	0.22-0.24	0.0-1.6	0.8-2.0	.37	.37	5	6	56
		8-44	14-27	1.40-1.55	1.00-10.00	0.20-0.22	0.0-3.2	0.0-0.5	.37	.37			
		44-70	10-20	1.45-1.60	1.00-10.00	0.20-0.22	0.0-1.0	0.0-0.5	.37	.37			
		70-80	10-20	1.45-1.60	1.00-10.00	0.20-0.22	0.0-1.0	0.0-0.5	.37	.37			
663G: Seaton-----	90	0-4	12-22	1.25-1.40	1.00-10.00	0.22-0.24	0.0-1.6	1.0-2.0	.37	.37	5	6	56
		4-9	12-22	1.25-1.40	1.00-10.00	0.20-0.22	0.0-1.6	0.5-1.0	.37	.37			
		9-44	14-27	1.40-1.55	1.00-10.00	0.20-0.22	0.0-3.2	0.0-0.5	.37	.37			
		44-70	10-20	1.45-1.60	1.00-10.00	0.20-0.22	0.0-1.0	0.0-0.5	.37	.37			
		70-80	10-20	1.45-1.60	1.00-10.00	0.20-0.22	0.0-1.0	0.0-0.5	.37	.37			
775: Billett-----	100	0-8	5-15	1.40-1.70	10.00-100.00	0.13-0.18	0.0-0.0	1.0-2.0	.20	.20	4	3	86
		8-13	10-18	1.40-1.70	10.00-100.00	0.10-0.15	0.0-0.4	0.5-1.0	.20	.20			
		13-28	10-18	1.40-1.70	10.00-100.00	0.10-0.15	0.0-0.4	0.0-0.5	.15	.15			
		28-41	8-18	1.50-1.80	10.00-100.00	0.05-0.12	0.0-0.4	0.0-0.5	.15	.15			
		41-47	8-18	1.50-1.80	10.00-100.00	0.05-0.12	0.0-0.4	0.0-0.5	.15	.15			
		47-52	2-7	1.60-1.90	100.00-705.00	0.02-0.10	0.0-0.0	0.0-0.5	.10	.10			
		52-60	2-7	1.60-1.90	100.00-705.00	0.02-0.10	0.0-0.0	0.0-0.5	.10	.10			
775B: Billett-----	100	0-8	5-15	1.40-1.70	10.00-100.00	0.13-0.18	0.0-0.0	1.0-2.0	.20	.20	4	3	86
		8-13	10-18	1.40-1.70	10.00-100.00	0.10-0.15	0.0-0.4	0.5-1.0	.20	.20			
		13-28	10-18	1.40-1.70	10.00-100.00	0.10-0.15	0.0-0.4	0.0-0.5	.15	.15			
		28-41	8-18	1.50-1.80	10.00-100.00	0.05-0.12	0.0-0.4	0.0-0.5	.15	.15			
		41-47	8-18	1.50-1.80	10.00-100.00	0.05-0.12	0.0-0.4	0.0-0.5	.15	.15			
		47-52	2-7	1.60-1.90	100.00-705.00	0.02-0.10	0.0-0.0	0.0-0.5	.10	.10			
		52-60	2-7	1.60-1.90	100.00-705.00	0.02-0.10	0.0-0.0	0.0-0.5	.10	.10			

Physical Properties of the Soils--Continued

Map symbol and soil name	Pct. of map unit	Depth	Clay	Moist bulk density	Saturated hydraulic conductivity	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
									Kw	Kf	T		
		In	Pct	g/cc	um/sec	In/in	Pct	Pct					
775C: Billett-----	100	0-8	5-15	1.40-1.70	10.00-100.00	0.13-0.18	0.0-0.0	1.0-2.0	.20	.20	4	3	86
		8-13	10-18	1.40-1.70	10.00-100.00	0.10-0.15	0.0-0.4	0.5-1.0	.20	.20			
		13-28	10-18	1.40-1.70	10.00-100.00	0.10-0.15	0.0-0.4	0.0-0.5	.15	.15			
		28-41	8-18	1.50-1.80	10.00-100.00	0.05-0.12	0.0-0.4	0.0-0.5	.15	.15			
		41-47	8-18	1.50-1.80	10.00-100.00	0.05-0.12	0.0-0.4	0.0-0.5	.15	.15			
		47-52	2-7	1.60-1.90	100.00-705.00	0.02-0.10	0.0-0.0	0.0-0.5	.10	.10			
		52-60	2-7	1.60-1.90	100.00-705.00	0.02-0.10	0.0-0.0	0.0-0.5	.10	.10			
778: Sattre, rarely flooded-----	85	0-8	18-24	1.40-1.45	1.00-10.00	0.18-0.20	0.4-2.3	2.0-3.0	.24	.24	4	6	48
		8-13	18-24	1.40-1.45	1.00-10.00	0.18-0.20	0.4-2.3	1.0-2.0	.24	.24			
		13-17	18-28	1.40-1.50	1.00-10.00	0.15-0.17	0.4-3.5	0.5-1.0	.28	.28			
		17-32	18-28	1.40-1.50	1.00-10.00	0.15-0.17	0.4-3.5	0.5-1.0	.28	.28			
		32-35	18-28	1.40-1.50	1.00-10.00	0.15-0.17	0.4-3.5	0.5-1.0	.28	.28			
		35-60	2-8	1.50-1.75	10.00-705.00	0.02-0.06	0.0-0.0	0.0-0.5	.10	.20			
813B: Atkinson-----	90	0-8	18-24	1.40-1.45	1.00-10.00	0.20-0.22	0.4-2.3	3.0-4.0	.24	.24	3	6	48
		8-13	18-24	1.40-1.45	1.00-10.00	0.20-0.22	0.4-2.3	2.0-4.0	.24	.24			
		13-24	24-32	1.45-1.70	1.00-10.00	0.17-0.19	2.3-4.8	1.0-2.0	.32	.32			
		24-45	20-35	1.45-1.70	1.00-10.00	0.17-0.19	1.0-5.8	1.0-2.0	.32	.32			
		45-50	40-50	1.50-1.60	0.01-1.00	0.12-0.15	7.3-10.5	0.0-0.5	.32	.32			
		50-80	---	---	0.01-10.00	---	---	---	---	---			
813C: Atkinson-----	85	0-8	18-24	1.40-1.45	1.00-10.00	0.20-0.22	0.4-2.3	3.0-4.0	.24	.24	3	6	48
		8-13	18-24	1.40-1.45	1.00-10.00	0.20-0.22	0.4-2.3	2.0-4.0	.24	.24			
		13-24	24-32	1.45-1.70	1.00-10.00	0.17-0.19	2.3-4.8	1.0-2.0	.32	.32			
		24-45	20-35	1.45-1.70	1.00-10.00	0.17-0.19	1.0-5.8	1.0-2.0	.32	.32			
		45-50	40-50	1.50-1.60	0.01-1.00	0.12-0.15	7.3-10.5	0.0-0.5	.32	.32			
		50-80	---	---	0.01-10.00	---	---	---	---	---			
814B: Rockton-----	90	0-8	18-27	1.30-1.40	1.00-10.00	0.20-0.22	0.4-3.2	3.0-4.0	.28	.28	3	6	48
		8-15	18-27	1.30-1.40	1.00-10.00	0.20-0.22	0.4-3.2	3.0-4.0	.28	.28			
		15-26	25-35	1.40-1.55	1.00-10.00	0.17-0.19	2.6-5.8	0.5-1.0	.28	.28			
		26-31	35-60	1.35-1.45	0.01-1.00	0.10-0.14	5.8-13.7	0.0-0.5	.28	.28			
		31-80	---	---	0.01-10.00	---	---	---	---	---			

Physical Properties of the Soils--Continued

Map symbol and soil name	Pct. of map unit	Depth	Clay	Moist bulk density	Saturated hydraulic conductivity	Available water capacity	Linear extensibility	Organic matter	Erosion factors			Wind erodibility group	Wind erodibility index
									Kw	Kf	T		
		In	Pct	g/cc	um/sec	In/in	Pct	Pct					
814C: Rockton-----	85	0-8	18-27	1.30-1.40	1.00-10.00	0.20-0.22	0.4-3.2	3.0-4.0	.28	.28	3	6	48
		8-15	18-27	1.30-1.40	1.00-10.00	0.20-0.22	0.4-3.2	3.0-4.0	.28	.28			
		15-26	25-35	1.40-1.55	1.00-10.00	0.17-0.19	2.6-5.8	0.5-1.0	.28	.28			
		26-31	35-60	1.35-1.45	0.01-1.00	0.10-0.14	5.8-13.7	0.0-0.5	.28	.28			
		31-80	---	---	0.01-10.00	---	---	---	---	---			
814D: Rockton-----	90	0-8	18-27	1.30-1.40	1.00-10.00	0.20-0.22	0.4-3.2	3.0-4.0	.28	.28	3	6	48
		8-15	18-27	1.30-1.40	1.00-10.00	0.20-0.22	0.4-3.2	3.0-4.0	.28	.28			
		15-26	25-35	1.40-1.55	1.00-10.00	0.17-0.19	2.6-5.8	0.5-1.0	.28	.28			
		26-31	35-60	1.35-1.45	0.01-1.00	0.10-0.14	5.8-13.7	0.0-0.5	.28	.28			
		31-80	---	---	0.01-10.00	---	---	---	---	---			
884: Klingmore-----	100	0-8	26-30	1.30-1.35	1.00-10.00	0.22-0.24	2.9-4.2	5.0-6.0	.28	.28	5	6	38
		8-19	26-30	1.30-1.35	1.00-10.00	0.22-0.24	2.9-4.2	4.0-5.0	.28	.28			
		19-56	26-35	1.35-1.45	1.00-10.00	0.18-0.20	2.9-5.8	0.5-1.0	.37	.37			
		56-80	20-28	1.75-1.90	0.01-1.00	0.17-0.19	1.0-3.5	0.0-0.5	.43	.43			
930: Orion, occasionally flooded-----	100	0-8	8-18	1.20-1.55	1.00-10.00	0.22-0.24	0.0-0.4	1.0-3.0	.37	.37	5	5	56
		8-32	8-18	1.20-1.55	1.00-10.00	0.20-0.22	0.0-0.4	1.0-3.0	.37	.37			
		32-39	8-30	1.25-1.45	1.00-10.00	0.18-0.22	0.0-4.2	3.0-8.0	.37	.37			
		39-60	8-18	1.20-1.40	1.00-10.00	0.18-0.22	0.0-0.4	0.0-0.5	.37	.37			
982: Maxmore-----	100	0-8	25-35	1.35-1.40	1.00-10.00	0.21-0.23	2.6-5.8	6.0-8.0	.28	.28	5	7	38
		8-20	25-35	1.35-1.40	1.00-10.00	0.21-0.23	2.6-5.8	3.0-6.0	.28	.28			
		20-50	25-35	1.40-1.50	1.00-10.00	0.18-0.20	2.6-5.8	0.5-2.0	.32	.32			
		50-80	20-28	1.75-1.90	0.01-1.00	0.17-0.19	1.0-3.5	0.0-0.5	.32	.32			
1152: Marshan, rarely flooded-----	75	0-8	25-35	1.30-1.40	1.00-10.00	0.20-0.22	2.6-5.8	5.0-6.0	.28	.28	4	6	48
		8-14	25-35	1.30-1.40	1.00-10.00	0.20-0.22	2.6-5.8	2.0-5.0	.28	.28			
		14-18	25-35	1.40-1.55	1.00-10.00	0.17-0.22	2.6-5.8	1.0-3.0	.28	.28			
		18-23	25-35	1.40-1.55	1.00-10.00	0.17-0.22	2.6-5.8	0.5-1.0	.28	.28			
		23-30	18-30	1.45-1.55	1.00-10.00	0.15-0.19	0.4-4.2	0.5-1.0	.28	.28			
		30-40	0-5	1.55-1.65	10.00-705.00	0.02-0.05	0.0-0.0	0.0-0.5	.15	.15			
		40-60	0-5	1.55-1.65	10.00-705.00	0.02-0.05	0.0-0.0	0.0-0.5	.15	.15			

Physical Properties of the Soils--Continued

Map symbol and soil name	Pct. of map unit	Depth	Clay	Moist bulk density	Saturated hydraulic conductivity	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind erodi- bility group	Wind erodi- bility index
									Kw	Kf	T		
		In	Pct	g/cc	um/sec	In/in	Pct	Pct					
1226: Lawler, rarely flooded-----	80	0-8	18-27	1.40-1.45	1.00-10.00	0.20-0.22	0.4-3.2	4.0-5.0	.24	.24	4	6	48
		8-19	18-27	1.40-1.45	1.00-10.00	0.20-0.22	0.4-3.2	2.5-4.0	.24	.24			
		19-38	20-28	1.45-1.60	1.00-10.00	0.16-0.18	1.0-3.5	0.5-2.0	.28	.28			
		38-80	0-5	1.55-1.65	10.00-705.00	0.02-0.05	0.0-0.0	0.0-0.5	.15	.15			
1585: Spillville, channeled	40	0-54	18-26	1.45-1.55	1.00-10.00	0.19-0.21	0.4-2.9	4.0-5.0	.24	.24	5	6	48
		54-80	14-24	1.55-1.70	1.00-10.00	0.15-0.18	0.0-2.3	1.0-2.0	.28	.28			
Coland, channeled----	35	0-32	27-35	1.40-1.50	1.00-10.00	0.20-0.22	3.2-5.8	5.0-7.0	.24	.24	5	6	48
		32-40	25-35	1.40-1.50	1.00-10.00	0.20-0.22	2.6-5.8	2.0-4.0	.24	.24			
		40-44	12-28	1.50-1.65	1.00-10.00	0.13-0.17	0.0-3.5	0.0-2.0	.28	.28			
		44-52	12-28	1.50-1.65	1.00-10.00	0.13-0.17	0.0-3.5	0.0-2.0	.28	.28			
		52-60	12-28	1.50-1.65	1.00-10.00	0.13-0.17	0.0-3.5	0.0-1.0	.28	.28			
Aquolls, ponded.													
1586: Sigglekov, frequently flooded-----	55	0-9	10-15	1.50-1.55	10.00-100.00	0.12-0.15	0.0-0.0	0.5-1.5	.24	.24	5	3	86
		9-15	2-10	1.50-1.75	10.00-100.00	0.02-0.04	0.0-0.0	0.0-0.5	.15	.15			
		15-35	2-10	1.50-1.75	10.00-100.00	0.02-0.04	0.0-0.0	0.0-0.5	.15	.15			
		35-80	2-10	1.50-1.75	10.00-100.00	0.02-0.04	0.0-0.0	0.0-0.5	.15	.15			
Fluvaquents, frequently flooded.													
Aquents, ponded.													
4946. Udorthents-Interstate highway													
5010. Pits, sand and gravel													
5030. Pits, limestone quarries													
5040. Udorthents, loamy													

Physical Properties of the Soils--Continued

Map symbol and soil name	Pct. of map unit	Depth	Clay	Moist bulk density	Saturated hydraulic conductivity	Available water capacity	Linear extensi- bility	Organic matter	Erosion factors			Wind	Wind
									Kw	Kf	T	erodi- bility group	erodi- bility index
		In	Pct	g/cc	um/sec	In/in	Pct	Pct					
5080. Udorthents, sanitary landfill													
8041: Sparta, terrace, rarely flooded-----	80	0-8	3-10	1.20-1.40	10.00-705.00	0.09-0.12	0.0-0.0	1.0-2.0	.17	.17	5	2	134
		8-15	3-10	1.20-1.40	10.00-705.00	0.09-0.12	0.0-0.0	0.5-1.0	.17	.17			
		15-72	1-8	1.40-1.60	10.00-705.00	0.05-0.11	0.0-0.0	0.0-0.5	.15	.15			
		72-80	0-9	1.50-1.70	10.00-705.00	0.04-0.07	0.0-0.0	0.0-0.5	.15	.15			
8041B: Sparta, terrace, rarely flooded-----	80	0-8	3-10	1.20-1.40	10.00-705.00	0.09-0.12	0.0-0.0	1.0-2.0	.17	.17	5	2	134
		8-15	3-10	1.20-1.40	10.00-705.00	0.09-0.12	0.0-0.0	0.5-1.0	.17	.17			
		15-72	1-8	1.40-1.60	10.00-705.00	0.05-0.11	0.0-0.0	0.0-0.5	.15	.15			
		72-80	0-9	1.50-1.70	10.00-705.00	0.04-0.07	0.0-0.0	0.0-0.5	.15	.15			
8175B: Dickinson, terrace, rarely flooded-----	100	0-8	12-18	1.50-1.55	10.00-100.00	0.12-0.15	0.0-0.4	1.5-2.5	.20	.20	4	3	86
		8-18	10-18	1.45-1.55	10.00-100.00	0.12-0.15	0.0-0.4	0.5-2.5	.20	.20			
		18-30	10-18	1.45-1.55	10.00-100.00	0.12-0.15	0.0-0.4	0.0-0.5	.20	.20			
		30-36	5-10	1.55-1.65	100.00-705.00	0.08-0.10	0.0-0.0	0.0-0.5	.20	.20			
		36-60	5-10	1.60-1.70	100.00-705.00	0.02-0.04	0.0-0.0	0.0-0.5	.15	.15			
AW. Animal waste lagoon													
SL. Sewage lagoon													
W. Water													

Chemical Properties

The table described in this section shows estimates of some chemical characteristics and features that affect soil behavior. These estimates are given for the layers of each soil in the survey area. The estimates are based on field observations and on test data for these and similar soils.

Depth to the upper and lower boundaries of each layer is indicated.

Cation-exchange capacity is the total amount of exchangeable cations that can be held by the soil, expressed in terms of milliequivalents per 100 grams of soil at neutrality (pH 7.0) or at some other stated pH value. Soils having a low cation-exchange capacity hold fewer cations and may require more frequent applications of fertilizer than soils having a high cation-exchange capacity. The ability to retain cations reduces the hazard of ground-water pollution.

Soil reaction is a measure of acidity or alkalinity. The pH of each soil horizon is based on many field tests. For many soils, values have been verified by laboratory analyses. Soil reaction is important in selecting crops and other plants, in evaluating soil amendments for fertility and stabilization, and in determining the risk of corrosion.

Calcium carbonate equivalent is the percent of carbonates, by weight, in the fraction of the soil less than 2 millimeters in size. The availability of plant nutrients is influenced by the amount of carbonates in the soil. Incorporating nitrogen fertilizer into calcareous soils helps to prevent nitrite accumulation and ammonium-N volatilization.

Soil Survey of Bremer County, Iowa—Part II

Chemical Properties of the Soils

(Absence of an entry indicates that data were not estimated)

Map symbol and soil name	Depth	Cation- exchange capacity	Soil reaction	Calcium carbon- ate
	In	meq/100 g	pH	Pct
41B:				
Sparta-----	0-8	3.6-10.0	5.1-7.3	0
	8-15	3.3-9.2	5.1-7.3	0
	15-72	0.8-5.8	5.1-6.5	0
	72-80	0.0-3.8	5.1-6.0	0
41C:				
Sparta-----	0-8	3.6-10.0	5.1-7.3	0
	8-15	3.3-9.2	5.1-7.3	0
	15-72	0.8-5.8	5.1-6.5	0
	72-80	0.0-3.8	5.1-6.0	0
43:				
Bremer-----	0-8	23-29	5.6-7.3	0
	8-19	22-29	5.6-7.3	0
	19-42	27-32	5.6-6.5	0
	42-60	24-29	5.6-6.5	0
50B:				
Coloma-----	0-8	0.0-8.2	4.5-6.5	0
	8-39	0.0-10	4.5-6.5	0
	39-80	0.0-9.9	4.5-7.3	0
63B:				
Chelsea-----	0-8	6.1-11	5.6-7.3	0
	8-15	3.1-7.4	5.1-6.5	0
	15-36	3.1-7.4	5.1-6.5	0
	36-70	3.1-7.4	5.1-6.5	0
63C:				
Chelsea-----	0-8	6.1-11	5.6-7.3	0
	8-15	3.1-7.4	5.1-6.5	0
	15-36	3.1-7.4	5.1-6.5	0
	36-70	3.1-7.4	5.1-6.5	0
63E:				
Chelsea-----	0-8	6.1-11	5.6-7.3	0
	8-15	3.1-7.4	5.1-6.5	0
	15-36	3.1-7.4	5.1-6.5	0
	36-70	3.1-7.4	5.1-6.5	0
83B:				
Kenyon-----	0-8	16-22	5.6-7.3	0
	8-14	16-22	5.6-7.3	0
	14-19	15-22	5.6-7.3	0
	19-55	14-24	5.1-7.3	0
	55-79	14-19	6.6-8.4	0-25
83C:				
Kenyon-----	0-8	16-22	5.6-7.3	0
	8-14	16-22	5.6-7.3	0
	14-19	15-22	5.6-7.3	0
	19-55	14-24	5.1-7.3	0
	55-79	14-19	6.6-8.4	0-25

Soil Survey of Bremer County, Iowa—Part II

Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation- exchange capacity	Soil reaction	Calcium carbon- ate
	In	meq/100 g	pH	Pct
84:				
Clyde-----	0-8	22-28	6.6-7.3	0
	8-17	23-27	6.6-7.3	0
	17-23	22-27	6.6-7.3	0
	23-28	18-25	6.1-7.3	0
	28-41	18-25	6.1-7.3	0
	41-44	8.6-13	6.1-7.3	0
	44-62	14-22	6.6-8.4	0-25
	62-66	14-22	6.6-8.4	0-25
109B:				
Backbone-----	0-8	7.3-16	5.6-7.3	0
	8-24	10-15	5.1-7.3	0
	24-30	14-30	5.1-6.0	0
	30-80	---	---	---
109C:				
Backbone-----	0-8	7.3-16	5.6-7.3	0
	8-24	10-15	5.1-7.3	0
	24-30	14-30	5.1-6.0	0
	30-80	---	---	---
109D:				
Backbone-----	0-8	7.3-16	5.6-7.3	0
	8-24	10-15	5.1-7.3	0
	24-30	14-30	5.1-6.0	0
	30-80	---	---	---
127:				
Plano, rarely flooded	0-8	17-29	6.1-7.3	0
	8-14	17-29	6.1-7.3	0
	14-43	16-27	5.1-7.3	0
	43-49	17-23	5.6-7.3	0
	49-53	11-25	5.6-7.3	0
	53-60	4.1-16	5.6-7.8	0-15
	60-72	4.1-16	5.6-8.4	0-25
135:				
Coland, occasionally flooded-----	0-8	23-30	6.1-7.3	0
	8-32	23-29	6.1-7.3	0
	32-40	21-29	6.1-7.3	0
	40-44	8.9-23	6.1-7.8	0-15
	44-52	8.9-23	6.1-7.8	0-15
	52-60	8.9-22	6.1-7.8	0-15
153:				
Shandep, ponded, occasionally flooded	0-8	23-28	6.1-7.3	0
	8-29	23-28	6.1-7.3	0
	29-37	21-26	6.1-7.3	0
	37-45	6.2-10	6.1-7.8	0-15
	45-60	1.8-7.1	6.1-8.4	0-25
173:				
Hoopeston, rarely flooded-----	0-8	7.0-16	5.1-7.3	0
	8-14	7.0-16	5.1-7.3	0
	14-38	10-15	5.1-7.8	0-15
	38-60	2.0-9.0	4.5-8.4	0-25

Soil Survey of Bremer County, Iowa—Part II

Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation- exchange capacity	Soil reaction	Calcium carbon- ate
	In	meq/100 g	pH	Pct
175B:				
Dickinson-----	0-8	11-16	5.6-7.3	0
	8-18	8.6-16	5.1-6.5	0
	18-30	7.6-15	5.1-6.5	0
	30-36	4.1-8.6	5.1-6.5	0
	36-60	4.1-8.6	5.6-6.5	0
175C:				
Dickinson-----	0-8	11-16	5.6-7.3	0
	8-18	8.6-16	5.1-6.5	0
	18-30	7.6-15	5.1-6.5	0
	30-36	4.1-8.6	5.1-6.5	0
	36-60	4.1-8.6	5.6-6.5	0
178:				
Waukee, rarely flooded-----	0-8	16-21	5.6-6.5	0
	8-18	16-20	5.6-6.5	0
	18-33	15-22	5.1-6.0	0
	33-48	1.8-7.1	5.6-6.5	0
	48-80	1.8-7.1	5.6-6.5	0
178B:				
Waukee, rarely flooded-----	0-8	16-21	5.6-6.5	0
	8-18	16-20	5.6-6.5	0
	18-33	15-22	5.1-6.0	0
	33-48	1.8-7.1	5.6-6.5	0
	48-80	1.8-7.1	5.6-6.5	0
178C:				
Waukee, rarely flooded-----	0-8	16-21	5.6-6.5	0
	8-18	16-20	5.6-6.5	0
	18-33	15-22	5.1-6.0	0
	33-48	1.8-7.1	5.6-6.5	0
	48-80	1.8-7.1	5.6-6.5	0
184:				
Klinger-----	0-8	22-26	5.1-7.3	0
	8-14	21-25	5.1-7.3	0
	14-19	22-25	5.1-7.3	0
	19-29	22-28	5.1-6.5	0
	29-59	14-22	5.1-7.8	0-15
	59-79	14-22	5.1-7.8	0-15
198B:				
Floyd-----	0-8	18-24	6.1-7.3	0
	8-24	17-24	6.1-7.3	0
	24-33	15-20	6.1-7.3	0
	33-41	5.5-20	6.6-7.3	0
	41-50	13-24	6.6-8.4	0-25
	50-80	13-23	6.6-8.4	0-25
221:				
Klossner-----	0-10	102-191	5.1-7.4	0
	10-26	102-191	5.1-7.4	0
	26-36	27-51	5.6-7.4	0
	36-48	27-51	5.6-7.4	0
	48-65	2.0-24	6.1-7.8	0-15
	65-80	2.0-24	6.1-7.8	0-15

Soil Survey of Bremer County, Iowa—Part II

Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation- exchange capacity	Soil reaction	Calcium carbon- ate
	In	meq/100 g	pH	Pct
284B:				
Flagler-----	0-8	11-16	5.6-7.3	0
	8-15	10-16	5.6-7.3	0
	15-22	10-16	5.6-7.3	0
	22-33	7.6-13	5.1-6.5	0
	33-65	1.8-7.1	5.1-7.3	0
285:				
Burkhardt-----	0-8	5.6-13	5.1-7.3	0
	8-17	5.6-13	5.1-7.3	0
	17-19	0.8-4.5	5.6-6.5	0
	19-29	0.8-4.5	5.6-6.5	0
	29-60	0.8-4.5	5.6-6.5	0
285C:				
Burkhardt-----	0-8	5.6-13	5.1-7.3	0
	8-17	5.6-13	5.1-7.3	0
	17-19	0.8-4.5	5.6-6.5	0
	19-29	0.8-4.5	5.6-6.5	0
	29-60	0.8-4.5	5.6-6.5	0
323B:				
Fort Dodge-----	0-8	17-22	5.6-7.3	0
	8-39	17-22	5.6-7.3	0
	39-58	19-25	6.1-7.3	0
	58-80	1.8-7.3	6.1-8.4	0-25
344D:				
Copaston-----	0-7	12-25	5.6-7.3	0
	7-11	12-17	5.6-7.3	0
	11-18	10-23	5.6-7.8	0-15
	18-80	---	---	---
344G:				
Copaston-----	0-7	12-25	5.6-7.3	0
	7-11	12-17	5.6-7.3	0
	11-18	10-23	5.6-7.8	0-15
	18-80	---	---	---
354.				
Aquolls, ponded				
377B:				
Dinsdale-----	0-8	21-24	5.1-7.3	0
	8-12	21-24	5.1-7.3	0
	12-19	24-27	5.1-7.3	0
	19-34	23-27	5.1-7.3	0
	34-46	14-22	5.6-8.4	0-25
	46-80	14-22	5.6-8.4	0-25
377C:				
Dinsdale-----	0-8	21-24	5.1-7.3	0
	8-12	21-24	5.1-7.3	0
	12-19	24-27	5.1-7.3	0
	19-34	23-27	5.1-7.3	0
	34-46	14-22	5.6-8.4	0-25
	46-80	14-22	5.6-8.4	0-25

Soil Survey of Bremer County, Iowa—Part II

Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation- exchange capacity	Soil reaction	Calcium carbon- ate
	In	meq/100 g	pH	Pct
382:				
Maxfield-----	0-8	23-30	6.6-7.3	0
	8-19	23-29	6.6-7.3	0
	19-29	20-27	6.1-7.3	0
	29-55	14-27	6.1-7.8	0-15
	55-80	14-27	6.1-7.8	0-15
391B:				
Clyde-----	0-8	22-28	6.6-7.3	0
	8-17	23-27	6.6-7.3	0
	17-23	22-27	6.6-7.3	0
	23-28	18-25	6.1-7.3	0
	28-41	18-25	6.1-7.3	0
	41-44	8.6-13	6.1-7.3	0
	44-62	14-22	6.6-8.4	0-25
	62-66	14-22	6.6-8.4	0-25
Floyd-----	0-8	18-24	6.1-7.3	0
	8-24	17-24	6.1-7.3	0
	24-33	15-20	6.1-7.3	0
	33-41	5.5-20	6.6-7.3	0
	41-50	13-24	6.6-8.4	0-25
	50-80	13-23	6.6-8.4	0-25
394B:				
Ostrander-----	0-8	16-23	5.6-7.3	0
	8-19	16-23	5.6-7.3	0
	19-31	15-22	5.1-7.3	0
	31-45	13-23	6.6-7.8	0-15
	45-79	13-23	6.6-7.8	0-15
394C:				
Ostrander-----	0-8	16-23	5.6-7.3	0
	8-19	16-23	5.6-7.3	0
	19-31	15-22	5.1-7.3	0
	31-45	13-23	6.6-7.8	0-15
	45-79	13-23	6.6-7.8	0-15
395B:				
Marquis-----	0-8	16-22	5.6-7.3	0
	8-19	16-22	5.6-7.3	0
	19-24	17-25	5.1-7.3	0
	24-54	14-20	6.6-8.4	0-25
	54-80	14-19	6.6-8.4	0-25
398:				
Tripoli-----	0-8	24-27	6.6-7.3	0
	8-18	24-27	6.6-7.3	0
	18-24	18-23	6.6-7.8	0-15
	24-38	15-22	6.6-7.8	0-15
	38-66	14-22	7.4-8.4	0-25
399:				
Readlyn-----	0-8	16-24	5.1-7.3	0
	8-19	16-24	5.1-7.3	0
	19-24	18-23	5.1-6.5	0
	24-46	18-23	6.6-7.8	0-15
	46-79	13-19	6.6-8.4	0-25

Soil Survey of Bremer County, Iowa—Part II

Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation- exchange capacity	Soil reaction	Calcium carbon- ate
	In	meq/100 g	pH	Pct
408B:				
Olin-----	0-8	11-16	5.6-7.3	0
	8-19	10-16	5.6-7.3	0
	19-31	8.9-15	5.6-7.3	0
	31-53	14-22	5.1-7.8	0-15
	53-80	14-22	6.1-8.4	0-25
471:				
Oran-----	0-8	14-21	5.1-7.3	0
	8-13	13-20	5.1-7.3	0
	13-18	13-20	5.1-7.3	0
	18-45	15-23	5.1-7.8	0-15
	45-80	14-20	7.4-7.8	0-25
485:				
Spillville, occasionally flooded	0-8	16-22	5.6-7.3	0
	8-54	15-22	5.6-7.3	0
	54-79	12-20	5.6-7.3	0
582B:				
Kasson-----	0-8	16-21	5.1-7.3	0
	8-11	15-20	5.1-7.3	0
	11-20	14-22	4.5-7.3	0
	20-41	14-22	4.5-7.3	0
	41-53	14-22	4.5-7.3	0
	53-69	14-19	5.1-8.4	0-25
	69-80	14-19	5.1-8.4	0-25
582C:				
Kasson-----	0-8	16-21	5.1-7.3	0
	8-11	15-20	5.1-7.3	0
	11-20	14-22	4.5-7.3	0
	20-41	14-22	4.5-7.3	0
	41-53	14-22	4.5-7.3	0
	53-69	14-19	5.1-8.4	0-25
	69-80	14-19	5.1-8.4	0-25
585:				
Spillville, occasionally flooded	0-8	16-22	5.6-7.3	0
	8-54	15-22	5.6-7.3	0
	54-80	12-20	5.6-7.3	0
Coland, occasionally flooded-----	0-8	23-30	6.1-7.3	0
	8-32	23-29	6.1-7.3	0
	32-40	21-29	6.1-7.3	0
	40-44	8.9-23	6.1-7.8	0-15
	44-52	8.9-23	6.1-7.8	0-15
	52-60	8.9-22	6.1-7.8	0-15
620B:				
Port Byron-----	0-8	8.9-18	5.6-7.3	0
	8-13	8.9-17	5.6-7.3	0
	13-31	11-24	6.1-7.3	0
	31-52	8.9-22	6.1-7.3	0
	52-59	6.2-15	6.1-7.3	0
	59-80	6.2-15	6.1-7.3	0

Soil Survey of Bremer County, Iowa—Part II

Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation- exchange capacity	Soil reaction	Calcium carbon- ate
	In	meq/100 g	pH	Pct
620C2:				
Port Byron-----	0-8	8.9-18	5.6-7.3	0
	8-31	11-24	6.1-7.3	0
	31-52	8.9-22	6.1-7.3	0
	52-59	6.2-15	6.1-7.3	0
	59-80	6.2-15	6.1-7.3	0
626:				
Hayfield, rarely flooded-----	0-8	16-23	5.6-7.3	0
	8-13	15-22	5.6-7.3	0
	13-29	13-24	5.1-6.0	0
	29-80	0.0-4.6	5.6-7.8	0-15
663B:				
Seaton-----	0-8	10-19	5.6-7.3	0
	8-15	10-18	5.6-7.3	0
	15-44	10-21	5.1-7.3	0
	44-70	7.6-16	5.1-8.4	0-25
	70-80	7.6-16	5.1-8.4	0-25
663C:				
Seaton-----	0-8	10-19	5.6-7.3	0
	8-15	10-18	5.6-7.3	0
	15-44	10-21	5.1-7.3	0
	44-70	7.6-16	5.1-8.4	0-25
	70-80	7.6-16	5.1-8.4	0-25
663D2:				
Seaton, moderately eroded-----	0-8	10-19	5.6-7.3	0
	8-44	10-21	5.1-7.3	0
	44-70	7.6-16	5.1-8.4	0-25
	70-80	7.6-16	5.1-8.4	0-25
663D3:				
Seaton, severely eroded-----	0-8	9.8-18	5.6-7.3	0
	8-44	10-21	5.1-7.3	0
	44-70	7.6-16	5.1-8.4	0-25
	70-95	7.6-16	5.1-8.4	0-25
663E2:				
Seaton, moderately eroded-----	0-8	10-19	5.6-7.3	0
	8-44	10-21	5.1-7.3	0
	44-70	7.6-16	5.1-8.4	0-25
	70-80	7.6-16	5.1-8.4	0-25
663G:				
Seaton-----	0-4	10-19	5.6-7.3	0
	4-9	10-18	5.6-7.3	0
	9-44	10-21	5.1-7.3	0
	44-70	7.6-16	5.1-8.4	0-25
	70-80	7.6-16	5.1-8.4	0-25

Soil Survey of Bremer County, Iowa—Part II

Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation- exchange capacity	Soil reaction	Calcium carbon- ate
	In	meq/100 g	pH	Pct
775:				
Billett -----	0-8	4.8-13	5.1-7.3	0
	8-13	8.6-15	5.1-6.5	0
	13-28	7.6-15	5.1-6.5	0
	28-41	6.2-15	5.6-7.3	0
	41-47	6.2-15	5.6-7.3	0
	47-52	1.8-6.3	5.1-7.8	0-15
	52-60	1.8-6.3	5.1-7.8	0-15
775B:				
Billett -----	0-8	4.8-13	5.1-7.3	0
	8-13	8.6-15	5.1-6.5	0
	13-28	7.6-15	5.1-6.5	0
	28-41	6.2-15	5.6-7.3	0
	41-47	6.2-15	5.6-7.3	0
	47-52	1.8-6.3	5.1-7.8	0-15
	52-60	1.8-6.3	5.1-7.8	0-15
775C:				
Billett -----	0-8	4.8-13	5.1-7.3	0
	8-13	8.6-15	5.1-6.5	0
	13-28	7.6-15	5.1-6.5	0
	28-41	6.2-15	5.6-7.3	0
	41-47	6.2-15	5.6-7.3	0
	47-52	1.8-6.3	5.1-7.8	0-15
	52-60	1.8-6.3	5.1-7.8	0-15
778:				
Sattre, rarely flooded -----	0-8	16-21	6.1-6.5	0
	8-13	16-20	6.1-6.5	0
	13-17	15-22	5.1-7.3	0
	17-32	15-22	5.1-7.3	0
	32-35	15-22	5.1-7.3	0
	35-60	1.8-7.1	5.1-6.5	0
813B:				
Atkinson -----	0-8	16-21	5.6-6.5	0
	8-13	16-21	5.6-6.5	0
	13-24	20-26	5.1-6.0	0
	24-45	17-28	5.1-6.0	0
	45-50	26-37	6.6-7.3	0
	50-80	---	---	---
813C:				
Atkinson -----	0-8	16-21	5.6-6.5	0
	8-13	16-21	5.6-6.5	0
	13-24	20-26	5.1-6.0	0
	24-45	17-28	5.1-6.0	0
	45-50	26-37	6.6-7.3	0
	50-80	---	---	---
814B:				
Rockton -----	0-8	16-23	5.1-7.3	0
	8-15	16-23	5.1-7.3	0
	15-26	20-27	5.1-6.5	0
	26-31	23-43	5.6-7.3	0
	31-80	---	---	---

Soil Survey of Bremer County, Iowa—Part II

Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation- exchange capacity	Soil reaction	Calcium carbon- ate
	In	meq/100 g	pH	Pct
814C:				
Rockton-----	0-8	16-23	5.1-7.3	0
	8-15	16-23	5.1-7.3	0
	15-26	20-27	5.1-6.5	0
	26-31	23-43	5.6-7.3	0
	31-80	---	---	---
814D:				
Rockton-----	0-8	16-23	5.1-7.3	0
	8-15	16-23	5.1-7.3	0
	15-26	20-27	5.1-6.5	0
	26-31	23-43	5.6-7.3	0
	31-80	---	---	---
884:				
Klingmore-----	0-8	22-26	5.1-7.3	0
	8-19	22-25	5.1-7.3	0
	19-56	20-27	5.1-6.5	0
	56-80	14-22	5.6-8.4	0-25
930:				
Orion, occasionally flooded-----	0-8	7.3-16	5.6-7.3	0
	8-32	7.3-16	5.6-7.3	0
	32-39	7.6-26	5.6-7.3	0
	39-60	6.2-15	5.6-7.3	0
982:				
Maxmore-----	0-8	22-30	6.6-7.3	0
	8-20	21-29	6.6-7.3	0
	20-50	20-28	6.1-7.3	0
	50-80	14-22	6.1-7.8	0-25
1152:				
Marshan, rarely flooded-----	0-8	22-29	5.6-7.3	0
	8-14	21-29	5.6-7.3	0
	14-18	20-29	5.6-7.3	0
	18-23	20-27	5.6-7.3	0
	23-30	15-24	5.6-7.3	0
	30-40	0.0-4.6	6.1-7.3	0
	40-60	0.0-4.6	6.1-7.3	0
1226:				
Lawler, rarely flooded-----	0-8	16-23	5.6-7.3	0
	8-19	16-23	5.6-7.3	0
	19-38	16-23	5.1-6.5	0
	38-80	0.0-4.6	6.1-7.3	0
1585:				
Spillville, channeled	0-54	16-22	5.6-7.3	0
	54-80	12-20	5.6-7.3	0
Coland, channeled----	0-32	23-30	6.1-7.3	0
	32-40	21-29	6.1-7.3	0
	40-44	8.9-23	6.1-7.8	0-15
	44-52	8.9-23	6.1-7.8	0-15
	52-60	8.9-22	6.1-7.8	0-15
Aquolls, ponded.				

Soil Survey of Bremer County, Iowa—Part II

Chemical Properties of the Soils--Continued

Map symbol and soil name	Depth	Cation- exchange capacity	Soil reaction	Calcium carbon- ate
	In	meq/100 g	pH	Pct
1586:				
Sigglekov, frequently flooded-----	0-9	7.0-11	5.6-6.5	0
	9-15	1.0-7.0	5.6-7.3	0
	15-35	1.0-7.0	5.6-7.3	0
	35-80	1.0-7.0	5.6-7.3	0
Fluvaquents, frequently flooded.				
Aquents, ponded.				
4946.				
Udorthents-Interstate highway				
5010.				
Pits, sand and gravel				
5030.				
Pits, limestone quarries				
5040.				
Udorthents, loamy				
5080.				
Udorthents, sanitary landfill				
8041:				
Sparta, terrace, rarely flooded-----	0-8	3.6-10.0	5.1-7.3	0
	8-15	3.3-9.2	5.1-7.3	0
	15-72	0.8-5.8	5.1-6.5	0
	72-80	0.0-3.8	5.1-6.0	0
8041B:				
Sparta, terrace, rarely flooded-----	0-8	3.6-10.0	5.1-7.3	0
	8-15	3.3-9.2	5.1-7.3	0
	15-72	0.8-5.8	5.1-6.5	0
	72-80	0.0-3.8	5.1-6.0	0
8175B:				
Dickinson, terrace, rarely flooded-----	0-8	11-16	5.6-7.3	0
	8-18	8.6-16	5.1-6.5	0
	18-30	7.6-15	5.1-6.5	0
	30-36	4.1-8.6	5.1-6.5	0
	36-60	4.1-8.6	5.6-6.5	0
AW.				
Animal waste lagoon				
SL.				
Sewage lagoon				
W.				
Water				

Water Features

The table described in this section gives estimates of various water features. The estimates are used in land use planning that involves engineering considerations.

Hydrologic soil groups are based on estimates of runoff potential. Soils are assigned to one of four groups according to the rate of water infiltration when the soils are not protected by vegetation, are thoroughly wet, and receive precipitation from long-duration storms.

The four hydrologic soil groups are:

Group A. Soils having a high infiltration rate (low runoff potential) when thoroughly wet. These consist mainly of deep, well drained to excessively drained sands or gravelly sands. These soils have a high rate of water transmission.

Group B. Soils having a moderate infiltration rate when thoroughly wet. These consist chiefly of moderately deep or deep, moderately well drained or well drained soils that have moderately fine texture to moderately coarse texture. These soils have a moderate rate of water transmission.

Group C. Soils having a slow infiltration rate when thoroughly wet. These consist chiefly of soils having a layer that impedes the downward movement of water or soils of moderately fine texture or fine texture. These soils have a slow rate of water transmission.

Group D. Soils having a very slow infiltration rate (high runoff potential) when thoroughly wet. These consist chiefly of clays that have a high shrink-swell potential, soils that have a high water table, soils that have a claypan or clay layer at or near the surface, and soils that are shallow over nearly impervious material. These soils have a very slow rate of water transmission.

If a soil is assigned to a dual hydrologic group (A/D, B/D, or C/D), the first letter is for drained areas and the second is for undrained areas.

Surface runoff refers to the loss of water from an area by flow over the land surface. Surface runoff classes are based on slope, climate, and vegetative cover. It is assumed that the surface of the soil is bare and that the retention of surface water resulting from irregularities in the ground surface is minimal. The classes are *negligible, very low, low, medium, high, and very high*.

The *months* in the table indicate the portion of the year in which the feature is most likely to be a concern.

Water table refers to a saturated zone in the soil. The table indicates, by month, depth to the top (*upper limit*) and base (*lower limit*) of the saturated zone in most years. Estimates of the upper and lower limits are based mainly on observations of the water table at selected sites and on evidence of a saturated zone, namely grayish colors or mottles (redoximorphic features) in the soil. A saturated zone that lasts for less than a month is not considered a water table.

Ponding is standing water in a closed depression. Unless a drainage system is installed, the water is removed only by percolation, transpiration, or evaporation. The table indicates *surface water depth* and the *duration* and *frequency* of ponding. Duration is expressed as *very brief* if less than 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, rare, occasional, and frequent. *None* means that ponding is not probable; *rare* that it is unlikely but possible under unusual weather conditions (the chance of ponding is nearly 0 percent to 5 percent in any year); *occasional* that it occurs, on the average, once or less in 2 years (the chance of ponding is 5 to 50 percent in any year); and *frequent* that it occurs, on the average, more than once in 2 years (the chance of ponding is more than 50 percent in any year).

Flooding is the temporary inundation of an area caused by overflowing streams, by runoff from adjacent slopes, or by tides. Water standing for short periods after rainfall

or snowmelt is not considered flooding, and water standing in swamps and marshes is considered ponding rather than flooding.

Duration and *frequency* are estimated. Duration is expressed as *extremely brief* if 0.1 hour to 4 hours, *very brief* if 4 hours to 2 days, *brief* if 2 to 7 days, *long* if 7 to 30 days, and *very long* if more than 30 days. Frequency is expressed as none, very rare, rare, occasional, frequent, and very frequent. *None* means that flooding is not probable; *very rare* that it is very unlikely but possible under extremely unusual weather conditions (the chance of flooding is less than 1 percent in any year); *rare* that it is unlikely but possible under unusual weather conditions (the chance of flooding is 1 to 5 percent in any year); *occasional* that it occurs infrequently under normal weather conditions (the chance of flooding is 5 to 50 percent in any year); *frequent* that it is likely to occur often under normal weather conditions (the chance of flooding is more than 50 percent in any year but is less than 50 percent in all months in any year); and *very frequent* that it is likely to occur very often under normal weather conditions (the chance of flooding is more than 50 percent in all months of any year).

The information is based on evidence in the soil profile, namely thin strata of gravel, sand, silt, or clay deposited by floodwater; irregular decrease in organic matter content with increasing depth; and little or no horizon development.

Also considered are local information about the extent and levels of flooding and the relation of each soil on the landscape to historic floods. Information on the extent of flooding based on soil data is less specific than that provided by detailed engineering surveys that delineate flood-prone areas at specific flood frequency levels.

Water Features

(See text for definitions of terms used in this table. Estimates of the frequency of ponding and flooding apply to the whole year rather than to individual months. Absence of an entry indicates that the feature is not a concern or that data were not estimated)

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
41B: Sparta-----	A	Very low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None
41C: Sparta-----	A	Low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
43: Bremer-----	C	Low	January	2.0-3.5	>6.0	---	---	None	---	None
			February	1.5-3.0	>6.0	---	---	None	Brief	Rare
			March	0.5-2.0	>6.0	---	---	None	Brief	Rare
			April	0.0-1.0	>6.0	---	---	None	Brief	Rare
			May	0.5-1.5	>6.0	---	---	None	Brief	Rare
			June	1.0-2.0	>6.0	---	---	None	Brief	Rare
			July	2.0-3.0	>6.0	---	---	None	Brief	Rare
			August	2.5-3.5	>6.0	---	---	None	Brief	Rare
			September	3.0-4.0	>6.0	---	---	None	Brief	Rare
			October	2.5-3.5	>6.0	---	---	None	Brief	Rare
			November	1.5-3.0	>6.0	---	---	None	Brief	Rare
			December	2.0-3.5	>6.0	---	---	None	---	None
50B: Coloma-----	A	Very low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	Brief	Rare
			March	---	---	---	---	None	Brief	Rare
			April	---	---	---	---	None	Brief	Rare
			May	---	---	---	---	None	Brief	Rare
			June	---	---	---	---	None	Brief	Rare
			July	---	---	---	---	None	Brief	Rare
			August	---	---	---	---	None	Brief	Rare
			September	---	---	---	---	None	Brief	Rare
			October	---	---	---	---	None	Brief	Rare
			November	---	---	---	---	None	Brief	Rare
			December	---	---	---	---	None	---	None
63B: Chelsea-----	A	Very low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
63C: Chelsea-----	A	Low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None
63E: Chelsea-----	A	Low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None
83B: Kenyon-----	B	Low	January	6.0-6.7	>6.0	---	---	None	---	None
			February	5.5-6.7	>6.0	---	---	None	---	None
			March	4.5-6.5	>6.0	---	---	None	---	None
			April	4.0-6.0	>6.0	---	---	None	---	None
			May	4.5-6.5	>6.0	---	---	None	---	None
			June	5.0-6.7	>6.0	---	---	None	---	None
			July	6.0-6.7	>6.0	---	---	None	---	None
			August	6.5-6.7	>6.0	---	---	None	---	None
			September	6.5-6.7	>6.0	---	---	None	---	None
			October	6.5-6.7	>6.0	---	---	None	---	None
			November	5.5-6.7	>6.0	---	---	None	---	None
			December	6.0-6.7	>6.0	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table		Surface water depth	Ponding		Flooding	
				Upper limit	Lower limit		Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
83C: Kenyon-----	B	Medium	January	6.0-6.7	>6.0	---	---	None	---	None
			February	5.5-6.7	>6.0	---	---	None	---	None
			March	4.5-6.5	>6.0	---	---	None	---	None
			April	4.0-6.0	>6.0	---	---	None	---	None
			May	4.5-6.5	>6.0	---	---	None	---	None
			June	5.0-6.7	>6.0	---	---	None	---	None
			July	6.0-6.7	>6.0	---	---	None	---	None
			August	6.5-6.7	>6.0	---	---	None	---	None
			September	6.5-6.7	>6.0	---	---	None	---	None
			October	6.5-6.7	>6.0	---	---	None	---	None
			November	5.5-6.7	>6.0	---	---	None	---	None
			December	6.0-6.7	>6.0	---	---	None	---	None
84: Clyde-----	B/D	Low	January	2.0-3.5	>6.0	---	---	None	---	None
			February	1.5-3.0	>6.0	---	---	None	---	None
			March	0.5-2.0	>6.0	---	---	None	---	None
			April	0.0-1.0	>6.0	---	---	None	---	None
			May	0.5-1.5	>6.0	---	---	None	---	None
			June	1.0-2.0	>6.0	---	---	None	---	None
			July	2.0-3.0	>6.0	---	---	None	---	None
			August	2.5-3.5	>6.0	---	---	None	---	None
			September	3.0-4.0	>6.0	---	---	None	---	None
			October	2.5-3.5	>6.0	---	---	None	---	None
			November	1.5-3.0	>6.0	---	---	None	---	None
			December	2.0-3.5	>6.0	---	---	None	---	None
109B: Backbone-----	B	Very low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
109C: Backbone-----	B	Low		Ft	Ft	Ft				
			January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None
109D: Backbone-----	B	Low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None
			127: Plano, rarely flooded-----	B	Low	January	---	---	---	---
February	---	---				---	---	None	Brief	Rare
March	---	---				---	---	None	Brief	Rare
April	---	---				---	---	None	Brief	Rare
May	---	---				---	---	None	Brief	Rare
June	---	---				---	---	None	Brief	Rare
July	---	---				---	---	None	Brief	Rare
August	---	---				---	---	None	Brief	Rare
September	---	---				---	---	None	Brief	Rare
October	---	---				---	---	None	Brief	Rare
November	---	---				---	---	None	Brief	Rare
December	---	---				---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
135: Coland, occasionally flooded-----	B/D	Low	January	2.0-3.5	>6.0	---	---	None	---	None
			February	1.5-3.0	>6.0	---	---	None	Brief	Occasional
			March	0.5-2.0	>6.0	---	---	None	Brief	Occasional
			April	0.0-1.0	>6.0	---	---	None	Brief	Occasional
			May	0.5-1.5	>6.0	---	---	None	Brief	Occasional
			June	1.0-2.0	>6.0	---	---	None	Brief	Occasional
			July	2.0-3.0	>6.0	---	---	None	Brief	Occasional
			August	2.5-3.5	>6.0	---	---	None	Brief	Occasional
			September	3.0-4.0	>6.0	---	---	None	Brief	Occasional
			October	2.5-3.5	>6.0	---	---	None	Brief	Occasional
			November	1.5-3.0	>6.0	---	---	None	Brief	Occasional
			December	2.0-3.5	>6.0	---	---	None	---	None
153: Shandep, ponded, occasionally flooded-----	B/D	Low	January	2.0-3.5	>6.0	---	---	None	---	None
			February	1.5-3.0	>6.0	0.0-1.0	Long	Frequent	Brief	Occasional
			March	0.5-2.0	>6.0	0.0-1.0	Long	Frequent	Brief	Occasional
			April	0.0-1.0	>6.0	0.0-1.0	Long	Frequent	Brief	Occasional
			May	0.5-2.0	>6.0	0.0-1.0	Long	Frequent	Brief	Occasional
			June	1.0-2.0	>6.0	0.0-1.0	Long	Frequent	Brief	Occasional
			July	2.0-3.5	>6.0	0.0-1.0	Long	Frequent	Brief	Occasional
			August	2.5-3.5	>6.0	0.0-1.0	Long	Frequent	Brief	Occasional
			September	3.0-4.0	>6.0	0.0-1.0	Long	Frequent	Brief	Occasional
			October	2.5-3.5	>6.0	0.0-1.0	Long	Frequent	Brief	Occasional
			November	1.5-3.0	>6.0	0.0-1.0	Long	Frequent	Brief	Occasional
			December	2.0-3.5	>6.0	---	---	None	---	None
173: Hoopeston, rarely flooded	B	Low	January	3.0-5.5	>6.0	---	---	None	---	None
			February	2.5-5.0	>6.0	---	---	None	Brief	Rare
			March	1.5-4.0	>6.0	---	---	None	Brief	Rare
			April	1.0-3.5	>6.0	---	---	None	Brief	Rare
			May	1.5-4.0	>6.0	---	---	None	Brief	Rare
			June	2.0-4.5	>6.0	---	---	None	Brief	Rare
			July	3.0-5.5	>6.0	---	---	None	Brief	Rare
			August	3.5-6.0	>6.0	---	---	None	Brief	Rare
			September	4.0-6.5	>6.0	---	---	None	Brief	Rare
			October	3.5-6.0	>6.0	---	---	None	Brief	Rare
			November	2.5-5.0	>6.0	---	---	None	Brief	Rare
			December	3.0-5.5	>6.0	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
175B: Dickinson-----	A	Very low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None
			175C: Dickinson-----	A	Low	January	---	---	---	---
February	---	---				---	---	None	---	None
March	---	---				---	---	None	---	None
April	---	---				---	---	None	---	None
May	---	---				---	---	None	---	None
June	---	---				---	---	None	---	None
July	---	---				---	---	None	---	None
August	---	---				---	---	None	---	None
September	---	---				---	---	None	---	None
October	---	---				---	---	None	---	None
November	---	---				---	---	None	---	None
December	---	---				---	---	None	---	None
178: Waukee, rarely flooded----	B	Low				January	---	---	---	---
			February	---	---	---	---	None	Brief	Rare
			March	---	---	---	---	None	Brief	Rare
			April	---	---	---	---	None	Brief	Rare
			May	---	---	---	---	None	Brief	Rare
			June	---	---	---	---	None	Brief	Rare
			July	---	---	---	---	None	Brief	Rare
			August	---	---	---	---	None	Brief	Rare
			September	---	---	---	---	None	Brief	Rare
			October	---	---	---	---	None	Brief	Rare
			November	---	---	---	---	None	Brief	Rare
			December	---	---	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
178B: Waukee, rarely flooded----	B	Low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	Brief	Rare
			March	---	---	---	---	None	Brief	Rare
			April	---	---	---	---	None	Brief	Rare
			May	---	---	---	---	None	Brief	Rare
			June	---	---	---	---	None	Brief	Rare
			July	---	---	---	---	None	Brief	Rare
			August	---	---	---	---	None	Brief	Rare
			September	---	---	---	---	None	Brief	Rare
			October	---	---	---	---	None	Brief	Rare
			November	---	---	---	---	None	Brief	Rare
			December	---	---	---	---	None	---	None
178C: Waukee, rarely flooded----	B	Medium	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	Brief	Rare
			March	---	---	---	---	None	Brief	Rare
			April	---	---	---	---	None	Brief	Rare
			May	---	---	---	---	None	Brief	Rare
			June	---	---	---	---	None	Brief	Rare
			July	---	---	---	---	None	Brief	Rare
			August	---	---	---	---	None	Brief	Rare
			September	---	---	---	---	None	Brief	Rare
			October	---	---	---	---	None	Brief	Rare
			November	---	---	---	---	None	Brief	Rare
			December	---	---	---	---	None	---	None
184: Klinger-----	B	Low	January	3.0-5.5	>6.0	---	---	None	---	None
			February	2.5-5.0	>6.0	---	---	None	---	None
			March	1.5-4.0	>6.0	---	---	None	---	None
			April	1.0-3.5	>6.0	---	---	None	---	None
			May	1.5-4.0	>6.0	---	---	None	---	None
			June	2.0-4.5	>6.0	---	---	None	---	None
			July	3.0-5.5	>6.0	---	---	None	---	None
			August	3.5-6.0	>6.0	---	---	None	---	None
			September	4.0-6.5	>6.0	---	---	None	---	None
			October	3.5-6.0	>6.0	---	---	None	---	None
			November	2.5-5.0	>6.0	---	---	None	---	None
			December	3.0-5.5	>6.0	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
198B: Floyd-----	B	Low	January	3.0-5.5	>6.0	---	---	None	---	None
			February	2.5-5.0	>6.0	---	---	None	---	None
			March	1.5-4.0	>6.0	---	---	None	---	None
			April	1.0-3.5	>6.0	---	---	None	---	None
			May	1.5-4.0	>6.0	---	---	None	---	None
			June	2.0-4.5	>6.0	---	---	None	---	None
			July	3.0-5.5	>6.0	---	---	None	---	None
			August	3.5-6.0	>6.0	---	---	None	---	None
			September	4.0-6.5	>6.0	---	---	None	---	None
			October	3.5-6.0	>6.0	---	---	None	---	None
			November	2.5-5.0	>6.0	---	---	None	---	None
			December	3.0-5.5	>6.0	---	---	None	---	None
221: Klossner-----	A/D	Very low	January	0.0	>6.0	---	---	None	---	None
			February	0.0	>6.0	---	---	None	---	None
			March	0.0	>6.0	---	---	None	---	None
			April	0.0	>6.0	---	---	None	---	None
			May	0.0	>6.0	---	---	None	---	None
			June	0.0	>6.0	---	---	None	---	None
			July	0.0	>6.0	---	---	None	---	None
			August	0.0	>6.0	---	---	None	---	None
			September	0.0	>6.0	---	---	None	---	None
			October	0.0	>6.0	---	---	None	---	None
			November	0.0	>6.0	---	---	None	---	None
			December	0.0	>6.0	---	---	None	---	None
284B: Flagler-----	A	Very low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	Brief	Rare
			March	---	---	---	---	None	Brief	Rare
			April	---	---	---	---	None	Brief	Rare
			May	---	---	---	---	None	Brief	Rare
			June	---	---	---	---	None	Brief	Rare
			July	---	---	---	---	None	Brief	Rare
			August	---	---	---	---	None	Brief	Rare
			September	---	---	---	---	None	Brief	Rare
			October	---	---	---	---	None	Brief	Rare
			November	---	---	---	---	None	Brief	Rare
			December	---	---	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
285: Burkhardt-----	A	Very low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	Brief	Rare
			March	---	---	---	---	None	Brief	Rare
			April	---	---	---	---	None	Brief	Rare
			May	---	---	---	---	None	Brief	Rare
			June	---	---	---	---	None	Brief	Rare
			July	---	---	---	---	None	Brief	Rare
			August	---	---	---	---	None	Brief	Rare
			September	---	---	---	---	None	Brief	Rare
			October	---	---	---	---	None	Brief	Rare
			November	---	---	---	---	None	Brief	Rare
			December	---	---	---	---	None	---	None
285C: Burkhardt-----	A	Very low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	Brief	Rare
			March	---	---	---	---	None	Brief	Rare
			April	---	---	---	---	None	Brief	Rare
			May	---	---	---	---	None	Brief	Rare
			June	---	---	---	---	None	Brief	Rare
			July	---	---	---	---	None	Brief	Rare
			August	---	---	---	---	None	Brief	Rare
			September	---	---	---	---	None	Brief	Rare
			October	---	---	---	---	None	Brief	Rare
			November	---	---	---	---	None	Brief	Rare
			December	---	---	---	---	None	---	None
323B: Fort Dodge-----	B	Low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
344D: Copaston-----	D	Medium	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None
			344G: Copaston-----	D	High	January	---	---	---	---
February	---	---				---	---	None	---	None
March	---	---				---	---	None	---	None
April	---	---				---	---	None	---	None
May	---	---				---	---	None	---	None
June	---	---				---	---	None	---	None
July	---	---				---	---	None	---	None
August	---	---				---	---	None	---	None
September	---	---				---	---	None	---	None
October	---	---				---	---	None	---	None
November	---	---				---	---	None	---	None
December	---	---				---	---	None	---	None
354: Aquolls, ponded-----	A/D	Negligible				January	0.0	>6.0	0.7-1.3	Very long
			February	0.0	>6.0	0.7-1.3	Very long	Frequent	---	None
			March	0.0	>6.0	1.2-1.8	Very long	Frequent	---	None
			April	0.0	>6.0	1.7-2.3	Very long	Frequent	---	None
			May	0.0	>6.0	1.7-2.3	Very long	Frequent	---	None
			June	0.0	>6.0	1.2-1.8	Very long	Frequent	---	None
			July	0.0	>6.0	0.7-1.3	Very long	Frequent	---	None
			August	0.0	>6.0	0.2-0.8	Very long	Frequent	---	None
			September	0.0	>6.0	0.2-0.8	Very long	Frequent	---	None
			October	0.0	>6.0	0.2-0.8	Very long	Frequent	---	None
			November	0.0	>6.0	0.7-1.3	Very long	Frequent	---	None
			December	0.0	>6.0	0.7-1.3	Very long	Frequent	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table		Surface water depth	Ponding		Flooding	
				Upper limit	Lower limit		Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
377B: Dinsdale-----	B	Low	January	6.0-6.7	>6.0	---	---	None	---	None
			February	5.5-6.7	>6.0	---	---	None	---	None
			March	4.5-6.5	>6.0	---	---	None	---	None
			April	4.0-6.0	>6.0	---	---	None	---	None
			May	4.5-6.5	>6.0	---	---	None	---	None
			June	5.0-6.7	>6.0	---	---	None	---	None
			July	6.0-6.7	>6.0	---	---	None	---	None
			August	6.5-6.7	>6.0	---	---	None	---	None
			September	6.5-6.7	>6.0	---	---	None	---	None
			October	6.5-6.7	>6.0	---	---	None	---	None
			November	5.5-6.7	>6.0	---	---	None	---	None
			December	6.0-6.7	>6.0	---	---	None	---	None
377C: Dinsdale-----	B	Medium	January	6.0-6.7	>6.0	---	---	None	---	None
			February	5.5-6.7	>6.0	---	---	None	---	None
			March	4.5-6.5	>6.0	---	---	None	---	None
			April	4.0-6.0	>6.0	---	---	None	---	None
			May	4.5-6.5	>6.0	---	---	None	---	None
			June	5.0-6.7	>6.0	---	---	None	---	None
			July	6.0-6.7	>6.0	---	---	None	---	None
			August	6.5-6.7	>6.0	---	---	None	---	None
			September	6.5-6.7	>6.0	---	---	None	---	None
			October	6.5-6.7	>6.0	---	---	None	---	None
			November	5.5-6.7	>6.0	---	---	None	---	None
			December	6.0-6.7	>6.0	---	---	None	---	None
382: Maxfield-----	B/D	Low	January	2.0-3.5	>6.0	---	---	None	---	None
			February	1.5-3.0	>6.0	---	---	None	---	None
			March	0.5-2.0	>6.0	---	---	None	---	None
			April	0.0-1.0	>6.0	---	---	None	---	None
			May	0.5-1.5	>6.0	---	---	None	---	None
			June	1.0-2.0	>6.0	---	---	None	---	None
			July	2.0-3.0	>6.0	---	---	None	---	None
			August	2.5-3.5	>6.0	---	---	None	---	None
			September	3.0-4.0	>6.0	---	---	None	---	None
			October	2.5-3.5	>6.0	---	---	None	---	None
			November	1.5-3.0	>6.0	---	---	None	---	None
			December	2.0-3.5	>6.0	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
391B: Clyde-----	B/D	Low	January	2.0-3.5	>6.0	---	---	None	---	None
			February	1.5-3.0	>6.0	---	---	None	---	None
			March	0.5-2.0	>6.0	---	---	None	---	None
			April	0.0-1.0	>6.0	---	---	None	---	None
			May	0.5-1.5	>6.0	---	---	None	---	None
			June	1.0-2.0	>6.0	---	---	None	---	None
			July	2.0-3.0	>6.0	---	---	None	---	None
			August	2.5-3.5	>6.0	---	---	None	---	None
			September	3.0-4.0	>6.0	---	---	None	---	None
			October	2.5-3.5	>6.0	---	---	None	---	None
			November	1.5-3.0	>6.0	---	---	None	---	None
			December	2.0-3.5	>6.0	---	---	None	---	None
Floyd-----	B	Low	January	3.0-5.5	>6.0	---	---	None	---	None
			February	2.5-5.0	>6.0	---	---	None	---	None
			March	1.5-4.0	>6.0	---	---	None	---	None
			April	1.0-3.5	>6.0	---	---	None	---	None
			May	1.5-4.0	>6.0	---	---	None	---	None
			June	2.0-4.5	>6.0	---	---	None	---	None
			July	3.0-5.5	>6.0	---	---	None	---	None
			August	3.5-6.0	>6.0	---	---	None	---	None
			September	4.0-6.5	>6.0	---	---	None	---	None
			October	3.5-6.0	>6.0	---	---	None	---	None
			November	2.5-5.0	>6.0	---	---	None	---	None
			December	3.0-5.5	>6.0	---	---	None	---	None
394B: Ostrander-----	B	Low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
394C: Ostrander-----	B	Medium	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None
395B: Marquis-----	B	Low	January	4.0-6.0	>6.0	---	---	None	---	None
			February	3.5-5.5	>6.0	---	---	None	---	None
			March	2.5-4.5	>6.0	---	---	None	---	None
			April	2.0-4.0	>6.0	---	---	None	---	None
			May	2.5-4.5	>6.0	---	---	None	---	None
			June	3.0-5.0	>6.0	---	---	None	---	None
			July	4.0-6.0	>6.0	---	---	None	---	None
			August	4.5-6.5	>6.0	---	---	None	---	None
			September	5.0-6.7	>6.0	---	---	None	---	None
			October	4.5-6.5	>6.0	---	---	None	---	None
			November	3.5-5.5	>6.0	---	---	None	---	None
			December	4.0-6.0	>6.0	---	---	None	---	None
398: Tripoli-----	B/D	Low	January	2.0-3.5	>6.0	---	---	None	---	None
			February	1.5-3.0	>6.0	---	---	None	---	None
			March	0.5-2.0	>6.0	---	---	None	---	None
			April	0.0-1.0	>6.0	---	---	None	---	None
			May	0.5-1.5	>6.0	---	---	None	---	None
			June	1.0-2.0	>6.0	---	---	None	---	None
			July	2.0-3.0	>6.0	---	---	None	---	None
			August	2.5-3.5	>6.0	---	---	None	---	None
			September	3.0-4.0	>6.0	---	---	None	---	None
			October	2.5-3.5	>6.0	---	---	None	---	None
			November	1.5-3.0	>6.0	---	---	None	---	None
			December	2.0-3.5	>6.0	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
399: Readlyn-----	B	Low	January	3.0-5.5	>6.0	---	---	None	---	None
			February	2.5-5.0	>6.0	---	---	None	---	None
			March	1.5-4.0	>6.0	---	---	None	---	None
			April	1.0-3.5	>6.0	---	---	None	---	None
			May	1.5-4.0	>6.0	---	---	None	---	None
			June	3.0-5.5	>6.0	---	---	None	---	None
			July	3.0-5.5	>6.0	---	---	None	---	None
			August	3.5-6.0	>6.0	---	---	None	---	None
			September	4.0-6.5	>6.0	---	---	None	---	None
			October	3.5-6.0	>6.0	---	---	None	---	None
			November	2.5-5.0	>6.0	---	---	None	---	None
			December	3.0-5.5	>6.0	---	---	None	---	None
408B: Olin-----	B	Very low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None
471: Oran-----	B	Low	January	3.0-5.5	>6.0	---	---	None	---	None
			February	2.5-5.0	>6.0	---	---	None	---	None
			March	1.5-4.0	>6.0	---	---	None	---	None
			April	1.0-3.5	>6.0	---	---	None	---	None
			May	1.5-4.0	>6.0	---	---	None	---	None
			June	2.0-4.5	>6.0	---	---	None	---	None
			July	3.0-5.5	>6.0	---	---	None	---	None
			August	3.5-6.0	>6.0	---	---	None	---	None
			September	4.0-6.5	>6.0	---	---	None	---	None
			October	3.5-6.0	>6.0	---	---	None	---	None
			November	2.5-5.0	>6.0	---	---	None	---	None
			December	3.0-5.5	>6.0	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
485: Spillville, occasionally flooded-----	B	Low	January	3.0-5.5	>6.0	---	---	None	---	None
			February	2.5-5.0	>6.0	---	---	None	Brief	Occasional
			March	1.5-4.0	>6.0	---	---	None	Brief	Occasional
			April	1.0-3.5	>6.0	---	---	None	Brief	Occasional
			May	1.5-4.0	>6.0	---	---	None	Brief	Occasional
			June	2.0-4.5	>6.0	---	---	None	Brief	Occasional
			July	3.0-5.5	>6.0	---	---	None	Brief	Occasional
			August	3.5-6.0	>6.0	---	---	None	Brief	Occasional
			September	4.0-6.5	>6.0	---	---	None	Brief	Occasional
			October	3.5-6.0	>6.0	---	---	None	Brief	Occasional
			November	2.5-5.0	>6.0	---	---	None	Brief	Occasional
			December	3.0-5.5	>6.0	---	---	None	---	None
			582B: Kasson-----	D	Low	January	4.0-6.0	>6.0	---	---
February	3.5-5.5	>6.0				---	---	None	---	None
March	2.5-4.5	>6.0				---	---	None	---	None
April	2.0-4.0	>6.0				---	---	None	---	None
May	2.5-4.5	>6.0				---	---	None	---	None
June	3.0-5.0	>6.0				---	---	None	---	None
July	4.0-6.0	>6.0				---	---	None	---	None
August	4.5-6.5	>6.0				---	---	None	---	None
September	5.0-6.7	>6.0				---	---	None	---	None
October	4.5-6.5	>6.0				---	---	None	---	None
November	3.5-5.5	>6.0				---	---	None	---	None
December	4.0-6.0	>6.0				---	---	None	---	None
582C: Kasson-----	D	Medium				January	4.0-6.0	>6.0	---	---
			February	3.5-5.5	>6.0	---	---	None	---	None
			March	2.5-4.5	>6.0	---	---	None	---	None
			April	2.0-4.0	>6.0	---	---	None	---	None
			May	2.5-4.5	>6.0	---	---	None	---	None
			June	3.0-5.0	>6.0	---	---	None	---	None
			July	4.0-6.0	>6.0	---	---	None	---	None
			August	4.5-6.5	>6.0	---	---	None	---	None
			September	5.0-6.7	>6.0	---	---	None	---	None
			October	4.5-6.5	>6.0	---	---	None	---	None
			November	3.5-5.5	>6.0	---	---	None	---	None
			December	4.0-6.0	>6.0	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
585: Spillville, occasionally flooded-----	B	Low	January	3.0-5.5	>6.0	---	---	None	---	None
			February	2.5-5.0	>6.0	---	---	None	Brief	Occasional
			March	1.5-4.0	>6.0	---	---	None	Brief	Occasional
			April	1.0-3.5	>6.0	---	---	None	Brief	Occasional
			May	1.5-4.0	>6.0	---	---	None	Brief	Occasional
			June	2.0-4.5	>6.0	---	---	None	Brief	Occasional
			July	3.0-5.5	>6.0	---	---	None	Brief	Occasional
			August	3.5-6.0	>6.0	---	---	None	Brief	Occasional
			September	4.0-6.5	>6.0	---	---	None	Brief	Occasional
			October	3.5-6.0	>6.0	---	---	None	Brief	Occasional
			November	2.5-5.0	>6.0	---	---	None	Brief	Occasional
			December	3.0-5.5	>6.0	---	---	None	---	None
Coland, occasionally flooded-----	B/D	Low	January	2.0-3.5	>6.0	---	---	None	---	None
			February	1.5-3.0	>6.0	---	---	None	Brief	Occasional
			March	0.5-2.0	>6.0	---	---	None	Brief	Occasional
			April	0.0-1.0	>6.0	---	---	None	Brief	Occasional
			May	0.5-1.5	>6.0	---	---	None	Brief	Occasional
			June	1.0-2.0	>6.0	---	---	None	Brief	Occasional
			July	2.0-3.0	>6.0	---	---	None	Brief	Occasional
			August	2.5-3.5	>6.0	---	---	None	Brief	Occasional
			September	3.0-4.0	>6.0	---	---	None	Brief	Occasional
			October	2.5-3.5	>6.0	---	---	None	Brief	Occasional
			November	1.5-3.0	>6.0	---	---	None	Brief	Occasional
			December	2.0-3.5	>6.0	---	---	None	---	None
620B: Port Byron-----	B	Low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
620C2: Port Byron-----	B	Medium	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None
626: Hayfield, rarely flooded--	B	Low	January	3.0-5.5	>6.0	---	---	None	---	None
			February	2.5-5.0	>6.0	---	---	None	Brief	Rare
			March	1.5-4.0	>6.0	---	---	None	Brief	Rare
			April	1.0-3.5	>6.0	---	---	None	Brief	Rare
			May	1.5-4.0	>6.0	---	---	None	Brief	Rare
			June	2.0-4.5	>6.0	---	---	None	Brief	Rare
			July	3.0-5.5	>6.0	---	---	None	Brief	Rare
			August	3.5-6.0	>6.0	---	---	None	Brief	Rare
			September	4.0-6.5	>6.0	---	---	None	Brief	Rare
			October	3.5-6.0	>6.0	---	---	None	Brief	Rare
			November	2.5-5.0	>6.0	---	---	None	Brief	Rare
			December	3.0-5.5	>6.0	---	---	None	---	None
663B: Seaton-----	B	Low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
663C: Seaton-----	B	Medium	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None
663D2: Seaton, moderately eroded	B	Medium	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None
663D3: Seaton, severely eroded---	B	Medium	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
663E2: Seaton, moderately eroded	B	Medium	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None
663G: Seaton-----	B	High	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None
775: Billett-----	A	Very low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table		Surface water depth	Ponding		Flooding	
				Upper limit	Lower limit		Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
775B: Billett-----	A	Very low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None
775C: Billett-----	A	Low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None
778: Sattre, rarely flooded----	B	Low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	Brief	Rare
			March	---	---	---	---	None	Brief	Rare
			April	---	---	---	---	None	Brief	Rare
			May	---	---	---	---	None	Brief	Rare
			June	---	---	---	---	None	Brief	Rare
			July	---	---	---	---	None	Brief	Rare
			August	---	---	---	---	None	Brief	Rare
			September	---	---	---	---	None	Brief	Rare
			October	---	---	---	---	None	Brief	Rare
			November	---	---	---	---	None	Brief	Rare
			December	---	---	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
813B: Atkinson-----	B	Low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None
813C: Atkinson-----	B	Medium	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None
814B: Rockton-----	B	Low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
814C: Rockton-----	B	Medium	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None
814D: Rockton-----	B	Medium	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	---	None
			March	---	---	---	---	None	---	None
			April	---	---	---	---	None	---	None
			May	---	---	---	---	None	---	None
			June	---	---	---	---	None	---	None
			July	---	---	---	---	None	---	None
			August	---	---	---	---	None	---	None
			September	---	---	---	---	None	---	None
			October	---	---	---	---	None	---	None
			November	---	---	---	---	None	---	None
			December	---	---	---	---	None	---	None
884: Klingmore-----	B	Low	January	3.0-5.5	>6.0	---	---	None	---	None
			February	2.5-5.0	>6.0	---	---	None	---	None
			March	1.5-4.0	>6.0	---	---	None	---	None
			April	1.0-3.5	>6.0	---	---	None	---	None
			May	1.5-4.0	>6.0	---	---	None	---	None
			June	2.0-4.5	>6.0	---	---	None	---	None
			July	3.0-5.5	>6.0	---	---	None	---	None
			August	3.5-6.0	>6.0	---	---	None	---	None
			September	4.0-6.5	>6.0	---	---	None	---	None
			October	3.5-6.0	>6.0	---	---	None	---	None
			November	2.5-5.0	>6.0	---	---	None	---	None
			December	3.0-5.5	>6.0	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding			Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency	
				Ft	Ft	Ft					
930: Orion, occasionally flooded-----	C	Low	January	3.0-5.5	>6.0	---	---	None	---	None	
			February	2.5-5.0	>6.0	---	---	None	Very brief	Occasional	
			March	1.5-4.0	>6.0	---	---	None	Very brief	Occasional	
			April	1.0-3.5	>6.0	---	---	None	Very brief	Occasional	
			May	1.5-4.0	>6.0	---	---	None	Very brief	Occasional	
			June	2.0-4.5	>6.0	---	---	None	Very brief	Occasional	
			July	3.0-5.5	>6.0	---	---	None	Very brief	Occasional	
			August	3.5-6.0	>6.0	---	---	None	Very brief	Occasional	
			September	4.0-6.5	>6.0	---	---	None	Very brief	Occasional	
			October	3.5-6.0	>6.0	---	---	None	Very brief	Occasional	
			November	2.5-5.0	>6.0	---	---	None	Very brief	Occasional	
			December	3.0-5.5	>6.0	---	---	None	---	None	
982: Maxmore-----	B/D	Low	January	2.0-3.5	>6.0	---	---	None	---	None	
			February	1.5-3.0	>6.0	---	---	None	---	None	
			March	0.5-2.0	>6.0	---	---	None	---	None	
			April	0.0-1.0	>6.0	---	---	None	---	None	
			May	0.5-1.5	>6.0	---	---	None	---	None	
			June	1.0-2.0	>6.0	---	---	None	---	None	
			July	2.0-3.0	>6.0	---	---	None	---	None	
			August	2.5-3.5	>6.0	---	---	None	---	None	
			September	3.0-4.0	>6.0	---	---	None	---	None	
			October	2.5-3.5	>6.0	---	---	None	---	None	
			November	1.5-3.0	>6.0	---	---	None	---	None	
			December	2.0-3.5	>6.0	---	---	None	---	None	
1152: Marshan, rarely flooded---	B/D	Low	January	2.0-3.5	>6.0	---	---	None	---	None	
			February	1.5-3.0	>6.0	---	---	None	Brief	Rare	
			March	0.5-2.0	>6.0	---	---	None	Brief	Rare	
			April	0.0-1.0	>6.0	---	---	None	Brief	Rare	
			May	0.5-1.5	>6.0	---	---	None	Brief	Rare	
			June	1.0-2.0	>6.0	---	---	None	Brief	Rare	
			July	2.0-3.0	>6.0	---	---	None	Brief	Rare	
			August	2.5-3.5	>6.0	---	---	None	Brief	Rare	
			September	3.0-4.0	>6.0	---	---	None	Brief	Rare	
			October	2.5-3.5	>6.0	---	---	None	Brief	Rare	
			November	1.5-3.0	>6.0	---	---	None	Brief	Rare	
			December	2.0-3.5	>6.0	---	---	None	---	None	

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
1226: Lawler, rarely flooded----	B	Low	January	3.0-5.5	>6.0	---	---	None	---	None
			February	2.5-5.0	>6.0	---	---	None	Brief	Rare
			March	1.5-4.0	>6.0	---	---	None	Brief	Rare
			April	1.0-3.5	>6.0	---	---	None	Brief	Rare
			May	1.5-4.0	>6.0	---	---	None	Brief	Rare
			June	2.0-4.5	>6.0	---	---	None	Brief	Rare
			July	3.0-5.5	>6.0	---	---	None	Brief	Rare
			August	3.5-6.0	>6.0	---	---	None	Brief	Rare
			September	4.0-6.5	>6.0	---	---	None	Brief	Rare
			October	3.5-6.0	>6.0	---	---	None	Brief	Rare
			November	2.5-5.0	>6.0	---	---	None	Brief	Rare
			December	3.0-5.5	>6.0	---	---	None	---	None
1585: Spillville, channeled-----	B	Low	January	3.0-5.5	>6.0	---	---	None	---	None
			February	2.5-5.0	>6.0	---	---	None	Long	Frequent
			March	1.5-4.0	>6.0	---	---	None	Long	Frequent
			April	1.0-3.5	>6.0	---	---	None	Long	Frequent
			May	1.5-4.0	>6.0	---	---	None	Long	Frequent
			June	2.0-4.5	>6.0	---	---	None	Long	Frequent
			July	3.0-5.5	>6.0	---	---	None	Long	Frequent
			August	3.5-6.0	>6.0	---	---	None	Long	Frequent
			September	4.0-6.5	>6.0	---	---	None	Long	Frequent
			October	3.5-6.0	>6.0	---	---	None	Long	Frequent
			November	2.5-5.0	>6.0	---	---	None	Long	Frequent
			December	3.0-5.5	>6.0	---	---	None	---	None
Coland, channeled-----	B/D	Low	January	2.0-3.5	>6.0	---	---	None	---	None
			February	1.5-3.0	>6.0	---	---	None	Long	Frequent
			March	0.5-2.0	>6.0	---	---	None	Long	Frequent
			April	0.0-1.0	>6.0	---	---	None	Long	Frequent
			May	0.5-1.5	>6.0	---	---	None	Long	Frequent
			June	1.0-2.0	>6.0	---	---	None	Long	Frequent
			July	2.0-3.0	>6.0	---	---	None	Long	Frequent
			August	2.5-3.5	>6.0	---	---	None	Long	Frequent
			September	3.0-4.0	>6.0	---	---	None	Long	Frequent
			October	2.5-3.5	>6.0	---	---	None	Long	Frequent
			November	1.5-3.0	>6.0	---	---	None	Long	Frequent
			December	2.0-3.5	>6.0	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table		Ponding			Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
1585: Aquolls, ponded-----	A/D	Negligible		Ft	Ft	Ft				
			January	0.0	>6.0	0.7-1.3	Very long	Frequent	---	None
			February	0.0	>6.0	0.7-1.3	Very long	Frequent	Long	Frequent
			March	0.0	>6.0	1.2-1.8	Very long	Frequent	Long	Frequent
			April	0.0	>6.0	1.7-2.3	Very long	Frequent	Long	Frequent
			May	0.0	>6.0	1.7-2.3	Very long	Frequent	Long	Frequent
			June	0.0	>6.0	1.2-1.8	Very long	Frequent	Long	Frequent
			July	0.0	>6.0	0.7-1.3	Very long	Frequent	Long	Frequent
			August	0.0	>6.0	0.2-0.8	Very long	Frequent	Long	Frequent
			September	0.0	>6.0	0.2-0.8	Very long	Frequent	Long	Frequent
			October	0.0	>6.0	0.2-0.8	Very long	Frequent	Long	Frequent
			November	0.0	>6.0	0.7-1.3	Very long	Frequent	Long	Frequent
			December	0.0	>6.0	0.7-1.3	Very long	Frequent	---	None
1586: Sigglekov, frequently flooded-----	A	Very low								
			January	3.0-5.5	>6.0	---	---	None	---	None
			February	2.5-5.0	>6.0	---	---	None	Long	Frequent
			March	1.5-4.0	>6.0	---	---	None	Long	Frequent
			April	1.0-3.5	>6.0	---	---	None	Long	Frequent
			May	1.5-4.0	>6.0	---	---	None	Long	Frequent
			June	2.0-4.5	>6.0	---	---	None	Long	Frequent
			July	3.0-5.5	>6.0	---	---	None	Long	Frequent
			August	3.5-6.0	>6.0	---	---	None	Long	Frequent
			September	4.0-6.5	>6.0	---	---	None	Long	Frequent
			October	3.5-6.0	>6.0	---	---	None	Long	Frequent
			November	2.5-5.0	>6.0	---	---	None	Long	Frequent
			December	3.0-5.5	>6.0	---	---	None	---	None
Fluvaquents, frequently flooded-----	B	Negligible								
			January	2.0-3.5	>6.0	---	---	None	---	None
			February	1.5-3.0	>6.0	---	---	None	Long	Frequent
			March	0.5-2.0	>6.0	---	---	None	Long	Frequent
			April	0.0-1.0	>6.0	---	---	None	Long	Frequent
			May	0.5-1.5	>6.0	---	---	None	Long	Frequent
			June	1.0-2.0	>6.0	---	---	None	Long	Frequent
			July	2.0-3.0	>6.0	---	---	None	Long	Frequent
			August	2.5-3.5	>6.0	---	---	None	Long	Frequent
			September	3.0-4.0	>6.0	---	---	None	Long	Frequent
			October	2.5-3.5	>6.0	---	---	None	Long	Frequent
			November	1.5-3.0	>6.0	---	---	None	Long	Frequent
			December	2.0-3.5	>6.0	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
1586: Aquents, ponded-----	A/D	Negligible	January	0.0	>6.0	0.7-1.3	Very long	Frequent	---	None
			February	0.0	>6.0	0.7-1.3	Very long	Frequent	Long	Frequent
			March	0.0	>6.0	1.2-1.8	Very long	Frequent	Long	Frequent
			April	0.0	>6.0	1.7-2.3	Very long	Frequent	Long	Frequent
			May	0.0	>6.0	1.7-2.3	Very long	Frequent	Long	Frequent
			June	0.0	>6.0	1.2-1.8	Very long	Frequent	Long	Frequent
			July	0.0	>6.0	0.7-1.3	Very long	Frequent	Long	Frequent
			August	0.0	>6.0	0.2-0.8	Very long	Frequent	Long	Frequent
			September	0.0	>6.0	0.2-0.8	Very long	Frequent	Long	Frequent
			October	0.0	>6.0	0.2-0.8	Very long	Frequent	Long	Frequent
			November	0.0	>6.0	0.7-1.3	Very long	Frequent	Long	Frequent
			December	0.0	>6.0	0.7-1.3	Very long	Frequent	---	None
4946. Udorthents-Interstate highway										
5010. Pits, sand and gravel										
5030. Pits, limestone quarries										
5040. Udorthents, loamy										
5080. Udorthents, sanitary landfill										

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
8041: Sparta, terrace, rarely flooded-----	A	Very low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	Brief	Rare
			March	---	---	---	---	None	Brief	Rare
			April	---	---	---	---	None	Brief	Rare
			May	---	---	---	---	None	Brief	Rare
			June	---	---	---	---	None	Brief	Rare
			July	---	---	---	---	None	Brief	Rare
			August	---	---	---	---	None	Brief	Rare
			September	---	---	---	---	None	Brief	Rare
			October	---	---	---	---	None	Brief	Rare
			November	---	---	---	---	None	Brief	Rare
			December	---	---	---	---	None	---	None
8041B: Sparta, terrace, rarely flooded-----	A	Very low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	Brief	Rare
			March	---	---	---	---	None	Brief	Rare
			April	---	---	---	---	None	Brief	Rare
			May	---	---	---	---	None	Brief	Rare
			June	---	---	---	---	None	Brief	Rare
			July	---	---	---	---	None	Brief	Rare
			August	---	---	---	---	None	Brief	Rare
			September	---	---	---	---	None	Brief	Rare
			October	---	---	---	---	None	Brief	Rare
			November	---	---	---	---	None	Brief	Rare
			December	---	---	---	---	None	---	None

Water Features--Continued

Map symbol and soil name	Hydro- logic group	Surface runoff	Month	Water table			Ponding		Flooding	
				Upper limit	Lower limit	Surface water depth	Duration	Frequency	Duration	Frequency
				Ft	Ft	Ft				
8175B: Dickinson, terrace, rarely flooded-----	A	Very low	January	---	---	---	---	None	---	None
			February	---	---	---	---	None	Brief	Rare
			March	---	---	---	---	None	Brief	Rare
			April	---	---	---	---	None	Brief	Rare
			May	---	---	---	---	None	Brief	Rare
			June	---	---	---	---	None	Brief	Rare
			July	---	---	---	---	None	Brief	Rare
			August	---	---	---	---	None	Brief	Rare
			September	---	---	---	---	None	Brief	Rare
			October	---	---	---	---	None	Brief	Rare
			November	---	---	---	---	None	Brief	Rare
			December	---	---	---	---	None	---	None
AW. Animal waste lagoon										
SL. Sewage lagoon										
W. Water										

Soil Features

The table described in this section gives estimates of various soil features. The estimates are used in land use planning that involves engineering considerations.

A *restrictive layer* is a nearly continuous layer that has one or more physical, chemical, or thermal properties that significantly impede the movement of water and air through the soil or that restrict roots or otherwise provide an unfavorable root environment. Examples are bedrock, cemented layers, dense layers, and frozen layers. The table indicates the hardness of the restrictive layer, which significantly affects the ease of excavation. *Depth to top* is the vertical distance from the soil surface to the upper boundary of the restrictive layer.

Subsidence is the settlement of organic soils or of saturated mineral soils of very low density. Subsidence generally results from either desiccation and shrinkage or oxidation of organic material, or both, following drainage. Subsidence takes place gradually, usually over a period of several years. The table shows the expected initial subsidence, which usually is a result of drainage, and total subsidence, which results from a combination of factors.

Potential for frost action is the likelihood of upward or lateral expansion of the soil caused by the formation of segregated ice lenses (frost heave) and the subsequent collapse of the soil and loss of strength on thawing. Frost action occurs when moisture moves into the freezing zone of the soil. Temperature, texture, density, permeability, content of organic matter, and depth to the water table are the most important factors considered in evaluating the potential for frost action. It is assumed that the soil is not insulated by vegetation or snow and is not artificially drained. Silty and highly structured, clayey soils that have a high water table in winter are the most susceptible to frost action. Well drained, very gravelly, or very sandy soils are the least susceptible. Frost heave and low soil strength during thawing cause damage to pavements and other rigid structures.

Risk of corrosion pertains to potential soil-induced electrochemical or chemical action that corrodes or weakens uncoated steel or concrete. The rate of corrosion of uncoated steel is related to such factors as soil moisture, particle-size distribution, acidity, and electrical conductivity of the soil. The rate of corrosion of concrete is based mainly on the sulfate and sodium content, texture, moisture content, and acidity of the soil. Special site examination and design may be needed if the combination of factors results in a severe hazard of corrosion. The steel or concrete in installations that intersect soil boundaries or soil layers is more susceptible to corrosion than the steel or concrete in installations that are entirely within one kind of soil or within one soil layer.

For uncoated steel, the risk of corrosion, expressed as *low*, *moderate*, or *high*, is based on soil drainage class, total acidity, electrical resistivity near field capacity, and electrical conductivity of the saturation extract.

For concrete, the risk of corrosion also is expressed as *low*, *moderate*, or *high*. It is based on soil texture, acidity, and amount of sulfates in the saturation extract.

Soil Features

(See text for definitions of terms used in this table. Absence of an entry indicates that the feature is not a concern or that data were not estimated)

Map symbol and soil name	Restrictive layer			Subsidence		Potential for frost action	Risk of corrosion	
	Kind	Depth to top	Hardness	Initial	Total		Uncoated steel	Concrete
41B: Sparta-----	---	---	---	---	---	Low	Low	Moderate
41C: Sparta-----	---	---	---	---	---	Low	Low	Moderate
43: Bremer-----	---	---	---	---	---	High	Moderate	Moderate
50B: Coloma-----	---	---	---	---	---	Low	Low	Moderate
63B: Chelsea-----	---	---	---	---	---	Low	Low	Low
63C: Chelsea-----	---	---	---	---	---	Low	Low	Low
63E: Chelsea-----	---	---	---	---	---	Low	Low	Low
83B: Kenyon-----	---	---	---	---	---	Moderate	Moderate	Moderate
83C: Kenyon-----	---	---	---	---	---	Moderate	Moderate	Moderate
84: Clyde-----	---	---	---	---	---	High	High	Low
109B: Backbone-----	Lithic bedrock	20-40	Indurated	---	---	Moderate	Low	Low
109C: Backbone-----	Lithic bedrock	20-40	Indurated	---	---	Moderate	Low	Low
109D: Backbone-----	Lithic bedrock	20-40	Indurated	---	---	Moderate	Low	Low
127: Plano, rarely flooded--	---	---	---	---	---	High	Moderate	Moderate

Soil Features--Continued

Map symbol and soil name	Restrictive layer			Subsidence		Potential for frost action	Risk of corrosion	
	Kind	Depth to top	Hardness	Initial	Total		Uncoated steel	Concrete
135: Coland, occasionally flooded-----	---	In	---	In	---	High	High	Low
153: Shandep, ponded, occasionally flooded--	---	---	---	---	---	High	High	Moderate
173: Hoopeston, rarely flooded-----	---	---	---	---	---	High	Low	Moderate
175B: Dickinson-----	---	---	---	---	---	Moderate	Low	Moderate
175C: Dickinson-----	---	---	---	---	---	Moderate	Low	Moderate
178: Waukee, rarely flooded	---	---	---	---	---	Low	Low	Moderate
178B: Waukee, rarely flooded	---	---	---	---	---	Low	Low	Moderate
178C: Waukee, rarely flooded	---	---	---	---	---	Low	Low	Moderate
184: Klinger-----	---	---	---	---	---	High	High	Moderate
198B: Floyd-----	---	---	---	---	---	High	High	Low
221: Klossner-----	---	---	---	4-15	25-32	High	High	Moderate
284B: Flagler-----	---	---	---	---	---	Low	Moderate	Low
285: Burkhardt-----	---	---	---	---	---	Low	Low	High
285C: Burkhardt-----	---	---	---	---	---	Low	Low	High

Soil Features--Continued

Map symbol and soil name	Restrictive layer			Subsidence		Potential for frost action	Risk of corrosion	
	Kind	Depth to top	Hardness	Initial	Total		Uncoated steel	Concrete
323B: Fort Dodge-----	---	---	---	---	---	Moderate	Moderate	Low
344D: Copaston-----	Lithic bedrock	10-20	Strongly cemented	---	---	Moderate	Low	Low
344G: Copaston-----	Lithic bedrock	10-20	Strongly cemented	---	---	Moderate	Low	Low
354. Aquolls, ponded								
377B: Dinsdale-----	---	---	---	---	---	High	Moderate	Moderate
377C: Dinsdale-----	---	---	---	---	---	High	Moderate	Moderate
382: Maxfield-----	---	---	---	---	---	High	High	Moderate
391B: Clyde-----	---	---	---	---	---	High	High	Low
Floyd-----	---	---	---	---	---	High	High	Low
394B: Ostrander-----	---	---	---	---	---	Moderate	Moderate	Low
394C: Ostrander-----	---	---	---	---	---	Moderate	Moderate	Low
395B: Marquis-----	---	---	---	---	---	Moderate	Moderate	Moderate
398: Tripoli-----	---	---	---	---	---	High	High	Moderate
399: Readlyn-----	---	---	---	---	---	High	High	Moderate
408B: Olin-----	---	---	---	---	---	Moderate	Moderate	Moderate

Soil Features--Continued

Map symbol and soil name	Restrictive layer			Subsidence		Potential for frost action	Risk of corrosion	
	Kind	Depth to top	Hardness	Initial	Total		Uncoated steel	Concrete
		In		In	In			
471: Oran-----	---	---	---	---	---	High	High	Moderate
485: Spillville, occasionally flooded--	---	---	---	---	---	Moderate	High	Moderate
582B: Kasson-----	---	---	---	---	---	Moderate	Moderate	Moderate
582C: Kasson-----	---	---	---	---	---	Moderate	Moderate	Moderate
585: Spillville, occasionally flooded--	---	---	---	---	---	Moderate	High	Moderate
Coland, occasionally flooded-----	---	---	---	---	---	High	High	Low
620B: Port Byron-----	---	---	---	---	---	High	Low	Moderate
620C2: Port Byron-----	---	---	---	---	---	High	Low	Moderate
626: Hayfield, rarely flooded-----	---	---	---	---	---	High	Low	Moderate
663B: Seaton-----	---	---	---	---	---	High	Low	Moderate
663C: Seaton-----	---	---	---	---	---	High	Low	Moderate
663D2: Seaton, moderately eroded-----	---	---	---	---	---	High	Low	Moderate
663D3: Seaton, severely eroded	---	---	---	---	---	High	Low	Moderate

Soil Features--Continued

Map symbol and soil name	Restrictive layer			Subsidence		Potential for frost action	Risk of corrosion	
	Kind	Depth to top	Hardness	Initial	Total		Uncoated steel	Concrete
663E2: Seaton, moderately eroded-----	---	---	---	---	---	High	Low	Moderate
663G: Seaton-----	---	---	---	---	---	High	Low	Moderate
775: Billett-----	---	---	---	---	---	Moderate	Low	Moderate
775B: Billett-----	---	---	---	---	---	Moderate	Low	Moderate
775C: Billett-----	---	---	---	---	---	Moderate	Low	Moderate
778: Sattre, rarely flooded	---	---	---	---	---	Low	Low	High
813B: Atkinson-----	Lithic bedrock	40-55	Indurated	---	---	Moderate	Moderate	Moderate
813C: Atkinson-----	Lithic bedrock	40-55	Indurated	---	---	Moderate	Moderate	Moderate
814B: Rockton-----	Lithic bedrock	20-40	Indurated	---	---	Moderate	Low	Low
814C: Rockton-----	Lithic bedrock	20-40	Indurated	---	---	Moderate	Low	Low
814D: Rockton-----	Lithic bedrock	20-40	Indurated	---	---	Moderate	Low	Low
884: Klingmore-----	---	---	---	---	---	High	High	Moderate
930: Orion, occasionally flooded-----	---	---	---	---	---	High	High	Low
982: Maxmore-----	---	---	---	---	---	High	High	Moderate

Soil Features--Continued

Map symbol and soil name	Restrictive layer			Subsidence		Potential for frost action	Risk of corrosion	
	Kind	Depth to top	Hardness	Initial	Total		Uncoated steel	Concrete
		In		In	In			
1152: Marshan, rarely flooded	---	---	---	---	---	High	High	Moderate
1226: Lawler, rarely flooded	---	---	---	---	---	High	High	Moderate
1585: Spillville, channeled--	---	---	---	---	---	Moderate	High	Moderate
Coland, channeled-----	---	---	---	---	---	High	High	Low
Aquolls, ponded.								
1586: Sigglekov, frequently flooded-----	---	---	---	---	---	Low	Low	Moderate
Fluvaquents, frequently flooded.								
Aquents, ponded.								
4946. Udorthents-Interstate highway								
5010. Pits, sand and gravel								
5030. Pits, limestone quarries								
5040. Udorthents, loamy								
5080. Udorthents, sanitary landfill								
8041: Sparta, terrace, rarely flooded-----	---	---	---	---	---	Low	Low	Moderate

Soil Features--Continued

Map symbol and soil name	Restrictive layer			Subsidence		Potential for frost action	Risk of corrosion	
	Kind	Depth to top	Hardness	Initial	Total		Uncoated steel	Concrete
8041B: Sparta, terrace, rarely flooded-----	---	In ---	---	In ---	In ---	Low	Low	Moderate
8175B: Dickinson, terrace, rarely flooded-----	---	In ---	---	In ---	In ---	Moderate	Low	Moderate
AW. Animal waste lagoon								
SL. Sewage lagoon								
W. Water								

NRCS Accessibility Statement

The Natural Resources Conservation Service (NRCS) is committed to making its information accessible to all of its customers and employees. If you are experiencing accessibility issues and need assistance, please contact our Helpdesk by phone at 1-800-457-3642 or by e-mail at ServiceDesk-FTC@ftc.usda.gov. For assistance with publications that include maps, graphs, or similar forms of information, you may also wish to contact our State or local office. You can locate the correct office and phone number at <http://offices.sc.egov.usda.gov/locator/app>.