

| <b>Pacific County Rare Plants</b>                       |                             |  |                    |                     |                       |
|---|-----------------------------|--|--------------------|---------------------|-----------------------|
| County List   |                             |  |                    |                     |                       |
|   |                             |  |                    |                     |                       |
|   |                             |  |                    |                     |                       |
| <b>Scientific Name</b>                                  | <b>Common Name</b>          | <b>Habitat</b>   | <b>Family Name</b> | <b>State Status</b> | <b>Federal Status</b> |
| <a href="#">Abronia umbellata var. breviflora</a>       | pink sand-verbena           | Sea shore  | Nyctaginaceae      | E                   | SC                    |
| <a href="#">Baccharis pilularis ssp. consanguinea</a>   | chaparral broom             | Basalt sea cliffs, sand dunes                          | Asteraceae         | T                   |                       |
| <a href="#">Boschniakia hookeri</a>                     | Vancouver ground-cone       | Forests near saltwater                                 | Orobanchaceae      | R1                  |                       |
| <a href="#">Dodecatheon austrofrigidum</a>              | frigid shooting-star        | cliffs, rock crevices along rivers, vernal moist areas | Primulaceae        | E                   | SC                    |
| <a href="#">Erigeron aliceae</a>                        | Alice's fleabane            | sub alpine zone, moist                                 | Asteraceae         | S                   |                       |
| <a href="#">Erythronium revolutum</a>                   | pink fawn-lily              | moist, swampy forest openings                          | Liliaceae          | S                   |                       |
| <a href="#">Euonymus occidentalis var. occidentalis</a> | western wahoo               | moist forest   | Celastraceae       | S                   |                       |
| <a href="#">Filipendula occidentalis</a>                | queen of the forest         | Seeps in rock crevices, forests                        | Rosaceae           | T                   | SC                    |
| <a href="#">Lycopodiella inundata</a>                   | bog clubmoss                | wetlands   | Lycopodiaceae      | S                   |                       |
| <a href="#">Packera bolanderi var. harfordii</a>        | Harford's ragwort           |  | Asteraceae         | S                   |                       |
| <a href="#">Parnassia palustris var. neogaea</a>        | northern grass-of-parnassus | wetlands, riparian                                     | Saxifragaceae      | S                   |                       |
| <a href="#">Phacelia bolanderi</a>                      | Bolander's phacelia         |  | Hydrophyllaceae    | R1                  |                       |
| <a href="#">Poa laxiflora</a>                           | loose-flowered bluegrass    | Moist woods to rocky open slopes                       | Poaceae            | S                   |                       |
| <a href="#">Poa unilateralis ssp. pachypholis</a>       | ocean-bluff bluegrass       | rock crevices on steep coastal basalt                  | Poaceae            | T                   |                       |
| <a href="#">Polemonium carneum</a>                      | great polemonium            | woody thickets, moist forests, prairie, fencelines     | Polemoniaceae      | T                   |                       |
| <a href="#">Sanicula arctopoides</a>                    | bear's foot sanicle         | grassy sand dunes, coastal bluffs                      | Apiaceae           | E                   | SC                    |
| <a href="#">Triglochin striata</a>                      | three-rib arrowgrass        |  | Juncaginaceae      | R1                  |                       |

| <b>Pacific County Rare Plants</b>                |                             |  |                    |                     |                       |
|--|-----------------------------|--|--------------------|---------------------|-----------------------|
| Wetlands, Riparian                               |                             |  |                    |                     |                       |
|  |                             |  |                    |                     |                       |
|  |                             |  |                    |                     |                       |
| <b>Scientific Name</b>                           | <b>Common Name</b>          | <b>Habitat</b>   | <b>Family Name</b> | <b>State Status</b> | <b>Federal Status</b> |
| <a href="#">Dodecatheon austrofrigidum</a>       | frigid shooting-star        | cliffs, rock crevices along rivers, vernal moist areas | Primulaceae        | E                   | SC                    |
| <a href="#">Erythronium revolutum</a>            | pink fawn-lily              | moist, swampy forest openings                          | Liliaceae          | S                   |                       |
| <a href="#">Lycopodiella inundata</a>            | bog clubmoss                | wetlands   | Lycopodiaceae      | S                   |                       |
| <a href="#">Parnassia palustris var. neogaea</a> | northern grass-of-parnassus | wetlands, riparian                                     | Saxifragaceae      | S                   |                       |

| <b>Pacific County Rare Plants</b>                       |                          |  |                    |                     |                       |
|---|--------------------------|--|--------------------|---------------------|-----------------------|
| Forests, Meadows, and Prairies                          |                          |  |                    |                     |                       |
|   |                          |  |                    |                     |                       |
|   |                          |  |                    |                     |                       |
| <b>Scientific Name</b>                                  | <b>Common Name</b>       | <b>Habitat</b>                                     | <b>Family Name</b> | <b>State Status</b> | <b>Federal Status</b> |
| <a href="#">Boschniakia hookeri</a>                     | Vancouver ground-cone    | Forests near saltwater                             | Orobanchaceae      | R1                  |                       |
| <a href="#">Erigeron aliceae</a>                        | Alice's fleabane         | sub alpine zone,moist                              | Asteraceae         | S                   |                       |
| <a href="#">Erythronium revolutum</a>                   | pink fawn-lily           | moist, swampy forest openings                      | Liliaceae          | S                   |                       |
| <a href="#">Euonymus occidentalis var. occidentalis</a> | western wahoo            | moist forest                                       | Celastraceae       | S                   |                       |
| <a href="#">Filipendula occidentalis</a>                | queen of the forest      | Seeps in rock crevices, forests                    | Rosaceae           | T                   | SC                    |
| <a href="#">Poa laxiflora</a>                           | loose-flowered bluegrass | Moist woods to rocky open slopes                   | Poaceae            | S                   |                       |
| <a href="#">Polemonium carneum</a>                      | great polemonium         | woody thickets, moist forests, prairie, fencelines | Polemoniaceae      | T                   |                       |

| <b>Pacific County Rare Plants</b>                     |                          |  |                    |                     |                       |
|---|--------------------------|--|--------------------|---------------------|-----------------------|
| Cliffs, Shoreline, and Coastal Bluffs                 |                          |  |                    |                     |                       |
|   |                          |  |                    |                     |                       |
|   |                          |  |                    |                     |                       |
| <b>Scientific Name</b>                                | <b>Common Name</b>       | <b>Habitat</b>   | <b>Family Name</b> | <b>State Status</b> | <b>Federal Status</b> |
| <a href="#">Abronia umbellata var. breviflora</a>     | pink sand-verbena        | Sea shore  | Nyctaginaceae      | E                   | SC                    |
| <a href="#">Baccharis pilularis ssp. consanguinea</a> | chaparral broom          | Basalt sea cliffs, sand dunes                          | Asteraceae         | T                   |                       |
| <a href="#">Boschniakia hookeri</a>                   | Vancouver ground-cone    | Forests near saltwater                                 | Orobanchaceae      | R1                  |                       |
| <a href="#">Dodecatheon austrofrigidum</a>            | frigid shooting-star     | cliffs, rock crevices along rivers, vernal moist areas | Primulaceae        | E                   | SC                    |
| <a href="#">Filipendula occidentalis</a>              | queen of the forest      | Seeps in rock crevices, forests                        | Rosaceae           | T                   | SC                    |
| <a href="#">Poa laxiflora</a>                         | loose-flowered bluegrass | Moist woods to rocky open slopes                       | Poaceae            | S                   |                       |
| <a href="#">Poa unilateralis ssp. pachypholis</a>     | ocean-bluff bluegrass    | rock crevices on steep coastal basalt                  | Poaceae            | T                   |                       |
| <a href="#">Sanicula arctopoides</a>                  | bear's foot sanicle      | grassy sand dunes, coastal bluffs                      | Apiaceae           | E                   | SC                    |

## Rare Plant Status Codes

### State Status

State Status of plant species is determined by the Washington Natural Heritage Program.

Factors considered include abundance, occurrence patterns, vulnerability, threats, existing protection, and taxonomic distinctness.

E = Endangered. In danger of becoming extinct or extirpated from Washington.

T = Threatened. Likely to become endangered within the near future in WA if the factors contributing to pop decline or habitat loss continue.

S = Sensitive. Vulnerable or declining and could become endangered or threatened in the state without active management or removal of threats

X = Possibly extinct or Extirpated. Documented to have previously occurred within WA, but no longer thought to be present here.

P1 = Priority 1. Rare nonvascular plant but with insufficient information to assign another rank.

P2 = Priority 2. Nonvascular plant of concern but with insufficient information to assign another rank.

R1 = Review group 1. Of potential concern but needs more field work to assign another rank.

R2 = Review group 2. Of potential concern but with unresolved taxonomic questions.

W = Watch. Species that are more abundant and/or less threatened in WA than previously thought, no longer a focus of conservation efforts.

### Federal Status

Federal Status under the U.S. Endangered Species Act (USESA) as published in the Federal Register.

For complete definitions see <http://www.fws.gov/endangered/laws-policies/section-3.html>

LE = Listed Endangered. The plant is in danger of extinction throughout all or a significant portion of its range.

LT = Listed Threatened. The plant is likely to become endangered within the foreseeable future throughout all or a significant portion of its range.

PE = Proposed Endangered. A plant that is proposed to be listed as endangered and is undergoing a review process.

PT = Proposed Threatened. A plant that is proposed to be listed as threatened and is undergoing a review process.

C = Candidate species. A plant for which FWS or NOAA Fisheries has on file sufficient information on biological vulnerability and threats to support a proposal to list as endangered or threatened.

SC = Species of Concern. An informal term referring to a species that might be in need of conservation action. Such species receive no legal protection and use of the term does not necessarily imply that a species will eventually be proposed for listing.

NL = Not listed. Used when two portions of a taxon have different federal status.

Washington Natural Heritage Program

[www.dnr.wa.gov/ResearchScience/Topics/NaturalHeritage/Pages/amp\\_nh.aspx](http://www.dnr.wa.gov/ResearchScience/Topics/NaturalHeritage/Pages/amp_nh.aspx)

Washington Dept. of Natural Resources, PO Box 47014, Olympia, WA 98504-7014