## **TECHNICAL NOTE**

USDA-Natural Resources Conservation Service Boise, Idaho

TN PLANT MATERIALS NO. 4

**OCTOBER 2002** 

# READING SEED PACKAGING LABELS and CALCULATING SEED MIXTURES

(PLS - Pure Live Seed - What it is and How to use it)

J. Chris Hoag, Wetland Plant Ecologist, Aberdeen, Idaho Loren St. John, Team Leader, Aberdeen, Idaho Daniel G. Ogle, Plant Materials Specialist, Boise, Idaho



# Reading Seed Packaging Labels and Calculating Seed Mixtures (PLS - Pure Live Seed - What it is and How to Use It)

**J. Chris Hoag**, Wetland Plant Ecologist, PMC, Aberdeen, Idaho; **Loren St. John**, Team Leader, PMC, Aberdeen, Idaho; and **Dan Ogle**, Plant Materials Specialist, Boise, Idaho

### Introduction

Certified seed is the progeny of seed that has been handled to maintain genetic identity and purity and has been approved by a certifying agency. Certified seed should be your first choice for any seeding project. If Certified seed is not available, then try to obtain non-certified seed that may meet certification standards for purity, germination, weed seed, and noxious weed seed. Be extremely careful in choosing a particular seed lot to ensure that it meets quality standards.

Seed lots vary widely in quality. The key to getting the best quality is to look at the information on the seed tag. Law requires that each lot offered for sale must be truthfully labeled. This applies to a single species or a mixture, certified or non-certified.

The Federal Seed Act and State Seed laws dictate the information found on the seed tag (Figure 1). All state certification agencies comply with the minimum requirements and standards of the Association of Official Seed Certification Agencies (AOSCA). Additional information can vary slightly from state to state. If the seed is Certified, it will also have a certification tag (Figure 4) which establishes that the seed meets standards for each class of seed

| Species                      | A-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1 | Acc. No  |            |
|------------------------------|---|--|------------|
| Common NameYear Grown        |   |  |            |
| Weight                       |   | Origin   |            |
| Purity                       | %                                       | Germination  | %          |
| Other Crop Seeds             | %                                       | Hard Seeds   | %          |
|                              |   | Total Germination  |            |
| inert Matter                 | %                                       | ond Hord Seeds   | %          |
| Weed Seeds                   | %                                       | Date of Test   |            |
| Noxious Weed Seed            |   |  |            |
| This seed wo<br>U. S. Govern | s produced,<br>ment for                 | collected or purchased by thuse in conservation planting | ne<br>js   |
|                              |   | ENTER - SOIL CONSERVATION                                | ON SERVICE |

**Figure 1:** Example of a seed tag used at the USDA – Natural Resources Conservation Service, Plant Materials Center, Aberdeen, Idaho.

### INFORMATION FOUND ON A SEED TAG

- 1) Variety and kind (Species and Common name)
- 2) Lot number
- 3) Origin
- 4) Net weight
- 5) Percent pure seed
- 6) Percent germination (and date of test)
- 7) Percent inert matter
- 8) Percent other crop seed
- 9) Percent weed seeds
- 10) Name of restricted noxious seed (number per pound of seed)
- 11) Prohibited noxious seeds are not allowed.
- 12) Name and address of company responsible for analysis (seller)

Variety and kind (species and common name), lot number, origin, and net weight are all obtained from the grower, seed conditioner (seed cleaner), or seed dealer. The remaining information is obtained from the Seed Analysis Report (Figures 2 and 3), which is completed by an official seed laboratory (government or commercially run) authorized by the state Department of Agriculture.

The seed lab performs a number of tests on a representative sample from each lot submitted by state or certification officials, growers, seed conditioners, or seed dealers. The tests are conducted under controlled conditions based on the "Rules for Testing Seed adopted by the Association of Official Seed Analysts."

It is your right to receive a copy of the Seed Analysis Report, which will list all seeds found in the test sample. With the report in hand, you will be able to make a more informed decision on using a particular seed lot or which lot you want to seed.

### **Purity Test**

A purity test separates pure seed, inert matter, other crop seed, and weed seed.

**Purity:** Expresses the composition of the seed lot and its degree of contamination by unwanted components. Purity + inert matter + weed seed + other crop seed must add up to 100%.

**Inert Matter:** Includes dirt, plant parts, and certain types of damaged seeds. Most grass seed should contain no more than 15% inert matter. Even low percentages of inert matter containing pieces of stem or unthreshed seed clusters can block passage through a drill.

**Note:** Purity and inert matter of grass, forb, and shrub seed will vary by species.

**Other Crop Seeds:** Seeds of species normally grown for crops that occur in amounts of 5% or less. If the types of other crop seed are a concern, you may request a complete seed analysis report for the lot, which lists other crop species and the number of seeds per pound of each crop.

**Weed Seeds:** Total amount of common and restricted weed seed found in the lot.

**Note:** The number of noxious weed seeds per pound is listed separately.

### **Prohibited and Restricted Weeds**

During the purity test, the seed lot sample is examined for the presence of Restricted and Prohibited Noxious Weed seed. Each state has its own list of Prohibited and Restricted Noxious Weeds. Prohibited noxious weeds are not allowed in any lot of seed. Restricted noxious weeds are allowed in seed but the amount of weed seed is restricted. Prohibited and Restricted noxious weeds vary from state to state, but any seed lot must meet the regulations of the state where it is sold. These lists are assembled from input provided by seed growers, crop improvement associations, seed dealers, and others. They are part of each states' seed laws. They do not necessarily include weeds that every group considers noxious.

By the Federal Seed Act and state laws, seed lots can not be sold when they contain any prohibited noxious weed seeds. The analysis must indicate that no prohibited noxious weed seeds are present. Seed lots may contain only a small percentage of Restricted Noxious Weed seeds.

The name and number of seeds per pound of any restricted noxious weeds must be listed on the label. This means that any one of the weed seeds on the Restricted List can be included in a Certified seed lot up to the maximum number of seeds allowed by law. Each state requires similar information. The main differences are in the Prohibited and Restricted Weed lists from state to state.

You should identify your particular state's requirements so you know what you are legally entitled to or legally obligated to do. By law, seed that comes from a state that has less restrictive weed lists must meet the more restrictive requirements of the receiving state. Contact the State Department of Agriculture or the crop improvement association in your state for specific information.

### **Common Weeds**

"Common" weed seeds are those weeds that are not on the Prohibited or Restricted Noxious Weed lists. Common weed seed should not total more than 0.5% by weight. This will vary according to state seed laws.

The major problem with common weeds is that you don't know what they are because they are not listed on the tag. The only way you'll know what they are is from the <u>Seed Analysis Report</u>. In general, the fewer weed seeds the better. Some weeds are worse than others in pasture and rangeland plantings so use caution when purchasing seed with weed seed present. Even with only a few seeds per pound, you can have more than enough weed seed to infest thousands of acres.

### **Germination Test**

A germination test samples for total viability, including the sum of all seeds (of a "kind" listed on the label) actually germinating using standard laboratory methods + hard seed and/or dormant seed.

% Germination: A germination test determines the capability of a seed lot to produce normal seedlings under favorable controlled conditions. Total germination is the percent germination added to the percent hard and/or dormant seed. Anything under 100% total germination represents the presence of dead seed and/or seed that doesn't produce a shoot or root.

Germination may also be estimated by the use of a tetrazloium chloride test (TZ test) in which seeds are stained with a dye to determine viability. Viable seed with live (respirating) tissues will stain a red color. However, not all states recognize the use of a TZ test for all species.

**Dormant Seed:** Includes hard seed, refers to the portion of the seed sample that doesn't germinate during the seed test. Reasons for dormant seed are: 1) the seed coat is impervious to water, and/or 2) internal structures within the seed prohibit oxygen exchange. Hard seed may germinate at a later date and produce a viable plant, or it may germinate and succumb to competition, or it may never germinate at all.

The higher the germination percentage, the better. Germination of most grass species is normally above 80% and should not be lower than 60%. Germination of some native grasses, forbs, and shrubs may be lower, but can vary widely according to species.

Germination tends to decrease in all seed as it ages and some species loose germination more rapidly than other species, even under ideal seed storage conditions. For example, winterfat and forage kochia are noted for having a very short seed life and may be viable for only 1-2 years. Most species maintain germination at constant levels for several years and then slowly begin to decline as time passes. The rate of decline in germination varies widely between species as well as between seed lots of the same species.

The germination test date should be current due to the natural decline in germination over time. Grass, forb and legume seed should be updated every 9-18 months depending on state laws. Flower, shrub and tree seed should be updated every 9 months.

### **Certified Seed**

The use of Certified seed helps protect the buyer. It is of the best quality because it must meet specific standards of high genetic purity, germplasm identity, high germinating ability, and minimum amounts of other crop seed, weed seed, and inert matter. A clear understanding of certified seed standards for each individual state is critical in order to know what is in a particular lot of seed.

AOSCA recently published "Pre-Varietal Germplasm Certification Standards" for the certification of germplasm that have not been released as a cultivar (variety). These standards offer a reliable way for the seed industry to offer Certified seed of races or ecotypes to the buyer that still have genetic identity but have not gone through the extensive testing required for a varietal release. This means that seed of plants released under the alternative release procedures can be made available to the user in the field much faster. It also means that the full range of adaptation and many performance traits may not be fully known. These new alternative release procedures are now commonly being used for many native species. See Figure 4 for examples of the tags used for both varietal and pre-varietal certified seed.

### **Calculating Seed Mixtures**

All NRCS recommendations for calculating seed mixtures are expressed in pounds of Pure Live Seed (PLS). PLS is defined as the percentage of pure seed that will germinate expressed as a percentage of a given weight of seed and is a means of expressing seed quality. It provides a common basis for comparing seed lots that differ in purity and germination. It is also used to adjust seeding rates to achieve the desired stand. Seeding rates based on a PLS basis, will insure that the same amount of viable seed per acre will be planted even though quality of different seed lots and total amount of material (bulk) seeded per acre may vary considerably. The basic formula to calculate PLS is:

# PLS = percent purity X percent germination 100

The information necessary to complete this calculation is found on the seed tag or the Seed Analysis Report. An example of how to calculate PLS is:

'Goldar' bluebunch wheatgrass: Seed tag indicates this lot has 99.01% purity and 87% germination. The calculation would be:

PLS = 
$$\frac{(99.01) \times (87)}{100}$$
 PLS = 86.14 %

Once PLS is determined for the lot of seed, it can be used to compare the seed costs of two different priced lots of seed. For example, Dealer X has the same variety of alfalfa as Dealer Y, but it is \$0.20 cheaper than Dealer Y's seed. Which is a better deal? The way to calculate this is to use the following formula:

### Price per pound (PLS) = <u>price per pound bulk</u> percent PLS

Dealer Y's Alfalfa seed is selling for \$.90 per pound. The seed analysis report lists the purity as 99.5% and the germination as 90.0%. Dealer X's Alfalfa seed is selling for \$.70 per pound. The seed analysis report lists the purity as 93.0% and the germination as 60.0%. Using this information, the actual price per pound of Pure Live Seed is:

Dealer YBulk Price per pound (PLS) = 
$$\frac{\$.90}{0.895}$$
Bulk Price per pound (PLS) =  $\frac{\$.70}{0.558}$ Price per pound (PLS) =  $\$1.01$ Price per pound (PLS) =  $\$1.25$ 

From these calculations, it is easy to see that the posted price is not always the least price or the best buy.

### **Adjusting Seeding Rates**


In order to seed the recommended PLS seeding rate, the bulk rate of seeding needs to be determined. This is the rate at which the drill will be set. This rate will always be greater than the pure live seed rate. The formula to calculate the bulk seeding rate is:

### Pounds bulk seeding rate per acre = <u>pounds PLS recommended rate per acre</u> percent PLS

An example of how to use this formula is listed below. The NRCS recommended seeding rate for 'Hycrest' crested wheatgrass is 5 pounds PLS per acre. The PLS is calculated to be 80.0 %. The bulk rate needed to seed the recommended PLS rate is determined by:

Based on these calculations, the drill box setting on the planting drill would be as close to 6.25 pounds per acre as the model of drill will allow.

The Chart on the next page can be used to convert any Lot of Seed to the bulk equivalent based on purity and germination



### To Use the Chart

Locate the percent purity and percent germination from the seed lot on lines A and B.

Lay a straight edge between these two points.

The point of intersection with line C is the conversion factor for this lot of seed.

Example:
Purity 95% - line A
Germination 35% line
B

Conversion factor = 3.0 line C

It will take 3 pounds of this seed lot to equal 1 pound pure live seed (PLS).

If the PLS seeding rate is 5 lb./ac., then 5 x 3 = 15 lb./ac. would be the bulk seeding rate for this seed lot.

### **Seeding Rates for Mixtures**

Where a seed mix will be used, the percent of each species desired in the mixture needs to be determined. This calculation is (the percent desired in seed mix) X (pounds PLS recommended per acre)= Pounds PLS mix per acre.

An example: Of the desired seed mix, 85% will be 'Goldar' bluebunch wheatgrass. This lot of seed has a 90% PLS. The NRCS recommended seeding rate is 7 pounds PLS/acre. The remaining 15% of the mix is 'Delar' small burnet. This lot of seed has an 85% PLS. The NRCS recommended seeding rate is 20 pounds PLS/acre.

Next, determine the amount of bulk seed (mixed) per acre. This will use the same formula as explained above:

Goldar 
$$\frac{5.95 \text{ pounds PLS/acre}}{90\%} = 6.6 \text{ pounds bulk mixed/acre}$$

Finally, multiply the pounds of bulk seed per acre for each species by the acres to be seeded to obtain the total bulk seed required for the entire seeding project acreage.

### Recommendations

Use the information on the seed label and in the Seed Analysis Report to determine the quality of the seed you are purchasing. This will ensure that genetic identity and mechanical purity needed to help ensure a successful, weed-free, uniform seeding.

Purity and germination percentages found on the seed tag determine Pure Live Seed from which the bulk-seeding rate is calculated. The seed tag and Seed Analysis Report also will list the weeds including common, restricted noxious, and prohibited noxious found in the seed lot. Remember that weeds listed as common, restricted, and prohibited vary by state and no seed can be sold if it contains prohibited noxious weeds. Seed that is moved across state lines must meet the requirements of the state that is most restrictive. By monitoring the weed species in the lot, you can influence I what weeds are seeded in a planting.

The cheapest seed is not always the most economical. By comparing the purity and germination percentage between seed lots or mixes, you can see clearly which lots or mixes will produce the most potential seedlings after planting. All seeding recommendations are given in Pure Live Seed rates.

Refer to Idaho Plant Materials Technical Note No. 24 "Improved Grass, Grass-Like, Forb, Legume and Woody Species for the Intermountain West". Table 1 in the technical note provides PLS seeding rates recommended for Idaho and most other Intermountain West states. These rates must be converted into bulk seeding rates before seeding. The drill must also be calibrated based on bulk seeding rates, not Pure Live Seed rates. Always place your order to the seed

dealer as PLS seeding rate and check to make sure the dealer has mixed the seed as you specified.

#### References

- USDA Natural Resources Conservation Service, 1998. *Idaho Pure Seed Law and Rules and Regulations Pure Seed Law*. USDA NRCS Plant Materials Technical Note No. 21, Boise, ID. May 1998.
- Idaho Crop Improvement Association. 1998. *Idaho Rules of Certification*. Idaho Crop Improvement Association, Meridian, ID. March 1998. USDA NRCS Plant Materials Technical Note No. 22, Boise, ID. June 1998.
- Association of Official Seed Certifying Agencies. 1999. Genetic and Crop Standards Manual. Association of Official Seed Certifying Agencies, Boise, ID.
- Ogle, DG. 2002. *Improved Grass, Grass-like, Forb, Legume and Woody Species for the Intermountain West*. USDA NRCS Plant Materials Technical Note No. 24, Boise, ID. November 2002.

### **Additional Resources**

- Dickerson, J. and B. Wark. 1999. *Vegetating with Native Grasses in Northeastern North America*. USDA NRCS and DU, Syracuse, NY.
- Hoag, JC, SK Wyman, G Bentrup, DG Ogle, J Carleton, F Berg, and B Leinard. 2001. *Users Guide to Description, Propagation, and Establishment of Wetland Plants and Grasses for Riparian Areas in the Intermountain West.* USDA NRCS Idaho and Montana Technical Note 38, Boise, ID and Bozeman, MT, February 2001.
- Horton, H. et al. 1995. *Grass Seed Production Guide for Utah*. Utah State University Extension, Logan, UT.
- Ogle, DG and JC Hoag. 2000. *Stormwater Plant Materials, A Resource Guide*. City of Boise Public Works Department, Boise, ID. February 2000.
- USDA Natural Resources Conservation Service, 2000. *National Plant Materials Manual, Third Edition*. USDA Natural Resources Conservation Service, Beltsville, MD. June 2000.
- Stevens, R, KR Jorgensen, SA Young, and SB Monsen. 1996. Forb and Shrub Seed Production Guide for Utah. Utah State University Extension, Logan, UT. December 1996.
- Smith, R. and S. Smith. Native Grass Seed Production Manual. USDA-NRCS, Ducks

### Unlimited Canada. 1996.

The United States Department of Agriculture (USDA) prohibits discrimination in all its programs on the basis of race, color, national origin, gender, religion, age, disability, political beliefs, sexual orientation, and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape) should contact USDA's TARGET center at 202-720-2600 (voice and TDD).


To file a complaint, write the USDA, Director, Office of Civil Rights, Room 326W, Whitten Building, 14<sup>th</sup> and Independence Avenues, SW, Washington, D.C. 20250-9410 or call (202) 720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

|  | ID.   | Ahu S                   | TATE<br>0 Kellogg L | .D                     | r OF AGRICU<br>LABOF<br>, Idaho 8371<br>368 | RATOR                    | 6789107              | IAM REPORT            | XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX | K XLXXX K XXXXXXX<br>K XLXXX K XXXXXXX |
|--|---|-------------------------|---------------------|------------------------|---|--------------------------|----------------------|-----------------------|--|--|
| 96-08536   | Date Received<br>03/05/96   | Date Reported<br>04/01/ | 96                  | Sampler                | /8  | \$ \sqrt{1}              | R Sample F           | Received From         | ials Center                            |  |
| PMC-95-2-B-10 BIN 10   | Sender's Identification<br>Bluebunch wheatqr                                      | ass. Goldar             | •                   | L                      | (8  | 6 6                      | 1897                 | SN AS 60<br>bunda Nun |  |  |
| ower Name and Number   |   |                         |                     | Container              | /   | is 1                     | Pounds               | - K                   |  |  |
| то   |   |                         |                     |                        |   | 128                      | 777.73               | TEST REC              | UESTED                                 |  |
| Sa<br>Bo   | lant Materials Center<br>vil Conservation Serv<br>ox 296<br>verdeen, ID 83210-029 | ice                     |                     |                        |   |                          | PURITY<br>IDAHO NOXI |                       | GERMINATION                            |  |
|  |   |                         | TEST                | RESU                   | LTS   |                          | 2.7.9                |                       |  |  |
| KIND OF SEED   |   | Purity Based On         |                     | 7.0000 Grams           |   | Germination Based On 400 |                      |                       | Seeds Date of Germination 04/01/96     |  |
| Bluebunch wheatgrass<br>(Pseudoroegneria spicata)<br>Goldar              |   | %<br>Pure Seed          | %<br>Other Crop     | %<br>Inert Matter      | %<br>Weed Seed                              | %<br>Germ                | %<br>Hard Seed       | %<br>Dormant Seed     | %<br>Tetrazolium                       | %<br>Hard See                          |
|  |   | 95.75                   | 0.11                | 3.88                   | 0.26  | 77                       | 0                    |                       |  |  |
| CONTAINS   | Stems, Chaff SEEDS  | No. Pe<br>Pound         |                     |                        | V   | VEED SE                  | EDS                  |                       | No. Per<br>Pound                       | % By<br>Weight                         |
| 0.3 4 111 .  |   | 130                     |                     |                        |   |                          |                      |                       | 130                                    |  |
| Slender Wheatgrass<br>Elymus trachycaulus                                |   |                         |                     | De                     | weed<br>scurainia:                          |                          | phia                 |                       |  |  |
|  |   |                         |                     |                        | low salsify<br>agopogon p                   |                          |                      | 65                    |  |  |
|  |   |                         |                     |                        | y brome<br>omus tecto                       | rum L.                   |                      | 194                   |  |  |
|  |   |                         |                     | Vervain<br>Verbena sp. |   |                          |                      | -                     | 518                                    |  |
|  |   |                         |                     | ***                    | IDAHO NOX<br>None foun                      |                          |                      | 74.56                 | GRAMS EXAMIN                           | ED ***                                 |
| EMARKS.  |   |                         |                     |                        |   |                          |                      |                       |  |  |
| EMARKS:<br>est results indi<br>s <u>Foundation</u> .<br>CIA will determi |   |                         |                     |                        | oles.                                       | Richa                    | erd C. Low           | son, Criel            | & Control                              | <b>-</b>                               |
|  | port is based upon the sai  |                         |                     |                        |   |                          |                      |                       |  |  |

**Figure 2**: Example of a Seed Analysis Report issued by the State Of Idaho Department of Agriculture, Idaho State Seed Laboratory for 'Goldar' bluebunch wheatgrass. Note common weed seeds listed with the number of seeds per pound found.

| j   | ID/  | Ał. J S         | TATE<br>Kellogg La | ED I   | OF AGRICUI<br>LABOR<br>Idaho 8371<br>368   | ATO                  | -                                     | INAL REPORT       | Go<br>XX <b>RICHA</b> R<br>XX <i>Q!</i> | D. ANDRUS<br>evernor<br>IDXRI.RUSH<br>rectory |  |  |
|---|--|-----------------|--------------------|--|--|----------------------|---------------------------------------|-------------------|---|---|--|--|
| est Number<br>90~08524  |  |                 |                    |  | Sampler  |                      |                                       |                   | Sample Received As UNCERTIFIED          |   |  |  |
| ot<br>SFP-BL-B-6 BIN 6  | Sender's Identification Indian Ricegrass,  | Nezpar, B1      | end                |  |  |                      | Class                                 |                   |   |   |  |  |
| rower Name and Number   |  |                 |                    | Container                                    |  |                      |                                       | Pounds            |   |   |  |  |
| TO  |  |                 |                    |  |  |                      | TEST REQUESTED                        |                   |   |   |  |  |
| Variation of the second of th | Plant Naterials Center<br>Boil Conservation Serv<br>Box AN<br>Aberdeen, ID 83210 |                 |                    |  |  |                      | PURITY<br>IDAHO MOXI                  |                   | ETRAZOLIUM<br>,                         |   |  |  |
|   |  |                 | TEST               | RESU   | LTS  |                      |                                       |                   | <u>*</u>                                |   |  |  |
| KIND OI   | SEED   | Purity Based On |                    | 7.0000 Grams                                 |  | Germination Based On |                                       | On                | Date of Germination<br>Seeds            |   |  |  |
|   |  | %<br>Pure Seed  | %<br>Other Crop    | %<br>Inert Matter                            | %<br>Weed Seed   | %<br>Germ            | %<br>Hard Seed                        | %<br>Dormant Seed | %<br>Tetrazolium                        | %<br>Hard Seed                                |  |  |
| Indian Ricegrass<br>(Oryzopsis hymenoides)  |  | 93.89           | 0.00               | 5.74   | 0.37   |                      |                                       |                   | 97                                      | 0   |  |  |
|   |  |                 | 1 100 W            |  |  | -11.<br>             | - <u></u>                             |                   |   |   |  |  |
| INERT MATTER Brake  | n Seed, Stones, Stems  |                 | <i>3</i>           | : •  |  |                      |                                       |                   |   |   |  |  |
| CRO   | i i  |                 | er % B<br>d Weig   | By WEED SEED                                 |  |                      | EEDS                                  | DS No. Po         |   | % By<br>Weight                                |  |  |
|   |  |                 |                    | C<br>Mal<br>M<br>Wit<br>P<br>Bar<br>E<br>Dec | tard, Blue horispora to low, Common alva neglec chgrass anicum capinyardgrass chinochloak, Curly lumex crisp | illare .<br>crusgall | · · · · · · · · · · · · · · · · · · · |                   | 648<br>259<br>65<br>194                 |   |  |  |
|   |  | i               |                    |  |  | KIBUS **             | *                                     | 70.55             | GRAMS EXAM                              | (HED ***                                      |  |  |
| * -   | <b>\$</b> ;<br>5;<br>5;  |                 |                    | Cre  | : IDAHO NO:<br>ess, Hoary<br>Cardaria ar   |                      | ; ·                                   |                   | 6                                       |   |  |  |
| REMARKS: Fencty TZ Germ Jotel   | - 13.50<br>- 20.00<br>- 33.50  |                 |                    | Cre  | ss, Hoary  |                      | Push                                  | C. Lawca          | C. Law                                  |   |  |  |

**Figure 3**: Example of a Seed Analysis Report issued by the State Of Idaho Department of Agriculture, Idaho State Seed Laboratory for 'Nezpar' Indian ricegrass. Note common weed seeds and one noxious weed species detailed on the Sheet.



FOUNDATION TAG – WHITE

MEMBER OF ASSOCIATION OF OFFICIAL SEED CERTIFYING AGENCIES

REGISTERED TAG – PURPLE

CERTIFIED TAG – BLUE

TESTED CLASS TAG - BLUE

SELECTED CLASS TAG - GREEN

SOURCE IDENTIFIED TAG – GOLD

**Figure 4:** Examples of different certification tags that can be found on a seed bag. These certification tags will be in addition to the actual seed tag that lists the purity, germination percentage, variety, lot number, origin, net weight, percent inert matter, weed seed, noxious weed seed and the seller's name and address.