



## CONSERVATION ENHANCEMENT ACTIVITY

### E328B

# CONSERVATION STEWARDSHIP PROGRAM

## Improved resource conserving crop rotation

### Conservation Practice 328: Conservation Crop Rotation

**APPLICABLE LAND USE:** Crop (Annual & Mixed)

**RESOURCE CONCERNS:** Soil; Plants

**ENHANCEMENT LIFE SPAN:** 1 year

### Enhancement Description

Improve an existing Resource Conserving Crop Rotation. Must enrich an existing rotation which already includes AT LEAST one resource conserving crop as determined by the State Conservationist in a minimum three-year crop rotation. The crop rotation will reduce soil erosion (water and wind), improve soil health, improve soil moisture efficiency, and reduce plant pest pressures.

### Criteria

- Crops shall be grown in a planned sequence. The crop rotation shall include a minimum of two different crops in a minimum three-year crop rotation. Rotation must include AT LEAST one resource conserving crop (refer to State Specific List of Resource Conserving Crops). For purposes of these criteria a cover crop is considered a different crop.
- Crop rotation must produce a positive trend in the Organic Matter (OM) subfactor value, as determined by the Soil Conditioning Index (SCI) calculated using current NRCS wind and water erosion prediction technologies. (management SCI value)
- Design the crop sequence to provide sufficient diversity in plant family and species as well as timing and type of field operations to suppress the pest(s) of concern, which

E328B - Improved resource conserving crop rotation	July 2019	Page   1
--	-----------	----------



## CONSERVATION STEWARDSHIP PROGRAM

may include weeds, insects, and pathogens. Use land grant university or industry standards to determine a suitable crop sequence.

- Select crops, varieties of crops, and the sequences of crops based on local climate patterns, soil conditions, irrigation water availability, and an approved water balance procedure.
- Where applicable, plan suitable crop substitutions when the planned crop cannot be planted due to weather, soil conditions, or other local situations.
- The improved resource conserving crop rotation shall include at least one of the following (refer to State Specific List of Resource Conserving Crops):
  - Additional growing year for perennial resource conserving crop
  - Perennial resource conserving crop (grass or grass/legume) substituted for a row crop
  - If current perennial resource conserving crop is a legume, change to a perennial grass or grass/legume crop



# CONSERVATION STEWARDSHIP PROGRAM

## Documentation and Implementation Requirements

Participant will:

- Prior to implementation, provide NRCS with the planned crop rotation and tillage operation(s) used for each crop. Note all improvements to the existing Resource Conserving Crop Rotation.

Field	Acres	Planned Crops (in sequence)	Length of Crop Rotation (years)

Field	Crop	Field Operation	Timing of Field Operation (month/year)

- During implementation, notify NRCS of any planned changes in crops, crop rotation, or field operations to verify the planned system meets the enhancement criteria.
- After implementation, if changes to the rotation were made, complete the tables above to document the applied Conservation Crop Rotation for the contract period and provide to NRCS.

NRCS will:

- As needed, provide technical assistance in selecting crop rotations or substitute crops that would meet the criteria of the enhancement.
- Prior to implementation, verify that the crop rotation includes at least two different crops in a minimum three-year crop rotation.



# CONSERVATION STEWARDSHIP PROGRAM

- Prior to implementation, verify the crop rotation includes at least one resource conserving crop (refer to State Specific List of Resource Conserving Crops).
- Prior to implementation, verify the planned crop rotation improves the current Resource Conserving Crop Rotation.
- Prior to implementation, use information provided from the participant to calculate the management Soil Conditioning Index (SCI) value using current NRCS wind and water erosion prediction technologies. Crop rotation must produce a positive trend in the Organic Matter (OM) subfactor value. **Management SCI Value = \_\_\_\_\_ OM subfactor value = \_\_\_\_\_**
- During implementation, evaluate planned changes in crops, crop rotation, or field operations to verify the planned system meets the enhancement criteria.
- After implementation, if the applied crop rotation is different than the planned crop rotation, use information provided from the participant to calculate SCI value to document that the applied rotation met the enhancement criteria. **Management SCI Value = \_\_\_\_\_ OM subfactor value = \_\_\_\_\_**

### NRCS Documentation Review:

I have reviewed all required participant documentation and have determined the participant has implemented the enhancement and met all criteria and requirements.

Participant Name \_\_\_\_\_ Contract Number \_\_\_\_\_

Total Amount Applied \_\_\_\_\_ Fiscal Year Completed \_\_\_\_\_

\_\_\_\_\_  
NRCS Technical Adequacy Signature

\_\_\_\_\_  
Date

E328B - Improved resource conserving crop rotation	July 2019	Page   4
--	-----------	----------



**IOWA SUPPLEMENT TO  
CONSERVATION ENHANCEMENT ACTIVITY**

**CONSERVATION  
STEWARDSHIP  
PROGRAM**

**E328B**

Improved resource conserving crop rotation

**Additional Criteria for Iowa**

- NOTE: This enhancement requires adding at least one year of perennial forage to existing Resource Conserving Crop Rotation or adding grass to an existing legume only resource conserving crop.
- State list of Resource Conserving Crop
  - Any perennial crop (Example - Alfalfa, Bromegrass, Orchard grass)
  - Any short term (2+ years) perennial or biennial (Example - Red Clover, Sweet Clover)
  - Small grains harvested for grain with green manure or cover crop are considered an existing resource conserving crop but cannot be used in this enhancement to extend the crop rotation.
- Perennial/biennial crops may be grazed.