



CONSERVATION ENHANCEMENT ACTIVITY

E340C

CONSERVATION STEWARDSHIP PROGRAM

Use of multi-species cover crop to improve soil health and increase soil organic matter

Conservation Practice 340: Cover Crop

APPLICABLE LAND USE: Crop (Annual & Mixed); Crop (Perennial)

RESOURCE CONCERN: Soil

ENHANCEMENT LIFE SPAN: 1 Year

Enhancement Description

Implement a multi-species cover crop to add diversity and increase biomass production to improve soil health and increase soil organic matter. Cover crop mix must include a minimum of 4 different species. The cover crop mix will increase diversity of the crop rotation by including crop types currently missing, e.g. Cool Season Grass (CSG), Cool Season Broadleaves (CSB), Warm Season Grasses (WSG), Warm Season Broadleaves (WSB).

Criteria

- Plant species, seedbed preparation, seeding rates, seeding dates, seeding depths, fertility requirements, and planting methods will be consistent with applicable local criteria and soil/site conditions (**REFER TO STATE SPECIFIC LISTS**).
- Determine the method and timing of termination to meet the grower's objective and the current NRCS Cover Crop Termination Guidelines.
- Select species that are compatible with other components of the cropping system.
- Ensure herbicides used with crops are compatible with cover crop selections.

E340C - Use of multi-species cover crop to improve soil health and increase soil organic matter	July 2019	Page 1
---	-----------	----------



CONSERVATION STEWARDSHIP PROGRAM

- Cover crops may be established between successive production crops, or companion-planted or relay-planted into production crops. Select species and planting dates that will not compete with the production crop yield or harvest.
- Do not burn cover crop residue.
- Do not harvest the cover crop.
- If the specific rhizobium bacteria for the selected legume are not present in the soil, treat the seed with the appropriate inoculum at the time of planting.
- Cover crop must provide soil coverage during all non-crop production periods to the maximum extent possible considering the cropping system, climate, and soils in the annual crop rotation. **(STATES SHALL PREPARE GUIDANCE FOR THEIR LOCAL CLIMATES AND CROPPING SYSTEMS)**
- The crop rotation, to include the cover crop species, shall consist of the four crop types: Cool Season Grass (CSG), Cool Season Broadleaves (CSB), Warm Season Grasses (WSG), and Warm Season Broadleaves (WSB). The multi-species cover crop mix must include at least 4 different species, of those 4 species at least two of them must be from one or more of the crop types needed to fill in the missing crop types in the crop rotation. The cover crop mix will increase diversity of the crop rotation.
- Planned crop rotation including cover crops, biomass produced, and associated management activities must achieve a management soil conditioning index (SCI) of zero or higher and results in a positive trend in the Organic Matter (OM) subfactor value over the life of the rotation.

Additional criteria when livestock are included in the system:

Cover Crops may only be grazed in a manner that retains or enhances the purpose of increasing soil organic matter.

- A grazing plan must be developed to document livestock management. Plan must include at a minimum a forage estimate and livestock inventory for all fields implementing this

E340C - Use of multi-species cover crop to improve soil health and increase soil organic matter	July 2019	Page 2
---	-----------	----------



enhancement that will be grazed. For soil health benefits, utilization by livestock must be less than 50% of available cover crop forage.

CONSERVATION STEWARDSHIP PROGRAM

- Before cover crops are grazed, they must have produced enough biomass to allow for grazing while maintaining soil health benefits. Cover crops that are planted in late fall will not typically be well enough established, however if stands are adequate cover crops may be grazed in the spring prior to termination.
- Different cover crop species have varying tolerances to grazing; this should be taken into consideration when developing cover crop seeding specifications.
- Grazing shall not occur during wet soil conditions.
- Some pesticides have restrictions on grazing following application (up to 18 months). Refer to pesticide labels.

E340C - Use of multi-species cover crop to improve soil health and increase soil organic matter	July 2019	Page 3
---	-----------	----------



CONSERVATION STEWARDSHIP PROGRAM

Documentation and Implementation Requirements

Participant will:

- Prior to implementation, provide NRCS with the current and planned crop rotation and field operation(s) used for each crop.

Current Management Rotation

Field	Planned Crops/Cover Crop (in sequence)	Planting Date	Harvest/Termination Date

Current Field Operations for each crop

Field	Crop	Field Operation	Timing of Field Operation (month/year)

Planned Management Rotation Including Cover Crop

Field	Planned Crops/Cover Crop (in sequence)	Planting Date	Harvest/Termination Date



CONSERVATION STEWARDSHIP PROGRAM

- Prior to implementation, read and follow current [NRCS Cover Crop Termination Guidelines](#).
- Prior to implementation, if livestock are included in the system consider cover crop species tolerant to grazing.
- Prior to implementation, if livestock are included in the system develop a grazing plan which must document livestock management. Plan must include at a minimum a forage estimate and livestock inventory for all fields implementing this enhancement that will be grazed. For soil health benefits, utilization by livestock must be less than 50% of available cover crop forage.
- During implementation, cover crops must not be burned or harvested.
- During implementation, if livestock are included in the system maintain records of forage utilization.
- During implementation, notify NRCS of any planned changes in crops, crop rotation, or unharvested areas to verify the planned system meets the enhancement criteria.
- After implementation, if changes to the cover crop and crop rotation were made, complete the tables above to document the applied Cover Crop for the contract period and provide to NRCS.
- After implementation, if livestock are included in the system provide grazing plan and forage utilization records to NRCS for review to verify additional criteria of the enhancement were met.

NRCS will:

- As needed, provide technical assistance in selecting cover crop mixes for the crop rotations or substitute species that would meet the criteria of the enhancement.
- As needed, provide additional assistance to the participant as requested.
- Prior to implementation, provide and explain the current [NRCS Cover Crop Termination Guidelines](#).
- Prior to implementation, use information provided from the participant to calculate the management Soil Conditioning Index (SCI) and Organic Matter (OM) sub factor value over the life of the rotation using current NRCS Soil Conditioning Index (SCI) procedure. Cover crop must increase SCI and OM sub factor from the current/benchmark condition and SCI

E340C - Use of multi-species cover crop to improve soil health and increase soil organic matter	July 2019	Page 6
---	-----------	----------



CONSERVATION STEWARDSHIP PROGRAM

Planned Field Operations for each crop

Field	Crop	Field Operation	Timing of Field Operation (month/year)

Cover Crop Mix (minimum of 4 species and 2 different crop types) and Seeding Rate

Species	Variety	Seed Size	Typical Seeding Depth	Seeding Rate (PLS lbs/acre)	Percent of Mix (%)	Crop Type (CSG, CSB, WSG, WSB)

Establishment and Management Considerations:

Task	Provide information and details
Seedbed Preparation	
Seeding Date	
Seeding Depth	
Seeding Method	
Fertilizer, as needed	
Weed Management, as needed	
Termination Date (window)	
Termination Method	
Grazing Management, as needed	



CONSERVATION STEWARDSHIP PROGRAM

value must be 0 or greater and have a positive trend in OM sub factor over the life of the rotation.

Benchmark Management SCI = _____, Benchmark Management OM sub factor = _____

Planned Management SCI = _____, Planned Management OM sub factor = _____

- Prior to implementation, if livestock are included in the system verify a grazing plan has been developed.
- During implementation, evaluate planned adjustments in cover crop selected, timing in crop rotation, management, or field operations to verify the new system meets the enhancement criteria.
- After implementation, evaluate the applied crop rotation or management using information provided from the participant, if any variation to planned evaluation, then calculate SCI values to document that the applied rotation met the enhancement criteria.

Applied Management SCI = _____, Applied Management OM sub factor = _____

- After implementation, if livestock are included in the system review grazing plan and forage utilization records to verify additional criteria of the enhancement were met.

NRCS Documentation Review:

I have reviewed all required participant documentation and have determined the participant has implemented the enhancement and met all criteria and requirements.

Participant Name _____ Contract Number _____

Total Amount Applied _____ Fiscal Year Completed _____

NRCS Technical Adequacy Signature Date

E340C - Use of multi-species cover crop to improve soil health and increase soil organic matter	July 2019	Page 7
---	-----------	----------



**IOWA SUPPLEMENT TO
CONSERVATION ENHANCEMENT ACTIVITY**

**CONSERVATION
STEWARDSHIP
PROGRAM**

E340C

Use of multi-species cover crop to improve soil health and increase soil organic matter

Additional Criteria for Iowa

- State list of approved Cover Crop species, seeding rate, seeding dates, seeding depths and planting methods for increasing soil health and OM can be found in the current 340 Iowa Implementation Requirements for Cover Crops.
- In the 340 Iowa Implementation Requirement, cool season broadleaf and cool season legume are listed as separate categories of cover crops. For this enhancement both are considered cool season broadleaf for the requirement of four crop types in this enhancement.
- Mixes may be developed using the Midwest Cover Crops Council Cover Crop Decision Tool for Iowa <http://mccc.msu.edu/selector-tool/>. Filter the list of potential cover crops for your county by selecting the first goal as soil builder.
- At least 50% of the seeding mix must be winter hardy cover crop species.
- The cover crop mix can be planted up to one week after the harvest of the previous crop and can only be terminated no more than two weeks prior to expected planting date for the following crop.