

Code	Practice	Component	Units	Unit Cost	Cost Share	Cost Type
	Lined Waterway or Outlet	HU-Concrete Block	SqFt	4.8800	100 %	PR
468	Lined Waterway or Outlet	HU-Concrete	SqFt	4.2200	100 %	PR
468	Lined Waterway or Outlet	HU-Rock Lined - 12 inch	SqFt	3.0500	100 %	PR
468	Lined Waterway or Outlet	Turf Reinforced Matting	SqFt	0.9100	100 %	PR
468	Lined Waterway or Outlet	Concrete Block	SqFt	4.0700	100 %	PR
468	Lined Waterway or Outlet	Coronavirus Agricultural Relief Payment (CARP)	No	1.0000	100 %	PR
468	Lined Waterway or Outlet	HU-Synthetic Membrane	SqFt	6.7700	100 %	PR
468	Lined Waterway or Outlet	HU-Coronavirus Agricultural Relief Payment (CARP)	No	1.0000	100 %	PR
468	Lined Waterway or Outlet	Concrete	SqFt	3.5200	100 %	PR
468	Lined Waterway or Outlet	Synthetic Membrane	SqFt	5.6400	100 %	PR
472	Access Control	USVI Trails/Roads Access Control	Ea	290.6100	100 %	PR
472	Access Control	HU-Forest/Farm Access Control	Ea	29.2700	100 %	PR
472	Access Control	HU-Trails/Roads Access Control	Ea	309.1400	100 %	PR
472	Access Control	Trails/Roads Access Control	Ea	257.6200	100 %	PR
472	Access Control	HU-USVI Forest/Farm Access Control	Ea	32.7600	100 %	PR
472	Access Control	Forest/Farm Access Control	Ea	24.3900	100 %	PR
472	Access Control	USVI Forest/Farm Access Control	Ea	27.3000	100 %	PR
472	Access Control	HU-USVI Trails/Roads Access Control	Ea	348.7300	100 %	PR
484	Mulching	Synthetic Material (Biodegradable)	Ac	1,263.3500	100 %	PR
484	Mulching	HU-Natural Material - Full Coverage	Ac	492.1700	100 %	PR
484	Mulching	HU-Erosion Control Blanket	SqFt	0.1800	100 %	PR
484	Mulching	Erosion Control Blanket	SqFt	0.1500	100 %	PR
484	Mulching	Natural Material - Partial Coverage	Ac	41.0100	100 %	PR
484	Mulching	HU-Synthetic Material (Biodegradable)	Ac	1,516.0100	100 %	PR
484	Mulching	Natural Material - Full Coverage	Ac	410.1500	100 %	PR
484	Mulching	HU-Natural Material - Partial Coverage	Ac	49.2200	100 %	PR
490	Tree/Shrub Site Preparation	USVI Hand site preparation	Ac	76.4800	100 %	PR
490	Tree/Shrub Site Preparation	HU-USVI Hand site preparation	Ac	91.7700	100 %	PR
490	Tree/Shrub Site Preparation	HU-Hand site preparation	Ac	83.3800	100 %	PR
490	Tree/Shrub Site Preparation	USVI Chemical - Hand Application	Ac	84.5900	100 %	PR
490	Tree/Shrub Site Preparation	Hand site preparation	Ac	69.4900	100 %	PR
490	Tree/Shrub Site Preparation	Chemical - Hand Application	Ac	77.5900	100 %	PR
490	Tree/Shrub Site Preparation	HU-Chemical - Hand Application	Ac	93.1100	100 %	PR
490	Tree/Shrub Site Preparation	HU-USVI Chemical - Hand Application	Ac	101.5000	100 %	PR
500	Obstruction Removal	HU-Removal and Disposal of Brush and Trees > 6 inch Diameter	Ac	2,191.2400	100 %	PR
500	Obstruction Removal	HU-Removal and Disposal of Steel and or Concrete Structures	SqFt	12.2400	100 %	PR
500	Obstruction Removal	Removal and Disposal of Brush and Trees > 6 inch Diameter	Ac	1,826.0300	100 %	PR
500	Obstruction Removal	Removal and Disposal of Steel and or Concrete Structures	SqFt	10.2000	100 %	PR
500	Obstruction Removal	Removal and Disposal of Brush and Trees < 6 inch Diameter	Ac	900.7900	100 %	PR
500	Obstruction Removal	HU-Removal and Disposal of Wood Structures	SqFt	6.5800	100 %	PR
500	Obstruction Removal	HU-Removal and Disposal of Brush and Trees < 6 inch Diameter	Ac	1,080.9400	100 %	PR
500	Obstruction Removal	Removal and Disposal of Wood Structures	SqFt	5.4800	100 %	PR
511	Forage Harvest Management	Improved Forage Quality	Ac	9.7800	100 %	PR
511	Forage Harvest Management	Organic Preemptive Harvest	Ac	21.6900	100 %	PR
511	Forage Harvest Management	HU-Organic Preemptive Harvest	Ac	26.0200	100 %	PR
511	Forage Harvest Management	HU-Improved Forage Quality	Ac	11.7400	100 %	PR
512	Pasture and Hay Planting	HU-USVI Grass Establishment-Sprigging	Ac	341.5800	100 %	PR
512	Pasture and Hay Planting	HU-USVI Seedbed Prep. Seed & Seeding-Introduced Perennial Warm Season Grasses.	Ac	333.8100	100 %	PR
512	Pasture and Hay Planting	USVI Grass Establishment-Sprigging	Ac	284.6500	100 %	PR
512	Pasture and Hay Planting	HU-Grass Establishment-Sprigging	Ac	307.7900	100 %	PR
512	Pasture and Hay Planting	USVI Seedbed Prep. Seed & Seeding-Introduced Perennial Warm Season Grasses.	Ac	278.1800	100 %	PR
512	Pasture and Hay Planting	Grass Establishment-Sprigging	Ac	256.4900	100 %	PR
512	Pasture and Hay Planting	Seedbed Prep. Seed & Seeding-Introduced Perennial Warm Season Grasses.	Ac	251.9800	100 %	PR
512	Pasture and Hay Planting	HU-Seedbed Prep. Seed & Seeding-Introduced Perennial Warm Season Grasses.	Ac	302.3700	100 %	PR
516	Livestock Pipeline	USVI-PVC pipeline 1 inch	Ft	2.0800	100 %	PR
516	Livestock Pipeline	HU-USVI-PVC pipeline 1 /2 inch	Ft	1.9000	100 %	PR
516	Livestock Pipeline	HU-Coronavirus Agricultural Relief Payment (CARP)	No	1.0000	100 %	PR
516	Livestock Pipeline	USVI-PVC pipeline 1-1/2 inch	Ft	2.3400	100 %	PR
516	Livestock Pipeline	PVC pipeline 2 inch	Ft	2.3900	100 %	PR

Code	Practice	Component	Units	Unit Cost	Cost Share	Cost Type
516	Livestock Pipeline	PVC pipeline 1 /2 inch	Ft	1.4500	100 %	PR
516	Livestock Pipeline	HU-USVI-PVC pipeline 3 / 4 inch	Ft	2.0100	100 %	PR
516	Livestock Pipeline	PVC pipeline 1-1/2 inch	Ft	2.1300	100 %	PR
516	Livestock Pipeline	Coronavirus Agricultural Relief Payment (CARP)	No	1.0000	100 %	PR
516	Livestock Pipeline	HU-PVC pipeline 1 /2 inch	Ft	1.7400	100 %	PR
516	Livestock Pipeline	USVI-PVC pipeline 3 / 4 inch	Ft	1.6800	100 %	PR
516	Livestock Pipeline	HU-PVC pipeline 1 inch	Ft	2.2800	100 %	PR
516	Livestock Pipeline	HU-USVI-PVC pipeline 1-1/2 inch	Ft	2.8100	100 %	PR
516	Livestock Pipeline	HU-PVC pipeline 2 inch	Ft	2.8700	100 %	PR
516	Livestock Pipeline	HU-PVC pipeline 1-1/2 inch	Ft	2.5500	100 %	PR
516	Livestock Pipeline	PVC pipeline 1 inch	Ft	1.9000	100 %	PR
516	Livestock Pipeline	HU-PVC pipeline 3 / 4 inch	Ft	1.8400	100 %	PR
516	Livestock Pipeline	PVC pipeline 3 / 4 inch	Ft	1.5400	100 %	PR
516	Livestock Pipeline	USVI-PVC pipeline 2 inch	Ft	2.6300	100 %	PR
516	Livestock Pipeline	HU-USVI-PVC pipeline 1 inch	Ft	2.4900	100 %	PR
516	Livestock Pipeline	USVI-PVC pipeline 1 /2 inch	Ft	1.5900	100 %	PR
516	Livestock Pipeline	HU-USVI-PVC pipeline 2 inch	Ft	3.1600	100 %	PR
521A	Pond Sealing or Lining, Flexible Membrane	HU-Flexible Membrane - Uncovered without liner drainage or venting	SqYd	9.4400	100 %	PR
521A	Pond Sealing or Lining, Flexible Membrane	HU-Flexible Membrane - Covered without liner drainage or venting	SqYd	10.6300	100 %	PR
521A	Pond Sealing or Lining, Flexible Membrane	Flexible Membrane - Uncovered without liner drainage or venting	SqYd	7.8600	100 %	PR
521A	Pond Sealing or Lining, Flexible Membrane	Flexible Membrane - Covered without liner drainage or venting	SqYd	8.8500	100 %	PR
528	Prescribed Grazing	HU-Pasture Standard	Ac	10.8500	100 %	PR
528	Prescribed Grazing	Pasture Standard	Ac	9.0400	100 %	PR
533	Pumping Plant	Tractor Power Take Off (PTO) Pump	BHP	163.9800	100 %	PR
533	Pumping Plant	USVI-Tractor Power Take Off (PTO) Pump	BHP	179.2400	100 %	PR
533	Pumping Plant	Internal Combustion-Powered Pump > 7½ to 50 HP	HP	614.1100	100 %	PR
533	Pumping Plant	HU-USVI-Variable Frequency Drive	HP	248.5200	100 %	PR
533	Pumping Plant	USVI-Internal Combustion-Powered Pump = 7½ HP	HP	706.7000	100 %	PR
533	Pumping Plant	USVI-Electric-Powered Pump = 3 Hp	HP	1,155.8700	100 %	PR
533	Pumping Plant	Variable Frequency Drive	HP	190.1000	100 %	PR
533	Pumping Plant	HU-USVI-Electric-Powered Pump = 3 Hp	HP	1,387.0400	100 %	PR
533	Pumping Plant	HU-USVI-Internal Combustion-Powered Pump > 7½ to 50 HP	HP	806.9800	100 %	PR
533	Pumping Plant	Photovoltaic-Powered Pump	BHP	6,839.6800	100 %	PR
533	Pumping Plant	HU-USVI-Internal Combustion-Powered Pump = 7½ HP	HP	848.0400	100 %	PR
533	Pumping Plant	HU-Variable Frequency Drive	HP	228.1200	100 %	PR
533	Pumping Plant	Water Ram Pump	In	423.8900	100 %	PR
533	Pumping Plant	HU-Electric-Powered Pump >3 to 10 HP	HP	604.7300	100 %	PR
533	Pumping Plant	HU-Photovoltaic-Powered Pump	BHP	8,207.6200	100 %	PR
533	Pumping Plant	Electric-Powered Pump - 3 HP	HP	1,055.6100	100 %	PR
533	Pumping Plant	USVI-Water Ram Pump	In	465.3000	100 %	PR
533	Pumping Plant	Electric-Powered Pump >3 to 10 HP	HP	503.9400	100 %	PR
533	Pumping Plant	HU-Water Ram Pump	In	508.6600	100 %	PR
533	Pumping Plant	HU-USVI-Electric-Powered Pump >10 to 40 HP	HP	451.2500	100 %	PR
533	Pumping Plant	HU-USVI-Electric-Powered Pump >3 to 10 HP	HP	661.3800	100 %	PR
533	Pumping Plant	USVI-Variable Frequency Drive	HP	207.1000	100 %	PR
533	Pumping Plant	Electric-Powered Pump >10 to 40 HP	HP	342.4700	100 %	PR
533	Pumping Plant	USVI-Internal Combustion-Powered Pump > 7½ to 50 HP	HP	672.4900	100 %	PR
533	Pumping Plant	HU-USVI-Electric-Powered Pump > 40 HP	HP	305.5500	100 %	PR
533	Pumping Plant	HU-Internal Combustion-Powered Pump > 7½ to 50 HP	HP	736.9400	100 %	PR
533	Pumping Plant	Internal Combustion-Powered Pump >50 HP	HP	420.2500	100 %	PR
533	Pumping Plant	USVI-Electric-Powered Pump >3 to 10 HP	HP	551.1500	100 %	PR
533	Pumping Plant	HU-Electric-Powered Pump >10 to 40 HP	HP	410.9700	100 %	PR
533	Pumping Plant	Electric-Powered Pump >40 HP	HP	232.2700	100 %	PR
533	Pumping Plant	HU-Electric-Powered Pump >40 HP	HP	278.7200	100 %	PR
533	Pumping Plant	USVI-Internal Combustion-Powered Pump >50 HP	HP	459.5000	100 %	PR
533	Pumping Plant	HU-Tractor Power Take Off (PTO) Pump	BHP	196.7800	100 %	PR
533	Pumping Plant	HU-USVI-Internal Combustion-Powered Pump >50 HP	HP	551.4000	100 %	PR
533	Pumping Plant	USVI-Electric-Powered Pump > 40 HP	HP	254.6300	100 %	PR
533	Pumping Plant	HU-Electric-Powered Pump - 3 HP	HP	1,266.7300	100 %	PR
533	Pumping Plant	HU-USVI-Water Ram Pump	In	558.3700	100 %	PR

Code	Practice	Component	Units	Unit Cost	Cost Share	Cost Type
533	Pumping Plant	HU-Internal Combustion-Powered Pump = 7.5 HP	HP	775.5300	100 %	PR
533	Pumping Plant	HU-Internal Combustion-Powered Pump >50 HP	HP	504.3000	100 %	PR
533	Pumping Plant	USVI-Electric-Powered Pump >10 to 40 HP	HP	376.0400	100 %	PR
533	Pumping Plant	Internal Combustion-Powered Pump = 7.5 HP	HP	646.2800	100 %	PR
533	Pumping Plant	HU-USVI-Tractor Power Take Off (PTO) Pump	BHP	215.0900	100 %	PR
548	Grazing Land Mechanical Treatment	HU-Pastureland Mechanical Treatment	Ac	348.2500	100 %	PR
548	Grazing Land Mechanical Treatment	Pastureland Mechanical Treatment	Ac	290.2100	100 %	PR
555	Rock Wall Terrace	HU-USVI-Grouted Rock Geotextile Gravel Barrier	Ft	71.0700	100 %	PR
555	Rock Wall Terrace	HU-USVI-Rock/Geotextile/Gravel Barrier	Ft	37.5200	100 %	PR
555	Rock Wall Terrace	HU-Grouted Rock Geotextile Gravel Barrier	Ft	64.3900	100 %	PR
555	Rock Wall Terrace	USVI-Grouted Rock Geotextile Gravel Barrier	Ft	59.2200	100 %	PR
555	Rock Wall Terrace	HU-USVI-Gabion Rock Barrier	Ft	67.5900	100 %	PR
555	Rock Wall Terrace	USVI-Gabion Rock Barrier	Ft	56.3200	100 %	PR
555	Rock Wall Terrace	Grouted Rock Geotextile Gravel Barrier	Ft	53.6600	100 %	PR
555	Rock Wall Terrace	HU-Rock/Geotextile/Gravel Barrier	Ft	34.3300	100 %	PR
555	Rock Wall Terrace	HU-Gabion Rock Barrier	Ft	61.3500	100 %	PR
555	Rock Wall Terrace	USVI-Rock/Geotextile/Gravel Barrier	Ft	31.2700	100 %	PR
555	Rock Wall Terrace	Gabion Rock Barrier	Ft	51.1300	100 %	PR
555	Rock Wall Terrace	Rock/Geotextile/Gravel Barrier	Ft	28.6100	100 %	PR
557	Row Arrangement	HU-Establishing Row Direction, Grade, & Length.	Ac	19.9600	100 %	PR
557	Row Arrangement	Establishing Row Direction, Grade, & Length.	Ac	16.6400	100 %	PR
558	Roof Runoff Structure	Roof Gutter, 6 inches wide with runoff Storage Tank	Ft	12.4000	100 %	PR
558	Roof Runoff Structure	USVI-Concrete Curb	Ft	9.9600	100 %	PR
558	Roof Runoff Structure	HU-USVI-Roof Gutter with Fascia	Ft	23.2900	100 %	PR
558	Roof Runoff Structure	HU-Concrete Curb	Ft	10.8800	100 %	PR
558	Roof Runoff Structure	USVI-Roof Gutter	Ft	15.9200	100 %	PR
558	Roof Runoff Structure	USVI-Roof Gutter with Fascia	Ft	19.4100	100 %	PR
558	Roof Runoff Structure	HU-Roof Gutter with Fascia	Ft	20.5700	100 %	PR
558	Roof Runoff Structure	USVI-Trench Drain	Ft	10.6000	100 %	PR
558	Roof Runoff Structure	HU-Roof Gutter, 6 inches wide with runoff Storage Tank	Ft	14.8800	100 %	PR
558	Roof Runoff Structure	HU-USVI-Trench Drain	Ft	12.7200	100 %	PR
558	Roof Runoff Structure	Roof Gutter	Ft	13.9700	100 %	PR
558	Roof Runoff Structure	HU-USVI-Roof Gutter	Ft	19.1100	100 %	PR
558	Roof Runoff Structure	Trench Drain	Ft	9.6700	100 %	PR
558	Roof Runoff Structure	Roof Gutter with Fascia	Ft	17.1500	100 %	PR
558	Roof Runoff Structure	HU-Roof Gutter	Ft	16.7600	100 %	PR
558	Roof Runoff Structure	HU-Trench Drain	Ft	11.6100	100 %	PR
558	Roof Runoff Structure	Concrete Curb	Ft	9.0700	100 %	PR
558	Roof Runoff Structure	HU-USVI-Concrete Curb	Ft	11.9500	100 %	PR
561	Heavy Use Area Protection	Reinforced Concrete with sand or gravel foundation	SqFt	4.2500	100 %	PR
561	Heavy Use Area Protection	HU-Reinforced Concrete with sand or gravel foundation	SqFt	5.1000	100 %	PR
561	Heavy Use Area Protection	HU-USVI-Rock/Gravel on Geotextile	SqFt	2.8100	100 %	PR
561	Heavy Use Area Protection	Rock/Gravel on Geotextile	SqFt	2.1300	100 %	PR
561	Heavy Use Area Protection	USVI-Rock/Gravel on Geotextile	SqFt	2.3400	100 %	PR
561	Heavy Use Area Protection	HU-USVI-Reinforced Concrete with sand/gravel foundation	SqFt	5.5000	100 %	PR
561	Heavy Use Area Protection	USVI-Reinforced Concrete with sand/gravel foundation	SqFt	4.5800	100 %	PR
561	Heavy Use Area Protection	HU-Rock/Gravel on Geotextile	SqFt	2.5600	100 %	PR
574	Spring Development	Reinforced Concrete Spring Box	Ea	3,098.3400	100 %	PR
574	Spring Development	Corrugated Metal Pipe (CMP) Spring Box	Ea	2,362.5800	100 %	PR
574	Spring Development	HU-Reinforced Concrete Spring Box	Ea	3,718.0100	100 %	PR
574	Spring Development	HU-Corrugated Metal Pipe (CMP) Spring Box	Ea	2,835.1000	100 %	PR
578	Stream Crossing	Low water crossing, concrete	SqFt	5.9100	100 %	PR
578	Stream Crossing	HU-Low water crossing, concrete	SqFt	7.1000	100 %	PR
578	Stream Crossing	HU-Low water crossing, prefabricated products	SqFt	11.6700	100 %	PR
578	Stream Crossing	Low water crossing, prefabricated products	SqFt	9.7200	100 %	PR
578	Stream Crossing	Culvert installation	Ft	164.9800	100 %	PR
578	Stream Crossing	HU-Culvert installation	Ft	197.9700	100 %	PR
580	Streambank and Shoreline Protection	Bioengineered	Ft	173.3500	100 %	PR
580	Streambank and Shoreline Protection	Structural	Ft	226.1500	100 %	PR
580	Streambank and Shoreline Protection	HU-Structural	Ft	271.3800	100 %	PR

Code	Practice	Component	Units	Unit Cost	Cost Share	Cost Type
580	Streambank and Shoreline Protection	HU-Bioengineered	Ft	208.0300	100 %	PR
580	Streambank and Shoreline Protection	Vegetative	Ft	9.7300	100 %	PR
580	Streambank and Shoreline Protection	HU-Vegetative	Ft	11.6700	100 %	PR
582	Open Channel	Excavation and fill, difficult conditions	CuYd	7.4100	100 %	PR
582	Open Channel	HU-Excavation and fill, difficult conditions	CuYd	8.8900	100 %	PR
582	Open Channel	HU-Excavation, difficult conditions	CuYd	4.4600	100 %	PR
582	Open Channel	Excavation, difficult conditions	CuYd	3.7200	100 %	PR
582	Open Channel	Excavation, normal conditions	CuYd	3.3200	100 %	PR
582	Open Channel	HU-Excavation and fill, normal conditions	CuYd	7.6300	100 %	PR
582	Open Channel	HU-Excavation, normal conditions	CuYd	3.9800	100 %	PR
582	Open Channel	Excavation and fill, normal conditions	CuYd	6.3600	100 %	PR
587	Structure for Water Control	Culvert_Spillway >30 inches HDPE	DialnFt	2.4200	100 %	PR
587	Structure for Water Control	Concrete Turnout Structure two gates	Ea	7,003.7000	100 %	PR
587	Structure for Water Control	HU-Culvert_Spillway >30 inches HDPE	DialnFt	2.9000	100 %	PR
587	Structure for Water Control	HU-Slide Gate, Concrete Wall	Ea	5,020.6000	100 %	PR
587	Structure for Water Control	In-Stream Structure for Water Surface Profile	Ft	145.2100	100 %	PR
587	Structure for Water Control	HU-Concrete Turnout Structure two gates	Ea	8,404.4400	100 %	PR
587	Structure for Water Control	Slide Gate, Concrete Wall	Ea	4,183.8400	100 %	PR
587	Structure for Water Control	HU-Slide Gate	Ea	3,877.8300	100 %	PR
587	Structure for Water Control	HU-Culvert <30 inches HDPE	DialnFt	2.3300	100 %	PR
587	Structure for Water Control	HU-CMP Turnout	Ea	517.0100	100 %	PR
587	Structure for Water Control	HU-In-Stream Structure for Water Surface Profile	Ft	174.2500	100 %	PR
587	Structure for Water Control	Slide Gate	Ea	3,231.5300	100 %	PR
587	Structure for Water Control	Rock Checks for Water Surface Profile	Ton	45.5600	100 %	PR
587	Structure for Water Control	Culvert <30 inches HDPE	DialnFt	1.9500	100 %	PR
587	Structure for Water Control	HU-Rock Checks for Water Surface Profile	Ton	54.6700	100 %	PR
587	Structure for Water Control	HU-Flow Meter with Mechanical Index	In	182.7600	100 %	PR
587	Structure for Water Control	HU-Concrete Turnout Structure - Small inlet	Ea	1,745.5300	100 %	PR
587	Structure for Water Control	Concrete Turnout Structure - Small inlet	Ea	1,454.6100	100 %	PR
587	Structure for Water Control	Concrete Turnout Structure one gate	Ea	5,179.8400	100 %	PR
587	Structure for Water Control	Culvert <30 inches CMP	DialnFt	2.2200	100 %	PR
587	Structure for Water Control	CMP Turnout	Ea	430.8400	100 %	PR
587	Structure for Water Control	HU-Concrete Turnout Structure one gate	Ea	6,215.8100	100 %	PR
587	Structure for Water Control	Flow Meter with Mechanical Index	In	152.3000	100 %	PR
587	Structure for Water Control	HU-Culvert <30 inches CMP	DialnFt	2.6600	100 %	PR
590	Nutrient Management	HU-Basic NM (Non-Organic/Organic)	Ac	5.2200	100 %	PR
590	Nutrient Management	HU-Basic NM with Manure and/or Compost (Non-Organic/Organic)	Ac	11.6800	100 %	PR
590	Nutrient Management	Small Farm NM (Non-Organic/Organic)	Ea	169.3700	100 %	PR
590	Nutrient Management	HU-Adaptive NM	Ea	1,725.6400	100 %	PR
590	Nutrient Management	Basic NM (Non-Organic/Organic)	Ac	4.3500	100 %	PR
590	Nutrient Management	Basic Precision NM (Non-Organic/Organic)	Ac	34.3900	100 %	PR
590	Nutrient Management	HU-Small Farm NM (Non-Organic/Organic)	Ea	203.2400	100 %	PR
590	Nutrient Management	Basic NM with Manure Injection or Incorporation	Ac	24.9100	100 %	PR
590	Nutrient Management	HU-Basic Precision NM (Non-Organic/Organic)	Ac	41.2700	100 %	PR
590	Nutrient Management	HU-Basic NM with Manure Injection or Incorporation	Ac	29.8900	100 %	PR
590	Nutrient Management	Basic NM with Manure and/or Compost (Non-Organic/Organic)	Ac	9.7300	100 %	PR
590	Nutrient Management	Adaptive NM	Ea	1,438.0300	100 %	PR
595	Pest Management Conservation System	HU-Basic IPM Fruit/Veg >1RC	Ac	53.7600	100 %	PR
595	Pest Management Conservation System	HU-Basic IPM Orchard >1RC	Ac	107.5200	100 %	PR
595	Pest Management Conservation System	HU-Basic IPM Field >1RC - CN	Ac	32.9700	100 %	PR
595	Pest Management Conservation System	IPM S-Farm 1RC	Ea	448.0000	100 %	PR
595	Pest Management Conservation System	HU-Basic IPM Orchard 1RC	Ac	89.6000	100 %	PR
595	Pest Management Conservation System	HU-Basic IPM Fruit/Veg 1RC	Ac	44.8000	100 %	PR
595	Pest Management Conservation System	Basic IPM Fruit/Veg >1RC	Ac	44.8000	100 %	PR
	Pest Management Conservation					

Code	Practice	Component	Units	Unit Cost	Cost Share	Cost Type
595	System	Basic IPM Orchard 1RC	Ac	74.6700	100 %	PR
595	Pest Management Conservation System	Basic IPM Field 1RC - CN	Ac	16.1300	100 %	PR
595	Pest Management Conservation System	Basic IPM Orchard >1RC	Ac	89.6000	100 %	PR
595	Pest Management Conservation System	Basic IPM Fruit/Veg 1RC	Ac	37.3300	100 %	PR
595	Pest Management Conservation System	Basic IPM Field >1RC - CN	Ac	27.4700	100 %	PR
595	Pest Management Conservation System	HU-Basic IPM Field 1RC - CN	Ac	19.3600	100 %	PR
595	Pest Management Conservation System	HU-IPM S-Farm 1RC	Ea	537.6000	100 %	PR
595	Pest Management Conservation System	IPM S-Farm >1RC	Ea	573.3900	100 %	PR
595	Pest Management Conservation System	HU-IPM S-Farm >1RC	Ea	688.0600	100 %	PR
601	Vegetative Barrier	Caribbean and Virgin Island Veg Barriers with Cuttings	100 Ft	781.1000	100 %	PR
601	Vegetative Barrier	HU-Vegetative Planting	Ft	6.8000	100 %	PR
601	Vegetative Barrier	Seeded Barrier	Ft	0.0100	100 %	PR
601	Vegetative Barrier	HU-Seeded Barrier	Ft	0.0100	100 %	PR
601	Vegetative Barrier	HU-Caribbean and Virgin Island Veg Barriers with Cuttings	100 Ft	937.3100	100 %	PR
601	Vegetative Barrier	Vegetative Planting	Ft	5.6700	100 %	PR
603	Herbaceous Wind Barriers	HU-Caribbean and Virgin Island Herbaceous Barrier	Ft	0.1800	100 %	PR
603	Herbaceous Wind Barriers	Caribbean and Virgin Island Herbaceous Barrier	Ft	0.1500	100 %	PR
612	Tree/Shrub Establishment	Individual tree - hand planting	Ea	12.0000	100 %	PR
612	Tree/Shrub Establishment	USVI_Individual tree - hand planting	Ea	17.0600	100 %	PR
612	Tree/Shrub Establishment	HU-USVI_Individual tree - hand planting	Ea	20.4700	100 %	PR
612	Tree/Shrub Establishment	HU-Individual tree - hand planting	Ea	14.4000	100 %	PR
614	Watering Facility	HU-USVI-Permanent, Drinking or Storage 500-1000 Gallons-Concrete	Gal	3.2600	100 %	PR
614	Watering Facility	HU-Permanent Drinking or Storage, Capacity from 500 to 1000 Gallons	Gal	2.9900	100 %	PR
614	Watering Facility	USVI-Permanent Drinking or Storage, Capacity less than 500 Gallons	Gal	4.0900	100 %	PR
614	Watering Facility	USVI-Permanent Drinking or Storage, Capacity greater than 5000 Gallons	Gal	0.4900	100 %	PR
614	Watering Facility	HU-Permanent Drinking or Storage, Capacity greater than 5000 Gallons	Gal	0.5400	100 %	PR
614	Watering Facility	Permanent Drinking or Storage, Capacity less than 500 Gallons	Gal	3.7200	100 %	PR
614	Watering Facility	HU-Permanent Drinking or Storage, Capacity less than 500 Gallons	Gal	4.4700	100 %	PR
614	Watering Facility	Permanent Drinking or Storage, Capacity greater than 1000 to 5000 Gallons-Concrete	Gal	1.5200	100 %	PR
614	Watering Facility	USVI-Permanent Drinking or Storage, Capacity greater than 1000 to 5000 Gallons-Concrete	Gal	1.6700	100 %	PR
614	Watering Facility	HU-Permanent Drinking or Storage, Capacity greater than 1000 to 5000 Gallons-Concrete	Gal	1.8300	100 %	PR
614	Watering Facility	HU-USVI-Permanent Drinking or Storage, Capacity less than 500 Gallons	Gal	4.9100	100 %	PR
614	Watering Facility	HU-USVI-Permanent Drinking or Storage, Capacity greater than 1000 to 5000 Gallons-Concrete	Gal	2.0100	100 %	PR
614	Watering Facility	HU-USVI-Permanent, Drinking or Storage 500-1000 Gallons-Plastic	Gal	2.5600	100 %	PR
614	Watering Facility	USVI-Permanent, Drinking or Storage 500-1000 Gallons-Plastic	Gal	2.1400	100 %	PR
614	Watering Facility	Permanent Drinking or Storage, Capacity from 500 to 1000 Gallons	Gal	2.4900	100 %	PR
614	Watering Facility	Permanent, Drinking or Storage 500-1000 Gallons-Plastic	Gal	1.9400	100 %	PR
614	Watering Facility	HU-Permanent, Drinking or Storage 500-1000 Gallons-Plastic	Gal	2.3300	100 %	PR
614	Watering Facility	HU-USVI-Permanent Drinking or Storage, Capacity greater than 5000 Gallons	Gal	0.5900	100 %	PR
614	Watering Facility	Permanent Drinking or Storage, Capacity greater than 5000 Gallons	Gal	0.4500	100 %	PR
614	Watering Facility	USVI-Permanent, Drinking or Storage 500-1000 Gallons-Concrete	Gal	2.7200	100 %	PR
620	Underground Outlet	HU-18 inch or less	Ft	20.0300	100 %	PR
620	Underground Outlet	24 inch or less	Ft	26.9300	100 %	PR
620	Underground Outlet	HU-12 inch or less	Ft	9.4300	100 %	PR
620	Underground Outlet	HU-24 inch or less	Ft	32.3100	100 %	PR

Code	Practice	Component	Units	Unit Cost	Cost Share	Cost Type
620	Underground Outlet	18 inch or less	Ft	16.6900	100 %	PR
620	Underground Outlet	12 inch or less	Ft	7.8600	100 %	PR
632	Waste Separation Facility	HU-Concrete (Settling Basin) 4 walls - swine	SqFt	13.6200	100 %	PR
632	Waste Separation Facility	Concrete (Settling Basin) 4 walls - swine	SqFt	11.3500	100 %	PR
632	Waste Separation Facility	Concrete (Settling Basin) 3 walls with a ramp- Dairy	SqFt	8.7800	100 %	PR
632	Waste Separation Facility	HU-Concrete (Settling Basin) 3 walls with a ramp- Dairy	SqFt	10.5400	100 %	PR
634	Waste Transfer	HU-USVI - conduit 4 inch PVC transfer pipe to waste storage pond or infiltration ditch.	Ft	21.4300	100 %	PR
634	Waste Transfer	HU-Agitator, small, mixing contents of a reception pit that is no more than 10 ft. deep.	Ea	10,645.0700	100 %	PR
634	Waste Transfer	6 inch diameter, Pressure flow PVC pipeline, from waste storage pond to land application site.	Ft	11.0200	100 %	PR
634	Waste Transfer	Concrete Channel	Ft	76.0700	100 %	PR
634	Waste Transfer	HU-6 inch diameter, Pressure flow PVC pipeline, from waste storage pond to land application site.	Ft	13.2200	100 %	PR
634	Waste Transfer	USVI - conduit 4 inch PVC transfer pipe to waste storage pond or infiltration ditch.	Ft	17.8600	100 %	PR
634	Waste Transfer	Screw Conveyor	Ea	4,064.8800	100 %	PR
634	Waste Transfer	USVI-Concrete Channel	Ft	83.4400	100 %	PR
634	Waste Transfer	Agitator, small, mixing contents of a reception pit that is no more than 10 ft. deep.	Ea	8,870.8900	100 %	PR
634	Waste Transfer	HU-Concrete Channel	Ft	91.2900	100 %	PR
634	Waste Transfer	Conduit 4 inch PVC transfer pipe to waste storage pond or infiltration ditch.	Ft	16.3000	100 %	PR
634	Waste Transfer	HU-Screw Conveyor	Ea	4,877.8500	100 %	PR
634	Waste Transfer	HU-USVI-Concrete Channel	Ft	100.1200	100 %	PR
634	Waste Transfer	HU-Conduit 4 inch PVC transfer pipe to waste storage pond or infiltration ditch.	Ft	19.5600	100 %	PR
636	Water Harvesting Catchment	Surface Catchment	SqYd	9.7200	100 %	PR
636	Water Harvesting Catchment	HU-Surface Catchment	SqYd	11.6600	100 %	PR
638	Water and Sediment Control Basin	HU-Excavated Basin greater than 1,000 CY	CuYd	4.8300	100 %	PR
638	Water and Sediment Control Basin	HU-Embankment Basin greater than 250 CY	CuYd	10.6500	100 %	PR
638	Water and Sediment Control Basin	Excavated Basin greater than 1,000 CY	CuYd	4.0300	100 %	PR
638	Water and Sediment Control Basin	Embankment Basin greater than 250 CY	CuYd	8.8800	100 %	PR
642	Water Well	High Volume Typical Well	Ea	17,547.6500	100 %	PR
642	Water Well	HU-USVI High Volume Typical Well	Ea	22,527.9600	100 %	PR
642	Water Well	HU-Shallow Well	Ea	4,357.1200	100 %	PR
642	Water Well	USVI High Volume Typical Well	Ea	18,773.3000	100 %	PR
642	Water Well	HU-High Volume Shallow Well	Ea	12,940.7000	100 %	PR
642	Water Well	USVI Typical Well	Ea	8,591.7300	100 %	PR
642	Water Well	High Volume Shallow Well	Ea	10,783.9200	100 %	PR
642	Water Well	HU-USVI High Volume Shallow Well	Ea	13,934.0600	100 %	PR
642	Water Well	Typical Well	Ea	8,066.8600	100 %	PR
642	Water Well	Shallow Well	Ea	3,630.9300	100 %	PR
642	Water Well	USVI Shallow Well	Ea	3,876.8100	100 %	PR
642	Water Well	HU-USVI Typical Well	Ea	10,310.0800	100 %	PR
642	Water Well	HU-USVI Shallow Well	Ea	4,652.1700	100 %	PR
642	Water Well	USVI High Volume Shallow Well	Ea	11,611.7200	100 %	PR
642	Water Well	HU-High Volume Typical Well	Ea	21,057.1800	100 %	PR
642	Water Well	HU-Typical Well	Ea	9,680.2300	100 %	PR
660	Tree/Shrub Pruning	HU-Pruning-Multistory Cropping Understory	Ea	0.6300	100 %	PR
660	Tree/Shrub Pruning	HU-Pruning-Multistory Cropping-Overstory	Ea	18.3900	100 %	PR
660	Tree/Shrub Pruning	HU-Pruning- High Height	Ac	235.0200	100 %	PR
660	Tree/Shrub Pruning	HU-USVI Pruning- High Height	Ac	252.1400	100 %	PR
660	Tree/Shrub Pruning	Pruning- High Height	Ac	195.8500	100 %	PR
660	Tree/Shrub Pruning	USVI Pruning- High Height	Ac	210.1200	100 %	PR
660	Tree/Shrub Pruning	Pruning-Multistory Cropping Understory	Ea	0.5300	100 %	PR
660	Tree/Shrub Pruning	Pruning-Multistory Cropping-Overstory	Ea	15.3200	100 %	PR
666	Forest Stand Improvement	Thinning for Wildlife and Forest Health	Ac	99.0000	100 %	PR
666	Forest Stand Improvement	USVI_Thinning for Wildlife and Forest Health	Ac	110.0000	100 %	PR
666	Forest Stand Improvement	HU-Thinning for Wildlife and Forest Health	Ac	118.8000	100 %	PR
666	Forest Stand Improvement	HU-USVI_Thinning for Wildlife and Forest Health	Ac	132.0000	100 %	PR
670	Energy Efficient Lighting System	HU-Lighting - CFL	Ea	16.2000	100 %	PR
670	Energy Efficient Lighting System	Lighting - LED	Ea	9.8900	100 %	PR
670	Energy Efficient Lighting System	HU-Lighting - LED	Ea	11.8700	100 %	PR

Code	Practice	Component	Units	Unit Cost	Cost Share	Cost Type
670	Energy Efficient Lighting System	HU-Lighting - Linear Fluorescent	Ea	313.2300	100 %	PR
670	Energy Efficient Lighting System	HU-Lighting - light-emitting diode (LED)	Ea	1,034.6800	100 %	PR
670	Energy Efficient Lighting System	Lighting - Linear Fluorescent	Ea	261.0200	100 %	PR
670	Energy Efficient Lighting System	Lighting - CFL	Ea	13.5000	100 %	PR
670	Energy Efficient Lighting System	HU-Lighting - Pulse-Start Metal Halide	Ea	105.0400	100 %	PR
670	Energy Efficient Lighting System	Lighting - light-emitting diode (LED)	Ea	862.2400	100 %	PR
670	Energy Efficient Lighting System	Automatic Controller System	Ea	175.6000	100 %	PR
670	Energy Efficient Lighting System	Lighting - Pulse-Start Metal Halide	Ea	87.5400	100 %	PR
670	Energy Efficient Lighting System	HU-Automatic Controller System	Ea	210.7200	100 %	PR
737	Reduced Water and Energy Coffee Conveyance System	Ecological Coffee Processing Machine (>5,000 kg/hr)	Ea	45,344.8100	100 %	PR
737	Reduced Water and Energy Coffee Conveyance System	HU-Ecological Coffee Processing Machine Medium (1000-1999 kg/hr)	Ea	26,513.6500	100 %	PR
737	Reduced Water and Energy Coffee Conveyance System	Ecological Coffee Processing Machine Large (2000-4999 kg/hr)	Ea	32,197.3100	100 %	PR
737	Reduced Water and Energy Coffee Conveyance System	HU-Ecological Coffee Processing Machine (>5,000 kg/hr)	Ea	54,413.7700	100 %	PR
737	Reduced Water and Energy Coffee Conveyance System	HU-Ecological Coffee Processing Machine Large (2000-4999 kg/hr)	Ea	38,636.7700	100 %	PR
737	Reduced Water and Energy Coffee Conveyance System	HU-Ecological Coffee Processing Machine Small (500-1,000 kg/hr)	Ea	18,047.8400	100 %	PR
737	Reduced Water and Energy Coffee Conveyance System	Ecological Coffee Processing Machine Small (500-1,000 kg/hr)	Ea	15,039.8700	100 %	PR
737	Reduced Water and Energy Coffee Conveyance System	Ecological Coffee Processing Machine Medium (1000-1999 kg/hr)	Ea	22,094.7100	100 %	PR
753	Infiltration Ditch	Infiltration Ditches	CuYd	26.4800	100 %	PR
753	Infiltration Ditch	HU-Infiltration Ditches	CuYd	31.7700	100 %	PR
910	TA Planning	TSP-Technical Services-Conservation Planning	No	0.0000	100 %	AM
911	TA Design	TSP-Technical Services-Design Services	No	0.0000	100 %	AM
912	TA Application	TSP-Technical Services-Installation Oversight	No	0.0000	100 %	AM
913	TA Check-Out	TSP-Technical Services-Checkout Certification	No	0.0000	100 %	AM