

KLICKITAT COUNTY WATER EI MATRIX 2-10-88

SYM. NAME	TEX.	SLOPE	ACRES	K FACT	T FACT	LS	PPT	PPT (in.)														
								R VALUES														
								6-9	10	11	12	13	14	15	16	17	18	19	20	21		
10B ANDEPTIC CRYODORALFS		2 15				1.16		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
		15 30				5.58		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
		30 45				10.35		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
11 ANDEPTS		24 45				1.82		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
11C ANDEPTS, COOL		25 45				9.82		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
11B ANDEPTS, LOW PPT. NORTH		25 45				9.82		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
11A ANDEPTS, LOW PPT. SOUTH		25 45				9.82		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
65B ANDIC XERUMBREPTS		30 75		0.24	5	14.89		7.1	10.0	14.3	17.9	21.4	25.0	27.9	30.7	33.6	36.5	38.6	40.7	42.2		
72 AQUALFS		0 2				0.36		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
329 BADGE, SOUTH	STV-SIL	15 30				3.51	12-15	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
		30 45				4.56		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
330 BADGE, NORTH	STV-SIL	15 30				3.51		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
		30 45				4.56		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
155 BAKEOVEN	CBV-L	2 15	0	0.15	1	1.53	12-15	2.3	3.2	4.6	5.7	6.9	8.0	9.0	9.9	10.8	11.7	12.4	13.1	13.5		
255 BAKEOVEN	CBV-L	2 15	0	0.15	1	1.53		2.3	3.2	4.6	5.7	6.9	8.0	9.0	9.9	10.8	11.7	12.4	13.1	13.5		
277 BAKEOVEN	CBV-L	2 15	0	0.15	1	1.53		2.3	3.2	4.6	5.7	6.9	8.0	9.0	9.9	10.8	11.7	12.4	13.1	13.5		
457 BAKEOVEN	CBV-L	0 15	0	0.15	1	1.53		2.3	3.2	4.6	5.7	6.9	8.0	9.0	9.9	10.8	11.7	12.4	13.1	13.5		
585 BAKEOVEN	CBV-L	2 15	0	0.15	1	1.53		2.3	3.2	4.6	5.7	6.9	8.0	9.0	9.9	10.8	11.7	12.4	13.1	13.5		
328 BEEZEE	CB-L	30 65				14.89		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
32A BEEZEE	CB-L	30 65				14.89		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
580 BENNY	SIL	2 5		0.49	3	1.34	9-12	2.2	3.1	4.4	5.5	6.6	7.7	8.5	9.4	10.3	11.2	11.8	12.5	12.9		
581 BENNY	SIL	5 10		0.49	3	2.2		3.6	5.0	7.2	9.0	10.8	12.6	14.0	15.5	16.9	18.3	19.4	20.5	21.2		
582 BENNY	SIL	10 20		0.49	3	2.24		3.7	5.1	7.3	9.1	11.0	12.8	14.3	15.7	17.2	18.7	19.8	20.9	21.6		
583 BENNY, CEM. SUB.	SIL	10 20		0.49	3	3		4.9	6.9	9.8	12.3	14.7	17.1	19.1	21.1	23.0	25.0	26.5	27.9	28.9		
590 BERCLUMB	CB-L	5 15		0.2	4	1.92	38-55	1.0	1.3	1.9	2.4	2.9	3.4	3.7	4.1	4.5	4.9	5.2	5.5	5.7		
		15 30				5.58		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
59C BERCLUMB	CB-L	30 65				14.89		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
59D BERCLUMB	CB-L	30 75				16.82		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
6B BERSON	GR-L	5 15	15299	0.2	4	1.92	23-28	1.0	1.3	1.9	2.4	2.9	3.4	3.7	4.1	4.5	4.9	5.2	5.5	5.7		
		15 30		0.2	4	5.92		3.0	4.1	5.9	7.4	8.9	10.4	11.5	12.7	13.9	15.1	16.0	16.9	17.5		
8C BERSON	GR-L	30 45	5315	0.2	4	11.7		5.8	8.2	11.7	14.6	17.5	20.5	22.8	25.2	27.5	29.8	31.6	33.3	34.5		
5D BERSON	STV-L	30 60		0.15	5	14.89		4.5	6.3	8.9	11.2	13.4	15.6	17.4	19.2	21.0	22.8	24.1	25.5	26.4		
136 BICKLETON	SIL	2 5	0	0.43	3	1.15	11-14	1.6	2.3	3.3	4.1	4.9	5.8	6.4	7.1	7.7	8.4	8.9	9.4	9.7		
137 BICKLETON	SIL	5 15	0	0.43	3	1.87		2.7	3.8	5.4	6.7	8.0	9.4	10.5	11.5	12.6	13.7	14.5	15.3	15.8		
96 BLOCKHOUSE	SIL	0 5	0	0.37	5	0.94	15-18	0.7	1.0	1.4	1.7	2.1	2.4	2.7	3.0	3.3	3.5	3.8	4.0	4.1		
7B BOCKER	CBV-SIL	2 15	8412	0.15	1	1.87	17-35	2.8	3.9	5.6	7.0	8.4	9.8	10.9	12.1	13.2	14.3	15.1	16.0	16.5		
		15 30		0.15	1	3.21		4.8	6.7	9.6	12.0	14.4	16.9	18.8	20.7	22.6	24.6	26.0	27.4	28.4		
SAPKIN	stv-l	2 15		0.15	2	1.87		1.4	2.0	2.8	3.5	4.2	4.9	5.5	6.0	6.6	7.2	7.6	8.0	8.3		
		15 30		0.15	2	3.21		2.4	3.4	4.8	6.0	7.2	8.4	9.4	10.4	11.3	12.3	13.0	13.7	14.2		
140 BROADAX	SIL	2 5	0	0.43	5	1.33	12-18	1.1	1.6	2.3	2.9	3.4	4.0	4.5	4.9	5.4	5.8	6.2	6.5	6.7		
141 BROADAX	SIL	5 10	0	0.43	5	1.84		1.6	2.2	3.2	4.0	4.7	5.5	6.2	6.8	7.4	8.1	8.5	9.0	9.3		
391 BROADAX		5 15		0.43	5	1.78		1.5	2.1	3.1	3.8	4.6	5.4	6.0	6.6	7.2	7.8	8.3	8.7	9.0		
COLLOCKUM		5 15				1.78		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
TRONSEN		5 15				1.78		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
357 BURBANK	LFS	0 15	0	0.24	2	0.78	6-9	0.9	1.3	1.9	2.3	2.8	3.3	3.7	4.0	4.4	4.8	5.1	5.3	5.5		
488 CAMASPATCH	STV-L	15 30				2.87		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
		30 45				4.21		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO

86A	CHEMAMA	L	2	8	0	0.43	5	0.76	45-65	0.7	0.9	1.3	1.6	2.0	2.3	2.5	2.8	3.1	3.3	3.5	3.7	3.9
86B	CHEMAMA	L	8	15	0	0.43	5	2.13		1.8	2.6	3.7	4.6	5.5	6.4	7.1	7.9	8.6	9.3	9.9	10.4	10.8
86C	CHEMAMA	L	15	25	0	0.43	5	3.48		3.0	4.2	6.0	7.5	9.0	10.5	11.7	12.9	14.1	15.3	16.2	17.1	17.7
86D	CHEMAMA	GR-L	30	45	0	0.28	5	7.32		4.1	5.7	8.2	10.2	12.3	14.3	16.0	17.6	19.3	20.9	22.1	23.4	24.2
227	CHEVIOT	STV-SIL	0	15	0	0.1	5	1.78	9-12	0.4	0.5	0.7	0.9	1.1	1.2	1.4	1.5	1.7	1.8	1.9	2.0	2.1
			15	30	0	0.1	5	3.02		0.6	0.8	1.2	1.5	1.8	2.1	2.4	2.6	2.8	3.1	3.3	3.4	3.6
230	CHEVIOT		30	65				4.33	9-12	ERRO												
	RALLS		30	65				4.33		ERRO												
	ROCK OUTCROP		30	65						ERRO												
229	CHEVIOT		30	65				4.33		ERRO												
	WIPPLE		30	65				4.33		ERRO												
	ROCK OUTCROP		30	65						ERRO												
187	CLEMAN	VFSL	0	5	0	0.49	5	0.77	8-12	0.8	1.1	1.5	1.9	2.3	2.6	2.9	3.2	3.5	3.8	4.1	4.3	4.5
60	CONBOY	CL	0	1	2398	0.32	5	0.2	33-37	0.1	0.2	0.3	0.3	0.4	0.4	0.5	0.6	0.6	0.7	0.7	0.7	0.8
68	CUMULIC HAPLAQUOLLS		0	0				0.18		ERRO												
73A	DALIS	L	2	8	28670	0.37	5	0.76	25-35	0.6	0.8	1.1	1.4	1.7	2.0	2.2	2.4	2.6	2.9	3.0	3.2	3.3
			8	15		0.37	5	1.74		1.3	1.8	2.6	3.2	3.9	4.5	5.0	5.5	6.1	6.6	7.0	7.3	7.6
			15	30		0.37	5	3.94		2.9	4.1	5.8	7.3	8.7	10.2	11.4	12.5	13.7	14.9	15.7	16.6	17.2
99	DALLESFORT	FSL	0	8	0	0.37	2	0.94	10-15	1.7	2.4	3.5	4.3	5.2	6.1	6.8	7.5	8.2	8.9	9.4	9.9	10.3
100	DALLESFORT	STV-FSL	0	8	0	0.1	2	0.94		0.5	0.7	0.9	1.2	1.4	1.6	1.8	2.0	2.2	2.4	2.5	2.7	2.8
101	DALLESFORT	STV-FSL	8	15	0	0.1	2	2.02		1.0	1.4	2.0	2.5	3.0	3.5	3.9	4.3	4.7	5.2	5.5	5.8	6.0
102	DALLESFORT	STV-FSL	15	30	0	0.1	2	2.62		1.3	1.8	2.6	3.3	3.9	4.6	5.1	5.6	6.2	6.7	7.1	7.5	7.7
103	DALLESFORT	STV-FSL	0	15	0	0.1	2	1.32		0.7	0.9	1.3	1.7	2.0	2.3	2.6	2.8	3.1	3.4	3.6	3.8	3.9
104	DALLESFORT	STV-FSL	15	30	0	0.1	2	2.62		1.3	1.8	2.6	3.3	3.9	4.6	5.1	5.6	6.2	6.7	7.1	7.5	7.7
170	DALLESFORT VAR.	GR-L	5	15				1.54		ERRO												
171	DALLESFORT VAR.	GR-L	15	30				2.62		ERRO												
105	EWALL	LS	0	8	0	0.1	5	1.15	12-15	0.2	0.3	0.5	0.6	0.7	0.8	0.9	1.0	1.1	1.2	1.2	1.3	1.4
106	EWALL	LS	8	15	0	0.1	5	2.47		0.5	0.7	1.0	1.2	1.5	1.7	1.9	2.1	2.3	2.5	2.7	2.8	2.9
107	EWALL	LS	15	30	0	0.1	5	3.02		0.6	0.8	1.2	1.5	1.8	2.1	2.4	2.6	2.8	3.1	3.3	3.4	3.6
108	EWALL	LS	0	8	0	0.1	5	1.15		0.2	0.3	0.5	0.6	0.7	0.8	0.9	1.0	1.1	1.2	1.2	1.3	1.4
			8	15	0	0.1	5	2.47		0.5	0.7	1.0	1.2	1.5	1.7	1.9	2.1	2.3	2.5	2.7	2.8	2.9
			15	30	0	0.1	5	3.02		0.6	0.8	1.2	1.5	1.8	2.1	2.4	2.6	2.8	3.1	3.3	3.4	3.6
109	EWALL	LS	15	30	0	0.1	5	3.02		0.6	0.8	1.2	1.5	1.8	2.1	2.4	2.6	2.8	3.1	3.3	3.4	3.6
63	FANAL	SL	2	8	2606	0.2	5	0.53	33-44	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9	1.0	1.1	1.1	1.2	1.3
80	FANAL VARIANT	L	1	5	981	0.37	5	0.35		0.3	0.4	0.5	0.6	0.8	0.9	1.0	1.1	1.2	1.3	1.4	1.5	1.5
57	FIROKE	ST-FSL	5	15	12720	0.15	3	1.92	40-55	1.0	1.3	1.9	2.4	2.9	3.4	3.7	4.1	4.5	4.9	5.2	5.5	5.7
			15	30		0.15	3	5.58		2.8	3.9	5.6	7.0	8.4	9.8	10.9	12.0	13.1	14.2	15.1	15.9	16.5
55	FIROKE, COOL	ST-FSL	10	20		0.15	3	3.04		1.5	2.1	3.0	3.8	4.6	5.3	5.9	6.5	7.1	7.8	8.2	8.7	9.0
			20	40		0.15	3	8.3		4.2	5.8	8.3	10.4	12.5	14.5	16.2	17.8	19.5	21.2	22.4	23.7	24.5
66	FLOTAG	GR-SL	0	2	2765	0.1	5	0.3		0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.3	0.3	0.3	0.3	0.4
22	FLUVENTIC HAPLOXEROLLS	L	0	5		0.37	3	0.25		0.3	0.4	0.6	0.8	0.9	1.1	1.2	1.3	1.4	1.6	1.7	1.8	1.8
64	GLEN	SL	0	1	4829	0.2	5	0.18	33-37	0.1	0.1	0.1	0.2	0.2	0.3	0.3	0.3	0.4	0.4	0.4	0.4	0.4
62	GLEN VARIANT	L	0	2	318	0.28	5	0.16		0.1	0.1	0.2	0.2	0.3	0.3	0.3	0.4	0.4	0.5	0.5	0.5	0.5
69	GOLDENDALE	SIL	2	5	2218	0.43	3	1.15	15-18	1.6	2.3	3.3	4.1	4.9	5.8	6.4	7.1	7.7	8.4	8.9	9.4	9.7
69A	GOLDENDALE	SIL	5	10	0	0.43	3	1.72		2.5	3.5	4.9	6.2	7.4	8.6	9.6	10.6	11.6	12.6	13.3	14.1	14.5
69B	GOLDENDALE	SIL	10	15	0	0.43	3	1.91		2.7	3.8	5.5	6.8	8.2	9.6	10.7	11.8	12.9	14.0	14.8	15.6	16.2
93	GOLDENDALE	SIL	2	5	0	0.43	5	1.33		1.1	1.6	2.3	2.9	3.4	4.0	4.5	4.9	5.4	5.8	6.2	6.5	6.7
93A	GOLDENDALE	SIL	5	10	0	0.43	5	1.84		1.6	2.2	3.2	4.0	4.7	5.5	6.2	6.8	7.4	8.1	8.5	9.0	9.3
93B	GOLDENDALE	SIL	10	15	0	0.43	5	2.14		1.8	2.6	3.7	4.6	5.5	6.4	7.2	7.9	8.6	9.4	9.9	10.5	10.9
93C	GOLDENDALE	SIL	15	30	0	0.43	5	2.7		2.3	3.3	4.6	5.8	7.0	8.1	9.1	10.0	10.9	11.8	12.5	13.2	13.7
93D	GOLDENDALE	SIL	30	45	0	0.43	5	3.87		3.3	4.7	6.7	8.3	10.0	11.6	13.0	14.3	15.6	17.0	18.0	19.0	19.6
4B	GRANDPON	L	8	15	4705	0.32	5	1.92	30-35	1.2	1.7	2.5	3.1	3.7	4.3	4.8	5.3	5.8	6.3	6.6	7.0	7.2
			15	30		0.32	5	5.58		3.6	5.0	7.1	8.9	10.7	12.5	13.9	15.4	16.8	18.2	19.3	20.4	21.1
61	GRAYLAND	SICL	0	1	2725	0.32	5	0.2	33-37	0.1	0.2	0.3	0.3	0.4	0.4	0.5	0.6	0.6	0.7	0.7	0.7	0.8

58A	GULER	GR-SL	0	5	2423	0.17	3	0.25	33-38	0.1	0.2	0.3	0.4	0.4	0.5	0.6	0.6	0.7	0.7	0.8	0.8	0.8
58B	GULER	ST-SL	2	20	3867	0.17	3	1.92		1.1	1.5	2.2	2.7	3.3	3.8	4.2	4.7	5.1	5.5	5.9	6.2	6.4
23	GUNN	L	2	8	11598	0.37	5	0.82	18-23	0.6	0.8	1.2	1.5	1.8	2.1	2.4	2.6	2.9	3.1	3.3	3.5	3.6
23A	GUNN	ST-L	8	15	5728	0.32	5	1.92		1.2	1.7	2.5	3.1	3.7	4.3	4.8	5.3	5.8	6.3	6.6	7.0	7.2
			15	30		0.32	5	5.58		3.6	5.0	7.1	8.9	10.7	12.5	13.9	15.4	16.8	18.2	19.3	20.4	21.1
23B	GUNN	L	8	15	5667	0.37	5	1.92		1.4	2.0	2.8	3.6	4.3	5.0	5.5	6.1	6.7	7.2	7.7	8.1	8.4
			15	30		0.37	5	5.58		4.1	5.8	8.3	10.3	12.4	14.5	16.1	17.8	19.4	21.1	22.3	23.5	24.4
123A	GUNN VAR.	L	2	8				0.82		ERRO												
115	HAPLAQUOLLS	L	0	3		0.37	3	0.58		0.7	1.0	1.4	1.8	2.1	2.5	2.8	3.1	3.4	3.6	3.9	4.1	4.2
116	HAPLAQUOLLS	L	0	3		0.37	3	0.58		0.7	1.0	1.4	1.8	2.1	2.5	2.8	3.1	3.4	3.6	3.9	4.1	4.2
	ROCK OUTCROP		0	3						ERRO												
33A	HAPLOMEROLLS		0	5				0.55		ERRO												
33A	FLUVAQUENTS		0	5				0.55		ERRO												
211	HEZEL	LFS	0	2	0	0.32	5	0.77	6-10	0.5	0.7	1.0	1.2	1.5	1.7	1.9	2.1	2.3	2.5	2.7	2.8	2.9
212	HEZEL	LFS	2	15	0	0.32	5	1.75		1.1	1.6	2.2	2.8	3.4	3.9	4.4	4.8	5.3	5.7	6.0	6.4	6.6
213	HEZEL	LFS	15	30	0	0.32	5	3.58		2.3	3.2	4.6	5.7	6.9	8.0	8.9	9.9	10.8	11.7	12.4	13.1	13.5
90	HOOD	L	3	8	4104	0.43	5	0.67	25-38	0.6	0.8	1.2	1.4	1.7	2.0	2.2	2.5	2.7	2.9	3.1	3.3	3.4
90A	HOOD	L	8	15	0	0.43	5	1.82		1.3	1.8	2.6	3.3	3.9	4.6	5.1	5.6	6.1	6.7	7.1	7.5	7.7
90B	HOOD	L	15	30	0	0.43	5	2.46		2.1	3.0	4.2	5.3	6.3	7.4	8.3	9.1	9.9	10.8	11.4	12.1	12.5
90C	HOOD	L	30	65	0	0.43	5	6.83		5.9	8.2	11.7	14.7	17.6	20.6	22.9	25.3	27.6	30.0	31.7	33.5	34.7
92	HUSUM	GR-L	0	5	0	0.2	2	0.35	35-45	0.3	0.5	0.7	0.9	1.0	1.2	1.4	1.5	1.6	1.8	1.9	2.0	2.1
92A	HUSUM	GR-L	5	15	0	0.2	2	1.35		1.4	1.9	2.7	3.4	4.1	4.7	5.3	5.8	6.3	6.9	7.3	7.7	8.0
92B	HUSUM, NONFLOOD	GR-L	0	5	0	0.2	2	0.35		0.3	0.5	0.7	0.9	1.0	1.2	1.4	1.5	1.6	1.8	1.9	2.0	2.1
38A	HYPRAIRIE	SIL	2	5	0	0.37	5	0.94	18-25	0.7	1.0	1.4	1.7	2.1	2.4	2.7	3.0	3.3	3.5	3.8	4.0	4.1
39B	HYPRAIRIE	SIL	5	10	0	0.37	5	1.45		1.1	1.5	2.1	2.7	3.2	3.8	4.2	4.6	5.0	5.5	5.8	6.1	6.3
39C	HYPRAIRIE	SIL	10	15	0	0.37	5	1.91		1.4	2.0	2.8	3.5	4.2	4.9	5.5	6.1	6.6	7.2	7.6	8.1	8.3
39D	HYPRAIRIE	SIL	15	30	0	0.37	5	2.46		1.8	2.5	3.6	4.6	5.5	6.4	7.1	7.8	8.6	9.3	9.8	10.4	10.7
13B	ITAT	CB-L	5	15	15371	0.2	5	1.92	20-25	0.8	1.1	1.5	1.9	2.3	2.7	3.0	3.3	3.6	3.9	4.1	4.4	4.5
13B	ITAT	CB-L	15	30	2156	0.2	5	4.92		2.0	2.8	3.9	4.9	5.9	6.9	7.7	8.5	9.2	10.0	10.6	11.2	11.6
13C	ITAT	CB-L	30	45	2317	0.1	1	8.97		9.0	12.6	17.9	22.4	26.9	31.4	35.0	38.6	42.2	45.7	48.4	51.1	52.9
36	JEBE	GR-L	30	75				16.08	35-45	ERRO												
36C	JEBE		50	90				20.07		ERRO												
	ROCK OUTCROP		50	90						ERRO												
	RUBBLE LAND		50	90						ERRO												
18A	KAIDERS	ST-L	5	15	5733	0.2	5	1.92	20-35	0.8	1.1	1.5	1.9	2.3	2.7	3.0	3.3	3.6	3.9	4.1	4.4	4.5
			15	30		0.2	5	4.92		2.0	2.8	3.9	4.9	5.9	6.9	7.7	8.5	9.2	10.0	10.6	11.2	11.6
18B	KAIDERS	CB-L	8	15	6123	0.2	5	1.92		0.8	1.1	1.5	1.9	2.3	2.7	3.0	3.3	3.6	3.9	4.1	4.4	4.5
			15	30		0.2	5	4.92		2.0	2.8	3.9	4.9	5.9	6.9	7.7	8.5	9.2	10.0	10.6	11.2	11.6
18C	KAIDERS	CB-L	30	45	6975	0.2	5	10.35		4.1	5.8	8.3	10.3	12.4	14.5	16.1	17.8	19.5	21.1	22.4	23.6	24.4
450	KENNEWICK	SIL	2	5	0	0.55	5	0.94	6-9	1.0	1.4	2.1	2.6	3.1	3.6	4.0	4.4	4.9	5.3	5.6	5.9	6.1
451	KENNEWICK	SIL	5	10	0	0.55	5	1.39		1.5	2.1	3.1	3.8	4.6	5.4	6.0	6.6	7.2	7.8	8.3	8.7	9.0
452	KENNEWICK	SIL	10	15	0	0.55	5	2.02		2.2	3.1	4.4	5.6	6.7	7.8	8.7	9.6	10.4	11.3	12.0	12.7	13.1
453	KENNEWICK	SIL	15	30	0	0.55	5	3.2		3.5	4.9	7.0	8.8	10.6	12.3	13.7	15.1	16.5	18.0	19.0	20.1	20.8
19	KIAKUS	SIL	0	15	6514	0.32	2	1.71	18-25	2.7	3.8	5.5	6.8	8.2	9.6	10.7	11.8	12.9	14.0	14.8	15.6	16.1
			15	30		0.32	2	2.46		3.9	5.5	7.9	9.8	11.8	13.8	15.4	16.9	18.5	20.1	21.3	22.4	23.2
19	MUKNET	SIL	2	15	6514	0.28	2	1.71		2.4	3.4	4.8	6.0	7.2	8.4	9.3	10.3	11.3	12.2	12.9	13.6	14.1
			15	30		0.28	2	2.46		3.4	4.8	6.9	8.6	10.3	12.1	13.4	14.8	16.2	17.6	18.6	19.6	20.3
19	WAHOOD	SIL	2	15	6514	0.32	2	1.71		2.7	3.8	5.5	6.8	8.2	9.6	10.7	11.8	12.9	14.0	14.8	15.6	16.1
			15	30		0.32	2	2.46		3.9	5.5	7.9	9.8	11.8	13.8	15.4	16.9	18.5	20.1	21.3	22.4	23.2
49A	KIAKUS	SIL	2	5	0	0.32	2	0.94	18-25	1.5	2.1	3.0	3.8	4.5	5.3	5.9	6.5	7.1	7.7	8.1	8.6	8.9
49B	KIAKUS	SIL	5	10	0	0.32	2	1.71		2.7	3.8	5.5	6.8	8.2	9.6	10.7	11.8	12.9	14.0	14.8	15.6	16.1
49C	KIAKUS	SIL	10	15	0	0.32	2	1.91		3.1	4.3	6.1	7.6	9.2	10.7	11.9	13.1	14.4	15.6	16.5	17.4	18.0
49D	KIAKUS	SIL	15	30	0	0.32	2	2.46		3.9	5.5	7.9	9.8	11.8	13.8	15.4	16.9	18.5	20.1	21.3	22.4	23.2

49E	KIAKUS		2	15		0.32	2	1.71		2.7	3.8	5.5	6.8	8.2	9.6	10.7	11.8	12.9	14.0	14.8	15.6	16.1
49E	ROCKLY		2	15				1.71		ERRO												
55A	KINGSTAIN	ST-L	8	45	2449	0.2	5		48-55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
82B	KINGSTAIN	GR-SL	8	30	4730	0.2	5			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
82D	KINGSTAIN	CB-SL	30	65	1215	0.2	5	14.89		6.0	8.3	11.9	14.9	17.9	20.8	23.2	25.6	28.0	30.4	32.2	33.9	35.1
82E	KINGSTAIN		30	75				16.08		ERRO												
	ROCK OUTCROP		30	75						ERRO												
226	KIONA	STV-SIL	30	65	0	0.32	5	4.84	6-12	3.1	4.3	6.2	7.7	9.3	10.8	12.1	13.3	14.6	15.8	16.7	17.7	18.3
	ROCK OUTCROP		30	65	0	0.32	5			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
290	KOEHLER	LFS	0	15	0	0.24	2	1.1	6-8	1.3	1.8	2.6	3.3	4.0	4.6	5.1	5.7	6.2	6.7	7.1	7.5	7.8
95	KONERT, DRAINED	L	0	2	0	0.37	5	0.44	15-22	0.3	0.5	0.7	0.8	1.0	1.1	1.3	1.4	1.5	1.7	1.8	1.9	1.9
95A	KONERT	SIL	0	2		0.37	5	0.44		0.3	0.5	0.7	0.8	1.0	1.1	1.3	1.4	1.5	1.7	1.8	1.9	1.9
25A	LEIDL	CBX-L	2	15	18336	0.1	1	1.78	20-25	1.8	2.5	3.6	4.5	5.3	6.2	6.9	7.7	8.4	9.1	9.6	10.1	10.5
			15	30		0.1	1	2.62		2.6	3.7	5.2	6.6	7.9	9.2	10.2	11.3	12.3	13.4	14.1	14.9	15.5
65	LEIDL	CBX-L	30	75				5.08		ERRO												
25	LEIDL		30	75				5.08		ERRO												
	DILLCOURT		30	75				5.08		ERRO												
	ROCK OUTCROP		30	75						ERRO												
25B	LEIDL		30	75				5.08		ERRO												
	GROEKE		30	75				5.08		ERRO												
7C	LEIDL VAR.	CBV-SIL	5	15				1.78		ERRO												
			15	40				3.52		ERRO												
375	LICKSKILLET	CB-SIL	15	30	0	0.17	1	2.62	10-16	4.5	6.2	8.9	11.1	13.4	15.6	17.4	19.2	20.9	22.7	24.1	25.4	26.3
376	LICKSKILLET	SIL	2	15	0	0.37	1	1.78		6.6	9.2	13.2	16.5	19.8	23.1	25.7	28.3	31.0	33.6	35.6	37.5	38.9
377	LICKSKILLET	CB-SIL	5	15	0	0.17	1	1.54		2.6	3.7	5.2	6.5	7.9	9.2	10.2	11.3	12.3	13.4	14.1	14.9	15.4
94	LORENA	SIL	2	5	0	0.37	2	1.15	15-18	2.1	3.0	4.3	5.3	6.4	7.4	8.3	9.1	10.0	10.9	11.5	12.1	12.6
94A	LORENA	SIL	5	10	0	0.37	2	1.71		3.2	4.4	6.3	7.9	9.5	11.1	12.3	13.6	14.9	16.1	17.1	18.0	18.7
94B	LORENA	SIL	10	15	0	0.37	2	1.91		3.5	4.9	7.1	8.8	10.6	12.4	13.8	15.2	16.6	18.0	19.1	20.1	20.8
94C	LORENA	SIL	15	30	0	0.37	2	2.62		4.8	6.8	9.7	12.1	14.5	17.0	18.9	20.8	22.8	24.7	26.2	27.6	28.6
29A	LORENA	SIL	2	5	0	0.2	1	1.15		2.3	3.2	4.6	5.8	6.9	8.0	9.0	9.9	10.8	11.7	12.4	13.1	13.6
	ROCKLY		2	5				1.15		ERRO												
94E	LORENA	SIL	15	30	0	0.37	2	2.62		4.8	6.8	9.7	12.1	14.5	17.0	18.9	20.8	22.8	24.7	26.2	27.6	28.6
			30	45		0.37	2	3.64		6.7	9.4	13.5	16.8	20.2	23.6	26.3	29.0	31.6	34.3	36.4	38.4	39.7
	ROCKLY		5	15						ERRO												
			15	30				2.62		ERRO												
12D	LYVILLE	RYV-L	2	20	3734	0.2	3	1.92	18-22	1.3	1.8	2.6	3.2	3.8	4.5	5.0	5.5	6.0	6.5	6.9	7.3	7.6
12B	MAYDOL	STV-L	5	15	9957	0.24	5	1.92	22-27	0.9	1.3	1.8	2.3	2.8	3.2	3.6	4.0	4.3	4.7	5.0	5.3	5.4
			15	30		0.24	5	4.83		2.3	3.2	4.6	5.8	7.0	8.1	9.0	10.0	10.9	11.8	12.5	13.2	13.7
26	MAZDALE	STV-L	30	75				12.9	25-35	ERRO												
26C	MAZDALE		50	90		0.32	5	20.07		12.8	18.0	25.7	32.1	38.5	45.0	50.1	55.2	60.4	65.5	69.4	73.2	75.9
	ROCK OUTCROP		50	90						ERRO												
	RUBBLELAND		50	90						ERRO												
89	MCELROY	GR-L	45	65	5672	0.2	5	16.65	45-65	6.7	9.3	13.3	16.6	20.0	23.3	26.0	28.6	31.3	34.0	36.0	38.0	39.3
89B	MCELROY		50	90		0.2	5	20.07		8.0	11.2	16.1	20.1	24.1	28.1	31.3	34.5	37.7	40.9	43.4	45.8	47.4
	ROCK OUTCROP		50	90						ERRO												
77	MCGOWAN	GR-L	8	15	0	0.32	5	0.76		0.5	0.7	1.0	1.2	1.5	1.7	1.9	2.1	2.3	2.5	2.6	2.8	2.9
77A	MCGOWAN	GR-L	2	8	31415	0.32	5	2.46		1.6	2.2	3.1	3.9	4.7	5.5	6.1	6.8	7.4	8.0	8.5	9.0	9.3
586	MIKKALO	SIL	2	5	0	0.49	2	1.19	9-12	2.9	4.1	5.8	7.3	8.7	10.2	11.4	12.5	13.7	14.9	15.7	16.6	17.2
587	MIKKALO	SIL	5	10	0	0.49	2	1.7		4.2	5.8	8.3	10.4	12.5	14.6	16.2	17.9	19.6	21.2	22.5	23.7	24.6
588	MIKKALO	SIL	15	30	0	0.49	2	2.47		6.1	8.5	12.1	15.1	18.2	21.2	23.6	26.0	28.4	30.9	32.7	34.5	35.7
589	MIKKALO	SIL	10	15	0	0.49	2	3.18		7.8	10.9	15.6	19.5	23.4	27.3	30.4	33.5	36.6	39.7	42.1	44.4	46.0
585	MIKKALO	SIL	2	15		0.49	2	1.78		4.4	6.1	8.7	10.9	13.1	15.3	17.0	18.8	20.5	22.2	23.5	24.9	25.7
	BAKEOVEN		2	15		0.15	1	1.78		2.7	3.7	5.3	6.7	8.0	9.3	10.4	11.5	12.5	13.6	14.4	15.2	15.8

584	MIKKALO		15	30		0.49	2	3.18	7.8	10.9	15.6	19.5	23.4	27.3	30.4	33.5	36.6	39.7	42.1	44.4	46.0	
	BAKEOVEN		15	30		0.15	1	3.18	4.8	6.7	9.5	11.9	14.3	16.7	18.6	20.5	22.4	24.3	25.8	27.2	28.1	
150	MORROW	SIL	2	5	0	0.37	2	0.98	12-16	1.8	2.5	3.6	4.5	5.4	6.3	7.1	7.8	8.5	9.2	9.8	10.3	10.7
151	MORROW	SIL	5	10	0	0.37	2	1.25		2.3	3.2	4.6	5.8	6.9	8.1	9.0	9.9	10.9	11.8	12.5	13.2	13.6
155	MORROW	SIL	2	15	0	0.15	1	1.78		2.7	3.7	5.3	6.7	8.0	9.3	10.4	11.5	12.5	13.6	14.4	15.2	15.8
155	BAKEOVEN	SIL	2	15	0	0.37	2	1.78		3.3	4.6	6.6	8.2	9.9	11.5	12.8	14.2	15.5	16.8	17.8	18.0	19.4
97	MUNSET	STV-SIL	0	5	6514	0.1	1	0.55	15-23	0.6	0.8	1.1	1.4	1.7	1.9	2.1	2.4	2.6	2.8	3.0	3.1	3.2
97A	MUNSET VAR.	STV-SIL	0	3	6514	0.28	2	0.41		0.6	0.8	1.1	1.4	1.7	2.0	2.2	2.5	2.7	2.9	3.1	3.3	3.4
201,29NOOK		SIL	0	5	1946	0.37	5	0.29	20-24	0.2	0.3	0.4	0.5	0.6	0.8	0.8	0.9	1.0	1.1	1.2	1.2	1.3
20A	NOOK VAR.	SIL	0	3		0.37	5	0.2		0.1	0.2	0.3	0.4	0.4	0.5	0.6	0.6	0.7	0.8	0.8	0.8	0.9
131	ONYX	SIL	0	2	0	0.43	5	0.47	12-16	0.4	0.6	0.8	1.0	1.2	1.4	1.6	1.7	1.9	2.1	2.2	2.3	2.4
130	ONYX VAR.	SIL	0	2		0.43	5	0.47		0.4	0.6	0.8	1.0	1.2	1.4	1.6	1.7	1.9	2.1	2.2	2.3	2.4
42	GREGKE	STV-SIL	30	75		0.2	5	16.08	16-20	6.4	9.0	12.9	16.1	19.3	22.5	25.1	27.7	30.2	32.8	34.7	36.7	37.9
	BEEZEE		30	75		0.2	5	16.08		6.4	9.0	12.9	16.1	19.3	22.5	25.1	27.7	30.2	32.8	34.7	36.7	37.9
41	GREGKE		30	75		0.2	5	16.08		6.4	9.0	12.9	16.1	19.3	22.5	25.1	27.7	30.2	32.8	34.7	36.7	37.9
	LEGALL		30	75		0.2	5	16.08		6.4	9.0	12.9	16.1	19.3	22.5	25.1	27.7	30.2	32.8	34.7	36.7	37.9
159B	PANAK	L	5	15		0.32	5	1.92		1.2	1.7	2.5	3.1	3.7	4.3	4.8	5.3	5.8	6.3	6.6	7.0	7.2
159B	PANAK	L	15	30		0.32	5	5.58		3.6	5.0	7.1	8.9	10.7	12.5	13.9	15.4	16.8	18.2	19.3	20.4	21.1
159C	PANAK	CB-L	30	50		0.2	5	11.7		4.7	6.6	9.4	11.7	14.0	16.4	18.3	20.1	22.0	23.9	25.3	26.7	27.6
159C	PANAK	CB-L	30	50		0.2	5	14.89		6.0	8.3	11.9	14.9	17.9	20.8	23.2	25.6	28.0	30.4	32.2	33.9	35.1
76	PARA	GR-L	2	8	32319	0.24	5	0.76	35-45	0.4	0.5	0.7	0.9	1.1	1.3	1.4	1.6	1.7	1.9	2.0	2.1	2.2
76A	PARA	L	8	15		0.24	5	2.46		1.2	1.7	2.4	3.0	3.5	4.1	4.6	5.1	5.5	6.0	6.4	6.7	7.0
76B	PARA	L	15	30		0.24	5	5.58		2.7	3.7	5.4	6.7	8.0	9.4	10.4	11.5	12.6	13.7	14.5	15.3	15.8
76C	PARA	GR-L	30	50	6388	0.24	5	11.7		5.6	7.9	11.2	14.0	16.8	19.7	21.9	24.1	26.4	28.6	30.3	32.0	33.1
87A	PARA VARIANT	L	15	50	1368	0.28	5	8.3		4.6	6.5	9.3	11.6	13.9	16.3	18.1	20.0	21.8	23.7	25.1	26.5	27.4
70	PINBIT	ST-L	2	10	2887	0.32	5	0.95	28-32	0.6	0.9	1.2	1.5	1.8	2.1	2.4	2.6	2.9	3.1	3.3	3.5	3.6
71	PINBIT	ST-SL	2	8		0.32	5	0.76		0.5	0.7	1.0	1.2	1.5	1.7	1.9	2.1	2.3	2.5	2.6	2.8	2.9
3C	PIRD	GR-L	30	60	2757	0.24	5	13.65	32-37	6.6	9.2	13.1	16.4	19.7	22.9	25.6	28.2	30.8	33.4	35.4	37.3	38.7
9B	PIRD	GR-L	8	15	2049	0.24	5	2.46		1.2	1.7	2.4	3.0	3.5	4.1	4.6	5.1	5.5	6.0	6.4	6.7	7.0
			15	30		0.24	5	5.58		2.7	3.7	5.4	6.7	8.0	9.4	10.4	11.5	12.6	13.7	14.5	15.3	15.8
17A	FRESHER	ST-L	2	10	6766	0.28	5	0.95	25-30	0.5	0.7	1.1	1.3	1.6	1.9	2.1	2.3	2.5	2.7	2.9	3.0	3.1
17B	FRESHER	STV-L	8	15	7551	0.28	5	2.46		1.4	1.9	2.8	3.4	4.1	4.8	5.4	5.9	6.5	7.0	7.4	7.9	8.1
			15	30		0.28	5	5.58		3.1	4.4	6.2	7.8	9.4	10.9	12.2	13.4	14.7	15.9	16.9	17.8	18.4
274	PROSSER	SIL	2	5	0	0.55	2	0.94	6-11	2.6	3.6	5.2	6.5	7.8	9.0	10.1	11.1	12.1	13.2	14.0	14.7	15.3
275	PROSSER	SIL	5	10	0	0.55	2	1.71		4.7	6.6	9.4	11.8	14.1	16.5	18.3	20.2	22.1	24.0	25.4	26.8	27.7
276	PROSSER	SIL	10	15	0	0.55	2	2.82		5.6	7.8	11.1	13.9	16.7	19.4	21.7	23.9	26.1	28.3	30.0	31.7	32.8
277	PROSSER	SIL	2	15	0	0.55	2	1.39		3.8	5.4	7.6	9.6	11.5	13.4	14.9	16.4	18.0	19.5	20.6	21.8	22.6
277	BAKEOVEN		0	0	0	0.15	1	1.39		2.1	2.9	4.2	5.2	6.3	7.3	8.1	9.0	9.8	10.6	11.3	11.9	12.3
17D	QUIDEN	ST-L	2	20	9865	0.28	5	1.92	22-25	1.1	1.5	2.2	2.7	3.2	3.8	4.2	4.6	5.1	5.5	5.8	6.1	6.3
9	QUINCY	FS	2	15		0.17	5	1.66	6-12	0.6	0.8	1.1	1.4	1.7	2.0	2.2	2.4	2.7	2.9	3.0	3.2	3.3
			15	30		0.17	5	2.84		1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.2	4.5	4.9	5.2	5.5	5.7
200	QUINCY	LS	0	2	0	0.32	5	0.58		0.4	0.5	0.7	0.9	1.1	1.3	1.4	1.6	1.7	1.9	2.0	2.1	2.2
261	QUINCY	LS	2	15	0	0.32	5	1.66		1.1	1.5	2.1	2.7	3.2	3.7	4.1	4.6	5.0	5.4	5.7	6.1	6.3
			15	25		0.32	5	2.84		1.8	2.5	3.6	4.5	5.5	6.4	7.1	7.8	8.5	9.3	9.8	10.4	10.7
285,286	INTON	FS	2	10				1.1	6-9	ERRO												
308	RALLS	ST-SIL	30	60		0.28	3	4.84	9-12	4.5	6.3	9.0	11.3	13.6	15.8	17.6	19.4	21.2	23.0	24.4	25.7	26.7
301	RALLS		45	90				5.22		ERRO												
	RALLS VAR		45	90				5.22		ERRO												
	LICKSKILLET		45	90				5.22		ERRO												
300	RALLS VAR:		45	90				5.22		ERRO												
	LICKSKILLET		45	90				5.22		ERRO												
	ROCK OUTCROP		45	90				5.22		ERRO												
395	RALLS VAR.		15	30				3.02		ERRO												

ALPHA

Shaded EI values are > 8

KLICKITAT COUNTY WIND - EI 2-3-88

WIND C VALUES

SYM.	NAME	TEX.	ACRES	T FACT	WEG	I VALUE	WIND EI MATRIX													
							.10	.15	.20	.25	.30	.35	.40	.45	.50	.55				
68	ANDAQUEPTS	SIL	1147	5			ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
155	BAKEOVEN	CBV-L	0	1	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
255	BAKEOVEN	CBV-L	0	1	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
277	BAKEOVEN	CBV-L	0	1	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
487	BAKEOVEN	CBV-L	0	1	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
565	BAKEOVEN	CBV-L	0	1	8		ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
68	BERSON	GR-L	15299	4	6	48	1.2	1.8	2.4	3.0	3.6	4.2	4.8	5.4	6.0	6.6	6.6	6.6	6.6	6.6
80	BERSON	GR-L	5315	4	6	48	1.2	1.8	2.4	3.0	3.6	4.2	4.8	5.4	6.0	6.6	6.6	6.6	6.6	6.6
136	BICKLETON	SIL	0	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10	10	10	10	10
137	BICKLETON	SIL	0	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10	10	10	10	10
96	BLOCKHOUSE	SIL	0	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3	5.3	5.3	5.3	5.3
97A	BLOCKHOUSE VARIANT	SIL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15	15	15	15	15
78	BOCKER	CBV-SIL	8412	1	7	38	3.8	5.7	7.6	9.5	11.4	13.3	15.2	17.1	19.0	21	21	21	21	21
140	BROADAX	SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.2	6.2	6.2	6.2
141	BROADAX	SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.2	6.2	6.2	6.2
357	BURBANK	LFS	0	2	2	134	6.7	10.0	13.4	16.8	20.1	23.4	26.8	30.2	33.5	37	37	37	37	37
59B	CHAPOT	GR-SL	14212	5			ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
59C	CHAPOT	GR-SL	14240	5			ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
86A	CHEMAMA	L	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.2	6.2	6.2	6.2
86B	CHEMAMA	L	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.2	6.2	6.2	6.2
86C	CHEMAMA	L	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.2	6.2	6.2	6.2
187	CLEMAN	VFSL	0	5	3	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	9.5	9.5	9.5	9.5
60	CONBOY	CL	2398	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3	5.3	5.3	5.3	5.3
108	CRYBOROLLS	GR-L	4465	2			ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
73	DALIG	L	20670	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2	6.2	6.2	6.2	6.2
99	DALLESPORT	FSL	0	2	3	86	4.3	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	24	24	24	24	24
100	DALLESPORT	STV-FSL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15	15	15	15	15
101	DALLESPORT	STV-FSL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15	15	15	15	15
102	DALLESPORT	STV-FSL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15	15	15	15	15
103	DALLESPORT	STV-FSL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15	15	15	15	15
104	DALLESPORT	STV-FSL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15	15	15	15	15
11	DYSTRANDEPTS	GR-SL	2323	5			ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
11C	DYSTRANDEPTS	GR-SL	1711	5			ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
105	EWALL	LS	0	5	2	134	2.7	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	15	15	15	15	15
106	EWALL	LS	0	5	2	134	2.7	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	15	15	15	15	15
107	EWALL	LS	0	5	2	134	2.7	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	15	15	15	15	15
108	EWALL	LS	0	5	2	134	2.7	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	15	15	15	15	15
109	EWALL	LS	0	5	2	134	2.7	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	15	15	15	15	15
115	EWALL VARIANT	FSL	0	3	3	86	2.9	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	16	16	16	16	16
116	EWALL VARIANT	FSL	0	3	3	86	2.9	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	16	16	16	16	16
63	FANAL	SL	2606	5	3	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	9.5	9.5	9.5	9.5
80	FANAL VARIANT	L	981	5			ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO	ERRO
57	FIROKE	ST-L	12720	5	4	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	9.5	9.5	9.5	9.5
66	FLOTAG	GR-SL	2765	5	4	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	9.5	9.5	9.5	9.5
64	GLEN	SL	4829	5	3	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	9.5	9.5	9.5	9.5
62	GLEN VARIANT	L	318	5	3	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5	9.5	9.5	9.5	9.5

69	GOLDENDALE	SIL	2218	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10
69A	GOLDENDALE	SIL	0	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10
69B	GOLDENDALE	SIL	0	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10
93	GOLDENDALE	SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
93A	GOLDENDALE	SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
93B	GOLDENDALE	SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
93C	GOLDENDALE	SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
93D	GOLDENDALE	SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
4B	GRANDPON	L	4705	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
61	GRAYLAND	STCL	2725	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
58A	GULER	GR-SL	2423	3	4	86	2.9	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	16
58B	GULER	ST-SL	3867	3	4	86	2.9	4.3	5.7	7.2	8.6	10.0	11.5	12.9	14.3	16
23	GUNN	L	11598	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
23A	GUNN	ST-L	5728	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
23B	GUNN	L	5667	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
68	HAPLOXEROLLS	SIL	1147	5			ERRO	ERR								
211	HEZEL	LFS	0	5	2	134	2.7	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	15
212	HEZEL	LFS	0	5	2	134	2.7	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	15
213	HEZEL	LFS	0	5	2	134	2.7	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	15
90	HOOD	L	4104	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
90A	HOOD	L	0	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
90B	HOOD	L	0	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
92	HUSUM	GR-L	0	2	6	48	2.4	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0	13
92A	HUSUM	GR-L	0	2	6	48	2.4	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0	13
13B	ITAT	CB-L	15371	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
13C	ITAT	CB-L	2156	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
24	ITAT	CB-L	2317	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
18A	KALDERS	ST-L	5733	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
18B	KALDERS	CB-L	6123	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
18C	KALDERS	CB-L	6975	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
450	KENNEWICK	SIL	0	5	4L	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5
451	KENNEWICK	SIL	0	5	4L	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5
452	KENNEWICK	SIL	0	5	4L	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5
453	KENNEWICK	SIL	0	5	4L	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5
19	KIAKUS	SIL	6514	2	6	48	2.4	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0	13
30	KIAKUS	SIL	6114	2	6	48	2.4	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0	13
55	KINGTAIN	STV-L	1395	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
55A	KINGTAIN	ST-L	2449	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
82B	KINGTAIN	GR-SL	4730	5			ERRO	ERR								
82D	KINGTAIN	CB-SL	1215	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
227	KIONA	STV-SIL	0	5	7	38	0.8	1.1	1.5	1.9	2.3	2.7	3.0	3.4	3.8	4.2
228	KIONA	STV-SIL	0	5	7	38	0.8	1.1	1.5	1.9	2.3	2.7	3.0	3.4	3.8	4.2
229	KIONA	STV-SIL	0	5	7	38	0.8	1.1	1.5	1.9	2.3	2.7	3.0	3.4	3.8	4.2
230	KIONA	CB-SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
379	KIONA	STV-SIL	0	5	7	38	0.8	1.1	1.5	1.9	2.3	2.7	3.0	3.4	3.8	4.2
535	KIONA	STV-SIL	0	5	7	38	0.8	1.1	1.5	1.9	2.3	2.7	3.0	3.4	3.8	4.2
290	KOEHLER	LFS	0	2	2	134	6.7	10.0	13.4	16.8	20.1	23.4	26.8	30.2	33.5	37
95	KONERT	SIL	0	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
160	KUHL	CB-SIL	0	1	6	48	4.8	7.2	9.6	12.0	14.4	16.8	19.2	21.6	24.0	26
25	LEIDL	CB-L	18336	2			ERRO	ERR								
375	LICKSKILLET	CB-SIL	0	1	8		ERRO	ERR								
376	LICKSKILLET	SIL	0	1	6	48	4.8	7.2	9.6	12.0	14.4	16.8	19.2	21.6	24.0	26

377	LICKSKILLET	CB-SIL	0	1	8		ERRO	ERR								
30A	LORENA	SIL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15
30B	LORENA	SIL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15
94	LORENA	SIL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15
94A	LORENA	SIL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15
94B	LORENA	SIL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15
94C	LORENA	SIL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15
94E	LORENA	SIL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15
12C	LYVILLE	BVV-L	0	3	7	38	1.3	1.9	2.5	3.2	3.8	4.4	5.1	5.7	6.3	7
12D	LYVILLE	BVV-L	3734	3	7	38	1.3	1.9	2.5	3.2	3.8	4.4	5.1	5.7	6.3	7
12E	LYVILLE	BVV-L	0	3	7	38	1.3	1.9	2.5	3.2	3.8	4.4	5.1	5.7	6.3	7
12B	MAYDOL	STV-L	9957	5	7	38	0.8	1.1	1.5	1.9	2.3	2.7	3.0	3.4	3.8	4.2
50	MCCUMBER	ST-SL	2520	5			ERRO	ERR								
89	MCELROY	GR-L	5672	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
77	MCGOWAN	GR-L	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
77A	MCGOWAN	GR-L	31415	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
585	MIKKALO	SIL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15
586	MIKKALO	SIL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15
587	MIKKALO	SIL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15
588	MIKKALO	SIL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15
589	MIKKALO	SIL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15
150	MORROW	SIL	0	2	6	48	2.4	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0	13
151	MORROW	SIL	0	2	6	48	2.4	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0	13
155	MORROW	SIL	0	2	6	48	2.4	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0	13
53	MULLIG	SL	713	5			ERRO	ERR								
19	MUNSET	STV-SIL	6514	2	7	38	1.9	2.9	3.8	4.8	5.7	6.6	7.6	8.6	9.5	10
97	MUNSET	STV-SIL	0	2	7	38	1.9	2.9	3.8	4.8	5.7	6.6	7.6	8.6	9.5	10
20	NOCK	SIL	1946	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
131	ONYX	SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
181	OUTLOOK	SIL	0	5	4L	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5
76	PARA	GR-L	32319	5	7	38	0.8	1.1	1.5	1.9	2.3	2.7	3.0	3.4	3.8	4.2
76C	PARA	GR-L	6388	5	7	38	0.8	1.1	1.5	1.9	2.3	2.7	3.0	3.4	3.8	4.2
95	PARA	GR-L	19646	5	7	38	0.8	1.1	1.5	1.9	2.3	2.7	3.0	3.4	3.8	4.2
87A	PARA VARIANT	L	1368	5			ERRO	ERR								
70	PINBIT	ST-L	2887	5			ERRO	ERR								
3C	PIRD	GR-L	2757	5			ERRO	ERR								
9B	PIRD	GR-L	2049	5			ERRO	ERR								
17A	FRESHER	ST-L	6766	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
17B	FRESHER	STV-L	7551	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
274	PROSSER	SIL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15
275	PROSSER	SIL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15
276	PROSSER	SIL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15
277	PROSSER	SIL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15
17D	QUIDEN	ST-L	9865	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
280	QUINCY	LS	0	5	2	134	2.7	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	15
281	QUINCY	LS	0	5	2	134	2.7	4.0	5.4	6.7	8.0	9.4	10.7	12.1	13.4	15
2961	RENSLOW	SIL	0	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10
2971	RENSLOW	SIL	0	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10
230	RITZVILLE	SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
304	RITZVILLE	SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
305	RITZVILLE	SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
3061	RITZVILLE	SIL	0	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10

3071	RITZVILLE	SIL	0	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10
308	RITZVILLE	SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
3081	RITZVILLE	SIL	0	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10
317	ROCK CREEK	STV-SIL	0	1	8		ERRO	ERR								
12C	ROCK OUTCROP	0					ERRO	ERR								
12E	ROCK OUTCROP	0					ERRO	ERR								
15	ROCK OUTCROP	3665					ERRO	ERR								
16C	ROCK OUTCROP	0					ERRO	ERR								
16E	ROCK OUTCROP	0					ERRO	ERR								
26	ROCK OUTCROP	2757					ERRO	ERR								
103	ROCK OUTCROP	0					ERRO	ERR								
104	ROCK OUTCROP	0					ERRO	ERR								
108	ROCK OUTCROP	0					ERRO	ERR								
109	ROCK OUTCROP	0					ERRO	ERR								
116	ROCK OUTCROP	0					ERRO	ERR								
120	ROCK OUTCROP	0					ERRO	ERR								
121	ROCK OUTCROP	0					ERRO	ERR								
122	ROCK OUTCROP	0					ERRO	ERR								
229	ROCK OUTCROP	0					ERRO	ERR								
230	ROCK OUTCROP	0					ERRO	ERR								
230	ROCK OUTCROP	0					ERRO	ERR								
378	ROCK OUTCROP	0					ERRO	ERR								
379	ROCK OUTCROP	0					ERRO	ERR								
14A	ROCKLY	STX-L	0	1	8		ERRO	ERR								
14B	ROCKLY	GRV-L	5536	1	8		ERRO	ERR								
15	ROCKLY	STX-L	3665	1	8		ERRO	ERR								
24	ROCKLY	GRV-L	2317	1	8		ERRO	ERR								
30	ROCKLY	GRV-L	6114	1	8		ERRO	ERR								
30A	ROCKLY	GR-L	0	1	8		ERRO	ERR								
30B	ROCKLY	STX-L	0	1	8		ERRO	ERR								
94E	ROCKLY	GR-L	0	1	8		ERRO	ERR								
379	RUBLE LAND	0		5	7	38	0.8	1.1	1.5	1.9	2.3	2.7	3.0	3.4	3.8	4.2
533	SAGEHILL	FSL	0	5	3	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5
534	SAGEHILL	FSL	0	5	3	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5
535	SAGEHILL	FSL	0	5	3	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5
536	SAGEHILL	FSL	0	5	3	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5
537	SAGEHILL	FSL	0	5	3	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5
538	SAGEHILL	FSL	0	5	3	86	1.7	2.6	3.4	4.3	5.2	6.0	6.9	7.7	8.6	9.5
1B	SATUS	STV-L	19291	5	7	38	0.8	1.1	1.5	1.9	2.3	2.7	3.0	3.4	3.8	4.2
2C	SATUS	STV-L	8727	5	7	38	0.8	1.1	1.5	1.9	2.3	2.7	3.0	3.4	3.8	4.2
67	SEGIDAL	SL	2980	2			ERRO	ERR								
72	SEGIDAL	L	922	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15
343	SHANG	SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
346	SHANG	SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
347	SHANG	SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
378	STARBUCK	CB-SIL	0	1	6	48	4.8	7.2	9.6	12.0	14.4	16.8	19.2	21.6	24.0	26
81	SUGARBOWL	CB-SL	2366	5			ERRO	ERR								
5C	SUTA	BY-L	6981	5			ERRO	ERR								
16	SUTA	BYV-L	2739	3			ERRO	ERR								
16C	SUTA	BYV-L	0	3			ERRO	ERR								
16E	SUTA	BYV-L	0	3			ERRO	ERR								
74	TIGIT	L	11481	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15

	TIMBERHEAD	GR-L	2212	5	6	48	1.0	1.4		2.4	2.9	3.4	3.8	4.3	4.8	5.3
28B	TIMBERHEAD	GR-L	4962	5	6	48	1.0	1.4	1.9	2.4	2.9	3.4	3.8	4.3	4.8	5.3
28	TRELK	L	3691	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
28A	TRELK	BY-L	1128	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
29	TRELK VARIANT	SIL	547	5			ERRO	ERR								
84	TROUTER	L	4558	2			ERRO	ERR								
250	VAN NOSTERN	SIL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15
251	VAN NOSTERN	SIL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15
255	VAN NOSTERN	SIL	0	2	5	56	2.8	4.2	5.6	7.0	8.4	9.8	11.2	12.6	14.0	15
83	VOLASH	L	3359	3	5	56	1.9	2.8	3.7	4.7	5.6	6.5	7.5	8.4	9.3	10
19	WAHOO	STX-CL	6514	1	8		ERRO	ERR								
25	WAHOO	ST-L	18336	1	8		ERRO	ERR								
65	WAHOO	ST-SIL	913	1	8		ERRO	ERR								
85	WAHOO	ST-SIL	19646	1	8		ERRO	ERR								
433	WARDEN	SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
435	WARDEN	SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
436	WARDEN	SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
437	WARDEN	SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
438	WARDEN	SIL	0	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
190	WEIRMAN	FSL	0	2	3	86	4.3	6.5	8.6	10.8	12.9	15.0	17.2	19.4	21.5	24
120	XERORTENTS	GR-L	0	2	6	48	2.4	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0	13
121	XERORTENTS	GR-L	0	2	6	48	2.4	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0	13
122	XERORTENTS	GR-L	0	2	6	48	2.4	3.6	4.8	6.0	7.2	8.4	9.6	10.8	12.0	13
26	YEDLICK	CB-SL	2757	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
27B	YEDLICK	STV-SL	8337	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
27C	YEDLICK	STV-SL	1552	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2
71	YEDLICK	STV-SL	1228	5	5	56	1.1	1.7	2.2	2.8	3.4	3.9	4.5	5.0	5.6	6.2