

SNOQUALMIE Highly Erodible Land Classes
 1=Highly Erodible Land
 2=Potentially Highly Erodible
 3=Not Highly Erodible

Equations
 1=Frozen Soils
 2=West Side Soils

C Values Min Max Midpt
 0.01 0.1 0.5

3/23/87

Muid	Map Symbol	Soil Name	Crop	Eq.	HEL		Seq	%	Acres	C	I	R		K	T	Slope Percent		Slope Length		LS-Value		8T/RK		EI	
					Wind	Water						Min	Max			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
634001	1	ALDERWOOD	Y	2	3	2	1	100	2567	0.333	48	22	40	0.15	2	6	15	75	400	0.582	4.725	4.848	2.667	0.960	14.175
634002	2	ALDERWOOD	Y	2	3	2	1	100	948	0.333	48	22	40	0.15	2	15	30	75	300	2.046	10.162	4.848	2.667	3.376	30.486
634003	3	ALKIRIDGE	N	2	3	2	1	100	2999	16		56	85	0.24	2	8	30	75	300	0.857	10.162	1.190	0.784	5.759	103.652
634004	4	ALTAPEAK	N	2	3	2	1	100	1601	16		65	149	0.15	2	8	30	75	300	0.857	10.162	1.641	0.716	4.178	113.560
634005	5	ALTAPEAK	N	2	3	1	1	100	14879	16		65	149	0.15	2	30	65	75	250	5.081	21.265	1.641	0.716	24.770	237.636
634006	6	ALTAPEAK	N	2	3	1	1	100	2144	16		65	149	0.15	2	65	90	75	150	11.647	20.664	1.641	0.716	56.779	230.920
634007	7	ALTAPEAK	N	2	3	1	1	45	1781.1	16		65	149	0.15	2	45	70	75	200	8.165	20.190	1.641	0.716	39.804	225.623
634007	7	ROCK OUTCROP	N	2	3	1	2	30	1187.4	16		65	149	0.15	2	45	70	75	200	8.165	20.190	1.641	0.716	39.804	225.623
634008	8	ANDIC CRYUMBREPTS	N	2	3	1	1	100	2794	16		65	135	0.1	2	30	90	75	150	5.081	20.664	2.462	1.185	16.513	139.482
634009	9	ARENTS	N	2	3	3	1	100	1103	40		27	85	0.2	5	0	8	75	200	0.065	1.400	7.407	2.353	0.070	4.760
634010	10	BARNESTON	Y	2	3	3	1	100	4636	8				0.15	1	0	6			0.000	0.000	ERROR	ERROR	0.000	0.000
634011	11	BARNESTON	Y	2	3	2	1	100	6093	0.093	86	40	65	0.15	1	6	30	75	300	0.582	10.162	1.333	0.821	3.492	99.079
634012	12	BARNESTON	N	2	3	1	1	100	3236	8		40	65	0.15	1	30	65	75	200	5.081	19.020	1.333	0.821	30.486	185.445
634013	13	BARNESTON	Y	2	3	2	1	100	16575	0.093	86	40	56	0.15	1	0	8	75	500	0.065	2.213	1.333	0.952	0.390	18.589
634014	14	BARNESTON	Y	2	3	2	1	100	3821	0.093	86	40	56	0.15	1	8	30	75	350	0.857	10.977	1.333	0.952	5.142	92.207
634015	15	BARNESTON	N	2	3	1	1	100	4964	8		40	56	0.15	1	30	65	75	200	5.081	19.020	1.333	0.952	30.486	159.768
634016	16	BARNESTON	Y	2	3	2	1	100	1014	0.093	86	40	56	0.15	1	8	30	75	300	0.857	10.162	1.333	0.952	5.142	85.361
634017	17	BEAUSITE	Y	2	3	2	1	100	467	0.333	48	17	40	0.2	2	6	30	75	300	0.582	10.162	4.706	2.000	0.989	40.648
634018	18	BEAUSITE	N	2	3	1	1	100	3272	16		17	40	0.2	2	30	65	75	200	5.081	19.020	4.706	2.000	8.638	76.080
634019	19	BEAUSITE	N	2	3	1	1	100	3455	16		17	40	0.2	2	65	90	75	200	11.647	23.860	4.706	2.000	19.800	95.440
634020	20	BELFAST	Y	2	3	3	1	100	344	0.714	56	40	48	0.32	5	0	2	75	500	0.065	0.325	3.125	2.604	0.166	0.998
634021	21	BELLICUM	Y	2	3	2	1	100	1111	0.279	86	56	85	0.05	3	8	30	75	300	0.857	10.162	8.571	5.647	0.800	14.396
634022	22	BELLICUM	N	2	3	2	1	100	3946	24		56	85	0.05	3	30	65	75	200	5.081	19.020	8.571	5.647	4.742	26.945
634023	23	BLETHEN	Y	2	3	2	1	100	8052	0.833	48	40	56	0.1	5	5	30	75	250	0.463	9.277	10.000	7.143	0.370	10.390
634024	24	BLETHEN	N	2	3	2	1	100	10752	40		40	56	0.1	5	30	65	75	300	5.081	23.295	10.000	7.143	4.065	26.090
634025	25	BOROHEMISTS	Y	2	3	3	1	100	808	40		48	85	0.02	5	0	2	75	700	0.065	0.360	41.667	23.529	0.012	0.122
634026	26	BROMO	N	2	3	2	1	100	738	40		56	85	0.1	5	30	65	75	200	5.081	19.020	7.143	4.706	5.691	32.334
634027	27	CATTCREEK	N	2	3	1	1	100	2971	24		85	122	0.1	3	30	65	75	250	5.081	21.265	2.824	1.967	14.396	86.478
634028	28	CATTCREEK	N	2	3	1	1	100	750	24		85	122	0.1	3	65	90	75	200	11.647	23.860	2.824	1.967	33.000	97.031
634029	29	CATTCREEK	N	2	3	1	1	100	2513	24		85	122	0.1	3	30	65	75	200	5.081	19.020	2.824	1.967	14.396	77.348
634030	30	CATTCREEK	N	2	3	1	1	100	609	24		85	122	0.1	3	65	90	75	150	11.647	20.664	2.824	1.967	33.000	84.034
634031	31	CATTCREEK	N	2	3	2	1	100	3449	32		85	122	0.05	4	8	30	75	300	0.857	10.162	7.529	5.246	0.911	15.497
634032	32	CAYUSE	N	2	3	2	1	100	608	40		65	97	0.24	5	8	30	75	350	0.857	10.977	2.564	1.718	2.674	51.109
634033	33	CAYUSE	N	2	3	1	1	100	2526	40		65	97	0.24	5	30	65	75	250	5.081	21.265	2.564	1.718	15.853	99.010
634034	34	CHIKAMIN	N	2	3	2	1	100	2540	16		85	97	0.2	2	0	15	75	400	0.065	4.725	0.941	0.825	0.552	45.833
634035	35	CHIKAMIN	N	2	3	1	1	100	10846	16		85	97	0.2	2	15	30	75	300	2.046	10.162	0.941	0.825	17.391	98.571
634036	36	CHIKAMIN	N	2	3	1	1	100	4919	16		85	97	2	2	30	65	75	200	5.081	19.020	0.941	0.825	43.188	184.494
634037	37	CHIKAMIN	N	2	3	2	1	100	782	16		85	97	0.2	2	0	15	75	400	0.065	4.725	0.941	0.825	0.552	45.833
634038	38	CHIKAMIN	N	2	3	1	1	100	646	16		85	97	0.2	2	15	30	75	300	2.046	10.162	0.941	0.825	17.391	98.571
634039	39	CHRISTOFF	Y	2	3	2	1	100	1571	0.465	86	48	65	0.2	5	6	30	75	450	0.582	12.446	4.167	3.077	1.117	32.360
634040	40	CHRISTOFF	N	2	3	1	1	100	524	40		48	65	0.2	5	30	65	75	250	5.081	21.265	4.167	3.077	9.756	55.289
634041	41	CHUCKANUT	Y	2	3	2	1	100	972	0.429	56	22	40	0.32	3	6	15	75	350	0.582	4.420	3.409	1.875	1.366	18.859
634042	42	CHUCKANUT	Y	2	3	2	1	100	2359	0.429	56	22	40	0.32	3	15	30	75	300	2.046	10.162	3.409	1.875	4.801	43.358
634043	43	CHUCKANUT	N	2	3	1	1	100	2121	24		22	40	0.32	3	30	65	75	250	5.081	21.265	3.409	1.875	11.923	90.731
634044	44	CINEBAR	Y	2	3	2	1	100	2659	0.714	56	40	65	0.28	5	6	15	75	250	0.582	3.735	3.571	2.198	1.304	13.595

SNOQUALMIE Highly Erodible Land Classes
 1=Highly Erodible Land
 2=Potentially Highly Erodible
 3=Not Highly Erodible

Equations
 1=Frozen Soils
 2=West Side Soils

C Values Min Max Midpt
 0.01 0.1 0.5

3/23/87

Map	HEL	HEL			R	R	Slope Percent		Slope Length		LS-Value		8T/RK	8T/RK	EI	EI									
Muid	Symbol	Soil Name	Crop	Eq.	Wind	Water	Seq	%	Acres	C	I	Min	Max	K	T	Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
634045	45	CINEBAR	Y	2	3	2	1	100	342	0.714	56	40	56	0.28	5	15	30	75	250	2.046	9.277	3.571	2.551	4.583	29.093
634046	46	CINEBAR	N	2	3	1	1	100	874	40		40	56	0.28	5	30	45	75	200	5.081	13.334	3.571	2.551	11.381	41.815
634047	47	COTTERAL	N	2	3	2	1	100	547	40		85	122	0.1	5	8	30	75	300	0.857	10.162	4.706	3.279	1.457	24.795
634048	48	COTTERAL	N	2	3	1	1	100	350	40		85	122	0.1	5	30	65	75	200	5.081	19.020	4.706	3.279	8.638	46.409
634049	49	CRINKER	N	2	3	1	1	100	1694	16		65	85	0.17	2	30	65	75	200	5.081	19.020	1.448	1.107	28.073	137.419
634050	50	CRYOFLUVENTS	N	2	3	2	1	100	1393	40		65	135	0.15	5	0	8	75	400	0.065	1.979	4.103	1.975	0.127	8.015
634051	51	CRYOHEMISTS	N	2	3	3	1	100	1265	40		85	135		5	0	2	75	600	0.065	0.344	ERROR	ERROR	0.000	0.000
634052	52	DOBBS	Y	2	3	2	1	100	300	0.286	56	56	85	0.24	2	8	30	75	400	0.857	11.734	1.190	0.784	5.759	119.687
634053	53	EDGEWICK	Y	2	3	3	1	100	3707	0.714	56	40	56	0.28	5	0	3	75	400	0.065	0.435	3.571	2.551	0.146	1.364
634054	54	ELWELL	Y	2	3	2	1	100	14694	0.286	56	48	65	0.28	2	6	30	75	450	0.582	12.446	1.190	0.879	3.911	113.259
634055	55	ELWELL	N	2	3	1	1	100	3980	16		48	65	0.28	2	30	65	75	300	5.081	23.295	1.190	0.879	34.144	211.985
634056	56	ETHANIA	N	2	3	2	1	100	2447	40		65	122	0.1	5	30	65	75	200	5.081	19.020	6.154	3.279	6.605	46.409
634057	57	ETHANIA	N	2	3	1	1	100	2264	40		65	122	0.1	5	65	90	75	150	11.647	20.664	6.154	3.279	15.141	50.420
634058	58	ETHANIA	N	2	3	2	1	100	5091	40		65	122	0.1	5	30	65	75	200	5.081	19.020	6.154	3.279	6.605	46.409
634059	59	ETHANIA	N	2	3	1	1	100	1348	40		65	122	0.1	5	65	90	75	150	11.647	20.664	6.154	3.279	15.141	50.420
634060	60	ETHANIA	N	2	3	2	1	100	2989	24		65	122	0.1	3	8	30	75	350	0.857	10.977	3.692	1.967	1.857	44.640
634061	61	FOSS	N	2	3	2	1	100	1247	40		56	122	0.1	5	8	30	75	300	0.857	10.162	7.143	3.279	0.960	24.795
634062	62	FOSS	N	2	3	2	1	100	393	40		56	122	0.1	5	30	65	75	250	5.081	21.265	7.143	3.279	5.691	51.887
634063	63	GALLUP	N	2	3	2	1	100	2001	40		65	85	0.32	5	6	30	75	300	0.582	10.162	1.923	1.471	2.421	55.281
634064	64	GALLUP	N	2	3	1	1	100	992	40		65	85	0.32	5	30	65	75	250	5.081	21.265	1.923	1.471	21.137	115.682
634065	65	GALLUP	N	2	3	1	1	100	351	40		65	85	0.32	5	15	65	70	325	1.977	24.246	1.923	1.471	8.224	131.898
634066	66	GETCHELL	N	2	3	2	1	100	1268	16		65	85	0.28	2	6	15	75	350	0.582	4.420	0.879	0.672	5.296	52.598
634067	67	GETCHELL	N	2	3	1	1	100	1715	16		65	85	0.28	2	15	30	75	300	2.046	10.162	0.879	0.672	18.619	120.928
634068	68	GETCHELL	N	2	3	1	1	100	543	16		65	85	0.28	2	30	65	75	200	5.081	19.020	0.879	0.672	46.237	226.338
634069	69	GREENWATER	Y	2	3	3	1	100	1254	0.299	134	40	56	0.17	5	0	8	75	700	0.065	2.618	5.882	4.202	0.088	4.985
634070	70	GROTTO	Y	2	3	3	1	100	7086	0.299	134	48	97	0.1	5	0	8	75	600	0.065	2.424	8.333	4.124	0.062	4.703
634071	71	HARTNIT	N	2	3	2	1	100	501	16		65	97	0.24	2	8	30	75	400	0.857	11.734	1.026	0.687	6.685	136.584
634072	72	HAYWIRE	N	2	3	2	1	100	1611	16		65	135	0.2	2	8	30	75	500	0.857	13.119	1.231	0.593	5.571	177.106
634073	73	HAYWIRE	N	2	3	1	1	100	17476	16		65	135	0.2	2	30	65	75	200	5.081	19.020	1.231	0.593	33.026	256.770
634074	74	HAYWIRE	N	2	3	2	1	100	1241	16		65	135	0.17	2	8	30	75	300	0.857	10.162	1.448	0.697	4.735	116.609
634075	75	HAYWIRE	N	2	3	1	1	100	8604	16		65	135	0.17	2	30	65	75	135	5.081	15.626	1.448	0.697	28.073	179.308
634076	76	HINKER	N	2	3	2	1	100	796	16		70	97	0.17	2	8	30	75	300	0.857	10.162	1.345	0.970	5.099	83.786
634077	77	HINKER	N	2	3	1	1	100	2875	16		70	97	0.17	2	30	65	75	150	5.081	16.472	1.345	0.970	30.232	135.812
634078	78	HINKER	N	2	3	1	1	100	287	16		70	97	0.17	2	65	90	75	100	11.647	16.872	1.345	0.970	69.300	139.110
634079	79	HUMAQUEPTS	Y	2	3	2	1	100	5034	0.714	56	56	85	0.37	5	0	5	75	600	0.065	1.310	1.931	1.272	0.269	8.240
634080	80	INDEX	N	2	3	2	1	100	449	24		56	122	0.15	3	8	30	75	450	0.857	12.446	2.857	1.311	2.400	75.921
634081	81	INDEX	N	2	3	1	1	100	14603	24		56	122	0.15	3	30	65	75	200	5.081	19.020	2.857	1.311	14.227	116.022
634082	82	INDEX	N	2	3	1	1	100	1533	24		56	122	0.15	3	65	90	75	150	11.647	20.664	2.857	1.311	32.612	126.050
634083	83	INDEX	N	2	3	2	1	45	1224.9	24		56	122	0.15	3	45	90	75	0.000	14.611	2.857	1.311	0.000	89.127	
634083	83	ROCK OUTCROP	N	2	3	3	2	30	816.6	0						45	90	75	250	8.165	26.677	ERROR	ERROR	0.000	0.000
634084	84	JONAS	Y	2	3	2	1	100	1794	0.5	48	48	85	0.17	3	15	30	75	250	2.046	9.277	2.941	1.661	5.565	44.684
634085	85	JONAS	N	2	3	1	1	100	3270	24		48	85	0.17	3	30	65	75	150	5.081	16.472	2.941	1.661	13.820	79.340
634086	86	JONAS	Y	2	3	2	1	100	3413	0.833	48	48	85	0.17	5	15	30	75	350	2.046	10.977	4.902	2.768	3.339	31.724
634087	87	JONAS	N	2	3	1	1	100	13765	40		48	85	0.17	5	30	65	75	200	5.081	19.020	4.902	2.768	8.292	54.968
634088	88	JONAS	N	2	3	1	1	100	850	40		48	85	0.17	5	65	90	75	150	11.647	20.664	4.902	2.768	19.008	59.719
634089	89	KALEETAN	Y	2	3	2	1	100	2831	0.465	86	97	135	0.2	5	8	30	75	300	0.857	10.162	2.062	1.481	3.325	54.875

SNOQUALMIE Highly Erodible Land Classes
 1=Highly Erodible Land
 2=Potentially Highly Erodible
 3=Not Highly Erodible

Equations
 1=Frozen Soils
 2=West Side Soils

C Values Min Max Midpt
 0.01 0.1 0.5

3/23/87

Muid	Map Symbol	Soil Name	Crop	Eq.	HEL HEL				Acres	C	I	R		K	T	Slope Percent		Slope Length		LS-Value		8T/RK		EI	
					Wind	Water	Seq	%				Min	Max			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
634090	90	KALEETAN	N	2	3	1	1	100	23169	40		97	135	0.2	5	30	65	75	200	5.081	19.020	2.062	1.481	19.714	102.708
634091	91	KALEETAN	N	2	3	1	1	100	953	40		97	135	0.2	5	30	65	75	150	5.081	16.472	2.062	1.481	19.714	88.949
634092	92	KALEETAN	Y	2	3	2	1	100	6492	0.279	86	97	135	0.2	3	8	30	75	350	0.857	10.977	1.237	0.889	5.542	98.793
634093	93	KALEETAN	N	2	3	1	1	100	6178	24		97	135	0.2	3	30	65	75	200	5.081	19.020	1.237	0.889	32.857	171.180
634094	94	KALEETAN	Y	2	3	2	1	100	400	0.465	86	97	135	0.2	5	8	30	75	350	0.857	10.977	2.062	1.481	3.325	59.276
634095	95	KALEETAN	N	2	3	1	1	100	3521	40		97	135	0.2	5	30	65	75	200	5.081	19.020	2.062	1.481	19.714	102.708
634096	96	KANASKAT	Y	2	3	2	1	100	1606	0.465	86	40	65	0.15	5	0	30	75	350	0.065	10.977	6.667	4.103	0.078	21.405
634097	97	KANASKAT	N	2	3	2	1	100	4159	40		40	65	0.15	5	30	65	75	250	5.081	21.265	6.667	4.103	6.097	41.467
634098	98	KANASKAT	N	2	3	2	1	100	230	40		40	65	0.15	5	8	30	75	350	0.857	10.977	6.667	4.103	1.028	21.405
634099	99	KANASKAT	Y	2	3	2	1	100	1148	0.465	86	40	65	0.15	5	30	65	75	200	5.081	19.020	6.667	4.103	6.097	37.089
634100	100	KAPOWSIN	Y	2	3	2	1	100	480	0.333	48	22	40	0.15	2	6	15	75	350	0.582	4.420	4.848	2.667	0.960	13.260
634101	101	KAPOWSIN	Y	2	3	2	1	100	1202	0.333	48	22	40	0.15	2	15	30	75	250	2.046	9.277	4.848	2.667	3.376	27.831
634102	102	KAPOWSIN	N	2	3	1	1	100	601	16		22	40	0.15	2	30	65	75	300	2.081	23.295	4.848	2.667	8.384	69.885
634103	103	KINDY			3	3	1	100	984	16		56	85	0.2	2	0	15	75	350	ERROR	ERROR	1.429	0.941	0.000	0.000
634104	104	KINDY	N	2	3	1	1	100	3695	16		56	85	0.2	2	15	30	75	300	2.046	10.162	1.429	0.941	11.458	86.377
634105	105	KINDY	N	2	3	1	1	100	1453	16		56	85	0.2	2	30	65	75	200	2.081	19.020	1.429	0.941	28.454	161.670
634106	106	KLABER	Y	2	3	3	1	100	2249	0.714	56	40	48	0.24	5	0	2	75	700	0.065	0.360	4.167	3.472	0.125	0.829
634106	106	KLABER	Y	2	3	3	1	100	2249	0.714	56	40	48	0.32	5	0	8	75	500	0.065	2.213	3.125	2.604	0.166	6.798
634107	107	KLABER	Y	2	3	3	1	60	862.8	0.714	56	40	48	0.32	5	0	8	75	500	0.065	2.213	3.125	2.604	0.166	6.798
634107	107	CINEBAR	Y	2	3	2	2	30	431.4	0.714	56	40	65	0.28	5	0	8	75	500	0.065	2.213	3.571	2.198	0.146	8.055
634108	108	KLAPATCHE	N	2	3	2	1	100	746	16		56	122	0.2	2	8	30	75	300	0.857	10.162	1.429	0.656	4.799	123.976
634109	109	KLAPATCHE	N	2	3	1	1	100	8279	16		56	122	0.2	2	30	65	75	200	5.081	19.020	1.429	0.656	28.454	232.044
634110	110	KLAPATCHE	N	2	3	1	1	45	1713.6	16		56	122	0.2	2	45	90	75	250	8.165	26.677	1.429	0.656	45.724	325.459
634110	110	ROCK OUTCROP	N	2	3	3	2	30	1142.4	0						45	90	75	250	8.165	26.677	ERROR	ERROR	0.000	0.000
634111	111	KLAUS	Y	2	3	2	1	100	11527	0.093	86	65	97	0.2	1	0	8	75	700	0.065	2.618	0.615	0.412	0.845	50.789
634112	112	KLAUS	Y	2	3	1	1	100	464	0.093	86	65	97	0.2	1	8	15	75	300	0.857	4.092	0.615	0.412	11.141	79.385
634113	113	KLAUS	N	2	3	1	1	100	1465	8		65	97	0.2	1	30	65	75	250	5.081	21.265	0.615	0.412	66.053	412.541
634114	114	KLAUS	Y	2	3	2	1	100	716	0.093	86	65	97	0.2	1	0	8	75	500	0.065	2.213	0.615	0.412	0.845	42.932
634115	115	KLAUS	N	2	3	1	1	100	360	8		65	97	0.2	1	30	65	75	200	5.081	19.020	0.615	0.412	66.053	368.988
634116	116	LARRUPIN	Y	2	3	2	1	100	2171	0.179	134	48	85	0.15	3	3	30	75	400	0.263	11.734	3.333	1.882	0.631	49.870
634117	117	LARRUPIN	N	2	3	1	1	100	1589	24		48	85	0.15	3	30	65	75	300	5.081	23.295	3.333	1.882	12.194	99.004
634118	118	LARRUPIN	Y	2	3	2	1	100	1663	0.179	134	48	85	0.1	3	6	30	75	400	0.582	11.734	5.000	2.824	0.931	33.246
634119	119	LEMOLO	Y	2	3	3	1	100	3521	0.714	56	40	48	0.37	5	0	8	75	200	0.065	1.400	2.703	2.252	0.192	4.973
634120	120	LITTLEJOHN	Y	2	3	2	1	100	418	0.279	86	48	65	0.15	3	8	30	75	250	0.857	9.277	3.333	2.462	2.057	30.150
634121	121	LITTLEJOHN	N	2	3	1	1	100	6296	24		48	65	0.15	3	30	65	75	200	5.081	19.020	3.333	2.462	12.194	31.815
634122	122	LITTLEJOHN	N	2	3	1	1	100	261	24		48	65	0.15	3	30	65	75	250	5.081	21.265	3.333	2.462	12.194	69.111
634123	123	LITTLEJOHN	Y	2	3	2	1	100	286	0.279	86	48	65	0.15	3	8	30	75	250	0.857	9.277	3.333	2.462	2.057	30.150
634124	124	LITTLEJOHN	N	2	3	1	1	100	4882	24		48	65	0.15	3	30	65	75	200	5.081	19.020	3.333	2.462	12.194	61.815
634125	125	LITTLEJOHN	N		3	3	1	100	328	24		48	65	0.15	3	30	65	75	250	ERROR	ERROR	3.333	2.462	0.000	0.000
634126	126	LITTLEJOHN	N	2	3	1	1	50	1700.5	24		48	65	0.15	3	30	90	75	300	5.081	26.223	3.333	2.462	12.194	94.975
634126	126	ROCK OUTCROP	N	2	3	3	2	30	1020.3	0						30	90	75	300	5.081	29.223	ERROR	ERROR	0.000	0.000
634127	127	LYNNWOOD	Y	2	3	3	1	100	814	0.299	134	27	48	0.15	5	6	15	75	350	0.582	4.420	9.877	5.556	0.471	6.365
634128	128	MARBLEMOUNT	Y	2	3	1	1	100	551	0.06	134	85	135	0.1	1	8	30	75	300	0.857	10.162	0.941	0.593	7.285	137.187
634129	129	MARBLEMOUNT	N	2	3	1	1	100	4144	8		85	135	0.1	1	30	65	75	200	5.081	19.020	0.941	0.593	43.188	256.770
634130	130	MARBLEMOUNT	N	2	3	1	1	100	598	16		85	135	0.1	2	30	65	75	250	5.081	21.265	1.882	1.185	21.594	143.539
634131	131	MARBLEMOUNT	N	2	3	1	1	50	1477	8		85	135	0.1	1	45	90	75	150	8.165	20.664	0.941	0.593	69.403	278.964

SNOQUALMIE Highly Erodible Land Classes
 1=Highly Erodible Land
 2=Potentially Highly Erodible
 3=Not Highly Erodible

Equations
 1=Frozen Soils
 2=West Side Soils

C Values Min Max Midpt
 0.01 0.1 0.5

3/23/87

Muid	Map Symbol	Soil Name	Crop	Eq.	HEL HEL				Acres	C	I	R		K	T	Slope Percent		Slope Length		LS-Value		8T/RK		EI	
					Wind	Water	Seq	%				Min	Max			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
634131	131	ROCK OUTCROP	N	2	3	3	2	40	1181.6	0					45	90	75	150	8.165	20.664	ERROR	ERROR	0.000	0.000	
634132	132	MASHEL	Y	2	3	2	1	100	8351	0.714	56	40	48	0.32	5	5	30	75	300	0.463	10.162	3.125	2.604	1.185	31.218
634133	133	MASHEL	N	2	3	1	1	100	3055	40		40	48	0.32	5	30	65	75	300	5.081	23.295	3.125	2.604	13.007	71.562
634134	134	MELAKWA	Y	2	3	2	1	100	285	0.186	86	85	149	0.2	2	8	30	75	350	0.857	10.977	0.941	0.537	7.235	163.557
634135	135	MELAKWA	N	2	3	1	1	100	7206	0.16		85	149	0.2	2	30	65	75	200	5.081	19.020	0.941	0.537	43.188	283.398
634136	136	MELAKWA	N	2	3	1	1	100	312	16		85	149	0.2	2	30	65	75	150	5.081	16.472	0.941	0.537	43.188	245.433
634137	137	MELAKWA	N	2	3	1	1	100	297	16		85	149	0.2	2	30	65	75	200	5.081	19.020	0.941	0.537	43.188	283.398
634138	138	MELAKWA	N	2	3	1	1	50	1336.5	16		85	149	0.2	2	45	90	75	150	8.165	20.664	0.941	0.537	69.403	307.894
634138	138	ROCK OUTCROP	N	2	3	3	2	40	1069.2	0						45	90	75	150	8.165	20.664	ERROR	ERROR	0.000	0.000
634139	139	MOWICH	Y	2	3	2	1	100	3187	0.714	56	40	65	0.28	5	0	15	75	300	0.065	4.092	3.571	2.198	0.146	14.895
634140	140	MUKILTEO	Y	2	3	3	1	100	557	40				5	0	1	75	400	0.065	0.195	ERROR	ERROR	0.000	0.000	
634141	141	NAGROM	N	2	3	2	1	100	973	16		56	97	0.17	2	8	30	75	250	0.857	9.277	1.681	0.970	4.079	76.489
634142	142	NAGROM	N	2	3	1	1	100	15253	16		56	97	0.17	2	30	65	75	150	5.081	16.472	1.681	0.970	24.186	135.812
634143	143	NAGROM	N	2	3	2	1	100	790	16		56	97	0.17	2	8	30	75	135	0.857	6.817	1.681	0.970	4.079	56.206
634144	144	NAGROM	N	2	3	1	1	100	7024	16		56	97	0.17	2	30	65	75	135	5.081	15.626	1.681	0.970	24.186	128.836
634145	145	NAGROM	N	2	3	1	1	50	4398	16		56	97	0.17	2	30	90	75	200	5.081	23.860	1.681	0.970	24.186	196.726
634145	145	ROCK OUTCROP	N	2	3	3	2	40	3518.4	0					30	90	75	200	5.081	23.860	ERROR	ERROR	0.000	0.000	
634146	146	NARGAR	Y	2	3	2	1	100	2914	0.279	86	40	65	0.32	3	0	15	75	400	0.065	4.725	1.875	1.154	0.277	32.760
634147	147	NARGAR	Y	2	3	1	1	100	1704	0.279	86	40	65	0.32	3	15	30	75	300	2.046	10.162	1.875	1.154	8.730	70.457
634148	148	NARGAR	N	2	3	1	1	45	879.3	24		40	56	0.32	3	35	70	75	250	6.131	22.573	1.875	1.339	26.159	134.836
634148	148	PASTIK	N	2	3	1	2	45	879.3	40		33	48	0.32	5	35	70	75	250	6.131	22.573	3.788	2.604	12.949	69.344
634149	149	NATIONAL	Y	2	3	3	1	100	5026	0.465	86	56	75	0.15	5	0	8	75	350	0.065	1.852	4.762	3.556	0.109	4.167
634149	149	NATIONAL	Y	2	3	3	1	100	5026	0.465	86	56	75	0.15	5	0	8	75	600	0.065	2.424	4.762	3.556	0.109	5.454
634150	150	NEILTON	Y	2	3	3	1	100	400	0.299	134	40	48	0.15	5	2	15	75	400	0.184	4.725	6.667	5.556	0.221	6.804
634151	151	NIMUE	N	2	3	2	1	100	6302	40		56	135	0.17	5	6	30	75	300	0.582	10.162	4.202	1.743	1.108	46.644
634152	152	NIMUE	N	2	3	1	1	100	40644	40		56	135	0.17	5	30	65	75	200	5.081	19.020	4.202	1.743	9.674	87.302
634153	153	NIMUE	N	2	3	1	1	100	2685	40		56	135	0.17	5	65	90	75	150	11.647	20.664	4.202	1.743	22.176	94.848
634154	154	NIMUE	N	2	3	2	1	100	5726	40		56	135	0.17	5	8	30	75	300	0.857	10.162	4.202	1.743	1.632	46.644
634155	155	NIMUE	N	2	3	1	1	100	31941	40		56	135	0.17	5	30	65	75	250	5.081	21.265	4.202	1.743	9.674	97.606
634156	156	NIMUE	N	2	3	1	1	60	5749.8	40		56	135	0.17	5	30	90	75	150	5.081	20.664	4.202	1.743	9.674	94.848
634156	156	ROCK OUTCROP	N	2	3	3	2	30	2874.9	0					30	90	75	150	5.081	20.664	ERROR	ERROR	0.000	0.000	
634157	157	NOOKSACK	Y	2	3	3	1	100	2709	0.714	56	22	40	0.37	5	0	2	75	600	0.065	0.344	4.914	2.703	0.106	1.018
634158	158	NORMA	Y	2	3	3	1	100	1577	0.714	56	22	48	0.24	5	0	3	75	600	0.065	0.491	7.576	3.472	0.069	1.131
634159	159	OAKES	Y	2	3	2	1	100	4504	0.833	48	48	60	0.32	5	8	30	75	300	0.857	10.162	2.604	2.083	2.633	39.022
634159	159	OAKES	Y	2	3	2	1	100	4504	0.833	48	52	56	0.24	5	6	30	75	450	0.582	12.446	3.205	2.976	1.453	33.455
634160	160	OAKES	Y	2	3	2	1	100	6344	0.5	48	48	65	0.24	3	6	30	75	300	0.582	10.162	2.083	1.538	2.235	52.842
634161	161	OAKES	N	2	3	1	1	100	3519	24		52	56	0.24	3	30	65	75	300	5.081	23.295	1.923	1.786	21.137	104.362
634161	161	OAKES	N	2	3	1	1	100	3519	24		52	56	0.32	3	30	65	75	200	5.081	19.020	1.442	1.339	28.183	113.613
634162	162	OGARTY	Y	2	3	2	1	100	2926	0.333	40	40	56	0.2	2	8	30	75	275	0.857	9.730	2.000	1.429	3.428	54.488
634163	163	OGARTY	N	2	3	1	1	100	7602	16		40	56	0.2	2	30	65	75	250	5.081	21.265	2.000	1.429	20.324	119.084
634164	164	OGARTY	N	2	3	1	1	50	841	16		40	56	0.2	2	45	90	75	150	8.165	20.664	2.000	1.429	32.660	115.718
634164	164	ROCK OUTCROP	N	2	3	3	2	40	672.8	0					45	90	75	150	8.165	20.664	ERROR	ERROR	0.000	0.000	
634165	165	OHOP	Y	2	3	2	1	100	1652	0.465	86	48	65	0.2	5	0	15	75	200	0.065	3.341	4.167	3.077	0.125	8.687
634165	165	OHOP	Y	2	3	3	1	100	1652	0.465	86	48	65	0.24	5	0	8	75	500	0.065	2.213	3.472	2.564	0.150	6.905
634167	167	OLOMOUNT	Y	2	3	2	1	100	472	0.333	48	48	65	0.2	2	8	30	75	400	0.857	11.734	1.667	1.231	4.114	76.271
634168	168	OLOMOUNT	N	2	3	1	1	100	741	16		48	65	0.2	2	30	65	75	250	5.081	21.265	1.667	1.231	24.389	138.222

SNOQUALMIE Highly Erodible Land Classes
 1=Highly Erodible Land
 2=Potentially Highly Erodible
 3=Not Highly Erodible

Equations
 1=Frozen Soils
 2=West Side Soils

C Values Min Max Midpt
 0.01 0.1 0.5

3/23/87

Muid	Map Symbol	Soil Name	Crop	Eq.	HEL HEL				Acres	C	I	R		K	T	Slope Percent		Slope Length		LS-Value		8T/RK		EI	
					Wind	Water	Seq	%				Min	Max			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
634169	169	OLOMOUNT	N	2	3	1	1	60	411.6	16		48	65	0.2	2	45	70	75	150	8.165	17.485	1.667	1.231	39.192	113.653
634169	169	ROCK OUTCROP	N	2	3	3	2	30	205.8	0					45	90	75	150	8.165	20.664	ERROR	ERROR	0.000	0.000	
634170	170	ORIDIA	Y	2	3	3	1	100	1429	0.714	56	22	40	0.49	5	0	2	75	600	0.065	0.344	3.711	2.041	0.140	1.348
634171	171	ORTHENTS	N	2	3	1	1	60	2712.6	16		85	135	0.1	2	30	99	75	300	5.081	30.663	1.882	1.185	21.594	206.975
634171	171	HUMODS	N	2	3	1	2	20	904.2	16		85	135	0.1	2	30	99	75	300	5.081	30.663	1.882	1.185	21.594	206.975
634172	172	OVALL	Y	2	3	2	1	100	577	0.333	48	33	48	0.17	2	15	30	75	350	2.046	10.977	2.852	1.961	5.739	44.786
634173	173	OVALL	N	2	3	1	1	100	2761	16		33	48	0.17	2	30	65	75	300	5.081	23.295	2.852	1.961	14.252	95.044
634173	173	OVALL	N	2	3	1	1	100	2761	8		33	48	0.2	1	30	65	75	150	5.081	16.472	1.212	0.833	33.535	158.131
634175	175	PERSIS	N	2	3	2	1	100	2104	24		65	135	0.28	3	0	8	75	350	0.065	1.852	1.319	0.635	0.394	23.335
634176	176	PERSIS	Y	2	3	2	1	100	237	0.279	86	65	135	0.28	3	0	8	75	600	0.065	2.424	1.319	0.635	0.394	30.542
634177	177	PHEENEY	Y	2	3	2	1	100	663	0.333	48	48	75	0.17	2	8	30	75	300	0.857	10.162	1.961	1.255	3.497	64.783
634178	178	PHEENEY	N	2	3	1	1	100	4770	16		48	75	0.17	2	30	65	75	350	5.081	25.161	1.961	1.255	20.730	160.401
634179	179	PHEENEY	Y	2	3	2	1	100	187	0.333	48	40	75	0.17	2	8	30	75	300	0.857	10.162	2.353	1.255	2.914	64.783
634180	180	PHEENEY	N	2	3	1	1	100	1832	16		40	75	0.17	2	30	65	75	200	5.081	19.020	2.353	1.255	17.275	121.253
634181	181	PHEENEY	N	2	3	1	1	50	767	16		40	75	0.17	2	30	65	75	300	5.081	23.295	2.353	1.255	17.275	148.506
634181	181	ROCK OUTCROP	N	2	3	3	2	40	613.6	0					30	90	75	300	5.081	29.223	ERROR	ERROR	0.000	0.000	
634182	182	PHILIPPA	Y	2	3	2	1	100	6950	0.186	86	80	149	0.32	2	0	30	75	400	0.065	11.734	0.625	0.336	0.832	279.739
634183	183	PHILIPPA	N	2	3	1	1	100	3445	16		80	149	0.32	2	30	65	75	200	5.081	19.020	0.625	0.366	65.037	453.437
634184	184	PIERKING	Y	2	3	3	1	100	541	0.465	86	48	65	0.28	5	0	3	75	500	0.065	0.465	2.976	2.198	0.175	1.693
634185	185	PIERKING	Y	2	3	3	1	70	1458.8	0.714	56	48	65	0.28	5	0	5	75	600	0.065	1.310	2.976	2.198	0.175	4.768
634185	185	BOROHEMISTS	Y	2	3	3	2	20	416.8	40		48	85	0.02	5	0	2	75	700	0.065	0.360	41.667	23.529	0.012	0.122
634186	186	PIERKING	Y	2	3	3	1	60	198	0.465	86	48	65	0.28	5	0	5	75	500	0.065	1.196	2.976	2.198	0.175	4.353
634186	186	MOWICH	Y	2	3	2	2	30	99	0.714	56	40	65	0.28	5	6	15	75	350	0.582	4.420	3.571	2.198	1.304	16.089
634187	187	PILCHUCK	Y	2	3	3	1	100	2871	0.299	134	22	48	0.2	5	0	3	75	600	0.065	0.491	9.091	4.167	0.057	0.943
634188	188	PITCHER	Y	2	3	2	1	100	7375	0.465	86	40	65	0.28	5	8	30	75	130	0.857	6.690	3.571	2.198	1.920	24.352
634189	189	PITCHER	N	2	3	1	1	100	27747	40		40	65	0.28	5	30	65	75	325	5.081	24.246	3.571	2.198	11.381	88.255
634190	190	PITCHER	N	2	3	1	1	100	469	40	40	40	65	0.28	5	30	65	75	250	5.081	21.265	3.571	2.198	11.381	77.405
634191	191	PITCHER	Y	2	3	2	1	100	6091	0.465	86	40	65	0.28	5	8	30	75	200	0.857	8.297	3.571	2.198	1.920	30.201
634192	192	PITCHER	N	2	3	1	1	100	27075	40		40	65	0.28	5	30	65	75	250	5.081	21.265	3.571	2.198	11.381	77.405
634193	193	PITCHER	N	2	3	1	1	100	2745	40		40	65	0.28	5	30	65	75	250	5.081	21.265	3.571	2.198	11.381	77.405
634194	194	PITCHER	N	2	3	1	1	60	341.4	40		40	65	0.28	5	30	90	75	100	5.081	16.872	3.571	2.198	11.381	61.414
634194	194	ROCK OUTCROP	N	2	3	3	2	30	170.7	0					30	90	75	100	5.081	16.872	ERROR	ERROR	0.000	0.000	
634195	195	PITS	N	2	3	3	1	100	478	0				0.02	0	1	75	400	0.065	0.195	ERROR	ERROR	0.000	0.000	
634196	196	PLAYCO	N	2	3	2	1	100	8165	40		56	85	0.17	5	8	30	75	300	0.857	10.162	4.202	2.768	1.632	29.368
634197	197	PLAYCO	N	2	3	1	1	100	45494	40		56	85	0.17	5	30	65	75	250	5.081	21.265	4.202	2.768	9.674	61.456
634198	198	PLAYCO	N	2	3	1	1	100	1587	40		56	85	0.17	5	65	90	75	150	11.647	20.664	4.202	2.768	22.176	59.719
634199	199	PLAYCO	N	2	3	2	1	100	5201	40		56	85	0.1	5	8	30	75	350	0.857	10.977	7.143	4.706	0.960	18.661
634200	200	PLAYCO	N	2	3	2	1	100	39441	40		56	85	0.1	5	30	65	75	300	5.081	23.295	7.143	4.706	5.691	39.602
634201	201	PLAYCO	N	2	3	1	1	60	2218.2	40		56	85	0.17	5	30	90	75	200	5.081	23.860	4.202	2.768	9.674	68.955
634201	201	ROCK OUTCROP	N	2	3	3	2	30	1109.1	0					30	90	75	200	5.081	23.860	ERROR	ERROR	0.000	0.000	
634202	202	PUGET	Y	2	3	3	1	100	1137	1.053	38	22	40	0.28	5	0	1	75	700	0.065	0.231	6.494	3.571	0.080	0.517
634203	203	RAGNAR	Y	2	3	2	1	100	460	0.429	56	22	48	0.32	3	6	15	75	400	0.582	4.725	3.409	1.563	1.366	24.192
634204	204	RAGNAR	Y	2	3	2	1	100	349	0.429	56	22	48	0.32	3	15	30	75	300	2.046	10.162	3.409	1.563	4.801	52.029
634205	205	RAGNAR	Y	2	3	2	1	45	291.6	0.429	56	22	48	0.32	3	2	15	75	450	0.184	5.012	3.409	1.563	0.432	25.661
634205	205	LYNNWOOD	Y	2	3	3	2	45	291.6	0.299	134	27	40	0.15	5	2	15	75	400	0.184	4.725	9.877	6.667	0.149	5.670
634206	206	RAGNAR	N	2	3	1	1	45	139.95	24		22	48	0.32	3	30	45	75	250	5.081	14.907	3.409	1.563	11.923	76.324

SNOQUALMIE Highly Erodible Land Classes
 1=Highly Erodible Land
 2=Potentially Highly Erodible
 3=Not Highly Erodible

Equations
 1=Frozen Soils
 2=West Side Soils

C Values Min Max Midpt
 0.01 0.1 0.5

3/23/87

Muid	Map Symbol	Soil Name	Crop	Eq.	HEL HEL				Acres	C	I	R		K	T	Slope Percent		Slope Length		LS-Value		8T/RK		EI	
					Wind	Water	Seq	%				Min	Max			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
634206	206	LYNNWOOD	N	2	3	2	2	45	139.95	40		27	48	0.15	5	30	45	75	250	5.081	14.907	9.877	5.556	4.116	21.466
634207	207	REGGAD	N	2	3	1	1	100	21738	8		56	149	0.15	1	30	65	75	250	5.081	21.265	0.952	0.358	42.680	475.273
634208	208	REGGAD	N	2	3	1	1	70	1918	8		56	149	0.15	1	45	90	75	150	8.165	20.664	0.952	0.358	68.586	461.840
634208	208	HAYWIRE	N	2	3	1	2	20	548	16	56	65	135	0.2	2	45	90	75	150	8.165	20.664	1.231	0.593	53.072	278.964
634209	209	REGGAD	N	2	3	1	1	45	936.9	8		56	149	0.15	1	45	90	75	100	8.165	16.872	0.952	0.358	68.586	377.089
634209	209	KLAPATCHE	N	2	3	1	2	20	416.4	16		56	122	0.2	2	45	90	75	100	8.165	16.872	1.429	0.656	45.724	205.838
634209	209	ROCK OUTCROP	N	2	3	3	3	15	312.3	0					45	90	75	100	8.165	16.872	ERROR	ERROR	0.000	0.000	
634210	210	REGGAD	N	2	3	1	1	70	10351.6	8		56	149	0.15	1	45	90	75	100	8.165	16.872	0.952	0.358	68.586	377.089
634210	210	SERENE	N	2	3	1	2	20	2957.6	8		56	149	0.15	1	45	90	75	100	8.165	16.872	0.952	0.358	68.586	377.089
634211	211	REICHEL	N	2	3	1	1	100	2383	24		56	85	0.28	3	15	30	75	350	2.046	10.977	1.531	1.008	10.694	84.084
634212	212	REICHEL	N	2	3	1	1	100	2129	24		56	85	0.28	3	30	65	75	250	5.081	21.265	1.531	1.008	26.557	168.702
634213	213	REICHEL	N	2	3	2	1	100	635	40		56	85	0.24	5	15	30	75	250	2.046	9.277	2.976	1.961	5.500	37.850
634214	214	REICHEL	N	2	3	1	1	100	1002	40		56	85	0.24	5	30	65	75	200	5.081	19.020	2.976	1.961	13.658	77.602
634215	215	RIVERWASH	N	2	3	3	1	100	882	0					0	3	75	400	0.065	0.435	ERROR	ERROR	0.000	0.000	
634216	216	ROBER	Y	2	3	2	1	100	8394	40		48	65	0.32	5	0	30	75	250	0.065	9.277	2.604	1.923	0.200	38.592
634217	217	ROBER	N	2	3	1	1	100	834	40		48	65	0.32	5	30	65	75	200	5.081	19.020	2.604	1.923	15.609	79.123
634218	218	ROCK OUTCROP	N	2	3	3	1	100	14982	0					0	90			0.000	0.000	ERROR	ERROR	0.000	0.000	
634219	219	ROCK OUTCROP	N	2	3	3	1	50	2603	0					65	90			0.000	0.000	ERROR	ERROR	0.000	0.000	
634219	219	CATTCREEK	N	2	3	1	2	40	2082.4	24		85	122	0.1	3	65	90	75	150	11.647	20.664	2.824	1.967	33.000	84.034
634220	220	ROCK OUTCROP	N	2	3	3	1	50	1212.5	0		65	97			30	90	75	150	5.081	20.664	ERROR	ERROR	0.000	0.000
634220	220	CAYUSE	N	2	3	1	2	30	727.5	40		65	97	0.24	5	30	90	75	150	5.081	20.664	2.564	1.718	15.853	96.212
634221	221	ROCK OUTCROP	N	2	3	3	1	50	6775	0					45	90	75	150	8.165	20.664	ERROR	ERROR	0.000	0.000	
634221	221	HAYWIRE	N	2	3	1	2	40	5420	16		65	135	0.2	2	45	90	75	150	8.165	20.664	1.231	0.593	53.072	278.964
634222	222	ROCK OUTCROP	N	2	3	3	1	35	2398.9	0					45	90	75	100	8.165	16.872	ERROR	ERROR	0.000	0.000	
634222	222	RUBBLE LAND	N	2	3	3	2	30	2056.2	0					45	90	75	100	8.165	16.872	ERROR	ERROR	0.000	0.000	
634222	222	HAYWIRE	N	2	3	1	3	25	1713.5	16		65	135	0.2	2	45	90	75	150	8.165	20.664	1.231	0.593	53.072	278.965
634223	223	ROCK OUTCROP	N	2	3	3	1	35	6019.65	0					45	90	75	100	8.165	16.872	ERROR	ERROR	0.000	0.000	
634223	223	RUBBLE LAND	N	2	3	3	2	30	5159.7	0					45	90	75	100	8.165	16.872	ERROR	ERROR	0.000	0.000	
634223	223	SERENE	N	2	3	1	3	25	4299.75	8		56	149	0.15	1	45	70	75	150	8.165	17.485	0.952	0.358	68.586	390.780
634224	224	RUBBLE LAND	N	2	3	3	1	100	11936	0					15	90	75	400	2.046	33.744	ERROR	ERROR	0.000	0.000	
634225	225	RUGLES	Y	2	3	2	1	100	4743	0.714	56	40	56	0.32	5	0	15	75	200	0.065	3.341	3.125	2.232	0.166	11.974
634226	226	SALAL	Y	2	3	3	1	100	558	0.714	56	56	65	0.37	5	0	2	75	600	0.065	0.344	1.931	1.663	0.269	1.655
634227	227	SAUK	Y	2	3	2	1	100	2514	0.714	56	65	85	0.28	5	0	8	75	500	0.065	2.213	2.198	1.681	0.237	10.534
634228	228	SCAMMAN	Y	2	3	2	1	100	5063	0.833	48	27	56	0.32	5	6	15	75	300	0.582	4.092	4.630	2.232	1.006	14.666
634229	229	SCAMMAN	Y	2	3	2	1	100	797	0.833	48	27	56	0.32	5	15	30	75	250	2.046	9.277	4.630	2.232	3.535	33.249
634230	230	SCAMMAN	N	2	3	1	1	100	361	40		27	56	0.32	5	30	65	75	150	5.081	16.472	4.630	2.232	8.780	59.036
634231	231	SEATTLE	Y	2	3	3	1	100	2867	40		27	40	0	5	0	1	75	300	0.065	0.179	ERROR	ERROR	0.000	0.000
634232	232	SERENE	N	2	3	2	1	100	1448	8		56	149	0.15	1	8	30	75	300	0.857	10.162	0.952	0.358	7.199	227.121
634233	233	SERENE	N	2	3	1	1	100	7838	8		56	149	0.15	1	30	65	75	200	5.081	19.020	0.952	0.358	42.680	425.097
634234	234	SERENE	N	2	3	1	1	50	1653	8		56	149	0.15	1	45	90	75	150	8.165	20.664	0.952	0.358	68.586	461.840
634234	234	ROCK OUTCROP	N	2	3	3	2	30	991.8	0					45	90	75	150	8.165	20.664	ERROR	ERROR	0.000	0.000	
634235	235	SHALCAR	Y	2	3	3	1	100	1842	40		22	48		5	0	2	75	500	0.065	0.325	ERROR	ERROR	0.000	0.000
634236	236	SI	Y	2	3	3	1	100	1723	0.714	56	56	65	0.37	5	0	2	75	600	0.065	0.344	1.931	1.663	0.269	1.655
634237	237	SKYKOMISH	Y	2	3	2	1	100	5301	0.093	86	40	65	0.17	1	0	30	75	400	0.065	11.734	1.176	0.724	0.442	129.661
634238	238	SKYKOMISH	N	2	3	1	1	100	1299	8		40	65	0.17	1	30	65	75	250	5.081	21.265	1.176	0.724	34.551	234.978
634239	239	SKYKOMISH	Y	2	3	2	1	100	312	0.093	86	40	65	0.17	1	0	30	75	250	0.065	9.277	1.176	0.724	0.442	102.511

SNOQUALMIE Highly Erodible Land Classes
 1=Highly Erodible Land
 2=Potentially Highly Erodible
 3=Not Highly Erodible

Equations
 1=Frozen Soils
 2=West Side Soils

C Values Min Max Midpt
 0.01 0.1 0.5

3/23/87

Muid	Map Symbol	Soil Name	Crop	Eq.	HEL HEL				Acres	C	I	R		K	T	Slope Percent		Slope Length		LS-Value		8T/RK		EI	
					Wind	Water	Seq	%				Min	Max			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
634240	240	SKYKOMISH	N	2	3	2	1	100	1623	8		40	65	0.17	1	0	30	75	300	0.065	10.162	1.176	0.724	0.442	112.290
634241	241	SNOQUALMIE	Y	2	3	2	1	100	2655	0.06	134	40	85	0.17	1	0	8	75	700	0.065	2.618	1.176	0.554	0.442	37.830
634242	242	SNOQUALMIE	Y	2	3	2	1	100	399	0.06	134	40	85	0.17	1	0	8	75	500	0.065	2.213	1.176	0.554	0.442	31.978
634243	243	SPUKWUSH	N	2	3	2	1	100	818	40		56	97	0.24	5	8	30	75	275	0.857	9.730	2.976	1.718	2.304	45.303
634244	244	STAHL	N	2	3	1	1	100	1812	16		65	97	0.1	2	30	65	75	250	5.081	21.265	2.462	1.649	16.513	103.135
634245	245	STAHL	N	2	3	2	1	100	370	16		65	97	0.1	2	15	30	75	250	2.046	9.277	2.462	1.649	6.649	44.993
634246	246	STAHL	N	2	3	1	1	100	1452	16		65	97	0.1	2	30	65	75	300	5.081	23.295	2.462	1.649	16.513	112.981
634247	247	SULSAVAR	Y	2	3	2	1	100	2690	0.714	56	33	56	0.32	5	0	8	75	700	0.065	2.618	3.788	2.232	0.137	9.383
634248	248	SULTAN	Y	2	3	3	1	100	583	0.714	56	22	40	0.37	5	0	2	75	600	0.065	0.344	4.914	2.703	0.106	1.018
634249	249	TENERIFFE	Y	2	3	1	1	100	932	0.06	134	85	149	0.17	1	8	30	75	350	0.857	10.977	0.554	0.316	12.384	278.047
634250	250	TENERIFFE	N	2	3	1	1	100	9499	8		85	149	0.17	1	30	65	75	250	5.081	21.265	0.554	0.316	73.421	538.642
634251	251	TENERIFFE	N	2	3	1	1	100	252	8		85	149	0.17	1	30	65	75	150	5.081	16.472	0.554	0.316	73.421	417.236
634252	252	TENERIFFE	Y	2	3	1	1	100	330	0.093	86	85	149	0.15	1	8	30	75	350	0.857	10.977	0.627	0.358	10.927	245.336
634253	253	TENERIFFE	N	2	3	1	1	100	1770	8		85	149	0.15	1	30	65	75	250	5.081	21.265	0.627	0.358	64.783	475.273
634254	254	TOKUL	Y	2	3	2	1	100	9137	0.333	48	40	56	0.2	2	0	6	75	500	0.065	1.502	2.000	1.429	0.260	8.411
634255	255	TOKUL	Y	2	3	2	1	100	33941	0.333	48	40	56	0.2	2	6	15	75	135	0.582	2.745	2.000	1.429	2.328	15.372
634256	256	TOKUL	Y	2	3	1	1	100	15144	0.333	48	40	56	0.2	2	15	30	75	250	2.046	9.277	2.000	1.429	8.184	51.951
634257	257	TOKUL	N	2	3	1	1	100	6051	16		40	56	0.2	2	30	65	75	300	5.081	23.295	2.000	1.429	20.324	130.452
634258	258	TOKUL	N	2	3	1	1	50	3086	16		40	56	0.2	2	45	90	75	225	8.165	25.308	2.000	1.429	32.660	141.725
634258	258	PASTIK	N	2	3	1	2	25	1543	40		33	48	0.32	5	45	70	75	150	8.165	17.485	3.788	2.604	17.244	53.714
634259	259	TOKUL	N	2	3	1	1	50	156	16		40	56	0.2	2	45	90	75	150	8.165	20.644	2.000	1.429	32.660	115.718
634259	259	PASTIK	N	2	3	1	2	25	78	40		33	48	0.32	5	45	70	75	200	8.165	20.190	3.788	2.604	17.244	62.024
634260	260	TREEN	N	2	3	1	1	100	473	8		56	149	0.28	1	30	65	75	200	5.081	19.020	0.510	0.192	79.670	793.514
634261	261	TUKWILA	Y	2	3	3	1	100	155	8		22	40		1	0	1	75	500	0.065	0.209	ERROR	ERROR	0.000	0.000
634262	262	TUSIP	N	2	3	1	1	100	1751	24		65	97	0.28	3	15	30	75	250	2.046	9.277	1.319	0.884	12.412	83.988
634263	263	TUSIP	N	2	3	1	1	100	2502	24		65	97	0.28	3	30	65	75	250	5.081	21.265	1.319	0.884	30.825	192.519
634264	264	TYPIC HAPLORTHODS	N	2	3	1	1	100	4075	24		40	65	0.15	3	35	90	75	150	6.131	20.664	4.000	2.462	12.262	67.158
634265	265	TYPIC HAPLORTHODS	Y	2	3	3	1	100	1406	0.465	86	48	65	0.37	5	0	3	75	700	0.065	0.514	2.252	1.663	0.231	2.472
634266	266	TYPIC HAPLORTHODS	Y	2	3	3	1	100	420	0.465	86	48	65	0.37	5	0	3	75	500	0.065	0.465	2.252	1.663	0.231	2.237
634267	267	UDIFLUVENTS	Y	2	3	3	1	100	8400	0.465	86	48	65	0.15	5	0	8	75	500	0.065	2.213	5.556	4.103	0.094	4.315
634267	267	UDIFLUVENTS	Y	2	3	3	1	100	8400	0.465	86	48	65	0.37	5	0	3	75	600	0.065	0.491	2.252	1.663	0.231	2.362
634268	268	VAILTON	Y	2	3	2	1	100	985	0.429	56	56	85	0.24	3	8	30	75	300	0.857	10.162	1.786	1.176	3.839	69.102
634269	269	VAILTON	N	2	3	1	1	100	4159	24		56	85	0.24	3	30	65	75	300	5.081	23.295	1.786	1.176	22.763	158.406
634270	270	VOIGHT	Y	2	3	2	1	100	386	0.714	56	48	85	0.32	5	6	15	75	400	0.582	4.725	2.604	1.471	1.788	25.704
634271	271	VOIGHT	Y	2	3	2	1	100	1320	0.714	56	48	85	0.32	5	15	30	75	350	2.046	10.977	2.604	1.471	6.285	59.715
634272	272	VOIGHT	N	2	3	1	1	100	1010	40		48	85	0.32	5	30	65	75	250	5.081	21.265	2.604	1.471	15.609	115.682
634273	273	WELCOME	Y	2	3	2	1	100	886	0.429	56	48	85	0.28	3	0	30	75	300	0.065	10.162	1.786	1.008	0.291	80.618
634274	274	WELCOME	N	2	3	1	1	100	332	24		48	85	0.28	3	30	65	75	200	5.081	19.020	1.786	1.008	22.763	150.892
634275	275	WILKESON	Y	2	3	2	1	100	730	0.833	48	40	56	0.2	5	6	15	75	500	0.582	5.283	5.000	3.571	0.931	11.834
634276	276	WILKESON	N	2	3	2	1	100	3677	40		40	56	0.28	5	8	30	75	300	0.857	10.162	3.571	2.551	1.920	31.868
634276	276	WILKESON	Y	2	3	2	1	100	3677	0.833	48	40	56	0.2	5	15	30	75	300	2.046	10.162	5.000	3.571	3.274	22.763
634277	277	WILKESON	N	2	3	1	1	100	3485	40		40	56	0.2	5	30	45	75	250	5.081	14.907	5.000	3.571	8.130	33.392
634277	277	WILKESON	N	2	3	1	1	100	3485	40		40	56	0.28	5	30	65	75	200	5.081	19.020	3.571	2.551	11.381	59.647
634278	278	WINSTON	Y	2	3	2	1	100	4048	0.286	56	40	56	0.24	2	0	8	75	240	0.065	1.533	1.667	1.190	0.312	10.302
634279	279	WINSTON	Y	2	3	2	1	100	2798	0.286	56	40	56	0.24	2	8	30	75	200	0.857	8.297	1.667	1.190	4.114	55.756
634280	280	WINSTON	Y	2	3	2	1	100	484	0.286	56	40	56	0.24	2	0	30	75	600	0.065	14.372	1.667	1.190	0.312	96.580

SNOQUALMIE Highly Erodible Land Classes
 1=Highly Erodible Land
 2=Potentially Highly Erodible
 3=Not Highly Erodible

Equations
 1=Frozen Soils
 2=West Side Soils

C Values Min Max Midpt
 0.01 0.1 0.5

3/23/87

Muid	Map Symbol	Soil Name	Crop	Eq.	HEL		Seq	%	Acres	C	I	R		K	T	Slope Percent		Slope Length		LS-Value		8T/RK		EI	
					Wind	Water						Min	Max			Min	Max	Min	Max	Min	Max	Min	Max	Min	Max
634281	281	WOODINVILLE	Y	2	3	3	1	100	210	0.714	56	27	40	0.37	5	0	2	75	600	0.065	0.344	4.004	2.703	0.130	1.018
634282	282	ZYNBAR	Y	2	3	2	1	100	16381	0.714	56	56	97	0.24	5	6	30	75	335	0.582	10.739	2.976	1.718	1.564	50.001
634283	283	ZYNBAR	N	2	3	1	1	100	5839	40	56	97	0.24	5	30	65	75	300	5.081	23.295	2.976	1.718	13.658	108.462	
634284	284	ZYNBAR	Y	2	3	2	1	100	3681	0.571	56	56	97	0.32	4	0	15	75	300	0.065	4.092	1.786	1.031	0.291	31.754