

HIGHLY ERODIBLE LAND REPORT
JANUARY, 1990

Survey Area- BLAND COUNTY, VIRGINIA

Map Symbol	Mapunit Name	Seq. Num.	Component Name	Cap. Subcl.	Prime Farm	HEL Soil	K Fact.	T Fact.
2B	FREDERICK SILT LOAM, 2 TO 7 PERCENT SLOPES	1	FREDERICK	2E	1	PHEL	.32	4
2C	FREDERICK SILT LOAM, 7 TO 15 PERCENT SLOPES	1	FREDERICK	3E	0	HEL	.32	4
2D	FREDERICK SILT LOAM, 15 TO 25 PERCENT SLOPES	1	FREDERICK	4E	0	HEL	.32	4
2E	FREDERICK SILT LOAM, 25 TO 35 PERCENT SLOPES	1	FREDERICK	6E	0	HEL	.32	4
2F	FREDERICK SILT LOAM, 35 TO 60 PERCENT SLOPES	1	FREDERICK	7E	0	HEL	.32	4
4B	FREDERICK GRAVELLY SILT LOAM, 2 TO 7 PERCENT SLOPES	1	FREDERICK	2E	1	PHEL	.28	4
4C	FREDERICK GRAVELLY SILT LOAM, 7 TO 15 PERCENT SLOPES	1	FREDERICK	3E	0	HEL	.28	4
4D	FREDERICK GRAVELLY SILT LOAM, 15 TO 25 PERCENT SLOPES	1	FREDERICK	4E	0	HEL	.28	4
4E	FREDERICK GRAVELLY SILT LOAM, 25 TO 35 PERCENT SLOPES	1	FREDERICK	6E	0	HEL	.28	4
4F	FREDERICK GRAVELLY SILT LOAM, 35 TO 60 PERCENT SLOPES	1	FREDERICK	7E	0	HEL	.28	4
5A	ALLEGHENY LOAM, 0 TO 2 PERCENT SLOPES	1	ALLEGHENY	1	1	NHEL	.32	4
5B	ALLEGHENY LOAM, 2 TO 7 PERCENT SLOPES	1	ALLEGHENY	2E	1	PHEL	.32	4
5C	ALLEGHENY LOAM, 7 TO 15 PERCENT SLOPES	1	ALLEGHENY	3E	0	HEL	.32	4
6C	WURNO CHANNERY LOAM, 7 TO 15 PERCENT SLOPES	1	WURNO	3E	0	HEL	.28	2
6D	WURNO CHANNERY LOAM, 15 TO 25 PERCENT SLOPES	1	WURNO	4E	0	HEL	.28	2
6E	WURNO CHANNERY LOAM, 25 TO 70 PERCENT SLOPES	1	WURNO	6E	0	HEL	.28	2
7A	COTACO SILT LOAM, 0 TO 2 PERCENT SLOPES	1	COTACO	2W	1	NHEL	.37	3
7B	COTACO SILT LOAM, 2 TO 7 PERCENT SLOPES	1	COTACO	2E	1	PHEL	.37	3
7C	COTACO SILT LOAM, 7 TO 15 PERCENT SLOPES	1	COTACO	3E	0	HEL	.37	3
20B	SHOTTOWER LOAM, 2 TO 7 PERCENT SLOPES	1	SHOTTOWER	2E	1	PHEL	.32	5
20C	SHOTTOWER LOAM, 7 TO 15 PERCENT SLOPES	1	SHOTTOWER	3E	0	HEL	.32	5
20D	SHOTTOWER LOAM, 15 TO 25 PERCENT SLOPES	1	SHOTTOWER	4E	0	HEL	.32	5
22B	BOLTON LOAM, 2 TO 7 PERCENT SLOPES	1	BOLTON		1	PHEL	.37	4
22C	BOLTON LOAM, 7 TO 15 PERCENT SLOPES	1	BOLTON	3E	0	HEL	.37	4
22D	BOLTON LOAM, 15 TO 25 PERCENT SLOPES	1	BOLTON	4E	0	HEL	.37	4
22E	BOLTON LOAM, 25 TO 35 PERCENT SLOPES	1	BOLTON	6E	0	HEL	.37	4
27A	POPE GRAVELLY FINE SANDY LOAM, 0 TO 4 PERCENT SLOPES, OCCASIONALLY FLOODED	1	POPE	2W	1	PHEL	.28	5
29C	CARBO SILTY CLAY LOAM, 7 TO 15 PERCENT SLOPES	1	CARBO	3E	0	HEL	.37	2
29D	CARBO SILTY CLAY LOAM, 15 TO 25 PERCENT SLOPES	1	CARBO	6E	0	HEL	.37	2
29E	CARBO SILTY CLAY LOAM, 25 TO 65 PERCENT SLOPES	1	CARBO	7E	0	HEL	.37	2
30B	TIMBERVILLE LOAM, 2 TO 7 PERCENT SLOPES, FREQUENTLY FLOODED	1	TIMBERVILLE	2E	1	PHEL	.32	5
32C	GRIMSLEY COBBLY LOAM, 8 TO 15 PERCENT SLOPES	1	GRIMSLEY	6S	0	HEL	.20	4
32D	GRIMSLEY COBBLY LOAM, 15 TO 25 PERCENT SLOPES	1	GRIMSLEY	7S	0	HEL	.20	4
32E	GRIMSLEY COBBLY LOAM, 25 TO 70 PERCENT SLOPES	1	GRIMSLEY	7S	0	HEL	.20	4
40B	LITZ-GROSECLOSE COMPLEX, 2 TO 7 PERCENT SLOPES	1	LITZ	2E	0	PHEL	.37	3
40B	LITZ-GROSECLOSE COMPLEX, 2 TO 7 PERCENT SLOPES	2	GROSECLOSE	2E	0	PHEL	.43	4
40C	LITZ-GROSECLOSE COMPLEX, 7 TO 15 PERCENT SLOPES	1	LITZ	3E	0	HEL	.37	3
40C	LITZ-GROSECLOSE COMPLEX, 7 TO 15 PERCENT SLOPES	2	GROSECLOSE	3E	0	HEL	.43	4
40D	LITZ-GROSECLOSE COMPLEX, 15 TO 25 PERCENT SLOPES	1	LITZ	4E	0	HEL	.37	3
40D	LITZ-GROSECLOSE COMPLEX, 15 TO 25 PERCENT SLOPES	2	GROSECLOSE	4E	0	HEL	.43	4
40E	LITZ-GROSECLOSE COMPLEX, 25 TO 60 PERCENT SLOPES	1	LITZ	7E	0	HEL	.37	3
40E	LITZ-GROSECLOSE COMPLEX, 25 TO 60 PERCENT SLOPES	2	GROSECLOSE	7E	0	HEL	.43	4
43B	LILY LOAM, 2 TO 7 PERCENT SLOPES	1	LILY	2E	1	PHEL	.28	2
43C	LILY LOAM, 7 TO 15 PERCENT SLOPES	1	LILY	3E	1	HEL	.28	2
43D	LILY LOAM, 15 TO 25 PERCENT SLOPES	1	LILY	6E	0	HEL	.28	2
46B	POYNOR EXTREMELY GRAVELLY SILT LOAM, 2 TO 7 PERCENT SLOPES	1	POYNOR	4S	0	PHEL	.28	5
46C	POYNOR EXTREMELY GRAVELLY SILT LOAM, 7 TO 15 PERCENT SLOPES	1	POYNOR	6E	0	HEL	.28	5

HIGHLY ERODIBLE LAND REPORT
JANUARY, 1990

Survey Area- BLAND COUNTY, VIRGINIA

Map Symbol	Mapunit Name	Seq. Num.	Component Name	Cap. Subcl.	Prime Farm	HEL Soil	K Fact.	T Fact.
46D	POYNOR EXTREMELY GRAVELLY SILT LOAM, 15 TO 25 PERCENT SLOPES	1	POYNOR	7E	0	HEL	.28	5
46E	POYNOR EXTREMELY GRAVELLY SILT LOAM, 25 TO 70 PERCENT SLOPES	1	POYNOR	7E	0	HEL	.28	5
49C	CARBO-ROCK OUTCROP COMPLEX, 7 TO 15 PERCENT SLOPES	1	CARBO	3E	0	HEL	.37	2
49C	CARBO-ROCK OUTCROP COMPLEX, 7 TO 15 PERCENT SLOPES	2	ROCK OUTCROP		0	HEL		
49D	CARBO-ROCK OUTCROP COMPLEX, 15 TO 25 PERCENT SLOPES	1	CARBO	6E	0	HEL	.37	2
49D	CARBO-ROCK OUTCROP COMPLEX, 15 TO 25 PERCENT SLOPES	2	ROCK OUTCROP		0	HEL		
49E	CARBO-ROCK OUTCROP COMPLEX, 25 TO 65 PERCENT SLOPES	1	CARBO	7E	0	HEL	.37	2
49E	CARBO-ROCK OUTCROP COMPLEX, 25 TO 65 PERCENT SLOPES	2	ROCK OUTCROP		0	HEL		
50B	FREDERICK SILT LOAM, 2 TO 7 PERCENT SLOPES, KARST	1	FREDERICK	2E	1	PHEL	.32	4
50C	FREDERICK SILT LOAM, 7 TO 15 PERCENT SLOPES, KARST	1	FREDERICK	3E	0	HEL	.32	4
50D	FREDERICK SILT LOAM, 15 TO 25 PERCENT SLOPES, KARST	1	FREDERICK	4E	0	HEL	.32	4
50E	FREDERICK SILT LOAM, 25 TO 60 PERCENT SLOPES, KARST	1	FREDERICK	7E	0	HEL	.32	4
53A	NOLIN SILT LOAM, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	1	NOLIN	2W	1	PHEL	.43	5
60C	JEFFERSON LOAM, 7 TO 15 PERCENT SLOPES, VERY STONY	1	JEFFERSON	6S	0	HEL	.10	4
60D	JEFFERSON LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1	JEFFERSON	6S	0	HEL	.10	4
60E	JEFFERSON LOAM, 25 TO 70 PERCENT SLOPES, VERY STONY	1	JEFFERSON	7S	0	HEL	.10	4
63B	SHELOCTA SILT LOAM, 2 TO 7 PERCENT SLOPES	1	SHELOCTA	2E	1	PHEL	.32	4
63C	SHELOCTA SILT LOAM, 7 TO 15 PERCENT SLOPES	1	SHELOCTA	3E	0	HEL	.32	4
63D	SHELOCTA SILT LOAM, 15 TO 25 PERCENT SLOPES	1	SHELOCTA	6E	0	HEL	.32	4
63E	SHELOCTA SILT LOAM, 25 TO 65 PERCENT SLOPES	1	SHELOCTA	7E	0	HEL	.32	4
69A	LINDSIDE-NEWARK COMPLEX, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	1	LINDSIDE	2W	1	PHEL	.32	5
69A	LINDSIDE-NEWARK COMPLEX, 0 TO 3 PERCENT SLOPES, OCCASIONALLY FLOODED	2	NEWARK	2W	1	PHEL	.43	5
70A	MELVIN SILT LOAM, 0 TO 2 PERCENT SLOPES, FREQUENTLY FLOODED	1	MELVIN	4W	0	NHEL	.43	5
73C	WESTMORELAND LOAM, 7 TO 15 PERCENT SLOPES	1	WESTMORELAND	3E	0	HEL	.37	3
73D	WESTMORELAND LOAM, 15 TO 25 PERCENT SLOPES	1	WESTMORELAND	4E	0	HEL	.37	3
73E	WESTMORELAND LOAM, 25 TO 65 PERCENT SLOPES	1	WESTMORELAND	7E	0	HEL	.37	3
74C	FREDERICK SILT LOAM, 7 TO 15 PERCENT SLOPES, ROCKY	1	FREDERICK	3E	0	HEL	.32	4
74D	FREDERICK SILT LOAM, 15 TO 25 PERCENT SLOPES, ROCKY	1	FREDERICK	4E	0	HEL	.32	4
74E	FREDERICK SILT LOAM, 25 TO 65 PERCENT SLOPES, ROCKY	1	FREDERICK	7E	0	HEL	.32	4
90B	JEFFERSON LOAM, 2 TO 7 PERCENT SLOPES	1	JEFFERSON	2E	1	PHEL	.24	4
90C	JEFFERSON LOAM, 7 TO 15 PERCENT SLOPES	1	JEFFERSON	3E	0	HEL	.24	4
90D	JEFFERSON LOAM, 15 TO 25 PERCENT SLOPES	1	JEFFERSON	6E	0	HEL	.24	4
114C	LAIDIG LOAM, 7 TO 15 PERCENT SLOPES, VERY STONY	1	LAIDIG	6S	0	HEL	.28	4
114D	LAIDIG LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1	LAIDIG	6S	0	HEL	.28	4
114E	LAIDIG LOAM, 25 TO 50 PERCENT SLOPES, VERY STONY	1	LAIDIG	7S	0	HEL	.28	4
115B	LAIDIG CHANNERY LOAM, 2 TO 7 PERCENT SLOPES	1	LAIDIG	2E	0	PHEL	.28	4
115C	LAIDIG CHANNERY LOAM, 7 TO 15 PERCENT SLOPES	1	LAIDIG	3E	0	HEL	.28	4
115D	LAIDIG CHANNERY LOAM, 15 TO 25 PERCENT SLOPES	1	LAIDIG	4E	0	HEL	.28	4
135B	GILPIN SILT LOAM, 2 TO 7 PERCENT SLOPES	1	GILPIN	2E	0	PHEL	.32	3
135C	GILPIN SILT LOAM, 7 TO 15 PERCENT SLOPES	1	GILPIN	3E	0	HEL	.32	3
135D	GILPIN SILT LOAM, 15 TO 25 PERCENT SLOPES	1	GILPIN	4E	0	HEL	.32	3
141B	WYRICK-MARBIE COMPLEX, 2 TO 7 PERCENT SLOPES	1	WYRICK	2E	1	PHEL	.32	5

HIGHLY ERODIBLE LAND REPORT
JANUARY, 1990

Survey Area- BLAND COUNTY, VIRGINIA

Map Symbol	Mapunit Name	Seq. Num.	Component Name	Cap. Subcl.	Prime Farm	HEL Soil	K Fact.	T Fact.
141B	WYRICK-MARBIE COMPLEX, 2 TO 7 PERCENT SLOPES	2	MARBIE	2E	1	PHEL	.37	5
141C	WYRICK-MARBIE COMPLEX, 7 TO 15 PERCENT SLOPES	1	WYRICK	3E	0	HEL	.32	5
141C	WYRICK-MARBIE COMPLEX, 7 TO 15 PERCENT SLOPES	2	MARBIE	3E	0	HEL	.37	5
150A	CRAIGSVILLE COBBLY SANDY LOAM, 0 TO 5 PERCENT SLOPES, FREQUENTLY FLOODED	1	CRAIGSVILLE	3S	0	PHEL	.20	3
152B	ZOAR SILT LOAM, 2 TO 7 PERCENT SLOPES	1	ZOAR	2E	1	PHEL	.43	3
152C	ZOAR SILT LOAM, 7 TO 15 PERCENT SLOPES	1	ZOAR	3E	0	HEL	.43	3
215A	PURDY SILTY CLAY LOAM, 0 TO 2 PERCENT SLOPES, PONDED	1	PURDY	4W	0	NHEL	.43	3
215B	PURDY SILTY CLAY LOAM, 2 TO 7 PERCENT SLOPES, PONDED	1	PURDY	4W	0	PHEL	.43	3
220C	SHOTTOWER COBBLY LOAM, 7 TO 15 PERCENT SLOPES	1	SHOTTOWER	3S	0	PHEL	.24	5
220D	SHOTTOWER COBBLY LOAM, 15 TO 25 PERCENT SLOPES	1	SHOTTOWER	4S	0	HEL	.24	5
220E	SHOTTOWER COBBLY LOAM, 25 TO 35 PERCENT SLOPES	1	SHOTTOWER		0	HEL	.24	5
223B	TUMBLING LOAM, 2 TO 7 PERCENT SLOPES	1	TUMBLING	2E	1	PHEL	.32	5
223C	TUMBLING LOAM, 7 TO 15 PERCENT SLOPES	1	TUMBLING	3E	0	HEL	.32	5
223D	TUMBLING LOAM, 15 TO 25 PERCENT SLOPES	1	TUMBLING	4E	0	HEL	.32	5
224C	TUMBLING LOAM, 7 TO 15 PERCENT SLOPES, VERY STONY	1	TUMBLING	6S	0	HEL	.24	5
224D	TUMBLING LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1	TUMBLING	6S	0	HEL	.24	5
224E	TUMBLING LOAM, 25 TO 45 PERCENT SLOPES, VERY STONY	1	TUMBLING	7E	0	HEL	.24	5
271C	BERKS SILT LOAM, 7 TO 15 PERCENT SLOPES, VERY STONY	1	BERKS	6S	0	HEL	.17	3
271D	BERKS SILT LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1	BERKS	6S	0	HEL	.17	3
271E	BERKS SILT LOAM, 25 TO 70 PERCENT SLOPES, VERY STONY	1	BERKS	7S	0	HEL	.17	3
297C	DEKALB FINE SANDY LOAM, 7 TO 15 PERCENT SLOPES	1	DEKALB	3E	0	HEL	.24	2
297D	DEKALB FINE SANDY LOAM, 15 TO 25 PERCENT SLOPES	1	DEKALB	4E	0	HEL	.24	2
297E	DEKALB FINE SANDY LOAM, 25 TO 70 PERCENT SLOPES	1	DEKALB	7E	0	HEL	.24	2
298C	DEKALB SANDY LOAM, 7 TO 15 PERCENT SLOPES, VERY STONY	1	DEKALB	6S	0	HEL	.17	2
298D	DEKALB SANDY LOAM, 15 TO 25 PERCENT SLOPES, VERY STONY	1	DEKALB	6S	0	HEL	.17	2
298E	DEKALB SANDY LOAM, 25 TO 80 PERCENT SLOPES, VERY STONY	1	DEKALB	7S	0	HEL	.17	2
299E	DEKALB-ROCK OUTCROP COMPLEX, 15 TO 70 PERCENT SLOPES	1	DEKALB	7S	0	HEL	.17	2
299E	DEKALB-ROCK OUTCROP COMPLEX, 15 TO 70 PERCENT SLOPES	2	ROCK OUTCROP		0	HEL		

HIGHLY ERODIBLE LAND REPORT
JANUARY, 1990

Survey Area- BLAND COUNTY, VIRGINIA

Map Symbol	Mapunit Name	Seq. Num.	Component Name	Cap. Subcl.	Prime Farm	HEL Soil	K Fact.	T Fact.
---------------	--------------	--------------	-------------------	----------------	---------------	-------------	------------	------------

HEL Terms

NHEL – Not Highly Erodible Land
PHEL – Potentially Highly Erodible Land
HEL – Highly Erodible Land

Prime Farmland Codes

- 0 - Not prime farmland.
- 1 - All areas are prime farmland.
- 2 - Prime farmland if drained.
- 3 - Prime farmland if protected from flooding or not frequently flooded during the growing season.
- 4 - Prime farmland if irrigated.
- 5 - Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season.
- 6 - Prime farmland if irrigated and drained.
- 7 - Prime farmland if irrigated and either protected from flooding or not frequently flooded during the growing season.
- 8 - Prime farmland if subsoiled, completely removed the root inhibiting soil layer.