

Soil Correlation Amendment
of
Camden County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
Ats	Atsion sand	AtsA	Atsion sand, 0 to 2 percent slopes
Lo	Leon sand	AtsA	Atsion sand, 0 to 2 percent slopes
Attxr	Atsion-Berryland sands, rarely flooded	AttAr	Atsion-Berryland sands, 0 to 2 percent slopes, rarely flooded
Ls	Leon-St. Johns sands	AttAr	Atsion-Berryland sands, 0 to 2 percent slopes, rarely flooded
AmA	Aura loamy sand, 0 to 2 percent slopes	AucB	Aura loamy sand, 0 to 5 percent slopes
AmB	Aura loamy sand, 2 to 5 percent slopes	AucB	Aura loamy sand, 0 to 5 percent slopes
ArA	Aura sandy loam, 0 to 2 percent slopes	AugA	Aura sandy loam, 0 to 2 percent slopes
ArB	Aura sandy loam, 2 to 5 percent slopes	AugB	Aura sandy loam, 2 to 5 percent slopes
AtB	Aura-Downer loamy sand, 0 to 5 percent slopes	AvdB	Aura-Downer loamy sands, 0 to 5 percent slopes
AvB	Aura-Downer sandy loams, 0 to 5 percent slopes	AveB	Aura-Downer sandy loams, 0 to 5 percent slopes
Ax	Aura-Urban land complex	AvuB	Aura-Urban land complex, 0 to 5 percent slopes
Berr	Berryland sand, rarely flooded	BerAr	Berryland sand, 0 to 2 percent slopes, rarely flooded
Sa	St. Johns sand	BerAr	Berryland sand, 0 to 2 percent slopes, rarely flooded
Bert	Berryland sand, frequently flooded	BerAt	Berryland sand, 0 to 2 percent slopes, frequently flooded
Beukr	Berryland sand, clayey substratum, rarely flooded	BeukAr	Berryland sand, clayey substratum, 0 to 2 percent slopes, rarely flooded
Sc	St. Johns sand, clayey substratum	BeukAr	Berryland sand, clayey substratum, 0 to 2 percent slopes, rarely flooded
BEXS	Berryland and Mullica soils, occasionally flooded	BEXAS	Berryland and Mullica soils, 0 to 2 percent slopes, occasionally flooded
BUJB	Buddtown and Deptford loamy fine sands, 0 to 5 percent slopes	BukA	Buddtown-Deptford loamy fine sands, 0 to 2 percent slopes
NcA	Nixonton and Barclay loamy fine sands, 0 to 5 percent slopes	BukA	Buddtown-Deptford loamy fine sands, 0 to 2 percent slopes
BUMA	Buddtown and Deptford fine sandy loams, 0 to 2 percent slopes	BumA	Buddtown-Deptford fine sandy loams, 0 to 2 percent slopes
NbA	Nixonton and Barclay fine sandy loams, 0 to 3 percent slopes	BumA	Buddtown-Deptford fine sandy loams, 0 to 2 percent slopes
Cm	Colemantown loam	CoeAs	Colemantown loam, 0 to 2 percent slopes, occasionally flooded

Soil Correlation Amendment
of
Camden County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
Coes	Colemantown loam, occasionally flooded	CoeAs	Colemantown loam, 0 to 2 percent slopes, occasionally flooded
CoA	Collington fine sandy loam, 0 to 2 percent slopes	ComA	Collington fine sandy loam, 0 to 2 percent slopes
CoB	Collington fine sandy loam, 2 to 5 percent slopes	ComB	Collington fine sandy loam, 2 to 5 percent slopes
DoA	Downer loamy sand, 0 to 5 percent slopes	DocB	Downer loamy sand, 0 to 5 percent slopes
DOVC	Downer soils, 5 to 10 percent slopes	DocC	Downer loamy sand, 5 to 10 percent slopes
DtC	Downer soils, 5 to 10 percent slopes	DocC	Downer loamy sand, 5 to 10 percent slopes
DrA	Downer loamy sand, clayey substratum, 0 to 5 percent slopes	DockB	Downer loamy sand, clayey substratum, 0 to 5 percent slopes
DsA	Downer sandy loam, 0 to 2 percent slopes	DoeA	Downer sandy loam, 0 to 2 percent slopes
DsB	Downer sandy loam, 2 to 5 percent slopes	DoeB	Downer sandy loam, 2 to 5 percent slopes
DxC	Downer-Aura complex, 5 to 10 percent slopes	DonC	Downer-Aura complex, 5 to 10 percent slopes
LdA	Lakeland sand, 0 to 5 percent slopes	EveB	Evesboro sand, 0 to 5 percent slopes
LasE	Lakewood sand, 15 to 25 percent slopes	EveE	Evesboro sand, 10 to 30 percent slopes
LAVE	Lakewood and Evesboro sands, 10 to 30 percent slopes	EveE	Evesboro sand, 10 to 30 percent slopes
LhE	Lakewood and Lakeland sands, 10 to 30 percent slopes	EveE	Evesboro sand, 10 to 30 percent slopes
EveWB	Evesboro sand, water table, 0 to 5 percent slopes	EveWB	Evesboro water table variant sand, 0 to 5 percent slopes
LeA	Lakeland sand, water table, 0 to 2 percent slopes	EveWB	Evesboro water table variant sand, 0 to 5 percent slopes
LcB	Lakeland fine sand, firm substratum 0 to 5 percent slopes	EvmfB	Evesboro fine sand, firm substratum, 0 to 5 percent slopes
Fam	Fallsington sandy loam, 0 to 2 percent slopes	FamA	Fallsington sandy loam, 0 to 2 percent slopes
Fd	Fallsington sandy loam	FamA	Fallsington sandy loam, 0 to 2 percent slopes
Fmgt	Fluvaquents, sandy, frequently flooded	FmgAt	Fluvaquents, sandy, 0 to 3 percent slopes, frequently flooded
Sv	Sandy alluvial land	FmgAt	Fluvaquents, sandy, 0 to 3 percent slopes, frequently flooded
Fmht	Fluvaquents, loamy, frequently flooded	FmhAt	Fluvaquents, loamy, 0 to 3 percent slopes, frequently flooded
Lv	Loamy alluvial land	FmhAt	Fluvaquents, loamy, 0 to 3 percent slopes, frequently flooded

Soil Correlation Amendment
of
Camden County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
FhB	Freehold loamy fine sand, 0 to 5 percent slopes	FrgB	Freehold loamy fine sand, 0 to 5 percent slopes
FhC	Freehold loamy fine sand, 5 to 10 percent slopes	FrgC	Freehold loamy fine sand, 5 to 10 percent slopes
FRTE	Freehold soils, 15 to 30 percent slopes	FrgE	Freehold loamy fine sand, 15 to 25 percent slopes
FsE	Freehold soils, 15 to 30 percent slopes	FrgE	Freehold loamy fine sand, 15 to 25 percent slopes
FfA	Freehold fine sandy loam, 0 to 2 percent slopes	FrmA	Freehold fine sandy loam, 0 to 2 percent slopes
FfB	Freehold fine sandy loam, 2 to 5 percent slopes	FrmB	Freehold fine sandy loam, 2 to 5 percent slopes
FfC	Freehold fine sandy loam, 5 to 10 percent slopes	FrmC	Freehold fine sandy loam, 5 to 10 percent slopes
FxB	Freehold-Downer-Urbanland complex, gently sloping	FrpB	Freehold-Downer-Urban land complex, 0 to 5 percent slopes
FxC	Freehold-Downer-Urbanland complex, sloping	FrpC	Freehold-Downer-Urban land complex, 5 to 10 percent slopes
Fy	Freehold-Downer-Urbanland complex, clayey substrata	FrpkB	Freehold-Downer, clayey substratum-Urban land complex, 0 to 5 percent slopes
FtD	Freehold and Collington soils, 10 to 15 percent slopes	FRWD	Freehold and Collington soils, 10 to 15 percent slopes
KmA	Klej loamy sand, 0 to 2 percent slopes	GamB	Galloway loamy sand, 0 to 5 percent slopes
HboA	Hammonton sandy loam, 0 to 2 percent slopes	HboA	Hammonton sandy loam, 0 to 2 percent slopes
HfA	Holmdel loamy fine sand, 0 to 3 percent slopes	HobB	Holmdel loamy fine sand, 0 to 5 percent slopes
HdA	Holmdel fine sandy loam, 0 to 3 percent slopes	HodA	Holmdel fine sandy loam, 0 to 2 percent slopes
Hn	Holmdel-Urban land complex	HofB	Holmdel-Urban land complex, 0 to 5 percent slopes
Hm	Holmdel, clayey substratum-Urban land complex	HogB	Holmdel, clayey substratum-Urban land complex, 0 to 5 percent slopes
HoB	Howell-Urban land complex, gently sloping	HowB	Howell-Urban land complex, 0 to 5 percent slopes
HoC	Howell-Urban land complex, sloping	HowC	Howell-Urban land complex, 5 to 10 percent slopes
Pa	Pasquotank fine sandy loam	JdrA	Jade Run fine sandy loam, 0 to 2 percent slopes

Soil Correlation Amendment
of
Camden County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
Pc	Pasquotank-Weeksville-Urban land complex	JduA	Jade Run-Weeksville-Urban land complex, 0 to 2 percent slopes
KrA	Kresson sandy loam, 0 to 3 percent slopes	KrdA	Kresson sandy loam, 0 to 2 percent slopes
LaA	Lakehurst sand, 0 to 3 percent slopes	LakB	Lakehurst sand, 0 to 5 percent slopes
LamB	Lakehurst fine sand, 0 to 5 percent slopes	LamB	Lakehurst fine sand, 0 to 5 percent slopes
LbA	Lakehurst-Lakewood association, 0 to 5 percent slopes	LanB	Lakehurst-Lakewood sands, 0 to 5 percent slopes
LgB	Lakewood sand, 0 to 5 percent slopes	LasB	Lakewood sand, 0 to 5 percent slopes
LgC	Lakewood sand, 5 to 10 percent slopes	LasC	Lakewood sand, 5 to 10 percent slopes
LfB	Lakewood fine sand, 0 to 5 percent slopes	LatB	Lakewood fine sand, 0 to 5 percent slopes
LfC	Lakewood fine sand, 5 to 10 percent slopes	LatC	Lakewood fine sand, 5 to 10 percent slopes
LfD	Lakewood fine sand, 10 to 25 percent slopes	LatD	Lakewood fine sand, 10 to 25 percent slopes
Makt	Manahawkin muck, frequently flooded	MakAt	Manahawkin muck, 0 to 2 percent slopes, frequently flooded
Mu	Muck	MakAt	Manahawkin muck, 0 to 2 percent slopes, frequently flooded
Mamuv	Mannington-Nanticoke-Udorthents complex, very frequently flooded	MamuAv	Mannington-Nanticoke-Udorthents complex, 0 to 2 percent slopes, very frequently flooded
Tm	Tidal marsh-Made land complex	MamuAv	Mannington-Nanticoke-Udorthents complex, 0 to 2 percent slopes, very frequently flooded
MrA	Marlton sandy loam, 0 to 2 percent slopes	MaoA	Marlton sandy loam, 0 to 2 percent slopes
MrB	Marlton sandy loam, 2 to 5 percent slopes	MaoB	Marlton sandy loam, 2 to 5 percent slopes
McC3	Marlton soils, 5 to 10 percent slopes, severely eroded	MaoC3	Marlton sandy loam, 5 to 10 percent slopes, severely eroded
Mk	Marlton and Kresson-Urban land complex	MatB	Marlton-Kresson-Urban land complex, 0 to 5 percent slopes
MmB	Matawan loamy sand, 0 to 5 percent slopes	MbsB	Matawan loamy sand, 0 to 5 percent slopes
MnA	Matawan sandy loam, 0 to 2 percent slopes	MbtA	Matawan sandy loam, 0 to 2 percent slopes
MnB	Matawan sandy loam, 2 to 5 percent slopes	MbtB	Matawan sandy loam, 2 to 5 percent slopes
Mn	Moderately wet land	ModnA	Moderately wet land, 0 to 2 percent slopes
Mo	Moderately wet land	ModnA	Moderately wet land, 0 to 2 percent slopes

Soil Correlation Amendment
of
Camden County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
Mum	Mullica sandy loam	MumA	Mullica sandy loam, 0 to 2 percent slopes
PS	Pocomoke sandy loam	MumA	Mullica sandy loam, 0 to 2 percent slopes
Sg	Sand and gravel pits	PHG	Pits, sand and gravel
Ca	Clay pits	PHM	Pits, clay
Ma	Made land	PssA	Psamments, 0 to 3 percent slopes
Ps	Psamments, nearly level	PssA	Psamments, 0 to 3 percent slopes
Shs	Shrewsbury fine sandy loam	ShsA	Shrewsbury fine sandy loam, 0 to 2 percent slopes
Sw	Shrewsbury fine sandy loam	ShsA	Shrewsbury fine sandy loam, 0 to 2 percent slopes
Shw	Shrewsbury-Urban land complex	ShuuB	Shrewsbury-Urban land complex, 0 to 5 percent slpes
Sx	Shrewsbury-Urban land complex	ShuuB	Shrewsbury-Urban land complex, 0 to 5 percent slpes
FnB	Freehold sand, thick surface variant, 0 to 5 percent slopes	ThfB	Tinton sand, 0 to 5 percent slopes
DUMP	Dump	UdrB	Udorthents, refuse substratum, 0 to 8 percent slopes
Udz	Udorthents, refuse substratum	UdrB	Udorthents, refuse substratum, 0 to 8 percent slopes
UR	Unmapped city of camden	UR	Urban land
Um	Urban-Moderately wet land complex	USUDHB	Urban land-Udifluvents complex, 0 to 5 percent slopes
URUF	Urban land-Udifluvents complex	USUDHB	Urban land-Udifluvents complex, 0 to 5 percent slopes
W	Water (less than 40 acres)	WATER	Water
Water	Water (greater than 40 acres)	WATER	Water
Wd	Weeksville fine sandy loam	WebA	Weeksville fine sandy loam, 0 to 2 percent slopes
Web	Weeksville fine sandy loam	WebA	Weeksville fine sandy loam, 0 to 2 percent slopes
WfB	Westphalia loamy fine sand, 0 to 5 percent slopes	WedB	Westphalia loamy fine sand, 2 to 5 percent slopes
WfC	Westphalia loamy fine sand, 5 to 10 percent slopes	WedC	Westphalia loamy fine sand, 5 to 10 percent slopes
WaB	Westphalia fine sandy loam, 0 to 5 percent slopes	WeeB	Westphalia fine sandy loam, 2 to 5 percent slopes

Soil Correlation Amendment
of
Camden County, New Jersey
Consistent with Detailed New Jersey State Soil Survey Legend
(SSSD, SSURGO1 lists version of name/symbol, * name change only/symbol unchanged)

Prior symbol	Previously correlated name	Publication symbol	Amended correlated name
WEGC	Westphalia soils, 5 to 10 percent slopes	WeeC	Westphalia fine sandy loam, 5 to 10 percent slopes
WEGD	Westphalia soils, 10 to 15 percent slopes	WeeD	Westphalia fine sandy loam, 10 to 15 percent slopes
WhD	Westphalia soils, 10 to 20 percent slopes	WeeD	Westphalia fine sandy loam, 10 to 15 percent slopes
WEGD3	Westphalia soils, 10 to 15 percent slopes, severely eroded	WeeD2	Westphalia fine sandy loam, 10 to 15 percent slopes, eroded
WhD3	Westphalia soils, 10 to 20 percent slopes, severely eroded	WeeD2	Westphalia fine sandy loam, 10 to 15 percent slopes, eroded
Wef	Westphalia-Buddtown-Urban land complex	WefB	Westphalia-Buddtown-Urban land complex, 0 to 5 percent slopes
Wr	Westphalia-Nixonton-Urbanland complex	WefB	Westphalia-Buddtown-Urban land complex, 0 to 5 percent slopes
WoeA	Woodstown, sandy loam, 0 to 2 percent slopes	WoeA	Woodstown, sandy loam, 0 to 2 percent slopes
WORB	Woodstown and Glassboro sandy loams, 0 to 5 percent slopes	WokA	Woodstown and Glassboro sandy loams, 0 to 2 percent slopes
WsA	Woodstown and Dragston sandy loams, 0 to 3 percent slopes	WokA	Woodstown and Glassboro sandy loams, 0 to 2 percent slopes
WOUB	Woodstown and Klej loamy sands, 0 to 5 percent slopes	WOUB	Woodstown and Galloway loamy sands, 0 to 5 percent slopes
WtA	Woodstown and Klej loamy sands, 0 to 3 percent slopes	WOUB	Woodstown and Galloway loamy sands, 0 to 5 percent slopes
WOUkB	Woodstown and Klej loamy sands, clayey substratum, 0 to 5 percent slopes	WOUKB	Woodstown and Galloway loamy sands, clayey substrata, 0 to 5 percent slopes
WuA	Woodstown and Klej loamy sands, clayey substrata, 0 to 3 percent slopes	WOUKB	Woodstown and Galloway loamy sands, clayey substrata, 0 to 5 percent slopes