

HIGHLY ERODIBLE LAND REPORT
JANUARY, 1990

Survey Area- CHESTERFIELD COUNTY, VIRGINIA

Map Symbol	Mapunit Name	Seq. Num.	Component Name	Cap. Subcl.	Prime Farm	HEL Soil	K Fact.	T Fact.
1A	FLUVAQUENTS	1	FLUVAQUENTS	7W	0	NHEL	.32	5
2	UDIFLUENTS	1	UDIFLUENTS	7W	0	NHEL	.10	4
3A	FLUVAQUENTS, PONDED	1	FLUVAQUENTS	7W	0	NHEL	.37	4
6B	WORSHAM FINE SANDY LOAM, 0 TO 4 PERCENT SLOPES	1	WORSHAM	5W	0	PHEL	.37	4
7B	COLFAX FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	1	COLFAX	3W	0	PHEL	.37	4
8B	TETOTUM FINE SANDY LOAM, PONDED	1	TETOTUM	3W	2	NHEL	.37	3
21B	ATLEE SILT LOAM, 0 TO 4 PERCENT SLOPES	1	ATLEE	2W	1	PHEL	.37	4
24B	SPOTSYLVANIA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	1	SPOTSYLVANIA	2E	1	PHEL	.32	4
24C	SPOTSYLVANIA FINE SANDY LOAM, 6 TO 12 PERCENT PERCENT SLOPES	1	SPOTSYLVANIA	3E	0	HEL	.32	4
26B	TOCCOA FINE SANDY LOAM, 0 TO 4 PERCENT SLOPES	1	TOCCOA	3W	0	NHEL	.10	4
28	CHEWACLA LOAM	1	CHEWACLA	3W	0	PHEL	.28	4
30B	LENOIR SILT LOAM, 0 TO 4 PERCENT SLOPES	1	LENOIR	3W	2	PHEL	.37	4
31	CHASTAIN LOAM	1	CHASTAIN	4W	0	PHEL	.32	5
33B	COXVILLE LOAM, 2 TO 6 PERCENT SLOPES	1	COXVILLE	4W	2	PHEL	.28	4
37	FORESTDALE SILT LOAM	1	FORESTDALE	5W	0	NHEL		
38B	CECIL FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	1	CECIL	2E	1	PHEL	.28	3
38C	CECIL FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES	1	CECIL	3E	0	HEL	.28	3
38D	CECIL FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES	1	CECIL	4E	0	HEL	.28	3
41B	CRAVEN FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	1	CRAVEN	3E	1	PHEL	.37	3
42B	APPLING SANDY LOAM, 2 TO 6 PERCENT SLOPES	1	APPLING	2E	1	PHEL	.24	4
42C	APPLING SANDY LOAM, 6 TO 12 PERCENT SLOPES	1	APPLING	3E	0	HEL	.24	4
42D	APPLING SANDY LOAM, 12 TO 20 PERCENT SLOPES	1	APPLING	4E	0	HEL	.24	4
45B	DURHAM-BOURNE FINE SANDY LOAMS, 2 TO 6 PERCENT SLOPES	1	DURHAM	2E	0	PHEL	.17	4
45B	DURHAM-BOURNE FINE SANDY LOAMS, 2 TO 6 PERCENT SLOPES	2	BOURNE	2E	0	PHEL	.17	4
48B	ORANGE SANDY LOAM, 2 TO 6 PERCENT SLOPES	1	ORANGE	3E	0	PHEL	.49	3
48C	ORANGE SANDY LOAM, 6 TO 12 PERCENT SLOPES	1	ORANGE	4E	0	HEL	.49	3
49B	BOURNE FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	1	BOURNE	2E	0	PHEL	.43	3
49C	BOURNE FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES	1	BOURNE	3E	0	HEL	.43	3
50C	ENON-VANCE COMPLEX, 2 TO 12 PERCENT SLOPES	1	ENON	3E	0	HEL	.32	4
50C	ENON-VANCE COMPLEX, 2 TO 12 PERCENT SLOPES	2	VANCE	3E	0	HEL	.32	4
50F	ENON-LOUISBURG COMPLEX, 12 TO 40 PERCENT SLOPES	1	ENON	6E	0	HEL	.32	4
50F	ENON-LOUISBURG COMPLEX, 12 TO 40 PERCENT SLOPES	2	LOUISBURG	7E	0	HEL	.32	4
51B	PAMUNKEY LOAM, 0 TO 6 PERCENT SLOPES	1	PAMUNKEY	2E	1	PHEL	.28	4
51C	PAMUNKEY LOAM, 6 TO 12 PERCENT SLOPES	1	PAMUNKEY	3E	0	HEL	.28	4
51D	PAMUNKEY LOAM, 12 TO 20 PERCENT SLOPES	1	PAMUNKEY	4E	0	HEL	.28	4
53B	MOLENA LOAMY SAND, 2 TO 6 PERCENT SLOPES	1	MOLENA	3S	0	NHEL	.17	5
59B	MAYODAN SANDY LOAM, CLAYEY SUBSTRATUM, 2 TO 6 PERCENT SLOPES	1	MAYODAN	2E	1	PHEL	.24	3
59C	MAYODAN SANDY LOAM, CLAYEY SUBSTRATUM, 6 TO 12 PERCENT SLOPES	1	MAYODAN	3E	0	HEL	.24	3
59D	MAYODAN SANDY LOAM, CLAYEY SUBSTRATUM, 12 TO 20 PERCENT SLOPES	1	MAYODAN	6E	0	HEL	.24	3
61B	CREEDMOOR FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	1	CREEDMOOR	2E	0	PHEL	.37	3
61C	CREEDMOOR FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES	1	CREEDMOOR	3E	0	HEL	.37	3
61C2	CREEDMOOR FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES, ERODED	1	CREEDMOOR	4E	0	HEL	.37	3
65B	ABELL SANDY LOAM, 2 TO 8 PERCENT SLOPES	1	ABELL	2E	1	PHEL	.28	4
66B	VARINA FINE SANDY LOAM, 0 TO 4 PERCENT SLOPES	1	VARINA	2E	1	NHEL	.17	4
67B	LENOIR LOAM, FLOODED, 0 TO 4 PERCENT SLOPES	1	LENOIR	3W	0	PHEL	.37	4
68B	DOGUE LOAM, VARIANT, 0 TO 4 PERCENT SLOPES	1	DOGUE	2E	1	PHEL	.32	4
70B	NORFOLK FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES	1	NORFOLK	2E	1	PHEL	.17	5
71B	BUNCOMBE LOAMY FINE SAND, 0 TO 4 PERCENT SLOPES	1	BUNCOMBE	3S	0	NHEL	.10	5

HIGHLY ERODIBLE LAND REPORT
JANUARY, 1990

Survey Area- CHESTERFIELD COUNTY, VIRGINIA

Map Symbol	Mapunit Name	Seq. Num.	Component Name	Cap. Subcl.	Prime Farm	HEL Soil	K Fact.	T Fact.
80B	COLFAX FINE SANDY LOAM, VARIANT, 0 TO 4 PERCENT SLOPES	1	COLFAX VARIANT	3W	0	PHEL	.37	3
82B	KEMPSVILLE-BOURNE COMPLEX, 2 TO 6 PERCENT SLOPES	1	KEMPSVILLE	2E	0	PHEL	.28	4
82B	KEMPSVILLE-BOURNE COMPLEX, 2 TO 6 PERCENT SLOPES	2	BOURNE	2E	0	PHEL	.28	4
82C	KEMPSVILLE-BOURNE COMPLEX, 6 TO 12 PERCENT SLOPES	1	KEMPSVILLE	3E	0	HEL	.28	4
82C	KEMPSVILLE-BOURNE COMPLEX, 6 TO 12 PERCENT SLOPES	2	BOURNE	3E	0	HEL	.28	4
92B	RUMFORD LOAMY FINE SAND, 2 TO 6 PERCENT SLOPES	1	RUMFORD	2E	0	PHEL	.24	4
92C	RUMFORD LOAMY FINE SAND, 6 TO 12 PERCENT SLOPES	1	RUMFORD	3E	0	PHEL	.24	4
100	HYDRAQUENTS	1	HYDRAQUENTS		0	NHEL		
101B	STARR SOILS, CLAYEY SUBSTRATUM, 2 TO 6 PERCENT SLOPES	1	STARR	2E	1	PHEL	.24	4
103B	MASADA GRAVELLY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	1	MASADA	2E	1	PHEL	.32	4
103C	MASADA GRAVELLY FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES	1	MASADA	3E	0	HEL	.32	4
105C	LOUISBURG SANDY LOAM, 4 TO 12 PERCENT SLOPES	1	LOUISBURG	4E	0	HEL	.24	2
105D	LOUISBURG SANDY LOAM, 12 TO 20 PERCENT SLOPES	1	LOUISBURG	6E	0	HEL	.24	2
105E	LOUISBURG SANDY LOAM, 20 TO 45 PERCENT SLOPES	1	LOUISBURG	7E	0	HEL	.24	2
106B	MASADA FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	1	MASADA	2E	1	PHEL	.32	4
106C	MASADA FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES	1	MASADA	3E	0	HEL	.32	4
107B	TURBEVILLE FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	1	TURBEVILLE	2E	1	PHEL	.32	5
107C	TURBEVILLE FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES	1	TURBEVILLE	3E	0	HEL	.32	5
108B	TURBEVILLE GRAVELLY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	1	TURBEVILLE	2E	1	PHEL	.32	5
108C	TURBEVILLE GRAVELLY FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES	1	TURBEVILLE	3E	0	HEL	.32	5
110B	FACEVILLE-GRITNEY COMPLEX, 2 TO 6 PERCENT SLOPES	1	FACEVILLE	2E	0	PHEL	.28	5
110B	FACEVILLE-GRITNEY COMPLEX, 2 TO 6 PERCENT SLOPES	2	GRITNEY	2E	0	PHEL	.28	5
110C	FACEVILLE-GRITNEY COMPLEX, 6 TO 12 PERCENT SLOPES	1	FACEVILLE	3E	0	HEL	.28	5
110C	FACEVILLE-GRITNEY COMPLEX, 6 TO 12 PERCENT SLOPES	2	GRITNEY	3E	0	HEL	.28	5
112B	ORANGEBURG-FACEVILLE SANDY LOAMS, 2 TO 6 PERCENT SLOPES	1	ORANGEBURG	2E	1	PHEL	.17	5
112B	ORANGEBURG-FACEVILLE SANDY LOAMS, 2 TO 6 PERCENT SLOPES	2	FACEVILLE	2E	1	PHEL	.17	5
112C	ORANGEBURG-FACEVILLE SANDY LOAMS, 6 TO 12 PERCENT SLOPES	1	ORANGEBURG	3E	0	HEL	.17	5
112C	ORANGEBURG-FACEVILLE SANDY LOAMS, 6 TO 12 PERCENT SLOPES	2	FACEVILLE	3E	0	HEL	.17	5
117B	MASADA LOAM, 2 TO 6 PERCENT SLOPES	1	MASADA	2E	1	PHEL	.32	4
117C	MASADA LOAM, 6 TO 12 PERCENT SLOPES	1	MASADA	3E	0	HEL	.32	4
123B	CREEDMOOR GRAVELLY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	1	CREEDMOOR	2E	0	PHEL	.37	3
123C	CREEDMOOR GRAVELLY FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES	1	CREEDMOOR	3E	0	HEL	.37	3
137	ROANOKE LOAM	1	ROANOKE	5W	0	NHEL	.37	4
142B	APPLING GRAVELLY SANDY LOAM, 2 TO 6 PERCENT SLOPES	1	APPLING	2E	1	PHEL	.20	4
142C	APPLING, 6 TO 12 PERCENT SLOPES	1	APPLING	3E	0	HEL	.24	4
142D	APPLING-WEDOWEE FINE SANDY LOAMS, 12 TO 20 PERCENT SLOPES	1	APPLING	4E	0	HEL	.24	4
142D	APPLING-WEDOWEE FINE SANDY LOAMS, 12 TO 20 PERCENT SLOPES	2	WEDOWEE	4E	0	HEL	.24	4
142E	WEDOWEE GRAVELLY FINE SANDY LOAM, 20 TO 40 PERCENT SLOPES	1	WEDOWEE	7E	0	HEL	.20	2

HIGHLY ERODIBLE LAND REPORT
JANUARY, 1990

Survey Area- CHESTERFIELD COUNTY, VIRGINIA

Map Symbol	Mapunit Name	Seq. Num.	Component Name	Cap. Subcl.	Prime Farm	HEL Soil	K Fact.	T Fact.
151B	MAYODAN GRAVELLY SANDY LOAM, CLAYEY SUBSTRATUM 2 TO 6 PERCENT SLOPES	1	MAYODAN	2E	1	PHEL	.24	3
151C	MAYODAN GRAVELLY SANDY LOAM, CLAYEY SUBSTRATUM, 6 TO 12 PERCENT SLOPES	1	MAYODAN	3E	0	HEL	.24	3
151D	MAYODAN GRAVELLY SANDY LOAM, CLAYEY SUBSTRATUM, 12 TO 20 PERCENT SLOPES	1	MAYODAN	6E	0	HEL	.24	3
157B	FACEVILLE-GRITNEY FINE SANDY LOAMS, 2 TO 6 PERCENT SLOPES	1	FACEVILLE	2E	1	PHEL	.28	5
158B	TETOTUM LOAM, CLAYEY SUBSTRATUM, 2 TO 6 PERCENT SLOPES	1	TETOTUM	2E	1	PHEL	.37	3
159B	POUNCEY FINE SANDY LOAM, 0 TO 6 PERCENT SLOPES	1	POUNCEY	4W	0	PHEL	.28	4
162B	FACEVILLE FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	1	FACEVILLE	2E	1	PHEL	.28	5
162C	FACEVILLE FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES	1	FACEVILLE	3E	0	HEL	.28	5
163B	VAUCLUSE SANDY LOAM, 2 TO 6 PERCENT SLOPES	1	VAUCLUSE	3E	1	PHEL	.17	3
163C	VAUCLUSE SANDY LOAM, 6 TO 12 PERCENT SLOPES	1	VAUCLUSE	3E	0	HEL	.17	3
165C	PINKSTON GRAVELLY SANDY LOAM, 6 TO 12 PERCENT SLOPES	1	PINKSTON	4E	0	HEL	.43	2
165D	PINKSTON GRAVELLY SANDY LOAM, 12 TO 20 PERCENT SLOPES	1	PINKSTON	6E	0	HEL	.43	2
165F	PINKSTON GRAVELLY SANDY LOAM, 20 TO 45 PERCENT SLOPES	1	PINKSTON	7E	0	HEL	.43	2
167	AUGUSTA FINE SANDY LOAM, HIGH TERRACE, 0 TO 4 PERCENT SLOPES	1	AUGUSTA	3W	2	NHEL	.15	4
169B	BOURNE SANDY LOAM, 2 TO 6 PERCENT SLOPES	1	BOURNE	2E	0	PHEL	.43	3
169C	BOURNE SANDY LOAM, 6 TO 12 PERCENT SLOPES	1	BOURNE	3E	0	HEL	.43	3
172D	OCHREPTS AND UDULTS, SLOPING	1	OCHREPTS	4E	0	HEL	.24	2
172D	OCHREPTS AND UDULTS, SLOPING	2	UDULTS	4E	0	HEL	.24	2
172E	OCHREPTS AND UDULTS, SLOPING	1	OCHREPTS	6E	0	HEL	-	-
172E	OCHREPTS AND UDULTS, SLOPING	2	UDULTS	6E	0	HEL	-	-
172F	OCHREPTS AND UDULTS, SLOPING	1	OCHREPTS	7E	0	HEL	-	-
172F	OCHREPTS AND UDULTS, SLOPING	2	UDULTS	7E	0	HEL	-	-
188	DUNBAR FINE SANDY LOAM, 0 TO 4 PERCENT SLOPES	1	DUNBAR	2W	2	PHEL	.32	5
191	AQUULTS	1	AQUULTS	5W	0	NHEL	-	-
201B	MAYODAN-CREEDMOOR COMPLEX, 2 TO 6 PERCENT SLOPES	1	MAYODAN	2E	0	PHEL	.24	3
201B	MAYODAN-CREEDMOOR COMPLEX, 2 TO 6 PERCENT SLOPES	2	CREEDMOOR	2E	0	PHEL	.24	3
201C	MAYODAN-CREEDMOOR COMPLEX, 6 TO 12 PERCENT SLOPES	1	MAYODAN	3E	0	HEL	.24	3
201C	MAYODAN-CREEDMOOR COMPLEX, 6 TO 12 PERCENT SLOPES	2	CREEDMOOR	3E	0	HEL	.24	3
201D	MAYODAN-CREEDMOOR COMPLEX, 12 TO 20 PERCENT SLOPES	1	MAYODAN	4E	0	HEL	.24	3
201D	MAYODAN-CREEDMOOR COMPLEX, 12 TO 20 PERCENT SLOPES	2	CREEDMOOR	4E	0	HEL	.24	3
201F	MAYODAN-PINKSTON COMPLEX, 6 TO 12 PERCENT SLOPES	1	MAYODAN	7E	0	HEL	.24	3
201F	MAYODAN-PINKSTON COMPLEX, 6 TO 12 PERCENT SLOPES	2	PINKSTON	7E	0	HEL	.24	3
202B	CREEDMOOR-WORSHAM COMPLEX, 2 TO 6 PERCENT SLOPES	1	CREEDMOOR	4W	0	PHEL	.37	3
202B	CREEDMOOR-WORSHAM COMPLEX, 2 TO 6 PERCENT SLOPES	2	WORSHAM	4W	0	PHEL	.37	3
202C	CREEDMOOR-WORSHAM COMPLEX, 6 TO 12 PERCENT SLOPES	1	CREEDMOOR	4E	0	HEL	.37	3
202C	CREEDMOOR-WORSHAM COMPLEX, 6 TO 12 PERCENT SLOPES	2	WORSHAM	4E	0	HEL	.37	3
207C	COLFAX SANDY LOAM, 6 TO 12 PERCENT SLOPES	1	COLFAX	3E	0	HEL	.37	4
210B	VANCE FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	1	VANCE	3E	1	PHEL	.18	3
210C	VANCE FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES	1	VANCE	4E	0	HEL	.18	3
210D	VANCE FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES	1	VANCE	6E	0	HEL	.18	3
212B	LUCY-ORANGEBURG COMPLEX, 2 TO 6 PERCENT PERCENT SLOPES	1	LUCY	2S	0	PHEL	.20	5

HIGHLY ERODIBLE LAND REPORT
JANUARY, 1990

Survey Area- CHESTERFIELD COUNTY, VIRGINIA

Map Symbol	Mapunit Name	Seq. Num.	Component Name	Cap. Subcl.	Prime Farm	HEL Soil	K Fact.	T Fact.
212B	LUCY-ORANGEBURG COMPLEX, 2 TO 6 PERCENT PERCENT SLOPES	2	ORANGEBURG	2S	0	PHL	.20	5
212C	LUCY-ORANGEBURG COMPLEX, 6 TO 12 PERCENT SLOPES	1	LUCY	2S	0	HEL	.20	5
212C	LUCY-ORANGEBURG COMPLEX, 6 TO 12 PERCENT SLOPES	2	ORANGEBURG	2S	0	HEL	.20	5
241C	GROVER-LOUISBURG COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED	1	GROVER	4E	0	HEL	.28	3
241C	GROVER-LOUISBURG COMPLEX, 6 TO 12 PERCENT SLOPES, ERODED	2	LOUISBURG	4E	0	HEL	.28	3
244B	EDGEHILL VERY GRAVELLY FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES	1	EDGEHILL	3S	0	PHL	.28	4
244C	EDGEHILL VERY GRAVELLY FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES	1	EDGEHILL	4E	0	HEL	.28	4
244D	EDGEHILL VERY GRAVELLY FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES	1	EDGEHILL	6E	0	HEL	.28	4
244E	EDGEHILL VERY GRAVELLY FINE SANDY LOAM 20 TO 40 PERCENT SLOPES	1	EDGEHILL	7E	0	HEL	.28	4
245B	APPLING-SPOTSYLVANIA COMPLEX, 2 TO 6 PERCENT SLOPES	1	APPLING	2E	1	PHL	.24	4
245B	APPLING-SPOTSYLVANIA COMPLEX, 2 TO 6 PERCENT SLOPES	2	SPOTSYLVANIA	2E	1	PHL	.24	4
251C	MAYODAN-CREEDMOOR COMPLEX, 2 TO 12 PERCENT SLOPES	1	MAYODAN	4E	0	HEL	.24	3
251C	MAYODAN-CREEDMOOR COMPLEX, 2 TO 12 PERCENT SLOPES	2	CREEDMOOR	4E	0	HEL	.24	3
251D	MAYODAN-CREEDMOOR-EDGEHILL COMPLEX, 12 TO 20 PERCENT SLOPES	1	MAYODAN	6E	0	HEL	.24	3
251D	MAYODAN-CREEDMOOR-EDGEHILL COMPLEX, 12 TO 20 PERCENT SLOPES	2	CREEDMOOR	6E	0	HEL	.24	3
251D	MAYODAN-CREEDMOOR-EDGEHILL COMPLEX, 12 TO 20 PERCENT SLOPES	3	EDGEHILL	6E	0	HEL	.24	3
251F	MAYODAN-CREEDMOOR-EDGEHILL COMPLEX, 20 TO 40 PERCENT SLOPES	1	MAYODAN	7E	0	HEL	.24	3
251F	MAYODAN-CREEDMOOR-EDGEHILL COMPLEX, 20 TO 40 PERCENT SLOPES	2	CREEDMOOR	7E	0	HEL	.24	3
251F	MAYODAN-CREEDMOOR-EDGEHILL COMPLEX, 20 TO 40 PERCENT SLOPES	3	EDGEHILL	7E	0	HEL	.24	3
261B	BOURNE-COLFAX COMPLEX, 2 TO 6 PERCENT SLOPES	1	BOURNE	3W	0	PHL	.43	3
261B	BOURNE-COLFAX COMPLEX, 2 TO 6 PERCENT SLOPES	2	COLFAX	3W	0	PHL	.17	3
305B	GROVER FINE SANDY LOAM, 2 TO 6 PERCENT SLOPES, ERODED	1	GROVER	2E	1	PHL	.28	3
305C	GROVER FINE SANDY LOAM, 6 TO 12 PERCENT SLOPES	1	GROVER	3E	0	HEL	.28	3
305D	GROVER FINE SANDY LOAM, 12 TO 20 PERCENT SLOPES	1	GROVER	4E	0	HEL	.28	3
305E	GROVER FINE SANDY LOAM, 20 TO 35 PERCENT SLOPES	1	GROVER	6E	0	HEL	.28	3
340B	CULLEN LOAM, 2 TO 6 PERCENT SLOPES	1	CULLEN	2E	1	PHL	-	-
340C	CULLEN CLAY LOAM, 6 TO 12 PERCENT SLOPES ERODED	1	CULLEN	4E	0	HEL	-	-
340D	CULLEN CLAY LOAM, 12 TO 20 PERCENT SLOPES, ERODED	1	CULLEN	6E	0	HEL	-	-
505D	LOUISA LOAM, VARIANT, 12 TO 20 PERCENT SLOPES	1	LOUISA	6E	0	HEL	.28	2
505F	LOUISA LOAM, VARIANT, 20 TO 45 PERCENT SLOPES	1	LOUISA VARIANT LOUISA VARIANT	7E	0	HEL	.28	2
542B	APPLING LOAM, 2 TO 6 PERCENT SLOPES	1	APPLING	2E	1	PHL	.24	4
542C	APPLING LOAM, 6 TO 12 PERCENT SLOPES	1	APPLING	3E	0	HEL	.24	4

HIGHLY ERODIBLE LAND REPORT
JANUARY, 1990

Survey Area- CHESTERFIELD COUNTY, VIRGINIA

Map Symbol	Mapunit Name	Seq. Num.	Component Name	Cap. Subcl.	Prime Farm	HEL Soil	K Fact.	T Fact.
---------------	--------------	--------------	-------------------	----------------	---------------	-------------	------------	------------

HEL Terms

NHEL – Not Highly Erodible Land
PHEL – Potentially Highly Erodible Land
HEL – Highly Erodible Land

Prime Farmland Codes

- 0 - Not prime farmland.
- 1 - All areas are prime farmland.
- 2 - Prime farmland if drained.
- 3 - Prime farmland if protected from flooding or not frequently flooded during the growing season.
- 4 - Prime farmland if irrigated.
- 5 - Prime farmland if drained and either protected from flooding or not frequently flooded during the growing season.
- 6 - Prime farmland if irrigated and drained.
- 7 - Prime farmland if irrigated and either protected from flooding or not frequently flooded during the growing season.
- 8 - Prime farmland if subsoiled, completely removed the root inhibiting soil layer.