



CONSERVATION ENHANCEMENT ACTIVITY

E328K

CONSERVATION STEWARDSHIP PROGRAM

Multiple crop types to benefit wildlife

Conservation Practice 328: Conservation Cropping System

APPLICABLE LAND USE: Crop (Annual & Mixed)

RESOURCE CONCERN: Animals

ENHANCEMENT LIFE SPAN: 1 year

Enhancement Description

Alternating crops in a systematic arrangement of strips across a field to provide diverse rotations of crops that provide wildlife food. At least two crops will be planted in adjacent strips a minimum of 0.5 acres in size.

Criteria

- If the field is currently divided and planted to more than one crop, further division would be required.
- The crop rotation must include a minimum of two different crops in a minimum three-year rotation. **<REFER TO STATE SPECIFIC LIST OF WILDLIFE FOOD FRIENDLY CROPS>**
- Crop strips will be a minimum of 0.5 acres in size not to exceed 40 acres. Grazing of crop residues and cover crops are permissible provided 60 percent cover remains after grazing.
- Annual crop strips will be rotated each year. If annual crops are used in conjunction with perennial crops, only that annual crop type would change the following year or growing season.

E328K – Multiple crop types to benefit wildlife	August 2019	Page 1
---	-------------	----------



- Harvested crop residue will remain standing through state identified critical wildlife periods.

CONSERVATION STEWARDSHIP PROGRAM





CONSERVATION STEWARDSHIP PROGRAM

Documentation and Implementation Requirements

Participant will:

- Prior to implementation, provide NRCS with the current and planned crop rotation for all cropland acres on the operation. **<REFER TO STATE SPECIFIC LIST OF WILDLIFE FOOD FRIENDLY CROPS>**
- Prior to implementation, as needed, NRCS can provide technical assistance in selecting wildlife food crops for the crop rotation or substitute species that would meet the criteria of the enhancement.
- Prior to implementation, provide maps for review by NRCS of the planned crop rotation, including the strips which will include the wildlife food friendly crops.

Current Management Rotation (complete table for each rotation)

Field	Current Crops (in sequence)	Planting Date	Harvest Date

Planned Management Rotation including Wildlife Food Friendly Crops (complete table for each rotation)

Field	Planned Crops (in sequence)	Planting Date	Harvest Date	Acres in rotation

- During implementation, notify NRCS of any planned changes in crops, crop rotation, or management to verify the planned system meets the enhancement criteria.
- After implementation, if changes were made, complete the tables above to document the applied crop rotation for the contract period and provide to NRCS for review.



CONSERVATION STEWARDSHIP PROGRAM

- After implementation, make photos of strips available for review by NRCS to verify implementation meets the enhancement criteria.

NRCS will:

- As needed, provide technical assistance in selecting wildlife food crops for the crop rotation or substitute species that would meet the criteria of the enhancement.
- As needed, provide additional assistance to the participant as requested.
- Prior to implementation, verify the crop rotation meets the criteria of the enhancement. The rotation must include a minimum of two different crops in a three-year crop rotation. *Plan/contract the actual acres planted to the wildlife food friendly crop.*
- During implementation, evaluate any planned changes in crops, crop rotation, or management to verify the new system meets the enhancement criteria.
- After implementation, if there were any changes to planned rotation or management evaluate the applied crop rotation using information provided from the participant to verify the applied rotation meets the enhancement criteria.
- After implementation, review photos of strips to verify implementation of the enhancement.

NRCS Documentation Review:

I have reviewed all required participant documentation and have determined the participant has implemented the enhancement and met all criteria and requirements.

Participant Name _____ Contract Number _____

Total Amount Applied _____ Fiscal Year Completed _____

NRCS Technical Adequacy Signature

Date



SOUTH DAKOTA (SD) SUPPLEMENT TO CONSERVATION ENHANCEMENT ACTIVITY

CONSERVATION STEWARDSHIP PROGRAM

E328K

Additional Criteria for SD:

In addition to the criteria specified in the national job sheet E328K, the following additional criteria apply in SD:

- No fall tillage.
- Any annually planted commodity crop in which the crop residue is left standing over winter, is adequate for wildlife.
- In SD, the approved habitat evaluation guide is the Wildlife Habitat Quality Rating Worksheet, SD-CPA-19 (WHEG).



Table 1: Cover Crop - Common Species and Properties

Cover Crop	Full seeding rate lbs/acre/4	Seeding depth, inches	Reduce erosion	Increase soil organic matter	Scavenge nutrients	Biological N fixation	Suppress weeds	Provide supplemental hay	Provide supplemental grazing	Rooting depth / Plant water use ¹	Minimize / Reduce surface soil compaction	Minimize/ Reduce subsoil compaction	Seed size (Large or Fine)	Crop type and seeding dates /2	Winter Survival	Salinity Tolerance	CN Ratio	Mycorrhizal fungi association	Seeds/lb	Shade Tolerance
Alfalfa	6.5	.25 - .75	G	G	G	Y	G	G	F	DH	G	G	F	CB	Y	P	L	M	210,000	F
Barley	50	.75 - 2.0	G	G	G	N	G	G	G	MM	G	F	L	CG	N	G	M	M	14,000	F
Brassica hybrids	7	.25 - .5	F	F	G	N	G	F	G	MM	G	G	F	CB	N	G	L	N	180,000	P
Buckwheat / 5	50	.5 - 1.5	P	P	F	N	F	P	P	SL	F	P	L	WB	N	P	L	N	19,000	G
Cabbage, African	5	.25 - .75	F	F	G	N	F	F	F	MM	G	G	F	CB	N	G	L	N	180,000	F
Camelina, Winter	3	.25 - .5	F	F	F	N	P	P	P	ML	P	F	F	CB	S	P	L	N	400,000	P
Canola	5	.25 - .75	F	F	G	N	G	F	F	MM	G	G	F	CB	S	G	L	N	140,000	F
Clover, Balansa	5	.25 - .75	F	P	F	Y	P	P	F	SL	P	P	F	CB	N	P	L	M	500,000	F
Clover, Crimson	15	.25 - .75	F	F	F	Y	P	F	F	SM	P	P	F	CB	S	P	L	M	150,000	F
Clover, Red	5	.25 - .75	G	F	F	Y	F	F	F	SL	F	F	F	CB	Y	P	L	M	275,000	G
Clover, Sweet	4	.25 - 1.0	G	G	F	Y	G	F	F	MM	G	G	F	CB	Y	F	L	M	260,000	G
Collards or Kale	5	.25 - .5	F	F	G	N	G	F	G	MM	G	G	F	CB	N	G	L	N	175,000	F
Corn	12	1 - 1.5	G	G	G	N	G	F	G	DH	G	G	L	WG	N	P	H	H	2,500	F
Cowpeas or Dry Beans	30	1 - 1.5	P	F	F	Y	P	P	F	SL	F	F	L	WB	N	P	L	M	4,000	F
Fava beans	75	1 - 1.5	F	F	F	Y	F	G	G	DM	F	F	L	CB	N	F	L	P	2,500	P
Flax	30	.25 - .75	F	F	F	N	P	P	P	SM	F	P	F	CB	N	P	H	H	80,000	P
Lentils	30	1 - 1.5	P	P	P	Y	P	P	P	SL	P	P	F	CB	N	P	L	M	20,000	P
Millet, hay	15	.5 - 1.0	G	G	G	N	G	G	G	SL	G	F	F	WG	N	P	M	H	180,000	P
Millet, proso	25	.5 - 1.0	G	G	G	N	G	G	G	SL	G	F	F	WG	N	P	M	H	80,000	P
Mustard	6	.25 - .75	F	F	F	N	G	F	P	MH	G	F	F	CB	N	P	L	N	140,000	P
Oats	70	.5 - 1.5	G	G	G	N	G	G	G	MM	G	F	L	CG	N	F	M	H	16,000	F
Peas	70	1.5 - 3.0	F	P	P	Y	F	G	G	SL	F	F	L	CB	N	P	L	M	3,500	F
Phacelia	4	.25 - .5	F	F	F	N	P	P	P	DH	F	P	F	CB	N	P	L	M	225,000	F
Radishes	8	.25 - .75	F	F	G	N	G	P	G	DH	G	G	F	CB	N	P	L	N	25,000	P
Rapeseed	5	.25 - .75	F	F	G	N	G	F	G	MM	G	G	F	CB	Y	G	L	N	140,000	F
Rye, Cereal	60	.75 - 2.0	G	G	G	N	G	G	G	MH	G	G	L	CG	Y	G	H	M	18,000	G
Ryegrass, Annual	15	.5 - 1.5	G	G	G	N	F	G	G	MM	G	F	F	CG	S	F	M	M	190,000	G
Safflowers	30	.5 - 1.0	F	F	G	N	F	P	P	DM	F	G	L	WB	N	F	M	M	15,000	P
Sorghum, Forage and Sudan Hybrids	15	.5 - 1.5	G	G	G	N	G	G	G	MM	G	G	L	WG	N	F	M	H	17,000	P
Sorghum, Grain	5	.5 - 1.5	G	G	G	N	G	G	G	MM	G	G	L	WG	N	F	M	H	17,000	P
Soybeans	35	1 - 1.5	F	P	F	Y	F	F	F	SM	F	F	L	WB	N	P	L	M	3,000	F
Sudangrass	20	.5 - 1.5	G	G	G	N	G	G	G	MM	G	G	L	WG	N	F	M	H	25,000	P
Sugar beets	4	.25 - .5	F	P	G	N	F	P	G	DH	G	G	F	CB	N	G	L	N	22,000	P
Sunflowers	7	.5 - 1.0	F	F	G	N	F	P	G	DM	F	G	L	WB	N	F	M	M	8,000	P
Sunn hemp	15	1.5 - 2.0	F	F	F	Y	F	P	F	DM	F	F	L	WB	N	P	L	M	15,000	P
Teff grass	5	.13 - .25	G	G	F	N	F	G	G	SM	G	F	F	WG	N	P	M	H	1M	N
Triticale	60	.5 - 1.5	G	G	G	N	G	G	G	MH	G	F	L	CG	Y	G	M	M	15,000	F
Turnips	4	.25 - .5	F	P	G	N	G	P	G	DH	G	G	F	CB	S	P	L	N	175,000	P
Vetch, Chickling	50	.5 - 1.5	F	F	F	Y	F	F	P	SL	F	F	L	CB	N	P	L	M	2,500	F
Vetch, Common	25	.5 - 1.5	F	F	F	Y	F	F	G	SM	F	F	L	CB	N	P	L	M	8,000	F
Vetch, Hairy	15	.5 - 1.5	G	F	F	Y	F	F	F	SM	G	F	L	CB	Y	P	L	M	14,000	G
Wheat, Spring	60	.5 - 1.5	G	G	G	N	G	G	G	MH	G	F	L	CG	N	G	M	M	15,000	F
Wheat, Winter	60	.75 - 2.0	G	G	G	N	G	G	G	MH	G	F	L	CG	Y	G	M	M	15,000	F

